

PL
571
C692
ENT

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk


editus a

S. Schenkling.

Pars 73:

Chr. Aurivillius

Cerambycidae: Lamiinae I.



W. Junk
Berlin W. 15
1921.

Coleopterorum Catalogus

87
auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 73:

Chr. Aurivillius

Cerambycidae: Lamiinae



W. Junk
Berlin W. 15
15. I. 1922.

257075

Coleopterorum Catalogus

- Pars 1: R. Gestro, Rhysodidae. 1910. 11 p.
2: F. Borchmann, Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
3: F. Borchmann, Alleculidae. 1910. 80 p.
4: M. Hagedorn, Ipidae. 1910. 134 p.
5: R. Gestro, Cupedidae, Paussidae. 1910. 31 p.
6: H. Wagner, Curculionidae: Apioninae. 1910. 81 p.
7: H. von Schönfeldt, Brenthididae. 1910. 57 p.
8: G. van Roon, Lucanidae. 1910. 70 p.
9: E. Olivier, Lampyridae. 1910. 68 p.
10: E. Olivier, Rhagophthalmidae, Drilidae. 1910. 10 p.
11: A. Lèveillé, Tenebrionidae. 1910. 140 p.
12: E. Csiki, Endomychidae. 1910. 68 p.
13: E. Csiki, Scaphidiidae. 1910. 21 p.
14: M. Pic, Hylophilidae. 1910. 25 p.
15, 22, 28, 37: H. Gebien, Tenebrionidae, Trictenotomidae. 1910—11. 742 p.
16: P. Pape, Brachyceridae. 1910. 36 p.
17: Ph. Zaitzey, Dryopidae, Cyathoceridae, Georyssidae, Heteroceridae. 1910. 68 p.
18: E. Csiki, Platypsyllidae, Orthoperidae, Phaenocephalidae, Discolomidae, Sphaeriidae. 1910. 35 p.
19, 29, 40, 57, 67: M. Bernhauer et K. Schubert, Staphylinidae I—V. 1910—16. 498 p.
20: A. Schmidt, Aphodiinae. 1910. 111 p.
21: K. Ahlwarth, Gyrinidae. 1910. 42 p.
23: S. Schenkling, Cleridae. 1910. 174 p.

Fam. Cerambycidae.

Subfam. Lamiinae.

Auct. Chr. Aurivillius.

Linné, Syst. Nat. ed. 10, 1758, p. 388—399; ed. 12, 1767, p. 621—641. — Fabricius, Syst. Ent. 1775, p. 164—181, 184—187; Gen. Ins. 1776, p. 48, 52, 230—231; Spec. Ins. I, 1781, p. 209—225, 230—235; Mant. Ins. I, 1787, p. 130—142, 147—150; Ent. Syst. I, 2, 1792, p. 251—292, 307—318; Ent. Syst. Suppl. 1798, p. 142—148; Syst. Eleuth. II, 1801, p. 266—304, 315—333. — Goeze, Ent. Beytr. I, 1777, p. 424—514. — De Geer, Mém. Ins. V, 1775, p. 64—116. — Voet, Cat. Col. II, 1778, p. 5—24, t. 4—24; 1804—06, p. 25—31, t. 25—27; ed. Panzer, III, 1794, p. 9—68, t. 4—24; IV, 1798, p. 1—10, t. 25—27. — Olivier, Encycl. méthod. V, 1790, Cerambyx p. 284—309; VII, 1792, Lamia p. 449—476; Entomologie IV, 1795, nr. 66—68. — Gmelin in Linné, Syst. Nat. I, 4, 1790, p. 1814—1844. — Latreille, Hist. Nat. Crust. et Ins. XI, 1804, p. 282—322; in Cuvier, Règne Anim. III, 1817, p. 341—345; ed. 2, Ins. II, 1829, p. 109—121; Familles Nat. Règne Anim. 1825, p. 401—402. — Serville, Encycl. méth. X, 1825, Saperda p. 334—338; Nouv. Classif. de la Fam. des Longic. in: Ann. Soc. Ent. France I, 1832, p. 118—120; IV, 1835, p. 5—100. — Castelnau, Hist. Nat. Ins. Col. II, 1840, p. 456—497. — Chevrolat, Ann. Soc. Ent. France (2) IX, 1851, p. 657—664 (Longic. de la collect. de Banks). — White, Cat. Col. Brit. Mus. VIII, 1855, p. 335—409. — J. Thomson, Archives Entomol. I, 1857, p. 81—89; Essai d'une Classification de la famille des Cerambycides, 1860, p. 1—128; Systema Cerambycidarum 1864—1865, p. 14—132, 337—342, 349—403, 542—567. — Lacordaire, Gen. Col. IX, 1869—72, p. 238—915. — Pic, Matériaux pour servir à l'étude des Longicornes I—X, 1891—1917. — Heyne-Taschenberg, Exotische Käfer 1906—1907, p. 241—244, t. 35, 37.

Paläarktisches Gebiet: Linné etc. siehe Cat. Cerambycinae, p. 3—4. — Pic, Délégation en Perse, Annales d'Hist. Nat. II, 1912, p. 55—59 (Persien). — Djukin, Liste des Cerambycides capturés dans le gouvernement de Penza, Revue Russe d'Ent. XII, 1912, p. 282. — Reitter, Fauna Germanica, Käfer IV (1912) 1913, p. 54—72, t. 137—140 (Deutschland). — Kuhnt, Illustr. Best.-Tab. der Käfer Deutschlands, 1913, p. 787—800 (Deutschland). — Jensen-Haarup, Danmarks Fauna, Biller III, 1914, p. 7—30 (Danmark). — Correa de Barros, Broteria XII, 1914, p. 81—106, 5 tab. (Portugal). — Schaufuss in Calwer, Käferbuch, ed. 6, 1916, p. 864—885 (Europa). — Alfieri, Bull. Soc. Ent. Égypte IX, 1916, p. 63—76 (Ägypten). — Aurivillius, Svensk Insektafauna IX, 1, 1917, p. 35—46 (Schweden).

Indo-malaysisches Gebiet: Newman, etc. s. Cat. Cerambycinae.

Australo-papuanisches Gebiet: Newman, etc. siehe Cat. Cerambycinae. — Olliff, Mem. Austral. Mus. II, 1889, p. 95—98 (Lord

- Howe-Insel). — Fauvel, Revue d'Ent. XXV, 1906, p. 40—160 (Neucaledonien). — Heller, Käfer von Neu-Caledonien, 1916, p. 255—258, 288—298 (Neucaledonien).
- Aethiopisches Gebiet: Chevrolat etc. siehe Cat. Cerambycinae. — Hintz, Ann. Hofmus. Wien XXX, 1916, p. 230—238 (Zentral-Afrika).
- Nearktisches Gebiet: Kirby etc. siehe Cat. Cerambycinae. — Fisher, S. & Kirk, H. B., Cerambycidae from Harrisburg, Pa., Ent. News XXIII, 1912, p. 308—316. — Swaine, Report Canad. Arctic Exped. III, 1919, Part E, p. 10—12 (Arktisches Amerika).
- Neotropisches Gebiet: Erichson etc. siehe Cat. Cerambycinae. — Gounelle, Bull. Mus. Paris 1913, p. 193—231 (Argentina).
- Kataloge: Schönherr etc. siehe Cat. Cerambycinae. — Bruch, Rev. Museo de la Plata XVIII, 1912, p. 208—218 (Argentina). — Leng & Mutchler, Bull. Amer. Mus. Nat. Hist. XXXIII, 1914, p. 448—451 (1914) (Westindien). — Martinez de la Escalera, Col. de Marruecos 1914, p. 495—506 (Marocco).
- Biologie: Latreille etc. siehe Cat. Cerambycinae. — Webb, Preliminary Synopsis of Cerambycoid Larvae U. S. A. Depart. of Agric. Techn. Series 1912, XX, 5. — Beffa, Revista Col. Ital. XIII, 1915, Append. 1.
- Anatomie und Morphologie: Schiödte etc. siehe Cat. Cerambycinae. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 568—570, 620—622 (Male genital tube).

I. Dorcadionini.

- Thomson, Classif. Ceramb. 1860, p. 21; Syst. Ceramb. 1861, p. 38, 338. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1867, p. 7, 222. — Thomson, Physis I, 1867, p. 10—84. — Lacord. Gen. Col. IX, 1869, p. 251. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 91.

Blax Thoms.

- Thomson, Classif. Ceramb. 1860, p. 22; Syst. Ceramb. p. 360. — Lacord. Gen. Col. IV, 1869, p. 254.
- Wollastoni White, Proc. Zool. Soc. Lond. XXIV, Lord Howe-Island 1856, p. 406, t. 40, f. 6. — Thoms. Classif. Ceramb. 1860, p. 23. — Lacord. Gen. Col. IX, 1869, p. 255.

Xylotoles Newm.

- Newm. Entomol. I, 1840, p. 12, 382. — White, Zool. Voy. Erebus Terror, Ins. 1846, p. 22. — Thomson, Syst. Ceramb. 1861, p. 360. — Broun, Man. N. Zeal. Col. I, 1880, p. 592.
- Xyloteles* White in Dieffenb. N. Zeal. II. 1843, p. 279 (nom. nud.). — Thomson, Classif. Ceramb. 1860, p. 43. — Lacord. Gen. Col. IX, 1869, p. 255. — Fauvel, Revue d'Ent. XXV, 1906, p. 64 (Synopsis der Arten aus Neucaledonien).
- abnormalis** Sharp, Ent. Monthly Mag. XXXIX, 1903, Chatham-Insel p. 110.
- aegrotus** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, Neuseeland p. 121. — Broun, Man. N. Zeal. Col. I, 1880, p. 597.

- angustulus** Broun, l. c. IV, 1886, p. 973. Neuseeland
bipustulatus Montrouz. Ann. Soc. Ent. France (4) Insel Lifu
 I, 1861, p. 286. — Fauvel, Rev. d'Ent. XXV,
 1907, p. 67.
- bullatus** Bates, Ent. Monthly Mag. XIII, 1876, p. 53. Neuseeland
 — Broun, Man. N. Zeal. Col. I, 1880, p. 598.
- costatus** Pascoe, Ann. Mag. Nat. Hist. (4) XVI, 1875, Insel Pitt
 p. 217, t. 5, f. 8. — Broun, Man. N. Zeal.
 Col. I, 1880, p. 599.
- fasciatus** Sharp, Trans. R. Dublin Soc. (2) III, 1886, Neuseeland
 p. 443. — Broun, Man. N. Zeal. Col. V, 1893,
 p. 1289.
- gaudens** Broun, l. c. p. 1288
geophilus Montrouz. Ann. Soc. Ent. France (4) I, Insel "Lifu
 1861, p. 272. — Fauvel, Synops. p. 64.
- germanus** Sharp, Trans. R. Dublin Soc. (2) III, 1886, Neuseeland
 p. 443. — Broun, Man. N. Zeal. Col. V, 1893,
 p. 1289.
- gratus** Broun, Man. N. Zeal. Col. I, 1880, p. 595
grisens F. Syst. Ent. 1775, p. 186; Spec. Ins. I, 1781, "
 p. 233; Mant. Ins. I, 1787, p. 149; Ent. Syst. I, "
 2, 1792, p. 313; Syst. Eleuth. II, 1801, p. 324.
 — Gmelin in L. Syst. Nat. I, 4, 1790, p. 1841.
 — Ol. Ent. IV, nr. 68, 1795, p. 27, t. 3, f. 32. —
 Westw. Arcana Ent. II, 1843, p. 27, t. 56,
 f. 2. — White, Voy. Ereb. Terr. Ins. 1846,
 p. 22. — Guér. Revue Zool. V, 1847, p. 169.
 — Bates, Ann. Mag. Nat. Hist. (4) XIV,
 1874, p. 118. — Broun, Man. N. Zeal. Col. I,
 1880, p. 593.
- heteromorphus* Boisd. Voy. Astrol. Ins. II,
 1835, p. 505, t. 9, f. 14.
lentus Newm. Entomol. I, 1840, p. 12.
Westwoodi Guér. Revue Zool. X, 1847, p. 170.
- humeralis** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, "
 p. 119. — Broun, Man. N. Zeal. Col. I, 1880,
 p. 593.
- Huttoni** Sharp, Trans. Ent. Soc. Lond. 1882, p. 93. "
 — Broun, Man. N. Zeal. Col. V, 1893, p. 1287.
- inornatus** Broun, l. c. I, 1880, p. 595. "
laetus White, Voy. Ereb. Terr. Ins. 1846, p. 22. — "
 Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874,
 p. 120. — Broun, Man. N. Zeal. Col. I, 1880,
 p. 595.
- laticollis** Fauvel, Synops. p. 64, 66. Neu-
 caledonien
- litteratus** Fauvel, l. c. p. 64, 66. "
luniger Fauvel, l. c. p. 64, 65. "
lynceus F. Syst. Ent. 1775, p. 185; Spec. Ins. I, 1781, Neuseeland
 p. 233; Mant. Ins. I, 1787, p. 149; Ent.
 Syst. I, 2, 1792, p. 313; Syst. Eleuth. II,
 1801, p. 323. — Gmel. in L. Syst. Nat. I,
 4, 1790, p. 1841. — Ol. Ent. IV, nr. 68, 1795,
 p. 25, t. 4, f. 44. — White, Voy. Ereb. Terr.
 Ins. 1846, p. 22. — Lacord. Gen. Col. IX,
 1869, p. 256, nota 2. — Bates, Ann. Mag.
 Nat. Hist. (4) XIV, 1874, p. 118. — Broun,
 Man. N. Zeal. Col. I, 1880, p. 593.

maculatus Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 64. — Fauvel, Synops. p. 64.	Insel Lifu
maculatus Broun, Man. N. Zeal. Col. IV, 1886, p. 913.	Neuseeland
modestus Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 272. — Fauvel, Synops. p. 64.	Insel Lifu
murinus Fauvel, Synops. p. 64, 66.	Neu-caledonien
uanus Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 121. — Broun, Man. N. Zeal. Col. I, 1880, p. 596.	Neuseeland
nudus Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 120. — Broun, Man. N. Zeal. Col. I, 1880, p. 594.	"
ochraceotinctus Fauvel, Synops. p. 64, 65.	Neu-caledonien
parvulus White, Voy. Ereb. Terr. Ins. 1846, p. 22. — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 121. — Broun, Man. N. Zeal. Col. I, 1880, p. 596.	Neuseeland
Pattersoni Olliff, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 1012.	Insel Norfolk
✓ phormiobius Broun, Man. N. Zeal. Col. VI, 1893, p. 1888; VII, 1893, p. 1497.	Neuseeland
pictulus Bates, Ent. Monthly Mag. XIII, 1876, p. 53. — Broun, Man. N. Zeal. Col. I, 1880, p. 598.	"
prolongatus Broun, Man. N. Zeal. Col. VI, 1893, p. 1389.	"
pulchellus Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 122. — Broun, Man. N. Zeal. Col. I, 1880, p. 597.	"
rugicollis Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 122. — Broun, Man. N. Zeal. Col. I, 1880, p. 594.	"
Sandageri Broun, l. c. IV, 1886, p. 912.	"
Schauinslandi Sharp, Ent. Monthly Mag. XXXIX, 1903, p. 109.	Insel Chatham
scissileanda Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 122. — Broun, Man. N. Zeal. Col. I, 1880, p. 597.	Neuseeland
segrex Olliff, Mem. Austral. Mus. II, 1889, p. 96.	Lord Howe-Insel
Selwyni Olliff, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 1012.	Insel Norfolk
subpinguis White, Voy. Ereb. Terr. Ins. 1846, p. 22. — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 119. — Broun, Man. N. Zeal. Col. I, 1880, p. 594.	Neuseeland
Traversi Pasc. Ann. Mag. Nat. Hist. (4) XVIII, 1876, p. 66. — Broun, Man. N. Zeal. Col. I, 1880, p. 599.	Insel Chatham

Microlamia Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 123. — Broun, Man. N. Zeal. Col. I, 1880, p. 599.
- aemula** Broun, N. Zeal. Journ. of Sc. I, 1883, p. 494; Neuseeland Man. N. Zeal. Col. III, 1886, p. 810.

- pygmaea** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, Neuseeland
p. 123. — Broun, Man. N. Zeal. Col. I, 1880,
p. 599.

2

Stenellipsis Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 124. — Broun, Man.
N. Zeal. Col. I, 1880, p. 603.
- bimaçulata** White, Voy. Ereb. Terr. Ins. 1846, p. 22. Neuseeland
— Bates, Ann. Mag. Nat. Hist. (4) XIV,
1874, p. 125. — Broun, Man. N. Zeal. Col.
I, 1880, p. 604.
- cuneata** Sharp, Trans. R. Dublin Soc. (2) III, 1886, " "
p. 443, t. 13, f. 21. — Broun, Man. N. Zeal.
Col. V, 1893, p. 1289.
- gracilis** White, Voy. Ereb. Terr. Ins. 1846, p. 22. — " "
Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874,
p. 125. — Broun, Man. N. Zeal. Col. I, 1880,
p. 604.
- latipennis** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, " "
p. 125. — Broun, Man. N. Zeal. Col. I, 1880,
p. 605.
- pumila** Pasc. Ann. Mag. Nat. Hist. (4) XVIII, 1876, " "
p. 67. — Broun, Man. N. Zeal. Col. I, 1880,
p. 605.

5

Psilocnaeia Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 125. — Broun, Man.
N. Zeal. Col. I, 1880, p. 605.
- Bronni** Bates, Ent. Monthly Mag. XIII, 1876, p. 54. Neuseeland
— Broun, Man. N. Zeal. Col. I, 1880,
p. 606.
- linearis** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, " "
p. 126. — Broun, Man. N. Zeal. Col. I, 1880,
p. 606.

2

Spilotrogia Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 126. — Broun, Man.
N. Zeal. Col. I, 1880, p. 606.
- hilarula** Broun, l. c. p. 607. Neuseeland
- maculata** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, " "
p. 126. — Broun, Man. N. Zeal. Col. I, 1880,
p. 607.

2

Hexatricha Thoms.

- Thoms. Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869,
p. 256. — Broun, Man. N. Zeal. Col. I, 1880, p. 591.
- pulverulenta** Westw. Arcana Ent. II, 1845, p. 86. Neuseeland
t. 56, f. 5. — White, Voy. Ereb. Terr. Ins.
1846, p. 23. — Broun, Man. N. Zeal. Col. I,
1880, p. 592.

1

Deucalion Woll.

Woll. Ins. Mader. 1854, p. 430. — Thoms. Syst. Ceramb. 1864, p. 362. — Lacord. Gen. Col. IX, 1869, p. 257.

desertarum Woll. Ins. Mader. 1854, p. 434, t. 9, f. 2; Desertas-Variation of Spec. 1856, p. 125; Col. Atlant. Inseln 1865, p. 348. — Lacord. Gen. Col. IX, 1869, p. 258.

oceanicus Woll. Ins. Mader. 1854, p. 433 nota; Journ. Salvages-of Ent. I, 1860, p. 90; Col. Atlant. 1865, Inseln p. 349.

2

Plectrura Mannerh.

Mannerh. Bull. Mosc. XXV. I, 1852, p. 365. — Thoms. Syst. Ceramb. 1864, p. 362. — Lacord. Gen. Col. IX, 1869, p. 258. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 316. — Jacobs. Ann. Mus. Zool. St. Petersb. IV, 1899, p. 41.

Subgen. *Phlyctidola* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 236. — Jacobs. Ann. Mus. Zool. St. Petersb. IV, 1899, p. 42.

Subgen. **Plectrura** s. str.

- ✓ **spinicauda** Mannerh. Bull. Mosc. XXV, I, 1852, p. 366. Alaska,
— J. Lec. & Horn, Classif. Col. N. Amer. Sitka,
1883, p. 316. — Leng, Trans. Amer. Ent. Vancouver,
Soc. XXIII, 1896, p. 104. — Jacobs. Ann. Oregon
Mus. Zool. St. Petersb. IV, 1899, p. 42.
ab. producta J. Lec. Proc. Acad. Philad. VII, Washington
1854, p. 19; U. S. Pacif. Rail R. Exped.
Report. Ins. 1857, p. 65, t. 2, f. 15. — Jacobs.
Ann. Mus. Zool. St. Petersb. IV, 1899, p. 42.

Subgen. **Phlyctidola** Bates.

- mandschurica** Jacobs. l. c. p. 43. Mand-
schurien
✓ **metallica** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 236, t. 1, f. 9 — Jacobs. Ann. Mus.
Zool. St. Petersb. IV, 1899, p. 43.
sachalinica Jacobs. Ann. Mus. Zool. St. Petersb. IV, Sachalin
1899, p. 43, 44; Käfer Russl. 1911, t. 71, f. 11.

4

Somatidia Thoms.

Thomson, Syst. Ceramb. 1864, p. 39, 361. — Lacord. Gen. Col. IX, 1869, p. 259. — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 123.
— Broun, Man. N. Zeal. Col. I, 1880, p. 600; V, 1893, p. 1290.

- ✓ **albicoma** Broun, Man. N. Zeal. Col. VII, 1893, p. 1500. Neuseeland
angusta Broun, l. c. I, 1880, p. 601. ”
var. *Brouni* n. nom. ”
Broun, l. c. VII, 1893, p. 1501. ”
antarctica White, Voy. Ereb. Terr. Ins. 1846, p. 23. ”
— Thoms. Syst. Ceramb. 1864, p. 39. —
Lacord. Gen. Col. IX, 1869, p. 260. — Bates,

Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 124.

— Broun, Man. N. Zeal. Col. I, 1880, p. 600.

- aranea* Olliff, Mem. Austral. Mus. II, 1889, p. 97. Lord Howe-Insel
Neuseeland
- assimilata* Broun, Man. N. Zeal. Col. I, 1880, p. 600. Lord Howe-Insel
Neuseeland
- capillosa* Olliff, Mem. Austral. Mus. II, 1889, p. 97. Lord Howe-Insel
Neuseeland
- convexa* Broun, Man. N. Zeal. Col. VII, 1893, p. 1498. Neuseeland
- costifer* Broun, l. c. V, 1893, p. 1291. "
- crassipes* Broun, N. Zeal. Journ. Sc. I, 1883, p. 495; Man. N. Zeal. Col. III, 1886, p. 810. "
- diversa* Broun, l. c. I, 1880, p. 603. "
- elongata* Broun, N. Zeal. Journ. Sc. I, 1883, p. 495; Man. N. Zeal. Col. III, 1886, p. 811. "
- femorialis* Broun, Bull. N. Zeal. Inst. I, 1917, p. 457. "
- flavidorsis* Broun, l. c. p. 458. "
- fuscata* Broun, Man. N. Zeal. Col. VII, 1893, p. 1501. "
- grandis* Broun, l. c. V, 1893, p. 1290. "
- Halli* Broun, Bull. N. Zeal. Inst. I, 1914, p. 256. "
- Helmsi* Sharp, Trans. Ent. Soc. Lond. 1882, p. 93. — Broun, Man. N. Zeal. Col. V, 1893, p. 1290. "
- heterarthra* Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 282. "
- laevinotata* Broun, Bull. N. Zeal. Inst. I, 1901, p. 460. "
- laevior* Broun, Man. N. Zeal. Col. VII, 1893, p. 1499. "
- latula* Broun, l. c. p. 1499. "
- lineifera* Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 284. "
- longipes* Sharp, Ent. Monthly Mag. XV, 1878, p. 82. — Broun, Man. N. Zeal. Col. I, 1880, p. 602. "
- nitida* Broun, l. c. p. 603. "
- obesula* Broun, Bull. N. Zeal. Inst. I, 1917, p. 459. "
- oscillans* Broun, l. c. p. 458. "
- parvula* Broun, l. c. p. 461. "
- picticornis* Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 418. "
- pictipes* Broun, Man. N. Zeal. Col. I, 1880, p. 602. "
- proxima* Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 390. "
- ptinoides* Bates, l. c. (4) XIV, 1874, p. 124. — Broun, Man. N. Zeal. Col. I, 1880, p. 601. "
- pulchella* Olliff, Mem. Austral. Mus. II, 1889, p. 96, t. 6, f. 4. Lord Howe-Insel
Neuseeland
- rubella* Broun, Bull. N. Zeal. Inst. I, 1914, p. 254. Neuseeland
- ruficornis* Broun, l. c. p. 255. "
- sericophora* Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 283. "
- signata* Broun, Man. N. Zeal. Col. V, 1893, p. 1293. "
- simplex* Broun, l. c. p. 1292. "
- spectabilis* Broun, Bull. N. Zeal. Inst. I, 1917, p. 456. "
- spinecollis* Broun, Man. N. Zeal. Col. V, 1893, p. 1291. "
- suffusa* Broun, Bull. N. Zeal. Inst. I, 1917, p. 457. "
- suturalis* Broun, Bull. N. Zeal. Inst. I, 1914, p. 255. "
- tenebrica* Broun, Man. N. Zeal. Col. VII, 1893, p. 1500. "
- terrestris* Broun, l. c. I, 1880, p. 601. "
- testacea* Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 283. "
- testudo* Broun, l. c. (7) XIV, 1904, p. 127. "

- variegata** Broun, Man. N. Zeal. Col. V, 1893, p. 1292. Neuseeland
vicina Broun, Trans. N. Zeal. Inst. XLIII, 1911, p. 113. Insel Pitt
Waitel Broun, l. c. p. 114. „
Websteriana Broun, Ann. Mag. Nat. Hist. (8) IV, Neuseeland
 1909, p. 281.
 49

Dorcadida White.

- White, Voy. Ereb. Terr. Ins. 1846, p. 22. — Thomson, Syst. Ceramb.
 1864, p. 362. — Lacord. Gen. Col. IX, 1869, p. 260.
bilocularis White, Voy. Ereb. Terr. Ins. 1846, p. 22, Tasmanien
 t. 4, f. 11. — Lacord. Gen. Col. IX, 1869,
 p. 260. — Bates, Ann. Mag. Nat. Hist. (4)
 XIV, 1874, p. 131.
Walkeri Gahan, Trans. Ent. Soc. Lond. 1893, p. 188. „
 2

Echthistatus Pasc.

- Pascoe, Journ. of Ent. I, 1862, p. 352. — Thomson, Syst. Ceramb.
 1864, p. 361. — Lacord. Gen. Col. IX, 1869, p. 261.
binodosus Waterh. Trans. Ent. Soc. Lond. 1881, Japan: Tokio
 p. 431.
furcifera(us) Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
 1884, p. 237.
gibber Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 308. „
grossus Bates, Journ. Linn. Soc. Lond. Zool. XVIII, „
 1884, p. 237.
spinus Pasc. Journ. of Ent. I, 1862, p. 353, t. 17, Patria?
 f. 8. — Lacord. Gen. Col. IX, 1869, p. 261.
 t. 96, f. 3.
 5

Pseudoechthistatus Pic.

- Pic, Mélang. Exot.-Ent. XXVI, 1917, p. 6.
obliquefasciatus Pic, l. c. p. 7. China
 1

Nanilla Fleut. & Sallé.

- Fleut. & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 467.
Delaneyi Fleut. & Sallé, l. c. p. 467, t. 8, f. 20. Guadeloupe
 1

Phrynidius Lacord.

- Lacord. Gen. Col. IX, 1869, p. 262. — Bates, Biol. C.-Amer. Col. V
 1880, p. 92.
asper Bates, l. c. V, 1885, p. 334. Guatemala
echinus Bates, l. c. V, 1880, p. 93, 334. „
 Panama
inaequalis Say, Boston Journ. Nat. Hist. I, 1835. Mexico
 p. 193; Compl. Writ. II, 1859, p. 663. —
 Thoms. Physis I, 1867, p. 76. — Lacord.
 Gen. Col. IX, 1869, p. 262. — Bates, Biol.
 Centr.-Amer. Col. V, 1880, p. 93.
singularis Bates, l. c. p. 92. Guatemala
 4

Opsies Pasc.

Pascoe, Journ. of Ent. II, 1864, p. 278. — Lacord. Gen. Col. IX, 1869, p. 262.

capra Pasc. Journ. of Ent. II, 1864, p. 279, t. 13, Natal f. 3. — Lacord. Gen. Col. IX, 1869, p. 263.

1

Obages Pasc.

Pascoe. Proc. Zool. Soc. Lond. 1866, p. 243. — Lacord. Gen. Col. IX, 1869, p. 264.

✓ *palparis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 243, Penang t. 26, f. 11. — Lacord. Gen. Col. IX, 1869, p. 265.

1

Stychus Lacord.

Lacord. Gen. Col. IX, 1869, p. 265. — Auriv. Arkiv f. Zool. X. 23, 1916, p. 25.

amycteroides Pasc. Trans. Ent. Soc. Lond. (2) V. Queensland 1859, p. 61. — Lacord. Gen. Col. IX, 1869, p. 265, t. 96, f. 5 (non 4).

Pascoei Thoms. Physis I. 1867. p. 36.

1

Microtragus Thoms.

Thomson, Syst. Ceramb. 1864, p. 362. — Pasc. Journ. of Ent. II, 1865, p. 360. — Lacord. Gen. Col. IX, 1869, p. 266.

albidus Blackb. Proc. Linn. Soc. N. S. Wales (2) West-IV, 1890, p. 743. Australien

arachne Pasc. Journ. of Ent. II, 1865, p. 361. ”

assimilis Blackb. Proc. Linn. Soc. N. S. Wales (2) AustralienIV, 1890, p. 742. Fowlers Bay

basalis Lea. Trans. R. Soc. S. Austral. XLI. 1917, Queenslandp. 625.

bifasciatus Lea, l. c. p. 624. -

crisulatus Auriv. Arkiv f. Zool. X. 23, 1916, p. 24. -

eremita Pasc. Journ. of Ent. II, 1865, p. 362. Süd-Australien

janetus Blackb. Proc. Linn. Soc. N. S. Wales (2) III, Zentral-Australien1889, p. 1468.

luctuosus Shuck. Entomol. Mag. V. 1833, p. 510. Tasmanien

maculatus Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1890, p. 744; Horn's Exped. Centr.-Nördl. Süd-AustralienII, 1896, p. 300.

var. *borealis* Auriv. Arkiv f. Zool. X, 23, 1916, West-Australien: p. 23, t. 3, f. 12. Kimberley

mormon Pasc. Journ. of Ent. II, 1865, p. 361. — Tepper, Native Ins. S. Austral. I, 1887, p. 40. Süd-Australien— Frogg. Austral. Ins. 1907, p. 196.

quadrifasciatus Blackb. Trans. R. Soc. South Austr. QueenslandXV, 1892, p. 235.

senex White, Stoke's Discov. Austr. I, 1846, p. 511, Nordwest-t. 2, f. 7. — Gahan, Trans. Ent. Soc. Lond. Australien1893, p. 189. — Auriv. Arkiv f. Zool. X, 23, 1916, p. 23.

- sticticus** Pasc. Journ. Linn. Soc. Lond. Zool. IX. West-
1866. p. 86, t. 3, f. 9. — Auriv. Arkiv f. Australien
Zool. X, 23, 1916, p. 24.
- Waterhousei** Pasc. Journ. of Ent. II, 1863, p. 229. Südaustral.:
15 Känguru-
Insel

Ceraegidion Boisd.

- Boisd. Voy. Astrol. Ins. II, 1835, p. 492; Mag. Zool. V, 1835, Ins.
t. 127. — Cast. Hist. Nat. Col. II, 1840, p. 483. — Berge, Käferbuch
1844, p. 124. — Thoms. Syst. Ceramb. 1864, p. 361. — Lacord. Gen.
Col. IX, 1869, p. 266.
- horrens** Boisd. Voy. Astrol. Ins. II, 1835, p. 493; Mag. Nord-
Zool. V, 1835, Ins. t. 127. — Cast. Hist. Nat. Australien
Col. II, 1840, p. 484, t. 53, f. 1. — Berge, Käfer-
buch 1844, p. 124, t. 12, f. 9. — Lacord. Gen.
Col. IX, 1869, p. 267. — Frogg. Austral.
Ins. 1907, p. 197.

1

Cyocyphax Thoms.

- Thomson, Revue Zool. (3) VI, 1878, p. 66. — Auriv. Arkiv f. Zool.
X, 23, 1917, p. 22.
- praonethoides** Thoms. Revue Zool. (3) VI, 1878, p. 66. Queensland
niveosignata Jord. Nov. Zool. I, 1894, p. 502.

1

Anexodus Pasc.

- Pascoe, Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 241.
- aquilus** Pasc. l. c. p. 242. — Waterh. Aid Identif. Borneo
Ins. II, 1890, t. 175, f. 6.

1

Centrura Guér.

- Guérin, Voy. Deless. II, 1843, p. 61.
- Aconodes* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 106. —
Thoms. Syst. Ceramb. 1864, p. 361. — Lacord. Gen. Col.
IX, 1869, p. 268, nota 4.
- Dioxippe* Thoms. Classif. Ceramb. 1860, p. 355. — Lacord.
Gen. Col. IX, 1869, p. 268.
- costata** Guér. Voy. Deless. II, 1843, p. 62. — Lacord. Ostindien:
Gen. Col. IX, 1869, p. 268. Neelgherries
- montana** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Himalaya
p. 107, t. 23, f. 7. — Lacord. Gen. Col. IX,
1869, p. 268, nota 4.

2

Auxa Pasc.

- Pascoe, Journ. of Ent. I, 1860, p. 129. — Thoms. Syst. Ceramb.
1864, p. 361. — Lacord. Gen. Col. IX, 1869, p. 269.
- Alluandi** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Madagaskar
p. 454.
- armata** Coquer. Revue Zool. (2) III, 1851, p. 90; Ann.
Soc. Ent. France (2) X, 1852, p. 401, t. 9, f. 9.

- amplicollis* Pasc. Journ. of Ent. I, 1860, p. 130,
t. 6, f. 2.
gibbicollis Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, Madagascar
p. 255.
lineolata Fairm. l. c. XLI, 1897, p. 397. ”
parvidens Fairm. l. c. p. 396. ”
scriptidorsis Fairm. l. c. p. 397. ”
strlolata Fairm. l. c. XL, 1896, p. 382. ”
tenuis Fairm. Rev. d'Ent. XX, 1901, p. 225. ”
8

Hoplonannus Fairm.

- Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 122.
attenuatus Fairm. l. c. p. 123. Madagaskar
1

Hoplonotus Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 507. — Thoms. Syst.
Ceramb. 1864, p. 361. — Lacord. Gen. Col. IX, 1869, p. 270.
spilifer(us) Blanch. in Gay, Hist. Chile V, 1851, p. Chile
508, t. 30, f. 3. — Fairm. & Germain, Ann.
Soc. Ent. France (3) VII, 1859, p. 516.
subarmatus Fairm. & Germain, l. c. p. 516. ”
2

Anerpa Gah.

- Gahan, Ann. Mus. Civ. Genova (3) III, 1907, p. 79.
carinulata Gah. l. c. p. 79. Sumatra
1

Athemistus Pasc.

- Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 49. — Thoms. Syst.
Ceramb. 1864, p. 361. — Lacord. Gen. Col. IX, 1869, p. 270.
Subgen. *Hoplathemistus* Auriv. Arkiv f. Zool. X, 23, 1917
p. 25.

Subgen. Athemistus s. str.

- aethlops* Pasc. Journ. Linn. Soc. Lond. Zool. IX, Victoria
1867, p. 307.
Armitagei Pasc. l. c. 1866, p. 87. Sydney
bituberculatus Pasc. l. c. 1867, p. 306. Victoria
cristatus Blackb. Proc. Linn. Soc. N. S. Wales (2) N. S. Wales
VIII, 1894, p. 200.
funereus Pasc. Journ. Linn. Soc. Lond. Zool. IX, Sydney
1866, p. 87.
Howitti Pasc. l. c. 1867, p. 306. Queensland
monticola Blackb. Proc. Linn. Soc. N. S. Wales (2) Victoria
VIII, 1894, p. 201.
pubescens Pasc. Journ. of Ent. I, 1862, p. 352. Port Philipp
puncticollis Pasc. Journ. Linn. Soc. Lond. Zool. IX, Victoria:
1867, p. 307. Gippsland
rugosulus Guér. Voy. Coquille, Atlas Ins. 1831, t. 7, Neuholland
f. 9, Texte Zool. II, 2, 1835-38, p. 134. —
Boisd. Voy. Astrol. Ins. II, 1835, p. 506.

torridus Blackb. Proc. Linn. Soc. N. S. Wales (2) Queensland VIII, 1894, p. 202.

Subgen. **Hoplathemistus** Auriv.

albofasciatus Auriv. Arkiv f. Zool. X, 23, 1917, p. 26. ,

conifer Auriv. l. c. p. 25, t. 2, f. 1. ,

13

Elasmostoma Olliff.

Olliff, Record Austr. Mus. I, 1890, p. 73.

insulanum Olliff, l. c. p. 74, t. 10, f. 7.

Lord Howe-
Insel

1

Lepromoris Pasc.

Pascoe, Journ. of Ent. II, 1864, p. 278, nota 2. — Lacord. Gen. Col. IX, 1869, p. 271.

Leprosoma Thoms. Classif. Ceramb. 1860, p. 22. 23 (nom. praeocc.); Syst. Ceramb. 1864, p. 363.

gibba Brullé, Webb & Berthel. Ins. Canar. 1838, p. 62, t. 1, f. 5. — Woll. Trans. Ent. Soc. Lond. (3) I, 1862, p. 178. — Lacord. Gen. Col. IX, 1869, p. 272. Canarische Inseln

asperatum Thoms. Classif. Ceramb. 1860, p. 23. Biologie: Woll. Cat. Canar. Col. 1864, p. 391; Col. Atlant. 1865, p. 349.

1

Microcleptes Newm.

Newm. Entomol. I, 1840, p. 11. — Thoms. Classif. Ceramb. 1860, p. 34; Syst. Ceramb. 1864, p. 362. — Lacord. Gen. Col. IX, 1869, p. 272.

Parmena Blanch. in Gay. Hist. Chile V, 1851, p. 508.

Arten aus Chile.

albomaculatus Blanch. in Gay, Hist. Chile V, 1851, p. 509. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 520. Chile

araneus Newm. Entomol. I, 1840, p. 11. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 519. „

hemisphaericus Blanch. in Gay, Hist. Chile V, 1851, p. 510.

Blanchardi Thoms. Physis I, 1867, p. 21. „

clavipes Blanch. in Gay, Hist. Chile V, 1851, p. 510. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 520. — Thoms. Physis I, 1867, p. 21. „

hemisphaericus Blanch. in Gay, Hist. Chile V, 1851, t. 30, f. 4.

globulosus Thoms. Physis I, 1867, p. 22. „

- sphaeroides** Thoms. l. c. p. 22. Chile
variolosus Fairm. & Germ. Ann. Soc. Ent. France
 (3) VII, 1859, p. 520.

Arten aus Neucaledonien.

Fauvel, Revue d'Ent. XXV, 1906, p. 68–70 (Synopsis).

- apicicornis** Fauvel, Synops. p. 68. Noumea
denticollis Fauvel, l. c. p. 68, 70.
ptinoides Fauvel, l. c. p. 68, 69. Thio
rugicollis Fauvel, l. c. p. 68, 69. Pinien-Insel
 11

Stenoparmena Thoms.

Thoms. Syst. Ceramb. 1864, p. 39, 361. — Lacord. Gen. Col. IX,
 1869, p. 274.

- crinita** Thoms. Syst. Ceramb. 1864, p. 40. Kapland
ferruginea Auriv. Arkiv f. Zool. VIII, 9, 1914, p. 8. Südafrika
 2

Phymatogyrus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 256.

- inermis** Auriv. in Sjöstedt, Kilimandj. Exped. VII, Kilimandjaro-
 Col. 1908, p. 146, f. 4.
pumilio Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 256. Usambara
 2

Monoxenus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 255.

- splnator** Kolbe, l. c. p. 255. Usambara
 1

Dasyerrus Pasc.

Pascoe, Trans. Ent. Soc. Lond. (3) III, 1865, p. 224. — Lacord. Gen.
 Col. IX, 1869, p. 274.

- pilosus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. Flores,
 224, t. 10, f. 8. — Lacord. Gen. Col. IX, Timor
 1869, p. 275.
 1

Parmena Latr.

Latr. Règne Anim. ed. 2, V, 1829, p. 125. — Serv. Ann. Soc. Ent.
 France IV, 1835, p. 98. — Muls. Col. France, Long. ed. 1, 1839, p.
 119; ed. 2, 1863, p. 241. — Cast. Hist. Nat. Col. II, 1840, p. 485. — Redt.
 Fauna Austr. ed. 2, 1858, p. 863; ed. 3, 1874, p. 413. — Thoms.
 Classif. Ceramb. 1860, p. 22; Syst. Ceramb. 1864, p. 362. — Fairm.
 Gen. Col. d'Eur. IV, 1864, p. 164. — Lacord. Gen. Col. IX, 1869, p.
 275. — Cuni y Mart. Cat. Col. Catal. 1876, p. 296. — Ganglb. Best-
 Tab. VII, 1882, p. 15 (693). — Bedel, Faune Col. Seine V, 1889, p. 35. —
 Stierl. Col. Helvet. II, 1898, p. 489. — Csiki, Rov. Lapok XI, 1904,
 p. 168. — Kuhnt, Ill. Best.-Tab. Käfer Deutschland, 1912, p. 757. —
 Reitter, Fauna Germ. IV, 1913, p. 56.

- baltens** L. Syst. Nat. ed. 12, 1767, p. 1067; ed. Müller, Suppl.-Band 1776, p. 236 — Ol. Encycl. méth. V, 1790, p. 309; Ent. IV, nr. 67, 1795, p. 55, t. 17, f. 124. — Gmel. in L. Syst. Nat. I, 4, 1790, p. 1827. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). — Pic. Col. Longic. I, 1891, p. 29. — J. Müll. Wien. Ent. Zeit. XXIII, 1904, p. 176. — Heyden, l. c. XXIV, 1905, p. 25. — Jacobs. Käfer Russl. 1910, t. 68, f. 16. Frankreich.
- balteata** F. Ent. Syst. I, 2, 1792, p. 262; Syst. Eleuth. II, 1801, p. 278. — Latr. Hist. Nat. Ins. XI, 1804, p. 286. — Boit. Man. d'Ent. II, 1828, p. 23.
- fasciata** Villers, Linn. Ent. I, 1789, p. 239 (?) — Muls. Col. France, Long. ed 1, 1839, p. 121; ed. 2, 1863, p. 247. — Küst. Käfer Eur. V, 1846, p. 96. — Redt. Fauna Austr. ed. 2, 1858, p. 863; ed. 3, 1874, p. 413. — Schoch, Käfer Deutschl. Schweiz. 1878, p. 135. — Griffini, Coleott. 1896, p. 197, t. 37, f. 16.
- ab. interrupta** Pic, Longic. I, 1891, p. 29.
- var. unifasciata** Rossi, Fauna Etr. I, 1790, p. 147, t. 1, f. 5; Mant. I, 1792, p. 50. — Cast. Hist. Nat. Col. II, 1840, p. 486. — Küster, Käfer Eur. VII, 1846, t. 1, f. 3; VIII, 1847, p. 91. — Csiki, Rov. Lapok XI, 1904, p. 170. — J. Müll. Wien. Ent. Zeit. XXIII, 1904, p. 176. — Heyden, l. c. XXIV, 1905, p. 26. — Pic, Longic. VI, 1, 1906, p. 10. Italien, Südtirol, Illyrien, Balkan, Kaukasus
- Biologie:** Rey, Ann. Soc. Linn. Lyon (2) XXXIII, 1887, p. 233, t. 2, f. 26. — Xamb. Moeurs et Métam. VIII, 1902, p. 163.
- bielnetta** Küster, Käfer Eur. XVIII, 1849, p. 98. — Schlosser, Fauna Kornjas. III, 1879, p. 837. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). — Csiki, Rov. Lapok XI, 1904, p. 170. Dalmatien
- pubescens** Dalm. in Schönh. Syn. Ins. I, 3, App. 1817, p. 176. — Fairm. Ann. Soc. Ent. France (3) IV, 1856, p. 548. — Thoms. Physis I, 1867, p. 24. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). Algier, Südeuropa
- var. algerica** Cast. Hist. Nat. Col. II, 1840, p. 485. — Lucas, Explor. Algér. Col. 1849, p. 497, t. 42, f. 4 — Muls. Col. France, Long. ed. 2, 1863, p. 242. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 49, f. 231. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). Algier
- var. cruciata** Pic, Longic. VIII, 2, 1912, p. 4.
- var. Dahli** Muls. Col. France, Long. ed. 2, 1863, p. 245. — Thoms. Physis I, 1867, p. 24. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). Spanien Sfcilien
- var. hirsuta** Küster, Käfer Eur. V, 1846, p. 95. — Thoms. Physis I, 1867, p. 24. — Schlosser, Fauna Kornjas. III, 1879, p. 837. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). — Csiki, Rov. Lapok XI, 1904, p. 170. Dalmatien

- var. *inclusa* Muls. Col. France, Long. ed. 2, p. 863, p. 242. — Ganglb. Best.-Tab. VIII, 1884, 1. 88 (522). Sicilien
- var. *minuta* Pic, Longic. I, 1891, p. 29. Algier
- var. *pilosa* Brullé, Expéd. Morée III, 1832, p. 260. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). Griechenland
- Biologie: Ramb. Ann. Soc. Ent. France VII, 1838, Bull. p. 7. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 431, t. 18, f. 3, 4.
- Solieri** Muls. Col. France, Long. ed. 1. 1839, p. 119; ed. 2, 1863, p. 243. — Küster, Käfer Eur. XXV, 1852, p. 95. — Ganglb. Best.-Tab. VIII, 1884, p. 88 (522). — Pic, Longic. I, 1891, p. 29. Süd-frankreich, Algier
- pilosa* Solier, Ann. Soc. Ent. France IV, 1835, p. 100, 128, t. 3 A, f. 7. — Blanch. in Cuv. Règne Anim. ed. Masson, Ins. 1849, Atlas, t. 68, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 485. — Schlosser, Fauna Kornjas. III, 1879, p. 838. — Cuni y Mart. Cat. Col. Catal. 1876, p. 296. — Sériz. Hist. Col. France 1880, p. 308. — Fairm. Hist. Nat. France VIII, Col. 1882, p. 269.
- Biologie: Solier, Ann. Soc. Ent. France IV, 1835, p. 99, 123, t. 3 A, f. 1—6. — Westw. Introd. Classif. Ins. I, 1839, p. 367. — Perris, Larves Col. 1877, p. 471. — Xamb. Moeurs et Métam. VIII, 1902, p. 161.
- ✓ **villosa** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 335 Mexico (Genus?).

5

Ipochnus J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 166. — Lacord. Gen. Col. IX, 1869, p. 276. — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 316. — Casey, Ann. N. York Acad. Sc. VI, 1891, p. 44; Mem. Col. IV, 1913, p. 279—281 (Synopsis).

- ✓ **catalinae** Casey, Synops. p. 281. Süd-californien
- ✓ **fasclatus** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 167. — Casey, Ann. N. York Acad. Sc. VI, 1891, p. 45. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 104. — Casey, Synops. p. 280. "
- ✓ **globoicollis** Casey, l. c. p. 280. "
- ✓ **hispidus** Casey, l. c. p. 279. "
- ✓ **parvulus** Casey, l. c. p. 280. "
- ✓ **pinicola** Casey, l. c. p. 280. "
- ✓ **pubescens** Casey, Ann. N. York Acad. Sc. VI, 1891, p. 45; Synops. p. 279. "
- ✓ **subnitidus** Casey, Ann. N. York Acad. Sc. VI, 1891, p. 45; Synops. p. 280. "

8

Bybe Pasc.

Pascoe, Trans. Ent. Soc. Lond. (3) III, 1866, p. 225. — Lacord. Gen. Col. IX, 1869, p. 276.

parmenoides Pasc. Trans. Ent. Soc. Lond. (3) III, Borneo 1866, p. 225, t. 10, f. 7.

1

Genus?

Gnoma Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 270.

— Fauv. Revue d'Ent. XXV, 1906, p. 64.

Parmena? Fauv. Bull. Soc. Linn. Norm. (2) I, 1867, p. 202; Notices Ent. V, 1867, p. 104.

variegata Montrouz. Ann. Soc. Ent. France (4) I, Insel Lifu 1861, p. 270.

1

Parmenomorpha Blackb.

Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1467.

irregularis Blackb. l. c. p. 1467.

Süd-
Australien

1

Corestetha Pasc.

Pascoe, Ann. Mag. Nat. Hist. (4) XV, 1875, p. 64. — Lea, Rec. S. Austral. Mus. I, 1918, p. 104.

insularis Pasc. l. c. p. 64.

Südwest-
Australien:
Eclipse-Insel

1

Mycerinodes Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 256.

puerilis Kolbe, l. c. p. 257.

Usambara

1

Niphoparmena Auriv.

Auriv. Arkiv f. Zool. I, 1904, p. 317.

albopilosa Auriv. in Sjöst. Kilimandj. Exped. VII, Kilimandjaro Col. 1908, p. 145.

bispinosa Auriv. Arkiv f. Zool. I, 1904, p. 318.

Usambara

meruana Auriv. in Sjöst. Kilimandj. Exped. VII, Meru-Berg Col. 1908, p. 145.

3

Haploparmena Auriv.

Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 10.

angolana Auriv. l. c. p. 11, f. 59.

Angola

1

Somatolita Auriv.

Auriv. Arkiv f. Zool. IX, 8, 1914, p. 7.

Neavei Auriv. l. c. p. 8.

Nyassaland *

1

Mesolita Pasc.

- Pascoe, Journ. of Ent. I, 1862, p. 362. — Lacord. Gen. Col. IX, 1869, p. 93, 277. — Lea, Rec. S. Austral. Mus. I, 1918, p. 103 (Synopsis).
- ephippiata** Lea, Rec. S. Austral. Mus. I, 1918, p. 101. Australia
inermis v. d. Poll, Tijdschr. v. Ent. XXXIV, 1892, Queensland
 p. 226, t. 13, f. 8. — Lea, Synops. p. 103.
- interrupta** Lea, Rec. S. Austral. Mus. I, 1918, p. 99, Australia
 t. 9, f. 10.
- lineolata** Pasc. Journ. of Ent. I, 1862, p. 363. — Queensland
 Lea, Synops. p. 103.
- myrmecophila** Lea, Rec. S. Austral. Mus. I, 1918, Australia
 p. 102, t. 9, f. 9.
- Pascoei** v. d. Poll, Tijdschr. v. Ent. XXXIV, 1892, Queensland
 p. 227, t. 13, f. 9. — Lea, Synops. p. 103,
 t. 9, f. 11.
- scutellata** Lea, Rec. S. Austral. Mus. I, 1918, p. 99. Australia
simplicicollis Auriv. Arkiv f. Zool. XIII, 9, 1920, Neu-
 p. 11. Südwaies
- transversa** Pasc. Journ. of Ent. I, 1862, p. 363, t. 17, Queensland
 f. 7. — Lacord. Gen. Col. IX, 1869, p. 277.

9

Mecynome Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 335.

- aenescens** Bates, l. c. p. 335, t. 22, f. 5. Guatemala

1

Parmenosoma Schaeffer.

Schaeffer, Bull. Brookl. Inst. I, 1908, p. 343.

- ✓ **griseum** Schaeffer, l. c. p. 344. Texas

1

Dityloderus Gah.

Gahan, Ann. Mag. Nat. Hist. (7) II, 1893, p. 45; Trans. Zool. Soc. Lond. XIX, 1909, p. 210. — Auriv. Arkiv f. Zool. I, 1904, p. 317.

- balteatus** Auriv. l. c. p. 316. Usambara
- declivis** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika- Ruwensori
 Exp. III, 1911, p. 433
- fuliginosus** Gah. Ann. Mag. Nat. Hist. (7) II, 1893, Brit.-
 p. 45. Ostafrika
- horridus** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika- Tanganjika
 Exp. III, 1911, p. 433, t. 7, f. 8.
- Lujae** Hintz, l. c. t. 7, f. 14. Congo
- turrifer** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 13. Uganda

6

Acanthesthes Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 13.

- amycteroides** White, Ann. Mag. Nat. Hist. (3) II, 1858, Natal
 p. 264 — Lacord. Gen. Col. IX, 1869, t. 96,
 f. 4 (non 5).

2

- brachyderoides** Thoms. Syst. Ceramb. 1865, p. 547; **Zululand**
Physis I, 1867, p. 31.
- crispa** Ol. Encycl. méth. VII, 1792, p. 466; Ent. IV, **Kapland**
nr. 67, 1795, p. 112, t. 3, f. 18 (t. 12, f. 87?). —
? Bertol. Nov. Compt. Acad. Bonon. X,
1849, p. 432 (sep. p. 54).
denticulata Thoms. Classif. Ceramb. 1860,
p. 27. — Har. Col. Hefte XVI, 1876, p. 176.
Gmelini Gemming. Col. Hefte XI, 1873, p. 146.
- heros** Pasc. Journ. of Ent. II, 1864, p. 279, t. 13, f. 7. **Natal**
- hipporhina** White, Ann. Mag. Nat. Hist. (3) II, 1858, **"**
p. 264. — Har. Col. Hefte XVI, 1876, p. 176.
- tuberculifera** Thoms. Syst. Ceramb. 1865, p. 547; **"**
Physis I, 1867, p. 30.

6

Assinia Lameere.

Lameere, Ann. Soc. Ent. France LXII, 1893, p. 43.

Alluandi Lameere, l. c. p. 43.**Westafrika:**
Assinie

1

Apomempsis Pasc.Pascoe, Journ. of Ent. II, 1864, p. 278 nota. — Lacord. Gen. Col. IX,
1869, p. 278.**bispinosa** Jord. Novit. Zool. I, 1894, p. 191. **Kuilu****bufo** Chev. Rev. Zool. (2) VII, 1855, p. 186; Cent. **Altcalabar**
de Long. 1858, nr. 12, t. 2, f. 11. — Pasc.
Journ. of Ent. II, 1864, p. 278. — Lacord.
Gen. Col. IX, 1869, p. 278. — Murray, Ann.
Mag. Nat. Hist. (4) VI, 1870, p. 407, t. 3, f. 11.**bufoides** Jord. Novit. Zool. I, 1894, p. 191. **Kuilu****nodosa** Hintz, Ann. Hofmus. Wien XXX, 1916, p. 236. **Zentralafrika****trispinosa** Jord. l. c. p. 192. **?**

5

Praonethida Jord.

Jordan, Novit. Zool. I, 1894, p. 192.

thoracalis Jord. l. c. p. 192. **Kuilu**

1

Tricondyloides Montrouz.Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 270. — Thoms.
Syst. Ceramb. 1864, p. 361. — Lacord. Gen. Col. IX, 1869, p. 279.**arachne** Fauv. Revue d'Ent. XXV, 1906, p. 63. **Neu-****caledonien****armatus** Montrouz. Ann. Soc. Ent. France (4) I, 1861,
p. 271. — Fauv. Revue d'Ent. XXV, 1906,
p. 63. **"****Insel Art**

2

Moneilema Say.

Say, Journ. Acad. Philad. III, 2, 1824, p. 403; Compl. Writ. II, 1859, p. 187. — Thoms. Classif. Ceramb. 1860, p. 22; Syst. Ceramb. 1864, p. 363; Physis I, 1867, p. 76. — Lacord. Gen. Col. IX, 1869, p. 280. — Casey, Mem. Col. IV, 1913, p. 281 (Revisio).

Monilema J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 167; Arcana Nat. 1859, p. 128 (Synopsis). — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 316. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 180; XXIII, 1896, p. 104, 105 (Synopsis).

Omoscydon Thoms. Physis I, 1867, p. 74. — Lacord. Gen. Col. IX, 1869, p. 281. — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 317.

Subgen. *Collapteryx* Newm. Entom. Mag. V, 1838, p. 397. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 182, 183; XXIII, 1896, p. 104, 105. — Casey, Mem. Col. IV, 1913, p. 284 (Revisio).

Biologie: Hunter, U. S. Departm. Ent. Bull. CXIII, 1912 p. 13—15, 43.

Subgen. *Moneilema* Say s. str.

- ✓ *annulatum* Say, Journ. Acad. Philad. III, 2, 1824, p. 404; Compl. Writ. II, 1859, p. 187. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 167; Synops. p. 128. — Lacord. Gen. Col. IX, 1869, t. 97, f. 2. — Horn, Synops. 1885, p. 182, 184; 1896, p. 105. — Casey, Revis. p. 282. Texas, Neumexico, Arizona, Kansas, Missouri, Nebraska, Colorado, Montana
- ✓ *appressum* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 168; Col. of Kansas 1859, p. 21, t. 2, f. 17; Synops. p. 128. — Horn, Synops. 1885, p. 182, 184; 1896, p. 105. — Casey, Revis. p. 283. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 336. Texas, Neumexico, Arizona, Mexico
- ✓ *corrugans* Casey, Revis. p. 284. Arizona
- var. *ovipennis* Casey, l. c. p. 284. "
- ✓ *cylindricolle* Casey, l. c. p. 283. Neumexico
- ✓ *microstictum* Casey, l. c. p. 283. Arizona
- ✓ *nubecula* Casey, l. c. p. 282. Colorado
Kansas
- var. *demissum* Casey, l. c. p. 282. "

Subgen. *Collapteryx* Newm.

- ✓ *albopietum* White, Proc. Zool. Soc. Lond. XXIV, 1856, p. 407, t. 40, f. 7. — J. Lec. Arcana Nat. 1859, p. 128. — Thoms. Physis I, 1867, p. 78. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 335. Mexico
- albotessellatum* Thoms. Arch. Ent. I, 1857, p. 189. "
- var. *carinatum* Thoms. l. c. p. 189; Classif. Ceramb. 1860, p. 21. "

- var. *infamiae* Thoms. Physis I, 1867, p. 79. Mexico
 var. *laevadorsale* White, Proc. Zool. Soc. " "
 Lond. XXIV, 1856, p. 407.
 var. *Lecontei* Thoms. Classif. Ceramb. 1860, " "
 p. 25.
 var. *mortuale* Thoms. Physis I, 1867, p. 80. " "
 var. *perforatum* Thoms. l. c. p. 80. " "
 var. *sinistrum* Thoms. l. c. p. 81. — Bates, " "
 Biol. Centr.-Amer. Col. V, 1880, p. 95.
armatum J. Lec. Proc. Acad. Philad. VI, 1853, p. 234; Neumexico
 Synops. p. 128, t. 13, f. 2. — Horn, Synops. Texas,
 1885, p. 183, 186; 1896, p. 105. — Casey, Colorado
 Revis. p. 290.
blapsides Newm. Entom. Mag. V, 1838, p. 397. — Mexico
 Bates, Biol. Centr.-Amer. Col. V, 1880.
 p. 94.
constrictum Casey, Revis. p. 285. Arizona
crassum J. Lec. Proc. Acad. Philad. VI, 1853, p. 234; Texas,
 Synops. p. 128. — Horn, Synops. 1885, Neumexico
 p. 184, 189; 1896, p. 106.
 Biologie: Hunter, U. S. Departm. Agric.
 CXIII, 1912, p. 13, t. 1.
ebennum Bates, Biol. Centr.-Amer. Col. V, 1885, Mexico
 p. 336.
femorale Casey, Revis. p. 288. Texas
forte J. Lec. Smiths Misc. Coll. XI, 264, 1873, p. 230. Arizona
 — Horn, Synops. 1885, p. 183, 187; 1896,
 p. 106.
gigas J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 230. "
 — Horn, Synops. 1885, p. 183, 185; 1886,
 p. 105.
gryllicept Casey, Revis. p. 287. Neumexico
laevigatum Bland, Proc. Ent. Soc. Philad. I, 1862, "
 p. 267. — Horn, Synops. 1885, p. 183; 185; Kansas
 1896, p. 105 — Casey, Revis. p. 289.
obtusum J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Utah
 p. 230. — Horn, Synops. 1885, p. 183, 186;
 1896, p. 105.
opacum Casey, Revis. p. 289. Patria?
pimale Casey, l. c. p. 285. Arizona
pleurale Casey, l. c. p. 287. Mexico
pallens Casey, l. c. p. 286. Arizona
rector Casey, l. c. p. 287. Colorado
sempunctatum J. Lec. Journ. Acad. Philad. (2) II, Californien:
 1852, p. 167; Synops. p. 128. — Horn, Cape S. Lucas
 Synops. 1885, p. 183, 185; 1896, p. 105.
simplicicorne Casey, Revis. p. 286. Neumexico
solidum Casey, l. c. p. 288. Texas
spinicolle Casey, Ann. N. York Acad. VI, 1892, p. Arizona
 45; Revis. p. 286.
spoliatum Horn, Synops. 1885, p. 183, 186; 1896, p. Californien
 105.
subrugosum Bland, Proc. Ent. Soc. Philad. I, 1862, "
 p. 268. — Thoms. Physis I, 1867, p. 75. — "
 Horn, Synops. 1885, p. 183, 187; 1896, p. 105.
 — Casey, Revis. p. 289.
Ulkei Horn, Synops. 1885, p. 184, 188; 1896. p. 106. Texas,
 Neumexico
uteanum Casey, Revis. p. 285. Utah

variolaro Thoms. Physis I, 1867, p. 77. — Bates, Mexico
 Biol. Centr.-Amer. Col. II, 1885, p. 336. —
 Horn, Synops. 1885, p. 184, 188; 1896, p. 106.

longipes White, Proc. Zool. Soc. Lond. XXIV, 1856, China?
 p. 407. — Thoms. Physis I, 1867, p. 83
 (Genus?).
 33

Monoplesa Motsch.

Motsch. Bull. Moscou XLIX, 1, 2, 1875, p. 144.

armigera Motsch. l. c. p. 146. Californien

scabra Motsch. l. c. p. 146. ”

2

Protilema Auriv.

Auriv. Arkiv f. Zool. IV, 17, 1908, p. 3.

gigas Auriv. l. c. p. 3, f. 43. Deutsch-
 Neuguinea:
 Sattelberg

1

Pantilema Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 10; Journ. Saraw. Mus. I, 3,
 1913, p. 4.

angustum Auriv. Arkiv f. Zool. VII, 19, 1911, p. 10; Borneo
 Journ. Saraw. Mus. I, 3, 1913, p. 4.

1

Dolichostyrax Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 8; Journ. Saraw. Mus. I, 3,
 1913, p. 3.

longipes Auriv. Arkiv f. Zool. VII, 22, 1913, p. 11. Borneo

Moultoni Auriv. l. c. VII, 19, 1911, p. 9, f. 52; Journ. ”

Saraw. Mus. I, 3, 1913, p. 3, t. 1, f. 6.

2

Dorcadion Dalm.

Dalm. in Schönh. Syn. Ins. III, 1817, p. 397. — Serv. Encycl. méth.
 X, 1825, p. 337; Ann. Soc. Ent. France IV, 1835, p. 96. — Latr. Cuv.
 Règne Anim. ed. 2, V, 1829, p. 125. — Muls. Col. France, Long. 1839,
 p. 122; ed. 2, 1863, p. 249. — Cast. Hist. Nat. II, 1840, p. 484. —
 Blanch. Hist. Nat. Ins. II, 1845, p. 159. — Redt. Gatt. deutsch. Käferf.
 1845, p. 111; Fauna Austr. 1849, p. 46; ed. 2, 1858, p. CXXIX;
 ed. 3, 1874, CXLV. — Bach, Käferf. III, 1856, p. 31. — Thoms.
 Classif. Ceramb. 1860, p. 22; Syst. Ceramb. 1864, p. 363; Physis I,
 1867, p. 88. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 163. — Lacord.
 Gen. Col. IX, 1869, p. 282. — Schoch, Käfer Deutschl. 1878, p. 134.
 — Schlosser. Fauna Kornjas. III, 1879, p. 808. — Ganglb. Best-
 Tab. VII, 1881, p. 15 (693). — Fairm. Hist. Nat. France, Col. 1882,

p. 268. — Seidl. Fauna Transsylv. 1891, Gatt. p. 185. — Stierl. Col. Helvet. II, 1898, p. 489. — Everts, Col. Neerl. II, 1, 1901, p. 373. — Houlb. Faune Armor. Ceramb. 1904, p. 19, 59; ed. 2, 1909, p. 17, 60. — Kuhnt, Käfer Deutschl. 1912, p. 757, 787. — Reitter, Fauna Germ. IV, 1913, p. 56.

Dorcadium Csiki, Rovart. Lap. XI, 1904, p. 167.

Subgen. *Compsodorcadion* Ganglb. Best.-Tab. VIII, 1884, p. 3 (437). — Seidl. Fauna Transsylv. 1891, p. 845. — Pic, Longic. II, 1898, p. 38.

Subgen. *Cribridorcadion* Pic, Longic. III. 3, 1901, p. 12.

Subgen. *Compsodorcadion* Ganglb.

Jakowl. Horae Soc. Ent. Ross. XXIX, 1895, p. 282—289 (=Synopsis 1); l. c. XXXI, 1897, p. 675—681 (=Synopsis 2); l. c. XXXIII, 1900, p. 147—155 (=Synopsis 3); Revue Russe d'Ent. VI, 1906, p. 32—42, 274—280 (=Synopsis 4). — Pic, Longic. II, 1898, p. 39—47 (Synopsis). — Suvorov, Revue Russe d'Ent. XI, 1911, p. 60—70, 279—282 (Synopsis).

Abakumovi Thoms. Syst. Ceramb. 1864, p. 548; Sibirien:
Physis I, 1867, p. 40. — Kraatz, Deutsche Ala-Tau,
Ent. Zeitschr. XXIII, 1879, p. 169. — Ganglb. Songarei
Best.-Tab. VIII, 1884, p. 43 (477). — Jakowl.
Synops. 1, p. 285; 3, p. 150; 4, p. 35, 276;
Revue Russe d'Ent. VI, 1906, p. 276.

Abakumovi Pic, Synops. p. 43, 46.

acutispinum Motsch. Bull. Acad. Petersb. I, 1860, Sibirien:
p. 310; Mélang. Biol. III, 1860, p. 304. — Songarei
Ganglb. Best.-Tab. VIII, 1884, p. 43 (477).
— Jakowl. Synops. 1, p. 283; 2, p. 676; 4,
p. 34. — Pic, Synops. p. 47.

akmolense Suvorov, Revue Russe d'Ent. XI, 1911, Sibirien:
p. 63, 67. Akmolinsk

akmolleum Suvorov, l. c. XV, 1915, p. 121.

Alexil Suvorov, l. c. p. 121.

Androsvi Suvorov, l. c. IX, 1909, p. 93; Synops. Turgai
p. 282.

var. *barsukorum* Suvorov, Revue Russe
d'Ent. IX, 1909, p. 95.

ab. *rufiscapus* Suvorov, l. c. p. 95; Synops.
p. 282.

arietinum Jakowl. Synops. 2, p. 677, 678; 4, p. 34. Turkestan

ataense Pic, Longic. III, 3, 1901, p. 18. — Suvorov,
Rev. Russe d'Ent. XIII, 1913, p. 71 nota.

Kusnezovi Jakowl. Synops. 4, p. 36, 40.

balchashense Suvorov, Synops. p. 64, 69. Balkasch-See

cephalotes Jakowl. Horae Soc. Ent. Ross. XXIV,
1890, p. 252, f. 5, 8, 9; Synops. 4, p. 37. —
Pic, Miscell. Ent. V, 1897, p. 94. — Suvorov,
Synops. p. 63.

crassipes Ball. Bull. Moscou LIII, I, 1878, p. 368. — Kuldja,
Ganglb. Best.-Tab. VIII, 1884, p. 44 (478). — Kokand

- Jakowl. Synops. 2, p. 676, 680; 4, p. 34, 279.
 — Pic, Synops. p. 40.
- Dubianskii** Jakowl. Revue Russe d'Ent. VI, 1906, p. 278. — Suvorov, l. c. IX, 1909, p. 94. Kara-turgai, a. Eisenbahn zw. Orenburg und Taschkent
- eurygyne** Suvorov, Synops. p. 65, 69. Sibirien: Semipalatinisk
- formosum** Suvorov, Revue Russe d'Ent. X, 1910, p. 65. Sibirien: Semirjetshje-Gebiet
- Suvorovianum* Plavil. Rev. Russe d'Ent. XV, 1916, p. 80.
- Ganglbaueri** Jakowl. Synops. 2, p. 676, 677; 4, p. 34; Revue Russe d'Ent. VI, 1906, p. 279. Turkestan
- ✓ **Gebleri** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 33; Deutsche Ent. Zeitschr. XXII, 1878, p. 221. — Ganglb. Best.-Tab. VIII, 1884, p. 4 (433). — Jakowl. Synops. 1. p. 284, 4, p. 37. Sibirien: Tarbagatai, Kirgisen-Steppen, Kuldja
 — Pic, Synops. p. 40. — Suvorov, Synops. p. 62.
- glycyrrhizae* Fisch. Entomogr. Russe II, 1823, p. 239 (ex p.), t. 50, f. 2.
- Pallasi* Gebl. Bull. Moscou VI, 1833, p. 303; XXI, 2, 1848, p. 402 (sep. p. 307); XXXII, 1, 1859, p. 506.
- Glazunovi** Suvorov, Revue Russe d'Ent. X, 1910, p. 69. Semirjetshensk: Dsharkent
- ✓ **glycyrrhizae** Pall. Reisen Russ. Reich. II, 1771, p. 723; Icones t. F, f. 7. Südost-Rußland: Orenburg, Astrachan, Sibirien: Kirgisen-Steppen
- glycyrrhizae* F. Spec. Ins. I, 1781, p. 222; Mant. Ins. I, 1787, p. 140; Ent. Syst. I, 2, 1792, p. 285; Syst. El. II, 1801, p. 299. — Gmel. in L. Syst. Nat. I, 4, 1790, p. 1833. — Fröhl. Naturf. XXVI, 1792, p. 152. — Latr. Hist. Nat. Ins. XI, 1804, p. 271. — Küster. Käfer Eur. XXV, 1852, p. 89. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 49, f. 227. — Ganglb. Best.-Tab. VIII, 1884, p. 4 (433). — Jakowl. Synops. 1, p. 284; 4, p. 36. — Pic, Synops. p. 42, 46. — Heyne-Taschenb. Exot. Käfer 1906, p. 231, t. 37, f. 1. — Jacobs. Käfer Rußl. 1910, t. 70, f. 8. — Suvorov, Synops. p. 281.
- var. *Dostojewski* A. Sem. Horae Soc. Ent. Ross. XXXII, 1899, p. 655 — Jakowl. Synops. 4, p. 36. — Suvorov, Synops. p. 281. Transkaspien
- globithorax** Jakowl. Synops. 1, p. 285, 288; 3, p. 151; 4, p. 36. — Pic, Synops. p. 37, 47. Semirjetshensk: Ili Fluss
 „
 „
- ab. *opulentum* Suvorov, Revue Russe d'Ent. X, 1910, p. 63.
- ab. *pauperum* Suvorov, l. c. p. 62.
- var. *Radkevitchi* Suvorov, l. c. p. 61. Alatau
- var. *Staudingeri* Pic, Echange XVI, 1900, p. 29. Alexander-Gebirge

- Alexandris* Pic, l. c. p. 56.
grande Jakowl. Synops. 4, p. 37, 42.
inderlense Suvorov, Synops. p. 69, 281.
 ab. *penichrus* Suvorov, l. c. p. 70.
Jakovlevianum Suvorov, l. c. p. 60, 62.
 ab. *tryphthis* Suvorov, l. c. p. 61.
 var. *zaisanense* Suvorov, l. c. p. 61, 62.
laterale Jakowl. Synops. 1, p. 285, 287; 3, p. 151; 4, p. 35. — Pic, Synops. p. 37, 47.
lativittis Kraatz, Deutsche Ent. Zeitschr. XXII, 1878, p. 219. — Ganglb. Best.-Tab. VIII, 1884, p. 42 (476). — Jakowl. Synops. 1, p. 286. — Pic, Synops. p. 44.
cribricolle Suvorov, Synops. p. 68.
 ab. *altaiense* Pic, Synops. p. 44.
 var. *cribricolle* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 196. — Ganglb. Best.-Tab. VIII, 1884, p. 42 (476). — Pic, Synops. p. 44.
Lucae Pic, Synops. p. 42, 46.
luteolum Suvorov, Revue Russe d'Ent. X, 1910, p. 63.
 ab. *albidulum* Suvorov, l. c. p. 64.
Matthleseni Suvorov, l. c. p. 66.
Mnsarti Pic, Longic. VI. I. 1907, p. 10 (*Compsodor cadion?*)
mystacium Ball. Bull. Moscou LIII, 1, 1878, p. 369. — Ganglb. Best.-Tab. VIII, 1884, p. 44 (478). — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 335. — Heyd. l. c. XXXI, 1887, p. 316. — Jakowl. Synops. 1, p. 284; 4, p. 36; Revue Russe d'Ent. VI, 1906, p. 278. — Pic, Synops. p. 37, 41, 46. — Suvorov, Revue Russe d'Ent. XIII, 1913, p. 71.
 ab. *auliense* Pic, Catal. Longic. 1901, p. 69, nota 1.
 ab. *capreolus* Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, p. 317. — Pic. Synops. p. 41.
nivosum Suvorov, Revue Russ. d'Ent. XIII, 1913, p. 66.
obtusipeune Motsch. Bull. Acad. Petersb. II, 1860, p. 538; Mélang. Biol. III, 1861, p. 444. — Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 196. — Ganglb. Best.-Tab. VIII, 1884, p. 44 (478). — Pic, Miscell. Ent. V, 1897, p. 94; Longic. II, 1898, p. 47.
optatum Jakowl. Synops. 4, p. 35, 38.
pantherinum Jakowl. Synops. 3, p. 147; 4, p. 34.
phenax Jakowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 68; Synops. 4, p. 37.

Semirjetshje
 Südost-
 Rußland
 Uralsk
 Sibirien:
 Semipala-
 tinsk

Zaisan-See
 Turkestan

Sibirien:
 Tarbagatai
 Altai

Altai
 "

Kuldscha
 Alatau

Semirjetshje-
 Gebiet: Alex-
 and.-Gebirge
 Tianschan

Kuldsha,
 Alexander
 Gebirge,
 Aulie-ata

Semirjeth-
 shensk:
 Burchan
 Kirgisen-
 Steppen:
 Fort
 Perafski

Alexander-
 Gebirge
 Kirgisen-
 Steppen:
 Kazalinsk,
 Karkoral-
 insk
 Sibirien:
 Tomsk

- pelidnum** Jakowl. Synops. 4, p. 35, 38. Alexander-Gebirge
- politum** Dalm. Anal. Ent. 1823, p. 68. — Fisch. Südost-Russland, Entom. Ross. II, 1824, p. 239, t. 50, f. 3, 4. — Gebl. Ledeb. Reise II, 3, 1830, p. 185: Kirgisen-Steppen Bull. Moscou XXI, 1, 1848, p. 403 (sep. p. 308). — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 35. — Ganglb. Best.-Tab. VIII, 1884, p. 5 (439). — Jakowl. Synops. 1, p. 286. — Pic, Synops. p. 45. — Suvorov, Synops. p. 67.
- ab. *conjunctum* Pic, Synops. p. 45. Altai
- var. *politipenne* Pic, Miscell. Ent. V, 1897, p. 94; Synops. p. 45. „
- Ribbei** Kraatz, Deutsche Ent. Zeitschr. XXII, 1878, p. 220. — Ganglb. Best.-Tab. VIII, 1884, p. 41 (475). — Jakowl. Synops. 1, p. 286. — Pic, Synops. p. 44. — Suvorov, Synops. p. 68. Songarei: Tarbagatai
- var. *corallipes* Ganglb. Best.-Tab. VIII, 1884, p. 42 (476). — Jakowl. Synops. 1, p. 286. „ — Pic, Synops. p. 43. — Suvorov, Synops. p. 68.
- ab. *rubrofemoratum* Pic, Synops. p. 44. „
- rufidens** Jakowl. Synops. 4, p. 36, 39. — Suvorov, Syr-Darja-Gebiet Revue Russe d'Ent. XIII, 1913, p. 71.
- ab. *prosdoto taenium* Suvorov, l. c. p. 70, 71. „
- rufifrons** Motsch. Bull. Acad. Petersb. I, 1860, p. 311; Mélang. Biol. III, 1860, p. 304. — Kraatz, Deutsche Ent. Zeitschr. XXII, 1878, p. 221. — Ganglb. Best.-Tab. VIII, 1884, p. 5 (439). — Jakowl. Synops. 1, p. 284; 4, p. 36. — Pic, Synops. p. 40, 46. Südost-Rußland: Orenburg, Kirgisen-Steppen
- glycyrrhizae* Ol. Encycl. méth. VII, 1792, p. 473; Ent. IV, nr. 67, 1795, p. 116, t. 16, f. 115. — Fisch. Entom. Ross. II, 1823, p. 239, t. 50, f. 1.
- Olivieri* (? Thoms. Physis I, 1867, p. 39). — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 34.
- ? *politum* Fisch. Entom. Ross. II, 1823, p. 239, t. 50, f. 4.
- Sokolowi** Jakowl. Synops. 3, p. 150, 151; 4, p. 35; Revue Russe d'Ent. VI, 1906, p. 276. Semi-palatinsk
- songaricum** Ganglb. Best.-Tab. VIII, 1884, p. 43 (477). Songarei — Jakowl. Synops. 1, p. 283; 2, p. 677; 4, p. 34. — Pic, Synops. p. 43, 46. Alatau
- ab. *ininterruptum* Pic, Miscell. Ent. V, 1897, p. 94; Synops. p. 43. Sibirien
- striatum** Goetze, Ent. Beytr. I, 1777, p. 464. (Lepechin Ural Tageb. II, 1775, p. 198, t. 10, f. 8.)
- fimbriatum* Gmel. in L. Syst. Nat. I, 4, 1790, p. 1862.
- Suvorovi** Jakowl. Revue Russe d'Ent. VI, 1906, p. 274.
- tenuelineatum** Jakowl. Synops. 1, p. 283, 286; 4, p. 37. — Pic, Synops. p. 43, 46. Tarbagatai Altai
- ab. *separatum* Pic, Miscell. Ent. V, 1897, p. 94; Synops. p. 43. „

- Tianschanski** Suvorov, Revue Russe d'Ent. X, 1910, p. 67. Semirjetshensk
 ab. *pleonastus* Suvorov, l. c. p. 68. "
- tibiale** Jakowl. Horae Soc. Ent. Ross. XXIV, 1890, p. 250, f. 2—4; Synops. 2, p. 677; 4, p. 37. Jssyk-kul
crassipes Jakowl. Synops. 1, p. 283.
- Tschitscherini** Jakowl. Synops. 3, p. 150, 153; 4, p. 35. — Suvorov, Revue Russe d'Ent. X, 1910, p. 71. Semirjetshensk
 ab. *abortivus* Suvorov, l. c. p. 71. "
 ab. *abundans* Suvorov, l. c. p. 71. "
 ab. *mixtus* Suvorov, l. c. p. 71. "
 ab. *perinterruptus* Suvorov, l. c. p. 71. "
- turgalcum** Suvorov, Rev. Russe d'Ent. XV, 1915, p. 121. Turgai
- Uvarovi** Suvorov, Synops. p. 279, 282. Uralsk-Gebiet: Temir
 Jssyk-kul
- validipes** Jakowl. Revue Russe d'Ent. VI, 1906, p. 279. — Suvorov, l. c. X, 1910, p. 71.

Subgenus *Cribridorcadiion* Pic.

Pic, Longic. III, 3, 1901, p. 12.

- Mniszechi** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 39. — Ganglb. Best.-Tab. VIII 1884, p. 46 (480). Kaukasus
- var. *semibrunneum* Pic, Echange XIX, 1903, p. 170; Longic. V, 1, 1904, p. 3; Echange XXV, 1909, p. 123. Anatolien
- ab. *mediocreimpressum* Pic, l. c. p. 123.
medioimpressum Pic, Longic. VII, 2, 1910, p. 5.

Subgen. *Dorcadiion* s. str.

Arten aus China, Sibirien und Turkestan.

- amymon** Jakowl. Revue Russe d'Ent. VI, 1906, Dez., p. 276. Turkestan
- dsungaricum* Pic, Echange XXIII, 1907, p. 104 (vix descr.); Longic. VI, 2, 1907, März, p. 11, VIII, 2, 1912, p. 4. — Suvorov, Revue Russe d'Ent. XIII, 1913, p. 70. Songarei
- ab. *epitaenium* Suvorov, l. c. p. 70.
 ab. *hypertaenium* Suvorov, l. c. p. 70.
 ab. *melancholicum* Pic, Echange XXIII, 1907, p. 111; Longic. VI, 2, 1907, p. 11. — A. Sem. Revue Russe d'Ent. IX, 1909, p. 27.
- aplcienne** Jakowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 61. — A. Sem. Revue Russe d'Ent. IX, 1909, p. 27. — Suvorov, l. c. XIII, 1913, p. 69. Chinesisch
 Songarei am
 Atschal-
 Fluss
- Beloni** Pic. Ann. Soc. Ent. France LX, 1891, Bull. p. 77. Sibirien?
- bisbicostatum** Pic, Echange XXIV, 1908, p. 52; Longic. VIII, 1, 1908, p. 4. Karagai-Tau
- Dokhtouroffi** Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 130. — Jakowl. Revue Russe d'Ent. I, 1901, p. 107. Turkestan:
 Andidshan

- var. *subcostatum* Heyden, Deutsche Ent. Zeitschr. XXXI, 1887, p. 323. — Pic, Longic, II, 1898, p. 47. Usgent
Namangan
- mystacinum* Heyden, Deutsche Ent. Zeitschr. XXIX, 1885, p. 282.
- Hauseri** Reitter, Wien. Ent. Zeit. XIV, 1895, p. 160; Thian-Schan
XVII, 1898, p. 54. — Suvorov, Revue Russe Semirjet-
d'Ent. XIII, 1913, p. 67, 68. shensk
- ab. *obliteraticostum* Suvorov, l. c. p. 67, 68.
- Jacobsoni** Jakowl. Annuaire Mus. Zool. Petersb. IV, Jli-Fluss un-
1899, p. 243. weit von
Kuldsha
Kuldsha
Przewalsk
- kuldschanum** Pic, Longic. VII, 1, 1908, p. 4.
- var. *albidolimbatum* Pic, Echange XXVIII. 1912, p. 9; Longic. VIII, 2, 1912, p. 5.
- ab. *Pauli* Pic, Echange XXV, 1909, p. 99. Kuldsha
- ab. *juldusianum* Pic, l. c. XXVIII, 1912, p. 89; Longic. IX, 1, 1914, p. 8.
- robustissimum** Pic, Echange XXIV, 1908, p. 35; Longic. Karagai-Tau
VII, 1, 1908, p. 4.
- rufogenuum** Reitter, Wien. Ent. Zeit. XIV, 1895, p. 161. Thian-Schan
ab. *posticejunctum* Pic, Echange XXV, 1909, Turkestan
p. 99.
- Semenovi** Ganglb. Best.-Tab. VIII, 1884, p. 45 (479). Turkestan
var. *issykulense* Pic, Echange XXII, 1906, Issyk-kul
p. 96.
- turkestanicum** Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 335. — Ganglb. Best.-Tab. VIII, 1884, p. 45 (479).
- vicinum** Pic, Echange VIII, 1892, p. 91. Sibirien

Arten aus Transcaspien, Persien
und Transkaukasien.

- argonanta** Suvorov, Revue Russe d'Ent. XIII, 1913, Eriwan
p. 74.
- ab. ♀ *pallescens* Suvorov, l. c. p. 75.
- armenum** Suvorov, l. c. XV, 1915, p. 117. Armenien
- auratum** Tourn. Revue Zool. (2) XXIII, 1872, p. 291. Kaukasus:
— Ganglb. Best.-Tab. VIII, 1884, p. 61 (495). Suram
- biforme** Kraatz in Küster, Käfer Eur. XXIX, 1873, Persien:
p. 53. — Ganglb. Best.-Tab. VIII, 1884, Astrabad
p. 56 (490).
- ab. *discomaculatum* Pic, Echange XXI, 1905, p. 187.
- bisignatum** Jakowl. Horae Soc. Ent. Ross. XXXIV, Trans-
1900, p. 66. kaukasien
- bistriatum** Pic, Longic. II, 1898, p. 55. Kaukasus
- Blanchardi** Muls. & Rey, Ann. Soc. Linn. Lyon (2) Persien
X, 1863, p. 143; Opusc. Ent. XIII, 1863, p. 147. — Ganglb. Best.-Tab. VIII, 1884, p. 56 (490). — Kraatz, Deutsche Ent. Zeitschr. 1888, p. 75.
- Borodini** Suvorov, Revue Russe d'Ent. XV, 1915, p. 118.
- brunneicolle** Kraatz in Küster, Käfer Eur. XXIX, Persien
1873, p. 37. — Ganglb. Best.-Tab. VIII, 1884, p. 60 (494). — Pic, Longic. VIII, 2, 1912, p. 5.

- Jakowlevi* A. Sem. Revue Russe d'Ent. V, 1905, p. 144.
- ab. *casvinense* Pic, Bull. Mus. Paris XI, 1905, p. 392f. Kasvin
- kasuiense* Pic, Deleg. en Perse Ann. Hist. Nat. II, 1912, p. 57.
- ab. *subfulvovestitum* Pic, Longic. IX, 1, 1914, p. 8.
- caucasicum* Küst. (siehe p. 41.)
- eineriferum* Suvorov, Revue Russe d'Ent. IX, 1909, p. 290. — Pic, Longic. VIII, 2, 1912, p. 4. Trans-kaukasien
- cingulatum* Ganglb. Best.-Tab. VIII, 1884, p. 50 (484). Persien
- complanatum* Ganglb. l. c. p. 51 (485). "
- curtulum* Pic, Echange XXII, 1906, p. 50. "
- Daratshitshagi** Suvorov, Revue Russe d'Ent. XV, 1915, p. 120.
- Demokidovi** Suvorov. l. c. p. 115
- Deyrollet** Ganglb. Best.-Tab. VIII, 1884, p. 48 (482). Trans-kaukasien
- Pic, Longic. V, 1, 1904, p. 19. Armenien
- dlmidiatum** Motsch. Bull. Moscou XI, 1838, p. 186, t. 3, f. i. — Küster, Käfer Eur. VI, 1846, p. 79. — Ganglb. Best.-Tab. VIII, 1884, p. 57 (491).
- Dobrovljanskii** Suvorov, Revue Russe d'Ent. XV, 1915, p. 116.
- erivanicum** Pic, Echange XVII, 1901, p. 91. Armenien
- euxinum** Suvorov, Revue Russe d'Ent. XV, 1915, p. 119.
- Faldermanni** Ganglb. Best.-Tab. VIII, 1884, p. 59 (493). Persien
- formosum** Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 411, t. 3, f. 5; Abeille XII, 1875, p. 406. — Ganglb. Best.-Tab. VIII, 1884, p. 53 (487). Kaukasus
- glaucum** Fald. Fauna Ent. Transcauc. II, 1837, p. 277, t. 8, f. 8. — Ganglb. Best.-Tab. VIII, 1884, p. 59 (493). "
- goktshanum** Suvorov, Revue Russe d'Ent. XV, 1915, p. 117.
- haemorrhoidale** Hampe in Wagner, Reise Pers. 1852, p. 313. — Ganglb. Best.-Tab. VIII, 1884, p. 48 (482). Armenien
- sanguinolentum* Thoms. Syst. Ceramb. 1865, p. 548; Physis I, 1867, p. 61.
- Hampei** Muls. & Rey. Ann. Soc. Linn. Lyon (2) X, 1863, p. 157; Opusc. Ent. XIII, 1863, p. 157. Persien
- Ganglb. Best.-Tab. VIII, 1884, p. 53 (487).
- Hellmanni** Ganglb. Best.-Tab. VIII, 1884, p. 52 (486). "
- hyrcanum** Jakowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 64. Nordpersien
- impressipenne** Pic, Longic. III, 1, 1900, p. 14. Kaukasus
- indutum** Fald. Fauna Ent. Transcauc. II, 1837, p. 276, t. 8, f. 7. — Ganglb. Best.-Tab. VIII, 1884, p. 58 (492). Trans-kaukasien
- var. *pulchrum* Pic, Echange XXIV, 1908, p. 58; Longic. VII, 1, 1908, p. 5. "
- kagyzmanicum** Suvorov, Revue Russe d'Ent. XV, 1915, p. 120.
- karense** Suvorov, l. c. p. 118.
- kasikoporanum** Pic, Longic. IV, 1, 1902, p. 10; V, 1, 1904, p. 19. Armenien

- Komarowi** Jakowl. Horae Soc. Ent. Ross. XXI, 1887, p. 155. Transcaspien
- kurda** Suvorov, Revue Russe d'Ent. XIII, 1913, p. 76. Karisches Gebiet
- laeve** Fald. Fauna Ent. Transcauc. II, 1837, p. 278, t. 8, f. 9. — Ganglb. Best.-Tab. VIII, 1884, p. 59 (493). — Heller, Ent. Nachr. XVII, 1891, p. 193; Deutsche Ent. Zeitschr. 1891, p. 307. Transkaukasien
- Lederi** Kraatz, Deutsche Ent. Zeitschr. XXII, 1878, p. 217; in Schneid. & Leder, Kauk. Käferf. 1878, p. 353. — Ganglb. Best.-Tab. VIII, 1884, p. 51 (485). — Reitter, Wien. Ent. Zeit. XXII, 1903, p. 240. „
Suram Pass
- luctuosum** Suvorov, Revue Russe d'Ent. XIII, 1913, p. 76. Transkaukasien
Alexandropol
Transkaukasien:
Elisabethpol
- Maljushenkoi** Pic, Longic. V, 1, 1904, p. 8. Transkaukasien
- nilgrosuratum** Reitter, Deutsche Ent. Zeitschr. 1897, p. 236. Armenien
- nitidum** Motsch. Bull. Moscou XI, 1838, p. 185, t. 3, f. h. — Küster, Käfer Eur. VI, 1846, p. 80. — Kraatz, l. c. XXIX, 1873, p. 43. — Ganglb. Best.-Tab. VIII, 1884, p. 47 (481). Grusien
- var. **suluratum** Ferr. Wien. Ent. Monatschr. VIII, 1864, p. 481. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 43. — Ganglb. Best.-Tab. VIII, 1884, p. 48 (482).
- ✓ **niveiparsum** Thoms. Syst. Ceramb. 1865, p. 548; Physis I, 1867, p. 71. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 65. — Ganglb. Best.-Tab. VIII, 1884, p. 53 (487). Transkaukasien
- var. **cretosum** Ferr. Wien. Ent. Monatschr. VIII, 1864 (1865), p. 479.
- ab. **sobrinum** Pic, Longic. II, 1898, p. 55.
- nobile** Hampe in Wagner, Reise Pers 1852, p. 313. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 52. — Ganglb. Best.-Tab. VIII, 1884, p. 54 (488). „
Persien,
Armenien
- persicum** Fald. Fauna Ent. Transcauc. II, 1837, p. 282, t. 9, f. 3. — Ganglb. Best.-Tab. VIII, 1884, p. 60 (494). Persien
- Plasoni** Ganglb. l. c. p. 57 (491). „
- Reitteri** Ganglb. l. c. p. 58 (492). Transkaukasien
- Rosti** Pic, Echange XVI, 1900, p. 82. — Reitter, Wien. Ent. Zeit. XX, 1901, p. 98. Kaukasus
- var. **Kalinowskyi** Koenig, l. c. p. 10.
- ✓ **scabricolle** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 174. — Fald. Fauna Ent. Transcauc. II, 1837, p. 279, t. 9, f. 1. — Küster, Käfer Eur. II, 1846, p. 86. — Kraatz, l. c. XXIX, 1873, p. 50. — Ganglb. Best.-Tab. VIII, 1884, p. 56 (490). Transkaukasien
- var. **elisabethpolicum** Suvorov, Revue Russe d'Ent. XV, 1915, p. 119. Elisabethpol

- ab. ♀ *corpulentum* Ménétr. Cat. rais. 1832, p. 226. — Fald. Fauna Ent. Transcauc. II, 1837, p. 280, t. 9, f. 2. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 50 — Ganglb. Best.-Tab. VIII, 1884, p. 56 (490).
- ab. ♀ *lutescens* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 50. — Ganglb. Best.-Tab. VIII, 1884, p. 56 (490).
- ab. *modestum* Tourn. Revue Zool. (2) XXIII, 1872, p. 338. — Ganglb. Best.-Tab. VIII, 1884, p. 61 (495).
- var. *sevangelense* Reitter, Deutsche Ent. Zeitschr. 1889, p. 41. Armenien
- semiargentatum** Pic, Bull. Mus. Paris XI, 1905, p. 301; Deleg. en Perse, Ann. Hist. Nat. II, 1912, p. 58. Persien
- semilucens** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 84. — Ganglb. Best.-Tab. VIII, 1884, p. 58 (492). — Pic, Longic. II, 1898, p. 22, 56. Transkaukasien
- var. *Mesmini* Pic, Echange XIX, 1903, p. 146; Longic. V, 1, 1904, p. 4.
- seminudum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 83. — Ganglb. Best.-Tab. VIII, 1884, p. 55 (489). Kaukasus
- sodale** Hampe in Wagner, Reise Pers. 1852, p. 313. — Ganglb. Best.-Tab. VIII, 1884, p. 47 (481). Transkaukasien
- spectabile** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 38. — Ganglb. Best.-Tab. VIII, 1884, p. 60 (494). Persien
- striolatum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 93. — Ganglb. Best.-Tab. VIII, 1884, p. 50 (484). — Suvorov, Revue Russe d'Ent. XIII, 1913, p. 73. — Pravitstshikov, l. c. XV, 1915, p. 225. Transkaukasien
- ab. *obesum* Tourn. Revue Zool. (2) XXIII, 1872, p. 340. — Suvorov, Revue Russe d'Ent. XIII, 1913, p. 73. "
- sulcipenne** Küster, Käfer Eur. VIII, 1847, p. 87. — Kraatz, l. c. XXIX, 1873, p. 94. — Ganglb. Best.-Tab. VIII, 1884, p. 40 (483). "
- ab. *basale* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 86. Armenien
- talyschense** Ganglb. Best.-Tab. VIII, 1884, p. 57 (491). — Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 69. — Heller, l. c. 1891, p. 307, 308; Ent. Nachr. XVII, 1891, p. 197. Lenkoran, Talysch-Gebirge
- ab. ♀ *ardebiense* Pic, Bull. Mus. Paris XI, 1905, p. 301; Deleg. en Perse, Ann. Hist. Nat. II, 1912, p. 59. Persien
- var. *Morgani* Pic, l. c.; Deleg. en Perse, Ann. Hist. Nat. II, 1912, p. 59, f. 2. "
- ab. *posticeinterruptum* Pic, Longic. III, 1, 1900, p. 12. Transkaukasien
- Türki** Ganglb. Best.-Tab. VIII, 1884, p. 52 (486). — Jakowl. Revue Russe d'Ent. I, 1901, p. 108. Persien, Transkaspien
- var. *interruptum* Jakowl. Horae Soc. Ent. Ross. XXIX, 1895, p. 510.

transcaspicum Jakowl. Revue Russe d'Ent.
I, 1901, p. 108.

Wagneri Küster, Käfer Eur. V, 1846, p. 87. — Kraatz, Trans-
I. c. XXIX, 1873, p. 44. — Ganglb. Best.-kaukasien
Tab. VIII, 1884, p. 46 (480). — Reitter,
Wien. Ent. Zeit. XXII, 1903, p. 240.

Arten aus Syrien, Kleinasien, Griechenland
und den Balkanländern.

Grunack, Soc. Ent. XXII, 1907, p. 17—18 (Liste).

- accola** Heyd. Deutsche Ent. Zeitschr. 1894, p. 87. Anatolien
ab. *ardinense* Pic, Longic. III, 1, 1900, p. 6.
- albolineatum** Küster, Käfer Eur. VIII, 1847, p. 86. — Türkei
Kraatz, I. c. XXIX, 1873, p. 64. — Ganglb.
Best.-Tab. VIII, 1884, p. 26 (460).
- byzantinum** Thoms. Physis I, 1867, p. 69. Griechen-
land?
- albonotatum** Pic, Echange XI, 1895, p. 39; Longic. Bitlis
II, 1898, p. 20.
- amasinum** Pic, Longic. II, 1898, p. 58. Amasia
- anatolicum** Pic, I. c. III, 1, 1900, p. 12. Kleinasien
ab. *ininterruptum* Pic, I. c. p. 13. "
ab. ♀ *subuniforme* Pic, Echange XVIII, 1902, "
p. 27.
- angorensis** Ganglb. Stett. Ent. Zeit. LVIII, 1897, Angora
p. 57.
- arcivagum** Thoms. Physis I, 1867, p. 121. — Ganglb. Cilicischer
Best.-Tab. VIII, 1884, p. 67 501). Taurus
ab. ♀ *cilicium* Pic, Longic. V, 1, 1904, p. 4.
- arenarium** Scop. (siehe p. 39).
- aticum** Kraatz in Küster, Käfer Eur. XXIX, 1873, Parnassus
p. 72. — Ganglb. Best.-Tab. VIII, 1884, p.
19 (453); Verh. Zool.-Bot. Ges. Wien
XXXV, 1885, p. 518.
- var. *coreyricum* Ganglb. Best.-Tab. VII, Korfu
1884, p. 19 (453).
- aurovittatum** Kraatz in Küster, Käfer Eur. XXIX, Kleinasien,
1873, p. 81. — Ganglb. Best.-Tab. VIII, Pontus
1884, p. 65 (499).
- Bangi** Heyd. Deutsche Ent. Zeitschr. 1894, p. 89, Kleinasien
t. 1, f. 4.
- bithyniense** Chevr. Revue Zool. (2) VIII, 1856, p. 88. Brussa,
bithynense Kraatz in Küster, Käfer Eur. Rumelien
XXIX, 1873, p. 91. — Ganglb. Best.-Tab.
VIII, 1884, p. 29 (463).
- var. *serotinum* Thoms. Syst. Ceramb. 1865, p. Smyrna
549; Physis I, 1867, p. 48. — Kraatz in Küster,
Käfer Eur. XXIX, 1873, p. 55. — Ganglb.
Best.-Tab. VIII, 1884, p. 29 (463), nota 1.
- Bodemeyeri** Daniel, Soc. Ent. XV, 1900, p. 140; Kleinasien:
Münch. Koleopt. Zeitschr. I, 1903, p. 330. Akschebir
fig. b. — Pic, Longic. V, 1, 1904, p. 19.
- Bravardi** Pic, Echange XXXII, 1916, p. 22; Longic. Saloniki
X, 2, 1917, p. 7.
- brevipennis** Pic, Longic. IV, 1, 1902, p. 10. Anatolien
ab. *chehirensis* Pic, I. c. p. 10. "

- carinipenne** Pic, Longic. III, 1, 1900, p. 13. Syrien:
Akbes
- caucasicum** Küst. (siehe p. 41).
- Chevolati** Ganglb. Best.-Tab. VIII, 1884, p. 41 (475).
annulicornis Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 60. Griechenland
- cinctellum** Fairm. Ann. Soc. Ent. France (2) VI, 1866, p. 272; Abeille XII, 1875, p. 407. —
Ganglb. Best.-Tab. VIII, 1884, p. 71 (505). Kleinasien
ab. *subfurcatum* Pic, Echange XXIX, 1913, p. 129; Longic. IX, 1, 1914, p. 9. "
- condensatum** Küster, Käfer Eur. XXV, 1852, p. 92. Konstantin-
— Kraatz, l. c. XXIX, 1873, p. 59. — Ganglb. opel
Best.-Tab. VIII, 1884, p. 22 (456).
- ab. ♀ *adampolum* Pic, Longic. X, 2, 1917, p. 6. Adampol
ab. *inlineatum* Pic, Longic. X, 2, 1917, p. 6. Kleinasien
ab. *punctatissimum* Ganglb. Best.-Tab. VIII, 1884, p. 65 (499). "
var. *punctipenne* Küster, Käfer Eur. XXV, 1852, p. 94. — Kraatz, l. c. XXIX, 1873, p. 59. — Ganglb. Best.-Tab. VIII, 1884, p. 22 (456). "
rufipes var. Ménétr. Mém. Acad. Petersb. (6) V, 1838, p. 43. "
- costiferum** Pic, Longic. II, 1898, p. 57. Trapezunt
- cruciator** Gistl. Naturg. 1848, p. 431. Syrien
- crux** Billb. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 175. — Küster, Käfer Eur. IV, 1846, p. 79. — Kraatz, l. c. XXIX, 1873, p. 45. — Ganglb. Best.-Tab. VIII, 1884, p. 18 (452). Türkei,
Kleinasien,
Smyrna
- ♀ *bifidum* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 60 — Ganglb. Wien. Ent. Zeit. I, 1882, p. 228.
- gracuum* Waltl, Isis XXXI, 1838, p. 470; Abeille VI, 1869, p. 62 — Ganglb. Wien. Ent. Zeit. I, 1882, p. 228.
- ab. *biinterruptum* Pic, Echange XVII, 1901, p. 19. Smyrna
- ab. *integrofasciatum* K. Daniel, Soc. Ent. XV, 1901, p. 140.
- ab. *lunulatum* Pic, Longic. III, 1, 1900, p. 12. Smyrna
- ab. *niveopictum* K. Daniel, Soc. Ent. XV, 1901, p. 140.
- culminicola** Thoms. Physis I, 1867, p. 122. — Ganglb. Best.-Tab. VIII, 1884, p. 65 (499). Taurus
- var. *Holtzi* Pic, Echange XXI, 1905, p. 115; Longic. V, 2, 1905, p. 12. "
- Delagrangi** Pic, Echange X, 1894, p. 110. Syrien
- ab. *fuscopubescens* Pic, Longic. III, 1, 1900, p. 12. Akbes
- Destinói** Fairm. Ann. Soc. Ent. France (6) IV, 1884, p. 173. — Ganglb. Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 519. "
- var. *adanense* Pic, Longic. V, 1, 1904, p. 4. Adana
- ab. ♀ *univestitum* Pic, Longic. IV, 2, 1903, p. 5. Akbes
- divisum** Germ. Fauna Ins. Eur. XXI, 1839, p. 15. — Küster, Käfer Eur. V, 1846, p. 88. — Kraatz, l. c. XXIX, 1873, p. 67. — Ganglb. Best.- Kleinasien:
Smyrna,
Brussa

- Tab. VIII, 1884, p. 24 (458). — Th. Pic, Ent. Nachr. XXV, 1899, p. 349.
- catenatum* Waltl, Isis XXXI, 1838, p. 469 (nom. *vetustius?*); Abeille VI, 1869, p. 60.
- var. *Bleusei* Pic, Bull. Soc. Ent. France 1899, p. 300. Rhodus
- var. *boszdaghense* Fairm. Ann. Soc. Ent. France (4) VI, 1866, p. 275; Abeille XII, 1875, p. 410. — Ganglb. Best.-Tab. VIII, 1884, p. 68 (502). Ovatschik
- grammophilum* Thoms. Physis I, 1867, p. 70. Armenien
- var. *confluens* Fairm. Ann. Soc. Ent. France (4) VI, 1866, p. 274; Abeille XII, 1875, p. 401. — Ganglb. Best.-Tab. VIII, 1884, p. 68 (502). Boszdagh, Diarbekir
- var. *dissimile* Ganglb. l. c. p. 24 (458). Türkei
- var. *diversejunctum* Pic, Echange XXIII, 1907, p. 179; Longic. VII, 1, 1908, p. 5. Insel Chios
- ab. *dorsale* Pic, l. c. p. 179. Smyrna
- var. *granigerum* Ganglb. Best.-Tab. VIII, 1884, p. 24 (458). Attica
- ab. *indivisum* Pic, Longic. III, 1, 1900, p. 12. Kleinasien:
Konia
Naxos
- var. *insulare* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 62. — Ganglb. Best.-Tab. VIII, 1884, p. 25 (459); Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 520.
- var. *intercisum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 67. — Ganglb. Best.-Tab. VIII, 1884, p. 68 (502). Diarbekir
- var. *Koechlini* Pic, Longic. II, 1898, p. 56. Kleinasien
- ab. *loratum* Thoms. Physis I, 1867, p. 123. Smyrna
- Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 63. — Ganglb. Best.-Tab. VIII, 1884, p. 24 (458).
- ab. *mytilinense* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 67. ,
- ab. *smyrnense* Pic, Echange XXXIII, 1917, p. 10. ,
- ab. *sparsedivisum* Pic, Echange XXVII, 1911, p. 185; Longic. VIII, 2, 1912, p. 5. Mytilene
- ab. *subinterruptum* Pic, Longic. III, 1, 1900, p. 12. Konia
- ab. *subobliteratum* Th. Pic, Ent. Nachr. XXVI, 1900, p. 351.
- ab. *uninterruptum* Th. Pic, l. c. p. 351.
- drusum** Chev. Ann. Soc. Ent. France (4) X, 1870, Bull. p. 84; Abeille XII, 1875, p. 408. — Ganglb. Best.-Tab. VIII, 1884, p. 69 (503). Syrien
- egregium** Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 56. Angora
- Emgei** Ganglb. Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 519. Peloponnes
- equestre** Laxm. (siehe p. 42).
- var. *exclamatoris* Thoms. Physis I, 1867, p. 58. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 48; Deutsche Ent. Zeitschr. 1892, p. 174, t. 3, f. 13—17. Kleinasien:
Ovatschik
- var. *immaculatum* Kraatz, Deutsche Ent. Zeitschr. 1892, p. 174, t. 3, f. 8, 9. Balkan

- ab. niveoconjectum** Th. Pic, Ent. Nachr. XXVI, 1900, p. 352. Balkan
var. Nogelli Fairm. Ann. Soc. Ent. France (4) VI, 1866, p. 270. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 49; Deutsche Ent. Zeitschr. 1892, p. 174, t. 3, f. 3—7. — Ganglb. Best.-Tab. VIII, 1884, p. 28 (462).
Nogeli Thoms. Physis I, 1867, p. 58.
var. reclinatum Kraatz, Deutsche Ent. Zeitschr. 1892, p. 173, t. 3, f. 10—12. Balkan
Escherichi Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 54. Angora
ab. obliquesignatum Pic, Longic. III, 1, 1900, p. 12. Konia
ab. posticedisjunctum Pic, Echange XXV, 1909, p. 99. Angora
etruscum Rossi (siehe p. 43).
var. femoratum Brullé, Expéd. scient. Morée, Ins. 1832, p. 259, t. 43, f. 2. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 56. — Ganglb. Best.-Tab. VIII, 1884, p. 12 (446). Griechenland
fuscifrons Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 60. Albanien
ab. valonense Pic, Longic. X, 2, 1917, p. 6. „
Eugeniae Ganglb. Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 521. Griechenland:
 Arkadien
fenestratum Pic, Ann. Soc. Ent. France LXIII, 1894, Bull. p. 284; LXVI, 1897 (1898) p. 391. Syrien:
 Ain-Tab
ferruginipes Ménétr. Bull. Sc. Acad. Petersb. I, 1836, p. 151; Mém. Acad. Petersb. (6) V, 1838, p. 43. — Waltl, Isis XXXI, 1838, p. 470; Abeille VI, 1869, p. 62. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 54. — Ganglb. Best.-Tab. VIII, 1884, p. 13 (447). Türkei,
 Kleinasien
thracicum Küster, Käfer Eur. V, 1846, p. 90.
ab. subfuscopubescens Pic, Longic. VIII, 1, 1911, p. 7. Kleinasien:
 Alem Dagh
ab. sublineatum Pic, Echange XXV, 1909, p. 99. Türkei
forcipiferum Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 60. — Ganglb. Best.-Tab. VIII, 1884, p. 67 (501). Palästina
frontale Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 154; Opusc. Ent. XIII, 1863, p. 157. — Ganglb. Best.-Tab. VIII, 1884, p. 40 (474). Türkei
funestum Ganglb. l. c. p. 67 (501). Mytilene
gallipollitanum Thoms. Physis I, 1867, p. 59. — Ganglb. Best.-Tab. VIII, 1884, p. 8 (442). Türkei:
 Gallipoli
suturaealba Desbr. Abeille VII, 1870, p. 125. — Tourn. Revue Zool. (2) XXIII, 1872, p. 282.
var. Gandolphei Tourn. l. c. p. 288. — Ganglb. Best.-Tab. VIII, 1884, p. 8 (442). — Pic, Longic. VII, 1, 1908, p. 9. „
glabrofasciatum Daniel, Soc. Ent. XV, 1901, p. 140; Münch. Kol. Zeitschr. I, 1903, p. 329. Kleinasien:
 Bithynien
ab. imparivittatum Daniel, l. c. p. 140; p. 329.
grandevittatum Pic, Longic. V, 1, 1904, p. 7. Türkei
halense Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 72. Syrien:
 Aleppo

- aleppense* Pic, Longic. V, 1, 1904, p. 4.
haleppense Ganglb. Best.-Tab. VIII, 1873, p. 69 (503); Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 518.
- ab. *internesignatum* Pic, Echange XXX, 1914, p. 79; Longic. IX, 2, 1915, p. 8. Syrien:
 Aleppo
- Hampel** Muls. & Rey, (siehe p. 28). Amasia?
- Heldreichi** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 90. — Ganglb. Best.-Tab. VIII, 1884, p. 17 (451). Griechenland:
 Parnass
- bilaterale* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 60.
- ab. *oetalicum* Pic, Echange XVIII, 1902, p. 19. Berg Oeta
- ab. *presuturale* Pic, Longic. IV, 2, 1903, p. 5. "
- Henrici** Pic, Echange XXI, 1905, p. 156. Kleinasien:
 Tokat
- hybridum** Ganglb. Best.-Tab. VIII, 1884, p. 7 (441). Balkan
 — Kraatz, Deutsche Ent. Zeitschr. 1894, p. 299.
- iconiense** Daniel, Soc. Ent. XV, 1901, p. 140. Kleinasien
- ab. *fulvovestitum* Pic, Longic. IV, 2, 1903, p. 5. "
- impressicolle** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 47. — Ganglb. Best.-Tab. VIII, 1884, p. 63 (497). — Pic, Longic. V, 2, 1905, p. 12. Syrien
 var. *tokatense* Pic, l. c. III, 3, 1901, p. 12. Tokat
- infernale** Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 158; Opusc. Ent. XIII, 1863, p. 158. Amasia,
 — Ganglb. Best.-Tab. VIII, 1884, p. 62 (496). Persien?
 — Pic, Longic. VII, 2, 1910, p. 4.
- ab. *immutatum* Pic, Echange XIX, 1903, p. 171; Longic. V, 1, 1904, p. 4. Boszdagh
- ab. *revesitum* Daniel, Soc. Ent. XV, 1901, p. 140; Münch. Kol. Zeitschr. I, 1903, p. 332. Kleinasien
- var. *rugosum* Thoms. Physis I, 1867, p. 46. — Ganglb. Best.-Tab. VIII, 1884, p. 62 (496). Kleinasien
 „Sibirien“!
- ivlecinum** Pic, Bull. Mus. Paris VIII, 1902, p. 93. Diarbekir
- Kindermanni** Waltl, Isis XXXI, 1838, p. 470; Abeille VI, 1869, p. 62. — Germ. Fauna Ins. Eur. XXIII, 1844, t. 12. — Küster, Käfer Eur. V, 1846, p. 94. — Ganglb. Best.-Tab. VIII, 1884, p. 29 (463). Türkei,
 Kleinasien
- ab. *cachinno* Thoms. Physis I, 1867, p. 120. "
- cachino* Ganglb. Best.-Tab. VIII, 1884, p. 28 (462).
- immersum* Tourn. Revue Zool. (2) XXIII, 1872, p. 281. — Kraatz, Wien. Ent. Zeit. I, 1882, p. 298.
- ab. ♀ *griseum* Waltl, Isis XXXI, 1838, p. 469; Abeille VI, 1869, p. 61. Türkei
- Kollari** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 87. — Ganglb. Best.-Tab. VIII, 1884, p. 70 (504). Kleinasien:
 Amasia
- Krüperi** Ganglb. l. c. p. 19 (453). Thessalien,
 Macedonien
- Lameeri** Thery, Bull. Soc. Ent. France 1896, p. 109. Kleinasien:
 — Pic, Longic. II, 1898, p. 20. Kastemouni

- libanoticum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 100. — Ganglb. Best.-Tab. VIII, 1884, p. 64 (498).
 Syrien:
 Libanon
- Perrini* Fairm. Ann. Soc. Ent. France (6) I, 1881, p. 88.
 Antilibanon
- ? var. *tarabuliense* Ganglb. in Mars. Cat. Col. 1888, p. 481.
 Tripoli
- apicale* Chevr. Ann. Soc. Ent. France (5) III, 1873, p. 205. — Ganglb. Best.-Tab. VIII, 1884, p. 73 (507).
- lineatocolle** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 57. — Ganglb. Best.-Tab. VIII, 1884, p. 10 (444).
 Saloniki
- ab. *atrofemoratum* Pic, Longic. X, 2, 1917, p. 7.
 Macedonien
- lugubre** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 41. — Ganglb. Best.-Tab. VIII, 1884, p. 6 (440).
 „
- macropus** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 99. — Ganglb. Best.-Tab. VIII, 1884, p. 64 (498). — Daniel, Münch. Kol. Zeitschr. II, 1908, p. 331, f. a.
 Amasia
- ab. *obscurans* Pic, Echange VIII, 1892, p. 91.
 „
- manum** Gistel, Naturg. 1848, p. 431.
 Syrien
- Merkli** Ganglb. Best.-Tab. VIII, 1884, p. 72 (506). — J. Friv. Termes. Füzet. X, 1886, p. 80, t. 4, f. 13.
 Kleinasien:
 Akdagh
- minutum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 76. — Ganglb. Best.-Tab. VIII, 1884, p. 15 (449).
 Griechenland:
 Attica,
 Parnass
 Korinth
- var. *Brenskei* Ganglb. l. c. p. 16 (450).
apicale Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 76.
 ab. ♀ *irroratum* Kraatz, l. c. p. 76.
 ab. *Parnassi* Kraatz, l. c. p. 72. — Ganglb. Best.-Tab. VIII, 1884, p. 19 (453); Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 518.
 Parnass
- moreanum** Pic, Longic. VI, 2, 1907, p. 12.
 Griechenland:
 Berg
 Khelmas
- nodlicorne** Tourn. Revue Zool. (2) XXIII, 1872, p. 287.
 Taurus
 — Kraatz, Wien. Ent. Zeit. I, 1882, p. 299.
- Oertzeni** Ganglb. Best.-Tab. VIII, 1884, p. 20 (454).
 Griechenland:
 Attica.
- olympicum** Ganglb. Wien. Ent. Zeit. I, 1882, p. 228; Best.-Tab. VIII, 1884, p. 13 (447).
 Kleinasien:
 Brussa
- graecum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 78.
 ab. *obsoletum* Kraatz, l. c. p. 78. — Ganglb. Best.-Tab. VIII, 1884, p. 11 (445), 13 (447).
 Türkei?
 var. *oreophilum* Ganglb. l. c. p. 66 (500).
 Olymp bei
 Brussa
- ab. *subalpinum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 78. — Ganglb. Best.-Tab. VIII, 1884, p. 13 (447).
 Türkei?
- parallellum** Küster, Käfer Eur. VIII, 1847, p. 79. — Kraatz, l. c. XXIX, 1873, p. 42. — Ganglb. Best.-Tab. VIII, 1884, p. 70 (504).
 Kleinasien

- var. *Ledereri* Thoms. Syst. Ceramb. 1865, p. 548; Physis I, 1867, p. 41. — Ganglb. Best.-Tab. VIII, 1884, p. 70 (504). Amasia
- peloponesium** Pic, Longic. IV, 1, 1902, p. 10; IV, 2, 1903, p. 6; V, 1, 1904, p. 4. Peloponnes
- pedestre** Poda (siehe p. 48). Balkan
- pelops** Jakowl. Revue Russe d'Ent. I, 1901, p. 83. Kleinasien
- pilosellum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 58. — Ganglb. Best.-Tab. VIII, 1884, p. 64 (498). Insel Lesbos
- Piochardi** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 85. — Ganglb. Best.-Tab. VIII, 1884, p. 23 (457). Balkan,
Kleinasien
- ab. *elongatum* Pic, Longic. II, 1898, p. 58. Taurus
- ab. *Roberti* Pic, l. c. V, 2, 1905, p. 11. „Syrien“
- ab. *Theophilei* Pic, l. c. III, 3, 1901, p. 32. Kleinasien
- Pluto** Thoms. Physis I, 1867, p. 47. — Ganglb. Best.-Tab. VIII, 1884, p. 61 (495). Amasia
- Preissi** Heyd. Deutsche Ent. Zeitschr. 1894, p. 86, t. 1, f. 3. Kleinasien
- quadrimaculatum** Küster, Käfer Eur. XV, 1848, p. 79. — Fairm. Gen. Col. d'Eur. IV, 1868, t. 49, f. 228 (♂), 229 (♀). — Ganglb. Best.-Tab. VIII, 1884, p. 27 (461). Türkei,
Griechenland
- ab. *bimaculatum* Pic, Longic. II, 1898, p. 56. Attica
- ab. *clementinum* Pic, Echange XXXIV, 1918, p. 11. Griechenland
- ab. *innotatum* Pic, Echange XXIV, 1908, p. 2; Longic. VII, 1, 1908, p. 5. „
- quadripustulatum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 88. — Ganglb. Best.-Tab. VIII, 1884, p. 23 (457). Dardanellen
- robustum** Ganglb. l. c. p. 66 (500). Amasia
- salonicum** Pic, Echange XXXII, 1916, p. 22; Longic. X, 2, 1917, p. 7. Saloniki
- Sauleyl** Thoms. Syst. Ceramb. 1865, p. 549; Physis I, 1867, p. 72. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 72. — Ganglb. Best.-Tab. VIII, 1884, p. 69 (503). Syrien
- var. *Javeti* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 91. — Ganglb. Best.-Tab. VIII, 1884, p. 69 (503); Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 518. Kleinasien:
Mersina
- var. *simile* Kraatz, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 234. — Ganglb. Verh. Zool.-Bot. Ges. Wien XXXV, 1885, p. 518. Kleinasien:
Malatia
- scabricolle** Dalm. (siehe p. 29). Kleinasien:
Bulghar-
Mooden,
Bulghar-
Magara
- var. *caramanicum* Daniel, Münch. Kol. Zeitschr. I, 1903, p. 332. Kleinasien
- Schultzei** Heyd. Deutsche Ent. Zeitschr. 1894, p. 86. Kleinasien
- scrobicolle** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 50. — Ganglb. Best.-Tab. VIII, 1884, p. 63 (497). „
- semilineatum** Fairm. Ann. Soc. Ent. France (4) VI, 1866, p. 273; Abeille XII, 1875, p. 405. — Ganglb. Best.-Tab. VIII, 1884, p. 72 (506). Kleinasien:
Bosz-dagh

- ab. mediointerruptum* Pic, Catal. Long. 1901, p. 73, nota 1.
- semisetosum** Jakowl. Revue Russe d'Ent. I, 1901, p. 84. Kleinasien
- semivelutinum** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 82. — Ganglb. Best.-Tab. VIII, 1884, p. 55 (489). " Siwas
- septemlineatum** Waltl, Isis XXXI, 1838, p. 469; Türkei, Abeille VI, 1869, p. 61. — Küster, Käfer Kleinasion Eur. VI, 1846, p. 78; VIII, 1846, t. 1, f. 2. — Kraatz, l. c. XXIX, 1873, p. 61. — Ganglb. Best.-Tab. VIII, 1884, p. 21 (455), 67 (501).
- ab. ♀ apicale* Thoms. Syst. Ceramb. 1865, p. 549; Physis I, 1867, p. 67. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 61.
- ab. novemlineatum* Kraatz, l. c. p. 61. — Türkei, Ganglb. Best.-Tab. VIII, 1884, p. 21 (455). Kreta
- ab. octolineatum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 61. — Ganglb. Best.-Tab. VIII, 1884, p. 21 (455). Türkei, Kreta
- ab. veluchense* Pic, Longic. IV, 2, 1903, p. 6. Griechenland
- smyrnense** L. in Hasselqv. Iter Palaest. 1757, p. 411. Smyrna
 — Ganglb. Best.-Tab. VIII, 1884, p. 22 (456). nota 1.
- smirnense* L. Hasselqv. Reise Palaest. 1762, p. 451.
- Sturml** Friv. A Magyar Tudos Tars. Evkön. III, 3, Türkei 1837, p. 179, t. 7, f. 9 (sep. 1838, p. 26). — Waltl, Isis XXXI, 1838, p. 471; Abeille VI, 1869, p. 63. — Germ. Fauna Ins. Eur. XXIII, 1844, t. 13. — Küster, Käfer Eur. VIII, 1847, p. 85. — Sacher, Wien. Ent. Monatschr. IV, 1860, p. 147. — Ganglb. Best.-Tab. VIII, 1884, p. 26 (460).
- subjunctum** Pic, Longic. V, 1, 1904, p. 7. Griechenland
- subobscuripes** Pic, Longic. IX, 1, 1914, p. 9. Kleinasien:
 Bosz-dagh
 „Syrien“
- subsericatum** Pic, Longic. III, 3, 1901, p. 12.
- subvestitum** Daniel, Soc. Ent. XV, 1901, p. 140. Kleinasien
- tauricum** Waltl (siehe p. 50). Balkan
- taygetanum** Pic, Longic. IV, 1, 1902, p. 10. Griechenland:
 Taygetos
 Trapezunt
- Theophilei** Pic, Longic. II, 1898, p. 57. Thessalien
- thessalicum** Pic, Echange XXXII, 1916, p. 22; Longic. X, 2, 1917, p. 8.
- triste** Friv. K. Magyar Termeszettud. Tarsul. Evkön. I, 1845, p. 184, t. 2, f. 5♂, 6♀. — Thoms. Syst. Ceramb. 1865, p. 548; Physis I, 1867, p. 42. — Ganglb. Best.-Tab. VIII, 1884, p. 71 (505). Kleinasien:
 Smyrna,
 Brussa
- variegatum** Ganglb. l. c. p. 68 (502). Syrien
- Vitratil** Pic, Longic. IV, 2, 1903, p. 5. Griechenland
- Weyersi** Fairm. Ann. Soc. Ent. France (6) VI, 1866, p. 271. — Thoms. Physis I, 1867, p. 51. — Kleinasien:
 Ganglb. Best.-Tab. VIII, 1884, p. 73 (507). Kisilgye-
 Aole

Arten aus Südrußland, Rumänien, Oesterreich-
Ungarn, Deutschland, der Schweiz, Italien
und Frankreich.

- aethiops** Scop. Ent. Carn. 1763, p. 53, f. 169. — Goeze, Ent. Beytr. I. 1777, p. 465. — Schrank, Enum. Ins. 1781, p. 139. — Laich. Verz. Tyrol. Ins. II, 1784, p. 19. — Herbst in Füessly, Archiv V, 1784, p. 170. — Villers Linn. Ent. I, 1789, p. 238. — Townson, Travels in Hongrie 1797, p. 468. — Muls. Col. France, Long. ed. 2, 1863, p. 270. — Redt. Fauna Austr. ed. 3, 1874, p. 414. — Ganglb. Best.-Tab. VIII, 1884, p. 6 (440). — Bau, Handb. Käfer 1888, p. 418. — Seidl. Fauna Transsylv. 1891, p. 845. — Griff. Coleopt. 1896, p. 198, t. 38, f. 6. — Stierl. Col. Helv. II, 1898, p. 493. — Csiki, Rov. Lapok XI, 1904, p. 188. — Jacobs. Käfer Rußl. 1910, t. 70, f. 6. — Reitter, Fauna Germ. IV, 1913, p. 57, t. 137, f. 16. — Schauf. in Calwer, Käferb. ed. 6, II, 1916, p. 867, t. 31, f. 6.
- actiops** Kuhnt, Käfer Deutschl. 1912, p. 788.
- morio** F. Mant. Ins. I, 1787, p. 141: Ent. Syst. I, 2, 1792, p. 288; Syst. El. II, 1801, p. 302 (ex parte). — Ol. Encycl. méth. VII, 1792, p. 472; Ent. IV, nr. 67, 1795, p. 113, t. 10, f. 67a (ex parte). — Petagna, Instit. Ent. I, 1792, p. 232. — Panz. Entomol. Germ. 1795, p. 252; Enum. Syst. Schaeff. Icon. 1804, p. 73, t. 55, f. 2. — Latr. Hist. Nat. Ins. XI, 1804, p. 271. — Boit. Man. d'Ent. II, 1828, p. 21. — Cast. Hist. Nat. II, 1840, p. 484 (ex parte). — Küster, Käfer Eur. V, 1846, p. 80. — Redt. Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862. — Bach, Käferf. III, 1856, p. 31. — Gutfl. Käfer Deutschl. 1859, p. 581. — Schlosser, Fauna Kornjas. III, 1879, p. 833.
- Scopolii** Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1835 (ex parte). — Fröhl. Naturf. XXVI, 1792, p. 148 (ex parte).
- arenarium** Scop. Ent. Carn. 1763, p. 53, f. 168 (var. 2). — Goeze, Ent. Beytr. I, 1777, p. 465. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 197. — Ganglb. Best.-Tab. VIII, 1884, p. 14 (448). — Seidl. Fauna Transsylv. 1891, p. 845. — Csiki, Rov. Lapok XI, 1904, p. 190. — J. Müller, Wien. Ent. Zeit. XXIV, 1905, p. 129—153 (Revision); Verh. Zool.-Bot. Ges. Wien LVI, 1906, p. 690. — Reitter, Fauna Germ. IV, 1913, p. 57.
- glycyrrhizae** Ol. Ent. IV, nr. 67, 1795, t. 4, f. 22.
- pedestre** [? L. Syst. Nat. ed. 12, 1767, p. 631]. — F. Syst. Ent. 1775, p. 176; Spec. Ins. I, 1781, p. 223; Mant. Ins. I, 1787, p. 141; Ent. Syst. I, 2, 1792, p. 288; Syst. El. II, 1801,
- Süddeutschland,
Oesterreich.
Ungarn,
Siebenbürg.
Schweiz
- Krain,
Istrien,
Kroatien

- p. 302 (ex p.). — Petagna, Spec. Ins. Calabr. 1786, p. 16 (ex p.); Inst. Ent. I, 1792, p. 232. — Villers, Linn. Ent. I, 1789, p. 236 (ex p.) — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1835 (ex p.). — Ol. Encycl. méth. Ins. VII, 1792, p. 472 (ex p.). — Panz. Fauna Ins. Germ. LXVI, 1799, t. 9. — Schreb. Naturf. XXIX, 1802, p. 126. — Latr. Hist. Nat. Ins. XI, 1804, p. 271. — Fisch. Mém. Soc. Nat. Mosc. I, 1806, p. 15. — Boit. Man. d'Ent. II, 1828, p. 21. — Cast. Hist. Nat. II, 1840, p. 485, t. 53, f. 2. — Berge, Käferb. 1844, p. 123, t. 12, f. 3. — Schlosser, Fauna Kornjas. III, 1879, p. 836.
- var. abruptum** Germ. Fauna Ins. Eur. XXI, 1839, t. 18. — Küster, Käfer Eur. V, 1846, p. 91. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 198, 199. — Ganglb. Best.-Tab. VIII, 1884, p. 15 (449). — Csiki, Rov. Lapok XI, 1904, p. 190. — J. Müller, Revis. p. 135, 142; Verh. Zool.-Bot. Ges. Wien LVI, 1906, p. 692, 693.
- ab. ♀ vittigerum** Panz. Fauna Ins. Germ. XLVIII, 1797, t. 24. — Latr. Hist. Nat. Ins. XI, 1804, p. 274. — Berge, Käferb. 1844, p. 123, t. 11, f. 8. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 202. — Csiki, Rov. Lapok XI, 1904, p. 190.
- Kraatzi** Tourn. Revue Zool. (2) XXIII, 1872, p. 281 nota.
- ab. ♀ volvulum** n. nom.
- cinerarium** ♀ Küster, Käfer Eur. XV, 1848, p. 78. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 200.
- var. axillare** Küster, Käfer Eur. VIII, 1847, p. 88. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 203. — Ganglb. Best.-Tab. VIII, 1884, p. 15 (449). — J. Müller, Revis. p. 136, 149.
- ab. ♀ ottomanum** Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 203.
- var. brattiense** J. Müller, Revis. p. 135, 144; Verh. Zool.-Bot. Ges. Wien LVI, 1906, p. 692, 694.
- var. dalmatinum** J. Müller, Revis. p. 134, 137; Verh. Zool.-Bot. Ges. LVI, 1906, p. 691, 692.
- ab. ♂ fuscovestitum** Pic, Longic. V, 2, 1905, p. 11.
- var. hypsophilum** J. Müller, Revis. p. 135, 146; Verh. Zool.-Bot. Ges. Wien LVI, 1906, p. 692, 694.
- var. istrianium** Depoli. Bull. Soc. Adriat. Sc. Nat. XXVI, 2, 1912, p. 32; Riv. Col. Ital. X, 1912, p. 211.
- var. lemniscatum** Küster, Käfer Eur. VIII, 1847, p. 89. — Kraatz, Berl. Ent. Zeitschr.

Zentral-Dalmatien

Balkan

Dalmatien:
Insel BrazzaNord-Dalmatien
ItalienBosnien.
Herzegovina,
Montenegro,
Gebirge
Zentral-Dalmatiens

Istrien

Istrien,
Nord-

- XV, 1871, p. 198. — Csiki, Rov. Lapok XI, 1904, p. 190. Dalmatien
- var. *liburnicum* Depoli, Bull. Soc. Adriat. Sc. Nat. XXVI, 2, 1912, p. 33; Riv. Col. Ital. X, 1912, p. 211. Liburnien
- var. *marsicanum* Fracassi, l. c. III, 1905, p. 112. — J. Müller, Wien. Ent. Zeit. XXV, 1906, p. 249. Mittelitalien
- var. *Mülleri* Depoli, Bull. Soc. Adriat. Sc. Nat. XXVI, 2, 1912, p. 33; Riv. Col. Ital. X, 1912, p. 211. Fiume
- var. *neapolitanum* Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 202. Neapel
- var. *rubripes* J. Müller, Revis. p. 135, 145; Verh. Zool.-Bot. Ges. Wien LVI, 1906, p. 692, 694. Zentral-Dalmatien, Montenegro
- rubrimembris* Pic, Longic. X, 2, 1917, p. 6. Herzegowina
- ab. ♀ *seductor* Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 200. Istrien
- var. *sericatum* Sahlb. Peric. Ent. 1823, p. 53, t. 3, f. 2; Thon, Ent. Archiv II, 1, 1829, p. 24, t. 2, f. 21. — Küster, Käfer Eur. X. 1847, p. 100. Krim
- velutinum* [Stev. in litt!] Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 96. — Ganglb. Best.-Tab. VIII, 1884, p. 15 (449). — J. Müller, Revis. p. 136, 149.
- var. *subcarinatum* J. Müller, Revis. p. 134, 139; Wien. Ent. Zeit. XXV, 1906, p. 249. Norditalien
- var. *velebiticum* J. Müller, Revis. p. 134, 140; Verh. Zool.-Bot. Ges. Wien LVI, 1906, p. 691, 693. Dalmatien: Velebitgebirge
- Beckeri** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 71. — Ganglb. Best.-Tab. VIII, 1884, p. 8 (442). Südrubland: Derbent
- carinatum** Pallas, Reise Russ. Reich I, 1771, p. 465; Icon. Ins. t. F, f. 10. — Goeze, Ent. Beytr. I, 1777, p. 463. — Ganglb. Best.-Tab. VIII, 1884, p. 6 (440). Südrubland
- Biologie: Koeppen, Schäd. Ins. Rußl. 1880, p. 265. — Lindem. Bull. Moscou LVIII, 1883, p. 157; Ent. Nachr. X, 1884, p. 148.
- morio* Fisch. Entomogr. Ross. II, 1824, p. 240, t. 50, f. 5.
- pigrum* Schönh. Syn. Ins. I, 3, 1817, p. 398. — Küster, Käfer Eur. VIII, 1847, p. 80. — Kraatz, l. c. XXIX, 1873, p. 40.
- caucasicum** Küster, Käfer Eur. X, 1847, p. 98.
- sericatum* Kryn. Bull. Moscou V, 1832, p. 160. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 95. — Ganglb. Best.-Tab. VIII, 1884, p. 9 (443).
- ab. *atripes* Reitter, Deutsche Ent. Zeitschr. 1900, p. 88. Kleinasien: Amasia
- ab. *corallicornis* Pic, Longic. V, 1, 1904, p. 4. Angora
- var. *micans* Thoms. Physis I, 1867, p. 61. — Kraatz, Berl. Ent. Zeitschr. XIII, 1869, p. 336; in Küster, Käfer Eur. XXIX, 1873, p. 101. Krim, Kleinasien
- Ganglb. Best.-Tab. VIII, 1884, p. 9 (443).

- var. *sericatum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 98. Kaukasus
- impressicorne* Tourn. Revue Zool. (2) Gori
XXIII, 1872, p. 282.
- Cervae** J. Friv. Term. Füzetek XV, 1892, p. 133. — Ungarn
Kraatz, Deutsche Ent. Zeitschr. 1894, p. 299.
— Grunack, Insektenbörse XIV, 1897, p. 163. — Csiki, Rov. Lapok XI, 1904, p. 189, Résumé p. 17.
- cinerarium** F. Mant. Ins. I. 1787, p. 140; Ent. Syst. Südrußland
I, 2, 1792, p. 286; Syst. Eleuth. II. 1801, p. 300. — Pall. Icon. Ins. t. F, f. 11. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1834. — Ol. Encycl. méth. VII, 1792, p. 473. — ? = *caucasicum* ♀ ab; vergl. Kraatz, Berl. Ent. Zeitschr. XV. 1871, p. 201: Ganglb. Best.-Tab. VIII, 1884, p. 9 (443), 16 (450), nota 1.
- ciscaucasicum** Jakowl. Horae Soc. Ent. Ross. XXXIV, Südrußland:
1900, p. 59. Stauropol
- cylindraceum** Reitter, Deutsche Ent. Zeitschr. XXX, Kaukasus:
1886, p. 69. — Kraatz, l. c. 1894, p. 299. Derbent
- decipiens** Germ. Ins. Spec. nov. 1824, p. 486. — Kraatz Ungarn,
in Küster, Käfer Eur. XXIX, 1873, p. 70. — Südrußland
Ganglb. Best.-Tab. VIII, 1884, p. 16 (450).
— Bau. Handb. Käfer 1888, p. 419, fig. —
Csiki, Rov. Lapok XI, 1904, p. 189.
- ♀ *cinerarium* ♂ Küster, Käfer Eur. XV,
1848, p. 78.
- ab. *Jacqueti* Pic, Longic. IV, 1. 1902, p. 10. Ungarn
- elegans** Kraatz in Küster, Käfer Eur. XXIX, 1873, p. Südrußland
73. — Ganglb. Best.-Tab. VIII, 1884, p. 21 (455).
- equestre** Laxm. Nov. Comment. Acad. Petrop. XIV, „
1, 1770, p. 596, 604, t. 24, f. 5. — Ganglb. Best.-Tab. VIII, 1884, p. 27 (461). — Kraatz, Deutsche Ent. Zeitschr. 1892, p. 173, t. 3, f. 18. 19.
- cruciatum* F. Mant. Ins. I. 1787, p. 140; Ent. Syst. I, 2, 1792, p. 285; Syst. Eleuth. II, 1801, p. 299. (Pallas, Icon. Ins. t. F, f. 5). — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1833. — Ol. Encycl. méth. VII, 1792, p. 460; Ent. IV, nr. 67, 1795, p. 130, t. 23, f. 184. — Latr. Hist. Nat. Ins. XI. 1804, p. 273. — Ahrens, Fauna Ins. Eur. II, 1814, t. 13. — Boitard. Man. d'Ent. II, 1828, p. 22. — Eichw. Zool. spec. II, 1830, p. 258. — Cast. Hist. Nat. II, 1840, p. 484. — Küster, Käfer Eur. V, 1846, p. 84.
- cruciferum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 46.
- cruciferum* Lepech. Tagebuch I. 1774, p. 231. nota f, t. 16, f. 6. — Goeze, Ent. Beytr. I, 1777, p. 464.
- Pallasi* Fisch. Mém. Soc. Nat. Moscou I, 1806, p. 14.
- var. *quadririgatum* Kraatz, Deutsche Ent. Rumänien
Zeitschr. 1893, p. 70.

- var. romaniense** Th. Pic, Ent. Nachr. Rumänien
XXVI, 1900, p. 352.
- var. transsilvanicum** Ganglb. Best.-Tab. Siebenbürgen,
VIII. 1884, p. 28 (462). — Seidl. Fauna Serbien,
Transsylv. 1891, p. 846. — Kraatz, Deutsche Wallachei
Ent. Zeitschr. 1892, p. 174, t. 3, f. 20—22.
— Csiki, Rov. Lapok XI, 1904, p. 189.
- var. Razumoffskyi** Fisch. Mem. Soc. Nat. Südrußland
Moscou I, 1806, p. 13, t. 2, f. 3. — Kraatz,
Berl. Ent. Zeitschr. XIII, 1869, p. 336. —
Ganglb. Best.-Tab. VIII. 1884, p. 27 (461).
- etruscum** Rossi, Fauna Etr. I, 1790, p. 147; ed. Hellw. Italien
I, 1795, p. 159.
femoratum Ganglb. Best.-Tab. VIII, 1884.
p. 12 (446) (ex parte) (vergl. p. 34).
italicum Küster, Käfer Eur. X, 1847, p. 99.
— Kraatz, l. c. XXIX, 1873, p. 56. — Schlosser,
Fauna Kornjas. III, 1879, p. 834.
♂ *pedestre* Rossi, Fauna Etr. I, 1790, p. 146;
ed. Hellw. I. 1795, p. 158. — Disconzi, Ent.
Vicent. 1865, p. 85, 88.
ab. *romanorum* Pic. Longic. X, 2, 1917, p. 7. Italien
ab. *subiacum* Pic, Echange XXXIII. 1917, "
p. 10.
- fuliginator** L. Syst. Nat. ed. 10, 1758, p. 393; ed. 12, Westl.
1767, p. 629; ed. Houtt. I, 9, 1766, p. 554; Deuschl.,
ed. Müller V, 1, 1774, p. 268. — De Geer, Schweiz,
Mém. Ins. V, 1775, p. 70. — F. Syst. Ent. Frankreich,
1775, p. 175; Spec. Ins. I, 1781, p. 222; Mant. Pyrenäen
Ins. I, 1787, p. 140; Ent. Syst. I, 2, 1792,
p. 286; Syst. Eleuth. II, 1801, p. 299. —
Voet, Cat. Col. II, 1778, p. 18, t. 17, f. 74;
ed. Panz. III, 1794, p. 45, t. 17, f. 74. —
Retzius, Gen. Spec. Ins. 1783, p. 137. —
Villers, Linn. Entomol. I, 1789, p. 232. —
Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1834. — Ol. Encycl. méth. VII, 1792, p. 473;
Ent. IV. nr. 67, 1795, p. 117, t. 4, f. 21 d. —
Petagna, Inst. Ent. I, 1792, p. 231. — Fröhl.
Naturf. XXVI, 1792, p. 149. — Panz. Ent.
Germ. 1795, p. 252; Fauna Ins. Germ. XLVII,
1797, t. 21. — Cuv. Tabl. Elem. 1798, p. 554.
— Donnd. Eur. Fauna VIII, 1798, p. 537,
557. — Schreckenst. Verz. Käfer 1801, p. 54.
— Schreb. Naturf. XXIX, 1802, p. 125. —
Walcken. Faune Paris. I, 1802, p. 207. —
Latr. Hist. Nat. Ins. XI, 1804, p. 272; Règne
Anim. III. 1817, p. 340; ed. 2, V, 1829, p. 126;
ed. Masson, Ins. I, 1849, p. 490, t. 68, f. 3. —
Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p.
289; ed. 3, IV. 1828, p. 363. — Dumér. Dict.
Sc. Nat. XXV, 1822, p. 182; Ent. Anal. 1860.
p. 614. — Boit. Man. d'Ent. II, 1828, p. 22.
— Muls. Lettres à Julie II, 1830, p. 334. —
Serv. Ann. Soc. Ent. France IV, 1835, p. 97.
— Oken, Allg. Naturg. V, 3, 1836, p. 1701,
t. 41, 3, f. 7b. — Labr. & Imh. Ins. der
Schweiz I, 1836, t. 18. — Muls. Col. France,
Long. ed. 1, 1839, p. 124; ed. 2, 1863, p. 252.

— Cast. Hist. Nat. II, 1840, p. 484. — Duf. Excurs. Ent. d'Ossau 1843, p. 99. — Berge. Käferb. 1844, p. 124, t. 12, f. 6. — Küster. Käfer Eur. V, 1846, p. 82. — Redt. Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862; ed. 3, 1874, p. 414. — Bach, Käferf. III, 1856, p. 32. — Gutfl. Käfer Deutschl. 1859, p. 581. — Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 351—355 (Revision). — Disconzi, Ent. Vicent. 1865, p. 85, 88. — Fallou, Ann. Soc. Ent. France (5) II, 1872, Bull. p. 34, 85. — Heyd. Käfer Nassaus 1877, p. 334. — Schoch, Käfer Deutschl. 1878, p. 135. — Schlosser, Fauna Kornjas. III, 1879, p. 833. — Sériz. Col. France 1880, p. 308. — Fairm. Hist. Nat. France VIII, Col. 1882, p. 268. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Rey, Revue d'Ent. IV, 1885, p. 235—237 (Synopsis). — Bau, Handb. Käfer 1888, p. 419. — Bedel, Faune Col. Seine V, 1889, p. 37. — Griffini, Col. 1896, p. 198, t. 38, f. 3. — Stierl. Col. Helv. II, 1898, p. 493. — Everts, Col. Neerl. II, 1, 1901, p. 373. — Houlb. Faune Armor. Ceramb. 1904, p. 59, f. 112; ed. 2, 1909, p. 60, f. 112. — Jacobs. Käfer Rußl. 1910, t. 70, f. 3. — Kuhnt, Käfer Deutschl. 1912, p. 788, f. 179A. — Reitter, Fauna Germ. IV, 1913, p. 57. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 866, t. 31, f. 3. — Schirmer, Int. Ent. Zeitschr. X, 1916, p. 59.

Biologie: Mayet, Ann. Soc. Ent. France (6) II, 1882, Bull. p. 60.

fasciatum Geoffr. in Fourcr. Ent. Paris I, 1785, p. 75. — Villers, Linn. Ent. I, 1789, p. 239.

fulginator Reichenb. Naturg. Ins. 1837, p. 411.

fuliginosum Schrank, Fauna Boica I, 1798, p. 658.

melanoleucum Voet, Cat. Col. II, 1778, p. 11, t. 8, f. 30; ed. Panzer III, 1794, p. 30, t. 8, f. 30.

var. *atrum* Bach, Käferf. III, 1856, p. 32. — Gutfl. Käfer Deutschl. 1859, p. 581. — Leunis, Synopsis ed. 2, I, 1860, p. 506; ed. 3, I, 2, 1886, p. 192. — Muls. Col. France, Long. ed. 2, 1863, p. 270. — Heyd. Käfer Nassaus 1877, p. 334. — Schlosser, Fauna Kornjas. III, 1879, p. 833. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 194. — Gutheil, Ent. Nachr. IX, 1883, p. 154. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Bau, Handb. Käfer, 1888, p. 419. — Kuhnt, Käfer Deutschl. 1912, p. 788. — Reitter, Fauna Germ. IV, 1913, p. 57. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867.

Deutschland:
Thüringen,
Frankreich

ab. *Guerryi* Pic, Longic. X, 2, 1917, p. 8. Spanien

- var. *Jännerei* Hubenthal. Deutsche Ent. Zeitschr. 1908, p. 43. — Pic, Longic. VII, 2, 1910, p. 5. — Kuhnt, Käfer Deutschl. 1912, p. 788. — Reitter, Fauna Germ. IV, 1913, p. 57. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867. Spanien, Thüringen
- var. *mendax* Muls. Opusc. Ent. II, 1853, p. 33; Mém. Acad. Sc. Lyon (2) II, 1853, p. 59; Col. France, Long. ed. 2, 1863, p. 253. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 195. — Desbr. Mitth. Schweiz. Ent. Ges. III, 1871, p. 376. — Rey, Synops. p. 237. — Houlb. Faune Armor. Ceramb. 1904, p. 59; ed. 2, 1909, p. 60. Süd-Frankreich
- var. *meridionale* Muls. Col. France, Long. 1839, p. 125; ed. 2, 1863, p. 260; Mém. Acad. Sc. Lyon (2) II, 1853, p. 51; Opusc. Ent. II, 1853, p. 25. — Duf. Excurs. Ent. d'Ossau 1843, p. 100. — Küster, Käfer Eur. VIII, 1847, p. 81. — Kraatz, Revis. p. 352. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Rey, Synops. p. 237. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867. Süd-Frankreich
- alpinum* Chev. Revue Zool. (2) VIII, 1856, p. 435.
- var. *monticola* Muls. Mém. Acad. Sc. Lyon (2) II, 1853, p. 53; Opusc. Ent. II, 1853, p. 27; Col. France, Long. ed. 2, 1863, p. 256. — Kraatz, Revis. p. 352. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Rey, Synops. p. 237. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867. Frankreich: Lozère
- var. *navaricum* Muls. Mém. Acad. Sc. Lyon (2) II, 1853, p. 55; Opusc. Ent. II, 1853, p. 29; Col. France, Long. ed. 2, 1863, p. 257. — Kraatz, Revis. p. 352. — Chev. Berl. Ent. Zeitschr. VI, 1862, p. 343. — Cuni, Cat. Col. Catal. 1876, p. 297. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Rey, Synops. p. 237. — Stierl. Col. Helv. II, 1898, p. 493. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867. Frankreich: Navarra, Schweiz
- Biologie: Xambeu, Moeurs et Métam. Ins. VI, 1895, p. 67; VIII, 1902, p. 151.
- var. *obesum* Gautier, Mitth. Schweiz. Ent. Ges. III, 1870, p. 263; Pet. Nouv. Ent. I, 1872, p. 257. — Chev. Ann. Soc. Ent. France (6) II, 1882, p. 60, nota 1. — Ganglb. Best.-Tab. VIII, 1884, p. 29 (463). — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 866. Frankreich: Dordogne, Toulouse
- var. *ovatum* Sulzer, Abg. Gesch. Ins. 1776, p. 45, t. 5, f. 9. — Goeze, Ent. Beytr. I, 1777, p. 463. — Fuessly, Magaz. I, 1778, p. 182. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 195. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Kuhnt, Käfer Deutschl. 1912, p. 788. — Reitter, Fauna Germ. IV, 1913, p. 57. — Schauf. in Calwer Käferb. ed. 6, 1916, p. 866. Süd-Deutschland, Frankreich

- fuliginator* Roemer, Genera Ins. 1789, p. 46, t. 5, f. 9.
- hypocrita* Muls. Col. France, Long. ed. 2, 1863, p. 255.
- var. *pyrenaeum* Germ. Fauna Ins. Eur. XXI, 1839, t. 16. — Muls. Col. France, Long. 1839, p. 126, t. 2, f. 4 ♂, 6 ♀; ed. 2, 1863, p. 262. — Kraatz, Revis., p. 354. — Ganglb. Best.-Tab. VIII. 1884, p. 30 (464). — Rey, Synops. p. 237. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867. Pyrenäen
- ab. *quadrilineatum* Muls. Col. France, Long. 1839, p. 124. Frankreich
- mendax* var. A. Muls. l. c. ed. 2, 1863, p. 254.
- ab. *separandum* n. nom. Spanien?
- quadrilineatum* Küster, Käfer Eur. VIII. 1847, p. 82. — Chevr. Berl. Ent. Zeitschr. VI, 1862, p. 344. — Kraatz, Revis. p. 355.
- var. *striola* Muls. Col. France, Long. ed. 2, 1863, p. 238. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 195. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Rey, Synops. p. 237. Süd-Frankreich: Narbonne, Perpignan, Vernet
- var. *subnitidipenne* Pic, Longic. X². 1917, p. 8. Spanien
- var. *vittiferum* nov. nom. Süd-Deutschland
- vittigerum* F. Syst. Eleuth. II, 1801, p. 303. — Ill. Magaz. Ins. IV. 1805, p. 111; V, 1806, p. 239. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 193. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). — Jacobs. Käfer Rußl. 1910, t. 70, f. 4. — Kuhnt, Käfer Deutschl. 1912, p. 788, f. 179 B. — Reitter, Fauna Germ. IV, 1913, p. 57. — Schauf. in Calwer Käferb. ed. 6, 1916, p. 867, t. 31, f. 4.
- fulvum** Scop. Ent. Carn. 1763, p. 53, f. 170. — Goeze, Ent. Beytr. I, 1777, p. 466. — Schrank, Enum. Ins. 1781, p. 139. — Herbst in Fuessly, Archiv V, 1784, p. 91, t. 25, f. 10. — Villers, Linn. Ent. I, 1789, p. 238. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1836. — Townson, Travels in Hongrie 1797, p. 468. — Boit. Man. d'Ent. II, 1828, p. 22. — Herr.-Schäff. Fauna Ins. Germ. CXVII, 1837, t. 1. — Muls. Col. France, Long. 1839, p. 123; ed. 2, 1863, p. 268. — Küster, Käfer Eur. V, 1846, p. 81. — Redt. Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862; ed. 3, 1874, p. 414. — Bach, Käferf. III, 1856, p. 32. — Gutfl. Käfer Deutschl. 1859, p. 581. — Leunis, Synopsis, ed. 2, 1860, p. 506; ed. 3, I, 2, 1886, p. 192. — Schoch, Käfer Deutschl. 1878, p. 135. — Schlosser, Fauna Kornjas. III, 1879, p. 833. — Ganglb. Best.-Tab. VIII, 1884, p. 7 (441). — Bau, Handb. Käfer 1888, p. 418. — Seidl. Fauna Transsylv. 1891, p. 845. — Griffini, Col. 1896, p. 198, t. 38, f. 7. — Csiki, Rov. Lapok XI, 1904, p. 188. — Jacobs. Käfer Rußl. 1910, t. 70, f. 7. — Süd-Deutschland, Österreich, Ungarn, Siebenbürgen, Südrußland, (Süd-Frankreich?)

- Kuhnt, Käfer Deutschl. 1912, p. 788, f. 177.
 — Reitter, Fauna Germ. IV, 1913, p. 57, t. 137, f. 17. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 866, t. 31, f. 7.
- canaliculatum* Fisch. Entomogr. Ross. II, 1823, p. 240.
- erythropteron* Fisch. l. c. p. 240.
- erythropteron* Fisch. l. c. p. 240, t. 50, f. 7.
- morio* (ex parte) Ol. Ent. IV, nr. 67, 1795, t. 10, f. 67 b.
- ? *nemoralis* Florencourt in Meyer, Zool. Archiv I, 1796, p. 226.
- pigrum* Fisch. Entomogr. Ross. II, 1823, t. 50, f. 6.
- sanguinolentum* Scop. Annus Hist. Nat. V, 1772, p. 99.
- Scopoli* Panz. Ent. Germ. 1795, p. 253. — Hoppe, Taschenb. 1796, p. 178.
- Biologie: Rupertsb. Ill. Wochenschr. Ent. II, 1907, p. 87.
- ab. *nigripenne* Fleischer, Wien. Ent. Zeit. XIII, 1894, p. 121. — Csiki, Rov. Lapok XI, 1904, p. 188. — Reitter, Fauna Germ. IV, 1913, p. 57. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 866.
- holosericeum** Kryn. Bull. Moscou V, 1832, p. 159. — Küster, Käfer Eur. VIII, 1847, p. 83. — Suvor. Revue Russe d'Ent. XIII, 1913, p. 73.
- striatum* Dalm. in Schönh. Syn. Ins. I, 3, 1817. Append. p. 175. — Küster, Käfer Eur. V, 1846, p. 85. — Kraatz, l. c. XXIX, 1873, p. 92. — Ganglb. Best.-Tab. VIII, 1884, p. 11 (441). — Suvor. Revue Russe d'Ent. XIII, 1913, p. 73.
- ab. *estriatum* Suvor. l. c. p. 73.
- Koenigi** Jakowl. Horae Soc. Ent. Ross. XXXI, 1897, p. 245.
- litigiosum** Ganglb. Best.-Tab. VIII, 1884, p. 20 (454).
- var. *Otshakovi* Suvor. Revue Russe d'Ent. XIII, 1913, p. 81.
- Ijubetense** Apfelb. apud Pic, Echange XXV, 1909, p. 115; Long. VII, 2, 1910, p. 5.
- Mokrzeckii** Jakowl. Revue Russe d'Ent. II, 1902, p. 148.
- molitor** F. Syst. Ent. 1775, p. 176; Spec. Ins. I, 1781, p. 224; Mant. Ins. I, 1787, p. 142; Ent. Syst. I, 2, 1792, p. 289; Syst. Eleuth. II, 1801, p. 303. — Goeze, Ent. Beytr. I, 1777, p. 471. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1835. — Ol. Encycl. méth. VII, 1792, p. 472; Ent. IV, nr. 67, 1795, p. 115, t. 4, f. 23. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 288; ed. 3, IV, 1828, p. 362. — Schaum, Stett. Ent. Zeit. VIII, 1847, p. 56. — Bach, Käferf. III, 1856, p. 32. — Chevr. Berl. Ent. Zeitschr. VI, 1862, p. 342. — Kiesenw. l. c. p. 349. — Kraatz, l. c. p. 356. — Muls. Col. France, Long. ed. 2, 1863, p. 264. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 68. — Cuni, Catal.
- Volhynien,
Südrußland
- Pjätigorsk
Südrußland:
Daghestan
Dobrudscha,
Moldau
Bessarabien,
Cherson
„S. O.
Europa“
Krim
Süd-
Frankreich,
Nord-
Spanien?,
Nordafrika

- Col. Cataluña 1876, p. 297. — Ganglb. Best.-Tab. VIII, 1884, p. 33 (467). — Rey, Revue d'Ent. IV, 1885, p. 238.
- lincola* Ill. Mag. Ins. V, 1806, p. 238. — Muls. Col. France, Long. 1839, p. 127; Mém. Acad. Sc. Lyon (2) II, 1853, p. 59; Opusc. Ent. II, 1853, p. 33. — Küster, Käfer Eur. XXV, 1852, p. 90.
- ab. *Brisouti* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 68. — Ganglb. Best.-Tab. VIII, 1884, p. 33 (467).
- ab. *Donzeli* Muls. Col. France, Long. 1839, p. 129, t. 2, f. 5; ed. 2, 1863, p. 266; Mém. Acad. Sc. Lyon (2) II, 1853, p. 58; Opusc. Ent. II, 1853, p. 32. — Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 356; Küster, Käfer Eur. XXIX, 1873, p. 68. — Ganglb. Best.-Tab. VIII, 1884, p. 33 (467). — Rey, Revue d'Ent. IV, 1885, p. 238. Lozère
- ab. *rubripes* Pic, Miscell. Ent. IV, 1896, p. 142. Italien
- Lutshniki* Plavil. Revue Russe d'Ent. XV, 1916, p. 80.
- ab. *senegalense* Thoms. Physis I, 1867, p. 54. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 68, 68a. — Ganglb. Best.-Tab. VIII, 1884, p. 33 (467). — Escal. Bol. Soc. Esp. Hist. Nat. 1901, p. 144. Süd-Frankreich
- Murrayi** Küster, Käfer Eur. VIII, 1847, p. 84. — Schlosser, Fauna Kornjas. III, 1879, p. 837. Slavonien, Ungarn, Siebenbürgen
- Ganglb. Best.-Tab. VIII, 1884, p. 17 (451). — Seidl. Fauna Transs. 1891, p. 846. — Csiki, Rov. Lapok XI, 1904, p. 190.
- triste* Petri, Progr. Gymnas. Schässb. 1885, p. 56.
- ab. ♀ *Montandoni* Pic, Longic. IV, 1, 1902, p. 9. Rumänien
- nudum** Küster, Käfer Eur. XXV, 1852, p. 93. — Ganglb. Best.-Tab. VIII, 1884, p. 40 (474). Ungarn
- pedestre** Poda, Ins. Mus. Graec. 1761, p. 34. — Gronov, Zoophyl. 1781, p. 162, index. — Schrank, Enum. Ins. 1781, p. 138. — Fröhl, Naturf. XXVI, 1792, p. 150. — Ol. Ent. IV, nr. 67, 1795, p. 114, t. 22, f. 169. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 196. — Ganglb. Best.-Tab. VIII, 1884, p. 10 (444). — Bau, Handb. Käfer 1888, p. 419. — Seidl. Fauna Transsylv. 1891, p. 845. — Csiki, Rov. Lapok XI, 1904, p. 188. — Jacobs, Käfer Russl. 1910, t. 70, f. 5. — Kuhnt, Käfer Deutschl. 1912, p. 788, f. 178. — Reitter, Fauna Germ. IV, 1913, p. 57, t. 137, f. 18. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 867, t. 31, f. 5. Bayern, Österreich, Ungarn, Siebenbürgen, Balkan, Südrußland
- arenarium* Scop. Ent. Carn. 1763, p. 53 (var. 1), f. 168. — Goeze, Ent. Beytr. I, 1777, p. 465. — Laich. Verz. Tyrol. Ins. II, 1784, p. 20. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1863.

- fuliginosum* var. *a-d* Schrank, Fauna Boica I, 1798, p. 659.
- rufipes* F. Ent. Syst. I, 2, 1792, p. 288; Syst. Eleuth. II, 1801, p. 302. — Panz. Ent. Germ. 1795, p. 252; Fauna Ins. Germ. XLVIII, 1797, t. 22; Enum. Schaeffer. Icon. Ins. p. 73, t. 55, f. 3. — Schreb. Naturf. XXIX, 1802, p. 126. — Latr. Hist. Nat. Ins. XI, 1804, p. 273. — Tigny, Hist. Nat. Ins. ed. 2 VII, 1813, p. 290; ed. 3 IV, 1828, p. 364. — Boit. Man. d'Ent. II, 1828, p. 22. — Cast. Hist. Nat. II, 1840, p. 485. — Berge, Käferb. 1844, p. 124, t. 12, f. 7. — Küster, Käfer Eur. V, 1846, p. 89. — Redt. Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862; ed. 3, 1874, p. 414. — Bach, Käferf. III, 1856, p. 33. — Gutfl. Käfer Deutschl. 1859, p. 581. — Schoch, Käfer Deutschl. 1878, p. 135. — Schlosser, Fauna Kornjas. III, 1879, p. 834. — Griffini, Col. 1896, p. 198, t. 38, f. 5.
- suturale* Voet, Cat. Col. II, 1778, p. 11, t. 9, f. 31; ed. Panzer III, 1794, p. 24, t. 9, f. 31.
- tricolor* Fisch. Mém. Soc. Nat. Moscou I, 1806, p. 15, t. 2, f. 4. — Kraatz, Berl. Ent. Zeitschr. XIII, 1869, p. 336.
- ab. ♀ *austriacum* Ganglb. in Mars. Cat. Col. d'Eur. 1888, p. 481. — Csiki, Rov. Lapok XI, 1904, p. 188. Österreich
- molitor* Redt. Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862; ed. 3, 1874, p. 414. — Ganglb. Best.-Tab. VIII, 1884, p. 10 (444).
- ab. ♀ *gogium* Thoms. Physis I, 1867, p. 125. — Ganglb. Best.-Tab. VIII, 1884, p. 10 (444). Südrußland
- pusillum* Küster, Käfer Eur. VIII, 1847, p. 90. — Kraatz, t. c. XXIX, 1873, p. 75. — Ganglb. Best.-Tab. VIII, 1884, p. 16 (450). Podolien, Volhynien, Moldau, Wallachei
- ab. *berladense* Pic, Long. IV, 2, 1903, p. 7. Moldau
- sareptanum* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 74. — Ganglb. Best.-Tab. VIII, 1884, p. 20 (454). Südrußland
- Scopolii* Herbst in Füessly, Archiv V, 1784, p. 91, t. 25, f. 11. — Kraatz, Berl. Ent. Zeitschr. XV, 1871, p. 204; in Küster, Käfer Eur. XXIX, 1873, p. 69. — Ganglb. Best.-Tab. VIII, 1884, p. 22 (454). — Bau. Handb. Käfer 1888, p. 419. — Seidl. Fauna Transsylv. 1891, p. 846. — Csiki, Rov. Lapok XI, 1904, p. 190. — Kuhnt, Käfer Deutschl. 1912, p. 788, f. 180. — Reitter, Fauna Germ. IV, 1913, p. 57. Süd-Deutschland:
- germanicum* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1835. Baden, Ungarn, Kroatien, Serbien, Siebenbürgen
- lineatum* F. Mant. Ins. I, 1787, p. 141; Ent. Syst. I, 2, 1792, p. 289; Syst. Eleuth. II, 1801, p. 303. — Ol. Encycl. méth. VII, 1792, p. 474; Ent. IV, nr. 67, 1795, p. 116, t. 12, f. 84. — Petagna, Inst. Ent. I, 1792, p. 232. — Fröhl. Naturf. XXVI, 1792, p. 151. — Panz. Ent. Germ. 1795, p. 253; Fauna Ins.

- Germ. XLVIII, 1797, t. 23. — Latr. Hist. Nat. Ins. XI, 1804, p. 272. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 290; ed. 3, IV, 1828, p. 364. — Boit. Man. d'Ent. II, 1828, p. 22. — Cast. Hist. Nat. II, 1840, p. 485. — Berge, Käterb. 1844, p. 124, t. 12, f. 8. — Küster, Käfer Eur. V, 1846, p. 93. — Bach, Käferf. III, 1856, p. 32. — Redt. Fauna Austr. ed. 2, 1858, p. 863; ed. 3, 1874, p. 414. — Gutfl. Käfer Deutschl. 1859, p. 581. — Schoch, Käfer Deutschl. 1878, p. 135. — Schlosser, Fauna Kornjas. III, 1879, p. 836.
- ungaricum* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1836.
- ab *convexicolle* Küster, Käfer Eur. XXV, 1852, p. 91. — Kraatz, l. c. XXIX, 1873, p. 69. — Ganglb. Best.-Tab. VIII, 1884, p. 22 (456).
- striatiforme** Suvor. Revue Russe d'Ent. XIII, 1913, p. 73. Südrußland:
Terek-Gebiet
Krim
- tauricum** Waltl, Isis XXXI, 1838, p. 468; Abeille VI, 1869, p. 60.
- nigritarse* Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 77. — Ganglb. Best.-Tab. VIII, 1884, p. 14 (448). Podolien,
Balkan
- tristriatum** Suvor. Revue Russe d'Ent. XIII, 1913, p. 71, 73. — Plavilstshikov, l. c. XV, 1915, p. 225. Nord-
kaukasus:
Terek-Gebiet

Arten von der pyrenäischen Halbinsel und Nordafrika.

- Chevr. Berl. Ent. Zeitschr. VI, 1862, p. 337—348 (Revisio). — Escalera, Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 232—241; Bol. Soc. Esp. Hist. Nat. I, 1901, p. 77—88 (Synopsis) p. 142—144; II, 1902, p. 270—272, 278—291; VIII, 1908, p. 334—337; XI, 1911, p. 80—85. — Lauffer, l. c. I, 1901, p. 82—98. — Schramm, l. c. X, 1910, p. 285—288. — Lauffer, Bol. Soc. Aragon. Cienc. Nat. X, 1911, p. 25—36, 39—55, 68—74; sep. 36 pg. (Revisio).
- abulense** Lauffer, Soc. Ent. XVII, 1902, p. 105; Revis. p. 68 (30). — Pic, Longic. IV, 2, 1903, p. 28; V, 1, 1904, p. 21; VII, 1, 1908, p. 9. Avila:
Sierra de
Gredas
- albicans** Chevr. Revis. p. 341. — Ganglb. Best.-Tab. VIII, 1884, p. 40 (474). — Escal. Synops. p. 84. Reinosa
- Reynosae* Bris. Ann. Soc. Ent. France (4) VI, 1866, p. 418; Abeille XII, 1875, p. 409.
- ab. *aestivum* Schramm, Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 307. — Pic, Echange XXVI, 1910, p. 79; Long. VIII, 2, 1912, p. 5. „
- Reynosae* var. Bris. Ann. Soc. Ent. France (4) VI, 1866, p. 419. „
- ab. ♀ *inalbicans* Nicolas, Echange XX, 1904, p. 83. „
- ab. *multialternatum* Pic, l. c. XXVI, 1910, p. 79. „
- alternatum** Chevr. Revis. p. 338; Ann. Soc. Ent. France (4) X, 1870, Bull. p. 85. — Ganglb. Best.-Tab. VIII, 1884, p. 38 (472). Guadarama

- ab. *costicolle* Chevr. Revis. p. 339. — Ganglb. Best.-Tab. VIII, 1884, p. 38 (472).
- Amori** Mars. Revue Zool. (2) VIII, 1856, p. 48; Abeille V, 1868, p. 217. — Chevr. Revis. p. 346. — Perez Arcas, Ins Nuevas 1868, p. 86. — Ganglb. Best.-Tab. VIII, 1884, p. 31 (465). — Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 241. — Lauffer, Revis. p. 42 (16). *Staudingeri* Chevr. Revis. p. 345.
- var. *penascosum* Lauffer, Revis. p. 44 (18).
- var. *seguranum* Lauffer, l. c. p. 45 (19).
- var. *steparium* Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 239, 241. — Lauffer, Revis. p. 43 (17).
- ab. *aberrantipes* Lauffer, l. c. p. 44 (18).
- andianum** Pic, Longic. X, 2, 1917, p. 8.
- Arandae** Schramm, Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 306 — Pic, Longic. VIII, 2, 1912, p. 5.
- ab. *candidae* Nicolas, Echange XXVIII, 1912, p. 91. — Pic, Longic. IX, 1, 1914, p. 8.
- Ardolsi** Schramm, Bol. Soc. Esp. Hist. Nat. IX, 1909, p. 296. — Pic, Longic. VII, 2, 1910, p. 5.
- Arlasi** Chevr. Revis. p. 341. — Ganglb. Best.-Tab. VIII, 1884, p. 34 (468). — Pic, Longic. V, 1, 1904, p. 20.
- auripenne** Escal. Bol. Soc. Esp. Hist. Nat. VIII, 1908, p. 334. — Pic, Longic. VIII, 1, 1911, p. 9.
- atienzanum* Pic, Echange XXVI, 1910, p. 51. — Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 85.
- ab. *fuscolineatum* Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 288.
- Becerrae** Lauffer, Bol. Soc. Esp. Hist. Nat. 1, 1901, p. 90; Revis. p. 31 (7).
- ab. *Hortigüelae* Lauffer, l. c. p. 90, 31.
- Belbezei** Escal. Bol. Soc. Esp. Hist. Nat. XIV, 1914, p. 152. — Pic, Longic. X, 1, 1916, p. 5.
- ab. ♀ *bilbilitanum* Escal. l. c. p. 153. — Pic, Longic. X, 1, 1916, p. 5.
- Boabdil** Flach, Wien. Ent. Zeit. XXVI, 1907, p. 18.
- Bolivari** Lauffer, Actas Soc. Esp. Hist. Nat. XXVII, 1898, p. 97. — Pic, Longic. III, 1, 1900, p. 6.
- ab. *grisescens* Pic, l. c. p. 7.
- ab. *Laufferi* Pic, l. c. p. 7.
- ab. *rufipes* Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 238.
- Rodriguezi* Pic, Bull. Soc. Ent. France 1900, p. 405.
- Bouvieri** Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 232.
- Brannani** Schauf. Nunqu. Otios. I, 1870, p. 64. — Ganglb. Best.-Tab. VIII, 1884, p. 32 (466). — Seabra, Ann. Sc. Nat. Porto IX, 1906, p. 79.
- castilianum** Chevr. Revis. p. 347. — Ganglb. Best.-Tab. VIII, 1884, p. 32 (466).
- Sierra Nevada, Sierra Morena, Teruel, Cuenca, Ciudad Real, Córdoba
- Sierra de Alcaraz
- Sierra Segura
- Albacete, Zaragoza, Cuenca
- Melés
- S. Andia
- Sierra de Cameros
- Sierra de Gredas
- Galicien
- Cuenca
- Segovia: Grado
- Soria, Burgos
- Calatayud
- „
- Portugal: Algarve
- Ciudad-Real: Quero
- Granada: Galera
- Portugal: Sierra d'Estrela
- Castilien

- cercedillanum** Pic, Bull. Soc. Ent. France 1900, p. 404. Cercedilla
- Laufferi* Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 236; Synops. p. 84. — Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 97; IX, 1909 p. 90. Sierra de Gudarama
- ab. *Schrammi* Pic, Echange XIX, 1903, p. 178; Longic. V, 1, 1904, p. 5.
- ab. ♀ *subpolitum* Escal. Bol. Soc. Esp. Hist. Nat. I, 1901, p. 98.
- circumcinctum** Chevr. Revis. p. 341. — Ganglb. Best-Tab. VIII, 1884, p. 34 (468). — Pic, Longic. IV, 2, 1903, p. 2, 27; V, 1, 1904, p. 20. Alt-Castilien
- ab. *Sebastiani* Pic, l. c. III, 3, 1901, p. 32.
- var. *Seeboldi* Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 288. Bilbao
- var. *tenuecinctum* Pic, Longic. II, 1898, p. 20; IV, 2, 1903, p. 7, 25, 27. — Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 290. Burgos
- consanguineum** Lauffer, Bol. Soc. Aragon. Cienc. Nat. X, 1911, p. 40 (14). Montes Carpetanos „Spanien“
- Dejeani** Chevr. Revis. p. 340. — Ganglb. Best-Tab. VIII, 1884, p. 38 (472), nota 1. — Escal. Synops. p. 88. — Lauffer, Revis. p. 52 (26).
- ab. *Baudueri* Pic, Echange XXVI, 1910, p. 91.
- var. *Merceti* Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 286. — Escal. l. c. 11, 1911, p. 84. — Pic, Longic. VIII, 1, 1911, p. 8. Sierra de Gredos
- var. *montanum* Lauffer, Revis. p. 53 (27). Sierra de Bejar
- ab. ♀ *tristiculum* Lauffer, l. c. p. 54 (28).
- var. *submontanum* Lauffer, l. c. p. 54 (28).
- ab. *bicolor* Lauffer, l. c. p. 55 (29). Candelario
- ab. *fulvipes* Lauffer, l. c. p. 55 (29). „
- ab. ♀ *funerarium* Lauffer, l. c. p. 55 (29). „
- ab. *Tournieri* Pic, Echange XXVI, 1910, p. 91. Sierra de Gredos
- demandense** Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 286. Sierra de la Demanda: Pineda
- ab. *incanum* Lauffer, Revis. p. 28 (4). Burgos: Barbadillo
- ab. ♀ *mipubens* Nicolas, Echange XV, 1909, p. 116. Sierra de la Demanda
- diversepubens** Pic, Longic. VI, 2, 1907, p. 8. La Granja
- Elvirae** Pic, Echange XX, 1904, p. 58. Spanien: La Sagra
- Escalerai** Pic, Bull. Soc. Ent. France 1900, p. 405. Granada
- grisescens* Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 240, 241.
- escorialense** Chevr. Revue Zool. (2) XVIII, 1866, p. 107; Abeille XII, 1875, p. 462. — Ganglb. Best-Tab. VIII, 1884, p. 34 (468). Escorial
- Ferdinandi** Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 235. Granada: Huescar, Galera
- Fuentei** Pic, Miscell. Ent. VII, 1899, p. 81. Ciudad Real: Pozuelo
- fuliginator** L. (siehe p. 43).

- Ghillani** Chevr. Revis. p. 338. — Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 349; XIII, 1869, p. 335. — Ganglb. Best.-Tab. VIII, 1884, p. 39 (473). — Escal. Synops. p. 85. — Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 96.
- Reichei** Chevr. Revis. p. 342; Ann. Soc. Ent. France (4) X, 1870, p. 86.
- ab. ♀ *ebeninum* Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 96.
- Graëllsi** Graëlls, Mem. Comis. Mapa Geol. Esp. 1858, p. 91, t. 5. f. 5. — Chevr. Ann. Soc. Ent. France (4) X, 1870, Bull. p. 85. — Schauf. Sitzb. Ges. Isis Dresden 1862, p. 203; Nunquam Otios. II, 1875, p. 340. — Ganglb. Best.-Tab. VIII, 1884, p. 37 (471). — Escal. Synops. p. 81.
- ab. *bisbilineatum* Pic, Echange XXVI, 1910, p. 90.
- var. *Cazurrai* Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 91.
- var. *cinereum* Lauffer, l. c. p. 92.
- var. *latealbidum* Pic, Echange XXVI, 1910, p. 90.
- var. *matritense* Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 288.
- var. *Oberthüri* Ganglb. Best.-Tab. VIII, 1884, p. 37 (471). — Escal. Synops. p. 81.
- Graëllsi* Chevr. Revis. p. 343.
- ab. ♀ *ovale* Chevr. Ann. Soc. Ent. France (4) X, 1870, p. 85. — Ganglb. Best.-Tab. VIII, 1884, p. 38 (472).
- granulipenne** Escal. Bol. Soc. Esp. Hist. Nat. VIII, 1908, p. 337. — Pic, Longic. VIII, 1, 1911, p. 9.
- granulosum** Pic, Echange XX, 1904, p. 17.
- griseolineatum** Pic, Ann. Soc. Ent. France LXII, 1893, Bull. p. 348; Longic. II, 1898, p. 21.
- Handschuchi** Küster, Käfer Eur. XV, 1848, p. 77. — Chevr. Revis. p. 344. — Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 289.
- Heydeni** Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beih. p. 161. — Ganglb. Best.-Tab. VIII, 1884, p. 33 (467).
- Stableau* Chevr. Ann. Soc. Ent. France (4) X, 1870, Bull. p. 84; Abeille XII, 1875, p. 408. — Ganglb. Best.-Tab. VIII, 1884, p. 41 (475).
- ab. *internelineatum* Pic, Echange XXVI, 1910, p. 82.
- ab. *semiglabratum* Pic, l. c. p. 82.
- hispanicum** Muls. Mém. Acad. Sc. Lyon (2) I, 1851, p. 125; Opusc. Ent. II, 1853, p. 108; XI, 1860, p. 149; Col. France, Long. ed. 2, 1863, p. 266. — Chevr. Revis. p. 339; Ann. Soc. Ent. France (4) X, 1870, Bull. p. 85. — Schauf. Sitzb. Ges. Isis 1862, p. 203; Nunquam Otios. II, 1875, p. 340. — Ganglb. Best.-Tab. VIII, 1884, p. 39 (473). — Escal.
- Castilien:
Sierra de
Guadarama,
Escorial,
Las Navas
- Castilien:
La Granja
- Cercedilla
Somasierra
La Granja
- Madrid
Escorial
- Cuenca del
Zapardiel
- Spanien
.
- Carthagena
- Albas
Pyrenäen
Pic de Europa
- Nordwestl.
Teile von
Sierra de
Guadarama

- Synops. p. 82, 83. — Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 92.
- ab. *albidipenne* Pic, Longic. VI, 2, 1907, p. 8. La Granja
- ab. *brunneofasciatum* Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 94.
- var. *cebollerense* Lauffer, Revis. p. 40 (14). Somasierra:
Cebollera
- var. *diversepubens* Pic, Longic. VI, 2, 1907, p. 8. La Granja
- ab. ♀ *encaustum* Chevr. Revis. p. 337; Ann. Soc. Ent. France (4) X, 1870, Bull. p. 86. — Ganglb. Best.-Tab. VIII, 1884, p. 38 (472), 39 (473). — Escal. Synops. p. 84. — Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 93.
- ab. *erythropus* Lauffer, l. c. p. 93. Somasierra
- var. *griseopubescentes* Lauffer, Revis. p. 41 (15). Sierra
Guadarama
- ab. *humerales* Lauffer, l. c. p. 41 (15). Somasierra
- ab. *multilineatum* Pic, Longic. VI, 2, 1907, p. 8. La Granja
- ab. *nigrolineatum* Chevr. Revis. p. 339. — Ganglb. Best.-Tab. VIII, 1884, p. 39 (473).
- ignotum Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 80. Spanien
- ab. *denudatum* Escal. l. c. p. 81. „
- Iserni Perez. Ins. nuevas 1868, p. 81; Abeille XII, 1875, p. 400. — Ganglb. Best.-Tab. VIII, 1884, p. 32 (466). — Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 241. Somasierra
- Korbi Ganglb. Best.-Tab. VIII, 1884, p. 35 (469). Aragonien:
Sierra
Camarena
Teruel
- ab. *rubrocarinatum* Pic, Echange XXVIII, 1912, p. 35; Longic. VIII, 2, 1912, p. 6.
- Lesnei Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 233. Albacete:
Molinicos
- Linderi Tourn. Revue Zool. (2) XXIII, 1872, p. 285. Spanien (?)
- Ganglb. Best.-Tab. VIII, 1884, p. 41 (475).
- longipenne Chevr. Revis. p. 342. — Ganglb. Best.-Tab. VIII, 1884, p. 37 (471). Segovia?
- Lorquini Fairm. Ann. Soc. Ent. France (3) III, 1855, p. 322. — Chevr. Revis. p. 348. — Ganglb. Best.-Tab. VIII, 1884, p. 32 (466). — Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 241. — Lauffer, Revis. p. 46 (20). Sierra
Nevada
- var. *giganteum* Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 82. Fññana in den
östl. Teilen
von Sierra
Nevada
- ab. *rufolabrum* Pic, Echange XXVIII, 1912, p. 35; Longic. VIII, 2, 1912, p. 6. Sierra
Nevada
- lusitanicum Chevr. Revue Zool. III, 1840, p. 16; Revis. p. 346. — Ganglb. Best.-Tab. VIII, 1884, p. 31 (465). Portugal
- Marmottani Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, p. 237, 241. Granada:
La Sagra,
Murcia,
Sierra de las
Cabras
- var. *cabrasense* Nicolas, Echange XX, 1904, p. 83. „

- Martinezi** Perez Arcas, Ann. Soc. Esp. Hist. Nat. III, 1874, p. 145, t. 2, f. 5, 6; Abeille XVII, 1879, Ouvr. périod. p. 63. — Ganglb. Best.-Tab. VIII, 1884, p. 36 (470). Madrid
- ab. *decemvittatum* Lauffer, Revis. p. 32 (8). „
- ab. *dorsigerum* Lauffer, l. c. p. 31 (7). „
- ab. *incallosum* Escal. Bol. Soc. Esp. Hist. Nat. VIII, 1908, p. 335. — Schramm in Pic, Cuenca del
Longic. VIII, 2, 1911, p. 8. Riaza
- ab. *intuberculatum* Lauffer, Revis. p. 32 (8). Madrid
- ab. *lacunosum* Escal. Bol. Soc. Esp. Hist. Nat. VIII, 1908, p. 335. — Schramm in Pic, Cuenca del
Longic. VIII, 2, 1911, p. 8. Zancara
- ab. *pulvipenne* Escal. Bol. Soc. Esp. Hist. Nat. VIII, 1908, p. 335. — Schramm in Pic, Cuenca del
Longic. VIII, 2, 1911, p. 8. Duraton
- ab. *varipes* Lauffer, Revis. p. 32 (8). Madrid
- molitor** F. (siehe p. 47). — Lauffer, Revis. p. 32 (8). Catalonien
- var. *burgense* Lauffer, l. c. p. 35 (11). Burgos
- ab. *argenteovittatum* Lauffer, l. c. p. 39 (13). „
- ab. *decemvittatum* Lauffer, l. c. p. 39 (13). „
- ab. *ferruginipes* Lauffer, l. c. p. 36 (12). „
- ab. *gagatum* Lauffer, l. c. p. 39 (13). „
- ab. *griseicolle* Lauffer, l. c. p. 39 (13). „
- ab. *ochraceum* Lauffer, l. c. p. 39 (13). „
- var. *burgosense* Pic, Echange XXVI, 1910, p. 82. — Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 85. „
- ab. *superbum* Lauffer, Revis. p. 34 (10). Barbadillo
- mosqueruelense** Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 283. Zaragoza,
Teruel;
Mosqueruela
- ab. ♀ *carbonarium* Nicolas, Echange XX, 1904, p. 83. „
- ab. *glabrocostatum* Nicolas, l. c. XXV, 1909, p. 115. „
- ab. *prolongatum* Pic, l. c. XXIV, 1908, p. 58; Longic. VII, 1, 1908, p. 5. Teruel
- ab. *pseudomolitor* Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 285. Castellon:
Peña Galosa
- ab. ♀ *valencianum* Pic, Echange XXVI, 1910, p. 79. Valencia
- mucidum** Dalm. in Schönh. Synon. Ins. I, 3. 1817, Alcier,
Append. p. 173. — Ganglb. Best.-Tab. VIII, 1884, p. 30 (464). Andalusien
- ab. *annulicorne* Chevr. Revis. p. 346 — Fairm. Gen. Col. d'Eur. IV, 1864, t. 49, f. 230. „
— Ganglb. Best.-Tab. VIII, 1884, p. 30 (464).
- mus** Rosenh. Thiere Andalus. 1856, p. 304. — Chevr. Andalusien
Revis. p. 347. — Ganglb. Best.-Tab. VIII, 1884, p. 31 (465). — Flach, Wien. Ent. Zeit. XXVI, 1907, p. 18.
- ab. *Rondae* Flach, l. c. p. 19. Ronda
- Navasi** Escal. Actas Soc. Esp. Hist. Nat. XXIX, 1900, Zaragoza
p. 234; Bol. Soc. Esp. Hist. Nat. I, 1901, p. 144. — Fuente, l. c. p. 135; Bol. Soc. Arag. Cienc. Nat. II, 1903, p. 17. — Navas,

- l. c. IV, 1905, p. 272; Notas Zool. (1) IX, 1905, p. 3; Entomol. Mitteil. I, 1912, p. 300.
- ab. *caesaraugustae* Lauffer, Revis. p. 34 (10). Zaragoza
- ab. *Tutori* Lauffer, l. c. p. 34 (10). Calahorra
- neillense** Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, Burgos:
p. 278. — Nicolas, Bol. Soc. Arag. Cienc. Neila,
Nat. III, 1904, p. 35—40 (Synopsis). — Pic, Ortigosa de
Longic. V, 1, 1904, p. 5—6 (Synopsis). — Cameros
- ab. *album* Nicolas, Echange XX, 1904, p. 82.
- var. *almarzense* Escal. Bol. Soc. Esp. Hist. Soria:
Nat. II, 1902, p. 279. — Nicolas, Synops. Almarza
p. 40. — Pic, Synops. p. 6.
- ab. *costatum* Escal. Bol. Soc. Esp. Hist. "
Nat. II, 1902, p. 280. — Nicolas, Synops.
p. 40. — Pic, Synops. p. 6.
- ab. *logronense* Pic, Echange XIX, 1903, p. 178; Synops. p. 5, 6.
- ab. *Nicolasianum* Plavil. Revue Russe Ortigosa
d'Ent. XV, 1916, p. 80.
- Schrammi* Nicolas, Synops. p. 40. — Pic, Synops. p. 6.
- ab. *urbionense* Escal. Bol. Soc. Esp. Hist. Peñas de
Nat. II, 1902, p. 280. — Schramm, Synops. Urbion
p. 40. — Pic, Synops. p. 6.
- ab. *Vicentei* Nicolas, Synops. p. 39, 40. — Ortigosa
Pic, Synops. p. 6.
- ab. *vilosladense* Escal. Bol. Soc. Esp. Sierra
Hist. Nat. II, 1902, p. 280. — Nicolas, Cebollera:
Synops. p. 40. — Pic, Synops. p. 6. Villoslada
- nudipeune** Escal. Bol. Soc. Esp. Hist. Nat. VIII, Cuenca del
1908, p. 337. — Pic, Longic. VIII, 1, 1911, p. 9. Riaza
ab. *riazanum* Pic, Echange XXVI, 1910, p. 51; Longic. VIII, 1, 1911, p. 9. "
- palentinum** Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, Salinas del
p. 81. — Lauffer, Revis. p. 27 (3). Pisuerga,
Palencia
- ab. ♀ *nigrinum* Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 81.
- Panteli** Théry, Ann. Soc. Ent. France LXI, 1892, Cuenca:
Bull. p. 96. — Pic, Longic. II, 1898, p. 21. Uclés
- ab. *transitorium* Lauffer, Revis. p. 29 (5). "
- paradoxum** Escal. Bol. Soc. Esp. Hist. Nat. VIII, Cuenca del
1908, p. 336. Cega
- parmeniforme** Escal. l. c. II, 1902, p. 288. Granada:
Santiago de
la Espada
- Perezi** Graells, Revue Zool. (2) I, 1849, p. 622; Ann. Guadarama:
Soc. Ent. France (2) IX, 1851, p. 24, t. 1, Escurial
f. 8; Mem. R. Acad. Cienc. Madrid Cienc.
Nat. I, 2, 1851, p. 143. — Chevr. Revis. p. 338.
— Ganglb. Best.-Tab. VIII, 1884, p. 36 (470).
— Escal. Synops. p. 86. — Lauffer, Bol.
Soc. Esp. Hist. Nat. I, 1901, p. 94; Revis.
p. 73 (35).
- ab. *anthracinum* Chevr. Ann. Soc. Ent. "
France (4) X, 1870, Bull. p. 86. — Ganglb.
Best.-Tab. VIII, 1884, p. 36 (470), 38 (472).

- Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 95.
- ab. *Camposi* Lauffer, Revis. p. 74 (36). Guadarama:
Escorial
- ab. *distinctum* Lauffer, l. c. p. 74 (36). ”
- ab. *nigrosuturale* Lauffer, l. c. p. 74 (36). ”
- ab. *rutilipes* Nicolas, Echange XX, 1904, p. 82. ”
- ab. *septemvittatum* Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 95. ”
- pruinoseum** Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 285; XI, 1911, p. 85. Alcuneza,
Matillas,
Sigüenza,
Cuenca
Sigüenza
- var. *guadalajarum* Pic, Echange XXVI, 1910, p. 90. — Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 85.
- segovianum** Chevr. Revis. p. 339. — Lauffer, Revis. p. 49 (23). Sierra de
Gredos
- var. *gredosanum* Lauffer, Revis. p. 50 (24). ”
- ab. *corallipes* Lauffer, l. c. p. 51 (25). ”
- corralimembris* Pic, Longic. X, 2, 1917, p. 6.
- ab. ♀ *gagatum* Lauffer, l. c. p. 52 (26). Sierra de
Gilgarcia
- ab. *octovittatum* Lauffer, l. c. p. 52 (26). Sierra de
Gredos
- ab. *tornavacense* Lauffer, l. c. p. 52 (26). Puerto de
Tornavacas
- seguntianum** Daniel, Col. Stud. II, 1899, p. 78. — Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, p. 287. — Lauffer, Revis. p. 46 (20). Moncayo,
Zaragoza,
Soria,
Segovia,
Sigüenza,
Guadalajara
- insidiosum* Escal. Bol. Soc. Esp. Hist. Nat. I, 1901, p. 87, 143.
- ab. *intermedium*, Escal. l. c. II, 1902, p. 287. — Lauffer, Revis. p. 48 (22).
- ab. *moncayoensis* Nicolas, Echange XXV, 1909, p. 116. — Lauffer, Revis. p. 47 (21). Moncayo
- ab. *superlineatum* Lauffer, l. c. p. 47 (21). Campisabalos
Galve
- segurense** Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 82. Mancha Alta
- seoanei** Graells, Mem. Comis. Mapa Geol. Esp. 1858, p. 131. — Chevr. Revis. p. 344. — Ganglb. Best.-Tab. VIII, 1884, p. 32 (466). Castilien,
Leon,
Galicien
- Kricheldorfii* Pic, Echange XXVI, 1910, p. 79. — Escal. Bol. Soc. Esp. Hist. Nat. XI, 1911, p. 84.
- var. *sulcatithorax* Pic, Echange XXV, 1909, p. 186; Longic. VII, 2, 1910, p. 5. Asturien
- soricinum** Chevr. Revis. p. 347. — Ganglb. Best.-Tab. VIII, 1884, p. 31 (465), nota 1. „Spanien“
- Spinolae** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 174. — Chevr. Revis. p. 348. — Ganglb. Best.-Tab. VIII, 1884, p. 32 (466). Castilien,
Santander,
Asturien
- Lauffer, Bol. Soc. Esp. Hist. Nat. I, 1901, p. 98.

- Mulsanti* Bris. Ann. Soc. Ent France (4) Reynosa
VI, 1866, p. 420; Abeille XII, 1875, p. 403.
var. *Escalerae* Lauffer, Bol. Soc. Esp. Hist. Monte Caune
Nat. I, 1901, p. 89; X, 1910, p. 91.
caunense Lauffer, l. c. p. 92.
laufferianum Pravil. Revue Russe d'Ent.
XV, 1916, p. 80.
- subbrevipenne** Pic, Longic. V, I, 1904, p. 5. Ortigosa
brevipenne Pic, Echange XIX, 1903, p. 178.
- suturale** Chevr. Revis. p. 345. — Heyden, Deutsche Aragonien,
Ent. Zeitschr. XXVII, 1883, p. 367. — Valencia
Ganglb. Best.-Tab. VIII, 1884, p. 31 (465).
- terolense** Escal. Bol. Soc. Esp. Hist. Nat. II, 1902, Teruel:
p. 282. — Lauffer, Revis. p. 47 (21). Monteagudo
var. *albarium* Escal. Bol. Soc. Esp. Hist. Teruel:
Nat. II, 1902, p. 283. — Pic, Longic. V, 1, Cucalon
1904, p. 21.
ab. ♀ *glabripenne* Pic, l. c. p. 6.
ab. *multiplicatum* Pic, Echange XXIV, Monteagudo
1908, p. 58; Longic. VII, 1, 1908, p. 5.
- tricolor** Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, Guadalajara:
p. 287. — Pic, Longic. VIII, 1, 1911, p. 8. Campisabalos
ab. *confluens* Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 288. — Pic, Longic. VIII, 1, 1911, p. 8.
- turdetanum** Lauffer, Revis. p. 25 (1). Teruel
ab. *Sanzi* Lauffer, l. c. p. 27 (3).
- Uhagoni** Perez Arcas, Ins. nuevos 1868, p. 83; Abeille Cuenca
XII, 1875, p. 404. — Martinez, Ann. Soc.
Esp. Hist. Nat. II, 1873, p. 69 (17), t. 1, f. 5
— Ganglb. Best.-Tab. VIII, 1884, p. 35 (469).
ab. *aureotomentosum* Lauffer, Revis. p. 30 (6).
var. *inhumerales* Pic, Longic. II, 1898, p. 21.
ab. *subirreductum* Pic, Echange XXVI,
1910, p. 82.
- umbripenne** Escal. Bol. Soc. Esp. Hist. Nat. VIII, Cuenca del
1908, p. 336. — Pic, Longic. VIII, 1, 1911, Tormes
p. 9.
ab. *griseum* Escal. Bol. Soc. Esp. Hist. Nat.
XI, 1911, p. 83.
ab. *hispanoloide* Escal. l. c. p. 84.
ab. *Laufferoide* Escal. l. c. p. 83.
ab. *nigripenne* Escal. l. c. p. 82.
ab. *Perezoides* Escal. l. c. p. 84
ab. *plurilineatum* Escal. l. c. p. 84.
ab. *umbrosum* Escal. l. c. p. 83.
- vallisoletanum** Lauffer, l. c. I, 1901, p. 89. Valladolid
ab. *Paganettii* Pic, Echange XXVI, 1910, p. 79.
- Zarcoi** Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, Zaragoza:
p. 285. — Pic, Longic. VIII, 1, 1911, p. 7. Epila
ab. *curvilineatum* Schramm, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 286. — Pic,
Longic. VIII, 1, 1911, p. 8.
ab. *infraciatum* Pic, Echange XXVI,
1910, p. 51, 79; Longic. VIII, 1, p. 7.

Neodorcadion Ganglb.

Ganglb. Best.-Tab. VIII, 1884, p. 3 (437), f. 2, 74 (508)—80 (514) (Synopsis). — Seidl Fauna Transsylv. 1891, p. 845. — Reitter, Fauna Germ. IV, 1913, p. 56. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 864.

Neodorcadium Csiki, Rov. Lapok XI, 1904, p. 167.

Arten aus Europa und Kleinasien.

- baleanicum** Tourn. Revue Zool. (2) XXIII, 1872, p. 284 Türkei,
nota. — Ganglb. Wien. Ent. Zeit. I, 1882, Kleinasien
p. 300: Synopsis. p. 76 (510).
ab. *anticijunctum* Pic, Longic. X, 2, 1917, Saloniki
p. 6.
ab. *kadiense* Pic, Echange XXXIII, 1917, Kleinasien
p. 10.
ab. *orientale* Ganglb. Synopsis. p. 76 (510).
ab. *subdiversum* Pic, Longic. X, 2, 1917, „
p. 6. Balkan
- billneatum** Germ. Ins. Spec. Nov. 1824, p. 485: Fauna Ungarn,
Ins. Eur. XXI, 1839, t. 17. — Küster, Käfer Sieben-
Eur. V, 1846, p. 83. — Schlosser, Fauna bürgen,
Kornjas. III, 1879, p. 834 — Ganglb. Synopsis. Türkei,
p. 508. — Seidl. Fauna Transsylv. 1891, Griechenland,
p. 846. — Csiki, Rov. Lapok XI, 1904, Korfu
p. 208. Macedonien
var. *macedonicum* Pic, Longic. X, 2, 1917, p. 5.
ab. *unicolor* Csiki, Rov. Lapok XI, 1904, Siebenbürgen
p. 208.
- calabrieum** Reitter, Deutsche Ent. Zeitschr. 1889, Calabrien
p. 41.
- exornatum** Friv. A Magyar Tudos. Tars. Evkön. II, 2, Balkan,
1835, p. 268, t. 6, f. 11; Faunus (2) I, 1837, Kleinasien
p. 90. — Sacher, Wien. Ent. Monatschr.
IV, 1860, p. 146. — Kraatz in Küster, Käfer
Eur. XXIX, 1873, p. 80. — Ganglb. Synopsis.
p. 76 (510).
- labyrinthicum* Thoms. Syst. Ceramb. 1865, Krim
p. 549; Physis I, 1867, p. 65.
- fallax** Kraatz in Küster, Käfer Eur. XXIX, 1873, Macedonien,
p. 89. — Ganglb. Synopsis. p. 75 (509). Griechenland
- Flaschneri** Pic, Ann. Soc. Ent. France (6) IX, 1889, Türkei:
Bull. p. 175. Bosphorus
- Flachneri* Pic, l. c. LXI, 1892, Bull. p. 27.
ab. *dispar* Pic, l. c. p. 27. Türkei
Eduardi Pic, Echange XVI, 1900, p. 82. „
var. *Merkli* Pic, Ann. Soc. Ent. France „
LXI, 1892, Bull. p. 196; Longic. VII, 1, 1908, p. 9.
- laqueatum** Waltl. Isis XXXI, 1838, p. 469. — Küster, „
Käfer Eur. V, 1846, p. 80. — Kraatz, l. c. Kleinasien
XXIX, 1873, p. 79. — Ganglb. Synopsis. p. 75
(509). — Pic, Longic. X, 2, 1917, p. 18–20
(Synopsis).
- var. *Abeillei* Revue Zool. (2) XXIII, 1872, Brussa
p. 282 nota. — Ganglb. Wien. Ent. Zeit. I,

- 1882, p. 299; Synops. p. 75 (509). — Pic, Syn. p. 19.
- ab. ♀ *Anceyi* Pic, Echange XXIX, 1913, p. 186; Syn. p. 19. Konstantinopel
- ab. ♀ *bulgaricum* Pic, l. c.; Syn. p. 20. Bulgarien
- ab. ♀ *diversesparsum* Pic, Longic. IX, 1, 1914, p. 8; Syn. p. 20. Konstantinopel
- ab. ♀ *insparsum* Pic, l. c.; Syn. p. 20. „
- ab. ♀ *interruptum* Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 150; Opusc. Ent. XIII, 1863, p. 150. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 79. — Ganglb. Synops. p. 75 (509). — Pic, Syn. p. 19. „
- ab. ♀ *ionicum* Pic, Echange XVII, 1901, p. 52; Syn. p. 18. Insel Zante
- ab. ♀ *Lemoulti* Pic, Longic. IX, 1, 1914, p. 8; Syn. p. 20. Konstantinopel
- ab. *servilorum* Pic, l. c. X, 2, 1917, p. 6; Syn. p. 19. „
- ab. ♀ *sparsenotatum* Pic, l. c. IX, 1, 1914, p. 8; Syn. p. 19. „
- ab. ♀ *sparsum* Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 152; Opusc. Ent. XIII, 1863, p. 152 — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 79. — Ganglb. Synops. p. 75 (509). — Pic, Syn. p. 19. „
- ab. *subinterruptum* Pic, Longic. X, 2, 1917, p. 6, p. 19. Türkei
- Pelleti** Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 149; Opusc. Ent. XIII, 1863, p. 149. — Ganglb. Synops. p. 77 (511). — Pic, Longic. VII, 2, 1910, p. 4. Smyrna
- segne** Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 155; Opusc. Ent. XIII, 1863, p. 155. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 79. — Ganglb. Synops. p. 76 (510). Konstantinopel
- ab. *credulum* Pic, Echange XXXIII, 1917, p. 10. Türkei
- ab. *disjunctum* Pic, Longic. X, 2, 1917, p. 6. Belgrad
- Virleti** Brullé, Expéd. Scient. Morée, Ins. 1832, p. 258, t. 43, f. 3. — Ganglb. Synops. p. 74 (508). Griechenland
- ab. *acarnanicum* Pic, Longic. IX, 1, 1914, p. 8. „
- ab. *subbinotatum* Pic, l. c. p. 8. „

Arten aus Zentral- und Ost-Asien.

Reitter, Ent. Nachr. XXIII, 1897, p. 177--184 (Revisio).

- alticum** Suvor. Revue Russe d'Ent. IX, 1909, p. 89. Altai
- argali** Jakowl. Horae Soc. Ent. Ross. XXIV, 1889, p. 249. — Reitter, Revis. p. 183. Mongolei
- Brandti** Gebl. Bull. Moscou XIV, 1841, p. 610. — Kraatz, Berl. Ent. Zeitschr. XIII, 1869, p. 335. — Ganglb. Synops. p. 79 (513). — Reitter, Revis. p. 181. Songarei
- var. *nigrolineatum* Reitter, l. c. p. 182. Altai

- carinatum** F. Spec. Ins. I, 1781, p. 222; Mant. Ins. I, 1787, p. 140; Ent. Svst. I, 2, 1792, p. 286; Syst. Eleuth. II, 1801, p. 300. — Herbst in Füessly, Archiv II, 1784, p. 91, t. 25, f. 8. — Villers, Linn. Ent. I, 1789, p. 237. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1834. — Ol. Encycl. méth. VII, 1792, p. 472. — Fröhl. Naturf. XXVI, 1792, p. 150. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 288; ed. 3, IV, 1828, p. 363. — Gebl. Bull. Moscou XXI, 1, 1848, p. 402 (sep. p. 307); XXXII, 1, 1859, p. 506. — Muls. Col. France, Long. ed. 2, 1863, p. 251 nota. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 233.
Blessigi Ganglb. Synops. p. 78 (512). — Reitter, Revis. p. 177. — Suvor. Revue Russe d'Ent. IX, 1909, p. 90.
 ab. *Bramsoni* Pic, Cat. Long. Eur. 1901, p. 67 nota.
 var. *involvens* Fisch. Entomogr. Ross. II, 1823, p. 240, t. 50, f. 8. — Gebl. Nouv. Mém. Soc. Nat. Moscou II, 1832, p. 66 — Muls. Col. France, Long. ed. 2, 1863, p. 251 nota. — Ganglb. Synops. p. 78 (512). — Reitter, Revis. p. 177.
- chinganicum** Suvor. Revue Russe d'Ent. IX, 1909, p. 90.
 ab. *melancholicum* Suvor. l. c. p. 91.
- consentaneum** Jakowl. Ann. Mus. Zool. Petersb. IV, 1899, p. 241.
- dorcaes** Jakowl. Revue Russe d'Ent. I, 1901, p. 163.
 ab. *pruinolum* Jakowl. l. c. p. 163.
- dux** Jakowl. Horae Soc. Ent. Ross. XXVIII, 1894, p. 120. — Reitter, Revis. p. 180.
- egregium** Reitter, Revis. p. 180.
- Gassneri** Breit, Col. Rundschau VI, 1917, p. 65.
- glaucopeterum** Ganglb. Synops. p. 77 (511). — Reitter, Revis. p. 177.
- Grumi** Suvor. Revue Russ. d'Ent. IX, 1909, p. 80.
 ab. ♀ *leucotaenium* Suvor. l. c. p. 82.
- heros** Jakowl. Ann. Mus. Zool. Petersb. IV, 1899, p. 237.
- hircus** Jakowl. Revue Russe d'Ent. VI, 1906, p. 1.
- hirtipes** Jakowl. l. c. I, 1901, p. 159.
- humerales** Gebl. Mem. Soc. Nat. Moscou VI, 1823, p. 130. — Fisch. Entomogr. Ross. II, 1823, p. 241, t. 50, f. 9, 10. — Kraatz in Küster, Käfer Eur. XXIX, 1873, p. 36 — Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 387. — Blessig, l. c. IX, 1873, p. 202. — Ganglb. Synops. p. 78 (512). — Reitter, Revis. p. 177.
 var. *mogissemium* Suvor. Revue Russe d'Ent. IX, 1909, p. 88.
 var. *trabeatum* Jakowl. l. c. I, 1901, p. 159.
- impluviatum** Fald. Bull. Moscou VI, 1833, p. 66, t. 2, f. 2 (non 3). — Reitter, Revis. p. 177. — Jacobs, Käfer Rußl. 1911, t. 69, f. 4.

Sibirien

Daurien

Mandschurei

Chingan-
Gebirge
Mongolei

"

Altai

Mongolei:
BarkulAltai
Nord-China,
Amur

Mongolei

"

"

Baikal,
Daurien,
Amur

Mandschurei

Mongolei

- irroratum* Reitter, Wien. Ent. Zeit. XII, 1893, p. 224.
- intermedium* Jakowl. Horae Soc. Ent. Ross. XXIV, 1889, p. 246. — Reitter, Revis. p. 182. Mongolei:
Wüste Gobi
- Jakovlevi* Suvor. Revue Russe d'Ent. XII, 1912, p. 70. Alashan-
Gebirge
- Katharinae* Reitter, Wien. Ent. Zeit. XVII, 1898, p. 21. Mongolei
- Kazuakovi* Suvor. Revue Russe d'Ent. XII, 1912, p. 73. Alashan
- Kozlovi* Suvor. l. c. p. 71. Zentral-
Mongolei
- leucogrammum* Suvor. l. c. IX, 1909, p. 82. Nordwest-
Mongolei
- maurum* Jakowl. Horae Soc. Ent. Ross. XXIV, 1889, p. 247. — Reitter, Revis. p. 177, nota 1. Mongolei
- miraculum* Reitter, l. c. p. 182. ”
- mongolicum* Jakowl. Horae Soc. Ent. Ross. XXIX, 1895, p. 508. — Reitter, Revis. p. 179. ”
- morosum* Jakowl. Revue Russe d'Ent. I, 1901, p. 162. Nordwest-
Mongolei
- Novitzkyi* Suvor. l. c. p. 87. ”
- ab. *inalbatum* Suvor. l. c. p. 88. ”
- oreadis* Reitter, Revis. p. 179. Mongolei:
Barkul
- ornatum* Fald. Bull. Moscou VI, 1833, p. 64, t. 2, f. 1. Mongolei
- Ganglb. Synops. p. 79 (513). — Reitter, Revis. p. 178.
- var. *exaratum* Ménétr. in Motsch. Etud. Ent. III, 1854, p. 38. — Ganglb. Synops. p. 80 (514). — Reitter, Revis. p. 180. ”
- oryx* Jakowl. Horae Soc. Ent. Ross. XXIX, 1895, p. 506. — Reitter, Revis. p. 179. ”
- Potanini* Jakowl. Horae Soc. Ent. Ross. XXIV, 1889, p. 245. — Reitter, Revis. p. 179. Mongolei:
Ordos
- princeps* Jakowl. Ann. Mus. Zool. Petersb. IV, 1899, p. 239. Mongolei (?)
- Przewalskyi* Jakowl. Horae Soc. Ent. Ross. XXI, 1887, p. 317; XXXIV, 1900, p. 71. Zaidam
- ptyalopleurum* Suvor. Revue Russe d'Ent. IX, 1909, p. 84. Mongolei
- quadrilineatum* Breit, Wien. Ent. Zeit. XXXIV, 1915, p. 355. ”
- quinquevittatum* Hammarström, Öfv. Finska Vet. Soc. Förh. XXXIV, 1893, p. 192 (8). — Reitter, Revis. p. 183. ”
- sajanicum* Hammarström, Öfv. Finska Vet. Soc. Förh. XXXIV, 1893, p. 193. — Reitter, Revis. p. 184. ”
- sifanicum* Suvor. Revue Russe d'Ent. XII, 1912, p. 74. Ljan-tshou
- virgatum* Motsch. Etud. Ent. III, 1854, p. 65. — Ganglb. Synops. p. 78 (512). — Jakowl. Horae Soc. Ent. Ross. XXIV, 1889, p. 244, f. 1 — Reitter, Revis. p. 178. Nordchina,
Mongolei
- ab. *subvirgatum* Pic, Echange XXX, 1914, p. 74; Longic. IX, 2, 1915, p. 7. ”
- Zichyi* Csiki in Zichy, Dritte Asiat. Forschungsr. Wiss. Ergebn. II, 1901, p. 115. Mongolei:
Wüste Gobi

Phantasis Thoms.

- Thomson, *Classif. Ceramb.* 1860, p. 22, 25; *Syst. Ceramb.* 1864, p. 362; *Physis I*, 1867, p. 27–32 (Revisio). — Lacord. *Gen. Col.* IX, 1869, p. 286. — Kolbe, *Stett. Ent. Zeit.* LV, 1894, p. 14, 16–26 (Synopsis). — Hintz, *Deutsche Ent. Zeitschr.* 1909, p. 560.
- adsequa** Kolbe, *Synops.* p. 22. Deutsch-Ostafrika: Mpwampwa Jipe-See Zambesi
- augurila** Kolbe, l. c. p. 20.
- avernica** Thoms. *Syst. Ceramb.* 1865, p. 547; *Physis I*, 1867, p. 28. — Kolbe, *Synops.* p. 17.
- brachycerooides** Kolbe, *Stett. Ent. Zeit.* LIV, 1893, p. 257; *Synops.* p. 19. Deutsch-Ostafrika: Dar-es-Salaam, Tanga Kaffernland, Transvaal
- carinata** Fähr. *Ofvers. Vet. Akad. Förhl.* XXIX, 2, 1872, p. 29. — Kolbe, *Synops.* p. 16. — *Dist. Ins. Transv.* 1904, p. 127, t. 11, f. 11.
- delosa** Kolbe, *Synops.* p. 23. Abessinien: Keren Kaffernland, Dainara, Mossambik
- gigantea** Guér. *Jcon. Règne Anim. Ins.* 1844, p. 241. — *Gerst. Peters' Reise Mossamb. Ins.* 1862, p. 331, t. 20, f. 3. — Fähr. *Öfvers. Vet. Akad. Förhl.* XXIX, 2, 1872, p. 29. — Kolbe, *Synops.* p. 16, 23.
- ♂ *proserpina* Thoms. *Physis I*, 1867, p. 29.
- gorgo** Kolbe, *Synops.* p. 16, 18; *Deutsch-Ost-Afr. Col.* 1907, p. 306, t. 4, f. 44. Deutsch-Ostafrika: Mpwampwa
- grisea** Hintz, *Deutsche Ent. Zeitschr.* 1906, p. 562. Deutsch-Ostafrika: Mahenge Lukuledi Manow Deutsch-Südwestafrika: Karibib Transvaal
- inknedensis** Hintz, l. c. p. 561.
- mauwensis** Hintz, l. c. p. 561.
- meridionalis** Hintz, l. c. p. 560. Deutsch-Südwestafrika: Karibib
- mystica** *Dist. Ins. Transv.* 1904, p. 127, t. 11, f. 13.
- occidentalis** Lansb. *Notes Leyden Mus.* IX, 1877, p. 111. Angola: Humpata
- ominosa** Kolbe, *Synops.* p. 19; *Deutsch-Ost-Afr. Col.* 1907, p. 306, t. 4, f. 45. Deutsch-Ostafrika: Mrogoro Ugogo Tanganjika
- petrificata** Kolbe, *Synops.* p. 20.
- phantoma** Kolbe, l. c. p. 17. Angola
- retrospinosa** Har. *Col. Hefte XVI*, 1879, p. 175. — Kolbe, *Synops.* p. 17.
- sansibarica** Har. *Mitth. Münch. Ent. Ver.* II, 1878, p. 51. — *Fairm. Ann. Soc. Ent. Belg.* XXVI, 1882, *Bull.* p. 55. — Kolbe, *Synops.* p. 17. Britisch-Ostafrika: Ukamba Weißer Nil
- satanica** Thoms. *Classif. Ceramb.* 1860, p. 26.
- spectrum** Thoms. *Syst. Ceramb.* 1865, p. 547; *Revis. p. 27.* N'Gami-See
- spinosa** Hintz, *Deutsche Ent. Zeitschr.* 1909, p. 560. Deutsch-Ostafrika: Peramiho Südafrika?
- stupidia** Kolbe, *Synops.* p. 16, 18.

terribilis Thoms. *Classif. Ceramb.* 1860, p. 26.

Natal

umbratica Kolbe, *Synops.* p. 17, 21.

Sansibar

25

II. Morimopsisini.

Lacordaire, *Gen. Col.* IX, 1869, p. 289.

Morimopsis Thoms.

Thomson, *Arch. Ent.* I, 1857, p. 182; *Classif. Ceramb.* 1860, p. 77, 81; *Syst. Ceramb.* 1865, p. 361. — Lacord. *Gen. Col.* IX, 1869, p. 290.

lacrymans Thoms. *Arch. Ent.* I, 1857, p. 183. — Ostindien

Lacord. *Gen. Col.* IX, 1869, p. 290, t. 97, f. 1.

1

III. Phrissomini.

Lacordaire, *Gen. Col.* IX, 1869, p. 290.

Phrissoma Cast.

Cast. *Hist. Nat. Col.* II, 1840, p. 483. — Thoms. *Syst. Ceramb.* 1864, p. 362. — Lacord. *Gen. Col.* IX, 1869, p. 291. — Kolbe, *Stett. Ent. Zeit.* LV, 1894, p. 15.

crispum F. *Gen. Ins.* 1776, p. 230; *Spec. Ins.* I, 1781, p. 221; *Mant. Ins.* I, 1787, p. 140; *Ent. Syst.* I, 2, 1792, p. 284; *Syst. Eleuth.* II, 1801, p. 299. — Gmel. in *L. Syst. Nat.* ed. 13, I, 4, 1790, p. 1833. — Cast. *Hist. Nat. Col.* II, 1840, p. 483. Kapland

Reichei Thoms. *Syst. Ceramb.* 1865, p. 547; *Physis* I, 1867, p. 34. „

terrenum White, *Ann. Mag. Nat. Hist.* (3) II, 1858, p. 265. Südafrika

terricola Thoms. *Syst. Ceramb.* 1865, p. 547; *Physis* I, 1867, p. 33. Kapland

umbrinum White, *Ann. Mag. Nat. Hist.* (3) II, 1858, p. 226. — *Fähr. Öfvers. Vet. Akad. Förh.* XXIX, 2, 1872, p. 30. Natal

5

Trachystola Pasc.

Pasc. *Journ. of Ent.* I, 1862, p. 350; *Trans. Ent. Soc. Lond.* (3) III, 1866, p. 225; *Proc. Zool. Soc. Lond.* 1866, p. 246. — Thoms. *Syst. Ceramb.* 1864, p. 63, 371. — Lacord. *Gen. Col.* IX, 1869, p. 292.

armata Nonfr. *Ent. Nachr.* XVI, 1892, p. 93. Südchina

asidiformis Pic, *Bull. Soc. Ent. France* 1915, p. 326. Yunnan

✓ **granulata** Pasc. *Journ. of Ent.* I, 1862, p. 351. — Borneo,
Lacord. *Gen. Col.* IX, 1869, t. 97, f. 3. Penang

granulosa Pasc. *Trans. Ent. Soc. Lond.*

(3) III, 1866, p. 226.

✓ **maculipennis** Fairm. *Ann. Soc. Ent. France* LXVIII, 1900, p. 639. Tonkin

nodicollis Fairm. *l. c.* p. 640. „

rugiscapus Fairm. l. c. p. 640.

China:
Sze-tschwan
Java

✓ **scabripennis** Pasc. Journ. of Ent. I, 1862, p. 351. —
Thoms. Syst. Ceramb. 1864, p. 63. — Heyne-
Taschenb. Exot. Käfer 1906, p. 241, t. 37, f. 2.

7

Aethalodes Gah.

Gahan, Ann. Mag. Nat. Hist. (6) I, 1888, p. 270.

verrucosus Gah. l. c. t. 16, f. 1.

Nordchina

1

Dolophrades Bates.

Bates, Journ. Linn. Soc. Zool. XVIII, 1884, p. 237.

terrenus Bates, l. c. p. 238, t. 1, f. 10.

Japan:
Hitoyoshi

1

IV. Lamiini.

Lacordaire, Gen. Col. IX, 1869, p. 293.

Oriaethus Pasc.

Pasc. Journ. of Ent. II, 1864, p. 277. — Lacord. Gen. Col. IX,
1869, p. 293.

longicornis Pasc. Journ. of Ent. II, 1864, p. 277, t. 13, Natal
f. 1. — Lacord. Gen. Col. IX, 1869, p. 294.

1

Velleda Thoms.

Thoms. Archiv. Ent. II, 1858, p. 189; Classif. Ceramb. 1860, p. 42.
70; Syst. Ceramb. 1864, p. 381. — Lacord. Gen. Col. IX, 1869, p. 294,

aberrans Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Congo
Bull. p. 379; XXXVI, 1892, p. 340.

callizona Chev. Revue Zool. (2) VII, 1855, p. 186; Alt-Calabar
Cent. Longic. 1858, nr. 13, t. 2, f. 12. —
Murray, Ann. Mag. Nat. Hist. (4) VI, 1870,
p. 408, t. 3, f. 12.

murina Thoms. Archiv. Ent. II, 1858, p. 190, Gabun
t. 8, f. 7.

congolensis Hintz, Wiss. Ergebn. Deutsch. Zentr.- Congo
Afr.-Exped III, 1911, p. 434.

3

Stixis Gah.

Gahan, Trans. Ent. Soc. London 1890, p. 310.

bispinosa Auriv. Arkiv f. Zool. VII, 3, 1910, p. 31.

Deutsch-
Ostafrika:
Amani

flavifrons Auriv. l. c. VIII, 29, 1914, p. 12.

Uganda

laevicollis Auriv. in Sjöstedt, Ergebn. Exped. Kili-
mandjaro VII, 1908, p. 146.

Ostafrika

punctata Gahan, Trans. Ent. Soc. Lond. 1890, p. 311.

4

Hepomidion Thoms.

Thoms. Revue Zool. (3) VI, 1878, p. 45.

- dentatum** Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Exped. Ruanda
III, 1911, p. 434.
- granulatum** Auriv. in Sjöstedt, Ergebn. Kilimandj. Kilimandjaro
Exped. VII, 1908, p. 146.
- nitidum** Auriv. Arkiv f. Zool. X, 19, 1916, p. 12. Deutsch-
Ostafrika:
Ufioni
- stygiicum** Thoms. Revue Zool. (3) VI, 1878, p. 45. -- Kapland,
Dist. Ins. Transv. 1904, p. 128, t. 11, f. 15. Transvaal
Pascoei Péring. Trans. Ent. Soc. Lond. 1896,
p. 180.

4

Brimus Pasc.

- Pasc. Journ. of Ent. I, 1862, p. 351. — Thoms. Syst. Ceramb. 1864
p. 380. — Lacord. Gen. Col. IX, 1869, p. 295.
- Randalli** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. Transvaal
372; Ins. Transv. 1904, p. 128, t. 11, f. 12.
- spinipennis** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Natal
p. 252; Journ. of Ent. I, 1862, p. 351, t.
17, f. 5.

2

Megalobrimus Auriv.

Auriv. Arkiv f. Zool. V, 19, 1916, p. 10.

- scutellatus** Auriv. l. c. p. 12, f. 69. Deutsch-
Ostafrika:
Manow

1

Dorcatypus Thoms.

Thoms. Syst. Ceramb. 1864, p. 77, 327, 380. — Fairm. Gen. Col.
d'Eur. IV, 1868, p. 163. — Lacord. Gen. Col. IX, 1869, p. 296. —
Bedel, Faune Col. Seine V, 1889, p. 34. — Csiki, Rov. Lapok XI,
1904, p. 167. — Kuhn, Käfer Deutschl. 1912, p. 757. — Reitter,
Fauna Germ. IV, 1913, p. 54. — Schauf. in Calwer, Käferb. ed. 6.
1916, p. 864.

Herophila Muls. Col. France, Long. ed. 2, 1863, p. 273. —
Ganglb. Best.-Tab. VII, 1881, p. 15 (693). — Bau, Handb.
Käf. 1888, p. 415. — Seidl. Fauna Transsylv. 1891, p. 844.
— Stierl. Col. Helvet. II, 1898, p. 492.

- Fairmairei** Thoms. Archiv. Ent. I, 1857, p. 151, t. Griechenland
10, f. 6; Syst. Ceramb. 1864, p. 78. — Muls.
Col. France, Long. ed. 2, 1863, p. 273. —
Fairm. Gen. Col. d'Eur. IV, 1868, t. 48, f.
226. — Ganglb. Best.-Tab. VIII, 1884, p. 81
(515).

- tristis** L. Syst. Nat. ed. 12, 1767, p. 629. — Muls. Südeuropa
Col. France, Long. ed. 2, 1863, p. 274. —
Ganglb. Best.-Tab. VIII, 1884, p. 81 (515).
— Bau, Handb. Käfer 1888, p. 420. —
Griffini, Coleott 1896, p. 198, t. 38, f. 10. —

- Stierl. Col. Helvet. II, 1898, p. 492. — Csiki, Rov. Lapok XI, 1904, p. 209. — Jacobs. Käfer Rußl. 1910, t. 70, f. 10. — Kuhnt, Käfer Deutschl. 1912, p. 789, f. 182. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 868, t. 31, f. 10.
- adpersus* Gmel. in L. Syst. Nat. ed 13, I, 4, 1790, p. 1863.
- funereus* Schoch, Käf. Deutschl. 1878, p. 134.
- funestus* F. Mant. Ins. I, 1787, p. 139; Ent. Syst. I, 2, 1792, p. 284; Syst. Eleuth. II, 1801, p. 298. — Panz. Naturf. XXIV, 1789, p. 26, t. 1, f. 36. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1833. — Brahm in Scriba, Journ. I, 1790, p. 17. — Rossi, Fauna Etr. I, 1790, p. 145; ed. Hellw. I, 1795, p. 157. — Petagna, Instit. Ent. I, 1792, p. 231. — Ol. Encycl. méth. VII, 1792, p. 470; Ent. IV, nr. 67, 1795, p. 107, t. 9, f. 63. — Latr. Hist. Nat. Ins. XI, 1804, p. 269. — Tigny, Hist. Nat. Ins. ed. 3, 1828, p. 359. — Boit. Man. d'Ent. II, 1828, p. 21. — Reichenb. Naturg. Ins. 1837, p. 411, t. 99, f. 645. — Muls. Col. France, Long. 1838, p. 131. — Cast. Hist. Nat. Col. II, 1840, p. 478. — Duf. Excurs. Ent. d'Ossau 1843, p. 99. — Küster, Käfer Eur. V, 1846, p. 79. — Redt. Fauna Austr. ed. 3, 1874, p. 415. — Schlosser, Fauna Kornjas. III, 1879, p. 832. — Fairm. Hist. Nat. France, Col. 1882, p. 268.
- pulverulentus* Scop. Annus Hist. Nat. V, 1772, p. 95.
- Biologie: Pass. Ins. Col. del Ficus carica 1851, p. 5. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 314, t. 12, f. 477, 478.
- var. *confirmatus* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 61. Orient?
- var. *Gennadii* Buq. l. c. Bull. p. 137. — Griechen-land
Ganglb. Best.-Tab. VIII, 1884, p. 81 (515).
- var. *obsoletus* Fairm. Ann. Soc. Ent. France Bosporus
(3) VII, 1859, p. 62. — Ganglb. Best.-Tab.
VIII, 1884, p. 81 (515).

2

Morimus Serv.

Serville, Ann. Soc. Ent. France IV, 1835, p. 95 (ex p.). — Muls. Col. France 1839, p. 131 (ex p.); ed. 2, 1863, p. 277. — Cast. Hist. Nat. Col. II, 1840, p. 478 (ex p.). — Redt. Gatt. Deutsch. Käf.-Fauna 1845, p. 111; Fauna Austr. 1849, p. 46, 495; ed. 2, 1858, p. 861; ed. 3, 1874, p. 415 (ex p.). — Bach, Käferf. III, 1856, p. 30. — Thoms. Classif. Ceramb. 1860, p. 77; Syst. Ceramb. 1864, p. 380. — Fairm. Gen. Col. d'Eur. IV, 1868, p. 162. — Lacord. Gen. Col. IX, 1869, p. 297. — Cuni, Catal. Col. Catal. 1876, p. 297. — Ganglb. Best.-Tab. VII, 1881, p. 15 (693). — Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 460. — Bedel, Faune Col. Seine V, 1889, p. 34. — Seidl. Fauna Transsylv. 1891, Gatt. p. 185. — Reitter, Wien. Ent. Zeit. XIII, 1894, p. 43—44 (Revisio). — Stierl. Col. Helvet. II, 1898, p. 488.

— Csiki, Rov. Lapok XI, 1904, p. 167. — Kuhnt, Käfer Deutschl. 1912, p. 757. — Reitter, Fauna Germ. IV, 1913, p. 54, 56. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 864.

saper Sulz. Abg. Gesch. Ins. 1776, p. 44, t. 5, f. 3. — Goetze, Ent. Beytr. I, 1777, p. 462. — Füssly, Magaz. I, 1778, p. 181. — Roemer, Gesch. Ins. 1789, p. 46, t. 5, f. 3. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1862. — Fröhl. Naturf. XXVI, 1792, p. 147. — Ganglb. Best.-Tab. VIII, 1884, p. 81 (515). — Bau, Handb. Käfer 1888, p. 420. — Bedel, Faune Col. Seine V, 1889, p. 38. — Seidl. Fauna Transsylv. 1891, p. 845. — Reitter, Revis. p. 44. — Stierl. Col. Helvet. II, 1898, p. 492. — Houlb. Faune Armor. Ceramb. 1904, p. 60, f. 113; ed. 2, 1909, p. 61, f. 113. — Kuhnt, Käfer Deutschl. 1912, p. 789, f. 183. — Reitter, Fauna Germ. IV, 1913, p. 56. — Beffa, Rivista Col. Ital. XVII, 1915, Append. t. 1, f. 1, 2. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 868, t. 31, f. 11.

Süd-Europa
bis Tirol,
Turko-
mannien

lugubris F. Ent. Syst. I, 2, 1792, p. 283; Syst. Eleuth. II, 1801, p. 298. — Muls. Col. France, Long. 1839, p. 133; ed. 2, 1863, p. 277. — Cast. Hist. Nat. Col. II, 1840, p. 478, t. 33 (52), f. 4. — Duf. Excurs. Ent. d'Ossau 1843, p. 99. — Berge, Käferb. 1844, p. 123, t. 12, f. 1. — Küster, Käfer Eur. XXV, 1852, p. 88. — Disconzi, Ent. Vicent. 1865, p. 85, 88. — Lacord. Gen. Col. IX, 1869, p. 298. — Redt. Fauna Austr. ed. 3, 1874, p. 415. — Schoch, Käfer Deutschl. 1878, p. 134. — Schlosser, Fauna Kornjas. III, 1879, p. 831. — Fairm. Hist. Nat. France, Col. 1882, p. 268, t. 23, f. 271. — Griffini, Coleott. 1896, p. 198, t. 38, f. 11. — Rocquigny, Revue Sc. Bourb. XIV, 1901, p. 141. — Jacobs, Käfer Russl. 1910, t. 70, f. 11.

textor ♂ Ol. Encycl. méth. VII, 1792, p. 461; Ent. IV. nr. 67, 1795, p. 105, t. 6, f. 39 b, c. — Fairm. Gen. Col. d'Eur. IV, 1868, t. 48, f. 224.

textor var. Scop. Ent. Carn. 1763, p. 54. — Rossi, Fauna Etr. I, 1790, p. 144.

Biologie: Goureau, Ann. Soc. Ent. France (2) II, 1844, p. 427, t. 10, f. 1-3. — Passerini, Ins. Col. del Ficus carica 1851, p. 5. — Schioedte, Nat. Tidskr. (3) X, 1875, p. 429, t. 17, f. 17, 18. — Ferris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 313. — Xamheu, Moeurs et Métam. Ins. VIII, 1902, p. 155.

dlopathalmus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 49.

Nordchina

funerous Muls. Col. France, Long. ed. 2, 1863, p. 279. — Cuni, Catal. Col. Catal. 1876, p. 297. — Ganglb. Best.-Tab. VIII, 1884, p. 81 (515). — Bau, Handb. Käfer 1888, p. 420, fig. — Seidl. Fauna Transsylv. 1891, p. 845. — Reitter, Synops. p. 43. — Griffini, Coleott.

Spanien,
Süd-
Frankreich,
Italien,
Österreich,
Ungarn,

- p. 198, t. 38, f. 9. — Csiki, Rov. Lapok XI, 1904, p. 209. — Jacobs. Käfer Russl. 1910, t. 70, f. 9. — Kubnt, Käfer Deutschl. 1912, p. 789, f. 184. — Reitter, Fauna Germ. IV. 1913, p. 56, t. 138, f. 1. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 868, t. 31, f. 9.
- lugubris* Sériziat, Col. France 1880, p. 309, f. 213.
- textor* var. Scop. Ent. Carn. 1763, p. 51, f. 164.
- tristis* Scop. Annus Hist. Nat. V, 1772, p. 54. — F. Syst. Ent. 1775, p. 175; Spec. Ins I, 1781, p. 221; Mant. Ins. I, 1787, p. 139; Ent. Syst. I, 2, 1792, p. 283; Syst. Eleuth. II. 1801, p. 298. — Goeze, Ent. Beytr. I, 1777, p. 441. — Laich. Tyrol. Ins. II, 1784, p. 16. — Herbst in Füessly, Archiv V, 1784, p. 90, t. 25, f. 7. — Petagna, Ins. Calab. 1787, p. 17; Inst. Ent. I, 1792, p. 231. — Villers, Linn. Ent. I, 1789, p. 231, t. 1, f. 27. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1833. — Ol. Encycl. méth. VII, 1792, p. 469; Ent. IV, nr. 67, 1795, p. 106, t. 9, f. 62. — Panz. Ent. Germ. 1795, p. 251. — Townson, Travels in Hongrie 1797, p. 467. — Walcken. Faune Paris. I, 1802, p. 207. — Latr. Hist. Nat. Ins. XI, 1804, p. 269. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 284; ed. 3, IV, 1828, p. 359, t. 86, f. 2. — Neujahrstück Naturf. Ges. Zürich XVI, 1814, p. 4, t. f. 9. — Dumér. Dict. Sc. Nat. XXV, 1822, p. 182; Ent. Anal. 1860, p. 614. — Boit. Man. d'Ent. II, 1828, p. 21. — Reichenb. Naturg. Ins. 1837, p. 411, t. 99, f. 646. — Muls. Col. France, Long. 1839, p. 134. — Cast. Hist. Nat. II, 1840, p. 478. — Küster, Käfer Eur. V, 1846, t. 3, f. 1; X, 1847, p. 96. — Redt. Fauna Austr. 1849, p. 495; ed. 2, 1858, p. 861; ed. 3, 1874, p. 415. — Bach, Käferf. III, 1856, p. 31. — Gutfl. Käfer Deutschl. 1859, p. 581. — Schoch, Käfer Deutschl. 1878, p. 134. — Schlosser, Fauna Kornjas. III, 1879, p. 831.
- A n a t o m i e**: Meckel, Beytr. vergl. Anat. I, 2, 1809, p. 126, t. 8, f. 15—19. — Ramdohr, Verdauungswerkz. d. Ins. 1811, p. 116.
- Ganglbaueri** Reitter, Revis. p. 44; Wien. Ent. Zeit. XXVI, 1907, p. 30. — Csiki, Rov. Lapok XI, 1904, p. 209. — Pic, Longic. VI, 1, 1906, p. 11. Bosnien.
Herzegowina,
Montenegro
- inaequalis** Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 459. Südindien
- lethalis** Thoms. Archiv. Ent. I, 1857, p. 182. Shanghai
- morimoides** White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 266. Sylhet
- Whitei* Lacord. Gen. Col. IX, 1869, p. 298, nota 2.
- orientalis** Reitter, Revis. p. 43. — Pic, Longic. II, 1898, p. 23. Kleinasien
- plagiatus** Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 459. Ostindien:
Travancore

- rufipectus** Quedenf. Journ. Sc. Lisboa XL, 1885, p. 243. Afrika
verecundus Fald. Bull. Moscou IX, 1836, p. 396, Kaukasus
 t. 8, f. 6; Fauna Transcauc. II, 1837, p. 274.
 — Muls. Col. France, Long. ed. 2, 1863,
 p. 279. — Heyden, Berl. Ent. Zeitschr. VIII,
 1864, p. 327. — Reitter, Revis. p. 44.

11

Morimospasma Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 78.

paradoxum Ganglb. l. c. p. 80.

Nordchina:

1

Kanssu

Lamia F.

F. Syst. Ent. 1775, p. 170; Gen. Ins. 1776, p. 48; Mant. Ins. I, 1787,
 p. XII, 136; Ent. Syst. I. 2, 1792, p. 265; Syst. Eleuth. II, 1801, p. 281
 (ex p.). — Laich. Tyrol. Ins. II, 1784, p. 15 (ex p.). — Ol. Encycl.
 méth. VII, 1792, p. 449 (ex p.). — Schrank, Fauna Boica I, 2, 1798,
 p. 371 (ex p.). — Latr. Préc. Car. Ins. 1797, p. 55; Hist. Nat. Ins. XI,
 1804, p. 267; Gen. Crust. et Ins. III, 1807, p. 35; Consid. Gen. 1810,
 p. 230, 431 (typ. *textor*). — Cuv. Tabl. Elem. 1798, p. 554. —
 Payk. Fauna Suec. III, 1800, p. 61. — Curtis, Brit. Ent. IV, 1827,
 nr. 172. — Steph. Brit. Ent. Mandib. IV, 1831, p. 235; Man. Brit.
 Col. 1839, p. 269. — Serv. Ann. Soc. Ent. France IV, 1835, p. 93. —
 Muls. Col. France, Long. 1839, p. 135: ed. 2, 1863, p. 273, 275. —
 Cast. Hist. Nat. Col. II, 1840, p. 477. — Redt. Gatt. Deutsch. Käferf.
 1845, p. 111; Fauna Austr. 1849, p. 495; ed. 2, 1858, p. 860; ed. 3,
 1874, p. 415. — Bach, Käferf. III, 1856, p. 6, 30. — Gutfl. Käfer
 Deutschl. 1859, p. 570, 581. — C. G. Thoms. Skand. Col. VIII, 1866,
 p. 90; X, 1868, p. 240. — Fairm. Gen. Col. d'Eur. IV, 1868, p. 161.
 — Lacord. Gen. Col. IX, 1869, p. 297. — Seidl. Fauna Balt. 1875,
 Gatt. p. 139; ed. 2, 1891, Gatt. p. 185. — Schlosser, Fauna Kornjas.
 III, 1879, p. 808. — Ganglb. Best.-Tab. VII, 1881, p. 15 (693). —
 — Bedel, Faune Col. Seine V, 1889, p. 34. — Fowler, Col. Brit.
 Isl. IV, 1890, p. 243, 248. — Seidl. Fauna Transsylv. 1891, Gatt.
 p. 185. — Stierl. Col. Helvet. II, 1898, p. 488. — Everts, Col. Neerl. II,
 I, 1901, p. 374. — Csiki, Rov. Lapok VI, 1904, p. 167. — Houlb. Faune
 Armor. Ceramb. 1904, p. 19, 60; ed. 2, 1909, p. 17, 61. — Kuhn,
 Käfer Deutschl. 1912, p. 757. — Reitter, Fauna Germ. IV, 1913,
 p. 54. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 868. — Auriv.
 Sv. Insektf. IX, 1, 1917, p. 36, 37.

Morimidus Thoms. Arcana Nat. 1859, p. 95; Classif.
 Ceramb. 1860, p. 77; Syst. Ceramb. 1864, p. 380.

- ✓ **textor** L. Syst. Nat. ed. 10, 1758, p. 392; Pandora Ins. Europa,
 1758, t. f. 179; Fauna Suec. ed. 2, 1761, p. Sibirien
 190; Syst. Nat. ed. 12, 1767, p. 629. — Poda,
 Mus. Graec. 1761, p. 33. — Scop. Ent. Carniol.
 1763, p. 51 (ex p.). — Houtt. Natuurl. Hist. I,
 9, 1766, p. 553. — Müller, Nat. Syst. V, 1,
 1774, p. 267. — F. Syst. Ent. 1775, p. 171;
 Spec. Ins. 1781, p. 217; Mant. Ins. I, 1787,
 p. 136; Ent. Syst. I, 2, 1792, p. 268; Syst.
 Eleuth. II, 1801, p. 285. — Müller, Zool.
 Dan. Prodr. 1776, p. 91. — Goeze, Ent.
 Beytr. I, 1777, p. 441. — Bergstr. Nomencl.

Ins. I, 1778, p. 5, t. 1, f. 8. — Schrank, Enum. Ins. 1781, p. 134; Fauna Boica I, 2, 1798, p. 656. — Laich. Tyrol. Ins. II, 1784, p. 15 (ex parte). — Herbst in Borowsky, Naturg. VI, 1784, p. 124. — Geoffr. in Fourcr. Ent. Paris I, 1785, p. 74. — Petagna, Spec. Ins. Calabr. 1787, p. 16. — Villers, Linn. Ent. I, 1789, p. 231. — Panzer in Uddm. Nov. Ins. Spec. ed. 2, 1790, p. 15. — Razoum. Hist. Nat. Jorat I, 1789, p. 150. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1831. — Petagna, Instit. Entomol. I, 1792, p. 229. — Rossi, Fauna Etr. I, 1790, p. 144; ed. Hellw. 1795, p. 155 (ex p.). — Ol. Encycl. méth. VII, 1792, p. 461 (ex p.); Ent. IV, nr. 67, 1795, p. 105 (ex p.), t. 6. f. 39 d, e. — Panz. Fauna Ins. Germ. XIX, 1794, t. 1; in Voët, Cat. Col. ed. 2, III, 1794, Vorber. Titelkupf. f. 3; Ent. Germ. 1795, p. 250; Enum. Syst. Schaeffer Icon. Ins. 1804, p. 15, t. 10, f. 1. — Cederhj. Faunae Ingr. Prodr. 1798, p. 87. — Cuvier, Tabl. Elem. 1798, p. 554. — Donnd. Europ. Fauna VIII, 1799, p. 609. — Payk. Fauna Suec. III, 1800, p. 61. — Walcken. Faune Paris. I, 1802, p. 206. — Ol. in Deterv. Dict. d'Hist. Nat. XII, 1803, p. 505. — Bechst. & Scharfenb. Forstins. I, 1804, p. 194. — Latr. Hist. Nat. Ins. XI, 1804, p. 268; Règne Anim. III, 1817, p. 340; ed. 2, V, 1829, p. 125. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 283; ed. 3, IV, 1828, p. 358. — Samouelle, Ent. Comp. 1819, p. 209, t. 2, f. 24. — Goldf. Handb. Zool. I, 1820, p. 364. — Dumér. Dict. Sc. Nat. XXV, 1822, p. 182; Entomol. Analyt. 1860, p. 613. — Curtis, Brit. Ent. IV, 1827, nr. 172. — Gyllenh. Ins. Suec. I, 4, 1827, p. 59. — Boit. Man. d'Ent. II, 1828, p. 21. — Wilbr. Handb. Naturg. 1829, p. 477. — Muls. Lettres à Julie II, 1830, p. 333. — Eichw. Zool. Spec. II, 1830, p. 258. — Steph. Brit. Ent. Mand. IV, 1831, p. 235; Man. Brit. Col. 1839, p. 272. — Ruthe in Wiegmn. Handb. Zool. 1832, p. 340. — Zenker, Naturg. schädl. Thiere 1836, p. 318. — Oken, Allg. Naturg. V, 3, 1836, p. 1702, t. 41, 3, f. 8a. — Reichenb. Naturg. Ins. 1837, p. 411, t. 100, f. 653. — Muls. Col. France, Long. 1839, p. 136; ed. 2, 1863, p. 275. — Spry & Shuck. Brit. Col. 1840, p. 67, t. 78, f. 2. — Cast. Hist. Nat. Col. II, 1840, p. 478. — Berge, Käferb. 1844, p. 123, t. 11, f. 4. — Küster, Käfer Eur. II, 1845, p. 57; V, 1846, t. 3, f. 2. — Blanch. in Cuv. Règne Anim. ed. Masson, Ins. I, 1849, p. 489, t. 68, f. 2. — Redtb. Fauna Austr. 1849, p. 495; ed. 2, 1858, p. 860; ed. 3, 1874, p. 415. — Lentz, Preuß. Käfer 1853, p. 38. — Imh. Einf. Kol. 1856, t. 17, f. 10. — Bach, Käferf. III, 1856, p. 30. — Gutfl. Käfer Deutschl. 1859, p. 581. — Leunis.

- Synops. ed. 2, I, 1860, p. 506, f. 279; ed. 3, I, 2, 1886, p. 192, f. 180. — Disconzi, Ent. Vicent. 1865, p. 85, 88. — C. G. Thoms. Skand. Col. VIII, 1866, p. 90. — Lacord. Gen. Col. IX, 1869, p. 297. — Seidl. Fauna Balt. 1872, p. 516. — Cuni, Catal. Col. Cataluña 1876, p. 298. — Schlosser, Fauna Kornjas. III, 1879, p. 831. — Sériziat, Col. France 1880, p. 309, f. 214. — Fairm. Hist. Nat. France, Col. 1882, p. 268, t. 23, f. 270. — Ganglb. Best.-Tab. VIII, 1884, p. 81 (515). — Bau, Handb. Käfer 1888, p. 420. — Bedel. Faune Col. Seine V, 1889, p. 37. — Fowler, Col. Brit. Isl. IV, 1890, p. 248, t. 124, f. 1. — Seidl. Fauna Transsylv. 1891, p. 844. — Griffini, Coleott. 1896, p. 198, t. 38, f. 12. — Boas, Forstzool. 1896, p. 222, f. 119. — Stierl. Col. Helvet. II, 1898, p. 492. — Lameere, Faune Belg. II, 1900, p. 413, fig. — Oudem. Nederl. Ins. 1900, p. 694. — Everts, Col. Neerl. II, 1901, p. 374. — Csiki, Rov. Lapok XI, 1904, p. 209. — Houlb. Faune Armor. Ceramb. 1904, p. 60, f. 114; ed. 2, 1909, p. 61, f. 114. — Bellevoys, Ins. des Saules 1905, p. 5, t. 1, f. y. — Jacobs. Käfer Rußl. 1910, t. 70, f. 12. — Harmsworth, Nat. Hist. III, 1911, p. 1975, f. 1. — Kuhnt, Käfer Deutschl. 1912, p. 789, f. 185. — Barbey, Ent. Forest. 1913, p. 569. — Reitter, Fauna Germ. IV, 1913, p. 56, t. 138, f. 2. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 17, f. 8. — Beffa, Rivista Col. Ital. XIII, 1915, Append. t. 1, f. 3. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 869, t. 31, f. 12. — Auriv. Sv. Insektf. IX, 1, 1917, p. 37, f. 15.
- cephalose*: Voet, Catal. Col. II, 1778, p. 11, t. 9, f. 36; ed. Panz. III, 1794, p. 28, t. 9, f. 36.
- lugubris* Fairm. Gen. Col. d'Eur. IV, 1868, t. 48, f. 225.
- nigrorugosus* De Geer, Mém. Ins. V, 1775, p. 64. — Retz. Gen. Sp. Ins. De Geer 1783, p. 137.
- noctis* Gronov. Zoophyl. 1783, p. 162, nr. 538, index.
- unicolor* Brown, Ill. Zool. 1776, p. 134, t. 50, f. 4.
- B i o l o g i e**: Chap. et Cand. Mém. Soc. Liège VIII, 1853, p. 585, t. 8, f. 1. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 313. — Altum, Dankelm. Zeitschr. XI, 1879, p. 19, fig. — Judeich, Forstins. II, 1, 1889, p. 578. — Lunardoni, Ins. Noc. I, 1889, p. 504. — Xambeu, Mœurs et Métam. VIII, 1902, p. 153; XI, 2, 1902, p. 20. — Clément, Bull. Soc. d'Acclimat. LVI, 1909, p. 31.
- A n a t o m i e**: Ramdohr, Verdauungswerkz. Ins. 1811, p. 114, t. 9, f. 1. — Prochnow, Lautappar. Ins. 1907, p. 58, f. 15, 19.

- var. *tricarinata* Cornel. Verh. Nat. Ver. Westfalen;
Elberfeld VI, 1884, p. 50. Tecklenburg

1

V. Monochamini.

Lacordaire, Gen. Col. IX, 1869, p. 299.

Lamiomimus Kolbe.

Kolbe, Arch. Naturg. LII, 1886, p. 224.

- ✓ *Gottschei* Kolbe, l. c. p. 224, t. 11, f. 39. — Semen. Korea,
Revue Russe d'Ent. VII, 1908, p. 264. — China
Jacobs. Käfer Rußl. 1911, t. 71, f. 1.
adelpa Ganglb. Horae Soc. Ent. Ross. XX,
1886, p. 137.

1

Stratioceros Lacord.

Lacord. Gen. Col. IX, 1869, p. 303. — Gah. Ann. Mag. Nat. Hist. (6)
II, 1888, p. 262.

Cacoscapus Thoms. Revue Zool. (3) VI, 1878, p. 47.

- ✓ *princeps* Lacord. Gen. Col. IX, 1869, p. 303, nota 1. Laos,
— Brongn. N. Archiv. Mus. Paris (3) III, Cambodja
1892, p. 248, t. 10, f. 10♀.

Mouhoti Thoms. Revue Zool. (3) VI, 1878,
p. 48. — Gah. Ann. Mag. Nat. Hist. (6) II,
1888, p. 262.

1

Arctolamia Gestro.

Gestro, Ann. Mus. Civ. Genova (2) VI, 1888, p. 129.

- ✓ *fasciata* Gestro, l. c. (2) X, 1890, p. 222, fig. Tenasserim
✓ *Fruhstorferi* Auriv. Ent. Tidskr. XXIII, 1902, p. 208, Tonkin
f. 19.
✓ *villosa* Gestro, Ann. Mus. Civ. Genova (2) VI, 1888, Birma
p. 129; X, 1890, p. 223, fig.

3.

Epicedia Thoms.

Thoms. Syst. Ceramb. 1864, p. 78, 380. — Pasc. Trans. Ent. Soc.
Lond. (3) III, 1866, p. 260, 284. — Lacord. Gen. Col. IX, 1869, p. 304.

bigemmata Thoms. Syst. Ceramb. 1865, p. 554. Ostindien

carolina Fairm. Ann. Soc. Ent. France LXVIII, 1900, China:
p. 641. Sze-Tschuan

- ✓ *maculatrix* Perty, Obs. Col. Ind. 1831, p. 42. — Sumatra,
Lacord. Gen. Col. IX, 1869, p. 304, t. 97, f. 4. Java,
— Heyne-Taschenb. Exot. Käfer 1906, p. 241, Borneo
t. 37, f. 3.

Carceli Guér. Voy. Belanger 1834, p. 491,
t. 2, f. 7. — Thoms. Syst. Ceramb. 1864,
p. 78. — Pasc. Trans. Ent. Soc. Lond. (3)
III, 1866, p. 284.

pleuricosta Thoms. Archiv. Ent. I, 1857,
p. 179.

- officinator** White, Proc. Zool. Soc. Lond. XXVI, 1858, Assam,
p. 409. — Gah. Ann. Mag. Nat. Hist. (6) II, Birma
1888, p. 400.
quadrinotata Thoms. Syst. Ceramb. 1865,
p. 554.
- triangularis** Thoms. Syst. Ceramb. 1865, p. 554. Siam
- trimaculata** Chevr. Revue Zool. (2) VIII, 1856, p. 87. Java, Borneo,
plagiata Thoms. Archiv. Ent. I, 1857, p. 178. Sumatra
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1866,
p. 287.
- Wrayi** Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, Perak
p. 449.

7

Archidice Thoms.

- Thoms. Syst. Ceramb. 1864, p. 79. — Lacord. Gen. Col. IX, 1869,
p. 305.
- ✓ **Castelnaudi** Thoms. Syst. Ceramb. 1864, p. 79. — Sunda-Inseln
Lacord. Gen. Col. IX, 1869, p. 305.
- ✓ **flumbrata** Chevr. Revue Zool. (2) VIII, 1856, p. 87. — Borneo,
Thoms. Archiv. Ent. I, 1857, p. 178. — Pasc. Selangor
Trans. Ent. Soc. Lond. (3) III, 1866, p. 286.
- Pascoei** Thoms. Physis II, 1868, p. 183. "

3

Pseudhammus Kolbe.

- Kolbe, Stett. Ent. Zeit. LV, 1894, p. 34; Deutsch-Ostafrika IV, Col.
1907, p. 307.
- congoana** Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Congo:
Bull. p. 379; XXXVI, 1892, p. 342. Ibembo
- congolensis** Hintz, Deutsche Ent. Zeitschr. 1913, Congo:
p. 197. Kondue
- discoldea** Har. Col. Hefte XVI, 1879, p. 178. Angola
- Faeae** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 31. Insel S. Thomé
- harpax** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 35. Westafrika
- myrmidonum** Kolbe, l. c. p. 34; Deutsch-Ostaf. IV, Ituri
Col. 1897, p. 307, t. 4, f. 43.
- occipitalis** Lameere, Ann. Soc. Ent. France LXII, Assinie
1893, p. 44.
- oculifrons** Chevr. Revue Zool. (2) VIII, 1856, p. 490; Alt-Calabar,
Cent. de Long. 1858, nr. 53. — Murray, Ann. Congegebiet
Mag. Nat. Hist. (4) VI, 1870, p. 477. — Har.
Col. Hefte XVI, 1879, p. 178. — Duviv. Ann.
Soc. Ent. Belg. XXXVI, 1892, p. 341.
- Rothschildi** Gah. Bull. Mus. Paris XV, 1909, p. 73. Ostafrika

9

Leprodera Thoms.

- Thoms. Archiv. Ent. I, 1857, p. 177; Classif. Ceramb. 1860, p. 94,
102; Syst. Ceramb. 1864, p. 380. — Pasc. Trans. Ent. Soc. Lond. (3)
III, 1866, p. 285. — Lacord. Gen. Col. IX, 1869, p. 305.
- arlolator** F. Syst. Ent. 1775, p. 172; Spec. Ins. I, 1781, „Indien“
p. 218; Mant. Ins. I, 1787, p. 137. — Gmel.
in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832.

variator F. Ent. Syst. I, 2, 1792, p. 277;
Syst. Eleuth. II, 1801, p. 294.

- bioculata** Fairm. Ann. Soc. Ent. France LXVIII, 1900, p. 641. China:
Sze-Tschuan
- bisignata** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 32. Birma
- cordifera** Thoms. Syst. Ceramb. 1865, p. 554. — Siam,
Lacord. Gen. Col. IX, 1869, p. 306, nota 1. Laos
- erucifera** F. Ent. Syst. I, 2, 1792, p. 269; Syst. Eleuth. II, 1801, p. 285. — Ol. Ent. IV, nr. 67, 1795, p. 70, t. 10, f. 68. — Cast. Hist. Nat. Col. II, 1840, p. 477. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 391. Südostindien,
Ceylon
- ✓ **elongata** Thoms. Archiv. Ent. I, 1857, p. 177. Java,
equestris Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 285, t. 14, f. 6. Penang,
Borneo
- ✓ **epicedioides** Pasc. l. c. p. 287. Borneo,
Selangor
- Felderi** Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 109, t. 5, f. 9. Sumatra,
Borneo
- insidiosa** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 391. Nordindien,
Birma,
Penang
- lecta** Gah. l. c. p. 389. Siam
- ✓ **officinator** Lacord. Gen. Col. IX, 1869, p. 306, nota 1. „Ostindien“
- Stephanns** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 406. „
- vaticina** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 287. Borneo
- ✓ **verrucosa** Pasc. l. c. p. 286. „
arista Thoms. Revue Zool. (3) VI, 1878, p. 46. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 262.

14

Pseudanhammus Rits.

Rits. Notes Leyden Mus. XI, 1889, p. 243.

- Keili** Rits. l. c. p. 243. Sumatra

1

Nephelotus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 306. — Lacord. Gen. Col. IX, 1869, p. 302, 318.

- Aurivillii** Rits. Notes Leyden Mus. XXXIV, 1914, p. 191. Sumatra

- ✓ **conspersus** Thoms. Syst. Ceramb. 1865, p. 555. — Java,
Gah. Journ. Malay. States Mus. I, 1906, p. 114. Selangor,
Sumatra

✓ **var. licheneus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 307, t. 14, f. 1. Borneo

2

Anhammus Thoms.

- Thoms. *Classif. Ceramb.* 1860, p. 94, 97; *Syst. Ceramb.* 1864, p. 380.
 — *Pasc. Trans. Ent. Soc. Lond.* (3) III, 1866, p. 259, 289. — *Lacord. Gen. Col. IX*, 1869, p. 301, 306.
- Anammus* Gemm. et. *Har. Cat. Col X*, 1873, p. 3013.
- aberrans** Rits. *Notes Leyden Mus.* III, 1881, p. 146. Borneo
- ✓ **Daleni** Guér. *Jcon. Règne Anim. Ins.* 1844, p. 242. Java
 — *Pasc. Trans. Ent. Soc. Lond.* (3) III, 1866, p. 290. — *Lacord. Gen. Col. IX*, 1869, p. 307. — *Heyne-Taschenb. Exot. Käfer* 1906, p. 241, t. 37, f. 4.
- Dejeani* Thoms. *Archiv. Ent. I*, 1857, p. 295.
 var. *tessellatus* Heller. *Tijdschr. v. Ent. LVIII*, Suppl. 1916, p. 105. Sumatra
- ✓ **marcipor** Newm. *Entomol. I*, 1842, p. 277. — *Gah. Philippinen Ann. Mag. Nat. Hist.* (6) II, 1888, p. 401.
- 4

Anammophas Heller.

- Heller, *Tijdschr. v. Ent. LVIII*, Suppl. 1916, p. 107.
- Alexandrae** Thoms. *Revue Zool.* (3) VI, 1878, p. 47. Sumatra
 — Heller, *Tijdschr. v. Ent. LVIII*, Suppl. 1916, p. 107.
- 1

Nemophas Thoms.

- Thoms. *Syst. Ceramb.* 1864, p. 75, 378. — *Pasc. Trans. Ent. Soc. Lond.* (3) III, 1866, p. 260, 273. — *Lacord. Gen. Col. IX*, 1869, p. 301, 307. — Heller, *Tijdschr. v. Ent. LXII*, 1919, p. 98—103 (Revisio).
- ✓ **batoceroïdes** Thoms. *Syst. Ceramb.* 1864, p. 75. — Timor
Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 274. — *Lacord. Gen. Col. IX*, 1869, p. 303.
 — Heller, *Revis.* p. 102.
- Bennigseni** Auriv. *Deutsche Ent. Zeitschr.* 1908, p. 215. Deutsch-Neuguinea; Herberts-höhe
- bielnetus** Lansb. *Ann. Soc. Ent. Belg.* XXIII, 1880, Insel
Bull. p. 137. — Heller, *Revis.* p. 102. Soela Besi
- cyanescens** Jord. *Nov. Zool.* V, 1898, p. 419. Key-Inseln
atrocyaneus Heller, *Revis.* p. 102.
- enpholoides** Nonfr. *Ent. Nachr.* XX, 1894, p. 47. Sumatra
- Forbesi** Waterh. *Proc. Zool. Soc. Lond.* 1884, p. 218, Insel Larat
 t. 16, f. 5. — Heller, *Revis.* p. 102.
- ✓ **Grayi** *Pasc. Trans. Ent. Soc. Lond.* (2) V, 1859, Proc. Amboina
 p. 54; (3) III, 1866, p. 274, t. 13, f. 1. — Heller, *Revis.* p. 103.
Doleschali Redtb. *Reise Novara, Col.* 1867, p. 181, t. 5, f. 4.
- Helleri** Hauser, *Deutsche Ent. Zeitschr.* 1904, p. 42. Key-Inseln
 — Heller, *Revis.* p. 103.
- incensus** *Pasc. Trans. Ent. Soc. Lond.* (3) III, 1866, Insel Morty
 p. 275, t. 13, f. 5. — Heller, *Revis.* p. 103.
- lethalis** *Pasc. Trans. Ent. Soc. Lond.* (3) III, 1866, „
 p. 276, t. 13, f. 2. — Heller, *Revis.* p. 103.

- leuciscus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 275, t. 13, f. 4. — Heller, Revis. p. 103. Batjan
malachiticus Nonfr. Berl. Ent. Zeitschr. XXXVI, 1891, p. 380. Sumatra
Rosenbergi Rits. Notes Leyden Mus. III, 1881, p. 148. Celebes
 — Heller, Abhandl. Mus. Dresden VII, 3, 1898, p. 36; Revis. p. 102.
tricolor Heller, l. c. VI, 3, 1896, p. 23, t. f. 13; VII, 3, 1898, p. 36; Revis. p. 103. „
trifasciatus Heller, Revis. p. 101, 103. Key-Inseln
Websteri Jord. Nov. Zool. V, 1898, p. 419. Neu-Hannov.
zonatus Landsb. Ann. Soc. Ent. Belg. XXIII, 1880, Timor
 Bull. p. 137. — Heller, Revis. p. 102.
 17

Dolichoprosopus Rits.

- Rits. Notes Leyden Mus. III, 1881, p. 149.
maculatus Rits. l. c. p. 149. Halmahera,
 var. *canescens* v. d. Poll, l. c. XII, 1890, Batjan
 p. 140.
maculatus v. d. Poll, l. c. XI, 1889, p. 222.
 1

Iothocera Thoms.

- Thoms. Syst. Ceramb. 1864, p. 75, 378. — Lacord. Gen. Col. IX, 1869, p. 302, 308.
 ✓ **tomentosa** Buq. Ann. Soc. Ent. France (3) VII, 1859, Neuguinea
 p. 633. — Thoms. Syst. Ceramb. 1864, p. 75.
 — Lacord. Gen. Col. IX, 1869, p. 308.
humeralis Kaup, Einige Ceramb. Darmst. 1866, p. (8).
 1

Cornuscoparia Jord.

- Jordan, Nov. Zool. I, 1894, p. 501.
Jonthophana Heller, Abhandl. Mus. Dresden VI, 11, 1897, p. 4; XIII, 3, 1910, p. 39.
annulicornis Heller, Abhandl. Mus. Dresden VI, 11, Neuguinea:
 1897, p. 4. Astrolabe
 Bay
hirticornis Heller, l. c. XIII, 3, 1910, p. 38, tab. f. 8. Deutsch-
 Neuguinea:
 Sattelberg
ochracea Jord. Nov. Zool. I, 1894, p. 501. Neuguinea:
 Dorey
Schlaginhaufeni Heller, Abhandl. Mus. Dresden XIII, Neuguinea
 3, 1910, p. 38, tab. f. 7, 7a.
Wollastoni Gah. Trans. Zool. Soc. Lond. XX, 1915, „
 p. 541, t. 39, f. 18; Wollast. Exped. Dutch
 N. Guinea I, 1915, Col 3, p. 13.
 5

Sarthrocera White.

White, Ann. Mag. Nat. Hist. XVIII, 1846, p. 47; Low, Sarawak 1848, p. 414. — Thoms. Syst. Ceramb. 1864, p. 378. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 273. — Lacord. Gen. Col. IX, 1869, p. 308.

- ✓ **Lowi** White, Ann. Mag. Nat. Hist. XVIII, 1846, p. 47, Borneo
t. 1, f. 6; Low, Sarawak 1848, p. 415, tab. f. 2.
— Pasc. Trans. Ent. Soc. Lond. (3) III,
1866, p. 273. — Lacord. Gen. Col. IX, 1869,
p. 309. — Heyne-Taschenb. Exot. Käfer
1906, p. 241, t. 37, f. 10.

1

Euoplia Hope.

Hope, Proc. Linn. Soc. Lond. I, 5, 1839, p. 42; Ann. Nat. Hist. IV, 1839, p. 279; Trans. Linn. Soc. Lond. XVIII, 1840, p. 437. — Thoms. Classif. Ceramb. 1860, p. 94; Syst. Ceramb. 1864, p. 381. — Lacord. Gen. Col. IX, 1869, p. 309.

polyspila Hope, Trans. Linn. Soc. Lond. XVIII, 1840, Assam
p. 437, t. 30, f. 6. — Lacord. Gen. Col. IX,
1869, p. 310.

1

Callophora Thoms.

Thoms. Syst. Ceramb. 1864, p. 76, 379. — Lacord. Gen. Col. IX, 1869, p. 354, 361.

Hoplophora Gemm. & Har. Catal. Col. X, 1873, p. 3035.

Oplophora Hope, Proc. Linn. Soc. Lond. I, 1839, p. 42;
Ann. Mag. Nat. Hist. IV, 1840, p. 279; Trans. Linn. Soc.
Lond. XVIII, 1840, p. 438.

- ✓ **Fruhstorferi** Auriv. Ent. Tidskr. XXIII, 1902, p. 209. Tonkin
✓ **Graafi** Rits. Notes Leyden Mus. II, 1880, p. 246; Sumatra
Midden Sumatra IV, 6, 1887, p. 135, t. 3, f. 5.
✓ **Sollii** Hope, Trans. Linn. Soc. Lond. XVIII, 1840, Assam,
p. 438, t. 30, f. 4. — Lacord. Gen. Col. IX, Sikkim,
1869, p. 362. Birma
tonkinea Pic, Echange XXIII, 1907, p. 152. Tonkin

4

Anoplophora Hope.

Hope, Proc. Linn. Soc. Lond. I, 5, 1839, p. 43; Ann. Mag. Nat. Hist. IV, 1839, p. 280; Trans. Linn. Soc. Lond. XVIII, 1840, p. 439. — Thoms. Syst. Ceramb. 1864, p. 379. — Lacord. Gen. Col. IX, 1869, p. 302, 310.

- ✓ **Luclpor** Newm. Entomol. I, 1842, p. 275. — Westw. Philippinen
Cab. Orient. Ent. 1848, p. 60, t. 29, f. 7. —
Lacord. Gen. Col. IX, 1869, p. 311.
stanleyana Hope, Trans. Linn. Soc. Lond. XVIII, Assam
1840, p. 439, t. 30, f. 1.
Stanleyi Lacord. Gen. Col. IX, 1869, p. 310.

2

Meges Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 272 nota.

Merges Lacord. Gen. Col. IX, 1869, p. 302, 311.

- gravidus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo?
p. 245; (3) III, 1866, p. 272 nota. Nordchina?
- marmoratus** Westw. Cab. Orient. Ent. 1848, p. 11, Himalaya
t. 5, f. 1.

2

Psacotha Gah.

Gahan, Ann. Mag. Nat. Hist. (6) II, 1888, p. 400.

- ✓ **hilaris** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Nordchina,
p. 103. — Matsum. Thous. Ins. Japan III, Japan,
1908, nr. 688, t. 52, f. 3. Formosa
- flavoguttata* Fairm. Ann. Soc. Ent. Belg.
XXXI, 1887, p. 133. — Gah. Ann. Mag. Nat.
Hist. (6) II, 1888, p. 400.

1

Epepeotes Pasc.Pasc. Proc. Zool. Soc. Lond. 1866, p. 249; Trans. Ent. Soc. Lond.
(3) III, 1866, p. 300. — Lacord. Gen. Col. IX, 1869, p. 301, 312.**albomaculatus** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, Nordindien
p. 272.**andamanicus** Gah. l. c. (6) XI, 1893, p. 380. Andamanen**basalis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 80.**diversus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Key-Inseln
p. 302.**fumosus** Pasc. l. c. p. 301. Flores,
Sumbawa**gigas** Auriv. Ent. Tidskr. XVIII, 1897, p. 246, t. 3, f. 1. Borneo**guttatus** Guér. Icon. Règne Anim. Ins. 1844, p. 242. Himalaya
— Gah. Ann. Mag. Nat. Hist. (6) I, 1888,
p. 272.*punctulatus* Westw. Cab. Orient. Ent. 1848,
p. 12, t. 5, f. 4.

- ✓ **lateralis** Guér. Dict. Class. d'Hist. Nat. XVII, 1831, Malacca,
t. 68, f. 6. — Heyne-Taschenb. Exot. Käfer Sumatra,
1903, p. 241, t. 35, f. 1. Java, Borneo,
Celebes

meridianus Pasc. Trans. Ent. Soc. Lond.
(3) III, 1866, p. 302.*spinosus* Thoms. Archiv. Ent. I, 1857, p. 179.
Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 400.

- ✓ **luscus** F. Mant. Ins. I, 1787, p. 139; Ent. Syst. I, 2, Siam,
1792, p. 283; Syst. Eleuth. II, 1801, p. 298. Malacca,
— Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, Sumatra,
p. 1836. — Pasc. Trans. Ent. Soc. Lond. Java, Borneo,
(3) III, 1866, p. 301. — Heyne-Taschenb. Timor,
Exot. Käfer 1903, p. 241, t. 35, f. 29. Banda, Buru

var. *enganensis* Gah. Ann. Mus. Civ. Genova Insel Engano
(3) III, 1907, p. 80.**plorator** Newm. Entomol. I, 1842, p. 276. Philippinen

- vitticollis* Thoms. Ann. Soc. Ent. France (5) VIII, 1878, Bull. p. 18. — Rits. Notes Leyden Mus. XXIII, 1901, p. 94.
 ✓ var. *celebensis* nom. nov. Celebes
plorator Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 302.
 ✓ *rarus* Thoms. Archiv. Ent. I, 1857, p. 445, t. 17, f. 7. Aru
 — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 291.
eugenius Heller, Abhandl. Mus. Dresden VI, 11, 1907, p. 5; Notes Leyden Mus. XIX, 1907, p. 194. Neuguinea
Schlegelii Lausb. Notes Leyden Mus. VI, 1884, p. 90; Midden Sumatra IV, 1, 1892, Aanhangslet p. 12. Sumatra
uncinatus Gah. Ann. Mag. Nat. Hist. (6) 1, 1888, p. 271, t. 16, f. 2; (6) XI, 1893, p. 380. Nordindien, Birma
vestigialis Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 301. Borneo: Sarawak
Websteri Jord. Nov. Zool. V, 1898, p. 420. Neuhannover
 15

Pelargoderus Serv.

- Serv. Ann. Soc. Ent. France VI, 1835, p. 72. — Thoms. Classif. Ceramb. 1860, p. 104; Syst. Ceramb. p. 382. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 260, 276. — Lacord. Gen. Col. IX, 1869, p. 301, 312.
Paragnoma Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 298. — Thoms. Syst. Ceramb. 1864, p. 381. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 280. — Lacord. Gen. Col. IX, 1869, p. 313. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 401.
Rhamses Thomson, Archiv. Ent. I, 1857, p. 177; Classif. Ceramb. 1860, p. 103; Syst. Ceramb. 1864, p. 381.
 ✓ *acuminipennis* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 298, t. 17, f. 9. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 280. — Lacord. Gen. Col. IX, 1869, p. 313. Aru, Larat, Thursday-Insel
rugosus Waterh. Proc. Zool. Soc. Lond. 1884, p. 218. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 400.
 ✓ *Alcanor* Newm. Entomol. I, 1842, p. 277. Philippinen
 var. *Thomsoni* nom. nov. Celebes
Alcanor Thoms. Archiv. Ent. I, 1857, p. 298. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 278.
antennatus Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 34. Birma
apicalis Gah. Ann. Mag. Nat. Hist. (8) V, 1900, p. 348. Hainan
arouensis Thoms. Archiv. Ent. I, 1857, p. 446, t. 17, f. 8. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 277. Aru
assimilis Auriv. Deutsche Ent. Zeitschr. 1908, p. 215. Neupommern, Neulauenburg
 ✓ *bipunctatus* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 167. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 278. — Heyne-Taschenb. Exot. Käfer 1903, p. 241, t. 35, f. 34. Java

- ceramensis** Thoms. Classif. Ceramb. 1860, p. 361. — Ceram
Pasc. Trans. Ent. Soc. Lond. (3) III, 1866,
p. 279.
- cincticornis** Rits. Notes Leyden Mus. XVII, 1895, Borneo
p. 33.
- flavicornis** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, Insel Nias
p. 272, t. 16, f. 3.
- fufvoirroratus** Blanch. Voy. Pôle Sud, Zool. IV, 1853, Ceram,
p. 295, t. 17, f. 7. Amboina,
Neuguinea
- hector* Pasc. Journ. of Ent. I, 1862, p. 343;
Trans. Ent. Soc. Lond. (3) III, 1866, p. 278.
- marginipennis** Rits. Notes Leyden Mus. XVII, 1895, Insel Engano
p. 34.
- meleagris** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Celebes:
p. 279. — Waterh. Aid Identif. Ins. II, 1886, Tondano
t. 180, f. 3.
- niger** Thoms. Revue Zool. (3) VI, 1878, p. 48. Andamanen
- rubropunctatus** Guér. Voy. Coquille, Ins. t. 7, f. 4, Neuguinea:
1831, Zool. II, 2, 1838, p. 137. Dorey
- semigrinus** Rits. Notes Leyden Mus. VII, 1885, p. 43, Sumatra
t. 3, f. 3; Midden Sumatra IV, 1, 1892, Aan-
hangsel p. 12.
- Sjthoffi** Rits. Notes Leyden Mus. XXIII, 1901, p. 94. "
- trigonalis** Heyd. Abh. Senckenb. Naturf. Ges. XXIII, Halmahera
1897, p. 573.
- nigroplagiatus* Rits. Notes Leyden Mus.
XX, 1898 (April), p. 33; XXIII, 1901, p. 94.
- trivittatus** Auriv. Arkiv f. Zool. III, 18, 1907, p. 15. Sumatra
- vittatus** Serv. Ann. Soc. Ent. France IV, 1835, p. 73. Buru,
— Pasc. Trans. Ent. Soc. Lond. (3) III, "Java" ?
1866, p. 277.

20

Diochares Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 303. — Lacord. Gen.
Col. IX, 1869, p. 301, 313.
- ambigenus** Chevr. Revue Zool. IV, 1841, p. 228. — Manilla
Desm. Voy. Bonite, Zool. I, 2, 1841, p. 320,
t. 2, f. 38.
- basigranatus** Fairm. Ann. Soc. Ent. Belg. XXVII, Neupommern
1883, p. 51. — Gah. in Willey, Zool. Results
IV, 1900, p. 384.
- desertus** L. Syst. Nat. ed. 10, 1758, p. 391; ed. 12, Molukken
1767, p. 627; Mus. Lud. Ulr. 1764, p. 71. —
Houtt. Natuurl. Hist. I, 9, 1766, p. 542 —
Müller, Nat. Syst. V, 1, 1774, p. 263. —
Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1822.
- fimbriatus** Ol. Encycl. méth. VII, 1792, p. Philippinen
460; Ent. IV, nr. 67, 1795, p. 71, t. 19, f. 143.
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1866,
p. 303.
- lineator** F. Syst. Eleuth. II, 1801, p. 283.
var. *Rhobetor* Newm. Entomol. I, 1842, p. 276.

- griseomaculatus* Pic, Longic. X, 1, 1916, p. 18. Yunnan
impluviatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Tondano
 p. 305.
lugubris Pasc. l. c. p. 304.
mindanaonis Heller, Philippine Journ. Sc. X. D. 4. Mindanao
 1915, p. 240.

7

Myagrus Pasc.

- Pasc. Ann. Mag. Nat. Hist. (5) II, 1873, p. 372.
Hynesi Pasc. l. c. p. 372. Bombay
 1

Tibetobia J. Friv.

- J. Friv. Term. Füzetek XV, 1892, p. 118; Wiss. Ergebn. Reise
 Szechenyi II, 1898, p. 538.
Szechenyana J. Friv. l. c. p. 119; l. c. p. 539. Tibet
 1

Tomolamia Lameere.

- Lameere, Ann. Soc. Ent. France LXII, 1893, p. 44.
Oxyhammus Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 258. —
 Jord. Nov. Zool. X, 1903, p. 150.
cineta Jord. Nov. Zool. X, 1903, p. 150. — Auriv. Kamerun,
 Ent. Tidskr. XXIV, 1903, p. 268. Franz.Congo
derolins Jord. Nov. Zool. X, 1903, p. 150.
fulvaster Jord. Nov. Zool. I, 1894, p. 194. Kuilu
irrorata Lameere, Ann. Soc. Ent. France LXII, 1893, Assinie,
 p. 44. Kamerun
konduensis Hintz, Deutsche Ent. Zeitschr. 1913, p. 198. Congo
scutellaris Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 258. Usambara
simplex Auriv. Arkiv f. Zool. X, 19. 1916, p. 12. Deutsch-
 Ostafrika:
 Kwiro

7

Tricholamia Bates.

- Bates, Ent. Monthly Mag. XXI, 1884, p. 14. — Kolbe, Stett. Ent.
 Zeit. LIV, 1893, p. 260.
granulifera Kolbe, l. c. p. 259. Usambara
plagiata Bates, Ent. Monthly Mag. XXI, 1884, p. 15. Kamerun
 — Waterh. Aid Identif. Ins. II, 1886, t. 170, f. 4.
 2

Bixadus Pasc.

- Pasc. Proc. Ent. Soc. Lond. 1868, p. 12. — Jord. Nov. Zool. X,
 1903, p. 152.
aparus Jord. l. c. p. 152. Kamerun
sierricola White, Proc. Zool. Soc. Lond. XXVI, 1858, Sierra Leone,
 p. 410. — Jord. Nov. Zool. I, 1894, p. 196. Goldküste,
 — Heyne-Taschenb. Exot. Käfer 1904, p. Togo,
 241, t. 35, f. 23. — Aulmann, Fauna Deutsch. Kamerun
 Kolon. V, 2, 1911, p. 22, f. 12.

Biologie: Seeger, Mitteil. Deutsch. Schutzgeb. IX, 1896, p. 1. — Blandf. Kew Bull. Misc. Inf. XI, 1897, p. 179. — Kurtz, Mitteil. Deutsch. Schutzgeb. X, 1897, p. 87. — Preuss. Tropenpfl. 1899, p. 335; 1903, p. 346. — Lesne, l. c. 1902, p. 145. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 23, f. 13. — Kolbe, Deutsche Ent. Zeitschr. 1911, p. 503.

2

Penhammus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894. p. 259.

pauper Kolbe, l. c. p. 259.

Usambara

1

Brachyhammus Kolbe.

Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 304.

granulatus Kolbe, l. c. p. 305, t. 4, f. 4.

Deutsch-
Ostafrika:
Mhonda

1

Melanopolia Bates.

Bates, Ent. Monthly Mag. XXI, 1884, p. 15. — Jord. Nov. Zool. X, 1903, p. 151.

Griphammus Jord. l. c. I, 1894. p. 195.

Catori Jord. l. c. X, 1903, p. 152.

eincta Jord. l. c. p. 151.

Sierra Leone
Französ.
Congo
Gabun,
Kuilu,
Loanda

frenata Bates, Ent. Monthly Mag. XXI, 1884, p. 16 ♂.
— Jord. Nov. Zool. X, 1903, p. 151.

ligata Jord. l. c. I, 1903, p. 195, t. 10, f. 1.

Graueri Hintz, Ann. Hofmus. Wien XXX, 1916, p. 236. Zentralafrika:
Beni,
Mawambi

4

Noserocera Bates.

Bates, Ent. Monthly Mag. XXI, 1884, p. 17.

tuberosa Bates, l. c. p. 17. — Waterh. Aid Identif. Kamerun
Ins. II, 1886, t. 170, f. 6.

var. *orientalis* Auriv. Arkiv f. Zool. VIII, Uganda
29, 1914, p. 14.

1

Anthores Pasc.

Pasc. Trans. Ent. Soc. Lond. 1868, Proc. p. 13.

Herpetophygas Fähr. Col. Hefte IX, 1872, p. 194.

Phygas Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 31.

6*

- leuconotus** Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 210; (4) XV, 1875, p. 66 nota. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 10, f. 8 a, b. Ovambo-Land, Matabele-Land, Natal, Transvaal, Delagoa, Deutsch-Ostafrika
- fasciatus* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 31. — Péring. Trans. S. Afr. Phil. Soc. (6) II, 1892, p. 79.
- leucopterus* Heyne-Taschenb. Exot. Käfer 1906, p. 241, t. 37, f. 5.
- Biologie: Warburg, Mitteil. Deutsch. Schutzgeb. VIII, 1895, p. 130—140, t. 1. — Stuhlmann. Ber. Land. Forstwirtschaft. D. O. Afr. I, 1902, p. 154, t. 3, f. 1—6. — Kolbe, Deutsch-Ost-Afr. IV, Col. 1897, p. 32. — Sadebeck, Kulturgew. Deutsch. Kolon. 1899, p. 144. — Zimmermann, Ber. Land- u. Forstwirtschaft. D. O. Afr. IV, 1903, p. 351. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 12—21, f. 9—11; Fauna Exot. II, 1912, p. 76, f. 8. — Kolbe, Deutsche Ent. Zeitschr. 1911, p. 499.

1

Opepharus Pasc.

Pasc. Trans. Ent. Soc. Lond. 1868, Proc. p. 13

Lophoptera Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 352. Mélang. Ent. III, 1855, p. 32. — Lacord. Gen. Col. IX, 1869, p. 317.

- Fischeri** Kolbe, Deutsch-Ost-Afr. IV, Col. 1897, p. 308. Deutsch-Ostafrika: Bagamoyo
- minor** Kolbe, l. c. p. 308. Sansibar, Witu
- spectabilis** Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 355; Mélang. Ent. III, 1855, p. 35. Natal, Deutsch-Ostafrika
- asperula* White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 411. Congo
- tridentatus** Chevrol. Silb. Revue I, 1833, Col. nr. 9, t. 7. — Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 64. — Künck. in Grandid. Hist. Madag. Col. 1890, t. 50, f. 1, 2. — Alluaud, Guide Madag. 1899, p. 38, f. 43. Madagaskar
- signator* Pasc. Trans. Ent. Soc. Lond. 1868, Proc. p. 13.
- tridens* Vogt, Zoolog. Briefe I, 1851, p. 658, f. 860.
- var. *obscuratus* Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 550. „
- verticalis** Fairm. Revue d'Ent. France XX, 1901, p. 225. „

5

Batomena Bates.

Bates, Ent. Monthly Mag. XXI, 1884, p. 15.

multispinis Bates, l. c. p. 15. — Waterh. Aid Identif. Kamerun
Ins. II, 1886, t. 170, f. 3.

1

Macrohammus Auriv.

Auriv. Ent. Tidskr. VII, 1886, p. 52.

Deyrollei Thoms. Ann. Soc. Ent. France (5) IX, 1879, Kamerun,
Bull. p. 26. — Auriv. Ent. Tidskr. VII, 1886, Gabun
p. 52, f. 1.

1

Monochamus Guér.

[Dejean, Cat. Col. ed. 2, 1821, p. 106; nom. nud.] — Guérin, Dict. Class. d'Hist. Nat. IX, 1826, p. 186. — Curtis, Brit. Ent. V, 1828, t. 219. — Latr. in Cuv. Règne Anim. ed. 2, V, 1829, p. 124; ed. Masson, Ins. I, 1849, p. 488. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 230; Man. 1839, p. 268. — Serv. Ann. Soc. Ent. France IV, 1835, p. 91. — Kirby, Fauna Bor.-Amer. IV, 1837, p. 167. — Westw. Introd. Classif. Ins. II, 1840, Synops. Gen. p. 41. — Cast. Hist. Nat. Col. II, 1840, p. 478. — Redt. Gatt. deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 495; ed. 2, 1858, p. 860; ed. 3, 1874, p. 415. — Thoms. Classif. Ceramb. 1850, p. 97; Syst. Ceramb. 1864, p. 381. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 292. — C. G. Thoms. Skand. Col. VIII, 1866, p. 88. — Ganglb. Best.-Tab. VII, 1882, p. 15 (693). — Pic, Longic. VII, 2, 1912, p. 16. — Kuhnt, Käfer Deutschl. 1912, p. 757. — Reitter, Fauna Germ. IV, 1913, p. 54, 55. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 17. — Auriv. Sv. Insektf. IX, 1, 1917, p. 37.

Dihammus Thoms. Syst. Ceramb. 1864, p. 80, 381. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 290. — Lacord. Gen. Col. IX, 1869, p. 315, nota 3.

Monachammus Griffith, Anim. Kingd. Ins. II, 1832, p. 109.

Monochamus [Bérth. Natürl. Famil. des Tierr. 1827, p. 398.

— Thon, Ent. Archiv I, 1828, p. 69; nom. nud.] — Jacobs. Horae Ent. Ross. XXXIX, 1910, p. 489.

Monochammus Seidl. Fauna Balt. 1875, Gatt. p. 139; ed. 2, 1891, Gatt. p. 184; Fauna Transsylv. 1891, Gatt. p. 184. — Schlosser, Fauna Kornjas. III, 1879, p. 808. — Ganglb. Best.-Tab. VIII, 1884, p. 82 (516). — Bau, Handb. Käfer 1888, p. 420. — Fowler. Brit. Col. IV, 1889, p. 248. — Stierl. Col. Helvet. II, 1898, p. 491. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 869.

Monohammus [Dahl, Col. und Lepid. 1823, p. 67, nom. nud.

— Dej. Cat. Col. ed. 3, 1836, p. 340, nom. nud.] — Muls.

Col. France, Long. 1839, p. 173; ed. 2, 1863, p. 281. — Dej.

Ann. Soc. Ent. France IX, 1840, p. 82. — Bach, Käferf.

III, 1856, p. 29. — Gutfl. Käfer Deutschl. 1859, p. 581. —

Fairm. Gen. Col. d'Eur. IV, 1864, p. 160. — Lacord. Gen.

Col. IX, 1869, p. 314. — Gemming. & Har. Cat. Col. X, 1873,

p. 3015. — Cox, Handb. Col. II, 1874, p. 303. — Cuni, Catal.

Col. Catal. 1876, p. 298. — Prov. Faune Ent. Canada I,

1877, p. 624. — Schoch, Käfer Deutschl. 1878, p. 135. —

Sériziat, Hist. Col. France 1880, p. 309. — Fairm. Hist.

Nat. France, Col. 1882, p. 267. — J. Lec. & Horn, Classif.

Col. N. Amer. 1883, p. 319. — Bedel, Faune Col. Seine V,

1889, p. 34. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Everts, Col. Neerl. II, 1901, p. 374. — Csiki, Rovart. Lapok XI, 1904, p. 210. — Houlb. Faune Armor. Ceramb. 1904, p. 19; ed. 2, 1909, p. 17.
Monochamus Guér. Jcon. Règne Anim. Ins. 1844, p. 242.

Paläarktische und japanische Arten.

- Jacobs. Horae Soc. Ent. Ross. XXXIX, 1910, p. 489–507 (Synopsis).
 — Pic, Longic. VIII, 2, 1912, p. 14–19 (Synopsis).
- Beloni** Pic, Bull. Mus. Paris VII, 1902, p. 341; Longic. Japan VIII, 2, 1912, p. 17.
- galloprovincialis** Ol. Ent. IV, nr. 67, 1795, p. 125, t. 3, f. 17. — Latr. Hist. Nat. Ins. XI, 1804, p. 273. — Boit. Man. d'Ent. II, 1828, p. 22. — Muls. Col. France, Long. 1839, p. 140; ed. 2, 1863, p. 284. — Cast. Hist. Nat. Col. II, 1840, p. 479. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 48, f. 223. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 199. — Seidl. Fauna Balt. 1875, p. 516; ed. 2, 1891, p. 749. — Cuni, Catal. Col. Cataluna 1876, p. 298. — Fairm. Hist. Nat. France, Col. 1882, p. 267, t. 22, f. 269. — Ganglb. Best.-Tab. VIII, 1884, p. 83 (517). — Bau, Handb. Käfer 1888, p. 421. — Seidl. Fauna Transsylv. 1891, p. 844. — Stierl. Col. Helvet. II, 1898, p. 491. — Everts, Col. Neerl. II, 1901, p. 375. — Jacobs. Synops. p. 502, 505. — Kuhnt, Käfer Deutschl. 1912, p. 790, f. 186. — Pic, Echange XXVIII, 1912, p. 1; Synops. p. 18. — Reitter, Fauna Germ. IV, 1913, p. 55, t. 138, f. 5. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 870. — Auriv. Sv. Insektf. IX, 1, 1917, p. 38.
- var. *cinerascens* Motsch. Schrencks Reisen Sibirien Amur II, 1860, p. 150; Abeille XVI, 1878, Archéol. Ent. p. 114. — Ganglb. Best.-Tab. VIII, 1884, p. 84 (518). — Pic, Synops. p. 18.
- Heinrothi* Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 389. — Reitter, Wien. Ent. Zeit. XI, 1892, p. 187.
- var. *lignator* Kryn. Bull. Moscou V, 1832, p. 158. — Fald. Fauna Transcauc. II, 1837, p. 273, t. 8, f. 6. — Ganglb. Best.-Tab. VIII, 1884, p. 83 (517). — Pic, Synops. p. 18.
- ab. *nitidior* Perrin, Ann. Soc. Ent. France (4) X, 1870, p. 87; Abeille XII, 1875, p. 411. — Ganglb. Best.-Tab. VIII, 1884, p. 83 (517), nota 2. — Haberm. Soc. Ent. VI, 1891, p. 26. — Pic, Synops. p. 18.
- var. *Parendeli* Théry, Ann. Soc. Ent. France LX, 1891, Bull. p. 23; Echange VII, 1891, p. 67. — Pic, Synops. p. 17.
- ab. *pistor* Germ. Mag. Ent. III, 1818, p. 242. — Ganglb. Best.-Tab. VIII, 1884, p. 83 (517). — Bau, Handb. Käfer 1888, p. 421. — Stierl. Col. Helvet. II, 1898, p. 492. — Everts, Col. Neerl. II, 1901, p. 375. — Kuhnt, Käfer

- Deutschl. 1912, p. 790. — Pic, Synops. p. 18. — Reitter, Fauna Germ. IV, 1913, p. 55. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 870.
- var. *sibiricus* Pic, Longic. VII, 1, 1908, p. 5; VIII, 2, p. 17. Sibirien
- ab. *subrufopubens* Pic, Synops. p. 18. Marocco
- ab. *tauricola* Pic, l. c. p. 18. Kleinasien
- ab. *unifasciatus* Pic, Longic. V, 2, 1905, p. 12; VIII, 2, 1912, p. 18. Altai
- Biologie: Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 464, t. 6, f. 383—392; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 314. — Xambeu, Moeurs et Métam. VIII, 1902, p. 159. — Barbey, Ent. Forest. 1913, p. 214.
- ✓ *grandis* Waterh. Trans. Ent. Soc. Lond. 1881, p. 431. Japan
- guttatus* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 196, t. 7, f. 2. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 92. — Ganglb. Best.-Tab. VIII, 1884, p. 85 (519). — Jacobs. Synops. p. 502; Käfer Rußl. 1911, t. 69, f. 11. — Pic, Synops. p. 16. Ostsibirien
- impluviatus* Motsch. Bull. phys. math. Acad. St. Petersb. XVII, 1859, p. 571; Mélanges Biol. III, 1859, p. 233. — Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 198, nota 1. — Ganglb. Best.-Tab. VIII, 1884, p. 85 (519). — Reitter, Wien. Ent. Zeit. XI, 1892, p. 187. — Jacobs. Synops. p. 501. — Pic, Synops. p. 19. Sibirien
- infelix* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 48. Nordchina
- nitens* Bates, Journ. Linn. Soc. Zool. XVIII, 1884, p. 238. Japan
- pardalinus* Bates, l. c. p. 239.
- quadrifasciatus* Motsch. Bull. Moscou XVIII, 1, 1845, p. 86; Bull. phys. math. St. Petersb. XVII, 1859, p. 572; Mélanges Biol. III, 1859, p. 234; Schrencks Reisen Amur II, 2, 1860, p. 149, t. 10, f. 1; Abeille XVI, 1878, Archéol. Ent. p. 113. — Ganglb. Best.-Tab. VIII, 1884, p. 82 (516). — Reitter, Fauna Germ. IV, 1913, p. 55. „
Finland,
Rußland,
Sibirien
- Rosenmülleri* Jacobs. Synops. p. 500. — Pic, Synops. p. 19.
- sartor* Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 388. — Blessig, l. c. IX, 1873, p. 200. — Seidl. Fauna Balt. ed. 2, 1891, p. 749; Fauna Transsylv. 1891, p. 844.
- saltuarius* Gebl. in Ledeb. Reise II, 3, 1830, p. 184; Bull. Moscou XXI, 1, 1848, p. 399 (sep. p. 304). — Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 390. — Blessig, l. c. IX, 1873, p. 198. — Ganglb. Best.-Tab. VIII, 1884, p. 84 (518). — Seidl. Fauna Balt. ed. 2, 1891, p. 818; Fauna Transsylv. 1891, p. 844. — Jacobs. Synops. p. 501. — Kuhnt, Käfer Deutschl. 1912, p. 789. — Reitter, Fauna Germ. IV, 1913, p. 55. Oesterreichische Alpen,
Bayern,
Böhmen,
Ostpreußen,
Rußland,
Sibirien
- peregrinus* Gratl, Ent. Nachr. VII, 1881, p. 201.

- sultuarius* Pic, Synops. p. 19.
- sartor** F. Mant. Ins. I, 1787, p. 137; Ent. Syst. I, 2, 1792, p. 278; Syst. Eleuth. II, 1801, p. 294. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 183. — Ol. Encycl. méth. Ins. VII, 1792, p. 471. — Petagna, Instit. Ent. I, 1792, p. 230. — Panz. Fauna Germ. XIX, 1794, t. 3; in Voet, Col. III, 1794, Vorber. Titelbl. f. 2; Ent. Germ. 1795, p. 251. — Cederhj. Fauna Ingr. Prodr. 1798, p. 88. — Latr. Hist. Nat. Ins. XI, 1804, p. 270. — Bechst. & Scharfenb. Forstins. I, 1804, p. 193. — Megerle, Bemerkungen 1812, p. 27. — Germ. Mag. Ent. I, 2, 1815, p. 165. — Haw. Trans. Ent. Soc. Lond. 1812, p. 339. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 286; ed. 3, IV, 1828, p. 361. — Schönh. Syn. Ins. I, 3, 1817, p. 385, nota g. — Dumér. Dict. Sc. Nat. XXV, 1822, p. 182; Ent. Anal. 1860, p. 613. — Gyllenh. Ins. Suec. I, 4, 1827, p. 55. — Curtis, Brit. Ent. V, 1828, t. 219. — Steph. Brit. Ent. Mandib. IV, 1831, p. 231; Man. 1839, p. 271. — Reichenb. Naturg. Ins. 1837, p. 411, t. 100, f. 652. — Muls. Col. France, Long. 1839, p. 138; ed. 2, 1863, p. 282. — Berge. Käferb. 1844, p. 123, t. 11, f. 6. — Redtb. Fauna Austr. 1849, p. 495; ed. 2, 1858, p. 860; ed. 3, 1874, p. 416. — Küster, Käfer Eur. 22, 1851, p. 93. — Bach, Käferf. III, 1856, p. 30. — Gufl. Käfer Deutschl. 1859, p. 582. — C. G. Thoms. Skand. Col. VIII, 1866, p. 89. — Cox, Handb. Col. II, 1874, p. 305. — Seidl. Fauna Balt. 1875, p. 516. — Schoch, Käfer Deutschl. 1878, p. 135. — Schlosser, Fauna Kornjas. III, 1879, p. 830. — Sériziat, Hist. Col. France 1880, p. 309. — Fairm. Hist. Nat. France, Col. 1882, p. 267. — Ganglb. Best.-Tab. VIII, 1884, p. 82 (516); Revue d'Ent. III, 1884, p. 217. — Bau, Handb. Käfer, 1888, p. 420. — Fowler, Col. Brit. Isl. IV, 1890, p. 249, t. 124, f. 2. — Griffini, Coleopt. 1896, p. 198, t. 38, f. 14 ♀. — Stierl. Col. Helvet. II, 1898, p. 491. — Everts, Col. Neerl. II, 1901, p. 375. — Houlb. Faune Armor. Ceramb. 1904, p. 61, f. 116; ed. 2, 1909, p. 62, f. 116. — Jacobs. Käfer Rußl. 1910, t. 70, f. 14; Synops. p. 500. — Kuhnt, Käfer Deutschl. 1912, p. 781, f. 187 ♀. — Pic, Synops. p. 19. — Reitter, Fauna Germ. IV, 1912, p. 55, t. 138, f. 3. — Jens-Haar. Danm. Fauna XVI, 3, 1914, p. 18, f. 9. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 869. — Auriv. Sv. Insektf. IX, I, 1917, p. 38.
- Mulsanti* Seidl. Fauna Balt. ed. 2, 1891, p. 749; Fauna Transsylv. 1891, p. 844. — Csiki, Rov. Lapok XI, 1904, p. 210.
- Okenianus* Gistel, 820 wirbell. Thiere 1857, p. 49.
- Mittleuropa,
Skandi-
navien

sutor Sulzer, Gesch. Ins. 1776, p. 44, t. 5, f. 4 ♂.
 — Roemer, Gen. Ins. 1789, p. 9, t. 5, f. 4 ♂.
 — Laich. Tyrol. Ins. II, 1784, p. 19 β. —
 Panz. Fauna Germ. XIX, 1794, t. 2; in Voet,
 Col. III, 1794, Vorber. Titelbl. f. 1. —
 Townson, Travels in Hongrie 1797, p. 467.
 — Germ. Mag. Ent. III, 1818, p. 241. —
 Berge, Käferb. 1844, p. 123, t. 11, f. 5.

? ♀ *Urussovi* Fischer, Mém. Soc. Nat. Moscou
 I, 1806, p. 12, t. 2, f. 1.

ab. ♀ *Rosenmülleri* Cederhj. Faun. Ingr.
 Prodr. 1798, p. 89, t. 2, f. g (non f. h).

Biologie: Schiödt Nat. Tidskr. (3) X, 1875,
 p. 434, t. 18, f. 9, 10. — Lunardoni, Ins.
 Nocivi I, 1889, p. 505. — Judeich, Forstins.
 II, 1, 1889, p. 568. — Xambeu, Moeurs et
 Métam. Ins. VIII, 1902, p. 159. — Barbey,
 Ent. Forest. 1913, p. 91, t. 1, f. 1. — Hen-
 riksen, Danm. Fauna XVI, 3, 1914, p. 95,
 f. 68.

✓ *subfasciatus* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
 p. 308.

sutor L. Syst. Nat. ed. 10, 1758, p. 392; Fauna Suec.
 ed. 2, 1761, p. 189; Syst. Nat. ed. 12, 1767,
 p. 628. — Poda, Mus. Graec. 1761, p. 33. —
 Müller, Fauna Ins. Fridr. 1764, p. 13; Zool.
 Dan. Prodr. 1776, p. 92. — Houttuyn,
 Natuurl. Hist. I, 9, 1766, p. 551. — Müller.
 Naturs. V, 1774, p. 266. — F. Syst. Ent.
 1775, p. 172; Spec. Ins. I, 1781, p. 218; Mant.
 Ins. I, 1787, p. 137; Ent. Syst. I, 2, 1792,
 p. 277; Syst. Eleuth. II, 1801, p. 294. —
 Laich. Tyrol. Ins. II, 1784, p. 17. — Herbst
 in Borowsky, Naturg. VI, 1784, p. 124. —
 Villers, Linn. Ent. I, 1789, p. 229. — Gmel.
 in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1830.
 — Rossi, Fauna Etr. 1790, p. 144; ed. Hellw.
 I, 1795, p. 155. — Ol. Encycl. méth. Ins. VII,
 1792, p. 471; Ent. IV, nr. 67, 1795, p. 111,
 t. 3, f. 20. — Petagna, Instit. Ent. I, 1792,
 p. 230. — Panz. Ent. Germ. 1795, p. 251;
 Enum. Schaeff. Icon. Ins. 1804, p. 82, t. 65,
 f. 1. — Cederhj. Faun. Ingr. Prodr. 1798,
 p. 88. — Schrank, Fauna Boica I, 1798,
 p. 656. — Zinke, Schäd. Nadelh. Ins. 1798,
 p. 41 (Linkers Besorgte Forstm. I, 1798,
 p. 65). — Donnd. Europ. Fauna VIII, 1799,
 p. 554. — Payk. Fauna Suec. III, 1800, p. 62.
 — Marsh. Ent. Brit. I, 1802, p. 329. —
 Walcken. Faune Paris. I, 1802, p. 206. —
 Latr. Hist. Nat. Ins. XI, 1804, p. 270. —
 Bechst. & Scharfenb. Forstins. I, 1804, p. 193.
 — Donov. Brit. Ins. XIII, 1808, p. 5, t. 435, f. 1.
 — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813,
 p. 285; ed. 3, IV, 1828, p. 360. — Dumér.
 Dict. Sc. Hist. Nat. XXV, 1822, p. 182; Ent.
 Anal. 1860, p. 613. — Gyllenh. Ins. Suec.
 I, 4, 1827, p. 51. — Zett. Fauna Lapp. 1828,
 p. 363. — Boit. Man. d'Ent. II, 1828, p. 21.

- Muls. Lettres à Julie II, 1830, p. 334. — Steph. Brit. Ent. Mand. IV, 1831, p. 230; Man. 1839, p. 270. — Reichenb. Naturg. Ins. 1837, p. 411, t. 99, f. 644. — Muls. Col. France, Long. 1839, p. 139; ed. 2, 1863, p. 283. — Spry & Shuckard, Brit. Col. 1840, p. 66, t. 77, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 479. — Zett. Ins. Lapp. 1840, p. 201. — Duf. Excurs. Vallée d'Ossau 1843, p. 99. — Blanch. Règne Anim. ed. Masson, Ins. I, 1849, t. 68, f. 1. — Redtb. Fauna Austr. 1849, p. 495; ed. 2, 1858, p. 860; ed. 3, 1874, p. 416. — Küster, Käfer Eur. XXII, 1851, p. 94. — Lentz, Preuss. Käfer 1853, p. 38. — Bach, Käferf. III, 1856, p. 30. — Gutfl. Käfer Deutschl. 1859, p. 582. — Disconzi, Ent. Vicent. 1865, p. 85, 88. — C. G. Thoms. Skand. Col. VIII, 1866, p. 89. — Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 388. — Blessig, l. c. IX, 1873, p. 199. — Cox. Handb. Col. II, 1874, p. 305. — Seidl. Fauna Balt. 1875, p. 516; ed. 2, 1891, p. 749. — Fauna Transsylv. 1891, p. 844. — Schoch, Käfer Deutschl. 1878, p. 135. — Schlosser, Fauna Kornjas. III, 1879, p. 831. — Fairm. Hist. Nat. France, Col. 1882, p. 267. — Ganglb. Best.-Tab. VIII, 1884, p. 83 (517); Revue d'Ent. III, 1884, p. 368. — Bau, Handb. Käfer 1888, p. 421. — Fowler, Col. Brit. Isl. IV, 1890, p. 249; VI, 1913, t. 17, f. 2. — Griffini, Coleott. 1896, p. 198, t. 38, f. 13 ♀. — Stierl. Col. Helvet. II, 1898, p. 492. — Everts, Col. Neerl. II, 1901, p. 375. — Csiki, Rov. Lapok XI, 1904, p. 210. — Houlb. Faune Armor. Ceramb. 1904, p. 61, f. 115; ed. 2, 1909, p. 62, f. 115. — Jacobs. Käfer Russl. 1910, t. 70, f. 13 ♀; Synops. p. 502. — Kuhnt, Käfer Deutschl. 1912, p. 790, f. 188. — Pic, Synops. p. 19. — Reitter, Fauna Germ. Käfer IV, 1913, p. 55, t. 138, f. 4. — Jens-Haar. Danm. Fauna XVI, 3, 1914, p. 18. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 869, t. 31, f. 13. — Auriv. Sv. Insektf. IX, I, 1917, p. 38.
- anglicus* Voet, Cat. Col. II, 1778, p. 7, t. 5, f. 6; ed. Panz. III, 1794, p. 14, t. 5, f. 6.
- atomarius* De Geer, Mém. Ins. V, 1775, p. 65.
- ♀ *Heinrothi* Cederhj. Fauna Ingr. Prodr. 1798, p. 88, t. 2, f. h (non g). — Ganglb. Best.-Tab. VIII, 1884, p. 83 (517), nota 1.
- maculosus* Voet, Cat. Col. II, 1778, p. 7, t. 5, f. 7; ed. Panz. III, 1794, p. 14, t. 5, f. 7.
- obscurior* Abeille, Pet. Nouv. Ent. I, 1869, nr. 11 (p. 42).
- ab. *fusco maculatus* Petri, Siebenb. Käferf. 1912, p. 249. — Pic, Longic. IX, 1, 1914, p. 9.
- ab. *hybridus* Petri, Siebenb. Käferf. 1912, p. 249. — Pic, Longic. IX, 1, 1914, p. 9.

- ab. *longulus* Pic, Longic. II, 1898, p. 23: Sibirien
Synops. p. 19.
- ab. *pellio* Germ. Mag. Ent. III, 1818, p. 244. Europa
— Ganglb. Best.-Tab. VIII, 1884, p. 83 (517).
— Jacobs. Synops. p. 501. — Pic, Synops.
p. 19.
- Biologie: Westw. Introd. Classif. Ins. I,
1839, p. 364. — White, Trans. Ent. Soc.
Lond. (2) I, 1850. Proc. p. 34. — Gernet,
Horae Soc. Ent. Ross. V, 1867, p. 19, t. 2,
f. 6. — Judeich, Forstins. II, 1, 1889, p. 568.
— Lunardoni, Insett. Nocivi I, 1889, p. 505.
— Xambeu, Mœurs et Métam. VIII, 1902,
p. 157. — Rudow, Int. Ent. Zeitschr. VI,
1912, p. 201.
- vicius* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Nordchina
p. 245.

Nearktische Arten.

- J. Lec. Journ. Acad. Nat. Sc. Philad. (2) II, 1852, p. 147—149 (Revisio);
Smiths. Misc. Coll. XI, 264, 1873, p. 231 (Synopsis). — Horn, Trans.
Amer. Ent. Soc. XII, 1885, p. 190; XXIII, 1896, p. 108 (Synopsis). —
Casey, Memoirs Col. IV, 1913, p. 291—294 (Revisio).
- ✓ *angusticollis* Casey, Revis. p. 292. Texas
- carolinensis* Ol. Encycl. méth. Ins. VII, 1792, p. 463; Virginia
Ent. IV, nr. 67, 1795, p. 85, t. 12, f. 88. — New Jersey,
Blatchley, Col. of Indiana 1910, p. 1064. — Carolina,
Casey, Revis. p. 292. Georgia,
Indiana
- dentator* F. Ent. Syst. I, 2, 1792, p. 278;
Syst. Eleuth. II, 1801, p. 294.
- minor* J. Lec. Synops. p. 231. — Horn, Trans.
Amer. Ent. Soc. V, 1875, p. 150.
- ✓ *maculosus* Haldem. Trans. Amer. Phil. Soc. (2) X, Lake Superior
1847, p. 51. — Emmons, Nat. Hist. Idaho,
N. York V, 1854, p. 123. — J. Lec. Synops. Montana,
p. 231. — Horn, Synops. p. 190, 191; p. Washington
108, 109. — Casey, Revis. p. 292. Californien,
clamator J. Lec. Journ. Acad. Nat. Sc. Nevada,
Philad. (2) II, 1852, p. 149; Synops. p. 231. Arizona
- marmoratus* J. Lec. Journ. Acad. Nat. Sc. New Mexico,
Philad. (2) II, 1852, p. 148. Colorado,
Vancouver
- ✓ *marmorator* Kirby, Fauna Bor.-Amer. IV, 1837, p. Maine,
169. — Horn, Synops. p. 191, 192; 109, 110. Michigan,
— Schaeffer, Bull. Brookl. Inst. I, 1908, p. Wisconsin,
344. — Casey, Revis. p. 294. Nova Scotia
- acutus* Lacord. Gen. Col. IX, 1869, p. 316,
nota 1.
- fautor* J. Lec. Journ. Acad. Nat. Sc. Philad.
(2) II, 1852, p. 149.
- marmoratus* Rand. Boston Journ. II, 1839,
p. 42. — J. Lec. Synops. p. 231.
- Biologie: Fitch, Report Ins. N. York IV,
1857, p. 24. — Pack. Ins. Inj. to Trees 1890,
p. 695. — Felt, Ins. Affect. Trees 1907, p.
366.

- ✓ **monticola** Casey, Revis. p. 293. Montana, Colorado, Oregon
- ✓ **notatus** Drury, Ill. Exot. Ins. II, 1773, p. 65, t. 35, f. 2, Index. — Goeze, Ent. Beytr. I, 1777, p. 468. — Fitch, Report Ins. N. York IV, 1857, p. 21. — Gah. Ann. Mag. Nat. Hist. (8) I. 1908, p. 145. — Casey, Revis. p. 293. Canada, Nordöstl. u. mittlere Staaten Nord-amerikas
- confusor* Kirby, Fauna Bor.-Amer. IV, 1837, p. 168. — J. Lec. Journ. Acad. Nat. Sc. Philad. (2) II, 1852, p. 148; Synops. p. 231. — Prov. Pet. Faune Ent. Canada I, 1877, p. 625, 626. — Bethune, Canad. Ent. IX, 1877, p. 225, tab. f. 7. — Horn, Synops. p. 191, 192; p. 109. — Comst. Ins. Life 1913, p. 215, t. 12, f. 3.
- dentator* Westw. in Drury, Ill. Exot. Ins. ed. 2, II, 1837, p. 68, t. 35, f. 2.
- ? *varius* Fröhl. Naturf. XXVI, 1792, p. 144. — Schreber, l. c. XXIX, 1802, p. 124.
- Biologie: Fitch, Report Ins. New York IV, 1857, p. 21. — Pack. Ins. Inj. Trees 1881, p. 152, f. 68, 69; Rep. Ent. Commiss. V, 1890, p. 686, f. 226—230. — Felt, Ins. Affect. Trees 1907, p. 360.
- ✓ **obtusus** Casey, Ann. N. York Acad. VI, 1892, p. 47, Revis. p. 293. — Schaeffer, Bull. Brookl. Instit. I, 1908, p. 344. Californien
- ✓ **oregonensis** J. Lec. Synops. p. 231. — Casey, Revis. p. 292, 294. Oregon
- rubiginus** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 103. Mexico
- ✓ **scutellatus** Say, Longs Exped. II, 1824, p. 289; Compl. Writ. I, 1859, p. 192. — J. Lec. Journ. Acad. Nat. Sc. Philad. (2) II, 1852, p. 148; Synops. p. 231. — Mannerh. Bull. Moscou XXVI, 2, 1853, p. 248. — Emmons, Nat. Hist. N. York V, 1854, p. 123. — Prov. Pet. Faune Ent. Canada I, 1877, p. 626. — Bethune, Canad. Entomol. IX, 1877, p. 221, tab. f. 1. — Horn, Synops. p. 191; p. 109. — Blatchley, Col. of Indiana 1910, p. 1065, f. 455. — Casey, Revis. p. 293. Canada, Maine bis Wisconsin
- mutator* J. Lec. in Agassiz; Lake Super. 1850, p. 235. — Casey, Revis. p. 294.
- resutor* Kirby, Fauna Bor.-Amer. IV, 1837, p. 167.
- Biologie: Fitch, Report Ins. N. York IV, 1857, p. 24, t. 3, f. 7. — Pack. Ins. Inj. Trees 1881, p. 156; Report. Ent. Commiss. V, 1890, p. 696, f. 232. — Felt, Ins. Affect. Trees 1907, p. 364, t. 63, f. 3.
- ✓ **strenuus** Casey, Revis. p. 293. Colorado
- ✓ **titillator** F. Syst. Ent. 1775, p. 172; Spec. Ins. I, 1781, p. 219; Mant. Ins. I, 1787, p. 138; Ent. Syst. I, 2, 1793, p. 279; Syst. Eleuth. II, 1801, p. 295. — Goeze, Ent. Beytr. I, 1777, p. 470. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1831. — Ol. Encycl. méth. Ins. VII, 1792. Oststaaten Nord-amerikas, Canada

- p. 463; Ent. IV, nr. 67. 1795, p. 85, t. 15, f. 109. — Harris, Ins. of Mass. 1841, p. 87; ed. 2, 1852, p. 93; ed. Flint. 1862, p. 105, f. 50. — J. Lec. Journ. Acad. Nat. Sc. Philad. (2) II, 1852, p. 148; Synops. p. 231. — Emmons. Nat. Hist. N. York V, 1854, p. 123, t. 16, f. 5. — Couper, Canad. Natural. and Geolog. VIII, 1863, p. 325. — Prov. Pet. Faune Ent. Canada I, 1877, p. 625, f. 47. — Horn, Synops. p. 190, 191; p. 108, 109. — Blatchley, Col. of Indiana 1910, p. 1063, 1064, f. 454. — Casey, Revis. p. 292. — Fowler, Col. Brit. Isl. VI, 1913, p. 158.
- ? *calcaratus* Megerle, Catal. Ins. 1802, Nov., Append. p. (8), nr. 344.
- dentator* Haw. Trans. Ent. Soc. Lond. I, 1807, p. 84, t. 1, f. super. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1873, p. 285; ed. 3, IV, 1828, p. 360. — Beauv. Ins. Afr. et. Amér. 1821, p. 244, t. 36, f. 5. — Steph. Brit. Ent. Mand. IV, 1831, p. 231, nota; Man. 1839, p. 271. — Carter, Zoologist XXI, 1863, p. 8735.
- Biologie: Bowditch, Amer. Natural. VII, 1873, p. 498. — Felt, Ins. Affect. Trees 1907, p. 365. — Webb, U. S. Dep. Agric. Divis. Ent. Bull. LVIII, 1909, p. 41, f. 13—22.

Aethiopische Arten.

- | | |
|---|---------------------------------|
| <i>aurigutta</i> Jord. Nov. Zool. X, 1903, p. 149. | Kamerun |
| <i>balteatus</i> Auriv. Ent. Tidskr. XXIV, 1903, p. 268. | " |
| <i>borussus</i> Jord. Nov. Zool. X, 1903, p. 146. | Congo |
| <i>camerunensis</i> Auriv. Ent. Tidskr. XXIV, 1903, p. 267, f. 3. | Kamerun |
| <i>centralis</i> Daviv. Ann. Soc. Ent. Belg. XXXV, 1891, p. 380; XXXVI, 1892, p. 343. | Congo |
| <i>cineraceus</i> Jord. Nov. Zool. I, 1894, p. 193. | Kuilu |
| <i>clavatus</i> Hintz, Deutsche Ent. Zeitschr. 1913, p. 197. | Französisch
Congo:
Bénito |
| <i>clavifer</i> Hintz, l. c. p. 197. | " |
| <i>convexus</i> Bates, Ent. Monthly Mag. XXI, 1884, p. 17. — Jord. Nov. Zool. X, 1903, p. 151. | Gabun |
| <i>cordifer</i> Chev. Revue Zool. (2) VIII, 1856, p. 491; Cent. Longic. 1858, nr. 54. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 478. | Alt Calabar,
Kamerun |
| <i>cribellum</i> Jord. Nov. Zool. X, 1903, p. 149. | Kamerun,
Batanga |
| <i>cribrosus</i> Lameere, Ann. Soc. Ent. France LXII, 1893, p. 45. | Assinie |
| <i>dentipes</i> Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 166. | Sierra Leone |
| <i>distigma</i> Jord. Nov. Zool. X, 1903, p. 147. | Französisch
Congo:
Bénito |
| <i>farinosus</i> Bates, Ent. Monthly Mag. XXI, 1884, p. 15. — Waterh. Aid Identif. Ins. II, 1886, t. 170, f. 5. — Jord. Nov. Zool. X, 1903, p. 146. | Gabun,
Kamerun |

- foveolatus** Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Exped. III, 1911, p. 435. Beni
- fulvisparsus** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 395. Congo
- gabonicus** Thoms. Archiv. Ent. II, 1858, p. 166. Gabun
- griphus** Jord. Nov. Zool. I, 1894, p. 194. — Auriv. Ent. Tidskr. XXIV, 1903, p. 268. Kuilu, Beni
- griseoplagiatus** Thoms. Archiv. Ent. II, 1858, p. 166, t. 5, f. 3. — Ol. Journ. Sc. Math. Nat. Lisboa X, 1884, p. 11. Gabun
- Hollisi** Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, p. 262. Usambara
- homaeus** Jord. Nov. Zool. X, 1903, p. 148. Franz.Congo, Congo
- irrorator** Chevr. Revue Zool. (2) VII, 1855, p. 517; Cent. Longic. 1858, nr. 37. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 479. Alt-Calabar, Kamerun
- isochrous** Jord. Nov. Zool. X, 1903, p. 148. Ashanti, Angola
- laevis** Jord. l. c. p. 145. Benito, Kuilu, Goldküste, Zentralafrika, Franz. Congo
- lunifer** Auriv. Ent. Tidskr. XII, 1891, p. 103, f. 4. Senegal
- melaleucus** Jord. Nov. Zool. X, 1903, p. 147. Uganda
- murinus** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 394.
- nigrofasciatus** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 14.
- nubilosus** Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Exped. III, 1911, p. 434. Ruwenzori, Albert-See, Bukoba
- omias** Jord. Nov. Zool. X, 1903, p. 146. Kamerun, Franz.Congo
- pannulatus** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 337. — Auriv. in Sjöstedt, Wiss. Ergebn. Exped. Kilimandjaro VII, 1908, p. 146. Angola, Nyassa, D. Ostafrika
- nyassensis* Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 395.
- pictor** Bates, Ent. Monthly Mag. XXI, 1884, p. 17. — Waterh. Aid Identif. Ins. II, 1886, t. 170, f. 2. Kamerun
- plumbens** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 394. Congo
- ruficornis** Hintz, Deutsche Ent. Zeitschr. 1913, p. 198. Congo: Kondue
- ruspator** F. Spec. Ins. I, 1781, p. 223; Mant. Ins. I, 1787, p. 140; Ent. Syst. I, 2, 1792, p. 286; Syst. Eleuth. II, 1801, p. 300. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1834. — Ol. Encycl. méth. Ins. VII, 1792, p. 467; Ent. IV, nr. 67, 1795, p. 99, t. 17, f. 129. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 475 (sep. p. 200). — Aulmann, Fauna Deutsch. Kolon. V, 3, 1912, p. 17, f. 13; V. 5, 1913, p. 19, f. 15. Westafrika
- nubifer* Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 165.
- ab. *basalis* Chevr. Revue Zool. (2) IX, 1857, p. 74; Cent. Longic. 1858, nr. 65. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 476 (sep. p. 201). Alt-Calabar, Kamerun
- scablosus** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 338. Angola

- sellatus** Har. Col. Hefte XVI, 1879, p. 177. Angola
sparsator Chevr. Revue Zool. (2) VII, 1855, p. 518; Alt-Calabar
 Cent. Longic. 1858, nr. 38. — Murray, Ann.
 Mag. Nat. Hist. (4) VI, 1870, p. 475 (sep.
 p. 200).
Stuhlmanni Kolbe, Stett. Ent. Zeit. LV, 1894, p. 60; Albert-See
 Deutsch-Ost-Afrika IV, t. 1897, p. 307.
thomensis Jord. Nov. Zool. X, 1903, p. 193. Insel
 St. Thomé
 Alt-Calabar,
 Kamerun
Thomsoni Chevr. Revue Zool. (2) VII, 1855, p. 184;
 Cent. Longic. 1858, nr. 4, t. 2, f. 4. — Murray,
 Ann. Mag. Nat. Hist. (4) VI, 1870, p. 478
 (sep. p. 204), t. 5, f. 4.
vagus Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 393. Gabun?
variegator Auriv. Arkiv f. Zool. III, 18, 1907, p. 16, Kamerun
 t. 1, f. 6.
x-fulvum Bates. Ent. Monthly Mag. XXI, 1884, p. 18. Gabun,
 — Waterh. Aid Identif. Ins. II, 1886, t. 170, Congo,
 f. 1. Uganda

Indo-malaysische Arten.¹⁾

- adamitus** Thoms. Archiv. Ent. I, 1857, p. 293. Singapur
albescens Pic, Mém. Exot.-Ent. XXXII, 1920, p. 2. Tonkin
albisparsus Gah. Ann. Mag. Nat. Hist. (6) II, 1888, China
 p. 62.
alternatus Hope, Proc. Ent. Soc. Lond. 1842, p. 61;
 Ann. Mag. Nat. Hist. XI, 1843, p. 64; Trans.
 Ent. Soc. Lond. IV, 1845, p. 12.
amicator Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 261. Nordindien
auratus Gah. l. c. p. 260. Silhet
beryllinus Hope, Ann. Mag. Nat. Hist. IV, 1840, p. 300; Assam
 Proc. Linn. Soc. Lond. I, 1840, p. 79; Trans.
 Linn. Soc. Lond. XVIII, 1841, p. 597, t. 40,
 f. 7; Entomol. I, 1841, p. 177. — Gah. Ann.
 Mag. Nat. Hist. (6) II, 1888, p. 401.
melanosticticus White, Proc. Zool. Soc.
 Lond. 1858, p. 407.
blfasciatus Westw. Cab. Orient. Ent. 1848, p. 59, Himalaya
 t. 29, f. 4.
bimaculatus Gah. Ann. Mag. Nat. Hist. (6) II, 1888, Ostindien,
 p. 260. Sikkim,
 Birma, Siam
ciliatus Gah. l. c. (6) I, 1888, p. 273. China
commixtus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon
 p. 42.
distinctus Gah. Ann. Mag. Nat. Hist. (6) II, 1888, Assam
 p. 392.
dubius Gah. Ann. Mus. Civ. Hist. Nat. Genova XXXIV, Birma
 1895, p. 35.
granulatus Gah. Journ. Malay. Stat. Mus. I, 1906, Malacca
 p. 115, t. 6, f. 10.
griseatus Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 261. Ostindien

¹⁾ Einige der hier aufgeführten Arten gehören vielleicht zu *Haplohammus*.

- Guerryi** Pic, Echange XVIII, 1903, p. 121; Longic. IV, 2, 1903, p. 21. Yunnan
- Helenor** Newm. Zoolog. IX, 1851, Append. p. 180. Ostindien
- Jordani** Nonfr. Ent. Nachr. XX, 1894, p. 81. Sumatra
- ✓ **millegranus** Bates, Entomol. XXIV, Suppl. 1891, p. 80. Sze-chuan
- modicus** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 391. Madras
- ✓ **multiperforatus** Pic, Mél. Exot.-Ent. XXXII, 1920, p. 2. Yunnan
- Nicoletti** Thoms. Archiv. Ent. I, 1857, p. 124. Singapur
- nivosus** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 409. — Maxw. Lefr. Ind. Ins. Life 1909, p. 376. Ceylon, Südostindien
- ocellatus** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 262. Nordindien, Birma, Penang
- ✓ **permutans** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 103. Nordchina
- perplexus** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 393. Nordindien
- rivulosus** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 273. Assam, Laos
- sericeomicans** Fairm. Ann. Soc. Ent. France (6) IX, 1889, p. 67. China: Ngan-Hoi
- serratus** Gah. Journ. Malay. States Mus. I, 1906, p. 115, t. 6, f. 9. Malacca
- Severini** Nonfr. Ent. Nachr. XVIII, 1892, p. 94. Südchina
- ✓ **sparsatus** Fairm. Ann. Soc. Ent. France (6) IX, 1899, p. 67. Westchina: Moupin
- subluscus** Thoms. Archiv. Ent. I, 1857, p. 293. Singapur
- sulphurifer** Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 248; Proc. Linn. Soc. Lond. I, 1842, p. 128; Trans. Linn. Soc. Lond. XIX, 1843, p. 109, t. 10, f. 5. — Imh. Einführ. Kol. 1856, t. 17, f. 9. Silhet
- talfanus** Pic, Longic. VIII, 2, 1912, p. 20. Südchina
- ab. *sparsenotatus* Pic, Mél. Exot.-Ent. XXXII, 1920, p. 2. „
- tarsalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 294. Singapur
- ✓ **tesserula** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 408. Hongkong, Japan
- Touzalinii** Pic, Bull. Soc. Ent. France 1920, p. 198. Yunnan
- Verstegi** Rits. Notes Leyden Mus. III, 1881, p. 155; Midden-Sumatra IV, 6, 1887, p. 133, t. 3, f. 4. — Gah. Ann. Mus. Civ. Hist. Nat. Genova XXXIV, 1894, p. 34. — Maxw.-Lefr. Ind. Ins. Life 1909, p. 376, f. 256. Sumatra, Birma, Assam, Nordindien
- Westwoodi** Westw. Cab. Or. Ent. 1848, p. 12, t. 5, f. 5. Himalaya

110

Neanthes Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 372.

- ✓ **curialis** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 246. Nordchina
- scutellaris** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 179. Tonkin

Dihammus Thoms.

Thoms. Syst. Ceramb. 1864, p. 80, 381. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 290.

Haplohammus Bates, Journ. Linn. Soc. Zool. Lond. XVIII, 1884, p. 239.

- acanthias* Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 65. — Auriv. Denkschr. Wien. Akad. naturw. Classe LXXXIX, 1913, p. 691 (sep. p. 4). Neu-Süd-wales, Queensland, Samoa
- admixtus* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 38. Birma
- aestheticus* Olliff, Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 8; Rec. Austral. Mus. I, 1890, t. 10, f. 4. — Auriv. Ent. Tidskr. XIV, 1893, p. 164; Arkiv f. Zool. X, 23, 1917, p. 27. Queensland
- Autenor* Newm. Entomol. I, 1842, p. 277. Manila
- axius* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 298. Batjan
- ? *holotephrus* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 294, t. 17, f. 6. Ceram
- argentatus* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 11. Neu-Süd-wales
- argutus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 299. Ternate, Buru, Aru
- artensis* Montrouze. Ann. Soc. Ent. France (4) I, 1861, p. 273. Neu-caledonien, Insel Lifu, Insel Art
- spinipennis* Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 275. Queensland
- artius* Olliff, Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 9; Record Austral. Mus. I, 1890, t. 10, f. 6. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 27.
- aureofuscus* Auriv. l. c. p. 28.
- australis* Boisdu. Voy. Astrol. Ins. II, 1835, p. 488. Neu-Mecklenburg, Neuguinea, Aru, Saylee, Queensland
- longicornis* Thoms. Archiv. Entomol. I, 1857, p. 144, t. 17, f. 6; Syst. Ceramb. 1864, p. 80. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 291. Biologie: Lucas, Ann. Soc. Ent. France (5) IX, 1879, Bull. p. 102.
- basicornis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 37. Birma
- Bennigseni* Auriv. Deutsche Ent. Zeitschr. 1908, p. 216. Karolinen
- Bianor* Newm. Entomol. I, 1842, p. 277. Philippinen
- captiosus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 298. Neuguinea
- cervinus* Hope in Gray, Zool. Misc 1831, p. 27. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 36. Nordindien, Neapel, Assam, Birma, Japan
- fraudator* Bates. Ann. Mag. Nat. Hist. (4) XII, 1873, p. 309. — Matsum. Thous. Ins. Japan III, 1908, nr. 690, t. 52, f. 5
- fulvicornis* Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 64. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 240.
- sejunctus* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 310.

- ✓ **contemptus** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, China
p. 62.
- convexus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Kaioa
p. 297.
- defector** Pasc. l. c. p. 293. Singapur
- degener** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. Japan
310.
- fasciatus** Montrouz. Ann. Soc. Agric. Lyon (2) VII, Woodlark
1855, p. 63. — Perr. Mél. Ent. III, 1855, p.
26. — Gah. Willey Zool. Results IV, 1900,
p. 385.
- feralis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. Flores
296.
- Frenchi** Blackb. Proc. Linn. Soc. N. S. Wales (2) Süd-
VI, 1892, p. 543; (2) VIII, 1894, p. 286. australien
- griseipennis** Thoms. Archiv. Entomol I, 1857, p. 296. „Ostindien“
— Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 37.
- ✓ **holotephrus** Boisd. Voy. Astrol. Ins. II, 1835, p. 498, Neu-
t. 8, f. 3. — Montrouz. Ann. Soc. Agric. Mecklen burg
Lyon (2) VII, 1855, p. 63. — Perr. l. c. p. Samoa
345. — Auriv. Denkschr. Akad. Wiss.
Wien, Math.-Nat. Cl. LXXXIX, 1913, p. 692.
- samoanus* Auriv. l. c. (event.).
- Lessoni** Montrouz. Ann. Soc. Agric. Lyon (2) VII, Woodlark
1855, p. 62. — Perr. Mél. Ent. III, 1855, p. 26.
- litigiosus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Aru
p. 295.
- longipeunis** Gah. Ann. Mag. Nat. Hist. (6) Xlii, 1894, Neuguinea,
p. 292; Woll. Exped. Dutch N. Guinea I, Ariak-Berg
1915, Col. 3, p. 14.
- longiscapus** Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1895, p. 37.
- loyaltianus** Heller. Nova Caledon. Käfer 1916, p. 297. Loyalty-
Inseln
- ✓ **luxuriosus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 309. — Matsum. Thous. Ins. Japan III,
1908, nr. 727, t. 55, f. 1.
- magneticus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Ceram
p. 296.
- Marianarum** Auriv. Deutsche Ent. Zeitschr. 1908, Marianen
p. 216.
- mixtus** Hope, Proc. Ent. Soc. Lond. 1841. p. 48; Queensland
Ann. Mag. Nat. Hist. IX, 1842, p. 428
- montanus** Auriv. Arkiv f. Zool. X, 19, 1916, p. 13. Java
- ✓ **musivus** Pasc. Proc. Zool. Soc. Lond. 1866, p. 251; Malacca,
Trans. Ent. Soc. Lond. (3) III, 1866, p. 294. Borneo,
Celebes
- nativitatis** Gah. Proc. Zool. Soc. Lond. 1888, p. 540. Christmas-
Insel
- nanus** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. China:
81. Ganssu
- ovinus** Pasc. Journ. of Ent. II, 1863, p. 228. — Frogg. Süd-
Austral. Ins. 1907, p. 197. Australien
- persimilis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 81.
- productus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Buru
p. 294. — Auriv. Denkschr. Akad. Wiss.
Wien, Math.-Nat. Classe, LXXXIX, 1913, p. 692.

- punctifrons** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 36.
- ✓ **rusticator** F. Syst. Eleuth. II, 1801, p. 294. — Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 294, Col. t. 17, f. 5. — Aulm. Fauna deutsch. Kolon. V, 3, 1912, p. 19, f. 14; V, 5, 1913, p. 20, f. 16.
fistulator Germ. Ins. Spec. Nov. 1824, p. 478. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 293.
- ✓ **socius** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 275.
- ✓ **solatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 299.
- speciosus** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 274.
- tiucturatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 296.
- togatus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 341; Mél. Ent. III, 1855, p. 21.
- uraeus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 300.
- vastator** Newm. Zoolog. V, 1847, p. 1677.
fistulator Aulm. Fauna Deutsch. Kolon. V, 3, 1912, p. 20, f. 15; V, 5, 1913, p. 21, f. 17.
- viator** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 297.
- 51

Tenasserim,
Birma
Sumatra,
Java,
Borneo,
Celebes,
Molukken,
Philippinen,
Malakka,
Ceylon
China
Batjan,
Halmahera,
Makian
China
Waigiu
Neuholland
Mysol, Sula
Neuholland
Matabello

Orsidis Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 307. — Lacord. Gen. Col. IX, 1869, p. 354, 359.
- ampliatus** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 191.
- carlosus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 309.
- dispar** Pasc. l. c. p. 208.
- hepaticus** Pasc. l. c. p. 308.
- incomptus** Pasc. l. c. p. 309
- oppositus** Pasc. l. c. p. 307, t. 14, f. 4
- plagiatus** Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 12.
- proletarius** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 246; (3) III, 1866, p. 310.
- sobrius** Pasc. l. c. (2) IV, 1858, p. 246; (3) III, 1866, p. 309.

Salomonen
Singapur,
Borneo
Borneo
Batjan
Makian
Borneo:
Sarawak
Borneo
Celebes:
Macassar
„Nordchina“,
Borneo

9

Cypriola Thoms.

Thoms. Syst. Ceramb. 1864, p. 16.

- acanthocinoides** Thoms. l. c. — Lacord. Gen. Col. IX, 1869, p. 360.

1

Gerania Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 70. — Cast. Hist. Nat. Col. II, 1840, p. 487. — Blanch. Hist. Nat. Ins. II, 1845, p. 162. —

Thoms. Classif. Ceramb. 1860, p. 104; Syst. Ceramb. 1864, p. 387.
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 320.

Padia Gistel, Naturg. 1848, p. 625.

- ✓ *Bosci* F. Syst. Eleuth. II, 1801, p. 323. — Cast. Hist. Siam, Birma,
Nat. Col. II, 1840, p. 488. — Gistel, Naturg. Malakka,
1848, p. 625; Wirbellose Thiere 1857, p. 50. Java,
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Lombok
p. 321, t. 14, f. 7. — Heyne-Taschenb. Exot.
Käfer 1906, p. 243, t. 37, f. 21. — Kempers,
Tijdschr. v. Ent. LII, 1909, p. 277, t. 13, f. 4.

1

Hechinoschema Thoms.

Thoms. Archives Ent. I, 1857, p. 181.

Echinoschema Thoms. Classif. Ceramb. 1860, p. 94; Syst.
Ceramb. 1864, p. 380. — Lacord. Gen. Col. IX, 1869, p. 318.

- ✓ *spinosum* Thoms. Archives Ent I, 1857, p. 182. — Silhet
Lacord. Gen. Col. IX, 1869, p. 318.

armatum White, Proc. Zool. Soc. Lond.
XXVI, 1858, p. 405. — Chevr. Ann. Soc. Ent.
France (3) VII, 1859, Bull. p. 6.

1

Trysimia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 305. — Lacord.
Gen. Col. IX, 1869, p. 302, 319.

- ✓ *geminata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Ceram, Buru,
p. 305, t. 14, f. 2. Amboina
rugicollis Pasc. l. c. p. 306. Celebes:
Macassar

2

Macrochenus Guér.

Guér. Voy. Deless. II, 1843, p. 59.

Mecotagus Pasc. Proc. Zool. Soc. Lond. 1866, p. 252. —
Lacord. Gen. Col. IX, 1869, p. 302, 319.

Atkinsoni Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, Andamanen
p. 380.

birmanus Thoms. Revue Zool. (3) VI, 1878, p. 49. Birma

- ✓ *Guerini* White, Ann. Mag. Nat. Hist. (3) II, 1858, Silhet
p. 274.

isabellinus Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 12. Tonkin

- ✓ *Lacordairei* Thoms. Syst. Ceramb. 1865, p. 556. Java

poecilus Pasc. Trans. Ent. Soc. Lond. (3)
III, 1866, p. 315.

melanospilus Gah. Journ. Malay. States Mus. I, 1906, Malakka,
p. 114, t. 6, f. 8. Borneo

tigrinus Pasc. Proc. Zool. Soc. Lond. 1866,
p. 253.

rufulosparsus Fairm. Bull. Soc. Ent. France 1902, Yunnan
p. 268.

- ✓ *tigrius* Ol. Encycl. méth. VII, 1792, p. 468; Ent. IV, Ceylon,
nr. 67, 1795, p. 101, t. 19, f. 142. — Gah. Neelgheries
Journ. Malay. States Mus. I, 1906, p. 114.

tessellatus Guér.Voy.Deless. II, 1843, p. 58.
t. 14, f. 2.

tonkinensis Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 12. Tonkin
9

Ptychodes Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 74. — Cast. Hist. Nat. Col. II, 1840, p. 480. — Haldem. Trans. Amer. Phil. Soc. (2) X, 1847, p. 53. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 146. — Thoms. Classif. Ceramb. 1860, p. 104; Syst. Ceramb. 1864, p. 382. — Lacord. Gen. Col. IX, 1869, p. 302, 321. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 320.

- ✓ *abbreviatus* Casey, Ann. N. York Acad. VII, 1893, Arizona
p. 593; Mem. Col. IV, 1913, p. 294.
- alboguttatus* Bates, Biol. Centr.-Amer. Col. V, 1880, Mexico
p. 97.
- ✓ *candidus* Bates, l. c. 1885, p. 337. Panama
- ✓ *cretatus* Bates, Trans. Ent. Soc. Lond. 1872, p. 197; Nicaragua,
Biol. Centr.-Amer. Col. V, 1880, p. 96, t. 7, f. 2. Costarica
- ✓ *Dejeani* Thoms. Syst. Ceramb. 1865, p. 556. Mexico
- Fairmairei* Thoms. l. c. p. 556. Tahiti
- ✓ *Honduræ* White, Proc. Zool. Soc. Lond. XXVI, 1858, Honduras,
p. 412. — Bates, Biol. Centr.-Amer. Col. V, Mexico,
1880, p. 95, 337. Guatemala,
- trivittatus* Taschenb. Zeitschr. ges. Naturw. Panama,
Halle I, 1870, p. 194. Columbien,
Ecuador
- ✓ *Lecontei* Thoms. Revue Zool. (2) VIII, 1856, p. 477, Costarica.
t. 24, f. 1. — Bates, Biol. Centr.-Amer. Col. Nicaragua
V, 1880, p. 96, t. 7, f. 3.
- mixtus* Bates, l. c. p. 97. Panama
- ✓ *nivelsparsus* Bates, Trans. Ent. Soc. London 1872, "
p. 197 nota; Biol. Centr.-Amer. Col. V, 1880,
p. 96, t. 7, f. 1.
- ✓ *politus* Serv. Ann. Soc. Ent. France IV, 1835, p. 75. — Mexico,
Cast. Hist. Nat. Col. II, 1840, p. 480, t. 33 Guatemala,
(52), f. 5. — Berge, Käferb. 1844, p. 121, t. Honduras
10, f. 27.
- lineatus* Newm. Ent. Magaz. V, 1838, p. 497.
Biologie: Chevr. Silberm. Revue Ent. I,
1833, p. 242.
- ✓ *taenioides* Thoms. Syst. Ceramb. 1865, p. 556. Brasilien
- ✓ *trilineatus* L. Mant. Plant. II, 1771, p. 532. — Drury, Jamaica,
Ill. Exot. Ins. I, p. 91, t. 41, f. 1, Index 1773; Cuba,
ed. Panzer I, 1788, p. 153, t. 41, f. 1; ed. Louisiana,
Westw. I, 1837, p. 86, t. 41, f. 1. — F. Syst. Texas,
Ent. 1775, p. 179; Spec. Ins I, 1781, p. 226. Zentr.-
— Goeze, Ent. Beytr. I, 1777, p. 476. — Amerika,
— Gmel. in L. Syst. Nat. ed. 13. I, 4, 1790, p. Columbien.
1840. — Cast. Hist. Nat. Col. II, 1840, p. 480. Venezuela.
— J. Lec. Journ. Acad. Philad. (2) II, 1852, Trinidad
p. 146. — Chevr. Ann. Soc. Ent. France (4)
II, 1862, p. 255. — Bates, Biol. Centr.-Amer.
Col. V, 1880—1885, p. 95, 337. — Leng &
Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,
p. 110. — Heyne-Taschenb. Exot. Käfer
1906, p. 241, t. 37, f. 6.

- vittatus* F. Gen. Ins. 1776, p. 231; Spec. Ins. I, 1781, p. 233; Mant. Ins. II, 1787, p. 149; Ent. Syst. I, 2, 1792, p. 312; Syst. Eleuth. II, 1802, p. 322. — Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 53.
 Biologie: Horton, Journ. Agric. Research XI, 1907, p. 371, t. 35—37.
 var. *insularis* Fairm. Revue Zool. (2) II, 1850, Tahiti p. 61.
 13

Taeniotes Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 90. — Cast. Hist. Nat. Col. II, 1840, p. 479. — Thoms. Arcana Nat. 1859, p. 96 (Revisio); Classif. Ceramb. 1860, p. 94, 101; Syst. Ceramb. 1864, p. 379. — Lacord. Gen. Col. IX, 1869, p. 301, 322. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 390 nota.
- ✓ *amazonum* Thoms. Archives Ent. I, 1857, p. 172. — Amazon
 Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 110 (sep. p. 176).
- ✓ *depressus* Houttuyn, Natuurl. Hist. I, 9, 1766, p. 536, t. 75, f. 3. — Müller, Naturs. V, 1, p. 262, t. 5, f. 3.
 ? *farinosus* Ol. Encycl. méth. V, 1790, p. 302; Ent. IV, nr. 67, 1795, p. 50, t. 7, f. 46 a.
 ? „*paramaribous maculosus*“ Voet, Cat. Col. II, 1778, p. 8, t. 6, f. 12; ed. Panzer III, 1794, p. 17, t. 6, f. 12 („*parimariobus*“).
 ? *pulverulentus* Cast. Hist. Nat. Col. II, 1840, p. 479.
 ✓ *scalaris* Heyne-Taschenb. Exot. Käfer 1906, p. 241, t. 37, f. 8.
- ✓ *Buckleyi* Bates, Trans. Ent. Soc. Lond. 1872, p. 198 Ecuador
 nota.
- ✓ *Buqueti* Thoms. Ann. Soc. Ent. France (3) IV, 1856, Mexico,
 p. 324, t. 8, f. 1; Archiv. Ent. I, 1857, p. 173. Guatemala
Luciani Thoms. Revis. p. 98. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 98.
- ✓ *cayennensis* Thoms. Revis. p. 98. Cayenne
 ✓ *decoratus* Cast. Hist. Nat. Col. II, 1840, p. 479. — Brasilien
 Chevr. in D'Orb. Dict. Hist. Nat. Atlas, Col. 1849, t. 13, f. 4. — Thoms. Revis. p. 97. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 109 (sep. p. 175).
subocellatus Ol. Ent. IV, nr. 67, 1795, t. 13, f. 12 d. — Duncan, Nat. Libr. Ent. II, 1835, p. 253, t. 25, f. 2.
- ✓ *farinosus* L. Syst. Nat. ed. 10, 1758, p. 390; ed. 12, Südamerika
 1767, p. 626. — De Geer, Mém. Ins. V, 1775, p. 108, t. 13, f. 17. — Retz. Gen. Spec. Ins. De Geer 1783, p. 138 (ex p.). — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 270; ed. 3, IV, 1828, p. 347.
- ✓ *inquinatus* Thoms. Archiv. Ent. I, 1857, p. 172. Columbien,
 Costarica
- ✓ *insularis* Thoms. l. c. p. 171. — Gah. Trans. Ent. Cuba,
 Soc. Lond. 1895, p. 121. Dominica,
 Guadeloupe

- ✓ **leucogrammus** Thoms. Syst. Ceramb. 1865, p. 554. Martinique
marmoratus Thoms. l. c. p. 554. Ecuador:
 Quito
 Ecuador
- ✓ **naevius** Bates, Trans. Ent. Soc. Lond. 1872, p. 198
 nota.
- ✓ **Orbigny** Guér. Icones Règne Anim. Ins. 1844, p. Bolivien,
 244. — Thoms. Revis. p. 97. Peru
D'Orbigny Bates, Ann. Mag. Nat. Hist. (3)
 XVI, 1865, p. 110 (sep. p. 176).
- ✓ **praeclarus** Bates, Trans. Ent. Soc. Lond. 1872, p. Nicaragua,
 197; Biol. Centr.-Amer. Col. V, 1880, p. 98, Columbien,
 t. 7, f. 11. Ecuador
- ✓ **pulverulentus** Ol. Encycl. méth. Ins. V, 1790, p. 302; Cayenne,
 Ent. IV, nr. 67. 1795, p. 50, t. 7, f. 46 b. — Surinam,
 Tigny. Hist. Nat. Ins. ed. 2, VII, 1813, p. Guadeloupe,
 271; ed. 3, IV, 1828, p. 348. Martinique,
farinosus Cast. Hist. Nat. Col. II, 1840, p. Nord-
 479. — Bates, Ann. Mag. Nat. Hist. (3) XVI, brasilien
 1865, p. 110 (sep. p. 176).
farinosus var. De Geer, Mém. Ins. V, 1775,
 p. 109, t. 14, f. 1.
 „*surinamensis maculosus*“ Voet, Cat. Col.
 II, 1778, p. 7, t. 5, f. 8; ed. Panzer III, 1794,
 p. 15, t. 5, f. 8.
- ✓ **scalaris** F. Spec. Ins. I, 1781, p. 213; Mant. Ins. I, Mexico bis
 1787, p. 132; Ent. Syst. I, 2, 1792, p. 257; Panama,
 Syst. Eleuth. II, 1801, p. 273. — Ol. Encycl. Columbien,
 méth. V, 1790, p. 302. — Bates, Trans. Ent. Insel
 Soc. Lond. 1872, p. 197; Biol. Centr.-Amer. Grenada
 Col. V, 1880, p. 97.
scalatus Gmel. in L. Syst. Nat. I, 4, 1790,
 p. 1825.
suturalis Thoms. Archiv. Ent. I, 1857, p. 172.
 — Bates, Trans. Ent. Soc. Lond. 1872, p. 197.
 Biologie: Crawford, Pomona Journ. Ent.
 II, 1910, p. 382. — Bondor, Ins. damninhos
 no Agric. 1913, p. 9 fig.
 var. *azoricus* Kolbe, Ent. Nachr. XIV, 1888, Azoren
 p. 179.
scalaris Drouet, Revue Zool. (2) XI, 1859, p. Venezuela
 249, 258. — Lacord. Gen. Col. IX, 1869, p.
 323, nota 1.
 var. *univittatus* Taschenb. Zeitschr. ges. Naturw. Halle XXXV, 1870, I, p. 195. — Bates,
 Biol. Centr.-Amer. Col. V, 1880, p. 97.
- simplex** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 396. Südamerika ?
- ✓ **singularis** Gah. l. c. p. 397. Ecuador
- ✓ **subocellatus** Ol. Encycl. méth. VII, 1792, p. 459; Cayenne,
 Ent. IV, nr. 67, 1795, p. 69, t. 2, f. 12, a, b. Surinam
ocellatus F. Syst. Eleuth. II, 1801, p. 272. —
 Merian, Ins. Surinam 1719, t. 24 (sine
 nom.).
- ✓ **xanthostictus** Bates, Biol. Centr.-Amer. Col. V, 1880, Nicaragua,
 p. 98. Guatemala,
Luciani Bates, Trans. Ent. Soc. Lond. 1872, Panama,
 p. 198; Biol. Centr.-Amer. Col. V, 1880, t. Guatemala
 7, f. 10. ♀
 ab. *zunilensis* Bates, l. c. 1885, p. 3.
 19

Deliathis Thoms.

- Thoms. *Classif. Ceramb.* 1860, p. 101; *Syst. Ceramb.* 1864, p. 379.
— Lacord. *Gen. Col. IX*, 1869, p. 301, 323. — Bates, *Biol. Centr.-Amer. Col. V*, 1880, p. 98.
- Batesi** Gah. *Ann. Mag. Nat. Hist.* (6) II, 1888, p. 398; Mexico
Trans. Ent. Soc. Lond. 1892, p. 257.
- ✓ **Buqueti** Taslé, *Revue Zool.* IV, 1841, p. 14. ”
ab. ♀ *mira* Gah. *Ann. Mag. Nat. Hist.* (6) II, ”
1888, p. 398.
- diluta** Gah. *Trans. Ent. Soc. Lond.* 1892, p. 257, ”
t. 12. f. 11.
- ✓ **incana** Forster, *Nov. Spec. Ins.* 1771, p. 38. — Heyne-
Taschenb. Exot. Käfer 1906, p. 241, t. 37.
f. 12. — Ross, *Int. Ent. Zeitschr.* III, 1909,
p. 201.
magnifica Voet, *Cat. Col. II*, 1778, p. 14, t. 11,
f. 49 B; ed. Panzer III, 1794, p. 34, t. 11,
f. 49 B.
succincta Houttuyn, *Natuurl. Hist.* I, 9, 1766,
p. 542, t. 75, f. 4. — Müller, *Natursyst.* V,
1, 1774, p. 264, t. 5, f. 4.
vittator F. *Syst. Ent.* 1775, p. 173; *Spec.*
Ins. I, 1781, p. 219; *Mant. Ins.* I, 1787, p. 138;
Ent. Syst. I, 2, 1792, p. 279; *Syst. Eleuth.*
II, 1801, p. 295. — Goeze, *Ent. Beytr.* I, 1777,
p. 470. — Gmel. in *L. Svst. Nat.* ed. 13, I,
4, 1790, p. 1831. — Ol. *Encycl. méth.* VII,
1792, p. 460; *Ent.* IV, nr. 67, p. 73, t. 15,
f. 104. — Petiver, *Gazophyl.* I, 1702, t. 24,
f. 6 (sine nom.).
- ✓ **nivea** Bates, *Trans. Ent. Soc. Lond.* 1869, p. 388; Nicaragua
1872, p. 198; *Biol. Centr.-Amer. Col. V*, 1880,
p. 99, t. 7, f. 9.
var. *detersa* Bates, l. c. 1885, p. 338. Guatemala,
Panama
Panama
- ab. ♀ *inermis* nom. nov.
nivea var. Bates, l. c. p. 339.
- poecilodryas** Bates, l. c. 1880, p. 99. Mexico
- ✓ **pulchra** Thoms. *Syst. Ceramb.* 1865, p. 554. — Bates,
Biol. Centr.-Amer. Col. V, 1880, p. 99. —
Gah. *Trans. Ent. Soc. Lond.* 1892, p. 256. Mexico,
Guatemala
- ✓ **quadritaeiator** White, *Ann. Mag. Nat. Hist.* XVIII,
1846, p. 48; (3) II, 1858, p. 355 nota. — Lacord.
Gen. Col. IX, 1869, p. 324, nota 1. — Bates,
Biol. Centr.-Amer. Col. V, 1880, p. 98. Guayaquil,
Venezuela
- Pazi* Rojas, *Revue Zool.* (2) VIII, 1856, p. 565.
8

Hammoderus Thoms.

Thoms. *Archiv. Ent.* I, 1857, p. 173; *Classif. Ceramb.* 1860, p. 94,
98; *Syst. Ceramb.* 1864, p. 379. — Lacord. *Gen. Col. IX*, 1869, p. 302,
324. — Bates, *Biol. Centr.-Amer. Col. V*, 1880, p. 90. — Gah. *Ann.*
Mag. Nat. Hist. (6) II, 1888, p. 398.

Hammatoderus Gemm. & Har. *Cat. Col. X*, 1873, p. 3022.

albatus Bates, *Biol. Centr.-Amer. Col. V*, 1880, p. 100. Costarica

- Batesi** Thoms. Ann. Soc. Ent. France (5) IX, 1879, Bull. p. 83. Columbien:
Cauca-Thal
- elatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 199; Nicaragua,
Biol. Centr.-Amer. Col. V, 1880, p. 101, t. 7, Panama
f. 5 ♀, 6 ♂.
- granulosus** Bates, Biol. Centr.-Amer. Col. V, 1885, Mexico
p. 339, t. 22, f. 1.
- imperator** Thoms. Physis II, 1868, p. 100. "
- impluviatus** Lacord. Gen. Col. IX, 1869, p. 324, nota 3. Guatemala
- inermis** Thoms. Archiv. Ent. I, 1857, p. 173; Arcana Mexico,
Nat. 1859, p. 99; Classif. Ceramb. 1860, p. 99. Nicaragua
alboplagiatus White, Ann. Mag. Nat. Hist.
(3) II, 1858, p. 275.
- Jacobyi** Nonfr. Ent. Nachr. XX, 1894, p. 141. Honduras
- laceratus** Bates, Biol. Centr.-Amer. Col. V, 1885, Mexico
p. 339, t. 22, f. 4.
- Lacordairei** Thoms. Classif. Ceramb. 1860, p. 98. — Mexico,
Bates, Biol. Centr.-Amer. Col. V, 1880, p. 102. Vera Cruz
- lunaris** Bates, l. c. p. 102. Mexico
- maculosus** Bates, l. c. p. 101. Nicaragua
- nitidus** Bates, Trans. Ent. Soc. Lond. 1874, p. 224; "
Biol. Centr.-Amer. Col. V, 1880, p. 100,
t. 7, f. 8.
- ornator** Bates, l. c. 1885, p. 340, t. 22, f. 2. Mexico
- pollinosus** Bates, l. c. 1880, p. 102. Costarica
- rubefactus** Bates, Trans. Ent. Soc. Lond. 1872, p. 199; Nicaragua
Biol. Centr.-Amer. V, 1880, p. 100, t. 7, f. 4.
- Sallei** Thoms. Classif. Ceramb. 1860, p. 98, 99. Mexico
- Sallaei* Bates, Biol. Centr.-Amer. Col. V,
1880, p. 102.
- Sargi** Bates, l. c. 1885, p. 340, t. 22, f. 3. Guatemala
- spinipennis** Thoms. Classif. Ceramb. 1860, p. 98, 100. Mexico,
— Bates, Biol. Centr.-Amer. V, 1880, p. 100, Nicaragua,
t. 7, f. 7. Panama
- sticticus** Bates, Trans. Ent. Soc. Lond. 1874, p. 225 Ecuador
nota; in Whymper, Travels Ecuador, Suppl.
Append. 1891, p. 39 fig.
- tesselatus** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, New York,
p. 51. — J. Lec. Journ. Acad. Philad. (2) New Jersey,
II, 1852, p. 150. — Horn, Trans. Amer. Ent. Georgia,
Soc. XII, 1885, p. 193; XXIII, 1896, p. 111. — Louisiana
Casey, Mem. Col. IV, 1913, p. 295; V, 1914,
p. 368.
- var. *amplipennis* Casey, Mem. Col. IV, Colorado?
1913, p. 295; V, 1914, p. 368. N. Carolina
- thiodes** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 101. Panama
- thoracicus** White, Ann. Mag. Nat. Hist. (3) II, 1858, Südamerika?
p. 275. — Bates, Biol. Centr.-Amer. Col. V,
1880, p. 100.

Mimolochus Thoms.

Thoms. Physis II, 1868, p. 99. — Lacord. Gen. Col. IX, 1869,
p. 302, 325.

Hoefneri Thoms. Syst. Ceramb. 1865, p. 554; Physis Mexico
II, 1868, p. 100.

Hoepfneri Lacord. Gen. Col. IX, 1869, p. 325.

— Gemm. & Har. Cat. Col. X, 1873, p. 3022.

1

Goes J. Lec.

- J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 150. — Thoms. Classif. Ceramb. 1860, p. 79; Syst. Ceramb. 1864, p. 379. — Lacord. Gen. Col. IX, 1869, p. 302, 330. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 320. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Blatchley, Col. Indiana 1910, p. 1066. — Casey, Mem. Col. IV, 1913, p. 296 (Revisio).
- ✓ **debilis** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 150. — Fitch, Rep. Nox. Ins. N. York V, 1858, p. 12. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 193; XXIII, 1896, p. 111. — Pack. Ins. Inj. Trees 1890, p. 82, 286, f. 110. — Blatchley, Col. Indiana 1910, p. 1067, f. 457. — Casey, Revis. p. 297. New York, New Jersey, Pennsylvania, Iowa, Illinois, Louisiana
- ✓ **laurenticus** Casey, Revis. p. 297. New York
- ✓ **pulcher** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 52. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 150. — Emmons, Nat. Hist. N. York V, 1854, p. 123. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 193; XXIII, 1896, p. 111. — Pack. Ins. Inj. Trees 1890, p. 286, f. 109. — Felt, Ins. Affect. Trees 1905, p. 431, t. 9, f. 1. — Blatchley, Col. Indiana 1910, p. 1067, f. 456. — Casey, Revis. p. 296. Ost- und Südstaaten Nord-amerikas von Vermont bis Louisiana
- Biologie: Linell, Ent. Amer. V. 1889, p. 39. — Felt, Ins. Affect. Trees 1905, p. 431, t. 9, f. 2—5.
- ✓ **pulverulentus** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 51. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 150. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 193; XXIII, 1896, p. 111. — Blatchley, Col. Indiana 1910, p. 1067, 1068. — Casey, Revis. p. 297.
- Biologie: Pack. Ins. Inj. Trees 1890, p. 515. — Felt, Ins. Affect. Trees 1905, p. 455.
- ✓ **Robinsoni** Casey, Mem. Col. V, 1914, p. 368. Rhode Island,
- ✓ **tigrinus** De Geer, Mém. Ins. V, 1775, p. 114, t. 14, f. 6. — Goeze, Ent. Beytr. I, 1777, p. 474. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1863. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 150. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 193; XXIII, 1896, p. 111. — Pack. Ins. Inj. Trees 1890, p. 285, f. 108. — Blatchley, Col. Indiana 1910, p. 1067. — Casey, Revis. p. 296. New York, New Jersey, Maryland, Pennsylvania, Florida
- ✓ **rotator** F. Syst. Ent. 1775, p. 175; Spec. Ins. I, 1781, p. 222; Mant. Ins. I, 1787, p. 140; Ent. Syst. I, 2, 1792, p. 285; Syst. Eleuth. II, 1801, p. 299. — Goeze, Ent. Beytr. I, 1777, p. 471. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1833. — Ol. Encycl. méth. VII, 1792, p. 466; Ent. IV, nr. 67, 1795, p. 84, t. 17, f. 126. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 263.

tigris Schönh. *Synon. Ins.* I, 3, 1817, p. 383.

tomentosus Ziegl. *Proc. Acad. Nat. Sc.*

Philad. II, 1844, p. 47. — *Hald. Trans. Amer.*

Philos. Soc. (2) X, 1847, p. 51.

Biologie: Fitch, *Rep. Nox. Ins. N. York*

I—II, 1855, p. 146, fig.; III, 1856, p. 120, fig.

— Felt, *Ins. Affect. Trees* 1905, p. 268.

var. marmoratus Casey, *Revis.* p. 296.

Texas

6

Microgoes Casey.

Casey, *Mem. Col.* IV, 1913, p. 298.

oculatus J. Lec. *Proc. Acad. Nat. Sc. Philad.* XIV,

1862, p. 40. — *Prov. Pet. Faune Ent. Canada*

I, 1877, p. 627. — Harrington, *Rep. Ent.*

Soc. Ontario XIV, 1884, p. 48. — Horn,

Trans. Amer. Ent. Soc. XII, 1885, p. 193;

XXIII, 1896, p. 111. — Pack, *Ins. Inj. Trees*

1890, p. 286. — Blatchley, *Col. Indiana* 1910,

p. 1067. — Casey, *Mem. Col.* IV, 1913, p. 298.

tenuicornis Casey, l. c. p. 298.

Canada,

Wisconsin,

New York,

Pennsyl-

vania,

Ohio

Pennsylvania

2

Cacoplia J. Lec.

J. Lec. *Journ. Acad. Philad.* (2) II, 1852, p. 149. — *Thoms. Syst.*

Ceramb. 1864, p. 379. — Lacord. *Gen. Col.* IX, 1869, p. 338. — J. Lec.

& Horn, *Classif. Col. N. Amer.* 1883, p. 320. — Leng & Hamilton,

Trans. Amer. Ent. Soc. XXIII, 1896, p. 108, 111.

nebulosa Hald. *Trans. Amer. Philos. Soc.* (2) X, 1847,

p. 54.

pruinosa J. Lec. *Journ. Acad. Philad.* (2)

II, 1852, p. 149; *Proc. Acad. Philad.* VI, 1853,

p. 234.

pullata Hald. *Trans. Amer. Philos. Soc.*

(2) X, 1847, p. 55. — J. Lec. *Journ. Acad.*

Philad. (2) II, 1852, p. 163; *Proc. Acad.*

Philad. VI, 1853, p. 234. — Leng & Hamilt.

Trans. Amer. Ent. Soc. XXIII, 1896, p. 111.

1

New York,

New Jersey,

Pennsyl-

vania,

Alabama

Mecynippus Bates.

Bates, *Journ. Linn. Soc. Zool. Lond.* XVIII, 1884, p. 240.

pubicornis Bates, l. c. p. 241, t. 2, f. 12.

Japan

1

Melanauster Thoms.

Thoms. *Physis* II, 1868, p. 181. — Lacord. *Gen. Col.* IX, 1869,

p. 301, 326.

abbreviatus Thoms. *Syst. Ceramb.* 1865, p. 553.

Mandschurei,

afflictus Thoms. l. c. p. 553.

China,

amoenus Jord. *Stett. Ent. Zeit.* LVI, 1895, p. 269.

Borneo,

argentifer Pic, *Longic.* IV, 1, 1902, p. 31.

China,

beryllinus Hope, *Proc. Linn. Soc. Lond.* I, 1840,

Assam,

p. 79; *Ann. Mag. Nat. Hist.* IV, 1840, p. 300;

Nordindien

- Trans. Linn. Soc. Lond. XVIII, 1841, p. 597.
t. 40, f. 7; Entomol. I, 1841, p. 177. — Gah.
Ann. Mag. Nat. Hist. (6) II, 1888, p. 401.
- melanostictus* White, Proc. Zool. Soc.
Lond. XXVI, 1858, p. 407.
- ✓ **Bowringi** White, l. c. p. 398, t. 53, f. 1; Proc. Ent. Soc. Lond. (2) IV, 1856, p. 19. Hongkong,
Südchina,
Yunnan
- Biologie: Bowring, l. c. p. 20.
- ✓ **chinensis** Forster, Nov. Spec. Ins. 1771, p. 39. — China
De Geer, Mém. Ins. V, 1775, p. 109. —
Goeze, Ent. Beytr. I, 1777, p. 474. — Retzius,
Gen. Spec. Ins. Degeeri 1783, p. 138. —
Thoms. Phebus II, 1868, p. 182, nota 1. —
Heyne-Taschenb. Exot. Käfer 1906, p. 241,
t. 37, f. 9.
- farinosus* Houttuyn, Natuurl. Hist. I, 9,
1766, p. 536, t. 75, f. 2 (non L.). — Drury,
III. Exot. Ins. II, 1773, p. 57, t. 31, f. 4. —
Müller, Naturs. V, 1, 1774, p. 261, t. 5, f. 2.
— Donovan. Ins. China 1798, t. 6, f. *.*. —
Chevr. Revue Zool. (2) IV, 1852, p. 418.
- pulchricornis* Voet, Cat. Col. II, 1778,
p. 22, t. 20, f. 95; ed. Panzer III, 1794, p. 56,
t. 20, f. 95.
- punctatus* Oken, Allg. Naturg. V, 3, Suppl.
1836, t. 16, f. 9.
- punctator* F. Gen. Ins. 1776, p. 230; Spec. Ins. I,
1781, p. 221; Mant. Ins. I, 1787, p. 140; Ent.
Syst. I, 2, 1792, p. 284; Syst. Eleuth. II,
1801, p. 298. — Gmel. in L. Syst. Nat. ed.
13, I, 4, 1790, p. 1833. — Ol. Encycl. méth.
VII, 1792, p. 459; Ent. IV, nr. 67, 1795, p. 69,
t. 8, f. 50. — Westw. in Drury, III. Exot.
Ins. ed. 2, II, 1837, p. 60, t. 31, f. 4. — Cast.
Hist. Nat. Col. II, 1840, p. 471, t. 33 (52), f. 2.
— Westw. in Donovan. Ins. China ed. 2, 1842,
p. 12, t. 6, f. 3. — Berge, Käferb. 1844, p. 123,
t. 11, f. 7.
- sinensis* Gmel. in L. Syst. Nat. ed. 13, I, 4,
1790, p. 1863.
- Biologie: Quaint. Proc. Ent. Soc. Washingt.
XV, 1913, p. 77.
- var. *macularius* Thoms. Syst. Ceramb. Nordchina,
1865, p. 553. — Bates, Ann. Mag. Nat. Hist. Japan,
(4) XII, 1873, p. 311. — Kolbe, Archiv f. Korea
Naturg. LII, 1886, p. 238.
- chinensis* Matsum. Thous. Ins. Japan III,
1908, nr. 704, t. 53, f. 3.
- ✓ **Davidis** Fairm. Ann. Soc. Ent. France (6) VI, 1886, Yunnan
p. 355.
- ✓ **glabripennis** Motsch. Etud. Ent. II, 1853, p. 48. — Nordchina,
Jacobs, Käfer Rußl. 1911, t. 71, f. 19. Japan
- laevigator* Thoms. Archiv. Ent. I, 1857,
p. 297.
- Leechi** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 63. China
- luctuosus** Thoms. Syst. Ceramb. 1865, p. 553. Nordchina
- luridus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856,
p. 47; Ann. Mag. Nat. Hist. (5) II, 1873,
p. 372.

- macrospilus** Gah. Ann. Mag. Nat. Hist. (8) V, 1900, p. 349. Hainan
- ✓ **malasiacus** Thoms. Syst. Ceramb. 1865, p. 553. „Malasia“
- ✓ **Medenbachi** Rits. Notes Leyden Mus. III, 1881, p. 39; Java,
XII, 1890, p. 180. — Gah. Ann. Mus. Civ. Birma
Genova XXXIV, 1894, p. 39. — Heller, Tijdschr.
v. Ent. LXII, 1919, p. 103.
- nobilis** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, China:
p. 82. Kanssu
- oshimanus** Fairm. Bull. Soc. Ent. France 1895, p. 390. Liu-Kiu-
Inseln:
Oshima
- ✓ **Pirouleti** Fairm. Ann. Soc. Ent. France (6) IX, 1889, China: Kouï-
p. 66. Tehéou
- rhetenor** Newm. Entomol. I, 1842, p. 276. Philippinen
- sepulchralis** Thoms. Syst. Ceramb. 1865, p. 553. China
- similis** Gah. Ann. Mag. Nat. Hist. (8) V, 1900, p. 350. Hainan
- zonator** Thoms. Revue Zool. (3) VI, 1878, p. 50. — Siam, Birma
Rits. Notes Leyden Mus. XII, 1890, p. 180.
— Gah. Ann. Mus. Civ. Genova XXXIV,
1894, p. 39.

22

Eupromus Pasc.

Pasc. Trans. Ent. Soc. Lond. 1868, Proc. p. 12.

- ✓ **ruber** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Japan,
p. 167. — Chevr. Ann. Soc. Ent. France China
(3) VII, 1859, Bull. p. 6. — Bates, Ann. Mag.
Nat. Hist. (4) XII, 1873, p. 311. — Jacobs.
Käfer Rußl. 1911, t. 69, f. 8.
- Championi* White, Proc. Zool. Soc. Lond.
XXVI, 1858, p. 398, t. 53, f. 2.
- Sieboldi* Guér. Icon. Règne Anim. Ins. 1844,
p. 238.

1

Cyriocerates Thoms.

Thoms. Physis II, 1868, p. 181. — Lacord. Gen. Col. IX, 1869, p. 301, 325.

- elegans** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 450. Birma
- ✓ **Horsfieldi** Hope, Proc. Ent. Soc. Lond. 1842, p. 61; China,
Ann. Mag. Nat. Hist. XI, 1843, p. 64; Trans. Assam
Ent. Soc. Lond. IV, 1845, p. 12, t. 1, f. 2. —
Thoms. Physis II, 1868, p. 181. — Lacord.
Gen. Col. IX, 1869, p. 325.
- voluptuosus* Thoms. Revue Zool (2) VIII,
1856, p. 529; Archiv. Ent. I, 1857, p. 24 nota.
- imitator** White, Proc. Zool. Soc. Lond. XXVI, 1858, Shanghai
p. 404.
- ✓ **Waterhousei** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, Insel Nias
p. 276, t. 16, f. 4.

4

Aristobia Thoms.

- Thoms. Physis II, 1868, p. 178. — Lacord. Gen. Col. IX, 1869, p. 301, 327.
Eunithera Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 65.
- approximator** Thoms. Syst. Ceramb. 1865, p. 552. — „Malasia“
 ? Pasc. Proc. Zool. Soc. Lond. 1866, p. 248.
- birmanica** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
 p. 40.
- clathrator** Thoms. Syst. Ceramb. 1865, p. 552. Silhet
reticulator Heyne-Taschenb. Exot. Käfer
 1906, p. 241, t. 37, f. 11.
- hispida** Saund. Trans. Ent. Soc. Lond. (2) II, 1853, China,
 p. 112, t. 4, f. 6. — Thoms. Physis II, 1868, Tonkin
 p. 178.
- horridula** Hope in Gray, Zool. Misc. 1831, p. 27. Himalaya,
fasciculata Redtenb. in Hügel, Kaschm. Birma,
 IV, 2, 1848, p. 552, t. 27, f. 2. — Lacord. Gen. Tonkin,
 Col. IX, 1869, p. 327, t. 97, f. 5. — Fairm. Yunnan
 Ann. Soc. Ent. Belg. XXXI, 1887, p. 134.
- mixta** Auriv. Arkiv f. Zool. X, 19, 1916, p. 13. Insel Nias
- murina** Nonfr. Ent. Nachr. XX, 1894, p. 82. ?
- pulcherrima** Nonfr. l. c. XVIII, 1892, p. 94. Südchina
- quadrifasciata** Auriv. Tijdschr. Ent. LIX, 1916, p. 223. Sumatra
 t. 8, f. 13.
- testudo** Voet, Cat. Col. II, 1778, p. 12, t. 10, f. 39; China
 ed. Panzer III, 1794, p. 29, t. 10, f. 39.
reticulator F. Spec. Ins. I, 1781, p. 219;
 Mant. Ins. I, 1787, p. 137; Ent. Syst. I, 2,
 1792, p. 278; Syst. Eleuth. II, 1801, p. 295.
 — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
 p. 1831. — Ol. Encycl. méth. VII, 1792,
 p. 460; Ent. IV, nr. 67, 1795, p. 72, t. 12,
 f. 83. — Donov. Ins. China 1798, t. 6, f. **;
 ed. Westw. 1842, p. 12, t. 6, f. 2. — Cast.
 Hist. Nat. Col. II, 1840, p. 471.
- umbrosa** Thoms. Syst. Ceramb. 1865, p. 552. — Rits. Sumatra
 Notes Leyd. Mus. III, 1881, p. 83.
viduata Pasc. Trans. Ent. Soc. Lond. 1868,
 Proc. p. 13; Ann. Mag. Nat. Hist. (4) IV,
 1869, p. 208; XV, 1875, p. 65, t. 8, f. 4.
- Voeti** Thoms. Revue Zool. (3) VI, 1878, p. 51. — Gah. China
 Ann. Mus. Civ. Genova XXXIV, 1894, p. 40.
angustifrons Gah. Ann. Mag. Nat. Hist.
 (6) I, 1888, p. 276.

12

Celosterna Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 158 (ex p.). — Thoms. Classif.
 Ceramb. 1860, p. 85; Syst. Ceramb. 1865, p. 378 (ex p.). — Lacord.
 Gen. Col. IX, 1869, p. 302, 328. — Auriv. Arkiv f. Zool. XIII, 3, 1920, p. 11.

Toxosterna Thomson, Physis II, 1868, p. 178.

- combusta** Thoms. Syst. Ceramb. 1865, p. 552. Java
- Fabricii** Thoms. l. c. p. 552. Madras
- javana** White, Proc. Zool. Soc. Lond. XXVI, 1858, Java
 p. 403.
- indiator** White, Ann. Mag. Nat. Hist. (3) II, 1858, Ostindien
 p. 274.

- maculicornis** Thoms. Syst. Ceramb. 1865, p. 552. Bengalen
pardalis Thoms. l. c. p. 552. Assam
pollinosa Buq. Ann. Soc. Ent. France (3) VII, 1859, Java
 p. 634.
pulchellator Westw. Proc. Zool. Soc. Lond. V. 1837, Philippinen
 p. 128. — Rits. Notes Leyden Mus. IX, 1887,
 p. 219; X, 1888, p. 198. — Gah. Ann. Mag.
 Nat. Hist. (6) I, 1888, p. 277.
argenteomaculata Auriv. Ent. Tidskr.
 VIII, 1887, p. 196, f. 3.
Ritsemai Heller, Notes Leyden Mus. XXIX, 1907, Sumatra
 p. 55.
Rouyeri Rits. Notes Leyden Mus. XXVIII, 1906, p. 137.
scabrator F. Spec. Ins. I, 1781, p. 224; Mant. Ins. I,
 1787, p. 142; Ent. Syst. I, 2, 1792, p. 291; Syst.
 Eleuth. II, 1801, p. 284. — Gmel. in L.
 Syst. Nat. ed. 13, I, 4, 1790, p. 1828. — Ol.
 Encycl. méth. VII, 1792, p. 461; Ent. IV, nr.
 67, 1795, p. 74, t. 3, f. 14 a, b. — Stebbing.
 Man. Forest. Zool. 1908, p. 100, t. 39, f. 200.
 — Fletcher, S. Ind. Ins. 1914, p. 326, f. 181.
 Biologie: Maxw. Lefr. Ind. Ins. Life 1909,
 p. 375, f. 246, 255. — Iyer, Calcutta Forest
 Bull. XI, 1921, p. ?
 var. *griseator* Auriv. Arkiv f. Zool. XIII, Ostindien
 9, 1920, p. 12.
 var. *spinator* F. Ent. Syst. Supplem. 1798,
 p. 145. — Cotes, Ind. Mus. Notes III, 3, 1894,
 p. 114; III, 6, 1896, p. 7, fig. — Fletcher, S.
 Ind. Ins. 1914, p. 325, f. 180.
gladiator F. Syst. Eleuth. II, 1801, p. 284.
Stolzi Rits. Notes Leyden Mus. XXXIV, 1911, p. 4. Sumatra,
 Borneo
sulphurea Heller, Notes Leyden Mus. XXIX, 1907, Sumatra,
 p. 54.
variegata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 11; Borneo
 Journ. Sarawak Mus. I, 3, 1913, p. 4.

14

Cremnosterna Auriv.

Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 12.

- carlissima** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Birma
 p. 104. — Lameere, Ann. Soc. Ent. France
 LXII, 1893, p. 283.
maculosa Thoms. Syst. Ceramb. 1865, p. 552. Siam
ocellata Nonfr. Berl. Ent. Zeitschr. XXXVI, Cochinchina
 1892, p. 379.
tessellata White, Proc. Zool. Soc. Lond.
 XXVI, 1858, p. 404.
elegans Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, Ostindien:
 p. 460. — Gah. l. c. (6) I, 1888, p. 277. Travancore
Fleutiauxi Lameere, Ann. Soc. Ent. France LXII, Cochinchina:
 1893, p. 283. Saïgon
plagiata White, Proc. Zool. Soc. Lond. XXVI, 1858, Ostindien
 p. 403.

4

Thestus Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 247. — Lacord. Gen. Col. IX, 1869, p. 301, 329.

armatus Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 381. Borneo

niveovittatus Auriv. Arkiv f. Zool. VII, 3, 1910, p. 32. „

oncideroides Pasc. Proc. Zool. Soc. Lond. 1866, p. 248, t. 27, f. 7. Penang

3

Psaromaia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 289. — Lacord. Gen. Col. IX, 1869, p. 339.

Renei Pasc. Trans. Ent. Soc. Lond. 1888, p. 501. Südostindien

tigrina Pasc. l. c. (3) III, 1866, p. 289, t. 13, f. 3. — Java

Lacord. Gen. Col. IX, 1869, p. 339.

2

Anamera Thoms.

Thoms. Syst. Ceramb. 1864, p. 63. — Lacord. Gen. Col. IX, 1869, p. 369, 382. — Gah. Ann. Mag. Nat. Hist. (6) IX, 1893, p. 384.

alboguttata Thoms. Syst. Ceramb. 1864, p. 63. — Laos

Lacord. Gen. Col. IX, 1869, p. 383.

concolor Lacord. l. c. nota 1.

fulvescens Gah. Ann. Mag. Nat. Hist. (6) IX, 1893, p. 383. „

Südindien

3

Leuronotus Gah.

Gahan. Ann. Mag. Nat. Hist. (6) I, 1888, p. 190.

spatulatus Gah. l. c. p. 190.

Salomon-Ins.

1

Domitia Thoms.

Thoms. Archiv. Ent. II, 1858, p. 194; Classif. Ceramb. 1860, p. 109, 111; Syst. Ceramb. 1864, p. 383. — Lacord. Gen. Col. IX, 1869, p. 301, 329.

aenea Parry, Trans. Ent. Soc. Lond. V, 1849, p. 185, t. 18, f. 8. Goldküste

cervina Hintz, Deutsche Ent. Zeitschr. 1913, p. 198. Angola

lupanaria Thoms. Archives Ent. II, 1858, p. 194, t. 7, Gabun

f. 8. — Lacord. Gen. Col. IX, 1869, p. 329.

nitidissima Auriv. Ent. Tidskr. XXIV, 1903, p. 269. Kamerun

pilosicollis Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. — Lacord. Gen. Col. VIII, 1869, p. 253, Cap Palmas

nota 1. — Jord. Nov. Zool. XVI, 1909, p. 310.

viridipennis Chevr. Revue Zool. (2) VII, 1855, p. 284; Alt-Calabar

Cent. Longic. 1858, nr. 20. — Murray, Ann.

Mag. Nat. Hist. (4) VI, 1870, p. 479 (sep.

1878, p. 205).

6

Prodomitia Jord.

Jord. Novit. Zool. I, 1894, p. 196.

squamigera Jord. l. c. p. 196.Kuilu
1**Agnoderus** Thoms.Thoms. Syst. Ceramb. 1864, p. 83, 383. — Lacord. Gen. Col. IX.
1869, p. 302, 331.**desperatus** Thoms. Archives Ent. I, 1857, p. 295. Sikkim*Fredericus* White, Proc. Zool. Soc. Lond.
XXVI, 1858, p. 408.✓ **guomoides** Thoms. Syst. Ceramb. 1864, p. 83. — „
Lacord. Gen. Col. IX, 1869, p. 331.

2

Uraecha Thoms.Thoms. Syst. Ceramb. 1864, p. 84, 383. — Lacord. Gen. Col. IX,
1869, p. 302, 335.✓ **angusta** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, China
p. 49.✓ **bimaculata** Thoms. Syst. Ceramb. 1864, p. 85. — Japan
Lacord. Gen. Col. IX, 1869, p. 336. — Matsum.
Thous. Ins. Japan III, 1908, nr. 689, t. 52, f. 4.**chebana** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 41.**griseata** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 240.**punctata** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 63. China**thoracica** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 42.

6

Amechana Thoms.Thoms. Syst. Ceramb. 1864, p. 85, 383. — Lacord. Gen. Col. IX,
1869, p. 302, 334.*Amesisa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 235.**nobilis** Thoms. Syst. Ceramb. 1864, p. 85. — Lacord. Singapur
Gen. Col. IX, 1869, p. 335.*consularis* Pasc. Trans. Ent. Soc. Lond.

(3) III, 1866, p. 236, t. 11, f. 2.

1

Tympanopalpus Redtenb.Redtenb. Reise Novara, Col. 1868, p. 180. — Lacord. Gen. Col. IX,
1869, p. 339. — Broun, Man. N. Zeal. Col. I, 1880, p. 616.**dorsalis** Redtenb. Reise Novara, Col. 1868, p. 180, Borneo
t. 5, f. 3. — Lacord. Gen. Col. IX, 1869, p. (nicht N. Zea-
340. — Broun, Man. N. Zeal. Col. I, 1880, land)
p. 617.

1

Blepephaeus Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 249; Trans. Ent. Soc. Lond. (3) III, 1866, p. 291. — Lacord. Gen. Col. IX, 1869, p. 339.

- parvicollis** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 102.
stigmatosus Gah. l. c. p. 44. Tenasserim
suberuciatus White, Proc. Zool. Soc. Lond. XXVI, Hongkong
1858, p. 410.
succinator Chev. Revue Zool. (2) IV, 1852, p. 417. China,
— Pasc. Proc. Zool. Soc. Lond. 1866, p. 250: Ostindien,
Trans. Ent. Soc. Lond. (3) III, 1866, p. 292. Assam
obfuscatus White, Proc. Zool. Soc. Lond. Tenasserim,
XXVI, 1858, p. 411. Malacca
sublineatus White, l. c. p. 410.

4

Cratotrachus Lacord.

Lacord. Gen. Col. IX, 1869, p. 302, 332.

- cinabarrinus** Lacord. l. c. nota 2. Siam
1

Mimohammus Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 12; Journ. Sarawak Mus. I,
3, 1913, p. 5.

- flavescens** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 12; Borneo
Journ. Sarawak Mus. I, 3, 1913, p. 6.

1

Cereopsius Pasc.

Pasc. Journ. Ent. I, 1862, p. 344. — Thoms. Syst. Ceramb. 1864,
p. 84, 132, 383. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 237.
— Lacord. Gen. Col. IX, 1869, p. 302, 333.

- amabilis** Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 11. Borneo
✓ **arbiter** Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 50. Labuan
exoletus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo
p. 105; (3) III, 1866, p. 238. — Thoms. Syst.
Ceramb. 1864, p. 84.
✓ **irregularis** Heller, Philipp. Journ. Sc. D, X, 1915, Luzon
p. 240, t. 1, f. 11.
✓ **luctor** Newm. Entomol. I, 1842, p. 276. Philippinen
luctuosus Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Ceram
p. 238.
luhanus Heller, Abhandl. Mus. Dresden VI, 3, 1896, Celebes
p. 23, tab. f. 18.
marmoratus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Singapur
p. 105; (3) III, 1866, p. 240.
mysticus Thoms. Syst. Ceramb. 1865, p. 556.
✓ **niassensis** Lansb. Notes Leyden Mus. V, 1883, p. 24. „Malasia“
Insel Nias
nigrofasciatus Auriv. Arkiv f. Zool. VIII, 22, 1913, Borneo
p. 11.
patronus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon
p. 43.

- ✓ *praetorius* Er. Nova Acta Acad. Nat. Cur. XVI, Luzon
Suppl. 1, 1834, p. 268, t. 39, f. 7. — Newm.
Entomol. I, 1842, p. 276.
ab. *elpenor* Pasc. Journ. Ent. I, 1862, p. 344.
- ✓ *privatus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Malacca
p. 240.
- ✓ *quaestor* Newm. Entomol. I, 1842, p. 276. Philippinen
- ✓ *samanganus* Heller, Abhandl. Mus. Dresden VII, 3, Celebes
1898, p. 34, t. 3, f. 12.
- ✓ *satelles* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 51. Sarawak
- ✓ *sexmaculatus* Auriv. Arkiv f. Zool. III, 18, 1907, p. 16. Borneo
- ✓ *sexnotatus* Thoms. Syst. Ceramb. 1865, p. 556. — Singapur
Pasc. Trans. Ent. Soc. Lond. (3) III, 1866,
p. 239.
- ✓ *spilotus* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 51. Labuan
- ✓ *tigrinus* Thoms. Ann. Soc. Ent. France (5) VIII, 1878, Borneo
Bull. p. 19.
- ✓ *tricinctus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Batjan
p. 239. — Waterh. Aid Identif. Ins. II, 1885,
t. 154, f. 4.
- ✓ *varius* Heller, Abhandl. Mus. Dresden VII, 3, 1898, Celebes
p. 35, t. 3, f. 10.
- ✓ *Whitei* Thoms. Syst. Ceramb. 1865, p. 556. — Pasc. „Malasia“,
Proc. Zool. Soc. Lond. 1866, p. 244. Penang

24

Thermonotus Gah.

- Gahan, Ann. Mag. Nat. Hist. (6) II, 1888, p. 399.
- ✓ *apicalis* Rits. Notes Leyden Mus. III, 1881, p. 5; XII, Java
1890, p. 248.
- ✓ *coeruleipennis* Auriv. Arkiv f. Zool. VII, 19, 1911, Borneo
p. 13; Journ. Sarawak Mus. I, 3, 1913, p. 6.
- ✓ *cylindricus* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 14; ”
Journ. Sarawak Mus I, 3, 1913, p. 7.
- ✓ *nigripennis* Rits. Notes Leyden Mus. XVIII, 1896, ”
p. 205.
- ✓ *nigripes* Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 399. Nordindien
- ✓ *Oberthuri* Rits. Notes Leyden Mus. XVIII, 1896, Sumatra
p. 206.
- ✓ *Pasteuri* Rits. l. c. XII, 1890, p. 248; XIII, 1891, p. 238, Insel Nias
t. 10, f. 5.

7

Etymestia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 236. — Lacord. Gen,
Col. IX, 1869, p. 302, 334.
- ✓ *albogattata* Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, Borneo
p. 136.
- ✓ *Helena* White, Proc. Zool. Soc. Lond. XXVI, 1858, ”
p. 412, t. 53, f. 7. — Pasc. Trans. Ent. Soc.
Lond. (3) III, 1866, p. 237. — Lacord. Gen.
Col. IX, 1869, p. 334, t. 98, f. 2.

2

Docohammus Auriv.

Auriv. Deutsche Ent. Zeitschr. 1908, p. 217.

- Bennigseni** Auriv. l. c. t. 3, f. 3. Deutsch-Ostafrika
incisus Auriv. Tijdschr. v. Ent. LIX, 1916, p. 220, Congo
 t. 8, f. 8.
 2

Hoplothrix Gah.

Gahan, Ann. Mag. Nat. Hist. (6) I, 1888, p. 278.

- simplex** Gah. l. c. p. 279, t. 16, f. 5, 5a. Siam
 1

Eutaenia Thoms.Thoms. Archives Ent. I. 1857, p. 184; Classif. Ceramb. 1860, p. 81;
 Syst. Ceramb. 1864, p. 376.*Eutaeniopsis* Gahan, Ann. Mag. Nat. Hist. (6) I, 1888,
 p. 277; Ann. Mus. Civ. Genova XXXIV, 1895, p. 45.**borneensis** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 12; Borneo
 Journ. Sarawak Mus. I, 3, 1913, p. 5.**Corbetti** Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 381. Birma**Oberthari** Gah. Ann. Mus. Civ. Genova XXXIV, 1895,
 p. 45.✓ **trifasciella** White, Proc. Zool. Soc. Lond. XVIII, 1850, China,
 p. 13, t. 13, f. 1. — Gah. Ann. Mag. Nat. Nordindien
 Hist. (6) I, 1888, p. 278.*Javeti* Thoms. Archives Ent. I, 1857, p. 125. Penang

4

Polytretus Gah.

Gahan, Ann. Mag. Nat. Hist. (6) XI, 1893, p. 382.

- cribripennis** Gah. l. c. p. 383, t. 19, f. 4. Sikkim
 1

Coscinesthes Bates.

Bates, Entomol. XXIII. 1890, p. 246.

- ✓ **porosa** Bates. l. c. p. 247. China
 1

Eryalus Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 501.

Pseudagnia Auriv. Tijdschr. v. Ent. LIX, 1916, p. 216.**polyspilus** Pasc. Trans. Ent. Soc. Lond. 1888, p. 501. Sumatra
 t. 14, f. 10.**tigrius** Auriv. Tijdschr. v. Ent. LIX, 1916, p. 217, Borneo
 t. 8, f. 4.

2

Plectrodera Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 158. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 151. — Lacord. Gen. Col. IX, 1869, p. 354, 360. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 320. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Blatchley, Col. Indiana 1910, p. 1063, 1068.

Plectrodera Thoms. Classif. Ceramb. 1860, p. 78; Syst. Ceramb. 1864, p. 379.

✓ **scalator** F. Ent. Syst. I, 2, 1792, p. 278; Syst. Eleuth. II, 1801, p. 295. — Ol. Ent. IV, nr. 67, 1795, p. 67, t. 22, f. 172. — Cast. Hist. Nat. Col. II, 1840, p. 471. — J. Lec. Boston Journ. Nat. Hist. V, 1845, t. 18, f. 11; Journ. Acad. Philad. (2) II, 1852, p. 151. — Wood, III. Nat. Hist. Ins. 1863, p. 477, fig. — Lacord. Gen. Col. IX, 1869, p. 361. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 112. — Blatchley, Col. Indiana 1910, p. 1068, f. 458. — Heyne-Taschenb., Exot. Käfer 1906, p. 242, t. 37, f. 25.

Belli J. Lec Proc. Bost. Soc. Nat. Hist. I, 1845, p. 201; Boston Journ. Nat. Hist. V, 1845, p. 209.

Biologie: Shufeldt, Proc. U. S. Nat. Museum VII, 1884, p. 338. — Milliken, Bull. U. S. Depart. Agric. 424, 1916, t. 1.

Südstaaten
Nord-
amerikas
bis Penn-
sylvanien u.
Columbia

1

VI. Potemnemi.¹⁾**Potemnemus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 81. — Lacord. Gen. Col. IX, 1869, p. 354, 357.

Potemnemus Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 260, 280.

lima Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 282. Goram
pristis Pasc. l. c. p. 282. — Lacord. Gen. Col. IX, 1869, t. 99, f. 1. Aru
Rosenbergi Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 108, t. 4, f. 8. Neuguinea
✓ **scabrosus** Ol. Encycl. méth. V, 1790, p. 294; Ent. IV, nr. 67, 1795, p. 8, t. 10, f. 70. — Thoms. Syst. Ceramb. 1864, p. 81. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 281. ”
Thomsoni Lansb. Ann. Soc. Ent. Belg. XXIII, 1880, Compt. Rend. p. 138. ”
trimaculatus Lea, Rec. S. Austral. Mus. I, 1918, p. 98, t. 9, f. 8. Arfak-Berg
Queensland
tuberifer Gah. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 292. Neuguinea:
Arfak-Berg

7

¹⁾ Antennarum articulo 2^o elongato et cicatrice minus distincta a **Monochaminis** differunt.

Periaptodes Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 282. — Lacord. Gen. Col. IX, 1869, p. 354, 358.
- buruensis* Jord. Nov. Zool. I, 1894, p. 117. Buru
- frater* v. d. Poll, Notes Leyden Mus. IX, 1887, p. 119. Cape York,
— Lea, Rec. S. Austr. Mus. I, 1918, p. 97. Neu-
pommern,
Salomonen
- granulatus* Auriv. Arkiv f. Zool. IV, 17, 1908, p. 4. Neuguinea
- ✓ *licitor* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 283, t. 14, f. 3. "
- Olivieri* Thoms. Syst. Ceramb. 1865, p. 555. Ceram
- luctator* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 284. Ke-Inseln
- testator* Pasc. l. c. p. 283. — Waterh. Aid Identif. Neuguinea
Ins. II, 1882, t. 110.
- 6

Metopides Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 248. — Lacord. Gen. Col. IX, 1869, p. 354, 358.
- ✓ *occipitalis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 249, Penang
t. 27, f. 5. — Lacord. Gen. Col. IX, 1869,
p. 359.
- 1

VII. Agniini.

- Thomson, Syst. Ceramb. 1864, p. 83, 382. — Lacordaire, Gen. Col. IX, 1869, p. 340.
- Hypselominæ* (ex p.) Pascoe, Trans. Ent. Soc. Lond. (3) III, 1866, p. 227.

Hotarionomus Thoms.

- Thoms. Archives Ent. I, 1857, p. 78; Classif. Ceramb. 1860, p. 95, 103; Syst. Ceramb. 1864, p. 383. — Lacord. Gen. Col. IX, 1869, p. 341, 342.
- Otarionomus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 234.
- *blattoides* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, Borneo
p. 48; (3) III, 1866, p. 235, t. 11, f. 4. — Lacord.
Gen. Col. IX, 1869, p. 342, t. 98, f. 1.
- ilocanus* Heller, Abhandl. Mus. Dresden VII, 8, 1899, Philippinen
p. 7.
- 2

Omocyrius Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 245; Trans. Ent. Soc. Lond. (3) III, 1866, p. 232. — Lacord. Gen. Col. IX, 1869, p. 341, 343.
- fulvisparsus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 246, Penang
t. 27, f. 3. — Lacord. Gen. Col. IX, 1869, p. 343.
- Jansoni* Ritz. Notes Leyden Mus. X, 1888, p. 201. Borneo
- 2

Peribasis Thoms.

Thoms. Syst. Ceramb. 1864, p. 86, 384. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 230. — Lacord. Gen. Col. IX, 1869, p. 341, 343.

- ✓ *albisparsa* Rits. Notes Leyden Mus. X, 1888, p. 203. Borneo
aspersa Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, Malacca
 p. 48; (3) III, 1866, p. 230. — Thoms. Syst.
 Ceramb. 1864, p. 86. — Lacord. Gen. Col. IX,
 1869, p. 344.
larvata White, Proc. Zool. Soc. Lond. XXVI, 1858, Ostindien
 p. 406. — Pasc. l. c. 1866, p. 245.
 ✓ *princeps* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 373. Labuan
 — Waterh. Aid Identif. Ins. I, 1882, t. 44.
pubicollis Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Malacca,
 p. 231. Borneo

5

Combe Thoms.

Thoms. Syst. Ceramb. 1864, p. 83, 383. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 252. — Lacord. Gen. Col. IX, 1869, p. 341, 344.

- ✓ *Brianus* White, Proc. Zool. Soc. Lond. XXVI, 1858, „Nepaul“,
 p. 409. — Pasc. l. c. 1866, p. 244; Trans. Malacca
 Ent. Soc. Lond. (3) III, 1866, p. 252. —
 Lacord. Gen. Col. IX, 1869, p. 345.
fulgurata Thoms. Syst. Ceramb. 1864, p. 84.

1

Cycos Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 244. — Lacord. Gen. Col. IX, 1869, p. 341, 345.

- ✓ *guttatus* Heller, Abhandl. Mus. Dresden VII, 3, 1898, Celebes
 p. 35, t. 3, f. 19.
 ✓ *subgemmaus* Thoms. Archives Ent. I, 1857, p. 294. Himalaya,
 — Lacord. Gen. Col. IX, 1869, p. 346. Malacca
georgius White, Proc. Zool. Soc. Lond.
 XXVI, 1858, p. 407. — Chevr. Ann. Soc. Ent.
 France (3) VII, 1859, Bull. p. 6.

2

Triammatus Chevr.

Chevr. Revue Zool. (2) IX, 1857, p. 105. — Thoms. Archives Ent. I, 1857, p. 149; Ann. Soc. Ent. France (3) V, 1857, p. 107; Classif. Ceramb. 1860, p. 94, 103; Syst. Ceramb. 1864, p. 383. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 231. — Lacord. Gen. Col. IX, 1869, p. 341, 346

Trihammatu s Thoms. Arcana Nat. 1859, p. 50 nota.

- ✓ *Chevrolati* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, Borneo
 p. 47; (3) III, 1866, p. 233.
 ✓ *Saundersi* Chevr. Revue Zool. (2) VIII, 1856, p. 48; (2)
 IX, 1857, p. 106, t. 6. f. 3. — Thoms. Ann.
 Soc. Ent. France (3) V, 1857, p. 107. —
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1866,
 p. 232.

- tristis** Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 121; Batjan
 Trans. Ent. Soc. Lond. (3) III, 1866, p. 233.
 — Lacord. Gen. Col. IX, 1869, t. 98, f. 3.
tuberculifer Pic, Longic. IV, 2, 1903, p. 22. China
 4

Neopharsalia v. d. Poll.

V. d. Poll, Notes Leyden Mus. VIII, 1886, p. 27.

- Costerl** v. d. Poll, l. c. p. 27, t. 1, f. 1, 1a. Sumatra
vagans Kannegieter, l. c. XIII, 1891, p. 189. Java, Borneo,
 Celebes,
 Palawan

2

Pharsalia Thoms.

Thoms. Syst. Ceramb. 1864, p. 85, 384. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 248. — Lacord. Gen. Col. IX, 1869, p. 342, 347.

- ✓ **Agenor** Newm. Entomol. I, 1842, p. 276. — Lacord. Philippinen
 Gen. Col. IX, 1869, p. 348, nota 1.
alboplagiata Gah. Ann. Mag. Nat. Hist. (6) 1, 1888, Borneo
 p. 279.
antennata Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
 p. 46.
cincticornis Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Malacca
 p. 249.
 ✓ **duplicata** Pasc. l. c. p. 250. Singapur
ferruginea Gah. Journ. Malay. States Mus. I, 1906, Malacca
 p. 116, t. 6, f. 11.
 ✓ var. *niastica* Auriv. Arkiv f. Zool. XIII, 9, Insel Nias
 1920, p. 14.
 ✓ **gibbifera** Guér. Icon. Règne Anim. Ins. 1844, p. 243. Ostindien:
 Neelgherries
 Banda
lentiginosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1866,
 p. 249.
 ✓ **malasiaca** Thoms. Syst. Ceramb. 1864, p. 86. „Malasia“
mortalis Thoms. Archives Ent. I, 1857, p. 190. — Gah. Java
 Ann. Mag. Nat. Hist. (6) I, 1888, p. 280.
albomaculata v. d. Poll, Notes Leyden
 Mus. IX, 1887, p. 117.
nigrofasciata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 14; Borneo
 Journ. Sarawak Mus. I, 3, 1913, p. 7.
proxima Gah. Ann. Mag. Nat. Hist. (6) 5, 1890, p. 55. Ceylon
 ✓ **pulchra** Gah. l. c. (6) I, 1888, p. 280. Siam
saperdoides Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo
 p. 251.
setulosa Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 15. Palawan
 ✓ **supposita** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo
 p. 250.
suturalis Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 13. Assam
 ✓ **truncatipennis** Heller, Philipp. Journ. Sc. D, X, 1915, Luzon
 p. 36.
variegata Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 14. Ostindien
vinosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 251. Borneo

Agnia Newm.

Newm. Entomol. I, 1842, p. 291. — Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 120. — Thoms. Classif. Ceramb. 1860, p. 110, 113; Syst. Ceramb. 1864, p. 384. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 247. — Lacord. Gen. Col. IX, 1869, p. 342, 348.

Lubentia Thoms. Archives Ent. I, 1857, p. 169.

- casta** Newm. Entomol. I, 1842, p. 291. Luzon,
voluptuosa Thoms. Archives Ent. I, 1857, Neuginea
p. 170.
- clara** Newm. Entomol. I, 1842, p. 291. Manila
- eximia** Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 120; Batjan,
Trans. Ent. Soc. Lond. (3) III, 1866, p. 248. — Halmahera
Waterh. Aid Identif. Ins. II, 1885, t. 154, f. 3.
- fasciata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Amboina
Proc. p. 54; (3) III, 1866, p. 247, t. 11, f. 1.
— Lacord. Gen. Col. IX, 1869, p. 348, t. 98,
f. 4.
- pubescens** Auriv. Ent. Tidskr. XVIII, 1897, p. 247, Palawan
t. 3, f. 3. — Heller, Deutsche Ent. Zeitschr.
1916, p. 306.
- pulehra** Auriv. Ent. Tidskr. XII, 1891, p. 104. Philippinen
- quadrifasciata** Fauvel, Revue d'Entomol. XXV, 1906, Neu-
p. 67. caledonien
- var. *femoralis* Fauv. l. c. p. 67. "

7

Marmaroglypha Redtb.

Redtb. Reise Novara, Col. 1868, p. 182. — Lacord. Gen. Col. IX,
1869, p. 342, 350.

- fasciata** Auriv. Ent. Tidskr. XVIII, 1897, p. 248. Borneo
- nicobarica** Redtb. Reise Novara, Col. 1868, p. 183, Nicobaren
t. 5, f. 5.
- sumatrana** Rits. Notes Leyden Mus. X, 1888, p. 204. Ost-Sumatra:
Serdang

3

Eusyntheta Bates.

Bates, Proc. Zool. Soc. Lond. 1889, p. 303.

- brevicornis** Bates, l. c. p. 303; in Whitehead, Explor. Borneo
Kina Balu p. 205, tab. f. 10.

1

Paragnia Gah.

Gahan, Ann. Mag. Nat. Hist. (6) XI, 1893, p. 384.

- fulvomaculata** Gah. l. c. p. 385, t. 19, f. 5. Sikkim

1

Euthyastus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 252. — Lacord. Gen.
Col. IX, 1869, p. 342, 349.

- binotatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo,
p. 253, t. 11, f. 5. Malacca

myrrhatus Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, Andamanen
p. 374.
2

Parathyastus Auriv.

Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 12.

alboconspersus Auriv. l. c. p. 13. Borneo
1

Achthophora Newm.

Newm. Entomol. I, 1842, p. 292. — Thoms. Syst. Ceramb. 1864,
p. 384. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 229. — Lacord.
Gen. Col. IX, 1869, p. 342, 351.

Dissommatus Heller, Deutsche Ent. Zeitschr. 1916, p. 305.

alma Newm. Entomol. I, 1842, p. 292. — Lacord. Gen. Philippinen
Col. IX, 1869, p. 351.

fasciata Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 204. Labuan

humeralis Heller, Deutsche Ent. Zeitschr. 1906, p. 305, Luzon
t. 3, f. 7, 8.

tristis Newm. Entomol. I, 1842, p. 292. — Lacord. Philippinen
Gen. Col. IX, 1869, p. 351.

4

Stegenus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 104.

Achthophora Pasc. l. c. (3) III, 1866, p. 229 (ex p.).

daetylon Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo
p. 104, t. 22, f. 6; (3) III, 1866, p. 229. — Lacord.

Gen. Col. IX, 1869, p. 352, t. 98, f. 5. — Shelf.
Proc. Zool. Soc. Lond. 1902, 2, p. 247, t. 20, f. 8.

1

Diallus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 242. — Lacord.
Gen. Col. IX, 1869, p. 482, nota 2.

guttatus Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, Batjan
p. 51.

lachrymosus Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Celebes:
p. 242, t. 12, f. 5. Tondano

lugens Pasc. l. c. p. 243. Ceram

subtinctus Pasc. l. c. p. 243. Mysol

4

Xoes Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 245.

Egeria Pasc. l. c. p. 246, t. 11, f. 3. Borneo

1

Laelida Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 257.

antennata Pasc. l. c. p. 257, t. 15, f. 1.

Singapur

1

Acridocephala Chev.Chevr. Revue Zool. (2) VII, 1855, p. 287; Cent. Longic. 1858, nr. 26
— Thoms. Archives Ent. II, 1858, p. 186; Classif. Ceramb. 1860,
p. 110, 112; Syst. Ceramb. 1864, p. 383.*Acrydocephala* Lacord. Gen. Col. IX, 1869, p. 342, 349.*bistriata* Chev. Revue Zool. (2) VII, 1855, p. 287; Alt-Calabar,
Cent. Longic. 1858, nr. 26. — Murray, Ann. Kamerun
Mag. Nat. Hist. (4) VII, 1871, p. 50. — Jord.
Novit. Zool. X, 1903, p. 153.*Nicoleti* Thoms. Archiv. Ent. II, 1858, p. 186, t. 7, f. 10. Gabun,
— Lacord. Gen. Col. IX, 1869, p. 349. — Congo
Jord. Novit. Zool. X, 1903, p. 153.*pardalis* Jord. l. c. p. 153.

Französ.

seriata Jord. l. c. p. 153.Congo
Kamerun*variegata* Auriv. Ent. Tidskr. VII, 1886, p. 93.

? sp. Jord. Nov. Zool. X, 1903, p. 153.

Kuilu, Loanda

5

Callipyrga Newm.Newm. Entomol. I, 1842, p. 413. — Thoms. Syst. Ceramb. 1864,
p. 384. — Lacord. Gen. Col. IX, 1869, p. 342, 352.*Zygocera* Thoms. Archives Ent. I, 1857, p. 189; Classif.
Ceramb. 1860, p. 109, 111.*turrita* Newm. Entomol. I, 1842, p. 414. — White Neuholland
in Stokes, Discov. Austral. I, 1846, p. 511,
Ins. t. 2, f. 5. — Lacord. Gen. Col. IX, 1869,
p. 353.*pallidicornis* Thoms. Archives Ent. I,
1857, p. 190.

1

Hispomorpha Newm.

Newm. Entomol. I, 1842, p. 323.

horrida Newm. Entomol. I, 1842, p. 323.

Philippinen

1

VIII. Batocerini.Lacordaire, Gen. Col. IX, 1869, p. 353. — Gahan, Ann. Mag. Nat.
Hist. (6) I, 1888, p. 279 nota.

Megacriodes Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 271. — Lacord. Gen. Col. IX, 1869, p. 354, 357. — v. d. Poll, Tijdschr. v. Ent. XXIX, 1885, p. 143. — Kriesche, Archiv f. Naturg. LXXX, Abt. A, 11, 1915, p. 114.

Forbesi Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 408; Aid Identif. Ins. II, 1885, t 149, f. 6. — v. d. Poll, Tijdschr. v. Ent. XXIX, 1885, p. 144. Sumatra

✓ **Saundersi** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 272, t. 12, f. 1. — Wallace, Malay. Archip. I, 1869, t. 3, f. 5. — Lacord. Gen. Col. IX, 1869, p. 357. — ♂ v. d. Poll, Tijdschr. v. Ent. XXIX, 1885, p. 143. — Kriesche, Archiv f. Naturg. LXXX, Abt. A, 11, 1915, p. 116, f. 2, 3. Sumatra, Borneo

2

Batocera Cast.

Cast. Hist. Nat. Col. II, 1840, p. 470. — Blanch. Hist. Nat. Ins. II, 1845, p. 158. — Thoms. Archives Ent. II, 1858, p. 447—457 (Synopsis); Arcana Nat. 1859, p. 65—84 (Monographie); Classif. Ceramb. 1860, p. 78; Syst. Ceramb. 1864, p. 378. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 261. — Lacord. Gen. Col. IX, 1869, p. 354. — Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 211—216 (Revisio). — Rits. l. c. XXVIII, 1885, p. 101—105 (Revisio); Notes Leyden Mus. IX, 1887, p. 219—222 (Liste). — v. d. Poll, l. c. p. 271—278 (Revisio). — Kriesche, Archiv f. Naturg. LXXX, Abt. A, 11, 1915, p. 111—150 (Revisio).

Subgenus *Batocera* Kriesche, Revis. p. 115.

” *Semibatocera* Kriesche, l. c. p. 115.

” *Tyrannolamia* Kriesche, l. c. p. 115.

Subgen. **Semibatocera** Kriesche.

Parryi Hope, Trans. Ent. Soc. Lond. IV, 1845, p. 77. Silhet, Sikkim, Assam
— Thoms. Classif. Ceramb. 1860, p. 84.

albofasciata Heyne, Exot. Käfer 1906, p. 242, t. 37, f. 18.

calanus Parry, Trans. Ent. Soc. Lond. IV, 1845, p. 86. — Thoms. Classif. Ceramb. 1860, p. 84. — v. d. Poll, Notes Leyden Mus. VIII, 1886, p. 29, t. 1, f. 2. — Schwarzer, Ent. Mitteil. III, 1914, p. 280. — Kriesche, Revis. p. 117, fig. 4.

ab. *bimaculata* Schwarzer, Ent. Mitteil. III, 1914, p. 280. Java

var. *Fabricii* Thoms. Revue Zool. (3) VI, 1878, p. 54. — Rits. Notes Leyden Mus. III, 1881, p. 10. — Kriesche, Revis. p. 117. ”

octomaculata Thoms. Monogr. p. 76.

var. *guttata* Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 110, t. 5, f. 10, 10a. — Rits. Revis. p. 106. — v. d. Poll, Notes Leyden Mus. VIII, 1886, p. 29, t. 1, f. 3. — Kriesche, Revis. p. 117, f. 4. Sumatra, Borneo

ab. *immaculata* Schwarzzer, Ent. Mitteil. Java
III, 1914, p. 280.

Subgen. *Batocera* s. str.

- ✓ **Davidis** Deyrolle, Ann. Soc. Ent. France (5) VIII, Zentralchina,
1878, p. 131. — Kriesche, Revis. p. 141. Tschu-san-
Inseln
- Eurydice** Thoms. Revue Zool. (3) VI, 1878, p. 53. Java
- gigantella** nov. nom. ”
- gigas* Thoms. Monogr. p. 79. — Kriesche.
Revis. p. 137. — Dammerman, Tijdschr. v.
Ent. LXII, 1920, p. 157, t. 13♀, 14♂.
hybr. *gigas* ♂ × *albofasciata* ♀ Dammer-
man, l. c. p. 157, t. 14, figg.
- ✓ **Hector** Thoms. Archives Ent. I, 1858, p. 455; Monogr. ”
p. 81. — Vollenh. Revis. p. 214. — Rits.
Revis. p. 103. — Kriesche, Revis. p. 145.
? *Hector* Gistel, 820 wirbellose Thiere 1857,
p. 48.
- var. *Helena* Thoms. Syst. Ceramb. 1865, Siam,
p. 552. Sumatra
- Attila* Pasc. Trans. Ent. Soc. Lond. (3) III,
1866, p. 270. — Vollenh. Revis. p. 214. —
Rits. Revis. p. 104; Notes Leyden Mus. IX,
1887, p. 219. — Kriesche, Revis. p. 146.
- Henrietta** Kriesche, Revis. p. 138, f. 20. Formosa
- Hercules** Boisd. Voy. Astrolabe, Ins. II, 1835, p. 495, Celebes
t. 8, f. 1. — Pasc. Trans. Ent. Soc. Lond. (3)
III, 1866, p. 270. — Kriesche, Revis. p. 144.
- Horsfieldi** Hope, Proc. Linn. Soc. Lond. I, 1839, p. 42; Assam
Ann. Mag. Nat. Hist. IV, 1840, p. 279; Trans.
Linn. Soc. Lond. XVIII, 1840, p. 436. —
v. d. Poll, Revis. p. 277, nota 1.
- ✓ **lineolata** Chev. Revue Zool. (2) IV, 1852, p. 417. — China,
Thoms. Monogr. p. 77. — Rits. Revis. p. Japan
104. — Matsum. Thousand Ins. Japan III,
1908, nr. 726, t. 54, f. 3. — Kriesche, Revis.
p. 140, f. 22, 23a.
- var. *adelphe* Thoms. Monogr. p. 77. — Assam,
Kriesche, Revis. p. 141, f. 22, 23b. Südhimalaja
- var. *Flachi* Schwarzzer, Ent. Mitteil. III, 1914, Shanghai
p. 280.
- var. *Hauseri* Schwarzzer, l. c. p. 280. Südchina
- var. *Kuntzeni* Kriesche, Revis. p. 139, f. 21. Tonkin
- ✓ **namitor** Newm. Entomol. I, 1842, p. 275. — v. d. Poll, Philippinen,
Revis. p. 274. — Kriesche, Revis. p. 144. Celebes,
Ajax Thoms. Archives Ent. I, 1858, p. 455. Java,
— v. d. Poll, Revis. p. 275. Sumatra
- Hercules* Thoms. Monogr. p. 82.
- javanica* Thoms. Monogr. p. 83. — Rits.
Notes Leyden Mus. IX, 1887, p. 221.
- victoriana* var. Vollenh. Revis. p. 213. —
Rits. Revis. p. 103.
- var. *ferruginea* Thoms. Archives Ent. I, Nepal,
1858, p. 456; Monogr. p. 83. Bengalen
- glitana* Thoms. Monogr. p. 82. — v. d. Poll, Assam.
Revis. p. 275. — Kriesche, Revis. p. 142. Birma, Siam

- var. *Loki* Kriesche, Revis. p. 143. Tonkin
var. *sumatrensis* n. nom. Sumatra
ferruginea Kriesche, Revis. p. 144.
✓ **rubus** L. Syst. Nat. ed. 10, 1758, p. 390; ed. 12, 1767, Java
p. 625. — Houttuyn, Natuurl. Hist. I, 9,
1766, p. 534. — Müller, Naturs. V, 1, 1774, p.
259. — F. Syst. Ent. 1775, p. 177; Spec.
Ins. I, 1781, p. 224; Mant. Ins. I, 1787, p. 142;
Ent. Syst. I, 2, 1792, p. 290; Syst. Eleuth. II,
1801, p. 283 (ex p.). — Gmel. in L. Syst.
Nat. ed. 13, I, 4, 1790, p. 1828. — Fröhl.
Naturf. XXVI, 1792, p. 145.
albofasciata De Geer, Mém. Ins. V, 1775,
p. 106, t. 13, f. 16. — Dammerman, Tijdschr.
v. Ent. LXII, 1920, p. 157, t. 13♂, 14♀.
albomaculata Retz. De Geer Gen. Spec.
Ins. 1783, p. 138.
octomaculata F. Ent. Syst. I, 2, 1792, p. 290;
Syst. Eleuth. II, 1801, p. 283. — Pasc. Trans.
Ent. Soc. Lond. (3) III, 1866, p. 262 (ex p.).
— Vollenh. Revis. p. 216 (ex p.). — Rits.
Revis. p. 105. — Kriesche, Revis. p. 136,
f. 16.
ab. *bipunctata* Kriesche, Revis. p. 134, f. 13. Malacca,
Sumatra
var. *Downesi* Hope, Trans. Ent. Soc. Lond. Himalaya,
IV, 1845, p. 76. — Thoms. Classif. Ceramb. Bengalen,
1860, p. 84. — Kriesche, Revis. p. 135, f. 14. Assam
coreana Kolbe, Archiv f. Naturg. LII, 1886, ? Korea
p. 238.
octomaculata Redtenb. in Hügel, Kaschmir
IV, 1844, p. 551.
var. *formosana* Kriesche, Revis. p. 136. Formosa
ab. *magica* Thoms. Monogr. p. 72. — Rits. Java
Notes Leyden Mus. IX, 1887, p. 221. —
Kriesche, Revis. p. 136,
var. *Mniszechi* Thoms. Monogr. p. 79. — Philippinen
Kriesche, Revis. p. 136, f. 17.
var. *punctatella* Kriesche, Revis. p. 135, Siam:
f. 15. Bangkok
ab. *Sabina* Thoms. Revue Zool. (3) VI, 1878, Borneo
p. 52. — v. d. Poll, Revis. p. 276, nota 1. Sumatra
var. *stigma* Voet. Catal. Col II, 1778, p. 15, Südostchina,
t. 13, f. 54; ed. Panzer III, 1794, p. 37, t. 13, Tonkin
f. 54.
albofasciata Kriesche, Revis. p. 132, f. 12. Annam,
✓ *sarawakensis* Thoms. Archives Ent. I, Malacca,
1858, p. 452, t. 19, f. 2; Monogr. p. 77, t. 7, Sumatra,
f. 2. — Heyne-Taschenb. Exot. Käfer 1906, Borneo
p. 242, t. 35, f. 9.
Biologie: Lucas, Ann. Soc. Ent. France
(5) VI, 1876, Bull. p. 70.
✓ ab. *Thomsoni* Javet, Archives Ent. I, 1858, Borneo,
p. 412, t. 2, f. 2. — Thoms. Monogr. p. 78, Sumatra,
t. 7, f. 4. — Pasc. Trans. Ent. Soc. Lond. (3) Banka
III, 1866, p. 263. — Gah. Trans. Ent. Soc.
Lond. 1894, p. 484. — Oberth. Bull. Soc.
Ent. France 1901, p. 351. — Kriesche, Revis.
p. 133, f. 12.

- hybr. *albofasciata* ♂ × *gigas* ♀ Dammerman, Tijdschr. v. Ent. LXII, 1920, p. 157, t. 13, figg.
- rufomaculata** De Geer, Mém. Ins. V, 1775, p. 107. — Retzius, De Geer. Gen. Spec. Ins. 1783, p. 138.
- cruentata** Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1863.
- rubiginosa** Voet, Catal. Col. II, 1778, p. 14, t. 13, f. 53; ed. Panzer III, 1794, p. 37, t. 13, f. 53.
- rubra** Maxwell-Lefr. Ind. Ins. Life 1909, p. 375, f. 245, 247. — Pierce, Dangerous Ins. 1917, p. 103, f. 21.
- rubus** Schröter, Abhandl. I, 1776, p. 333, t. 2, f. 2. — Herbst in Borowsky, Naturg. VI, 1784, p. 123, t. 16c, f. 1. — Ol. Encycl. méth. VII, 1792, p. 456; Ent. IV, nr. 67, 1795, p. 59, t. 8, f. 57. — ? Donov. Ins. China 1798, t. 6, f. 1; ed. Westw. 1842, p. 11, t. 6, f. 1. — Schreber, Naturf. XXIX, 1802, p. 124 (ex p.). — Cast. Hist. Nat. Col. II, 1840, p. 470. — Thoms. Monogr. p. 80. — Künck. Hist. Madag. Col. 1890, t. 50, f. 10. — Fletcher, S. Ind. Ins. 1914, p. 324, f. 179. — Kriesche, Revis. p. 146.
- Biologie:** Westerm. in Germar, Magaz. IV, 1821, p. 413. — Saunders, Trans. Ent. Soc. Lond. I, 1834, p. 60. — Pearson, Journ. Asiat. Soc. Bengal VI, 1837, p. 321. — Blanch. Hist. Nat. Ins. II, 1845, t. 11. — Tennent, Ceylon I, 1860, p. 250; Nat. Hist. Ceylon 1861, p. 407, figg. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 449. — Waterh. Proc. Zool. Soc. Lond. 1884, p. 218. — Stebbing, Forest Bull. Calcutta X, 1907, p. 3. — Quaint. Proc. Ent. Soc. Washingt. XV, 1913, p. 77. — Green, Bull. Dep. Agric. Ceylon III, 1913, p. 53, 2 pl.
- Morphologie:** Peytoureau, Morphol. de l'armat. genit. des Ins. 1895, p. 155, 165, t. 20, f. 4-7, t. 21, f. 5, 6.
- var. *andamana* Thoms. Revue Zool. (3) VI, 1878, p. 54. — Kriesche, Revis. p. 147. Andamanen
- ab. *chlorinda* Thoms. Archives Ent. I, 1857, p. 171; Monogr. p. 80. — Rits. Notes Leyden Mus. IX, 1887, p. 220. Ostindien
- var. *Diana* Nonfr. Deutsche Ent. Zeitschr. 1891, p. 276. — Kriesche, Revis. p. 147. Thibet
- ab. *Polli* Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 55, t. 7, f. 2. Ceylon
- ab. *Thysbe* Thoms. Revue Zool. (3) VI, 1878, p. 52. Cochinchina
- timorlautensis** Heller, Abhandl. Mus. Dresden VI, 11, 1897, p. 6. — Kriesche, Revis. p. 145. Timorlaut
- victoriana** Thoms. Revue Zool. (2) VIII, 1856, p. 529; Archives Ent. I, 1857, p. 24, frontisp. f. 1; Monogr. p. 81, t. 8. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 263. — Oberth. Bull. Borneo, Sumatra

- Soc. Ent. France 1901, p. 351. — Kriesche, Revis. p. 137, f. 18, 19a.
- var. *Velleda* Kriesche, Revis. p. 138, f. 19b. Tonkin
Kamerun,
- Wyliei Chev. Revue Zool. (2) X, 1858 (Febr.), p. 54; Gabun,
Centurie Longic. 1858, nr. 82. — Murray, Congo,
Ann. Mag. Nat. Hist. (4) VI, 1870, p. 410. albertiana Thoms. Archives Ent. I, 1858
(März?), p. 457; II, 1858, p. 165. t. 7, f. 3; Angola
Monogr. p. 84. — Kriesche, Revis. p. 147, f. 24.
- Subgen. *Tyrannolamia* Kriesche.
- zeneonigra Thoms. Monogr. p. 71. — Vollenh. Revis. Molukken,
p. 212. — Rits. Revis. p. 102. — Kriesche, Timor, Kei,
Revis. p. 123. West-Neu-
guinea
- meleager Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 268.
- Orpheus Pasc. l. c. p. 265. — Vollenh. Revis. p. 212. — Rits. Revis. p. 102.
- plutonica Thoms. Syst. Ceramb. 1865, p. 551.
- var. *occidentalis* Kriesche, Revis. p. 123. Celebes
- Boisduvali Hope, Charlesw. Mag. Nat. Hist. III, 1839. Süd-
p. 230, t. 2. — Thoms. Monogr. p. 71. — australien
Kriesche, Revis. p. 127, 128, f. 10, 3.
- Biologie: French, Ins. Victoria V, 1911, p. 134, t. 126.
- var. *Frenchi* v. d. Poll, Notes Leyden Mus. Queensland,
VIII, 1886, p. 30, t. 1, f. 4. — Frogg. Austral. N. S. Wales
Ins. 1907, p. 198, f. 94. — Kriesche, Revis. p. 128, f. 10, 2.
- var. *laena* Thoms. Archives Ent. I, 1858, p. 450, t. 19, f. 1; Monogr. p. 70, t. 7, f. 1. — Kei, Aru.
Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Neuguinea,
p. 269. — Vollenh. Revis. p. 212. — Kriesche, Neu-
Revis. p. 127, f. 10, 1. pommern,
Salomonen,
var. *Sapho* Thoms. Revue Zool. (3) VI, 1878, Nord-
p. 51. — v. d. Poll, Notes Leyden Mus. XII, Queensland,
1890, p. 7. — Frogg. Austral. Ins. 1907, p. Kei
198. — Kriesche, Revis. p. 128.
- var. *woodlarkiana* Montrouz. Ann. Soc. Woodlark,
Agric. Lyon (2) VII, 1855, p. 61. — Thoms. Neu-
Archives Ent. I, 1858, p. 449; Monogr. p. Mecklenburg
72. — v. d. Poll, Revis. p. 278; Notes
Leyden Mus. XII, 1890, p. 7. — Kriesche.
Revis. p. 128.
- Brayni Lansb. Ann. Soc. Ent. Belg. XXIII, 1880. Sanghir-Ins.
Compt. Rend. p. 138.
- Brnijni* Kriesche, Revis. p. 122.
- celebiaea Thoms. Archives Ent. I, 1858, p. 453, t. 20, Celebes
f. 1; Monogr. p. 73, t. 7, f. 3. Pasc. Trans.
Ent. Soc. Lond. (3) III, 1866, p. 262. —
Hickson, Natural. in Celebes 1889, p. 101.
Kriesche, Revis. p. 120, f. 7a.
- celebensis* Vollenh. Revis. p. 216.
- metallescens* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 216.
- octomaculata* var. Boisd. Voy. Astrolabe.
Ins. II, 1835, p. 496, Col. t. 8, f. 2.

- var. *obliqua* Vollenh. Revis. p. 215, 219, t. 9, f. 2. — v. d. Poll, Revis, p. 276, nota 4. — Kriesche, Revis. p. 121, f. 7b. Molukken
- Chevrolati** Thoms. Monogr. p. 74. „Ostindien“
- cinnamomea** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 269. — v. d. Poll, Revis. p. 275. — Kriesche, Revis. p. 124. Sula
- enganensis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 81. — Kriesche, Revis. p. 118. Insel Engano, Sumatra, Java, Sula
- Gerstaeckeri** Thoms. Syst. Ceramb. 1865, p. 551. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 266. — Kriesche, Revis. p. 124.
- ✓ **haemeridens** Thoms. Monogr. p. 73. — Heyne, Exot. Käfer 1906, p. 242, t. 35, f. 25. — Kriesche, Revis. p. 121. Timor
- pulverosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 264. — Vollenh. Revis. p. 212.
- Wienecker* Kaup, Einige Ceramb. 1866, t. 2, f. 2. — v. d. Poll, Revis. p. 273.
- ✓ **inconspicua** v. d. Poll, Notes Leyden Mus. XII, 1890, p. 5. — Kriesche, Revis. p. 125. Brit-Neuguinea, Salomonen
- ab. *germanica* Kriesche. Revis. p. 125, f. 9. Deutsch-Neuguinea, Salomonen
- ✓ **Matzdorffi** Kriesche. Revis. p. 129, f. 11. Deutsch-Neuguinea, Assam, Andamanen
- molitor** Kriesche, Revis. p. 119. Neu-pommern, Neu-mecklenburg, Neue Hebriden, Fidji - Inseln
- ✓ **nebulosa** Bates, Proc. Zool. Soc. Lond. 1877, p. 158, t. 24, f. 1. — Fairm. Ann. Soc. Ent. Belg. XXVII, 2, 1883, p. 49. — Kriesche, Revis. p. 126.
- oceanica** Schwarzer. Ent. Mitteil. III, 1914, p. 281. Insel Palau
- Kolbei* Kriesche, Revis. p. 122.
- Rosenbergi** Kaup, Einige Ceramb. 1866, t. 2, f. 4. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 265. — Kriesche, Revis. p. 123, f. 8. Flores
- ✓ **Roylei** Hope, Proc. Zool. Soc. Lond. I, 2, 1833, p. 64; Trans. Zool. Soc. Lond. I, 1835, p. 103, t. 15, f. 1. — Thoms. Monogr. p. 75. — Kriesche, Revis. p. 118, f. 5b, 6. Kaschmir bis Assam, Bengalen
- ebenina* Vollenh. Revis. p. 111, t. 5, f. 11.
- princeps* Redtenb. in Hügel, Kaschmir IV, 2, 1848, p. 551, t. 27, f. 1.
- var. *orientalis* Kriesche, Revis. p. 119, f. 5a.
- ab. *porus* Parry. Trans. Ent. Soc. Lond. IV, 1845, p. 86. — Thoms. Classif. Ceramb. 1860, p. 84. — Kriesche, Revis. p. 119. Tonkin, Assam
- ✓ **Thomae** Voet, Catal. Col. II, 1778, p. 15, t. 14, f. 57; ed. Panzer III, 1794, p. 38, t. 14, f. 57. — Thoms. Monogr. p. 69. Molukken, Neuguinea
- Ammon* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 267. — v. d. Poll, Revis. p. 275.

- armata* Ol. Ent. IV, nr. 67, 1795, p. 121, t. 19, f. 146. — Thoms. Monogr. p. 69. — Vollenh. Revis. p. 211, t. 9, f. 1. — Rits. Revis. p. 101. — Kriesche, Revis. p. 124. — Bickh. Ent. Blätter XIV. 1918, p. 26.
- ♀ *Lacordairei* Thoms. Syst. Ceramb. 1865, p. 551.
- Whitei* Kaup. Einige Ceramb. 1866. t. 3, f. 7. — v. d. Poll, Revis. p. 273.
- ab. *orceus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 266. Ceram
- uaa White, Proc. Zool. Soc. Lond. XXVI. 1858, p. 399, t. 53, f. 6. — Thoms. Monogr. p. 69. — Kriesche, Revis. p. 131, 132. Neue Hebriden, Salomonen
- var. *Browni* Bates, Proc. Zool. Soc. Lond. 1877, p. 157, t. 25, f. 1. — Fairm. Ann. Soc. Ent. Belg. XXVII, 2, 1883, p. 49 — Kriesche, Revis. p. 131. Neumecklbg., Neulauenbg., Insel Duke of York
- ✓ *Wallacei* Thoms. Archives Ent. I, 1858, p. 447, t. 18, f. 1; Monogr. p. 68, t. 6, f. 1. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 267. — Vollenh. Revis. p. 211. — Rits. Revis. p. 101. — Heyne-Taschenb. Exot. Käfer 1906, p. 242, t. 35, f. 13. — Aulm. Fauna Deutsch. Kolon. V, 5, 1913, p. 17, f. 14. — Kriesche, Revis. p. 130. — Lea, Rec. S. Austral. Mus. I, 1920, p. 290, t. 32. Neuguinea, Aru, Cape York-Halbinsel
- Biologie Rainb. Rec. Austral. Mus. III, 1899, p. 150.
- ab. *Proserpina* Thoms. Syst. Ceramb. 1865, p. 551. — Rits. Revis. p. 101. Aru
-
- Claudia* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 271. — v. d. Poll, Revis. p. 275. ?
- Draplezi* nov. nom. Java
- rubiginosa* Drapiez, Ann. Gen. Sc. Phys. IV, 1820, p. 352, t. 68, f. 6.
- ✓ *gigas* Drapiez, l. c. III, 1819, p. 273, t. 42, f. 1.
- sentis* L. Syst. Nat. ed. 10, 1758, p. 390; ed. 12, 1767, p. 626. — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 535. — Müller, Naturs. V, 1, 1774, p. 261. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1820. „Indien“
- tlgrls* Voet, Catal. Col. II, 1778, p. 16, t. 15, f. 64; ed. Panz. III, 1794, p. 41, t. 15, f. 64. „Ostindien“
- maculata* Schönh. Syn. Ins. III, 1817, p. 369. 39

Abatocera Thoms.

Thoms. Revue Zool. (3) VI, 1878, p. 55. — v. d. Poll, Tijdschr. v. Ent. XXIX, 1886, p. 145. — Kriesche, Archiv f. Naturg. 80. A. 11, 1915, p. 115 (Revisio).

- ✗ *irregularis* Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 216, 220, t. 9, f. 3. — Kriesche, Revis. p. 148. Sanghir
- ✓ *leonica* Thoms. Syst. Ceramb. 1865, p. 551. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 271. — Vollenh. Tijdschr. v. Ent. XIV, 1871, p. Celebes

214, t. 5, f. β , t. 9, f. 5. — Thoms. Revue Zool. (3) VI, 1878, p. 56. — Rits. Tijdschr. v. Ent. XXVIII, 1885, p. 103. — Kriesche. Revis. p. 148.

2

Rosenbergia Rits.

Rits. Notes Leyden Mus. III, 1881, p. 11.

- exigua* Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 280. Neuguinea
lactiflua Fairm. Ann. Soc. Ent. Belg. XXVII, 2, 1883, Neupommern
 p. 50 — Gah. in Willey, Zool. Results IV,
 1900, p. 385.
mandibularis Rits. Notes Leyden Mus. III, 1881, p. Neuguinea
 11. — Vollenh. Tijdschr. v. Ent. XIV, 1871,
 p. 217, t. 9, f. 4.
megaloccephala v. d. Poll, Notes Leyden Mus. VIII, Queensland
 1886, p. 32, t. 1, f. 5; IX, 1887, p. 184. —
 Frogg. Austral. Ins. 1907, p. 198.
Straussi Gestro, Ann. Mus. Civ. Genova VIII, 1876, Neuguinea
 p. 520; X, 1877, p. 644. — v. d. Poll, Notes
 Leyden Mus. IX, 1887, p. 271.
vetusta Rits. l. c. III, 1881, p. 13. — v. d. Poll, l. c. IX,
 1887, p. 271. „
eandidipennis Heyne-Taschenb. Exot.
 Käfer 1906, t. 35, f. 12.
Weiskei Heller, Abhandl. Mus. Dresden X, 2, 1902, „
 p. 20.
Bennigseni Auriv. Deutsche Ent. Zeitschr.
 1908, p. 217.

7

Apriona Chev.

Chev. Revue Zool. (2) IV, 1852, p. 414. — Buquet, Ann. Soc. En France (3) VII, 1859, p. 630. — Thoms. Classif. Ceramb. 1860 p. 78; Syst. Ceramb. 1864, p. 378. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 259, 272. — Lacord. Gen. Col. IX, 1869, p. 354, 356. — Thoms. Revue Zool. (3) VI, 1878, p. 56.

- aphetor* Newm. Entomol. I, 1842, p. 275. — v. d. Poll, Philippinen
 Notes Leyden Mus. IX, 1887, p. 274.
borneensis Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 15. Borneo
burnensis Rits. Notes Leyden Mus. XX, 1898, p. 88. Buru
cinerea Chev. Revue Zool. (2) IV, 1852, p. 416. Nordindien:
 Aluora
cribrata Thoms. Revue Zool. (2) IV, 1852, p. 57. Silhet
cylindrica Thoms. Archives Ent. I, 1857, p. 176, Java
 nota 1.
Deyrollei Kaup, Einige Ceramb. 1866, p. (7). — v. d. Silhet
 Poll, Notes Leyden Mus. IX, 1887, p. 273.
fasciata Rits. Notes Leyden Mus. XX, 1898, p. 87. Java
flavescens Kaup, Einige Ceramb. 1866, p. (7). t. 3, Sumatra
 f. 6. — v. d. Poll, Notes Leyden Mus. IX,
 1887, p. 273. — Heyne, Exot. Käfer 1906,
 p. 242, t. 35, f. 5.
Germari Hope in Gray, Zool. Miscell. I, 1831, p. 28. Silhet
 — Chev. Revue Zool. (2) IV, 1852, p. 415.
 — Stebbing, Ins. affect. Forestry I, 1903,
 p. 25, t. 4, f. 3c.

- Biologie: Stebbing, l. c. t. 4, f. 3a, 3b. —
 Roger & Coventry, Indian Forester XXIV,
 p. 203, 341. XXV, p. 68.
- gracilicornis** Buq. Ann. Soc. Ent. France (3) VII, Java
 1859, p. 632, t. 14, f. 2.
- ✓ **latifrons** Thoms. Revue Zool. (3) VI, 1878, p. 59. — Luzon
 Heller, Deutsche Ent. Zeitschr. 1916, p. 306.
- malaccana** Thoms. Revue Zool. (3) VI, 1878, p. 58. Malacca
multigraanula Thoms. l. c. p. 59. Philippinen
neglecta Rits. Notes Leyden Mus. XXXIV, 1911, p. 6. Sumatra
parvigranula Thoms. Revue Zool. (3) VI. 1878, p. 58. Cochinchina
paucigraanula Thoms. l. c. p. 58. China
plicicollis Motsch. Etudes Ent. II, 1853, p. 48. — Nordchina
 ? Heyden, Deutsche Ent. Zeitschr. XXX.
 1886, p. 288.
- ✓ **punctatissima** Kaup, Einige Ceramb. 1866, p. (7), t. 3, Celebes,
 f. 5. — R. Oberth. Ann. Mus. Civ. Genova Sanghir
 XIV, 1879, p. 572, t. 1, f. 3. — Rits. Notes
 Leyden Mus. VII. 1885, p. 128.
- Rheinwardti** Thoms. Revue Zool. (3) VI, 1878, p. 57. Java
 ✓ **rixator** Newm. Entomol. I, 1842, p. 275. — v. d. Poll, Philippinen
 Notes Leyden Museum IX, 1887, p. 274.
- rugicollis** Chevr. Revue Zool. (2) IV, 1852, p. 418. — China
 Jacobs. Käfer Russl. 1911, t. 71, f. 15.
 var. *japonica* Thoms. Revue Zool. (3) VI, Japan
 1878, p. 59.
rugicollis Matsum. Thousand Ins. Japan III,
 1908, nr. 713, t. 53, f. 12.
- Biologie: Quaint. Proc. Ent. Soc. Wash.
 XV, 1913, p. 78.
- sublaevis** Thoms. Revue Zool. (3) VI. 1878, p. 57. Silhet
submaculosa Pic, Mélang. Exot.-Ent. XXIV, 1917, p. 7. Tonkin
Swainsoni Hope, Proc. Linn. Soc. Lond. I, 1840, Assam.
 p. 79; Ann. Mag. Nat. Hist. VI, 1840, p. 300: Tonkin
 Trans. Linn. Soc. Lond. XVIII, 1841, p. 597,
 t. 40, f. 6; Entomol. I, 1841, p. 177.
basicornis Fairm. Ann. Soc. Ent. Belg.
 XXXIX, 1895, p. 185.
- ✓ **tigris** Thoms. Revue Zool. (3) VI, 1878, p. 59. — Rits. Java,
 Notes Leyden Mus. VII, 1885, p. 128. Sumatra
trilineata Chevr. Revue Zool. (2) IV, 1852, p. 416. Madras

27

IX. Gnomini.

Thomson, Syst. Ceramb. 1864, p. 81 (ex p.). -- Lacordaire, Gen. Col.
 IX. 1869, p. 363.

Imantocera Thoms.

Thoms. Archives Ent. I, 1857, p. 188; Classif. Ceramb. 1860, p. 94,
 102; Syst. Ceramb. 1864, p. 382. — Lacord. Gen. Col. IX, 1869, p. 364.

Himantocera Pasc. Trans. Ent. Soc. Lond. (3) III,
 1866, p. 288.

- acoceroides** Thoms. Syst. Ceramb. 1865, p. 555. Malacca
 ✓ **arenosa** Pasc. Journ. of Ent. I. 1862, p. 341. Cambodja,
 Nias
 ✓ **Olivieri** Thoms. Syst. Ceramb. 1865, p. 555. Siam

- ✓ **penicillata** Hope in Gray, Zool. Misc. I, 1831, p. 17. Nordindien,
— Pasc. Journ. of Ent. I, 1862, p. 345. — Tenasserim,
Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 48.
plumosa Thoms. Classif. Long. 1860, p. 102.
— Chevr. Journ. of Ent. I, 1861, p. 192.
- ✓ **plumosa** Ol. Encycl. méth. Ins. VII, 1792, p. 463; Java, Borneo,
Ent. IV, nr. 67, 1795, p. 98, t. 20, f. 152. — Flores
Pasc. Journ. of Ent. I, 1862, p. 345; Trans.
Ent. Soc. Lond. (3) III, 1866, p. 288. —
Gah. Ann. Mus. Civ. Genova XXXIV, 1895,
p. 48.
- vicina** Gah. l. c. p. 47. Birma
6

Psectrocera Pasc.

- Pasc. Journ. of Ent. I, 1862, p. 345. — Thoms. Syst. Ceramb. 1864,
p. 382. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 260, 310. —
Lacord. Gen. Col. IX, 1869, p. 364, 365.
- ✓ **plumigera** Westw. Cab. Orient. Ent. 1848, p. 11, t. 5, Java, Borneo
f. 3. — Lacord. Gen. Col. IX, 1869, p. 365.
plumosa Pasc. Trans. Ent. Soc. Lond. (3)
III, 1866, p. 311. — Heyne-Taschenb. Exot.
Käfer 1904, p. 242, t. 35, f. 2.

1

Gnoma F.

F. Syst. Eleuth. II, 1801, p. 315. — Latr. Règne Anim. Ins. III. 1817
p. 341; ed. 2, V, 1829, p. 126; ed. Masson, Ins. I, 1849, p. 490. — Serv.
Encycl. méth. Ins. X, 1825, p. 337; Ann. Soc. Ent. France IV, 1835,
p. 71. — Cast. Hist. Nat. Col. II, 1840, p. 480. — Blanch. Hist. Nat.
Ins. II, 1845, p. 159; Voy. Pôle Sud, Zool. IV, 1853, p. 296. — Thoms.
Classif. Ceramb. 1860, p. 104; Syst. Ceramb. 1864, p. 382. — Pasc.
Trans. Ent. Soc. Lond. (3) III, 1866, p. 311. — Lacord. Gen. Col. IX,
1869, p. 366.

- ✓ **affinis** Guér. Voy. Coquille, Zool. Atlas, Ins. t. 7, Neuguinea,
f. 10, 1831; Texte Zool. II, 2, 1838, p. 136. — Aru, Waigiu,
Boisd. Voy. Astrolabe, Ins. II. 1835, p. 509. Mysol
- ctenostomoides* Thoms. Classif. Ceramb.
1860, p. 105. — Pasc. Trans. Ent. Soc. Lond.
(3) III, 1866, p. 313.
- ✓ **agroides** Thoms. Classif. Ceramb. 1860, p. 106. — Nord-
Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Molukken
p. 312.
- ✓ **albotessellata** Blanch. Voy. Pôle Sud, Zool. IV, 1853, „Amboina“,
p. 297, t. 17, f. 8. — Pasc. Trans. Ent. Soc. Aru, Neu-
Lond. (3) III, 1866, p. 313. guinea
- longicollis* Ol. Ent. IV, nr. 67, 1795, p. 49,
t. 11, f. 73. — Boisd. Voy. Astrol. Ins. II,
1835, p. 509.
- albovittata** Thoms. Classif. Ceramb. 1860, p. 107. Batjan
- ✓ **antilope** Boisd. Voy. Astrolabe, Ins. II, 1835, p. 508. Neuguinea
- casnontoides** Thoms. Classif. Ceramb. 1860, p. 106. „Ostindien“
- ✓ **confusa** Thoms. Syst. Ceramb. 1865, p. 555. Borneo,
longitarsis Pasc. Trans. Ent. Soc. Lond. Malacca
(3) III, 1866, p. 314.

- cruciata** Kirsch. Mitth. Mus. Dresden II, 1877, p. 158.
- jugalis** Newm. Entomolog. I, 1842. p. 299.
- longicollis** F. Mant. Ins. I, 1787, p. 135; Ent. Syst. I, 2, 1792, p. 265; Syst. Eleuth. II, 1801, p. 315. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1826. — Boit. Man. d'Ent. II, 1828, p. 23. — Cast. Hist. Nat. Col. II, 1840, p. 481.
atomaria Guér. in Belanger, Voy. Ind. Or. Zool. 1834, p. 487, t. 2, f. 6. — Heyne-Taschenb. Exot. Käfer 1906, p. 242, t. 37, f. 17.
dispersa Pasc. Proc. Zool. Soc. Lond. 1866, p. 252; Trans. Ent. Soc. Lond. (3) III, 1866, p. 314.
sticticollis Thoms. Archives Ent. I, 1857, p. 297; ? Syst. Ceramb. 1865, p. 555.
- luzonicum** Er. Nova Acta Acad. Nat. Cur. XVI, Suppl. 1, 1834, p. 268, t. 39, f. 8.
- propinqua** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 313.
- pulverea** Pasc. l. c. p. 314.
- Raffrayi** Thoms. Revue Zool. (3) VI, 1878, p. 49.
- subfasciata** Thoms. Syst. Ceramb. 1865, p. 555.
- suturalis** Westw. in Griff. Anim. Kingd. Ins. II, 1832, p. 120, t. 70, f. 2. — Boisd. Voy. Astrolabe, Ins. II, 1835, p. 510.
- zonaria** L. Syst. Nat. ed. 10, 1758, p. 394; ed. 12, 1767, p. 633; Mus. Ludov. Ulr. 1764, p. 75. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1861.
giraffa Schreibers, Trans. Linn. Soc. Lond. VI, 1802, p. 198, t. 21, f. 8. — Donovan. Ins. N. Holl. 1805, t. 5, f. 1. — Guér. Voy. Coquille, Ins. Col. t. 7, f. 11, 1831, Zool. II, 2, 1838, p. 135. — ? Boisd. Voy. Astrolabe, Ins. II, 1835, p. 508. — Blanch. in Cuv. Règne Anim. ed. Masson, Ins. I, t. 68, f. 5. — Cast. Hist. Nat. Col. II, 1840, p. 481. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 312.
nigra Houttuyn, Natuurl. Hist. I, 9, 1766, p. 585, t. 76, f. 3. — Müller, Naturs. V, 1, 1774, p. 287, t. 6, f. 3.

Neuguinea,
Mysore Ins.
Philippinen
Java,
Malacca.
Celebes,
„Coro-
mandel“
Luzon
Nordmoluk-
ken, Makian
Celebes:
Macassar
Java
„
„Neu-
südwaes“
Süd-
Molukken

17

Amphoecus Montrouz.

- Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 274. — Lacord. Gen. Col. IX, 1869, p. 367.
- cyaneus** Fauvel, Revue d'Entomol. XXV, 1906, p. 70.
- metalliens** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 274, t. 5, f. 6. — Lacord. Gen. Col. IX, 1869, p. 367. — Fauv. Revue d'Entomol. XXV, 1906, p. 70.

Neu-
caledonien
Neu-
caledonien:
Insel Art

2

X. Mesosini.

Thomson, *Classif. Ceramb.* 1860, p. 35 (ex p.); *Syst. Ceramb.* 1864, p. 58 (ex p.). — Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1866, p. 7, 94 (ex p.). — Lacordaire, *Gen. Col.* IX, 1869, p. 367.

Golsinda Thoms.

Thoms. *Classif. Ceramb.* 1860, p. 343; *Syst. Ceramb.* 1864, p. 369. — Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1864—65, p. 96, 133. — Lacord. *Gen. Col.* IX, 1869, p. 368, 370.

basicornis Gah. *Ann. Mus. Civ. Genova* XXXIV, 1894, p. 48. Bengalen,
Birma,
Siam, Laos

✓ *corallina* Thoms. *Classif. Ceramb.* 1860, p. 344. — Borneo
Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1865, p. 133. — Lacord. *Gen. Col.* XI, 1869, p. 370, t. 99, f. 2. — Gah. *Ann. Mus. Civ. Genova* XXXIV, 1894, p. 48.

2

Aemocia Thoms.

Thoms. *Syst. Ceramb.* 1864, p. 61, 371. — Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1864—65, p. 96, 97. — Lacord. *Gen. Col.* IX, 1869, p. 368, 370.

✓ *balteata* Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1865, p. 98. Ceram
fariuosa Pascoe, l. c. p. 98. ”
ichthyosomoides Thoms. *Syst. Ceramb.* 1864, p. 61. — ”
Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1865, p. 97. Amboina

3

Anancylus Thoms.

Thoms. *Syst. Ceramb.* 1864, p. 61, 371. — Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1864—65, p. 96, 98. — Lacord. *Gen. Col.* IX, 1869, p. 368, 372.

basalis Gah. *Journ. Malay. States Mus.* I, 1906, p. 116. Malacca
ealceatus Thoms. *Syst. Ceramb.* 1864, p. 61. Java
griseatus Pascoe, *Trans. Ent. Soc. Lond.* (2) IV, 1858, p. 243; (3) III, 1865, p. 99. Borneo
latus Pascoe, l. c. (3) III, 1865, p. 100. Saylee
maculosus Auriv. *Arkiv f. Zool.* VII, 19, 1911, p. 16. Neuguinea
simulans Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1865, p. 99. Batjan
socius Pascoe, l. c. p. 99. Borneo
✓ *strix* Heller, *Philipp. Journ. Sc. D.* X, 1915, p. 241, t. 1, f. 12. Luzon

8

Planodes Newm.

Newm. *Entomol.* I, 1842, p. 323. — Thoms. *Syst. Ceramb.* 1864, p. 370. — Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1864—65, p. 96, 100. — Lacord. *Gen. Col.* IX, 1869, p. 303, 336.

bifasciatus Auriv. *Arkiv f. Zool.* VII, 19, 1911, p. 15; *Journ. Sarawak Mus.* I, 3, 1913, p. 8. Borneo
denticornis Chevr. *Revue Zool.* (2) X, 1858, p. 83; *Java Archives Ent.* I, 1858, p. 418.

- deterrens** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Singapore
p. 102.
- encaustus** Pasc. l. c. p. 104. Saylee
- leporinus** Pasc. l. c. p. 102. Borneo:
Sarawak
Ceram
- luctuosus** Pasc. l. c. p. 103; — Waterh. Aid Identif.
Ins. II, 1890, t. 188, f. 9.
- papulosus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865,
p. 103, t. 6, f. 1. "
- quaternarius** Newm. Entomol. I, 1842, p. 323. — Philippinen
Heller, Philipp. Journ. Sc. D VIII, 1913,
p. 157.
- satelles** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Malacca
p. 101.
- Schultzei** Heller, Philipp. Journ. Sc. D VIII, 1913, Palawan
p. 156, f. 9.
- stratus** Heller, Abhandl. Mus. Dresden IX, 4, 1900, Celebes
p. 45, t. f. 7.
- turbatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo:
p. 104. Sarawak
- variegatus** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 14; Borneo
Journ. Sarawak Mus. I, 1913, p. 7.
- vicarius** Pasc. Trans. Ent. Soc. Lond. (3) III, Salwatty
1865, p. 102.

14

Calymnophis Thoms.

Thoms. Syst. Ceramb. 1864, p. 59, 370. — Lacord. Gen. Col. IX.
1869, p. 337.

flavovariegata Thoms. Syst. Ceramb. 1864, p. 59. — Malasia
Lacord. Gen. Col. IX, 1869, p. 337.

1

Ereis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 105. — Lacord. Gen.
Col. IX, 1869, p. 337.

Ereis Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 110. —
Thoms. Classif. Ceramb. 1860, p. 34; Syst. Ceramb. 1864,
p. 370.

annulicornis Pasc. Journ. of Ent. I, 1862, p. 347. Cambodja

anthriboides Pasc. Trans. Ent. Soc. Lond. (2) IV, Borneo
1857, p. 110, t. 22, f. 7; (3) III, 1865, p. 106.

sumatrensis Gah. Ann. Mus. Civ. Genova (3) III, Sumatra
1907, p. 82.

ventralis Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Cambodja
p. 105 nota.

4

Mesosa Latr.

Latr. in Cuv. Règne Anim. Ins. ed. 2, II, 1829, p. 124. — Serv. Ann.
Soc. Ent. France IV, 1835, p. 43. — Steph. Man. Brit. Col. 1839,
p. 269. — Muls. Col. France, Long. 1839, p. 166; ed. 2, 1863, p. 331.
— Cast. Hist. Nat. Col. II, 1840, p. 465. — Redtenb. Gatt. deutsch.
Käferf. 1845, p. 111; Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862;
ed. 3. 1864, p. 419. — Bach, Käferf. III, 1856, p. 31. — Gutfl. Käfer

Deutschl. 1859, p. 584. — Thoms. Classif. Ceramb. 1860, p. 34; Syst. Ceramb. 1864, p. 370. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 166. — C. G. Thoms. Skand. Col. VIII, 1866, p. 91. — Lacord. Gen. Col. IX, 1869, p. 369, 372. — Cox, Handb. Col. II, 1874, p. 303, 305. — Seidl. Fauna Balt. 1875, Gatt. p. 140; ed. 2, 1891, Gatt. p. 186, Fauna Transsylv. 1891, Gatt. p. 186. — Schoch, Käfer Deutschl. 1878, p. 130, 135. — Schlosser, Fauna Kornjas. III, 1879, p. 808, 832. — Sériziat, Col. France, 1880, p. 312. — Fairm. Hist. Nat. France, Col. 1882, p. 265, 269. — Ganglb. Best.-Tab. VII, 1881, p. 13 (693). — Bau, Käfer 1888, p. 415. — Fowler, Col. Brit. Isl. IV, 1889, p. 244, 250. — Gahan, Ann. Mus. Civ. Genova (2) XIV, 1894, p. 49 nota. — Stierl. Col. Helvet. II, 1898, p. 490. — Jensen-Haarup, Danm. Fauna, Biller II, 1914, p. 20. — Auriv. Sv. Insektf. X, I, 1917, p. 36, 38.

Aphelocnemia Steph. Brit. Ent. Mand. IV, 1831, Errata p. 414.

Aplocnemia Steph. l. c. p. 236.

Haplocnemia Gemm. & Har. Cat. Col. X, 1873, p. 3038. — Bedel, Faune Col. Seine V, 1889, p. 35, 42. — Everts, Col. Neerl. II, 1, 1901, p. 379. — Csiki, Rov. Lapok XI, 1904, p. 168. — Houlb. Faune Armor. Ceramb. 1904, p. 65; ed. 2, 1909, p. 67. — Kuhnt, Käfer Deutschl. 1912, p. 757, 793. — Reitter, Fauna Germ. IV, 1912, p. 62. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 875.

Paläarktische Arten.

curculionoides L. Fauna Suec. ed. 2, 1761, p. 193; Syst. Nat. ed. 12, 1767, p. 634. — Müller, Naturs. I, 5, 1774, p. 276. — F. Syst. Ent. 1775, p. 175; Spec. Ins. I, 1781, p. 221; Mant. Ins. I, 1787, p. 139; Ent. Syst. I, 2, 1792, p. 282; Syst. Eleuth. II, 1801, p. 297. — Schrank, Enum. Ins. 1781, p. 146. — Villers, Linn. Ent. I, 1789, p. 246. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1836. — Petagna, Instit. Ent. I, 1792, p. 231. — Ol. Encycl. méth. VII, 1792, p. 470; Ent. IV, nr. 67, 1795, p. 110, t. 10, f. 69. — Fröhl. Naturf. XXVII, 1793, p. 132. — Panz. Ent. Germ. 1795, p. 251; Fauna Ins. Germ. XLVIII, 1796, t. 20. — Schrank, Fauna Boica I, 1798, p. 666. — Payk. Fauna Suec. III, 1800, p. 63. — Walcken. Faune Paris. I, 1802, p. 207. — Ol. Dict. d'Hist. Nat. XII, 1803, p. 506. — Panz. in Schaeffer Icones Ins. ed. 2, 1804, p. 55, t. 39, f. 1. — Latr. Hist. Nat. Ins. XI, 1804, p. 270. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 287; ed. 3, IV, 1828, p. 362. — Dumér. Dict. Sc. Nat. XXV, 1822, p. 181; Entomol. Anal. 1860, p. 613. — Gyllenh. Ins. Suec. I, 4, 1827, p. 60. — Boit. Man. d'Ent. II, 1828, p. 21. — Latr. in Cuvier, Règne Anim. Ins. ed. 2, II, 1829, p. 125; ed. Masson, Ins. I, 1849, p. 489. — Eichw. Zool. Spec. II, 1830, p. 258. — Muls. Lettres à Julie II, 1830, p. 332; Col. France, Long. 1839, p. 167; ed. Europa bis Südschweden (fehlt in England, Holland, Belgien, Norwegen und Finnland)

2, 1863, p. 332. — Cast. Hist. Nat. Col. II. 1840, p. 466. — Berge, Käferb. 1844, p. 124. t. 12, f. 5. — Labr. & Imh. Ins der Schweiz V, 184?, t. 74; Schweiz. Käferg 1848, tab. — Redtenb. Fauna Austr. 1849, p. 496; ed. 2, 1858, p. 862; ed. 3, 1874, p. 420. — Küster, Käfer Eur. XXII, 1851, p. 97. — Gutfl. Käfer Deutschl. 1859, p. 584. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 50, f. 234. — Disconzi, Ent. Vicent. 1865, p. 85, 88. — C. G. Thoms. Skand. Col. VIII, 1866, p. 91. — Seidl. Fauna Balt. 1875, p. 518; ed. 2, 1891, p. 752. — Schoch, Käfer Deutschl. 1878, p. 135. — Sériziat, Col. France 1880, p. 312. — Fairm. Hist. Nat. France, Col. 1882, p. 269, t. 23, f. 272. — Ganglb. Best.-Tab. VIII, 1884, p. 86 (520). — Bau, Handb. Käfer 1888, p. 421. — Bedel, Faune Col. Seine V, 1880, p. 42, 93. — Seidl. Fauna Traussylv. 1891, p. 849. — Griffini, Coleott 1896, p. 198, t. 38, f. 15. — Stierl. Col. Helvet. II, 1898, p. 498. — Everts, Col. Neerl. II, 1901, p. 380. — Csiki, Rov. Lapok XII, 1905, p. 61. — Houlb. Faune Armor. Ceramb. 1904, p. 66, f. 124; ed. 2. 1909, p. 67, f. 124. — Jacobs. Käfer Russl. 1910, t. 70, f. 15. — Kuhnt, Käfer Deutschl. 1912, p. 793, f. 200. — Reitter, Fauna Germ. IV, 1913, p. 62, t. 139, f. 7. — Jens-Haarup, Danm. Fauna, Biller. III, 1914, p. 21, f. 11 b. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 875, t. 31, f. 15. — Auriv. Sv. Insektf. X, 1, 1917, p. 39.
argus Voet, Catal. Col. II, 1778, p. 23, t. 21, f. 104; ed. Panzer III, 1794, p. 60, t. 21, f. 104.

curculioides Scop. Annus Hist. Nat. V, 1772, p. 101. — Küster, Käfer Eur. VII, 1846, t. 1, f. 1. — Schlosser, Fauna Kornjas. III. 1879, p. 832.

curculionides Laich. Tyrol. Ins. II, 1784, p. 41. — Bach, Käferf. III, 1856, p. 31.

oculata Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 78.

ab. *biloculata* Nicolas, Echange XVIII, 1902, p. 28.

bioculata Pic, Cat. Longic. 1908, p. 92.

curculionoides var. Panzer in Schaeffer, Icon. Ins. ed. 2, 1804, p. 144, t. 153, f. 5.

var. *nigronotata* Pic, Echange XXII, 1906, p. 86; Longic. VI, 2, 1907, p. 9.

ab. *tokatensis* Pic, l. c. V, 1, 1904, p. 6.

Kleinasien:
Taurus

Kleinasien:
Tokat

Biologie: Xambeu, Ann. Soc. Linn. Lyon XL, 1893, p. 120; Moeurs et Métam. VIII, 1902, p. 166.

hirsuta Bates (siehe unten).

Vladivostok

myops Dalm. in Schönh. Syn. Ins. I, 3, Append. 1817, p. 168. — Germ. Fauna Ins. Eur. X, 1823,

Süd-
Norwegen,

t. 11. — Gyllenh. Ins. Suec. I, 4, 1827, p. 62.
 — Gebler, Bull. Mosc. XXI, 1, 1848, p. 401
 (306). — Küster, Käfer Eur. XXII, 1851,
 p. 98. — Muls. Col. France, Long. ed. 2,
 1863, p. 333. — C. G. Thoms. Skand. Col.
 VIII, 1866, p. 92. — Blessig, Horae Soc.
 Ent. Ross. IX, 1873, p. 213. — Seidl. Fauna
 Balt. 1875, p. 519; ed. 2, 1891, p. 752. —
 Ganglb. Bestimm.-Tab. VIII, 1884, p. 86
 (520). — Seidl. Fauna Transs. 1891, p. 849.
 — Reitter, Fauna Germ. IV, 1913, p. 62. —
 Jens.-Haarup, Danm. Fauna, Biller III,
 1914, p. 20. — Auriv. Sv. Insektf. X, 1,
 1917, p. 39.

nebulosa F. Spec. Ins. I, 1781, p. 218; Mant. Ins. I,
 1787, p. 137; Ent. Syst. I, 2, 1792, p. 277;
 Syst. Eleuth. II, 1801, p. 293. — Geoffr. in
 Fourcr. Ent. Paris. I, 1785, p. 78. — Rossi,
 Fauna Etrusca I, 1790, p. 146; ed. Hellw.
 1795, p. 158. — Ol. Encycl. méth. VII, 1792,
 p. 470. — Martyn, Engl. Ent. 1792, t. 25,
 f. 13. — Petagna, Inst. Ent. I, 1792, p. 230.
 — Fröhl. Naturf. XXVII, 1793, p. 130. —
 Panzer, Ent. Germ. 1795, p. 250; in Schäffer,
 Icon. Ins. ed. 2, 1804, p. 73, t. 55, f. 4; p. 147,
 158, f. 1. — Cast. Hist. Nat. Col. II, 1840,
 p. 466. — Duf. Ent. Vallée d'Ossau 1843,
 p. 99. — Redtenb. Fauna Austr. 1849, p. 496;
 ed. 2, 1858, p. 862; ed. 3, 1874, p. 420. —
 Seidl. Fauna Balt. 1875, p. 519. — Schlosser,
 Fauna Kornjas. III, 1879, p. 832. — Ganglb.
 Best.-Tab. VIII, 1884, p. 86 (520). — Bau,
 Handb. Käfer 1888, p. 421. — Bedel, Faune
 Col. Seine V, 1889, p. 43. 94. — Griffini,
 Coleott. 1896, p. 198. — Lameere, Faune
 Belg. II, 1900, p. 413, fig. — Everts, Col.
 Neerl. II, 1, 1901, p. 380. — Houlbert, Faune
 Armor. Ceramb. 1904, p. 66. f. 125; ed. 2,
 1909, p. 68, f. 125. — Csiki, Rov. Lapok
 XII, 1905, p. 62. — Kuhnt, Käfer Deutschl.
 1912, p. 793, f. 201. — Reitter, Fauna Germ.
 IV, 1913, p. 63, t. 139, f. 8. — Schauf. in
 Calwer, Käferb. ed. 6, 1916, p. 875. — Auriv.
 Sv. Insektf. X, 1, 1917, p. 39.

? *bimaculata* Müller, Zool. Dan. Prodr.
 1776, p. 95.

brevis Villers, Linn. Ent. I, 1789, p. 257.

nebulator Turton, Syst. of Nat. II, 1806,
 p. 306.

nubila Gmel. in L. Syst. Nat. ed. 13, I, 4,
 1790, p. 1832. — Ol. Ent. IV, nr. 67, p. 109,
 t. 3, f. 15. — Marsh. Ent. Brit. I, 1802, p.
 332. — Latr. Hist. Nat. Ins. XI, 1804, p. 269
 — Curtis, Brit. Ent. IV, 1827, t. 172. —
 Boit. Man. d'Ent. II, 1828, p. 21. — Steph.
 Ill. Brit. Ent. Mandib. IV, 1831, p. 236;
 Man. Brit. Col. 1839, p. 272. — Muls. Col.
 France, Long. 1839, p. 168; ed. 2, 1863,
 p. 334. — Spry & Shuck. Brit. Col. 1840,

Süd-
 Schweden,
 Finnland,
 Rußland,
 Sibirien

Europa bis
 Süd-
 Schweden

- p. 66, t. 76, f. 3. — Küster, Käfer Eur. XXII, 1851, p. 99. — Bach, Käferf. III, 1856, p. 31. — Gutfl. Käfer Deutschl. 1859, p. 584. — C. G. Thoms. Skand. Col. VIII, 1866, p. 92. — Cox, Handb. Col. II, 1874, p. 306. — Schoch, Käfer Deutschl. 1878, p. 135. — Fairm. Hist. Nat. France, Col. 1882, p. 269. — Fowler, Col. Brit. Isl. IV, 1890, p. 250, t. 124, f. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 752; Fauna Transsylv. 1891, p. 849. — Stierl. Col. Helvet. II, 1898, p. 498. — Jens-Haarup, Danm. Fauna, Biller III, 1914, p. 20, f. 11 a.
- Biologie:** Passer. Ins. Col. dann. del Ficus carica 1851, p. 5. — Tappes, Ann. Soc. Ent. France (5) III, 1873, Bull. p. 193. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 436, 450, t. 17, f. 19, 20. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 331, t. 13, f. 501-504 (sep. p. 491). — Xamheu, Moeurs et Métam. Ins. VIII, 1902, p. 165. — Henriksen, Danm. Fauna, Biller III, 1914, p. 96, f. 69.
- var. *algerica* Pic, Longic. II, 1898, p. (13) 58. Algier, Tunis
- ab. *lineatopunctata* Baudi, Cat. Col. Piemont 1889, p. 193. Piemont
- var. *obscuricornis* Pic, Feuilles Jeun. Nat. XXIV, 1894, p. 44; Longic. II, 1898, p. 19, 57. Caucasus
- perplexa* Pasc. (siehe unten). Amur

Arten aus Japan und Südasien.

- allapsa* Pasc. Proc. Zool. Soc. Lond. 1866, p. 231. Penang
- bispecularis* White, l. c. XXVI, 1858, p. 401. Ostindien
- cephalotes* Pic, Echange XIX, 1903, p. 121; Longic. IV, 2, 1903, p. 23. China: Sze-Tchouan
- columba* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 40. Ceylon
- cribrata* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 245. Japan
- glabrofasciata* Pic, Bull. Soc. Ent. France 1917, p. 353. Yunnan
- gracilior* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 244. Japan
- Harmandi* Pic, Bull. Mus. Paris VII, 1902, p. 341. "
- hirsuta* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 244. "
- incongrua* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 52. Borneo
- japonica* Bates, l. c. (4) XII, 1873, p. 312. — Matsum. Thous. Ins. Japan III, 1908, nr. 736, t. 55, f. 10. Japan
- langana* Pic, Longic. X, 2, 1917, p. 12. Tonkin
- longipennis* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 313. Japan
- ab. *subobliterata* Pic, Bull. Mus. Paris VII, 1901, p. 62.
- luteofasciata* Pic, Longic. X, 2, 1917, p. 11. Tonkin

- luteopubens* Pic, Melang. Exot.-Ent. XXIII, 1917, p. 7; Longic. X, 2, 1917, p. 13. Tonkin
- nodosipennis* Pic, Longic. X, 2, 1917, p. 12. Yunnan
- obscura* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 49. Birma
- perplexa* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 243. — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 312. Japan, Nordchina
- ✓ *poecila* Bates, Journ. Linn. Soc. Lond. XVIII, 1884, p. 245. Japan
- rosa* Karsch, Berl. Ent. Zeitschr. XXVI, 1882, p. 388. Ceylon
- ✓ *senilis* Bates, Journ. Linn. Soc. Lond. XVIII, 1884, p. 245. Japan
- stictica* Blanch. C. R. Acad. Sc. Paris LXXII, 1871, p. 812. Thibet
- oculicollis* Fairm. Ann. Soc. Ent. France (5) VIII, 1878, p. 131; (6) VI, 1886, p. 356. China
- subfasciata* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 49. Birma
- ✓ *taliana* Pic, Longic. X, 2, 1917, p. 13. China
- ✓ *thibetana* Pic, l. c. p. 12. Tonkin

28

Pachyosa Fairm.

Fairm. Bull. Soc. Ent. France 1897, p. 71.

- albonotata* Pic, Bull. Soc. Ent. France 1917, p. 354. Yunnan
- cervinopicta* Fairm. l. c. 1897, p. 71. Riu-Kiu-Inseln: Ishigaki-Sima
- diversesparsa* Pic, Mélang. Exot.-Ent. XXVI, 1917, p. 7. Yunnan

3

Ipocregyes Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864—65, p. 96, 113. — Lacord. Gen. Col. IX, 1869, p. 369, 373.

- ✓ *Newmanni* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 102; (3) III, 1865, p. 114, t. 7. f. 2. — Malacca, Borneo
- Lacord. Gen. Col. IX, 1869, p. 374.

1

Elelea Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864—65, p. 96, 113.

Elelea Lacord. Gen. Col. IX, 1869, p. 369, 374.

- concinna* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 101; (3) III, 1865, p. 113, t. 7. f. 7. — Borneo
- Lacord. Gen. Col. IX, 1869, p. 374.

1

Zelota Gah.

Gahan, Proc. Zool. Soc. Lond. 1902, 2, p. 273.

- spathomelina* Gah. l. c. p. 274, t. 23, f. 57. Borneo: Sarawak

1

Acanthocacia Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 16; Journ. Sarawak Mus. I, 3, 1913, p. 9.

bispinosa Auriv. l. c. p. 16; Journ. Sarawak Mus. I, Borneo
3, 1913, p. 8.

melanopsis Pasc. Proc. Zool. Soc. Lond. 1866, p. 232, Penang
t. 26, f. 4.

2

Cacia Newm.

Newm. Entomol. I, 1842, p. 290. — Thoms. Classif. Ceramb. 1860,
p. 34; Syst. Ceramb. 1864, p. 370. — Pasc. Trans. Ent. Soc. Lond.
(3) III, 1864—65, p. 96, 106. — Lacord. Gen. Col. IX, 1869, p. 369, 374.

Corethrophora Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 301.

albofasciata Pic, Mélang. Exot.-Ent. XXIII, 1917, p. 7. Tonkin

antennata White, Proc. Zool. Soc. Lond. XXVI, Java
1858, p. 401.

✓ *aspersa* Newm. Entomol. I, 1842, p. 291.

Beccarii Gah. Ann. Mus. Civ. Genova (3) III, 1907, Manila
p. 82. Sumatra

capito Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 112. Singapur

compta Pasc. l. c. p. 112, t. 7, f. 4. Borneo:

confusa Pasc. l. c. (2) IV, 1857, p. 101; (3) III, 1865, Sarawak
p. 110. Malacca,
Borneo

✓ *cretifera* Hope in Gray. Zool. Misc. 1831, p. 27. — Himalaya,

Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Assam,
p. 51. Birma,

Tenasserim.
Andamanen,

Südchina

fasciolata Boisd. Voy. Astrolabe, Ent. II, 1835, p. 503, Amboina
t. 9, f. 13.

grisella White, Proc. Zool. Soc. Lond. XXVI, 1858, Hongkong
p. 401.

herbacea Pasc. l. c. 1866, p. 233. t. 26, f. 3. Penang

lucensa Pasc. Trans. Ent. Soc. Lond. (3) III, 1865. Pegu
p. 112 nota.

inculta Pasc. l. c. (2) IV, 1857, p. 102; (3) III, 1865. Malacca
p. 114, t. 7, f. 2.

intricata Pasc. l. c. p. 110.

Celebes,
Molukken.

Waigiu, Aru
Shanghai

latifasciata White, Proc. Zool. Soc. Lond. XXVI,
1858, p. 401. — Pasc. Trans. Ent. Soc. Lond.

(3) III, 1865, p. 107.

monstrabilis Heller, Tijdschr. v. Ent. LVIII, 1915, p. Celebes
107, t. 5, f. 2.

obsessa Pasc. Proc. Zool. Soc. Lond. 1866, p. 233. Penang

ornata Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 50.

pieticornis Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo,
p. 249; (3) III, 1865, p. 111. Malacca

pistor Pasc. Proc. Zool. Soc. Lond. 1866, p. 232. Penang

plagiata Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Saylee, Aru
p. 111.

- ✓ *proteus* Heller, Philipp. Journ. Sc. D, X, 1915, p. 243, Luzon
t. 1, f. 16.
var. *disjuncta* Heller, l. c. p. 244, t. 1, f. 15
- Salomonum* Auriv. Tijdschr. v. Ent. LXIV, 1921, Salomonen
p. 46, t. 2, f. 1.
- scenica* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
p. 110. Menado
- setulosa* Pasc. l. c. (2) IV, 1857, p. 101. — Lacord. Java
Gen. Col. IX, 1869, p. 375, nota 3.
- signata* Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 56. Ceylon
- ✓ *spilota* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 83. Sumatra
- spinigera* Newm. Entomol. I, 1842, p. 290. Manila
- triangulifera* Heller, Abhandl. Mus. Dresden IX, 5, Celebes
1900, p. 44, tab. f. 11.
- triloba* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 44. Ceylon
- ulula* Heller, Philipp. Journ. Sc. D X, 1915, p. 243, Luzon
t. 1, f. 14.
- vanikorensis* Boisd. Voy. Astrolabe, Ent. II, 1835, p. Molukken,
515, t. 9, f. 18. — Pasc. Trans. Ent. Soc. Neuguinea
Lond. (3) III, 1865, p. 109.
- instabilis* Pasc. l. c. p. 108.
- var. *anthriboides* Pasc. Journ. of Ent. I, 1860, Amboina
p. 130, t. 5, f. 5; Trans. Ent. Soc. Lond. (3)
III, 1865, p. 108.
- var. *histrionica* Pasc. Journ. of Ent. I, 1862, Ceram
p. 346; Trans. Ent. Soc. Lond. (3) III, 1865,
p. 108.
- var. *semiluctuosa* Blanch. Voy. Pôle Sud,
Zool. IV, 1853, p. 302, t. 17, f. 15.
- ✓ *xenoceroides* Heller, Philipp. Journ. Sc. D X, 1915, Luzon
p. 242, t. 1, f. 13.

33

Therippia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 107.

- ✓ *decorata* Pasc. l. c. p. 107. Ceylon
1

Callimetopus Blanch.

Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 303.

- ✓ *pantherinus* Blanch. l. c. p. 304, t. 17, f. 16. Ceram
1

Agelasta Newm.

Newm. Entomolog. I, 1842, p. 288.

- mixta* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 53.
- nigromaculata* Gah. l. c. p. 52.
- ✓ *transversa* Newm. l. c. p. 288. — Pasc. Trans. Ent. Philippinen
Soc. Lond. (3) III, 1865, p. 125.

3

Choeromorpha Chevr.Chevr. Dict. Hist. Nat. d'Orbigny III, 1849, p. 613. — Gah. Journ.
Feder. Malay. States Mus. I, 1906, p. 117 nota.

Agelasta Thoms. Syst. Ceramb. 1864, p. 371. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1864—65, p. 96, 123 (ex p.). — Lacord. Gen. Col. IX, 1869, p. 369, 376.
Subgenus: *Dissosira* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 124 nota. — Lacord. Gen. Col. IX, 1869, p. 369, 377.

Subgenus **Choeromorpha** Chevr.

- albomaculata* Auriv. Arkiv f. Zool. XIII, 9, 1920, Talauer Insel p. 17.
- ✓ *amica* White, Proc. Zool. Soc. Lond. XXIV, 1856, Borneo p. 410, t. 40, f. 14. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 127.
- balteata* Pasc. Proc. Zool. Soc. Lond. 1866, p. 236, Penang t. 26, f. 9.
- bifasciata* White, Ann. Mag. Nat. Hist. (3) II, 1858, Silhet p. 273.
- ✓ *callizona* White, Proc. Zool. Soc. Lond. XXIV, 1856, Borneo p. 409, t. 40, f. 13. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 125.
- irrorata* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Malacca p. 100; (3) III, 1865, p. 124, 128.
- Lambi* Pasc. Proc. Zool. Soc. Lond. 1866, p. 235, Penang t. 26, f. 7.
- lar* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 124 Malacca nota.
- mediifusca* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, Andamanen p. 373.
- ✓ *mediofasciata* Heller, Philippin. Journ. Sc. D, VIII, Philippinen: 1913, p. 157, f. 10. Ins. Sibuyan
- Menhoti* Pasc. Journ. of Ent. I, 1862, p. 335. Cambodja
- muscaria* Heller. Tijdschr. v. Ent. LVIII, 1915, Sumatra Suppl. p. 108.
- ✓ *mystica* Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 204. Manila
- ✓ *Newmani* White, Proc. Zool. Soc. Lond. XXIV, 1856, Borneo p. 410, t. 40, f. 15. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 126.
- obscura* M'Leay, Proc. Linn. Soc. N. S. Wales IX, Neuguinea 1884, p. 707.
- ochracea* Thoms. Revue Zool. (3) VI, 1878, p. 60. Andamanen
- ✓ *pigra* Auriv. Arkiv f. Zool. XII, 9, 1920, p. 16. Java
- ✓ *polynesa* White, Cat. Col. Brit. Mus. VIII, 1855, Borneo. t. 10, f. 9; Proc. Zool. Soc. Lond. XXIV, Malacca 1856, p. 410. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 126.
- ✓ *polyspila* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, Insel Nias p. 50.
- Robinsoni* Gah. Journ. Malay. Statès Mus. I, 1906, Malacca p. 117, t. 6, f. 15.
- sobrina* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Malacca, Ban- p. 127. — Lacord. Gen. Col. IX, 1869, t. 99, ka. Borneo f. 3.
- sulphurea* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes: p. 128, t. 7, f. 6. Macassar
- ✓ *trifasciata* Newm. Entomol. I, 1842, p. 288. Philippinen
- ✓ *Wallacei* White, Cat. Col. Brit. Mus. VIII, 1855, t. 10, Borneo f. 10; Proc. Zool. Soc. Lond. XXIV, 1856, p. 409. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 125.

Subgenus **Dissosira** Pasc.

- basalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
p. 125, 129. Menado
- catenata** Pasc. Journ. of Ent. I, 1862, p. 336. — Cambodja
Lacord. Gen. Col. IX, 1869, p. 378.

26

Syrrhopeus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864—65, p. 96, 129. — Lacord.
Gen. Col. IX, 1869, p. 369, 378.

- ✓ **agelastoides** Pasc. Trans. Ent. Soc. Lond. (3) III, Borneo
1865, p. 130, t. 7, f. 3. — Lacord. Gen. Col.
IX, 1869, p. 378.

substrigosus Pasc. Proc. Zool. Soc. Lond. 1866, p. Penang
236, t. 26, f. 8.

2

Anthriboscyla Thoms.

Thoms. Physis II, 1868, p. 165. — Lacord. Gen. Col. IX, 1869,
p. 369, 378.

- ✓ **lecidiosa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 120.

ulma Thoms. Physis II, 1868, p. 165. „

2

Helixoea Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 124. — Lacord. Gen.
Ins. IX, 1869, p. 369, 379.

- ✓ **rupta** Pasc. Journ. of Ent. I, 1862, p. 335. — Lacord. Cambodja
Gen. Col. IX, 1869, p. 380.

1

Mnemea Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 114. — Lacord. Gen.
Col. IX, 1869, p. 369, 380.

- ✓ **phalerata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 115, t. 7, f. 8. — Lacord. Gen. Col. IX,
1869, p. 380.

1

Sorbia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864—65, p. 96, 130. — Lacord.
Gen. Col. IX, 1869, p. 369, 380.

- ✓ **tarsalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 131, t. 6, f. 5. — Lacord. Gen. Col. IX,
1869, p. 381.

1

Coptops Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 64. — Cast. Hist. Nat.
Col. II, 1840, p. 466. — Thoms. Classif. Ceramb. 1860, p. 34; Syst.
Ceramb. 1864, p. 371. — Pasc. Trans. Ent. Soc. Lond. (3) III,
1864—65, p. 96, 116. — Lacord. Gen. Col. IX, 1869, p. 369, 384.

10

Äthiopische Arten.

- aedificator* F. Ent. Syst. I, 2, 1792, p. 275; Syst. Eleuth. II, 1801, p. 292. — Cast. Hist. Nat. Col. II, 1840, p. 467. — Aulmann, Fauna deutsch. Kolon. V, 2, 1911, p. 34, f. 19; V, 5, 1913, p. 28, f. 24, 25. Afrika, Madagaskar, Mauritius, Bourbon, Ostindien, Ceylon
- bidens* Wollast. Col. S. Helena, 1877, p. 210. — Künckel in Grandid. Hist. Madag. XXII, 1890, t. 53, f. 1.
- fusca* Ol. Encycl. méth. Ins. VII, 1792, p. 462; Ent. IV, nr. 67, 1795, p. 83, t. 4, f. 25.
- parallela* Serv. Ann. Soc. Ent. France IV, 1835, p. 64.
- quadrüstigma* Fähr. Ofvers. Vet. Akad. Förhandl. XXIX, 2, 1872, p. 30.
- ? *villica* Ol. Encycl. méth. Ins. VII, 1792, p. 468; Ent. IV, nr. 67, 1795, p. 102, t. 10, f. 72.
- var. *chlorotica* Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 68. — Künckel in Grandid. Hist. Madag. XXII, 1890, t. 53, f. 2. Madagaskar
- Annobonae* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 33. Insel Annobon Seychellen
- humerosa* Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 69. — Kolbe, Mitteil. Zool. Mus. Berlin V, 1910, p. 38.
- hypocrita* Lameere, Ann. Soc. Ent. Belg. XXXVI, 1892, p. 506. — Auriv. Arkiv f. Zool. VII, 3, 1910, p. 33. Gabun, S. Thomé
- infirma* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 195. Madagaskar
- litrata* Klug, Ins. Madag. 1833, p. 118, t. 5, f. 4. — Imh. Einf. Kol. 1856, t. 17, f. 5. — Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 67. — Künckel in Grandid. Hist. Madag. XXII, 1890, t. 51, f. 6. "
- nigropunctata* Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 68. Comoren: Mayotte

Indomalayische Arten.

- aedificator* F. (siehe oben). Ostindien, Ceylon
- annulipes* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 54. Birma, Siam, Cambodja, Nordindien
- auguralis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 120. Timor
- illicita* Pasc. l. c. p. 117. Saylee
- intermissa* Pasc. Notes Leyden Mus. V, 1883, p. 89. Insel Saleier
- leucostictica* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 272. Assam
- centurio* Pasc. l. c. (4) IV, 1869, p. 205.
- lecheua* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 118. Malacca
- nivelsparsa* Fairm. Mission Pavie III, 1904, p. 145. Tonkin

- pardalis** Pasc. Journ. of Ent. I, 1862, p. 340; Trans. Ent. Soc. Lond. (3) III, 1865, p. 119. Ceram, Buru, Batjan
- Pascoel** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 55. Birma
- polyspiia** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 118. — Gah. Ann. Mag. Nat. Hist. (7) V, 1900, p. 351. Malacca, Cambodja
- lacertosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 121.
- petechialis* Pasc. l. c. p. 119 nota.
- quadrimaculata** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 57, t. 7, f. 3. Nilgiri-Berge
- rufa** Thoms. Revue Zool. (3) VI, 1878, p. 60. Andamanen
- ✓ **tabida** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 118. Celebes: Macassar
- ✓ **tetrica** Newm. Entomol. I, 1842, p. 288. Philippinen
- nudata** F. Ent. Syst. I, 2, 1792, p. 270; Syst. Eleuth. II, 1801, p. 286. — Ol. Ent. IV, nr. 67, 1795, p. 80, t. 4, f. 26. Java
- ✓ **undulata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 121. Borneo
- vomicosa** Pasc. Journ. of Ent. I, 1862, p. 341. Cambodja

24

Saimia Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 234.

Saimia Pasc. Trans. Ent. Soc. Lond. (3) III, 1864—65, p. 96
121. — Lacord. Gen. Col. IX, 1869, p. 369, 385.

- albidorsalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 122, t. 8, f. 6. Singapore, Borneo
- bituberosa** Pasc. Proc. Zool. Soc. Lond. 1866, p. 235. Penang
- ✓ **diversa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 123. Borneo
- ✓ **revoluta** Pasc. l. c. p. 122. "

4

Madecops Fairm.

Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 70.

? *Batrachorhina* Chevr. Dict. Hist. Nat. d'Orbigny II, 1842, p. 501. — Alluaud, Bull. Soc. Ent. France 1899, p. 380.

- albostrigosa** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 552. Comoren: Mayotte
- convexicollis** Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 120. Madagaskar
- denticollis** Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 495. — Alluaud, Bull. Soc. Ent. France 1899, p. 380. Mauritius, Bourbon
- inornata** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 136. Madagaskar
- pruinosa** Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 70. Comoren: Mayotte
- vulpina** Klug, Ins. von Madag. 1833, p. 120, t. 5, f. 8. Madagaskar

6

Mimocoptops Fairm.*)

Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 251.

- bipenicillata* Fairm. l. c. XLVIII, 1904, p. 256. Madagaskar
fulvosparsa Fairm. l. c. XLVII, 1903, p. 375. " "
minor Fairm. l. c. XLVI, 1902, p. 252. " "
Perrieri Fairm. l. c. p. 252. " "

4

Scramatus Fairm.*)

Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 550.

- pictus* Fairm. l. c. p. 550. Madagaskar

1

Mesolophus Gah.

Gahan, Ann. Mus. Civ. Genova XXXIV, 1895, p. 56.

- humeralis* Gah. l. c. p. 57, t. 1, f. 10. Birma

1

Aesopida Thoms.

Thoms. Syst. Ceramb. 1864, p. 62, 371. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1864–65, p. 96, 132. — Lacord. Gen. Col. IX, 1869, p. 369, 385.

- fascienlata* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 17; Borneo
 Journ. Sarawak Mus. I, 3, 1913, p. 9.

- ✓ *malasiaca* Thoms. Syst. Ceramb. 1864, p. 62. — Pasc. Malacca
 Trans. Ent. Soc. Lond. (3) III, 1865, p. 133.
 — Lacord. Gen. Col. IX, 1869, p. 386, t. 99, f. 4.

2

Clyzomedus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864–65, p. 96, 115; Proc. Zool. Soc. Lond. 1866, p. 234. — Lacord. Gen. Col. IX, 1869, p. 369, 386.

- annularis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 234. Malacca
 ✓ *fastidiosus* Boisd. Voy. Astrolabe, Entomol. II, 1835, Neuguinea.
 p. 490. Aru,
nanus Pasc. Trans. Ent. Soc. Lond. (2) V, Malacca
 1859, p. 39; (3) III, 1865, p. 116, t. 8, f. 4.

2

Synaphaeta Thoms.

Thoms. Syst. Ceramb. 1864, p. 370, 484. — Lacord. Gen. Col. IX, 1869, p. 369, 383. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 336.
 — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 321. — Casey, Mem. Col. IV, 1913, p. 299–301 (Revisio).

- Mesosa* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 166.
Synaphe Thoms. Syst. Ceramb. 1864, p. 60.

*) Die systematische Stellung dieser beiden mir unbekanntten Gattungen ist unsicher.

- ✓ *annulata* Casey, Revis. p. 300. Kalifornien
 ✓ *brevicollis* Casey, l. c. p. 300. " "
 ✓ *Guexi* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 166; " "
 Report Railroad Surv. Ins. 1857, p. 66, t. 2, "
 f. 16. — Thoms. Syst. Ceramb. 1864, p. 60.
 — Leng & Hamilt. Trans. Amer. Ent. Soc.
 XXIII, 1896, p. 112. — Casey, Revis. p. 300.
 ✓ *humeralis* Casey, Revis. p. 299. "

4

XI. Atossini.

Lacordaire, Gen. Col. IX, 1869, p. 414, 496.

Atossa Thoms.

- Thoms. Syst. Ceramb. 1864, p. 100, 390. — Lacord. Gen. Col. IX, 1869, p. 497. — Rits. Notes Leyden Mus. XII, 1890, p. 252. — Gahan, Journ. Malay. States Mus. I, 1906, p. 118.
atomaria Pasc. Proc. Zool. Soc. Lond. 1866, p. 254, Penang
 t. 26, f. 6.
bipartita Rits. Notes Leyden Mus. XII, 1890, p. 250; Borneo, Java
 XIII, 1891, t. 10, f. 6.
ligata Pasc. Trans. Ent. Soc. Lond. 1888, p. 503. Labuan
spilota Gah. Journ. Malay. States Mus. I, 1906, p. Malacca
 118, t. 6, f. 13.
 ✓ *strenua* Thoms. Syst. Ceramb. 1864, p. 101. — Lacord. Java
 Gen. Col. IX, 1869, p. 497.

5

Grammoechus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 59, 370. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 681. — Lacord. Gen. Col. IX, 1869, p. 497, 498.
 ✓ *polygrammus* Thoms. Syst. Ceramb. 1864, p. 60. — Singapur,
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Sumatra,
 p. 681. — Lacord. Gen. Col. IX, 1869, p. 498. Borneo

1

Phemone Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 48; III, 1864—65, p. 96, 136. — Lacord. Gen. Col. IX, 1869, p. 369, 381.
conspersa Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 14. Borneo
cordigera Rits. Notes Leyden Mus. XII, 1890, p. 137. Sumatra
frenata Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Malacca
 p. 107; (2) V, 1859, p. 48, t. 2, f. 5; (3) III,
 1865, p. 136. — Lacord. Gen. Col. IX, 1869,
 p. 381.
triangulifera Rits. Notes Leyden Mus. XXIX, 1908, Borneo
 p. 261.

4

Demodes Newm.

- Newm. Entomol. I, 1842, p. 322. — Gahan, Journ. Malay. States
 Mus. I, 1906, p. 118.

- immunda** Newm. Entomol. I, 1842, p. 322. — White, Philippinen
Cat. Col. Brit. Mus. VIII, 1855, t. 7, f. 7.
vittata Gah. Journ. Malay. States Mus. I, 1906, p. Malacca
117, t. 6, f. 14.
2

XII. Metonini.

Lacordaire, Gen. Col. IX, 1869, p. 299, 387.

Meton Pasc.

- Pasc. Journ. of. Ent. I, 1862, p. 342; Trans. Ent. Soc. Lond (3) III,
1866, p. 228, 253. — Thoms. Syst. Ceramb. 1864, p. 370. — Lacord.
Gen. Col. IX, 1869, p. 388.
Digglesi Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Queensland
p. 59. — Lacord. Gen. Col. IX, 1869, t. 100, f. 1.
fasciatus Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. Australien:
372. „Port Bowen“
granulicollis Pasc. Trans. Ent. Soc. Lond. (2) V, Aru-Inseln,
1859, p. 42; (3) III, 1866, p. 254, t. 12, f. 4. Key-Inseln
tropicus Pasc. Ann. Mag. Nat. Hist. (3) IX, 1862, p. Queensland:
465. Lizard-Insel
4

Dulichium Thoms.

- Thoms. Syst. Ceramb. 1864, p. 326, 369. — Lacord. Gen. Col. IX,
1869, p. 388, 389.
bigibbosum Thoms. Syst. Ceramb. 1864, p. 327. Natal?
1

Aderpas Thoms.

- Thoms. Syst. Ceramb. 1864, p. 62, 371. — Lacord. Gen. Col. IX,
1869, p. 388, 389.
Arrhostus Gemm. & Har. Cat. Col. X, 1873, p. 3028.
Arrostus Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872 p. 32
aibomaculatus Hintz, Deutsche Ent. Zeitschr. 1913, Congo:
p. 203. Kondué
brunneus Thoms. Archives Ent. II, 1858, p. 179. — Gabun,
Jord. Novit. Zool. I, 1894, p. 196. Kuilu
congolensis Hintz, Deutsche Ent. Zeitschr. 1913, p. Congo:
203. Kondué
griseus Thoms. Archives Ent. II, 1858, p. 178; Syst. Gabun, Kuilu
Ceramb. 1864, p. 62. — Lacord. Gen. Col.
IX, 1869, p. 390.
lineolatus Chev. Revue Zool. (2) VIII, 1858, p. 489; Alt-Calabar,
Cent. Longic. 1858, nr. 52. — Duviv. Ann. Ashanti,
Soc. Ent. Belg. XXXVI, 1892, p. 346. — Congo
Jord. Novit. Zool. I, 1894, p. 197.
pauper Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1892, Kaffernland
p. 32.
punctulatus Jord. Novit. Zool. I, 1894, p. 197. Kuilu
quadricostatus Hintz, Deutsche Ent. Zeitschr. 1913, Deutsch-
p. 203. Ostafrika:
Lindi

- subfasciatus* Jord. Novit. Zool. I, 1894, p. 197. Patria?
Tessmanni Hintz, Deutsche Ent. Zeitschr. 1913, p. 203. Uelleburg
uniformis Hintz, l. c. p. 203. Congo:
 Kondué

11

XIII. Ancitini.

Aurivillius, Arkiv f. Zool. X, 23, 1917, p. 28.

Bucynthia Pasc.

- Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 83. — Lacord. Gen. Col. IX, 1869, p. 387. — Auriv. Ent. Tidskr. XIV, 1893, p. 165.
spiloptera Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 1. Hunters Fluß
 542. — Lacord. Gen. Col. IX, 1869, p. 387,
 t. 100, f. 2.
 var. *fuscobrunnea* Auriv. Ent. Tidskr. XIV, Queensland
 1893, p. 165.

1

Ancita Thoms.

- Thoms. Syst. Ceramb. 1864, p. 63. — Lacord. Gen. Col. IX, 1869,
 p. 388, 390.
Hebecerus Thoms. Classif. Ceramb. 1860, p. 343; Syst.
 Ceramb. 1864, p. 368.
Hebecesis Pasc. Journ. of Ent. II, 1865, p. 353. — Lacord.
 Gen. Col. IX, 1869, p. 511, 514.
anisocera Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, Queensland
 p. 67.
antennata Pasc. Journ. of Ent. II, 1865, p. 353. Port Denison
australis Boisd. Voy. Astrolabe, Ent. II, 1835, p. 489. Neuholland,
 — Germ. Linn. Ent. III, 1848, p. 228. — Sydney
 Tepper, Native Ins. S. Austral. II, 1887, p. 41.
 — Frogg. Austral. Ins. 1907, p. 198.
inglorius Newm. Entomol. I, 1842, p. 361.
basalis Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, Queensland,
 p. 301. Rock-
 hampton
conferta Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Queensland
 p. 528.
cristata Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, „
 p. 68.
crocogaster Boisd. Voy. Astrolabe, Ent. II, 1835, p. Neuholland
 492. — Thoms. Classif. Ceramb. 1860, p.
 343. — Frogg. Austral. Ins. 1907, p. 198.
 Biologie: Frogg. Proc. Linn. Soc. N. S.
 Wales (2) VIII, 1893, p. 35.
crossotoides Thoms. Syst. Ceramb. 1864, p. 64. Neuholland
didyma Blackb. Trans. R. Soc. S. Austr. XXV, 1901, Nordwest-
 p. 35. Australien
dispar Blackb. l. c. p. 34. „
fasciculata Blackb. l. c. XVI, 1893, p. 197. Neuholland
fuscicornis Germ. Linn. Entomol. III, 1848, p. 227. Adelaide
Germari Pasc. Journ. of Ent. II, 1865, p. 352. — Neuholland
 Tepper, Native Ins. S. Austral. I, 1887, p. 41.
lineola Newm. Zoolog. IX, 1851, Append. p. 130. Tasmania

- marginicollis* Boisd. Voy. Astrolabe, Ent. II, 1835, Neuholland
p. 490, t. 9, f. 12. — Frogg. Austral. Ins.
1907, p. 198, f. 95.
- niphonoides* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Port Denison
p. 527.
- penicillata* Auriv. Arkiv f. Zool. X, 23, 1917, p. 29. West-
Australien
- sparsa* Pasc. Journ. of Ent. II, 1865, p. 354 nota;
Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 81.
"
- varicornis* Germ. Linn. Entomol. III, 1848, p. 229. Adelaide
19

Diastamerus Redtenb.

- Redtenb. Reise Novara, Col. 1868, p. 176. — Lacord. Gen. Col. IX,
1869, p. 391. — Bates, Ann. Mag. Nat. Hist. (4) XIV. 1874, p. 130;
Trans. N. Zeal. Institut. VII, 1875, p. 332. — Broun, New Zeal. Col.
I, 1880, p. 616.
- tomentosus* Redtenb. Reise Novara, Col. 1868, p. 177. Neuseeland
t. 5, f. 1. — Lacord. Gen. Col. IX, 1869, p.
391. — Broun, New Zeal. Col. I, 1880, p. 616.
1

XIV. Ancytonotini.

Lacordaire, Gen. Col. IX, 1869, p. 299, 391.

Palimna Pasc.

- Pasc. Journ. of Ent. I, 1862, p. 346; Trans. Ent. Soc. Lond. (3) III,
1865, p. 96, 134. — Thoms. Syst. Ceramb. 1864, p. 369. — Lacord.
Gen. Col. IX, 1869, p. 392.
- Cylanca* Thoms. Syst. Ceramb. 1864, p. 58, 132, 484.
- ✓ *annulata* Ol. Encycl. méth. Ins. VII, 1792, p. 465; Ostindien,
Ent. IV, nr. 67, 1795, p. 95, t. 20, f. 151. Birma
- nodulosa* Schönh. Synon. Ins. I, 3, 1817,
p. 395.
- ✓ var. *tessellata* Pasc. Trans. Ent. Soc. Borneo, Java,
Lond. (2) IV, 1857, p. 49; (3) III, 1865, p. 135, Malacca
t. 6, f. 2.
- ✓ *mimica* Fairm. Ann. Soc. Ent. France LXVII, 1898, Butang
p. 399.
- ✓ *Mouhoti* Pasc. Proc. Zool. Soc. Lond. 1866, p. 237. Penang,
— Lacord. Gen. Col. IX, 1869, p. 393, t. 100, Laos
f. 3.
- reticulata* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Ostindien
p. 50.
4

Apalimna Bates.

- + Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 241.
- ducalis* Bates, l. c. p. 242 nota. Nordindien
- ✓ *liturata* Bates, l. c. p. 242, t. 2, f. 5. — Matsum. Japan
Thous. Ins. Japan III, 1908, nr. 729, t. 55,
f. 3.

var. *continentalis* Semen. Revue Russe d'Ent. XIV, 1914, p. 20.

liturata Jacobs. Käfer Russl. 1911, t. 71, f. 22.

2

Goniages Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 135. — Lacord. Gen. Col. IX, 1869, p. 392, 393.

infausta Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Borneo p. 41; (3) III, 1865, p. 135, t. 6, f. 3. — Lacord. Gen. Col. IX, 1869, p. 393.

1

Ancylonotus Cast.

Cast. Hist. Nat. Col. II, 1840, p. 459. — Thoms. Syst. Ceramb. 1864, p. 377. — Lacord. Gen. Col. IX, 1869, p. 392, 394.

tribulus F. Syst. Ent. 1775, p. 170; Spec. Ins. I, 1781, Senegal, p. 216; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 266; Syst. Eleuth. II, 1801, p. 281. — Gmel. in L. Syst. Nat. ed. 13, I, 4, Congo, 1790, p. 1827. — Ol. Encycl. méth. VII, 1792, Deutsch- p. 458; Ent. IV, nr. 67, 1795, p. 65, t. 14, Ost-Afrika f. 100. — Cast. Hist. Nat. Col. II, 1840, p. 459. — Imh. Einführ. Koleopt. 1856, t. 17, f. 2. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 6. — Aulm. Fauna deutsch. Kolon. V, 2, 1911, p. 26, f. 14a, b.

var. *hieroglyphicus* Fairm. Ann. Soc. Madagaskar Ent. Belg. XXXIX, 1895, p. 38.

1

Lasiopezus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 30. — Thoms. Syst. Ceramb. 1864, p. 377. — Lacord. Gen. Col. IX, 1869, p. 392, 395.

Lasiodactylus Thoms. Archives Ent. II, 1859, p. 163; Classif. Ceramb. 1860, p. 83.

Josephus Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Congo Bull. p. 380; XXXVI, 1892, p. 348.

marmoratus Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 33.

longimanus Thoms. Archives Ent. II, 1858, p. 163; Gabun, Classif. Ceramb. 1860, p. 83. Congo,

Whitei Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 30. Südafrika, Ostafrika

nigromaculatus Quedenf. Berl. Ent. Zeitschr. XXVI, 1852, p. 339. Angola, Südafrika

marmoratus Dist. Ins. Transvaal. 1904, p. 129, t. 11, f. 21.

sordidus Aulm. Fauna deutsch. Kolon. V, 2, 1911, p. 36, f. 20.

var. *ambiguus* Kolbe, Berl. Ent. Zeitschr. Ostafrika XLV, 1900, p. 306.

sordidus Ol. Ent. IV, nr. 67, 1795, p. 124, t. 1, f. 5. Senegal

variegator F. Spec. Ins. I, 1781, p. 221; Mant. Ins. I, 1787, p. 139; Ent. Syst. I, 2, 1792, p. 282; Senegal bis Congo

Syst. Eleuth. II, 1801, p. 297. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1830. — Ol. Encycl. méth. VII, 1792, p. 467; Ent. IV, nr. 67, 1795, p. 108, t. 16, f. 112. — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 349.
marmoratus Aulm. Fauna deutsch. Kolon. V, 2, 1911, p. 38, f. 21 a, b.
 ab. *marmoratus* Ol. Ent. IV, nr. 67, 1795, p. 124, t. 23, f. 178.

5

Idactus Pasc.

Pasc. Journ. of Ent. II, 1864, p. 273.

- Togonius* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 64. — Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 14.
- albovariegatus** Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, p. 263. — Auriv. Arkiv f. Zool. III, 18, 1907, p. 19. Usambara
- Bettoni** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 46. Brit.
- Elloti** Gah. Trans. Ent. Soc. Lond. 1890, p. 312. Ostafrika
- exiguus** Quedenf. Berl. Ent. Zeitschr. XXXVI, 1891, p. 170. Madagaskar
- fasciculosus** Auriv. Arkiv f. Zool. I, 1904, p. 318. Ostafrika
- hieroglyphicus** Taschenb. Zeitschr. f. Naturwiss. Halle LVI, 1883, p. 179. — Gah. in Forbes, Nat. Hist. Sokotra 1903, p. 285. Sokotra
- Granti* Gah. Bull. Liverp. Mus. III, 1900, p. 12; Forbes, Nat. Hist. Sokotra 1903, p. 285, t. 17, f. 10. „
- insularis** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 551. Comoren
- Klingi** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 64. Togo
- Heeringi* Hintz, Deutsche Ent. Zeitschr. 1910, p. 308.
- lateralis** Gahan, Ann. Mag. Nat. Hist. (7) II, 1898, p. 47. Brit.
- maculicornis** Gah. Trans. Ent. Soc. Lond. 1890, p. 312; Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 409. Ostafrika
- marmoratus** F. Ent. Syst. Suppl. 1798, p. 144; Syst. Eleuth. II, 1801, p. 282. Afrika
- matabellens** Auriv. Arkiv f. Zool. X, 19, 1916, p. 13. Matabeleland
- ocularis** Hintz, Deutsche Ent. Zeitschr. 1910, p. 309. Deutsch-Ostafrika:
Lindi
- rufodorsatus** Fairm. Ann. Soc. Ent. France (6) X, 1890, p. 551. Obock
- rusticus** Auriv. Arkiv f. Zool. X, 19, 1916, p. 14. Deutsch-Ostafrika
- serratus** Auriv. l. c. VIII, 22, 1913, p. 13. Brit.
Ostafrika:
Ikutha
- spinipennis** Gah. Trans. Ent. Soc. Lond. 1890, p. 311. Abessinien
- succisus** Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 306. Deutsch-Ostafrika:
Mhonda

- transversus* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 13. Deutsch-Ostafrika
- tridens* Pasc. Journ. of Ent. II, 1864, p. 274. — Dist. Natal,
Ins. Transval. 1904, p. 143, t. 13, f. 25. Transvaal,
Delagoa Bay,
Damaraland,
Ovampoland
- tuberculatus* Quedenf. Jorn. Sc. Lisboa XL, 1885, p. 244 (sep. p. 4). Angola
- usambaricus* Hintz, Deutsche Ent. Zeitschr. 1910, p. 309. Usambara
- variegatus* Gestro, Ann. Mus. Civ. Genova XXXV, 1895, p. 425. Somaliland
- vittatus* Hintz, Deutsche Ent. Zeitschr. 1910, p. 310. Usambara
24

Paridactus Gah.

- Gahan, Ann. Mag. Nat. Hist. (7) II, 1898, p. 47.
- tarsalis* Gah. l. c. p. 47. Britisch-Ostafrika

1

Cnemolia Jord.

- Jordan, Novit. Zool. X, 1903, p. 154.
- guttata* Jord. l. c. p. 154. Kamerun
- lateralis* Auriv. Arkiv f. Zool. III, 18, 1907, p. 18. Brit. Ostaf.:
Ikutha
- mima* Jord. Nov. Zool. X, 1903, p. 154. Congo: Leopoldville

3

Oeax Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 273. — Jord. Novit. Zool. X, 1903, p. 156.
- Trachytus* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 63.
- collaris* Jord. Novit. Zool. X, 1903, p. 156. Congo,
Kamerun
- lateralis* Jord. l. c. p. 156. Franz. Congo
- lichena* Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 420; XXXVI, 1892, p. 347. — Jord. Togo,
Novit. Zool. X, 1903, p. 156. Ashanti,
Kamerun,
- denticulatus* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 64. Benito,
Congo
- pygmaea* Kolbe, l. c. p. 263. Usambara
- triangularis* White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 400. — Pasc. Journ. of Ent. II, 1864, p. 273, t. 13, f. 5. Natal

5

Paroex Jord.

- Jordan, Novit. Zool. X, 1903, p. 157.
- nasicornis* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 275. Sierra Leone,
Kamerun,
Frz. Congo

1

Haploeax Auriv.

Auriv. Arkiv f. Zool. III, 18, 1907, p. 17.

cinerea Auriv. l. c. p. 18; VIII, 29, 1914, p. 54, t. 1, Kamerun
f. 9.*Rhodei* Auriv. l. c. III, 18, 1907, p. 17.

2

Phloeus Jord.

Jordan, Novit. Zool. X, 1903, p. 157.

brevis Jord. l. c. p. 157.

Sierra Leone

1

Sarathropezus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 261.

conicipennis Kolbe, l. c. p. 262.

Usambara

1

Latisternum Jord.

Jordan, Novit. Zool. I, 1894, p. 231; X, 1903, p. 155.

Cyclocerus Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afr.-
Exped. III, 1911, p. 441.*macropus* Jord. Novit. Zool. X, 1903, p. 155.

Congo,

Ferranti Hintz, Wiss. Ergebn. Deutsch.
Zentr.-Afr.-Exped. III, 1911, p. 441, t. 7, f. 6.

Kamerun

onca Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p.
340. — Jord. Novit. Zool. X, 1903, p. 155.

Angola,

pulchrum Jord. l. c. I, 1894, p. 231; X, 1903, p. 155.

Gabun

Loanda

3

Tambusa Dist.

Distant, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 205.

Marleyi Dist. l. c. p. 205, fig.

Natal

1

Bothynoscelis Auriv.Auriv. Ent. Tidskr. XXIV, 1903, p. 270; Arkiv f. Zool. VII, 3, 1910,
p. 33.*parva* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 33.

Fernando Po,

Kamerun:

Buea

tridentata Auriv. Ent. Tidskr. XXIV, 1903, p. 271,
f. 4.

Kamerun

2

Didymodonta Auriv.

Auriv. Ent. Tidskr. XXIV, 1903, p. 271.

olivaseens Auriv. l. c. p. 271, fig. 5.

Kamerun

1

XV. Prosopocerini.

Thomson, Syst. Ceramb. 1864, p. 72 (ex parte). — Lacordaire, Gen. Col. IX, 1869, p. 299, 396.

Liste: Ross, Internat. Ent. Zeitschr. III, 1910, p. 221.

Tecton Murr.

[Chevr. Revue Zool. (2) VII, 1855, p. 185; Cent. Longic. 1858, nr. 10.]
— Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 38 (sep. p. 208.)
quadrisignatus Chevr. Revue Zool. (2) VII, 1855, p. Alt-Calabar
185; Cent. Longic. 1858, nr. 10, t. 2, f. 9. —
Murray, Ann. Mag. Nat. Hist. (4) VI, 1870,
t. 3, f. 9; VII, 1871, p. 38 (sep. p. 209, t. 3,
f. 9).

1

Ochropyga Auriv.

Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 14.

assimilis Auriv. l. c. p. 15, f. 60. Congo
glauca Westw. Arcana Ent. II, 1845, p. 157, t. Afrika
84, f. 3.

Lucia Newm. Mag. Nat. Hist. III, 1839, p. 147. Congo

3

Prosopocera Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 160. — Thoms. Classif. Ceramb. 1860, p. 80, 90; Syst. Ceramb. 1864, p. 376. — Lacord. Gen. Col. IX, 1869, p. 396, 397. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 39 (sep. p. 209).

Anoplostetha Reiche in Ferret et Gallin. Voy. Abyssin. Ins. 1850, p. 393. — Thoms. Classif. Ceramb. 1860, p. 79; Syst. Ceramb. 1864, p. 378. — Lacord. Gen. Col. IX, 1869, p. 396, 400. — Jord. Novit. Zool. X, 1903, p. 159

Galactesthes Fairm. Ann. Soc. Ent. France LXVI, 1897, p. 152. — Jord. Novit. Zool. X, 1903, p. 158.

Subgen. *Timoreticus* Péring. Trans. Ent. Soc. Lond. 1896, p. 181.

Subgen. Prosopocera Blanch. s. str.

Aemilii Auriv. Arkiv f. Zool. III, 18, 1907, p. 20. Congo
alboplagiata Jord. Novit. Zool. I, 1894, p. 199. Sierra Leone

aliena Harold, Col. Hefte XVI, 1879, p. 180. — Jord. Angola,
Novit. Zool. X, 1903, p. 159. Kamerun

angolensis Quedenf. Journ. Sc. Lisboa XL, 1885, Angola
p. 244 (sep. p. 5).

anteonata Gah. Trans. Ent. Soc. Lond. 1890, p. 313. Nigeria:
Yoruba,
Sierra Leone,
Kamerun

belzebuth Thoms. Archives Ent. I, 1857, p. 185. Senegambien

bicolor Westw. Arcana Ent. II, 1845, p. 126, t. 78,
f. 4. — Jord. Novit. Zool. X, 1903, p. 159. Guinea

bimaculata Har. Mitth. Münch. Ent. Ver. II, 1878, Lunda,
p. 110; Col. Hefte XVI, 1879, p. 181. Angola

biplagiata Heath, Entomol. XXXVIII, 1905,
p. 75, f. 3.

- bipunctata* Drury, Ill. Exot. Ins. II, 1773, p. 56, t. 31, f. 2; ed. Westw. II, 1837, p. 59, t. 31, f. 2.
fronticornis F. Spec. Ins. I, 1781, p. 216; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 266; Syst. Eleuth. II, 1801, p. 281. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1827. — Ol. Encycl. méth. Ins. VII, 1792, p. 459; Ent. IV, nr. 67, 1795, p. 79, t. 8, f. 54.
notata Voet, Cat. Col. II, 1778, p. 13, t. 11, f. 46; ed. Panz. III, 1794, p. 32, t. 11, f. 46.
 Biologie: Schiödte, Naturh. Tidskr. (3) X, 1875, p. 449.
- consanguis* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 16. Kuilu
eretacea Jord. Novit. Zool. X, 1903, p. 158. Nyassaland
cylindrica Auriv. Ent. Tidskr. XXIV, 1903, p. 272. Kamerun
dahomeica Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 47, t. 2, f. 2. Dahomey
- dorsalis* Chev. Revue Zool. (2) X, 1858, p. 306; Alt-Calabar
 Cent. Longic. 1858, nr. 86. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 41 (sep. p. 211).
- Ertli Auriv. Arkiv f. Zool. I, 1904, p. 319. Lukuledi
falcata Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 373; Transvaal
 Ins. Transvaal. 1904, p. 131, t. 12, f. 3, 3a.
- Fryi Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, Alt-Calabar
 p. 42 (sep. p. 212). — Jord. Novit. Zool. X, 1903, p. 161.
- fuiva* Jord. l. c. p. 158. Franz.Congo,
Rothschildi Heath, Entomolog. XXXVIII, 1905, p. 98, f. 2. Angola,
 Kamerun
- grisea* Jord. Novit. Zool. I, 1894, p. 199. Kuilu
 Hintzi nov. nom. Togo
grisea Hintz, Deutsche Ent. Zeitschr. 1909, p. 557.
- insignis* Jord. Novit. Zool. X, 1903, p. 159. Franz.Congo,
 Kamerun
- Jansseni* Hintz, Deutsche Ent. Zeitschr. 1909, p. 557. Togo
lactator F. Syst. Eleuth. II, 1801, p. 283. — Klug, Guinea,
 Erman's Reise 1835, p. 45, t. 16, f. 5. — Abessinien
 Jord. Novit. Zool. X, 1903, p. 160.
diversiventris Fairm. Ann. Soc. Ent. France LX, 1891, p. 270.
- radiata* Gory, l. c. IV. 1835, p. 141, t. 2 A, f. 2. Senegal
 ab. *Duponti* n. ab.
radiata Dup. l. c. p. 666.
- var. *mashuna* Pering. Ann. S. Afr. Mus. I, Zambesi
 1899, p. 324, t. 7, f. 5. — Jord. Novit. Zool. X, 1903, p. 160.
- var. *meridionalis* Jord. l. c. p. 159. Südafrika
lactator Lacord. Gen. Col. IX, 1869, p. 400, t. 100, f. 5. — Fähr. Öfvers. Vet. Acad. Förh. XXIX, 2, 1872, p. 34 — Dist. Ins. Transvaal. 1904, p. 134, 160, t. 12, f. 8.
- var. *plagiatrix* Kolbe, Stett. Ent. Zeit. LIV, Ostafrika
 1894, p. 264. — Jord. Novit. Zool. X, 1903, p. 160.
- var. *Poggei* Har. Mitth. Münch. Ent. Ver. II, Angola,
 1878, p. 110; Col. Hefta XVI, 1879, p. 180. Südl.
 — Jord. Novit. Zool. X, 1903, p. 160. Congogebiet

- var. *quadriplagiata* Auriv. Arkiv f. Zool. III, 18, 1907, p. 21. Deutsch-Ostafrika
- Lameeri** Duviv, Ann. Soc. Ent. Belg. XXXVI, 1892, p. 351. — Jord. Novit. Zool. X, 1903, p. 158. Gabun, Ashanti
- myops** Chev. Revue Zool. (2) VII, 1855, p. 185; Cent. Long. 1858, nr. 9, t. 2, f. 8. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, t. 2, f. 8; VII, 1871, p. 40 (sep. p. 210, t. 5, f. 8). Alt-Calabar
- nebulosa** Quedenf. Berl. Ent. Zeitschr. XXXI, 1887, p. 142. Kamerun
- nivosa** Fairm. Ann. Soc. Ent. France LXVI, 1897, p. 152. Somali
- ocellata** Chev. Revue Zool. (2) IX, 1857, p. 76; Cent. Long. 1858, nr. 67. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 40. Alt-Calabar, Kuilu
- var. *bioculata* Hintz, Wiss. Ergebn. D. Zentr.-Afrika-Exped. III, 1911, p. 435. Kondué
- peregrina** Hintz, l. c. p. 435. Congogebiet: Manyema
- plagifera** Auriv. Arkiv f. Zool. III, 18, 1907, p. 19. Deutsch-Ostafrika: Kigonsera Guinea
- princeps** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 369. — Westw. Arcana Ent. II, 1845, p. 125, 147 nota, t. 78, f. 2. — Jord. Novit. Zool. XVI, 1909, p. 312. Kuilu
- punctulata** Jord. Novit. Zool. I, 1894, p. 198. Belg. Kongo: Kingoye
- quadripunctata** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 43. Congo
- signatifrons** Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 38; XXXVI, 1892, p. 349. Congogebiet: Lulua
- tibialis** Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 15. Usambara
- uniformis** Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, p. 263. Guinea
- virescens** Ol. Ent. IV, nr. 67, 1795. p. 77, t. 2, f. 8. — Har. Col. Hefte XVI, 1879, p. 180. Guinea
- viridegrisea** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika-Exp. III, 1911, p. 435. Congogebiet: Mawambi
- vittata** Auriv. Arkiv f. Zool. III, 18, 1904, p. 21, t. 1, f. 8. Deutsch-Ostafrika

Subgen. *Timoreticus* Péring.

- armaticeps** Péring. Trans. Ent. Soc. Lond. 1896, p. 181. — Dist. Ins. Transvaal. 1904, p. 131, t. 12, f. 12. Mossambik: Rikatla; Transvaal
- aspersa** Gah. Trans. Ent. Soc. Lond. 1890, p. 314. — Dist. Ins. Transvaal. 1904, p. 131, t. 12, f. 10. — Auriv. Ent. Tidskr. XII, 1891, p. 105 nota (= var. zu *Degeeri*?) Kapiand, Transvaal, Delagoa
- assimilis** Hintz, Deutsche Ent. Zeitschr. 1909, p. 558. Uganda, Deutsch-Ostafrika
- cornifrons** Gah. Trans. Ent. Soc. Lond. 1890, p. 315. Senegal
- Degeeri** Fähr. Ofvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 30. Kaffernland, Matabeleland
- Dejeani** Gah. Trans. Ent. Soc. Lond. 1890, p. 315. — Dist. Ins. Transvaal. 1904, p. 131, t. 12, f. 11. Natal, Transvaal

- hamata Auriv. Deutsche Ent. Zeitschr. 1907, p. 79. Westafrika:
Bajuma
- ✓ Hoehneli Linell, Proc. U. S. Nat. Mus. XVIII. 1896, Somaliland
p. 693.
- imbellis Gah. in Dist. Ins. Transvaal. 1904, p. 132, Transvaal
t. 12, f. 1.
- inermis Auriv. Ent. Tidskr. XII, 1891, p. 104. Damaraland:
Swakop
- lutulenta Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, Somaliland
p. 409.
- marmorata Gah. l. c. (7) II, 1898, p. 48. Brit.-
Ostafrika
- minor Hintz, Deutsche Ent. Zeitschr. 1909, p. 558. Deutsch-
Ostafrika
- viridis Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afr.- Congo:
Exped. III, 1911, p. 436, t. 7, f. 12. Kondué

52

Hierogyna Thoms.

- Thoms. Physis II, 1868, p. 166. — Lacord. Gen. Col. IX, 1869,
p. 396, 398.
- albata Thoms. Physis II, 1868, p. 167. Alt-Calabar
- argus Thoms. l. c. p. 167. ”
2

Alphitopola Thoms.

- Thoms. Archives Ent. I, 1857, p. 489, errata p. (515); Classif. Ceramb. 1860. p. 42, 63; Syst. Ceramb. 1864. p. 376. — Lacord. Gen. Col. IX, 1869, p. 396, 398.
- Aphitopola* Thoms. Archives Ent. I, 1857, p. 299.
- Hoäoeporus* Thoms. l. c. II, 1858, p. 188.
- Zalatida* Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872,
p. 33.
- alboguttata Auriv. Arkiv f. Zool. VII, 3, 1910, p. 34. Fernando Po
- antennalis Gah. Ann. Mag. Nat. Hist. (7) II, 1898, Brit.-
p. 51. Ostafrika
- aristocratica Thoms. Physis II, 1868, p. 168. Nigeria
- assimilis Gah. Ann. Mag. Nat. Hist. (7) II, 1898, Brit.-
p. 50. Ostafrika
- balteata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 18. Abessinien
- Bettoni Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 52. Brit.-
Ostafrika
- bicincta Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 15. Nyassaland
- bipunctata Thoms. Archives Ent. II, 1858, p. 188, Gabun
t. 7, f. 5. — Jord. Novit. Zool. X, 1903, p. 161.
- bivittata Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 16. Congo
- ✓ Chauheri Linell, Proc. U. S. Nat. Mus. XVIII, 1896, Somaliland
p. 694.
- clara Jord. Novit. Zool. X, 1903, p. 161. Kamerun
- feivora Pasc. Journ. of Ent. II, 1864, p. 283. Natal
- flava Jord. Novit. Zool. I, 1891, p. 201; X, 1903, p. 161. Kulu,
sulphurea Auriv. Ent. Tidskr. XVIII, 1897, Gabun
p. 248, t. 3, f. 5.
- flavoguttata Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 16; Angola,
IX, 8, 1914, p. 8. Ashanti
- flavosignata Chevr. Revue Zool. (2) VIII, 1856, p. 532; Alt-Calabar
Cent. Long. 1858, nr. 56.

- haemorhoidalis* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 18. Abessinien
- intricata* Pasc. Journ. of Ent. II, 1864, p. 283. Natal
- Jauns* Bates, Proc. Zool. Soc. Lond. 1890, p. 489. Zentr.-Afrika
- Kristenseni* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 17. Abessinien
- lactea* Thoms. Archives Ent. I, 1857, p. 300. Senegal
- lutea* Jord. Novit. Zool. X, 1903, p. 160. Franz.-Congo
- maculosa* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 251. — Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 32. — Dist. Ins. Transvaal. 1904, p. 132, t. 12, f. 2. — Ormerod, Inj. Ins. S. Afr. 1889, p. 32, f. 16. Natal, Transvaal
- murrea* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 373; Ins. Transvaal. 1904, p. 133, t. 12, f. 5. Transvaal
- nigriscapus* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 17. Kamerun
- octomaculata* Gah. Trans. Ent. Soc. Lond. 1890, p. 316. Nyassaland, — Dist. Ins. Transvaal. 1904, p. 133, t. 12, f. 7. Transvaal
- pallida* Thoms. Archives Ent. II, 1858, p. 189, t. 7, f. 6. Gabun
- Pascoei* Gah. Trans. Ent. Soc. Lond. 1890, p. 317, t. 9, f. 4. Nyassaland
- Paykulli* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 34. Kaffernland, *lapidaria* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 374; Ins. Transvaal. 1904, p. 133, t. 12, f. 6. Transvaal
- Peeli* Gah. Proc. Zool. Soc. Lond. 1900, p. 32. — ♂ Auriv. Arkiv f. Zool. VII, 19, 1911, p. 19. Somaliland, Abessinien
- pylas* Jord. Novit. Zool. X, 1903, p. 162. Deutsch-Ostafrika
- pylodes* Jord. l. c. p. 161. Nigeria
- reticulata* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 373; Ins. Transvaal. 1904, p. 133, t. 12, f. 4. Transvaal
- Robecchii* Gestro. Ann. Mus. Civ. Genova (2) XII, 1892, p. 786. Somaliland
- rugosipennis* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 33. Kaffernland
- rustica* Fähr. l. c. p. 33. "
- schistacea* Jord. in Dist. Ins. Transvaal. 1904, p. 162, t. 16, f. 7. Transvaal
- sofala* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 382. Delagoa-Bay
- sudanica* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 15. Sudan
- suleicollis* Kolbe, Steit. Ent. Zeit. LIV, 1893, p. 65. Togo
- unicolor* Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 52. Brit.-Ostafrika
- ventralis* Gah. l. c. p. 51. "
- vitticollis* Gah. Trans. Ent. Soc. Lond. 1890, p. 317. Nyassaland

Anybostetha Quedenf.

Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 201.

- ocellata* Lameere, Ann. Soc. Ent. France LXII, 1893, p. 45. Assinie
- saperdoides* Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 202. Zentralafrika

- Wahlbergi** Auriv. Ent. Tidskr. XII, 1891, p. 105, f. 5. Ngami-See,
— Dist. Ins. Transvaal. 1904. p. 133, t. 12, Transvaal
f. 9.

3

Bangalala Duviv.

- Duviv. Ann. Soc. Ent. Belg. XXXIV, 1890, p. 34, Bull. p. 196.
Agnitogaster Jord. Novit. Zool. I, 1894, p. 200.
callosa Auriv. Ent. Tidskr. XXIV, 1903, p. 273. Kamerun
chaerila Jord. Novit. Zool. X, 1903, p. 163. Franz.-Congo
compta Jord. l. c. p. 163. " Kamerun
fasciata Jord. l. c. I, 1894, p. 201. Sierra Leone
molltor Jord. l. c. X, 1903, p. 162. Nyassaland,
Deutsch-Ostafrika
nebulosa Quedenf. Berl. Ent. Zeitschr. XXXI, 1887, Kamerun
p. 142.
Quedenfeldti Duviv. Ann. Soc. Ent. Belg. XXXVI, Congo
1892, p. 59, 345. — Jord. Novit. Zool. X,
1903, p. 162.
soror Jord. l. c. p. 162. Franz. Congo
stiriaca Duviv. Ann. Soc. Ent. Belg. XXXIV, 1890, Congo.
p. 35, Bull. p. 197. Alt-Calabar
variegata Jord. Novit. Zool. I, 1894, p. 200. Kuilu,
Kamerun
vittata Jord. l. c. X, 1903, p. 164. Franz. Congo

11

Zalates Thoms.

- Thoms.** Classif. Ceramb. 1860, p. 78, 82; Syst. Ceramb. 1864, p. 376.
— Lacord. Gen. Col. IX, 1869, p. 396, 399.
callipyga Thoms. Archives Ent. I, 1857, p. 125; Natal,
Classif. Ceramb. 1860, p. 82. — Lacord. Deutsch-
Gen. Col. IX, 1869, p. 399, t. 100, f. 4. Ostafrika
Raffrayi Thoms. Revue Zool. (3) VI 1878, p. 62. Deutsch-
Ostafrika

2

Protomocerus Gah.

- Gahan, Ann. Mag. Nat. Hist. (7) II, 1898, p. 48.
Gregorii Gah. l. c. p. 49. Brit.
Ostafrika:
Bagamoyo
pulcher Péring. Trans. S. Afr. Phil. Soc. VI, 1892, Transvaal
p. 132. — Dist. Ins. Transvaal. 1904, p. 132,
t. 13, f. 17, 17a.
socius Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 50. Brit. Zentral-
afrika:
Agoniland

3

Hagesata Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 275.
Foxeroffti Pasc. l. c. p. 276. Sierra Leone

1

Imalmus Pasc.

Pasc. Journ. of Ent. II, 1864, p. 276.

capito Pasc. l. c. p. 276.

Alt Calabar

fatidicus Pasc. l. c. p. 276.

"

2

Ocularia Jord.

Jord. Novit. Zool. I, 1894, p. 202.

apicalis Jord. l. c. p. 202, t. 10, f. 19.

Gabun

brunnea Jord. l. c. p. 202.**cineracea** Jord. l. c. p. 203.

"Küilu

fasciata Auriv. Deutsche Ent. Zeitschr. 1907, p. 79.

Kamerun

vittata Auriv. l. c. p. 79.

"

5

XVI. Sternotomini.

Thomson, Classif. Ceramb. 1860, p. 79, 87; Syst. Ceramb. 1864, p. 73, 377. — Lacordaire, Gen. Col. IX, 1869, p. 299, 401.

Liste: Ross, Int. Ent. Zeitschr. III, 1910, p. 252.

Zographus Cast.

Cast. Hist. Nat. Col II, 1840, p. 473. — Thoms. Classif. Ceramb. 1860, p. 79; Syst. Ceramb. 1864, p. 377. — Lacord. Gen. Col. IX. 1869, p. 401, 402.

aulicus Bertol. Nov. Comment. Acad. Bonon. X, 1849, p. 428, t. 10, f. 4 (sep. p. 50, t. 3, f. 4).

Mossambik

— Gerst. Peters' Reise Mossamb. Ins. 1862, p. 328, t. 20, f. 1. — Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 335.

var. *ferox* Har. Mitth. Münch. Ent. Ver. II, 1878, p. 111; Col. Hefte XVI, 1879, p. 184.

Angola.

— Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 336

Congogebiet

var. *pulverulentus* Nonfr. Stett. Ent. Zeit. LXVII, 1906, p. 226.

Damaraland

eingulatus Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 17.

Nyassaland

hieroglyphicus Gerst. Monatsber. Berl. Akad. 1855, p. 267; Gerst. Reise Mossamb. Ins. 1862, p. 329, t. 20, f. 2.

Mossambik

nivisparsus Chevr. Revue Zool VII, 1844, p. 343.

Natal,

niveisparsus Westw. Arcana Ent. II, 1845, p. 156, t. 84, f. 5. — Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 35. — Dist. Ins. Transvaal. 1904, p. 135, t. 12, f. 16.Transvaal,
Zululand**oculator** F. Syst. Ent. 1775, p. 823; Spec. Ins. I, 1781, p. 219; Mant. Ins. I, 1787, p. 138; Ent. Syst. I, 2, 1792, p. 280; Syst. Eleuth. II, 1801, p. 295. — Goeze, Ent. Beytr. I, 1777, p. 473. — Herbst in Füessly, Archiv VII—VIII, 1786, p. 170. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1831. — Ol. Encycl. méth. Ins. VII, 1792, p. 456;

Kapland

- Ent. IV, nr. 67, 1795. p. 67, t. 2, f. 11. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 278; ed. 3, IV, 1828, p. 351. — Cast. Hist. Nat. Col. II, 1840, p. 474. — Lacord. Gen. Col. IX, 1869, p. 402. — Heyne-Taschenb. Exot. Käfer 1906, p. 242, t. 37, f. 20.
- maculatus* Voet, Catal. Col. II, 1778, p. 9, t. 7, f. 21; ed. Panzer III, 1794, p. 21, t. 7, f. 21.
- ocellatus* De Geer, Mém. Ins. VII, 1778, p. 654, t. 49, f. 1.
- octooculatus* Thunb. Mus. Nat. Upsal. IV, 1787, p. 57.
- plicaticollis** Thoms. Physis II, 1868, p. 169. — Dist. Damaraland, Ins. Transvaal, 1904, p. 134, t. 13, f. 20. Ovambo-land.
- Ruschi* Nonfr. Stett. Ent. Zeit. LXVII, 1906, p. 225. Transvaal, Natal

6

Cylindrothorax Auriv.

- Auriv. Arkiv f. Zool. IX, 8, 1914, p. 8.
- balteatus** Heath, Entomol. XXXVI, 1903, p. 273, fig. Brit.-Ostafrika
- ♀ *heros* Auriv. Arkiv f. Zool. IX, 8, 1914, p. 9.
- 1

Pterochaos Thoms.

- Thoms. Physis II, 1868, p. 170. — Lacord. Gen. Col. IX, 1869, p. 401, 403.
- nebulosus** Voet, Catal. Col. II, 1778, p. 9, t. 7, f. 18; Senegal. ed. Panz. III, 1794, p. 20, t. 7, f. 18. Sierra Leone
- irroratus* F. Ent. Syst. I, 2, 1792, p. 270; Syst. Eleuth. II, 1801, p. 286. — Westw. Arcana Ent. II, 1845, p. 157, t. 84, f. 4. — Lacord. Gen. Col. IV, 1869, p. 403.
- irrorator* Thoms. Archives Ent. I, 1857, p. 185; Physis II, 1868, p. 171.
- pictus* Leach, Zool. Misc. I, 1814, p. 14, t. 4.
- 1

Stellognatha Cast.

- Cast. Hist. Nat. Col. II, 1840, p. 474. — Thoms. Classif. Ceramb. 1860, p. 80, 87; Syst. Ceramb. 1861, p. 377. — Lacord. Gen. Col. IX, 1869, p. 401, 404.
- maculata** Ol. Ent. IV, nr. 67, 1795, p. 68, t. 7, Madagascar f. 49a, b; t. 22, f. 174a, b. — Cast. Hist. Nat. Col. II, 1840, p. 474. — Blanch. in D'Orb. Diet. Hist. Nat. Col. 1849, t. 13, f. 2. — Lacord. Gen. Col. IX, 1869, p. 404. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 50, f. 8. — Heyne-Taschenb., Exot. Käfer 1906, p. 242, t. 35, f. 8.
- cornutor* Klug, Ins. Madag. 1833, p. 205.
- maculator* Schönh. Synon. Ins. I, 3, 1817, p. 386.
- 1

Geloharpya Thoms.

- Thoms. Physis II, 1868, p. 173. — Lacord. Gen. Col. IX, 1869, p. 401, 405.
- amoena** Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 123; Arcana Ent. II, 1845, p. 85, t. 69, f. 3. — Thoms. Physis II, 1868, p. 174. — Jord. Novit. Zool. X, 1903, p. 165. Guinea
- confluens** Har. Col. Hefte XVI, 1879, p. 183. Angola
- crux nigra** Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64; Trans. Zool. Soc. Lond. I, 1835, p. 104, t. 15, f. 2; Isis XXVIII, 1835, p. 533. — Westw. Arcana Ent. II, 1845, p. 148, t. 85, f. 4. Sierra Leone
- insignis** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 16.
- leucospila** Jord. Novit. Zool. X, 1903, p. 165. Nyassaland
- Murrayi** Chevr. Revue Zool. (2) VII, 1855, p. 184; Cent. Longic. 1858, nr. 8, t. 1, f. 7. — Murray. Ann. Mag. Nat. Hist. (4) VI, 1870, t. 3, f. 7; VII, 1871, p. 44 (sep. p. 215). Alt-Calabar
- Norrisi** Westw. Trans. Ent. Soc. Lond. I, 1836, p. 148, t. 15, f. A; Arcana Ent. II, 1845, p. 147, t. 84, f. 1. Sierra Leone
- opulenta** Har. Col. Hefte XVI, 1879, p. 228. — Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, t. 1, f. 5. Chinchoxo, Congo
- transversenotata* Jord. Ann. Mag. Nat. Hist. (6) XV, 1895, p. 221.
- picta** Waterh. I. c. (5) XVII, 1886, p. 500. Westafrika
- Lemarineli* Duviv. Ann. Soc. Ent. Belg. XXXIV, 1890, p. 32; Bull. p. 196.
- polyspila** Har. Col. Hefte XVI, 1879, p. 181. — Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 340. Angola
- var. *grandis* Jord. Novit. Zool. X, 1903, p. 165. Deutsch-Ostafrika
- principalis** Dalm. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 162. — Jord. Novit. Zool. XVI, 1909, p. 311. Sierra Leone
- Palini* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368. — Westw. Arcana Ent. II, 1845, p. 84, 147, t. 69, f. 2.
- var. *hilaris* Jord. Novit. Zool. XVI, 1909, p. 312. Angola
- vittata** Auriv. Arkiv f. Zool. III, 18, 1907, p. 21, f. 37. Congo
12

Demagogus Thoms.

- Thoms. Physis II, 1868, p. 172. — Lacord. Gen. Col. IX, 1869, p. 401, 404.
- cornutor** F. Syst. Ent. 1775, p. 177; Spec. Ins. I, 1781, p. 225; Mant. Ins. I, 1787, p. 142; Ent. Syst. I, 2, 1792, p. 292; Syst. Eleuth. II, 1802, p. 304. — Ol. Encycl. méth. Ins. VII, 1792, p. 457; Ent. IV, nr. 67, 1795, p. 61, t. 17, f. 132. — Waterh. Ann. Mag. Nat. Hist. (5) I, 1878, p. 424. — Künck. in Grandid. Hist. Madag. Col. 1890, t. 50, f. 9. Madagascar, Comoren
- comes* Westw. Arcana Ent. II, 1845, p. 125, 147, t. 78, f. 1.

- cornutus* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1829.
- Donaldsoni** Jord. in Smith, Through unkn. Afr. Somaliland Countr. 1897. p. 452.
- Duchesnei** Lesne, Bull. Mus. Paris XII, 1906, p. 505; Abessinien Duchesne Mission en Ethiopie II, 1909, p. 105, t. 11, f. 3.
- larvatus** Thoms. Physis II, 1868, p. 172. — Lacord. „ Gen. Col. IX, 1869, p. 405.

4

Sternotomiella Auriv.

- Auriv. Arkiv f. Zool. VII, 19, 1911, p. 19; Tijdschr. v. Ent. LIX, 1916, p. 218.
- Pinacosternodes* Hintz, Deutsche Ent. Zeitschr. 1913, p. 198.
- fulvosignata** Quedenf. Berl. Ent. Zeitschr. XXVI, Angola 1882, p. 343, t. 6, f. 2, 2a, 2b.
- gemmaria** White, Proc. Zool. Soc. Lond. XXIV, Sierra Leone 1856, p. 14, t. 40, f. 4.
- imitans** Auriv. Tijdschr. v. Ent. LIX, 1916, p. 218, Kamerun t. 8, f. 5.
- Lanoi** Heath, Entomol. XXXVIII, p. 74, fig. — Auriv. Angola Arkiv f. Zool. VII, 19, 1911, p. 19.
- maculata** Hintz, Deutsche Ent. Zeitschr. 1913, p. 199. Congo
- uniformis** Hintz, l. c. p. 199. „
- viridis** Hintz, l. c. p. 199. „
- Wissmanni** Quedenf. Berl. Ent. Zeitschr. XXXII, Angola, 1888, p. 203. — Auriv. Arkiv f. Zool. VII, Kassai 19, 1911, p. 19.

8

Sternotomis Percher.

- Percher. Gen. Ins. 1836, Col. t. 16. — Blanch. Hist. Nat. Ins. II, 1845, p. 158. — Thoms. Classif. Ceramb. 1860, p. 80, 87; Syst. Ceramb. 1864, p. 377; Physis II, 1868, p. 172. — Lacord. Gen. Ins. IX, 1869, p. 402, 406. — Hintz, Deutsche Ent. Zeitschr. 1911, p. 573-583 (Revisio).
- Liste: Ross, Int. Ent. Zeitschr. III, 1910, p. 252.
- Sternodonta* Cast. Hist. Nat. Col. II, 1840, p. 474.
- Subgen. *Utiiolemur* Thoms. Physis II, 1868, p. 171, 175.

Subgen. Sternotomis s. str.

- amabilis** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 369. Ashanti — Westw. Arcana Ent. II, 1845, p. 152, t. 86, f. 4. — Jord. Novit. Zool. XVI, 1909, p. 312. — Hintz, Revis. p. 576, 580, 583.
- ab. *Kolbei* Hintz, l. c. p. 580, 583. Liberia
- ab. *submaculata* Kolbe, Stett. Ent. Zeit. LIV, Togo, 1893, p. 65. — Hintz, Revis. p. 580, 583. Kamerun
- ab. *sylvia* Hintz, l. c. p. 580, 583. Ashanti, Kamerun, Gabun
- Bohemani** Chev. Revue Zool. VII, 1844, p. 343. Natal, — Westw. Arcana Ent. II, 1845, p. 154, t. 85, f. 3. — Fähr. Öfvers. Vet. Akad. Förhl. Portugies.- XXIX, 2, 1872, p. 35. — Dist. Ins. Transvaal. Südost- 1904, p. 135, t. 12, f. 18. — Hintz, Revis. afrika,

- p. 579, 580. — Aulmann, Fauna Deutsch. Kolon. V, 5, 1913, p. 14, f. 11—13.
- Westwoodi* Coquer. Ann. Soc. Ent. France (4) I, 1861, p. 185, t. 5, f. 1.
- var. *Bohndorffi* Waterh. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 501. — Hintz, Revis. p. 579, 580.
- aglaura* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 61; Deutsch-Ostaf. IV, 4, 1897, p. 311.
- var. *Ferreti* Westw. Arcana Ent. II, 1845, p. 153, t. 85, f. 1. — Reiche in Ferret & Gallin. Voy. Abyssinie III, 1849, p. 396, t. 24, f. 7. — Bertol. Nov. Comment. Acad. Bonon X, 1849, p. 430 (separ. p. 52). — Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 264. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 11. — Hintz, Revis. p. 579, 580.
- var. *Zintgraffi* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 38. — Hintz, Revis. p. 579, 580.
- Cailliandi* Chevr. Revue Zool. VII, 1844, p. 344. — Hintz, Revis. p. 579, 581.
- ornata* Latr. Voy. Cailliaud IV, 1827, p. 287, t. 58, f. 27 (sep. p. 17). — Westw. Arcana Ent. II, 1845, p. 151 (ex parte), t. 84, f. 2.
- callais* Fairm. Ann. Soc. Ent. France LX, 1891, p. 271. — Hintz, Revis. p. 580, 582.
- callios* Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 16.
- carbonaria* Auriv. Arkiv f. Zool. I, 1904, p. 320. — Hintz, Revis. p. 579, 581.
- centralis* Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afr. Exped. III, 1911, p. 436, t. 7, f. 4; Revis. p. 580, 583.
- chrysopras* Voet, Catal. Col. II, 1778, p. 10, t. 7, f. 22; ed. Panzer III, 1794, p. 21, t. 7, f. 22. — Westw. Arcana Ent. II, 1845, p. 155, t. 86, f. 1. — Imhoff, Einf. Kennt. Kol. 1856, t. 17, f. 11. — Oliveira. Journ. Sc. Lisboa X, 1884, p. ? — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 14. — Aulm. Fauna Deutsch. Kolon. V, 2, 1911, p. 44, f. 25, 26; V, 3, 1912, p. 16, f. 11, 12. — Hintz, Revis. p. 579, 581.
- ducalis* Klug, Erman's Reise, Naturh. Atlas 1835, p. 44, t. 16, f. 4. — Westw. Arcana Ent. II, 1845, p. 155, t. 85, f. 5.
- aper* Percher. Genera Ins. IV, 5, 1836, Col. t. 16.
- var. *philosophica* Thoms. Archiv. Ent. I, 1857, p. 126, 326.
- var. *rufozonata* Fairm. Bull. Soc. Ent. France 1902, p. 136.
- Fairmairei* Argod, Bull. Soc. Ent. France 1899, p. 208. — Hintz, Revis. p. 579, 581.
- mirabilis* Drury, Ill. Exot. Ins. II, 1773, p. 56, t. 31, f. 1; ed. Westw. II, 1837, p. 59, t. 31, f. 1. — Goeze, Ent. Beytr. I, 1777, p. 468. — Westw. Arcana Ent. II, 1845, p. 150, t. 86,

Deutsch-Ostafrika

Uganda,
Njamnjam,
Kamerun,
AngolaAbessinien,
OstafrikaKamerun:
Baliburg
„Oase
Bahryeh?“,
Abessinien,
UgandaKamerun,
Gabun,
CongoAm Victoria-
See, Ruanda,
Uganda
RuwenzoriGuinea,
Senegal

Prinzen-Insel

Senegal

Insel
St. Thomé
Somaliland

Goldküste

- f. 5. — Heyne, Exot. Käfer 1904, p. 242.
t. 35, f. 21. — Hintz, Revis. p. 575, 580, 583.
- pulchra* F. Syst. Ent. 1775, p. 171; Spec. Ins. I, 1781, p. 217; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 269; Syst. Eleuth. II, 1801, p. 285. — Goeze, Ent. Beytr. I. 1777, p. 467. — Voet, Catal. Col. II, 1778, p. 18, t. 17, f. 77; ed. Panzer, III, 1794, p. 46, t. 17, f. 77. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. — Ol. Encycl. méth. Ins. VII, 1792, p. 464; Ent. IV, nr. 67, 1795, p. 88, t. 22, f. 167. — Dumér. Dict. Sc. Nat. XXV, 1822, p. 181, t. 18, f. 7; Ent. Analyt. 1860, p. 613, fig.
- var. *Targavei* Westw. Arcana Ent. II, 1845, p. 154, t. 85, f. 2. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 45 (sep. p. 216). — Hintz, Revis. p. 576, 580, 583.
- pulchra* Drury, Ill. Exot. Ins. I, p. 70, t. 32, f. 6, Index 1773; ed. Panzer 1788, p. 119, t. 32, f. 6; ed. Westw. I, 1837, p. 65, t. 32, f. 6. — Westw. Arcana Ent. II, 1845, p. 150.
- blanda* Schönh. Synon. Ins. I, 3, 1817, p. 373.
- ornata* Ol. Ent. IV, nr. 67, p. 88, t. 4, f. 24a, b. — Duncan, Nat. Libr. Beetles 1835, p. 253, t. 26, f. 1. — Cast. Hist. Nat. Col. II, 1840, p. 475. — Westw. Arcana Ent. II, 1845, p. 152, t. 86, f. 2. — Hintz, Revis. p. 574, 580, 582.
- var. (ab.) *bifasciata* F. Syst. Ent. 1775, p. 174; Spec. Ins. 1781, p. 220; Mant. Ins. I, 1787, p. 138; Ent. Syst. I, 2, 1792, p. 281; Syst. Eleuth. II, 1801, p. 297. — Goeze, Ent. Beytr. I. 1777, p. 471. — Ol. Encycl. méth. Ins. VII, 1792, p. 457.
- imperialis* F. Syst. Eleuth. II, 1801, p. 286. — Ill. Magaz. f. Insektenk. IV, 1805, p. 109. — Palis. Ins. Afr. Amer. 1805—21, p. 246, Col. t. 37, f. 2. — Percher. Dict. Pittor. d'Hist. Nat. IV, 1836, p. 335, t. 289, f. 2. — Westw. Arcana Ent. II, 1845, p. 149, t. 86, f. 3. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 18. — Aulm. Fauna Deutsch. Kolon. V, 2, 1911, p. 45, f. 27.
- jamaicensis* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1830.
- lutea obscura* Panzer in Voet, Catal. Col. ed. 2, III, 1794, p. 20, t. 7, f. 19.
- obscura* Voet, Catal. Col. II, 1778, p. 9, t. 7, f. 19.
- ornata* Ol. Ent. IV, nr. 67, 1795, p. 88, t. 4, f. 24c.
- var. (ab.) *humeralis* F. Syst. Ent. 1775, p. 174; Spec. Ins. 1781, p. 220; Mant. Ins. I, 1787, p. 138; Ent. Syst. I, 2, 1792, p. 281; Syst. Eleuth. II, 1801, p. 296. — Goeze, Ent. Beytr. I, 1777, p. 470. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1830. — Ol. Encycl. méth. Ins. VII, 1792, p. 457. — Westw. Arcana Ent. II, 1845, p. 157.

Togo,
Kamerun,
Gabun

Westafrika,
Senegal bis
Angola und
Njam-njam

- marmorata* Voet, Catal. Col. II, 1778, p. 9, t. 7, f. 20; ed. Panzer III, 1794, p. 21, t. 7, f. 20.
- ornata* Palis. Ins. Afr. Amer. 1805—21, p. 295, Col. t. 37, f. 1.
- venditaria* Schönh. Synon. Ins. I, 3, 1817, p. 373.
- var. *quadrifasciata* n. nom.
- ornata* Ol. Ent. IV, nr. 67, 1795, p. 88, t. 1, f. 6.
- runseriensis** Gah. Trans. Zool. Soc. Lond. XIX. 1909, p. 210, t. 6, f. 10. Ruwenzori
- variabilis** Quedenf. Berl. Ent. Zeitschr. XXV, 1881, p. 289; XXVI, 1882, p. 341. — Bates, Proc. Zool. Soc. Lond. 1890, p. 488. Angola, Congo, Uganda
- ornata* Hintz, Revis. p. 580, 582.
- Vasco** Coquer. Ann. Soc. Ent. France (4) I, 1861, p. 187, t. 5, f. 3. Angola
- marmorata* Hintz. Revis. p. 579, 581.
- ab. *Gama* Coquer. Ann. Soc. Ent. France (4) I, 1861, p. 188, t. 5, f. 4. „
- virescens** Westw. Arcana Ent. II, 1845, p. 83, t. 69, f. 1. — Har. Col. Hefte XVI. 1879, p. 185. Togo bis Angola
- Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 15. — Jord. Novit. Zool. XVI, 1909, p. 312. — Hintz, Revis. p. 579, 581.
- consularis* Har. Mitth. Münch. Ent. Ver. II. 1878, p. 110.
- Dubocagei* Coquer. Ann. Soc. Ent. France (4) I, 1861, p. 186, t. 5, f. 2.

Subgen. *Ultiolemur* Thoms.

- Levassori** Fairm. Bull. Soc. Ent. France 1894, p. 253. Comoren
- Pupieri** Fleut. l. c. 1905, p. 7.
- Thomsoni** Buq. Ann. Soc. Ent. France (3) III, 1855, p. 78, t. 7, f. 2. — Thoms. Physis II, 1868, p. 176. — Künck. in Grandid. Hist. Madag. Col. 1890, t. 50, f. 7. Madagaskar
-
- euchroma** Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 255. Madagaskar
- mozambica** Péring. Trans. Ent. Soc. Lond. 1896, p. 181. Mossambik
- 20

Tragostoma Auriv.

- Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 17.
- coronata** Jord. Stett. Ent. Zeit. LVI, 1896, p. 367. Kamerun
- imperator** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 18, t. 1, f. 3. Uganda
- rex** Jord. Novit. Zool. X, 1903, p. 165. Congo
- 3

Sternoharpya Auriv.

- Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 17.
- stictica** Auriv. l. c. p. 18, fig. 61. Kamerun
- 1

Quimalanca Thoms.

- Thoms. Physis II, 1868, p. 171, 174. — Lacord. Gen. Col. IX, 1869, p. 402, 408.
- lineata** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 344. Angola, Lunda
- modesta** Péring. Trans. S. Afr. Philos. Soc. IV, 1888, p. 180. — Dist. Ins. Transvaal. 1904, p. 135, t. 13, f. 9. Transvaal
- nitida** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 17. Uganda
- niveipectus** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 204. Zentralfrika; Muata Kumbana Westafrika
- regalis** Brown, Illustr. Zool. 1776, p. 130, t. 50, f. 1. — F. Spec. Ins. I, 1781, p. 217; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 269; Syst. Eleuth. II, 1801, p. 286. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. — Ol. Encycl. méth. Ins. VII, 1792, p. 464; Ent. IV, nr. 67, 1795, p. 89, t. 22, f. 171. — Cast. Hist. Nat. Col. II, 1840, p. 475. — Thoms. Physis II, 1868, p. 175. — Lacord. Gen. Col. IX, 1869, p. 408. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 10.
- scabricollis** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 344. Angola

6

Pinacosterna Har.

Harold, Col. Hefte XVI, 1879, p. 189.

- Mechowi** Quedenf. Berl. Ent. Zeitschr. XXV, 1881, p. 289; XXVI, 1882, p. 345, t. 6, f. 3. Angola
- mimica** Jord. Novit. Zool. X, 1903, p. 164. Kamerun
- Nachtigali** Har. Col. Hefte XVI, 1879, p. 190. — Jord. Novit. Zool. I, 1894, p. 203. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 19. Angola, Congo, Loanda
- nigra** Auriv. Arkiv f. Zool. III, 18, 1907, p. 22. Congo
- Smithi** Jord. Novit. Zool. X, 1913, p. 164. ”
- Weymanni** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 346. ”

6

Freadelpha Thoms.

- Thoms. Archives Ent. II, 1858, p. 175; Classif. Ceramb. 1860, p. 80; Syst. Ceramb. 1864, p. 377. — Lacord. Gen. Col. IX, 1869, p. 402, 408.
- Poemenorthrus* Thoms. Revue Zool. (3) VI, 1878, p. 61.
- chlorolenca** Har. Col. Hefte XVI, 1879, p. 188, t. 2, f. 5. Angola
- cinerea** Thoms. Revue Zool. (3) VI, 1878, p. 61. Zanzibar,
- Junodi** Jord. in Dist. Ins. Transvaal 1906, p. 162, t. 16, f. 16. Nyassaland, Transvaal
- eremita** Westw. Arcana Ent. II, 1845, p. 126, t. 78, f. 3. — Har. Col. Hefte XVI, 1879, p. 187. Senegal bis Angola
- humeralis** Thoms. Archives Ent. II, 1858, p. 176, t. 5, f. 4. — Lacord. Gen. Col. IX, 1869, p. 409, nota 1.
- exigua** Kolbe, Stett. Ent. Zeit. L, 1889, p. 132. Angola

4

Anatragus Kolbe.

- Kolbe, Deutsch-Ostafrika IV, 4, 1897, p. 312. — Jord. Novit. Zool. X, 1903, p. 172.
- ornatus** Kolbe, Deutsch-Ostafrika IV, 4, 1897, p. 312. Deutsch-Ostafrika: Ugogo
- pulchellus** Westw. Arcana Ent. II, 1845, p. 85, t. 69, f. 4. Sierra Leone
- virens** Jord. Novit. Zool. I, 1894, p. 215. Kuilu

XVII. Tragocephalini.

Thomson, Archives Ent. I, 1857, p. 26–38 (Monographie); Classif. Ceramb. 1860, p. 88; Syst. Ceramb. 1864, p. 70, 374. — Lacordaire, Gen. Col. IX, 1872, p. 413, 417.

Phosphorus Thoms.

- Thoms. Archives Ent. I, 1857, p. 27; Classif. Ceramb. 1860, p. 80, 90; Syst. Ceramb. 1864, p. 374. — Lacord. Gen. Col. IX, 1872, p. 418.
- angolator** Ol. Ent. IV, nr. 67, 1795, p. 71, t. 22, f. 170. Angola — Chevr. Journ. of Ent. I, 1861, p. 191. — Lacord. Gen. Col. IX, 1869, p. 418.
- ✓ **gabonator** Thoms. Syst. Ceramb. 1865, p. 550. Gabun
- Jansoni** Chevr. Journ. of Ent. I, 1861, p. 191. — Sierra Leone
Lacord. Gen. Col. IX, 1869, p. 419, nota 1, t. 101, f. 2 (non 3).
- angolator* Thoms. Archives Ent. I, 1857, p. 27, t. 4, f. 1; II, 1858, p. 170.
- robustus** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 18. Goldküste
- unicolor** Auriv. l. c. VIII, 22, 1913, p. 18. Congo

Paraphosphorus Linell.

Linell, Proc. U. S. Nat. Mus. XVIII, 1896, p. 692.

- ✓ **hololeucus** Linell, l. c. p. 693. Somaliland

Tragocephala Cast.

Cast. Hist. Nat. Col. II, 1840, p. 472. — Blanch. Hist. Nat. Ins. II, 1845, p. 158. — Thoms. Archives Ent. I, 1857, p. 28 (Monographie); Classif. Ceramb. 1860, p. 80; Syst. Ceramb. 1864, p. 374. — Lacord. Gen. Ins. IX, 1872, p. 418, 419.

Liste: Ross, Intern. Ent. Zeitschr. III, 1909, p. 25.

- alboflavescens** Thoms. Revue Zool. (3) VI, 1878, p. 64. Kamerun
- Alluandi** Lameere, Ann. Soc. Ent. France LXII, 1893, Seychellen
Bull. p. 106. — Kolbe, Col. Seychell. 1910, p. 38.
- angolensis** Auriv. Arkiv f. Zool. X, 19, 1916, p. 15, Angola
f. 70.
- basalis** Jord. Novit. Zool. I, 1894, p. 208, t. 10, f. 4. Kuilu
- bassamensis** Thoms. Monogr. p. 185. Senegambien

- Berchmansii** Hintz, Deutsche Ent. Zeitschr. 1909. p. 558. Togo
- biplagiata** Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 253. Madagaskar
- Blutell** Buq. Archives Ent. I. 1857, p. 202. Gabun
- Bonvouloiri** Thoms. Classif. Ceramb. 1860, p. 89. Sierra Leone
- Bradshawi** Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 147 (sep. p. 81.). Zambesi
- carbonaria** Lameere. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 507. Congo:
Kassai
- Castelnaudi** Thoms. Physis II. 1868, p. 166. Niger
- castuina** Thoms. Monogr. p. 31, t. 5, f. 6. Senegal
- ✓ **Chevrolati** White, Proc. Zool. Soc. Lond. 1856, p. 13, t. 40, f. 2. — Künckel in Grandid. Hist. Madag. Natal,
Col. 1890, t. 40, f. 8. Madagaskar
- Bowringi* Thoms. Monogr. p. 32, t. 5, f. 8; t. 6, f. 1-3.
- Chloe** Thoms. Syst. Ceramb. 1865, p. 550. Zambesi
- chloris** Chevr. Revue Zool. (2) X, 1858, p. 57; Cent. Longic. 1858, nr. 85. — Murray. Ann. Mag. Nat. Hist. (4) VII. 1871, p. 47 (sep. p. 217). Alt-Calabar
- cltrinella** Fairm. Ann. Soc. Ent. Belg. XXXVIII. 1894, p. 153. Madagaskar
- coeruleus** Jord. Novit. Zool. I, 1894, p. 204, t. 10, f. 3. Kuilu
- ✓ **comitessa** White, Proc. Zool. Soc. Lond. XXIV, 1856, p. 13, t. 40, f. 1. Natal,
formosa Lacord. Gen. Col. IX, 1869, t. 101, f. 3. — Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 42. Matabeleland
- ab. praetoria* Chevr. Ann. Soc. Ent. France (3) VI, 1858, p. 328, t. 8, f. 8.
- confluens** Jord. Novit. Zool. I, 1894, p. 206. Goldküste,
Gabun,
Ogowe
- crassicornis** Jord. Novit. Zool. X. 1903, p. 166. Madagaskar
- cuneifera** Auriv. Arkiv f. Zool. IX, 8, 1914, p. 9. Angola
- delia** Thoms. Syst. Ceramb. 1865, p. 551. — Oliveira, Jorn. Sc. Lisboa X, 1884, p. ? „
- ducalis** White, Proc. Zool. Soc. Lond. XXIV, 1856, p. 13, t. 40, f. 3. Natal
- boerensis* Thoms. Monogr. p. 30, t. 5, f. 4.
- elongata** Jord. Novit. Zool. I, 1894, p. 207. Kuilu
- fasciata** Kolbe, Steit. Ent. Zeit. LIV. 1893, p. 66. Togo
- ✓ **formosa** Ol. Encycl. méth. Ins. VII. 1792, p. 463; Ent. IV. nr. 67, 1795, p. 86, t. 20, f. 153. — Guér. Dict. Class. d'Hist. Nat. XVII, 1831, t. 68, f. 3. — Duncan, Nat. Hist. Libr. Beetles 1835, p. 254, t. 26, f. 2. — Cast. Hist. Nat. Col. II, 1840, p. 473. — Blanch. in D'Orbigny, Dict. Hist. Nat. Col. 1819, t. 13, f. 3. — Thoms. Monogr. p. 29, var. a, t. 5, f. 2. Natal
- Daphnis* Thoms. Syst. Ceramb. 1865, p. 550.
- Jansonii** Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 37, f. 22.
- var. *Thomsoni* n. nom.
- formosa* Thoms. Monogr. p. 29, t. 5, f. 1.
- frenata** Gerst. Monatsber. Akad. Wiss. Berlin 1855, p. 267; Peters' Reise Mossamb. Ins. 1862, p. 328, t. 19, f. 13. Mossambik

- Fryi** Brancs. Jahrb. Ver. Trencs. Comit. XV, 1893, p. 242. Madagaskar, Nossibé
- fuscovelutina** Fairm. Ann. Soc. Ent. France LXII, 1893, p. 145. Ubangi-Fluß
- Galathea** (Chevr. Revue Zool. (2) VII, 1855, p. 184; Centur. Longic. 1858, nr. 7, t. 2, f. 6. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, t. 2, f. 6; VII, 1871, p. 46. Alt-Calabar
- gemina** Dist. Ins. Transvaal. I, 1904, p. 136, t. 12, f. 13. Transvaal
- gorilla** Thoms. Monogr. p. 33. — Jord. Novit. Zool. I, 1894, p. 205. Goldküste, Kamerun, Gabun
- var. *intermedia* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 19. Uganda
- var. *nigrovittata* Auriv. l. c.
- grandis** Jord. Novit. Zool. X, 1903, p. 166. Madagaskar
- grisea** Jord. l. c. I, 1894, p. 208. Delagoa
- Guerini** White, Proc. Zool. Soc. Lond. XXIV, 1856, p. 14, t. 40, f. 5. — Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 19. Congo
- Anseli** Bates, Trans. Ent. Soc. Lond. 1870, p. 530.
- var. *Buqueti* Thoms. Monogr. p. 31, t. 5, f. 7. Gabun
- Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 19.
- Luciani* Thoms. Classif. Ceramb. 1860, p. 89.
- ab. *dilatata* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 19.
- ab. *intermedia* Auriv. l. c. p. 19.
- ab. *irregularis* Auriv. l. c. p. 19.
- heteroclitia** Thoms. Monogr. p. 29, t. 4, f. 4. Natal
- Jo** Thoms. Ann. Soc. Ent. France (5) IX, 1879, Bull. p. 57. Madagaskar
- ♀ *nobilis* Künck. in Grandid. Hist. Madag. Col. 1890, t. 54, f. 10.
- ♂ **jucunda** Gory, Ann. Soc. Ent. France IV, 1835, p. 139, t. 2A, f. 1. — Thoms. Monogr. p. 28, t. 4, f. 2—3. — ♂ Waterh. Cist. Ent. II, 1878, p. 291. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 46, f. 2.
- var. *Künckeli* n. nom.
- nobilis* var. Künckel in Grandid. Hist. Madag. Col. 1890, t. 46, f. 5.
- ab. *madagascariensis* Künckel, l. c. t. 46, f. 4.
- kaslica** Thoms. Ann. Soc. Ent. France (5) VIII, 1878, Bull. p. 162. Zanzibar
- zanzibarica* Thoms Bull. Soc. Ent. France (separ. ed.) 1878, p. 219.
- Klugi** Thoms. Revue Zool. (3) VI, 1878, p. 63. Kamerun
- laeta** F. Syst. Eleuth. II, 1801, p. 318. Guinea
- leonensis** Thoms. l. c. p. 64. Sierra Leone
- luctifera** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 135. Madagaskar
- mashenga** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 382. Delagoa
- Maynei** Gahan, Bull. Ent. Research. VIII, 1917, p. 117. Congo
- mima** Thoms. Revue Zool. (3) VI, 1878, p. 62. Zanzibar
- Muiszeczbi** Thoms. Monogr. p. 33, t. 6, f. 4. Natal

- Mocquerysi** Jord. Novit. Zool. I, 1894, p. 205. Kuilu
modesta Fairm. Ann. Soc. Ent. France (6) VII, Deutsch-Ostafrika
 1887, p. 341.
morio Jord. Novit. Zool. X, 1903, p. 167. „
 var. (ab?) *nyassica* Hintz, Deutsche Ent. Nyassaland
 Zeitschr. 1909, p. 559.
Neavel Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 19. „
nigropicta Fairm. Ann. Soc. Ent. Belg. XXXVII, Comoren
 1893, p. 551.
nigrovittata Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 19. Uganda
nobilis F. Mant. Ins. I, 1787, p. 138; Ent. Syst. I, 2, Senegal bis
 1792, p. 282; Syst. Eleuth. II, 1801, p. 297. Angola
 — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1830. — Ol. Encycl. méth. VII, 1792, p. 464; Ent. IV, nr. 67, 1795, p. 87, t. 11, f. 76; Dict. d'Hist. Nat. XII, 1803, p. 506. — Cast. Hist. Nat. Col. II, 1840, p. 473. — Thoms. Monogr. p. 30, t. 5, f. 3. — Har. Col. Hefte XVI, 1879, p. 192.
 ab. *histrionica* Har. Mitth. Münch. Ent. Ver. Angola
 II, 1878, p. 110; Col. Hefte XVI, 1879, p. 192.
nubeculosa Fairm. Ann. Soc. Ent. Belg. XXXVIII, Madagaskar
 1894, p. 154.
occidentalis Jord. Novit. Zool. I, 1894, p. 205. Congo
 ✓ **ochracea** Jord. l. c. p. 206. Kuilu
ochreata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, Madagaskar
 p. 153.
 ab. *Perrieri* Fairm. Ann. Soc. Ent. France „
 LXXII, 1903, p. 253.
oculicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, „
 1894, p. 154.
Phldias Jord. Novit. Zool. I, 1894, p. 207. Ogowe
pretiosa Hintz, Deutsche Ent. Zeitschr. 1909, p. 559. Usambara
Probi Hintz, l. c. p. 559. Togo
pulchra Jord. Novit. Zool. I, 1894, p. 204, t. 10, f. 2. Congo
 ✓ **Rikatlae** Péring. Trans. Ent. Soc. Lond. 1896, p. 182. Mossambik:
 Rikatla
 Kamerun
Rohdel Auriv. Arkiv f. Zool. III, 18, 1907, p. 23. Alt-Calabar
senatoria Chev. Revue Zool. (2) X, 1858, p. 56; Cent. Longic. 1858, nr. 84. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 46 (separ. p. 216). — Aulm. Fauna Deutsch. Kolon. V, 3, 1912, p. 25, f. 19 a, b; Fauna Exot. II, 1912, p. 79, f. 13.
similis Hintz, Deutsche Ent. Zeitschr. 1909, p. 558. Togo
suturalis Jord. Novit. Zool. X, 1903, p. 168. Congo
timida Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, „
 p. 167, 352.
trifasciata Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, Angola
 p. 346.
 ✓ **variegata** Bertol. Nov. Comment. Acad. Bonon. X, Mossambik,
 1849, p. 403, t. 3, f. 9 (sep. p. 25, t. 1, f. 9). Madagaskar
 — Gerst. in Peters, Reise Mossamb. Ins. 1862, p. 327, t. 19, f. 11, 12. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 46, f. 6, 7. — Dist. Ins. Transvaal. 1904, p. 136, t. 12, f. 15.
venusta Thoms. Monogr. p. 30, t. 5, f. 5.

— Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 42.

Biologie: Mainsfield-Aders, Bull. Ent. Res. X, 1820, p. 150.

var. (ab.) *nigropunctata* Har. Mitth. Münch. Ent. Ver. II, 1878, p. 110; Col. Hefte XVI, 1879, p. 191. Angola

velutina Thoms. Classif. Ceramb. 1860, p. 90. Sierra Leone

✓ *vittata* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 44. — Auriv. Ent. Tidskr. XIV. 1893, p. 130. — Dist. Ins. Transvaal 1904, p. 136, t. 12, f. 14. Transvaal

sulphurata Dist. Natural. in Transv. 1892, p. 202, t. 1, f. 9.

✓ *zanzibarica* Thoms. Revue Zool. (3) VI, 1878, p. 63. Zanzibar

75

Tragiscoschema Thoms.

Thoms. Archives Ent. I, 1857, p. 67; Classif. Ceramb. 1860, p. 80. 91; Syst. Ceramb. 1864, p. 375 — Lacord. Gen. Col. IX, 1872, p. 418, 422.

Tragiscus Thoms. Archives Ent. I, 1857, p. 34.

amabile Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, Natal p. 349; Mélanges Ent. III, 1855, p. 29. —

Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 42; Col. Hefte IX - X, 1872, p. 195.

gracilicornis Chevr. Ann. Soc. Ent. France (3) VI, 1858, p. 326, t. 8, f. 7; (3) VII, 1859, Bull. p. 5.

lasciva Thoms. Archives Ent. I, 1857, p. 35.

amictum Dist. Ann. Mag. Nat. Hist. (7) I, 1898, Delagoa p. 383.

Bertolouli Thoms. Archives Ent. I, 1857, p. 34, Mossambik t. 6, f. 5.

inermis Auriv. in Sjöstedt, Wiss. Ergebn. Kilimandj. Exped. VII, 1908, p. 147. Deutsch-Ostafrika: Meru

nigroscripum Fairm. Ann. Soc. Ent. France LXVI, 1898, p. 155. — Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 307, t. 4, f. 5. Deutsch-Ostafrika

tennicorne Thoms. Syst. Ceramb. 1865, p. 551. Damaraland, Matabeleland, Deutsch-Ostafrika

Venus Jord. Novit. Zool. X, 1903, p. 172. Brit.-Ostafrika

Wahlbergi Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 43. — Dist. Ins. Transvaal. 1904, p. 137, t. 12, f. 20. Transvaal, Delagoa, Matabeleland, Mashunaland, Ngami-See

Welwitschi Paiva, Gazeta Medica de Lisboa 1862, p. ?, sep. p. 10; Ann. Mag. Nat. Hist. (3) IX, 1862, p. 20. Angola

Phymasterna Cast.

Cast. Hist. Nat. Col. II, 1840, p. 473. — Blanch. Hist. Nat. Ins. II, 1845, p. 157. — Thoms. Syst. Ceramb. 1864, p. 373. — Lacord. Gen. Col. IX, 1872, p. 418, 422.

Phymatosterna Gemm. & Har. Catal. Col. X, 1873, p. 3051.

- annulata** Fairm. Natural. (2) XVII, 1903, p. 10. Madagaskar
cyaneoguttata Fairm. Ann. Soc. Ent. France (6) VI, 1886, p. 86. "
 ✓ **lacteoguttata** Cast. Hist. Nat. Col. II, 1840, p. 473. "
 — Lacord. Gen. Col. IX, 1869, p. 423. —
 Fairm. Ann. Soc. Ent. France (5) I, 1871,
 p. 64. — Künckel in Grandid. Hist. Madag.
 Col. 1890. t. 51, f. 9.
maculifrons Gah. Trans. Ent. Soc. Lond. 1890, p. 318. "
obscura Gah. l. c. p. 318. Angola
rufocastanea Fairm. Ann. Soc. Ent. Belg. XXXIII, Madagaskar
 1889, Bull. p. 9.

dendrodromia Gistel, 820 wirbell. Thiere 1857, p. 84. Kapland
ornator Gistel, l. c. p. 31. "

8

Solymus Lacord.

Lacord. Gen. Col. IX, 1872, p. 507 — Hintz, Deutsche Ent. Zeitschr. 1912, p. 192.

- ✓ **pietor** Klug, Preisverz. 1829, p. 16. — Lacord. Gen. Natal
 Col. IX, 1872, p. 508, nota 2. — Fähr. Öfvers.
 Vet. Akad. Förhl. XXIX. 2, 1872, p. 39. —
 Alluand in Grandid. Hist. Madag. XXI,
 Col. I, 1900, p. 360 nota.

1

Aparescus Kolbe.

Kolbe. Berl. Ent. Zeitschr. XLV, 1900, p. 305.

- praecox** Kolbe, l. c. p. 305. Ostafrika

1

Poimenesperus Thoms.

Thoms. Archives Ent. I, 1857, p. 35. — Jord. Novit. Zool. X, 1903, p. 168 (Revisio).

Poimenesperus Thoms. Classif. Ceramb. 1860, p. 80, 88;
 Syst. Ceramb. 1864, p. 375. — Lacord. Gen. Col. IX, 1872,
 p. 418, 420.

- callimus** Jord. Revis. p. 163, 169. Franz. Congo
Dobraei Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, Gabun
 p. 409. — Jord. Revis. p. 169.
fulvomarmoratus Jord. Novit. Zool. I, 1894, p. 210; Congo
 X, 1903, p. 169.
incubus Thoms. Archives Ent. II, 1858, p. 173. — Gabun
 Jord. Revis. p. 170.
laetus Thoms. Archives Ent. II, 1858, p. 173, t. 7, "
 f. 2. — Jord. Revis. p. 170.
ligatus Jord. Novit. Zool. I. 1894, p. 210, t. 10, f. 6; Kuilu,
 X, 1903, p. 170. Kamerun
marmoratus Jord. l. c. I, 1894, p. 211; X, 1903, p. 169. Kuilu

- niveicollis* Auriv. Ent. Tidskr. XXIV, 1903, p. 275, Kamerun
fig. 9.
- obliquus* Auriv. Tijdschr. v. Ent. LIX, 1916, p. 218, "
t. 8, f. 6.
- phrynetoides* Jord. Novit. Zool. I, 1894, p. 211; X, Kuilu
1903, p. 169.
- rubrosignatus* Auriv. Arkiv f. Zool. VIII, 22, 1913, Westafrika
p. 20.
- taeniatus* Jord. Novit. Zool. I, 1894, p. 209, t. 10, f. 5; Kuilu,
X, 1903, p. 170. Ogowé
- Thomsoni* Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, Gabun
p. 209. — Jord. Revis. p. 170.
- velutinus* White, Ann. Mag. Nat. Hist. (3) II, 1858, Congo
p. 271. — Jord. Revis. p. 169.
- voluptuosus* Thoms. Archives Ent. I, 1857, p. 36, t. Franz. Congo
6, f. 6. — Lacord. Gen. Col. IX, 1872, p. 420.
— Jord. Revis. p. 170.

15

Armatosterna Jord.

Jord. Novit. Zool. I, 1894, p. 213.

- Buquetiana* [White, Proc. Zool. Soc. Lond. XXIV, Sierra Leone
1856, p. 14?] — Jord. Novit. Zool. I, 1894,
p. 213.
- Castelnandi* Thoms. Syst. Ceramb. 1865, p. 551. — Ngami,
Auriv. Arkiv f. Zool. IV, 17, 1908, p. 5. Natal
natalensis Dist. Ins. Transvaal. 1906, p. 165,
f. 23.
- splnifera* Jord. Novit. Zool. I, 1894, p. 213. Kuilu,
Kamerun

3

Callimation Blanch.

[Guér. Icon. Règne Anim. Ins. 1844, p. 238 (vix descr.)] — Blanch.
Hist. Nat. Ins. II, 1845, p. 158. — Thoms. Archives Ent. I, 1857,
p. 36; Classif. Ceramb. 1860, p. 80. 88; Syst. Ceramb. 1864, p. 375.
— Lacord. Gen. Col. IX, 1872, p. 418, 421.

- apicale* Auriv. Arkiv f. Zool. IV, 17, 1908, p. 4, fig. 44. Nyassaland
- gracile* Jord. Novit. Zool. I, 1894, p. 213. Kuilu
- pontificum* Thoms. Archives Ent. I, 1857, p. 37, t. 6, f. 8. Guinea
- pyrgopolynicum* Thoms. l. c. p. 38, t. 6, f. 9. Senegal
- venustum* Guér. Icon. Règne Anim. Ins. 1844, p. 238. Madagaskar
— Gistel, 820 wirbell. Thiere 1857, p. 36 —
Künckel in Grandid. Hist. Madag. Col. 1890,
t. 46, f. 9. — Heyne-Taschenb. Exot. Käfer
1904, p. 242, t. 35, f. 4.
- callipygum* Thoms. Archives Ent. I, 1857,
p. 37, t. 6, f. 7.
- venustulum* Fairm. Ann. Soc. Ent. France
(5) I, 1871, p. 66.

5

Nyctopais Thoms.

Thoms. Archives Ent. II, 1858, p. 172; Classif. Ceramb. 1860, p. 80.
88; Syst. Ceramb. 1864, p. 375. — Lacord. Gen. Col. IX. 1872, p. 418,
421. — Jord. Novit. Zool. X, 1903, p. 171.

12

- fasciatus** Jord. Novit. Zool. I, 1894, p. 212. Kuilu
Jordani Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 19. Congo
macularis Auriv. l. c. VIII, 29, 1914, p. 20. Uganda
mysteriosus Thoms. Archives Ent. II, 1858, p. 172, Gabun
 t. 7, f. 1.
mysticus Jord. Novit. Zool. I, 1894, p. 212. Goldküste
tripuncta Jord. l. c. X, 1903, p. 170. Kamerun
 6

Entebbia Gah.

- Gahan in Johnston, Uganda Protector. I, 1902, p. 463.
bipunctata Gah. l. c.; Trans. Zool. Soc. Lond. XIX, Uganda
 1909, p. 211, t. 6, f. 16.
 1

Plagiomus Quedenf.

- Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 205.
leptis Jord. Novit. Zool. X, 1903, p. 171. Congo
multinotatus Quedenf. Berl. Ent. Zeitschr. XXXII, Zentralafrika
 1888, p. 206.
spilosus Jord. Novit. Zool. X, 1903, p. 171. Kamerun
 3

Peritragus Auriv.

- Auriv. Arkiv f. Zool. I, 1904, p. 320.
apicalis Péring. Trans. S. Afr. Philos. Soc. III, 1885, Zambesi,
 p. 148 (sep. p. 82), t. 4, f. 6. — Dist. Ins. Transvaal
 Transvaal. 1904, p. 137, t. 13, f. 18.
Ertli Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 20, Angola
 fig. 62.
nigroapicalis Auriv. l. c. I, 1904, p. 321. Ostafrika:
 Victoria-
 Nyanza
 3

Spilotragus Jord.

- Jord. Novit. Zool. X, 1903, p. 173.
crucifer Auriv. Arkiv f. Zool. IV, 17, 1908, p. 5. Brit-
 fig. 45. Ostafrika
guttatus Jord. in Smith, Through unkn. Afr. Countr. Somaliland
 1897, p. 453.
laetulus Péring. Ann. S. Afr. Mus. I, 1899, p. 325. Zambesi
ornatus Gah Ann. Mag. Nat. Hist. (7) II, 1898, Brit-
 p. 52. Ostafrika
xanthus Jord. Novit. Zool. X, 1903, p. 173. Nyassaland
 5

Raphidopsis Gerst.

- Gerst. Monatsber. Berl. Acad. 1855, p. 266; Peters' Reise Mossam-
 bik, Ins. 1862, p. 326. — Thoms. Syst. Ceramb. 1864, p. 376. —
 Lacord. Gen. Col. IX, 1872, p. 423.
alba Thoms. Classif. Ceramb. 1860, p. 92. Natal

- melaleuca** Gerst. Monatsber. Berlin. Acad. 1855, Mossambik
p. 267; Peters' Reise Mossamb. Ins. 1862,
p. 327, t. 19, f. 10.
- var. *Holdhausi* Brancs. Ber. Mus.-Verein Zambesi
Trencsen 1914, p. 67, fig.
- var. *picta* Fähr. Öfvers. Vet. Akad. Förhl. Transvaal,
XXIX, 2, 1872, p. 46. Delagoa,
Nyassaland,
melaleuca Dist. Ins. Transvaal. 1904, p. Matabele-
137, t. 13, f. 21. land,
Damaraland
Madagaskar
- pulchra** Waterh. Ann. Mag. Nat. Hist. (5) VI, 1880, Natal,
p. 461. — Künckel in Grandid. Hist. Madag. Transvaal
Col. 1890, t. 54, f. 9.
- ✓ **zonaria** Thoms. Archives Ent. I, 1857, p. 1857, p. 183. Natal,
— Lacord. Gen. Col. IX, 1872, p. 424. — Transvaal
Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 44. — Dist. Ins. Transvaal. 1904,
p. 137, t. 15, f. 23.

4

Baliesthes Gah.

Gahan, Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 411.

- alboguttatus** Fairm. Ann. Soc. Ent. Belg. XXIX, 1885, Ostafrika
Bull. p. 9; Ann. Soc. Ent. France (6) VII,
1887, p. 336.

1

Dinocephalus Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 323.

- ocellatus** Auriv. in Sjöst. Kilimandj. Exped. VII, Usambara
1908, p. 147, f. 5.
- ornatus** Péring. Ann. S. Afr. Mus. I, 1899, p. 327, Transvaal,
t. 7, f. 2. — Dist. Ins. Transvaal. 1904, p. Natal,
134, t. 14, f. 5. Delagoa

2

Lux Jord.

Jord. Novit. Zool. I, 1894, p. 214.

- pulchra** Jord. l. c. p. 214. Goldküste

1

Murosternum Jord.Jord. Novit. Zool. I, 1894, p. 215. — Hintz, Deutsche Ent. Zeitschr.
1912, p. 644.

- maculatum** Auriv. Ent. Tidskr. XXIV, 1903, p. 275, Kamerun
fig. 18.
- Mocquerysi** Jord. Novit. Zool. I, 1894, p. 221, t. 10, Ogowe
f. 10.
- molitor** Jord. l. c. p. 221. Kulu
- pentagonale** Jord. l. c. p. 222, t. 10, f. 11. Ogowe

12*

- pulchellum** Dalm. in Schönh. Synon. Ins. I, 3, 1817, Sierra Leone
 Append. p. 171. bis Kamerun
Dalmanni Chevr. Revue Zool. (2) X, 1858,
 p. 315; Cent. Longic. 1858, nr. 93.
 5

Hapheniastus Thoms.

- Thoms. Archives Ent. II, 1858, p. 191; Classif. Ceramb. 1860, p. 42,
 69; System. Ceramb. 1864, p. 398. — Lacord. Gen. Col. IX, 1872,
 p. 580, 588.
Apheniastus Jord. Novit. Zool. I, 1894, p. 216. — Hintz,
 Deutsche Ent. Zeitschr. 1912, p. 644.
- analis** Jord. Novit. Zool. I, 1894, p. 223. Sierra Leone
apicalis Jord. l. c. p. 223 (Jan. 1894).
discodes Jord. l. c. X, 1903, p. 175. Franz.-Congo
Donovani Jord. l. c. p. 174. Franz.-Congo,
 Goldküste
 Franz.-Congo
- Fairmairei** nov. nom. Franz.-Congo
apicalis Fairm. Ann. Soc. Ent. Belg. XLII,
 1894 (Dez.), p. 678. — Jord. Novit. Zool. X,
 1903, p. 174.
- femoralis** Chevr. Revue Zool. (2) VII, 1855, p. 286; Alt-Calabar
 Cent. Longic. 1858, nr. 24.
ruber Hintz, Deutsche Ent. Zeitschr. 1912, p. 648. Gabun
Richteri Qued. Berl. Ent. Zeitschr. XXXI, 1887, p. 141. Kamerun
rubidus Chevr. Revue Zool. (2) VII, 1855, p. 285; Alt-Calabar
 Cent. Longic. 1858, nr. 23. — Jord. Novit.
 Zool. I, 1894, p. 223.
rafulus Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, Madagaskar
 p. 138.
rutilus Jord. Novit. Zool. I, 1894, p. 223. Kuilu, Ogowe
rubidus Thoms. Archives Ent. II, 1858,
 p. 192, t. 4, f. 7.
seseensis Hintz, Deutsche Ent. Zeitschr. 1912, p. 648. Victoria-
 Nyanza:
 Sese-Inseln

12

Chariesthes Chevr.

- Chevr. Revue Zool. (2) X, 1858, p. 312; Cent. Longic. 1858, nr. 91.
 — Thoms. Syst. Ceramb. 1864, p. 398. — Jord. Novit. Zool. I, 1894,
 p. 215. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 644.
- amoena** Dalm. in Schönh. Synon. Ins. I, 3, 1817, Sierra Leone
 Append. p. 171. — Chevr. Revue Zool. (2)
 X, 1858, p. 313. — Jord. Novit. Zool. I,
 1894, p. 218.
antennata Jord. Novit. Zool. I, 1894, p. 217. Alt-Calabar,
 Kamerun
 var. *affinis* Jord. l. c. X, 1903, p. 173. Franz.-Congo
argentea Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Congo
bella Dalm. in Schönh. Synon. Ins. I, 3, 1817, Sierra Leone
 Append. p. 170. — Jord. Novit. Zool. I,
 1894, p. 217. — Hintz, Deutsche Ent.
 Zeitschr. 1912, p. 646. — Auriv. Arkiv f.
 Zool. VIII, 29, 1914, p. 21.

- var. *elegans* Jord. Novit. Zool. I, 1894, p. 216. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Kuilu, Gabun
- var. *laetissima* Bates, Proc. Zool. Soc. 1890, p. 490. — Jord. Novit. Zool. I, 1894, p. 216. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Kamerun, Gabun
- var. *rufoplagiata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 20. Nyassaland
- carissima** Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 124; Arcana Ent. II, 1845, p. 57, t. 64, f. 3 — Thoms. Archives Ent. II, 1858, p. 203. — Jord. Novit. Zool. I, 1894, p. 217 (?). — Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 21. Kamerun
- var. *aruwimia* Bates, Proc. Zool. Soc. 1890, p. 489. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 646. Zentralafrika
- flavoguttata** Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 21, f. 63. Deutsch-Ostafrika
- formosa** Jord. Novit. Zool. I, 1894, p. 218. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Kuilu
- freya** Jord. Novit. Zool. I, 1894, p. 218, t. 10, f. 8, 9.
- gratiana** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 263. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Usambara
- multinotata** Chevr. Revue Zool. (2) X, 1858, p. 313; Cent. Longic. 1858, nr. 91. — Jord. Novit. Zool. I, 1894, p. 219. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Alt-Calabar, Kamerun
- ab. *bassamensis* Chevr. Revue Zool. (2) X, 1858, p. 314; Cent. Longic. 1858, nr. 92. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 647. Grand-Bassam, Kamerun, Gabun
- nigroguttata** Auriv. in Sjöstedt, Kilimandj. Exped. VII, 1908, p. 147. Deutsch-Ostafrika: Kili- mandjaro
- nobilis** Jord. Novit. Zool. I, 1894, p. 219, t. 10, f. 7. Kuilu
- quadrivittata** Jord. l. c. p. 218. Gabun
- tripunctata** Auriv. Ent. Tidskr. XXIV, 1903, p. 274, fig. 7. Kamerun

14

Graciella Jord.

- Jord. Novit. Zool. I, 1894, p. 215. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 643. — Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 22 (Synopsis).
- brunneomaculata** Hintz, Deutsche Ent. Zeitschr. 1912, p. 645. — Auriv. Synops. p. 22. Kamerun
- compacta** Jord. Novit. Zool. I, 1894, p. 219. — Auriv. Synops. p. 22. Ogowe
- ab. *moea* Jord. l. c. X, 1903, p. 174. — Auriv. Synops. p. 22. Kamerun
- var. *trivittata* Jord. l. c. I, 1894, p. 220. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 644. — Auriv. Synops. p. 22. Kuilu
- latevittata** Hintz, Deutsche Ent. Zeitschr. 1912, p. 644. — Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 22 nota. Togo, Kamerun

- marmorata** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 403. Madagaskar
- Moseri** Hintz, Deutsche Ent. Zeitschr. 1910, p. 306; 1912, p. 644. — Auriv. Synops. p. 22 nota. Usambara
- nigromarginata** Hintz, l. c. p. 645. — Auriv. Synops. p. 22. Gabun
- plena** Jord. Novit. Zool. X, 1903, p. 174. — Auriv. Synops. p. 22. Kamerun
- pulchella** Klug, Erman's Reise, Atlas 1835, p. 45, t. 16, f. 7. — Thoms. Archives Ent. II, 1858, p. 202. Prinzen-Ins., FernandoPo, Alt-Calabar bis Uganda
- concinna* Chevr. Revue Zool. (2) X, 1858, p. 315; Cent. Longic. 1858, nr. 94. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 644. — Auriv. Synops. p. 22.
- ab. *elegantula* Chevr. Revue Zool. (2) X, 1858, p. 348; Cent. Longic. 1858, nr. 95. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 644. Alt-Calabar
- ab. *senegalensis* Chevr. Revue Zool. (2) X, 1858, p. 316; Cent. Longic. 1858, nr. 94. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 644. Senegal
- suturalis** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 21, t. 1, f. 4. Kamerun
- zanzibarica** Jord. Novit. Zool. I, 1894, p. 220. — Auriv. Synops. p. 22. Zanzibar

10

Cedemon Gah.

- Gahan, Ann. Mag. Nat. Hist. (6) VI, 1890, p. 462.
- tristis** Gah. l. c. p. 463. Madagaskar

1

Semiclinia Fairm.

- Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 254.
- denseguttata** Fairm. l. c. p. 255. Madagaskar

1

XVIII. Proctocerini nov. nom.*Cliniides* Lacordaire, Gen. Col. IX, 1872, p. 413, 424.**Proctocera** Chevr.

- Chevr. Revue Zool. (2) VII, 1855, p. 55; Cent. Longic. 1858, nr. 22. — Auriv. Arkiv f. Zool. VIII, 22, p. 23 (Synopsis).
- Clinia* Thoms. Archives Ent. I, 1857, p. 305; Classif. Ceramb. 1860, p. 124, 126; Syst. Ceramb. 1864, p. 375. — Lacord. Gen. Col. IX, 1872, p. 425.
- lugubris** Thoms. Archives Ent. II, 1858, p. 193. — Auriv. Synops. p. 23, nota 1. Gabun
- quadriguttata** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 24. Uganda
- scalaris** Chevr. Revue Zool. (2) VII, 1855, p. 284; Cent. Longic. 1858, nr. 22. — Auriv. Synops. p. 23. Alt-Calabar, Kamerun

- senegalensis* Thoms. Archives Ent. I, 1857, p. 306, Senegal
t. 10, f. 9. — Auriv. Synops. p. 24.
vittata Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 23, 24. Kamerun
5

XIX. Ceroplesini.

Thomson, Classif. Ceramb. 1860, p. 93, 95; Syst. Ceramb. 1864,
p. 69. 374. — Lacordaire, Gen. Col. IX, 1872. p. 415, 425.

Analeptes Gistel.

Gistel, Handb. Naturg. I, 1848, p. 430.

Diastocera Thoms. Classif. Ceramb. 1860, p. 81, 92; Syst.
Ceramb. 1864, p. 373. — Lacord. Gen. Col. IX, 1872, p. 426.

- reticulata* Thoms. Ann. Soc. Ent. France (5) VII, Deutsch-
1877, Bull. p. 141. — Har. Mitth. Münch. Ostafrika,
Ent. Ver. II, 1878, p. 49. Brit.-
Ostafrika,
Somaliland

Biologie: Morstatt, Der Pflanze VII,
1911, p. 65.

- ✓ *trifasciata* F. Syst. Ent. 1775, p. 174; Spec. Ins. I, Senegal,
1781, p. 220; Mant. Ins. I, 1787, p. 138; Ent. Abessinien
Syst. I, 2, 1792, p. 281; Syst. Eleuth. II,
1801, p. 297. — Goeze, Ent. Beytr. I, 1777,
p. 470. — Gmel. in L. Syst. Nat. ed. 13, I,
4, 1790, p. 1830. — Ol. Encycl. méth. VII,
1792, p. 457; Ent. IV, nr. 67, 1795, p. 61,
t. 16, f. 121. — Tigny, Hist. Nat. Ins. ed. 2,
VII, 1813, p. 277, t. f. 1; ed. 3, IV, 1828,
p. 353, t. 86, f. 1. — Percher. Dict. Pitt.
d'Hist. Nat. IV, 1836, p. 335. — Cast. Hist.
Nat. Col. II, 1840, p. 472. — Guér. in Lefeb.
Voy. Abyssin. VI, 1850, p. 326. — Lacord.
Gen. Col. IX, 1872, p. 427. — Heyne-
Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 31.
obesa Voet, Catal. Col. II, 1778, p. 23, t. 20,
f. 101; ed. Panzer III, 1794, p. 59, t. 20, f. 101.

2

Diastocera Thoms.

Thoms. Archives Ent. I, 1857, p. 183.

Thysia Thoms. Classif. Ceramb. 1860, p. 93, 96; Syst. Ceramb.
1864, p. 374. — Lacord. Gen. Col. IX, 1872, p. 426, 427.

Thysiotus Thoms. Physis II, 1868, p. 201.

- ✓ *tricineta* Duncan, Nat. Library, Beetles 1835, p. 254, Java
t. 26, f. 4. — Cast. Hist. Nat. Col. II, 1840,
p. 471. — Pasc. Ann. Mag. Nat. Hist. (4) XV,
1875, p. 66 nota.

trivittata Gistel, Handb. Naturg. I, 1848,
p. 624; 820 wirbell. Thiere 1857, p. 53.

Wallichii Hoven, Handb. Dierk. I, 1849,
p. XXXI, t. 10, f. 6. — Heyne-Taschenb.
Exot. Käfer 1904, p. 242, t. 35, f. 17.

- ✓ *Wallichii* Hope in Gray, Zool. Misc. 1831, p. 27. — Himalaya
Westw. in Royle, Himalaya 1839, p. 55, t. 9,

f. 5, 6. — Pasc. Trans. Ent. Soc. Lond. (3)
V, 1868. Proc. p. 106. — Kempers, Tijdschr.
v. Ent. LII, 1909, p. 277, t. 13. f. 5.

2

Ceroplesis Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 93. — Cast. Hist. Nat. Col. II, 1840, p. 471. — Thoms. Classif. Ceramb. 1860, p. 93; Syst. Ceramb. 1864, p. 374. — Lacord. Gen. Col. IX, 1872, p. 426, 428. — Har. Col. Hefte XVI, 1879, p. 193 (Synopsis). — Hintz, Archiv f. Naturg. LXXXIV. A. 10, 1920, p. 162—176 (Synopsis).

aenescens Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Shoa
p. 41. — Hintz, Synops. p. 165.

aestuans Ol. Ent. IV, nr. 67, 1795, p. 123, t. 23, f. 176. Senegal
— Percher. Dict. Pitt. d'Hist. Nat. IV, 1836,
p. 335. — Cast. Hist. Nat. Col. II, 1840, p.
472. — Har. Synops. p. 194. — Hintz, Synops.
p. 164.

hottentotta Boddaert, Tables des planches
enlum. 1783, p. 6, t. 90, f. 1.

var. *guineensis* Hintz, Synops. p. 165, 169. Togo his
Kamerun
Abessinien

var. *ornata* Hintz, l. c. p. 164.

aestuans var. Fairm. Ann. Soc. Ent. Belg.
XXXVII, 1893, p. 41.

aethiops F. Syst. Ent. 1775, p. 174; Spec. Ins. I, 1781, Kapland
p. 220; Mant. Ins. I, 1787, p. 139; Ent. Syst.
I, 2, 1792, p. 282; Syst. Eleuth. II, 1801, p.
297. — Goeze, Ent. Beytr. I, 1777, p. 471.

— Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1830. — Ol. Encycl. méth. Ins. VII, 1792,
p. 465; Ent. IV, nr. 67, 1795, p. 91. — Oken,
Allg. Naturg. V, 3, 1836, Suppl. t. 16, f. 8.
— Cast. Hist. Nat. Col. II, 1840, p. 472. —
Bertol. Nov. Comm. Acad. Bonon. X, 1849,
p. 430 (sep. p. 52). — Har. Synops. p. 194.
— Heyne-Taschenb. Exot. Käfer 1904, p.
242, t. 35, f. 22. — Hintz, Synops. p. 164.

? *africana* Wulfen, Ins. Capens. 1786, p. 16,
t. 1, f. 14.

aurantia Voet, Catal. Col. II, 1778, p. 13,
t. 11, f. 44.; ed. Panzer III, 1794, p. 32, t. 11,
f. 44.

capensis De Geer, Mém. Ins. VII, 1778, p.
655, t. 49, f. 2.

leskeana Ol. Encycl. méth. VII, 1792, p. 475.

trifasciata Gmel. in L. Syst. Nat. ed. 13,
I, 4, 1790, p. 1836 (Mus. Leskean. 1789, p.
24, nr. 534, t. 1, nr. 534).

ab. *quadrifasciata* Voet, Catal. Col. II,
1778, p. 10, t. 8, f. 27; ed. Panzer III, 1794,
p. 23, t. 8, f. 27. — Hintz, Synops. p. 164.

aethiops var. Ol. Ent. IV, 67, 1795, t. 1, f. 2.
— Cast. Hist. Nat. Col. II, 1840, p. 472, t. 33
(52), f. 3. — Berge, Käferb. 1844, p. 123, t.
12, f. 2.

- arcuata** Har. Col. Hefte XVI, 1879, p. 194, 196. — Angola
♀ Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 348. — Hintz, Synops. p. 166.
- var. **sinuata** Hintz, Synops. p. 169, 175. Bukoba
- atropos** Fairm. Le Natural. II, 1882, p. 48; Ann. Soc. Abessinien
Ent. France (6) III, 1883, p. 111. — Hintz, Synops. p. 163, 167.
- aulica** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. Angola
66. — Hintz, Synops. p. 165.
- Aurivilli** Hintz, Synopsis p. 165, 169. Abessinien
reticulata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 20.
- bicincta** F. Ent. Syst. Suppl. 1798, p. 145; Syst. Congo,
Eleuth. II, 1801, p. 296. — Har. Synops. p. Angola,
193, 194. — Hintz, Synops. p. 165. Südafrika
continua Ol. Ent. IV, nr. 67, 1799, p. 123, t. 23, f. 177.
- bifasciata** Hintz, Synops. p. 165, 171. Congo: Boma
- calabarica** Chevr. Revue Zool. (2) X, 1858, p. 55; Togo bis
Cent. Longic. 1858, nr. 83. — Hintz, Synops. Angola und
p. 166, 174. Niam-Niam
- fissa* Har. Col. Hefte XVI, 1879, p. 193, 197.
— Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 354. — Aulm. Fauna Deutsch. Kolon. V, 2, 1911, p. 43, f. 24. — Hintz, Synops. p. 166, 174.
- togonica* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 67.
- capensis** L. Mus. Lud. Ulr. 1764, p. 74; Syst. Nat. Kapland,
ed. 12, 1767, p. 628. — Drury, Ill. Exot. Natal
Ins. I, 1770, p. 88, t. 39, f. 3; ed. Panzer, 1788, p. 148, t. 39, f. 3; ed. Westw. I, 1837, p. 84, t. 39, f. 3. — Müller, Naturs. V, 1, 1774, p. 265. — F. Syst. Ent. 1775, p. 173; Spec. Ins. I, 1781, p. 220; Mant. Ins. I, 1787, p. 138; Ent. Syst. I, 2, 1792, p. 280; Syst. Eleuth. II, 1801, p. 296. — Goeze, Ent. Beytr. I. 1777, p. 438. — Voet, Catal. Col. II, 1778, p. 10, t. 8, f. 25; ed. Panzer III, 1794, p. 22, t. 8, f. 25. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1829. — Ol. Encycl. méth. Ins. VII, 1792, p. 456; Ent. IV, nr. 67, 1795, p. 121, t. 8, f. 51 a, b. — Reichenb. Naturg. Ins. 1837, p. 44, t. 99, f. 647. — Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 41. — Har. Synops. p. 194. — Hintz, Synops. p. 163, 167.
- pectoralis* Ol. Ent. IV, nr. 67, 1795, p. 122, Senegal
t. 23, f. 175.
- rubro-cingulo* Voet, Catal. Col. II, 1778. p. 8, t. 6, f. 13; ed. Panzer III, 1794, p. 17, t. 6, f. 13.
- ab. *Distanti* n. nom. Transvaal
- capensis* var. Dist. Natural. in Transvaal 1892, p. 203; Ins. Transvaal. 1904, p. 139, t. 12, f. 25.
- centralis** Hintz, Synops. p. 165, 171. Congo:Kassai
- collaris** Hintz, Synops. p. 166, 172. Kapland

- congolensis** Hintz. Synops. p. 165, 170. Congo:Kassai
 ab. *immaculata* Hintz, l. c. p. 165, 170. „
- Conradti** Kolbe, Stett. Ent. Zeit. LIV. 1894, p. 265; Usambara
 Mitteil. Mus. Hamb. XIV, 1897, p. 96. —
 Heyne-Taschenb. Exot. Käfer 1904, p. 242,
 t. 35, f. 32. — Hintz, Synops. p. 166.
- var. *fulvovestita* Kolbe, Stett. Ent. Zeit. Bagamoyo
 LIV, 1894, p. 266; Mitteil. Mus. Hamb. XIV,
 1897, p. 96. — Hintz, Synops. p. 166.
- elegans** Gestro, Ann. Mus. Civ. Genova (2) VII, 1889, Arabien:
 p. 70. — Hintz, Synops. p. 165. Yemen
- fallax** Péring. Trans. Ent. Soc. Lond. 1896, p. 183. Zambesi.
 — Marshall, l. c. 1902, p. 342, 346, 381, 389,
 392. — Hintz, Synops. p. 167. Rhodesia,
 Tanganjika,
 Uganda
- ferrugator** F. Mant. Ins. I, 1787, p. 138; Ent. Syst. Kapland
 I, 2, 1792, p. 389; Syst. Eleuth. II, 1801, p.
 296. — Gmel. in L. Syst. Nat. ed. 13, I, 4,
 1790, p. 1829. — Ol. Encycl. méth. VII,
 1792, p. 458. — Har. Synops. p. 194. —
 Hintz, Synops. p. 164.
- ab. *athenea* Newm. Entomol. I, 1840, p. 11.
 var. *marginalis* Fähr. Öfvers. Vet. Akad. Transvaal,
 Förh. XXIX, 2, 1872, p. 40. — Dist. Ins. Damaraland
 Transvaal. 1904, p. 139, t. 13, f. 16. — Hintz,
 Synops. p. 164.
- Foneki** Hintz, Synops. p. 175. Deutsch-
 Ostafrika
- griseotincta** Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, Brit.-
 Bull. p. 300. Ostafrika
- var. *griseotincta* Hintz, Synops. p. 165.
- Hamiltoni** Auriv. Arkiv f. Zool. IX, 8, 1914, p. 10. — „
 Hintz, Synops. p. 166.
- Harrisoni** Jord. Ann. Mag. Nat. Hist. (6) XV, 1895, Congo
 p. 222. — Hintz, Synops. p. 165.
- var. *calabarica* Duviv. Ann. Soc. Ent. Belg.
 XXXVI, 1892, p. 355.
- Hauseri** Hintz, Deutsche Ent. Zeitschr. 1910, p. 308; Deutsch-
 Synops. p. 166. Ostafrika
- var. *conjuncta* Hintz, Synops. p. 166, 172.
 var. *connecta* Hintz, Synops. p. 166, 173.
- heroica** Har. Col. Heite XVI, 1879, p. 228. — Fairm. Pondoland
 Ann. Soc. Ent. France (6) VII, 1888, p. 340. Deutsch-
 — Hintz, Synops. p. 164. Ostafrika
- hottentotta** F. Syst. Ent. 1775, p. 173; Spec. Ins. I, Südafrika
 1781, p. 220; Mant. Ins. I, 1787, p. 138;
 Ent. Syst. I, 2, 1792, p. 280; Syst. Eleuth.
 II, 1801, p. 296. — Goeze, Ent. Beytr. I,
 1777, p. 470. — Voet, Catal. Col. II, 1778,
 p. 10, t. 8, f. 26; ed. Panzer III, 1794, p. 23,
 t. 8, f. 26. — Gmel. in L. Syst. Nat. ed. 13,
 I, 4, 1790, p. 1829. — Ol. Encycl. méth.
 Ins. VII, 1792, p. 464; Ent. IV, nr. 67, 1795,
 p. 90, t. 4, f. 27. — Cast. Hist. Nat. Col. II,
 1840, p. 472. — Har. Synops. p. 194. —
 Ormerod, Inj. Ins. S. Afr. 1889, p. 31, f. 15.
 — Heyne-Taschenb. Exot. Käfer 1904, p. 242,
 t. 35, f. 28. — Dist. Ins. Transvaal. 1904,
 p. 138, t. 12, f. 24. — Hintz, Synops. p. 166.

- lanius* Voet, Catal. Col. II, 1778, p. 13, t. 11, f. 45; ed. Panzer III, 1794, p. 32, t. 11, f. 45.
- mimosae* Thunb. Mus. Nat. Upsal. IV. 1787, p. 58.
- punctata* Brown, Ill. Zool. 1776, p. 118, t. 49, f. 1.
- var. *disjuncta* Hintz, Synops. p. 166, 173.
- irregularis** Har. Mitth. Münch. Ent. Ver. II, 1878 (Aug.), p. 49; Synops. p. 194. — Fairm. Ann. Soc. Ent. Belg. XXVI, 1882, Compt. Rend. p. 55. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 35, f. 20.
- var. *aspera* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878 (Nov.), p. 375. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 42, f. 23. — Hintz, Synops. p. 164, 168.
- var. *regularis* Hintz, Synops. p. 164, 168.
- lacunosa** Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 61. — Hintz, Synops. p. 164.
- latecincta** Hintz, Synops. p. 165, 171.
- latevittata** Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 300. — Hintz, Synops. p. 165.
- leonensis** Hintz, Synops. p. 165, 170.
- malepicta** Fairm. l. c. XXVI, 1882, Compt. Rend. p. 55. — Hintz, Synops. p. 167.
- var. *montana* Hintz, Synops. p. 167, 176.
- var. *vagepicta* Hintz, Synops. p. 167, 176.
- manicana** Péring. Trans. Ent. Soc. Lond. 1896, p. 183. — Hintz, Synops. p. 166.
- var. *mozambica* Hintz, Synops. p. 166, 174.
- marmorata** Reiche in Ferret et Gallin. Voy. Abyssin. III, 1849, p. 391, t. 24, f. 6. — Har. Synops. p. 194.
- Mechowi** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 185, 347, t. 6, f. 4. — Hintz, Synops. p. 165.
- militaris** Gerst. Monatsb. Berl. Akad. 1855, p. 266; Peters' Reise Mossamb. Ins. 1862, p. 324, t. 19, f. 8. — Har. Synops. p. 194. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 41. — Dist. Ins. Transvaal. 1904, p. 139, t. 12, f. 23. — Hintz, Synops. p. 164.
- ab. *marginata* Hintz, l. c. p. 164, 168.
- Millingeni** Pic, Echange XI, 1895, p. 77; Longic. IV, 2, 1903, p. 7.
- minuta** Jord. Novit. Zool. I, 1894, p. 224.
- nigromaculata** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 34.
- orientalis** Herbst in Füessly, Arch. VII, 1786, p. 168, t. 45, f. 10. — Har. Col. Hefte XVI, 1879, p. 193, 194. — Hintz, Synops. p. 166.
- bicincta* Ormerod, Inj. Ins. S. Afr. 1889, p. 29, fig. 14. — Gilchrist. S. Afr. Zool. 1911, p. 142, fig. 97.
- Südafrika
Deutsch-
Ostafrika
- Deutsch-Ost-
afrika: Lindi,
Lukuledi
Pangani
- Deutsch-
Ostafrika
Brit.- und
Deutsch-
Ostafrika
Sierra Leone
Zanzibar
- Deutsch-
Ostafrika
Iringa
Zambesi
- Delagoa Bay
Abessinien
- Quango
- Transvaal bis
Brit.-
Ostafrika
- Portug -
Ostafrika
Arabien
- Natal
Brit.-Ostfr.
Kapland,
Natal,
Transvaal,
Matabele-
land,
Mashuna-
land

- caffra* Thunb. Mus. Nat. Upsal. IV, 1787, p. 58, t. 1, f. 1. — Marshall, Trans. Ent. Soc. Lond. 1902, p. 519, t. 19, f. 15. — Dist. Ins. Transvaal 1904, p. 138, t. 12, f. 22. — Hintz, Synops. p. 165, 172.
- Herbsti* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1827.
- lcmniscata* Lichtenst. Cat. Mus. Hamb. 1796, p. 41.
- var. *massaica* Auriv. in Sjöstedt, Kilimandj. Exped. VII, 1908, p. 148. — Hintz, Synops. p. 166, 174. Massai-Steppe
- Pauli** Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Compt. Rend. p. 148; Ann. Soc. Ent. France (6) VII, 1888, p. 339. — Auriv. Arkiv f. Zool. VIII, 21, 1913, p. 9. — Hintz, Synops. p. 164. Brit.-Ostafrika, Somaliland
- Poggei** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 111; Synops. p. 194, 195. — Hintz, Synops. p. 167. Zentralafrika
- quinquefasciata** F. Ent. Syst. I, 2, 1792, p. 281; Syst. Eleuth. II, 1801, p. 297. — Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 41. — Har. Synops. p. 194, 198. — Dist. Ins. Transvaal. 1904, p. 139, t. 12, f. 17. — Hintz, Synops. p. 163. Congo, Angola, Südafrika, Deutsch-Ostafrika
- taeniata* Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 347; Mélang. Ent. III, 1855, p. 27.
- var. *acutipennis* Hintz, Synops. p. 163, 167. Congo
- var. *parallelis* Hintz, l. c. Togo, Kamerun
- Restitutae** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 20. — Hintz, Synops. p. 163, 168. Deutsch-Ostafrika
- reticulata** Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 211, t. 6, f. 11. — Hintz, Synops. p. 167. Ruwenzori
- Revoili** Fairm. in Revoil, Faune et Flore Çomal. Col. 1882, p. 100, t. 1, f. 8. — Auriv. Arkiv f. Zool. VIII, 21, 1913, p. 9. — Hintz, Synops. p. 164. Somaliland, Abessinien
- rubromaculata** Hintz, Synops. p. 164, 168. Uganda
- semitrabenta** Fairm. Ann. Soc. Ent. France (6) VII, 1888, p. 340. — Hintz, Synops. p. 166. Deutsch-Ostafrika
- signata** Waterh. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 108. — Hintz, Synops. p. 164. Victoria-Nyansa, Kavirondo, Ruwenzori, Uganda
- sumptuosa** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 66. — Hintz, Synops. p. 166. Kapland
- Thunbergi** Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 41. — Dist. Ins. Transvaal. 1904, p. 138, t. 12, f. 21. — Hintz, Synops. p. 166. Natal, Transvaal
- bimaculata** Thoms. Archives Ent. II, 1858, p. 171. Gabun

Moecha Thoms.

- Thoms. Classif. Ceramb. 1860, p. 96; Syst. Ceramb. 1864, p. 374. — Lacord. Gen. Col. IX, 1872, p. 426, 429. — Har. Col. Hefte XVI, 1879, p. 200 (Synopsis).

- adusta** Har. Synops. p. 198, 200. — Heyne-Taschenb. Kamerun,
Exot. Käfer 1904, p. 242, t. 35, f. 3. — Aulmann, Gabun,
Fauna Deutsch. Kolon. V, 3, 1912, p. 22, f. 16. Congo,
Angola
- Büttneri** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 67. — Togo,
Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, Goldküste
p. 31, f. 17.
- fasciata** Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 22. Congo
- hecate** Chev. Revue Zool. (2) VII, 1855, p. 520; Alt-Calabar,
Cent. Longic. 1858, nr. 40. — Thoms. Kamerun
Archives Ent. II, 1858, p. 171, t. 6, f. 8. —
Har. Synops. p. 200.
- molator** F. Mant. Ins. I, 1787, p. 137; Ent. Syst. I, 2, Westafrika
1792, p. 279; Syst. Eleuth. II, 1801, p. 295.
— Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1831. — Ol. Encycl. méth. Ins. VII, 1792,
p. 466; Ent. IV, nr. 67, 1795, p. 96, t. 14, f. 99.
molitor Aulmann, Fauna Deutsch. Kolon. V,
2, 1911, p. 29, f. 16.
- mucorea** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 266; Usambara
Deutsch-Ostafrika IV, 1897, Col. p. 313,
t. 4, f. 46.
- rubrocincta** Hintz, Wiss. Ergebn. Deutsch. Zentr.- Kiwu
Afrika-Exped. III, 1911, p. 437.

7

Moechopsis Hintz.

- Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika-Exped. III, 1911, p. 438.
- ruficornis** Hintz, l. c. p. 438, t. 7, f. 13. Tanganjika

1

Titoceres Thoms.

- Thoms. Physis II, 1868, p. 201. — Lacord. Gen. Col. IX, 1872,
p. 426, 430.
- Ceratites* Serv. Ann. Soc. Ent. France IV, 1835, p. 34. —
Cast. Hist. Nat. Col. II, 1840, p. 475. — Thoms. Classif.
Ceramb. 1860, p. 38; Syst. Ceramb. 1864, p. 373.
- jaspideus** Serv. Ann. Soc. Ent. France IV, 1835, p. 35. Marokko,
— Cast. Hist. Nat. Col. II, 1840, p. 476. — Senegal,
Lacord. Gen. Col. IX, 1872, p. 430. — Dist. Kordofan,
Ins. Transvaal. 1904, p. 140, t. 13, f. 15. Abessinien,
Somaliland,
Brit.- Ostafrika,
Deutsch- Ostafrika,
Transvaal,
Damaraland,
Angola

1

Cochliopalpus Lacord.

- Lacord. Gen. Col. IX, 1872, p. 432, 433.
- Cochliopselaphus* Har. Cat. Col. X, 1873, p. 3055.

- Catherina** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 402, t. 53, f. 4. — Lacord. Gen. Col. IX, 1872, p. 434. — Dist. Ins. Transvaal. 1904, p. 141, t. 13, f. 8.
var. *maricovens* Dist. l. c. p. 141, f. 17.
suturalis Har. Monatsb. Akad. Berlin 1880, p. 266.
- Damaraland,
Matabeleland,
Transvaal
Transvaal
Brit.-
Ostafrika,
Matabeleland,
Rhodesia

2

Pycnopsis Thoms.

- Thoms. Archives Ent. I, 1857, p. 184; Classif. Ceramb. 1860, p. 93, 95; Syst. Ceramb. 1864, p. 373. — Lacord. Gen. Col. IX, 1872, p. 426, 430.
- brachyptera** Thoms. Classif. Longic. 1860, p. 95. — Südafrika
Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 39. — Lacord. Gen. Col. IX, 1872, p. 431. — Dist. Ins. Transvaal. 1904, p. 140, t. 13, f. 23.
- brevis* Koch, Abhandl. Naturf. Ges. Nürnberg. IV, 1868, p. 91, t. A, f. 2.
ab. *albovestita* Hintz, Deutsch. Ent. Zeitschr. 1910, p. 307. Deutsch-Ostafrika
var. *brachypteroidea* Hintz, l. c. p. 306. „
miliaris Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 374. Angola
obsoleta Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 40. „Kaffernland“
- piperrita** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 403. Damaraland
var. *variolosa* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 374.
- rubricata** Pasc. l. c. p. 375. Kapland:
Grahams-town
Südafrika
- vicina** Koch, Abhandl. Naturf. Ges. Nürnberg. IV, 1868, p. 90, t. A, f. 1.

6

Gnathoenia Thoms.

- Thoms. Archives Ent. II, 1858, p. 176; Classif. Ceramb. 1860, p. 34, 36; Syst. Ceramb. 1864, p. 373. — Lacord. Gen. Col. IX, 1872, p. 426, 431.
- albomaculata** Quedenf. Berl. Ent. Zeitschr. XXV, 1881, p. 289; XXVI, 1882, p. 348, t. 6, f. 5. Quango-Fluß
- alboplagiata** Jord. Novit. Zool. I, 1894, p. 225. Kuilu,
Loanda
- bialbata** Fairm. Ann. Soc. Ent. France LX, 1891, p. 270. Gabun,
Kuilu
- congoana** Belon, Ann. Soc. Ent. Belg. XLV, 1901, p. 246. Congo
- venærea** Thoms. Archives Ent. II, 1858, p. 177, t. 6, f. 1. — Lacord. Gen. Col. IX, 1869, p. 432. Gabun,
Congo
- zonifera** Har. Col. Hette XVI, 1879, p. 200. Angola

6

Gasponia Fairm.

Fairm. Revue d'Ent. XI, 1892, p. 123.

Gaurani Fairm. l. c. p. 123.*penicillatus* Gah. Ins. Transvaal. 1904,
p. 146, t. 14, f. 10.Obock,
Deutsch-
Ostafrika.
Transvaal

1

Pterotragus Chevr.Chevr. Revue Zool. (2) VIII, 1856, p. 488; Cent. Longic. 1858, nr.
51. — Thoms. Syst. Ceramb. 1864. p. 372. — Lacord. Gen. Col. IX,
1872, p. 505, 507.**lugens** Chevr. Revue Zool. (2) VIII, 1856, p. 488; Cent. Alt-Calabar,
Longic. 1858, nr. 51. Kamerun

1

XX. Crossotini.Thomson. Syst. Ceramb. 1864, p. 64 (ex p.). — Lacordaire, Gen.
Col. IX, 1872, p. 416, 505. — Aurivillius, Arkiv f. Zool. I, 1903,
p. 324. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 190–202 (Synopsis).**Frea** Thoms.Thoms. Archives Ent. II, 1858, p. 174; Classif. Ceramb. 1860, p. 34,
38; Syst. Ceramb. 1864, p. 373. — Lacord. Gen. Col. IX, 1872, p. 505,
506. — Hintz, Synops. p. 192.*Eumimetes* Lacord. Gen. Col. IX, 1872, p. 505, 506. —
Auriv. Ent. Tidskr. XXIV, 1903, p. 277. — Hintz, Synops.
p. 190.*Mimofrea* Hintz, Synops. p. 192, 199.**attenuata** Jord. Novit. Zool. I, 1894, p. 235.Kamerun,
Kuilu,
Loanda**aureocincta** Auriv. Ent. Tidskr. XXIV, 1903, p. 277.**Barbertoni** Dist. Ann. Mag. Nat. Hist. (7) I, 1898,
p. 375; Ins. Transvaal. 1904, p. 145, t. 14, f. 6.Kamerun
Transvaal,
Natal**basalis** Jord. Novit. Zool. I, 1894, p. 233.Kuilu,
Loanda**brevicornis** Gah. Ann. Mag. Nat. Hist. (7) II, 1898,
p. 53.Brit.-
Ostafrika**castaneomaculata** Auriv. Arkiv f. Zool. IV, 17, 1908,
p. 6.Deutsch-
Ostafrika**cincta** Jord. Novit. Zool. X, 1903, p. 178.

Ogowe

circumscripta Hintz, Synops. p. 201.

Damaraland:

Swakop
Alt-Calabar**curta** Chevr. Archives Ent. II, 1858, p. 250, t. 14, f. 5.? *maculicornis* Aulmann, Fauna Deutsch.
Kolon. V, 2, 1911, p. 46, f. 28.**fasciculosa** Auriv. Ent. Tidskr. XXIV, 1903, p. 277,
fig. 10.

Kamerun

flavicollis Auriv. Arkiv f. Zool. IX, 8, 1914, p. 12.

Goldküste

flavosparsa Auriv. l. c. VIII, 29, 1914, p. 29, t. 1, f. 7.

Usambara

floccifera Quedenf. Journ. Sc. Lisboa XL, 1885, p. 245
(sep. p. 6).

Cabinda

- frater** Lameere, Ann. Soc. Ent. France LXII, 1893, p. 46. Assinie
- fulvovestita** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 552. Comoren
- grisea** Jord. Novit. Zool. I, 1894, p. 234. Gabun
- grisescens** n. nom. Congo:
grisea Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika-Exped. III, 1911, p. 440. Kondué
- Haroldi** Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, p. 139, t. 1, f. 7. Chinchoxo
- humeralis** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 270. Usambara
- irrorata** Jord. Novit. Zool. I, 1894, p. 225. Kuilu
- jaguarita** Chevr. Revue Zool. (2) VII, 1855, p. 522; Cent. Longic. 1858, nr. 42. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 49 (sep. p. 220). Alt-Calabar
- Johannae** Gah. Trans. Ent. Soc. Lond. 1890, p. 322. Comoren:
Insel
Johanna
Gabun
- laevopunctata** Thoms. Archives Ent. II, 1858, p. 175, t. 8, f. 2. Gabun
- latefasciata** Hintz, Synops. p. 200. Kamerun
- lencostictica** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 402, t. 53, f. 3. Sierra Leone,
Goldküste
- lineata** Auriv. Arkiv f. Zool. X, 9, 1916, p. 18, f. 71. Deutsch-Ostafrika
- maculata** Hintz, Synops. p. 201. Kamerun,
Gabun
- maculicornis** Thoms. Archives Ent. II, 1858, p. 174, t. 8, f. 1. Gabun, Congo
- var. *fasciata* Hintz, Synops. p. 201. Congo
- var. *fusco-maculata* Quedenf. Berl. Ent. Zeitschr. XXVI, 1862, p. 356. Quango
- malachitica** Jord. Novit. Zool. I, 1894, p. 234, t. 10, f. 13. Kamerun,
Kuilu
- turchais* Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 330.
- marmorata** Gerst. Archiv f. Naturg. XXXVII, 1, 1871, p. 48; Decken's Reise Ostaf. III, 2, 1873, p. 258, t. 12, f. 5. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 33. Deutsch-Ostafrika
- ab. *albo-plagiata* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 270. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 33, f. 18. Usambara
- ab. *flavoscapulata* Fairm. Ann. Soc. Ent. France LXVI, 1898, p. 154. Zanzibar
- Mulszechi** Thoms. Archives Ent. II, 1858, p. 179, t. 7, f. 9. — Hintz, Synops. p. 202. Gabun
- nyassana** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 29. Nyassaland
- puncticollis** Jord. Novit. Zool. X, 1903, p. 194. Insel
St. Thomé
- senilis** White, Proc. Zool. Soc. Lond. XXVI, 1858, p. 402. — Jord. Novit. Zool. I, 1894, p. 234. Sierra Leone
- sparsilis** Jord. l. c. p. 234. Kuilu
- sparsa** Klug, Abh. Akad. Wiss. Berl. I, 1833, p. 207, t. 5, f. 5 (sep. p. 119). — Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 66. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 51, f. 3. Madagaskar

- var. *vagepicta* Fairm. Ann. Soc. Ent. Madagascar
France (5) I, 1871, p. 65.
- fasciata* Brancs. Jahresh. Ver. Trencsen
Comit. XV, 1893, p. 242, t. 12, f. 17.
- sparsa* var. Künckel in Grandid. Hist. Madag.
Col. 1890, t. 51, f. 4.
- tropica* Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Congo
Bull. p. 420; XXXVI, 1892, p. 357.
- tuberculata* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 36. Kamerun,
Fernando Po
- uniformis* Hintz, Synops. p. 199. Kamerun
ab. *fasciolata* Hintz, l. c. p. 199. " "
ab. *thoracica* Hintz, l. c. p. 200. " "
Gabun
- valdepunctata* Thoms. Archives Ent. II, 1858, p. 175, "
t. 8, f. 3.
- vermiculata* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 270. Usambara
- zambeslana* Hintz, Deutsche Ent. Zeitschr. 1912, p. 202. Zambesi
42

Freopsis Hintz.

- Hintz, Deutsche Ent. Zeitschr. 1912, p. 192, 200.
- albomaculata* Hintz, l. c. p. 200. Congo,
Kamerun

1

Megalofrea Auriv.

- Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 21.
- attenuata* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 386. Madagascar
- bioculata* Fairm. l. c. XXXIII, 1889, Bull. p. 96; "
XXXVIII, 1894, p. 152.
- albisparsa* Gah. Ann. Mag. Nat. Hist. (6) "
VI, 1890, p. 464.
- cinerascens* Fairm. Notes Leyden Mus. XXIII, 1901, "
p. 81.
- Decorsi* Fairm l. c. p. 81. "
- distinctus* Fairm. Ann. Soc. Ent. France (5) I, 1871, "
p. 65; Ann. Soc. Ent. Belg. XL, 1896, p. 386. "
- humeralis* Vollenh. Recherches Faune Madag. V, 1869, "
p. 10, t. 2, f. 1. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 464.
- sevpunctata* Fairm. Ann. Soc. Ent. France
(5) I, 1871, p. 65; Ann. Soc. Ent. Belg. 1896,
p. 386. — Künckel in Grandid. Hist. Madag.
Col. 1890, t. 51, f. 5.
- Perrieri* Fairm. Ann. Soc. Ent. France LXVIII, 1899, "
p. 120.
- rufonnbila* Fairm. Ann. Soc. Ent. Belg. XL, 1896, "
p. 386.
- sparsuticollis* Fairm. l. c. XLI, 1897, p. 401. "
- tenuepunctata* Fairm. Ann. Soc. Ent. France LXXI, "
1902, p. 387.

10

Cyrtofreea Auriv.

Auriv. Arkiv f. Zool. VII, 3, 1910, p. 36. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 192.

albolineata Auriv. Arkiv f. Zool. VII, 3, 1910, p. 37. Brit.-Ostafrika
subeostata Kolbe, Stett. Ent. Zeit. LII, 1891, p. 35. Deutsch-Ostafrika

2

Crossotofreea Hintz.

Hintz, Deutsche Ent. Zeitschr. 1912, p. 192, 198.

aedificatoria Hintz, l. c. 1910, p. 576. Deutsch-Ostafrika

corticaria Hintz, l. c. p. 575.

gabunica Thoms. Archives Ent. II, 1858, p. 177. — Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 25. Gabun

irrorata Jord. Novit. Zool. I, 1894, p. 236. Kuilu

lineata Hintz, Deutsche Ent. Zeitschr. 1913, p. 202. Congo

molossus Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 359. "

cristata Jord. Novit. Zool. X, 1894, p. 235. Kuilu

trilineata Hintz, Deutsche Ent. Zeitschr. 1913, p. 202. Congo, Kamerun

virgata Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 357. — Jord. Novit. Zool. I, 1894, p. 236. Angola

8

Crossotus Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 52. — Cast. Hist. Nat. Col. II, 1840, p. 467. — Thoms. Classif. Ceramb. 1860, p. 34; Syst. Ceramb. 1864, p. 372. — Lacord. Gen. Col. IX, 1872, p. 506, 508. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 192.

Liste: Ross., Int. Ent. Zeitschr. IV, 1910, p. 99.

Subgen. *Crossotides* Hintz, Deutsche Ent. Zeitschr. 1912, p. 192, 193.

Subgen. **Crossotus** s. str.

barbatus Gerst. Archiv f. Naturg. XXXVII, 1, 1871, p. 78; Decken's Reise Ostair. III, 2, 1873, p. 258. Brit.-Ostafrika

basalis Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 54.

bifasciatus Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 307, t. 4, f. 6. Deutsch-Ostafrika

plumicornis Serv. Ann. Soc. Ent. France IV, 1835, p. 53. — Cast. Hist. Nat. Col. II, 1840, p. 467. — Lacord. Gen. Col. IX, 1872, p. 508. — Dist. Ins. Transvaal. 1904, p. 146, t. 14, f. 7. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 192. Senegal

var. *damarensis* Hintz, l. c. p. 192. Damaraland

var. *natalensis* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 273. Natal

Vet. Akad. Förh. XXIX, 2, 1872, p. 37. —

Hintz, Deutsche Ent. Zeitschr. 1912, p. 192.

- var. vestiticornis* Fairm. Ann. Soc. Ent. Belg. XXVI, 1882, p. 56. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 192. Zentralafrika
- seriemaclatus* Hintz, l. c. p. 193. Deutsch-Ostafrika

Subgen. *Crossotides* Hintz.

- aethiops* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 375; Ins. Transvaal. 1904, p. 145, t. 14, f. 9. Transvaal
- albicollis* Guér. Icones Règne Anim. Ins. 1844, p. 249. Senegal
- arabicus* Gah. Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 458. Arabien; Lahej
- argenteus* Hintz, Deutsche Ent. Zeitschr. 1912, p. 194. Brit.-Ostafrika
- bimaculatus* Auriv. Arkiv f. Zool. I, 1904, p. 323. Deutsch-Ostafrika
- caffer* Fähr. Ofvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 38. „Kaffernland“
- collaris* Chevr. Revue Zool. (2) VIII, 1856, p. 534; Cent. Longic. 1858, nr. 57. — Thoms. Archives Ent. II, 1858, p. 178. — Lacord. Gen. Col. IX, 1872, p. 509, nota 2. — Bates. Proc. Zool. Soc. Lond. 1890, p. 491. Alt-Calabar bis Congo u. Deutsch-Ostafrika
- Coquereli* Fairm. Ann. Soc. Ent. France (6) X, 1890, p. 551. Abessinien
- costiger* Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, p. 145. Lunda
- cretaceus* Chevr. Archives Ent. II, 1858, p. 251, t. 14, f. 6. Deutsch-Ostafrika, Alt-Calabar
- Erlangeri* Hintz, Deutsche Ent. Zeitschr. 1912, p. 195. Somaliland
- fascicularis* Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 337. Deutsch-Ostafrika: Tabora
- genalis* Auriv. Arkiv f. Zool. VIII, 21, 1913, p. 10, f. 3. Brit.-Ostafrika
- hovanus* Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 257. Madagaskar
- Klugi* Dist. Natural. in Transvaal 1892, p. 203, t. 1, f. 8; Ins. Transvaal. 1904, p. 145, t. 14, f. 8. Transvaal, Matabeleland, Damaraland
- lacunosus* Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 38. Damaraland, Transvaal, Mashunaland
- reticulatus* Dist. Ins. Transvaal. 1904, p. 144, t. 14, f. 4.
- laevidorsis* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 269. Usambara
- lateralis* Hintz, Deutsche Ent. Zeitschr. 1912, p. 194. Abessinien
- ab. niveicollis* Hintz, l. c. p. 194. Somaliland
- lignarius* Guér. Voy. Lefeb. Abyssin. Ins. p. 327, t. 5, f. 9. Abessinien
- meridionalis* Hintz, Deutsche Ent. Zeitschr. 1912, p. 193. Deutsch-Südwestafrika
- nebulosus* Fairm. Revue d'Ent. XI, 1892, p. 124. Obock
- obtusus* Hintz, Deutsche Ent. Zeitschr. 1912, p. 194. Senegal

<i>oculatus</i> Hintz, l. c. p. 195.	Betschuana- land, Griqualand Somaliland
<i>Philippsi</i> Gah. Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 458.	
<i>robustus</i> Jord. Novit. Zool. I, 1894, p. 236.	Senegal
<i>saxosicollis</i> Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 155.	Somaliland
<i>sennaarensis</i> Hintz, Deutsche Ent. Zeitschr. 1912, p. 195.	Sennaar
<i>stigmaticus</i> Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 37.	„Kaffern- land“
<i>strigifrons</i> Fairm. Ann. Soc. Ent. France (6) V, 1886, p. 457.	Sudan
<i>sublineatus</i> Gestro, Ann. Mus. Civ. Genova (2) XII, 1892, p. 788.	Somaliland
<i>subocellatus</i> Fairm. Ann. Soc. Ent. France (6) V, 1886, p. 458.	Obock
<i>tubericollis</i> Fairm. l. c. LX, 1891, p. 271.	Senegal
<i>unifasciatus</i> Thoms. Archives Ent. II, 1858, p. 178.	Gabun
<i>vagepictus</i> Fairm. Ann. Soc. Ent. France (6) V, 1886, p. 456.	Obock
<i>validus</i> Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 53.	Brit.- Ostafrika

39

Dichostathes Thoms.

Thoms. Classif. Ceramb. 1860, p. 34, 36; Syst. Ceramb. 1864, p. 372.	
— Lacord. Gen. Col. IX, 1872, p. 506, 509. — Hintz, Deutsche Ent. Zeitschr. 1912, p. 192.	
<i>acuminatus</i> Jord. Novit. Zool. I, 1894, p. 238.	Kuilu
<i>albidus</i> Hintz, Deutsche Ent. Zeitschr. 1912, p. 195.	Deutsch- Ostafrika
<i>annulatus</i> Chevr. Revue Zool. (2) X, 1858, p. 308; Cent. Longic. 1858, nr. 88.	Alt-Calabar
<i>Ayresl</i> Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 376; Ins. Transvaal. 1904, p. 146, t. 14, f. 11.	Transvaal
<i>bimaculatus</i> Bates, Proc. Zool. Soc. Lond. 1890, p. 491.	Zentralafrika
<i>brunneopictus</i> Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, p. 299.	Somaliland
<i>capucinus</i> Gerst. Jahresb. Hamb. Anst. I, 1884, p. 62.	Pangani
<i>compactus</i> Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 337.	Deutsch- Ostafrika
<i>concretus</i> Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 105.	Natal
<i>natalensis</i> Thoms. Classif. Ceramb. 1860, p. 37; Syst. Ceramb. 1864, p. 65.	
<i>flavoguttatus</i> Hintz, Deutsche Ent. Zeitschr. 1912, p. 197.	Congo
<i>flavomaculatus</i> Hintz, l. c. p. 197.	„
<i>flavopictus</i> Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 356.	Angola
<i>fulvomaculatus</i> Hintz, Deutsche Ent. Zeitschr. 1912, p. 198.	Togo
<i>Hauseri</i> Hintz, l. c. p. 197.	„
<i>Kuntzeni</i> Hintz, l. c. p. 196.	Kamerun, Gabun, Congo

- lobatus** Jord. Novit. Zool. I, 1894, p. 237. Kuilu
Muelleri Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, Zentralafrika
 p. 207.
nigroguttatus Jord. Novit. Zool. I, 1894, p. 237. Kuilu
quadripunctatus Chevr. Revue Zool. (2) VII, 1855, Alt-Calabar
 p. 523; Cent. Longic. 1858, nr. 43. — Duviv.
 Ann. Soc. Ent. Belg. XXXVI, 1892, p. 359.
quadrisignatus Hintz, Deutsche Ent. Zeitschr. 1912, Congo
 p. 196.
stypticus Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, Damaraland
 p. 205.
tabularis Kolbe, Mitth. Mus. Hamb. XIV, 1897, p. 97, Deutsch-
 t. f. 9; Deutsch-Ostafrika IV, 1897, Col. Ostafrika
 p. 317.
trilineatus Hintz, Deutsche Ent. Zeitschr. 1912, p. 196. Deutsch-
 Ostafrika,
 Somaliland

23

Mimiculus Jord.

- Jord. Novit. Zool. I, 1894, p. 239. — Hintz, Deutsche Ent. Zeitschr.
 1912, p. 192.
cervinus Hintz, l. c. p. 202. Deutsch-
 Ostafrika:
 Lindi
maculatus Jord. Novit. Zool. I, 1894, p. 239. Kuilu
 2

Cincinnatiata Jord.

- Jord. Novit. Zool. I, 1894, p. 238.
fasciata Jord. l. c. p. 238, t. 10, f. 14. Kuilu
 1

Leucographus Waterh.

- Waterh. Cist. Ent. II, 1878, p. 295.
albovarius Waterh. l. c. p. 296. — Künckel in Grandid. Madagaskar
 Hist. Madag. Col. 1890, t. 51, f. 8.
Alluaudi Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. „
 197.
murinus Alluau, Bull. Mus. Paris V, 1899 (1900), „
 p. 367.
nioproctus Fairm. Ann. Soc. Ent. France (6) VI, „
 1886, p. 85.
variegatus Waterh. Cist. Ent. II, 1878, p. 368. — „
 Künckel in Grandid. Hist. Madag. Col. 1890,
 t. 51, f. 7.
pyramidalis Fairm. Le Natural. V, 1883,
 p. 365; Stett. Ent. Zeit. XLV, 1884, p. 139;
 Ann. Soc. Ent. France (6) VI, 1886, p. 86.
 — Künckel in Grandid. Hist. Madag. Col.
 1890, t. 53, f. 8.

5

Epirochroa Fairm.

- Fairm. Ann. Soc. Ent. Belg. XL, 1886, p. 385.
acutecostata Fairm. l. c. XLIII, 1899, p. 551. Madagaskar
cervinocincta Fairm. l. c. p. 551. "
fasciolata Fairm. Ann. Soc. Ent. France LXVIII, "
 1899, p. 503. "
griseovaria Fairm. Ann. Soc. Ent. Belg. XL, 1896, "
 p. 385. "
 4

Geteuma Thoms.

- Thoms. Syst. Ceramb. 1864, p. 65. — Lacord. Gen. Col. IX, 1872,
 p. 506, 509. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 388.
quadridentata Coquer. Revue Zool. (2) III, 1851, p. Madagaskar
 89; Ann. Soc. Ent. France (2) X, 1852, p.
 398. — Thoms. Syst. Ceramb. 1864, p. 66. —
 Lacord. Gen. Col. IX, 1872, p. 510. — Fairm.
 Ann. Soc. Ent. France (5) I, 1871, p. 64.
 1

Phanis Fairm.

- Fairm. Ann. Soc. Ent. Belg. XXXVI, 1893, p. 42.
armicollis Fairm. l. c. p. 42. Abessinien:
 Shoa
 1

XXI. Phrynetini.

Thomson, Syst. Ceramb. 1864, p. 71. — Lacordaire, Gen. Col. IX,
 1872, p. 416, 432. — Aurivillius, Arkiv f. Zool. III, 18, 1907, p. 25
 (Synopsis).

Eurysops Chevr.

- Chevr. Revue Zool. (2) VII, 1855, p. 520. — Thoms. Archives Ent.
 II, 1858, p. 167; Classif. Ceramb. 1860, p. 79; Syst. Ceramb. 1864,
 p. 376. — Lacord. Gen. Col. IX, 1872, p. 433, 434. — Auriv.
 Synops. p. 26.
Esau Chevr. Revue Zool. (2) VII, 1855, p. 518; Cent. Alt-Calabar,
 Longic. 1858, nr. 39. — Thoms. Archives Kamerun,
 Ent. II, p. 168, t. 6, f. 9. Gabun
buphthalmus White, Ann. Mag. Nat. Hist.
 (3) II, 1858, p. 270.
insignis Auriv. Arkiv f. Zool. VII, 3. 1910, p. 34. Deutsch-
 Ostafrika
 2

Phrynetoides Duviv.

- Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 381; XXXVI, 1892,
 p. 355. — Auriv. Synops. p. 25.
regius Auriv. Ent. Tidskr. VII, 1886, p. 91. Kamerun
 b. *quadrinaculatus* Duviv. Ann. Soc. Congo,
 Ent. Belg. XXXV, 1891, Bull. p. 381; XXXVI, Uganda
 1892, p. 356.
 1

Inesida Thoms.

- Thoms. *Classif. Ceramb.* 1860, p. 86; *Syst. Ceramb.* 1864, p. 375.
 — *Lacord. Gen. Col. IX*, 1872, p. 433, 436. — *Auriv. Synops.* p. 26.
- leprosa** F. *Syst. Ent.* 1775, p. 178; *Spec. Ins. I*, 1781, p. 225; *Mant. Ins. I*, 1787, p. 142; *Ent. Syst. I*, 2, 1792, p. 292; *Syst. Eleuth. II*, 1801, p. 304. — *Goeze, Ent. Beytr. I*, 1777, p. 472. — *Gmel. in L. Syst. Nat. ed. 13*, I, 4, 1790, p. 1829. — *Ol. Encycl. méth. Ins. VII*, 1792, p. 474. — *Imh. Ber. Naturf. Ges. Basel V*, 1843, p. 178. — *Lacord. Gen. Col. IX*, 1872, p. 436. — *Heyne-Taschenb. Exot. Käfer* 1906, p. 242, t. 37, f. 27. — *Aulmann, Fauna Exotica II*, 1912, p. 79, f. 17; *Fauna Deutsch. Kolon. V*, 5, 1913, p. 5, f. 4-6.
- bru(n)icornis* Guér. *Icon. Règne Anim. Ins.* 1844, p. 239. — *Murray, Ann. Mag. Nat. Hist.* (4) VI, 1870, p. 411 (sep. p. 198).

1

Phrynetæ Cast.

- Cast. Hist. Nat. Col. II*, 1840, p. 477. — *Thoms. Classif. Ceramb.* 1860, p. 79; *Syst. Ceramb.* 1864, p. 375. — *Auriv. Synops.* p. 26.
- assimilis** Hintz, *Deutsche Ent. Zeitschr.* 1913, p. 200. Kamerun
- atricornis** Fairm. *Ann. Soc. Ent. Belg.* XXXVII, 1893, p. 551. Comoren
- Aurivillii** Hintz, *Deutsche Ent. Zeitschr.* 1913, p. 200. Kamerun
- aurocincta** Guér. *Icones Règne Anim. Ins.* 1844, p. 237, 1832, t. 45, f. 2. — *Griff. Anim. Kingd. Ins. II*, 1832, t. 95, f. 2. — *Wilson, Treatise on Insects* 1835, p. 180, t. 227, f. 4. Senegal, Togo, Albert-Nyanza
- Conradti** Kolbe, *Stett. Ent. Zeit.* LIV, 1894, p. 269; *Deutsch-Ostafrika IV*, 1897, Col. p. 314, t. 4, f. 47. Usambara
- crassa** Jord. *Novit. Zool.* X, 1903, p. 175. Congo
- Favareli** Achard, *Revue Zool. Afr. II*, 1913, p. 249. Franz.-Congo
- histris** Hintz, *Deutsche Ent. Zeitschr.* 1913, p. 200. Uganda
- immaculata** Hintz, *Wiss. Ergebn. Deutsch. Zentr.-Afr.-Exp. III*, 1911, p. 438. Ruwenzori
- luctuosa** Murray, *Ann. Mag. Nat. Hist.* (4) VI, 1870, p. 411 (sep. p. 198). Alt-Calabar
- lugens** White, *I. c.* (3) II, 1858, p. 272. Congo
- macularis** Har. *Col. Hefte XVI*, 1879, p. 202. — *Bates, Proc. Zool. Soc. Lond.* 1890, p. 490. — *Kolbe, Deutsch-Ostafrika IV*, 1897, Col. p. 315. — *Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afr.-Exp. III*, 1911, p. 438. Congogebiet
- marmorea** *Ol. Encycl. méth. Ins. VII*, 1792, p. 461; *Ent. IV*, nr. 67, 1795, p. 78, t. 2, f. 9. — *Cast. Hist. Nat. Col. II*, 1840, p. 477. — *Lacord. Gen. Col. IX*, 1872, t. 101, f. 1. — *Künckel in Grandid. Hist. Madag. Col.* 1890, t. 51, f. 11. Madagaskar
- nigroperlata** Fairm. *Ann. Soc. Ent. France* (6) VII, 1887, p. 338. Somaliland
- nigropilosa** *Auriv. Ent. Tidskr.* VII, 1886, p. 92. Kamerun
- nigrosignata** *Quedenf. Berl. Ent. Zeitschr.* XXXI, 1887, p. 143. „

- ornata** Quedenf. Journ. Sc. Lisboa XL, 1885, p. 245 (sep. p. 5) Angola
- Raffrayi** Thoms. Revue Zool. (3) VI, 1878, p. 65. — Fairm. Ann. Soc. Ent. France LXVI, 1897, p. 152. Zanzibar
- semicribrosa** Fairm. Bull. Soc. Ent. France 1894, p. 253. Comoren
- senegambiae** Thoms. Archives Ent. I, 1857, p. 180. Senegambien
- silacea** Auriv. Deutsche Ent. Zeitschr. 1907, p. 80. Togo
- spinator** F. Ent. Syst. I, 2, 1792, p. 276; Syst. Eleuth. II, 1801, p. 293. — Bertoloni, Nov. Comm. Acad. Bonon. X, 1849, p. 428 (sep. p. 50). — Dist. Ins. Transvaal. 1904, p. 141, t. 13, f. 11, 12. — Heyne-Taschenb. Exot. Käfer 1904, p. 242, t. 37, f. 23. Kapland, Natal, Transvaal
- var. (ab.) obscura** Ol. Encycl. méth. Ins. VII, 1792, p. 462; Ent. IV, nr. 67, 1795, p. 80, t. 8, f. 53, t. 18, f. 137. — Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 44. — Aulmann, Fauna Deutsch. Kolon. V, 2, 1911, p. 49, f. 31; V, 5, 1913, p. 9, f. 7, 8; Fauna Exotica II, 1912, p. 79, f. 19, 20. Senegal
- sterilis** Schönh. Synon. Ins. I, 3, 1817, p. 369. bis Angola, Südafrika
- var. Ugandae** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 22. u. Ostafrika
- suturalis** Pasc. Journ. of Ent. II, 1864, p. 277. Uganda
- tristis** Thoms. Revue Zool. (3) VI, 1878, p. 64. Alt-Calabar
- verrucosa** Drury, Ill. Exot. Ins. I, p. 90, t. 40, f. 3, Index 1773; ed. Westw. I, 1837, p. 86, t. 40, f. 3. — Gahan, Ann. Mag. Nat. Hist. (6) VI, 1890, p. 33. Kamerun
- melanoptera** Thoms. Revue Zool. (3) VI, 1878, p. 65. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 339. Barbados, Grenada, Trinidad
- squamata** Goeze, Ent. Beytr. I, 1777, p. 468.
- sternutator** F. Syst. Ent. 1775, p. 172; Spec. Ins. I, 1781, p. 218; Mant. Ins. I, 1787, p. 137; Ent. Syst. I, 2, 1792, p. 276; Syst. Eleuth. II, 1801, p. 293. — Goeze, Ent. Beytr. I, 1777, p. 469. — Panzer in Drury, Exot. Ins. I, 1788, p. 152, t. 40, f. 3. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. — Ol. Encycl. méth. Ins. VII, 1792, p. 462.
- verrucata** Schönh. Synon. Ins. I, 3, 1817, p. 396.

25

Phrystola Murray.

- Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 412 (sep. p. 198).
- assimilis** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 267. Usambara
- Aulmann, Fauna Deutsch. Kolon. V, 3, 1912, p. 24, f. 18; V, 5, 1913, p. 24, f. 20, 21.
- brunneicornis** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 39. Chinchoxo
- bulbifera** Kolbe, l. c. p. 40. Kamerun
- bulbosa** Hintz, Ann. Hofmus. Wien XXX, 1916, p. 236. Zentralafrika: Mawambi

- coeca** Chevr. Revue Zool. (2) IX, 1857, p. 75. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 412 (sep. p. 199). — Aulmann, Fauna Deutsch. Kolon. V, 5, 1913, p. 25, f. 23. Alt-Calabar, Kamerun, Gabun
- Ellioti** Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 212, t. 6, f. 18. Ruwenzori
nitida Hintz, Deutsche Ent. Zeitschr. 1913, p. 201.
- heophora** Thoms. Archives Ent. I, 1857, p. 179. — Har. Mitth. Münch. Ent. Ver. IV, 1880, p. 166. — Aulmann, Fauna Deutsch. Kolon. V, 3, 1912, p. 23, f. 17; V, 5, 1913, p. 22, f. 18; Fauna Exotica II, 1912, p. 79, f. 16. Westafrika
- semirasa** Dohrn, Stett. Ent. Zeit. XLVI, 1885, p. 140. Zambesi,
nupera Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 132. Limpopo

8

Chreostes Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 274. — Auriv. Synops. p. 27.
Praomaera Pasc. Journ. of Ent. II, 1864, p. 275 nota.
- argenteus** Hintz, Deutsche Ent. Zeitschr. 1913, p. 201. Uganda
- cinerascens** Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 80. D.-Südwestafrika
- ephippiatus** Pasc. Journ. of Ent. II, 1864, p. 275. — Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 81. — Dist. Ins. Transvaal. 1904, p. 142, t. 13, f. 19 (ab.). Natal, Transvaal, Owambo-land
- fuscovariegatus** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 21. Angola
- Gahani** Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, p. 263. Usambara
- guttatus** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 206. Südliches Congogebiet
- Oberthürri** Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 243. — Waterh. Aid Identif. Ins. II, 1886, t. 175, f. 8. Zansibar
- obesus** Westw. Arcana Ent. II, 1845, p. 58, t. 64, f. 5. — Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 43. — Dist. Ins. Transvaal. 1904, p. 142, t. 13, f. 13, 14. Südafrika
- obliquatus** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 52. Deutsch- und Brit.-Ostafrika
- pallidus** Thoms. Archives Ent. I, 1857, p. 180. Natal,
cinereola White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 271. — Pasc. Journ. of Ent. II, 1864, p. 275. — Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 44. — Dist. Ins. Transvaal. 1904, p. 142, t. 13, f. 24. Transvaal

10

Phrynetopsis Kolbe.

- Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 267. — Auriv. Synops. p. 26.
Anhomelia Kolbe, Stett. Ent. Zeit. LV, 1894, p. 33.
- fuscicornis** Chevr. Revue Zool. (2) VIII, 1856, p. 486; Cent. Longic. 1858, nr. 50. Alt-Calabar, Kamerun

- fortificata* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 271.
 var. *mystica* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 268. Deutsch-Ostafrika
Kolbei Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 213, t. 6, f. 14. Ruwenzori
thomensis Jord. Novit. Zool. X, 1903, p. 194. Insel
 St. Thomé
trituberculata Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 268. Usambara
variegata Reiche in Ferret et Galin. Voy. Abyssinie, Ins. p. 394, t. 24, f. 8. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 33. Abessinien

5

Monotylus Kolbe.

- Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 68. — Auriv. Synops. p. 26.
flavescens Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 17. Kamerun
Klingi Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 68. Togo,
 Kamerun
ochraceosignatus Auriv. Arkiv f. Zool. VIII, 29, 1914, Uganda
 p. 23, t. 1, f. 5.
vittatus Auriv. I. c. p. 22. Sierra Leone

4

Homelix Thoms.

- Thoms. Archives Ent. II, 1858, p. 168; Classif. Ceramb. 1860, p. 78, 82; Syst. Ceramb. 1864, p. 376. — Lacord. Gen. Col. IX, 1872, p. 433, 436.
Psycholupis Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 67.
albofasciatus Thoms. Archives Ent. II, 1858, p. 169. Gabun
annulliger Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 23. Nyassaland
arcuatus Chevr. Revue Zool. (2) VII, 1855, p. 184; Alt-Calabar,
 Cent. Longic. 1858, nr. 6. — Murray, Ann. Togo
 Mag. Nat. Hist. (4) VI, 1870, p. 480 (sep. p. 206).
Buqueti Thoms. Archives Ent. II, 1858, p. 170. Gabun
cribratipennis Thoms. I. c. p. 169. — Har. Col. "
 Hefte XVI, 1879, p. 203.
decussatus Chevr. Revue Zool. (2) VIII, 1856, p. 531; Alt-Calabar
 Cent. Longic. 1858, nr. 55. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 481 (sep. p. 206). — Bates, Proc. Zool. Soc. Lond. 1890, p. 491.
Fähræi Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 67. Angola
fuscus Har. Col. Hefte XVI, 1879, p. 203. "
litratus Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, Angola,
 p. 349, t. 6, f. 6. Congo
marmoratus Auriv. Arkiv f. Zool. X, 19, 1916, p. 15. Deutsch-Ostafrika
sculptithorax Kolbe, Stett. Ent. Zeit. L, 1889, p. 132. Congo
variegatus Jord. Novit. Zool. I, 1894, p. 226. Kuilu

12

Paromelix Auriv.

- Auriv. Arkiv f. Zool. III, 18, 1907, p. 23; Synops. p. 26.
Pattersoni Auriv. Arkiv f. Zool. IX, 8, 1914, p. 10. Goldküste

- unicolor** Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, Congo
p. 138, t. 1, f. 6
Lamani Auriv. Arkiv f. Zool. III, 18, 1907,
p. 23.
2

Brachytritus Quedenf.

- Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 350. — Auriv.
Synops. p. 27.

- hieroglyphicus** Quedenf. Berl. Ent. Zeitschr. XXVI, Angola,
1882, p. 351, t. 6, f. 7. Congo
1

Stenophryneta Auriv.

Auriv. Arkiv f. Zool. III, 18, 1907, p. 24; Synops. p. 27.

- cinerea** Auriv. Arkiv f. Zool. III, 18, 1907, p. 25. Mashunaland
variegata Auriv. l. c. p. 24, t. 1, f. 9. Deutsch-
Ostafrika
2

Mallonia Thoms.

Thoms. Archives Ent. I, 1857, p. 188; Classif. Ceramb. 1860, p. 77,
81; Syst. Ceramb. 1864, p. 377. — Lacord. Gen. Col. IX, 1872,
p. 433, 438. — Auriv. Synops. p. 27.

- albesignata** Chevr. Ann. Soc. Ent. France (3) VIII, Natal
1858, p. 320, t. 8, f. 3.

- australis** Péring. Trans. S. Afr. Phil. Soc. IV, 1888, "
p. 181.

- barblecornis** F. Ent. Syst. Suppl. 1798, p. 145; Syst. Guinea
Eleuth. II, 1801, p. 284. — Parry, Trans.

- granulata** Dist. Ann. Mag. Nat. Hist. (6) X, 1892, Transvaal
p. 407; Ins. Transvaal. 1904, p. 143, t. 13, f. 22.

- panper** Jord. Novit. Zool. X, 1903, p. 182. Congo
5

Calothyrsa Thoms.

Thoms. Physis II, 1868, p. 168. — Lacord. Gen. Col. IX, 1872,
p. 433, 439. — Auriv. Synops. p. 27.

- Bottegi** Gestro, Ann. Mus. Civ. Genova XXXV, 1895, Gallaland
p. 423, fig.

- Jardinei** White, Proc. Zool. Soc. Lond. XXVI, 1858, Südafrika
p. 405, t. 53, f. 5.

- Pauli** Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, C. R. Deutsch-
p. 124; Ann. Soc. Ent. France (6) VII, 1887, Ostafrika
p. 338. — Gah. Proc. Zool. Soc. Lond.
1900, p. 33.

- Sehestedi** F. Ent. Syst. Suppl. 1798, p. 146; Syst. Tranquebar
Eleuth. II, 1801, p. 284.

margaritifera var. Westw. Cabin. Or.
Ent. 1848, p. 11.

var. *margaritifera* Westw. l. c. p. 11, t. 5, Nepal
f. 2. — Gah. Proc. Zool. Soc. Lond. 1900,
p. 33.

Threnetica Thoms.

Thoms. Physis II, 1868, p. 180. — Lacord. Gen. Col. IX, 1869, p. 354, 362.

lacrymans Thoms. Syst. Ceramb. 1864, p. 553; Physis Laos II, 1868, p. 180.

1

XXII. Pachystolini nov.

Phrynetini Abtheil. IB β , Aurivillius Arkiv f. Zool. III, 18, 1907, p. 27.

Orica Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 511. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 388.

albovirgulata Fairm. Le Natural. (2) II, 1888, p. 23, Madagaskar f. 3; Ann. Soc. Ent. Belg. XL, 1896, p. 388. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 9.

dorsopicta Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 254.

2

Pachystola Reiche.

Reiche in Ferret et Galin. Voy. Abyssin. Ent. 1850, p. 393. — Thoms. Archives Ent. II, 1858, p. 167; Classif. Ceramb. 1860, p. 78; Syst. Ceramb. 1864, p. 375. — Lacord. Gen. Col. IX, 1872, p. 433, 437. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 32.

centrifera Brancs. Ber. Mus.-Ver. Trencsen 1914, Zambesi p. 66, fig.

erinacea Jord. Novit. Zool. I, 1894, p. 226.

Brit.-Ostafrika bis Delagoa Senegal bis Alt-Calabar u. Uganda Usambara

fuliginosa Chevr. Archives Ent. II, 1858, p. 246, t. 14, f. 4.

griseotincta Kolbe, Deutsch-Ostafrika IV, 1897, Col. p. 316.

mamillata Dalm. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 160. — Dohrn, Stett. Ent. Zeit. XLIV, 1887, p. 104; XLVI, 1885, p. 141. Sierra Leone bis Gabun und Loanda

lapidosa Thoms. Archives Ent. II, 1858, p. 167, t. 7, f. 4.

5

Synhomelix Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 69. — Auriv. Arkiv f. Zool. III, 18, 1907, p. 27.

Macrochia Jord. Novit. Zool. X, 1903, p. 176.

annulicornis Chevr. Revue Zool. (2) VII, 1855, p. 184; Cent. Longic. 1858, nr. 5, t. 1, f. 5. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 480, t. 3, f. 5 (sep. p. 205). Alt-Calabar

- Dannfelti** Auriv. Ent. Tidskr. XXIV, 1903, p. 276. Congo
lateralis Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 69. Togo
lutosa Jord. Novit. Zool. X, 1903, p. 176. Gabun
simplicicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, Congo
 1894, p. 677.
textata Chevr. Ann. Soc. Ent. France (3) VI, 1858, Angola,
 p. 321, t. 8, f. 4. Alt-Calabar
ligata Murray, Ann. Mag. Nat. Hist. (4) VI,
 1870, p. 481 (sep. p. 207).
 6

Tragon Murray.

- Murray**, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 49 (sep. p. 219). —
 Auriv. Arkiv f. Zool. III, 18, 1907, p. 27.
Coniesthes Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 67. —
 Jord. Novit. Zool. X, 1903, p. 176.
mimicus Bates, Proc. Zool. Soc. Lond. 1890, p. 490. Aruwimi,
 Congo
signaticornis Chevr. Revue Zool. (2) VII, 1855, p. 521; Sierra Leone
 Cent. Longic. 1858, nr. 41. — Murray, Ann. bisKamerun
 Mag. Nat. Hist. (4) VII, 1871, p. 49 (sep.
 p. 219). — Jord. Novit. Zool. X, 1903, p. 176.
fallax Lameere, Ann. Soc. Ent. France LXII,
 1893, p. 46.
nigrofasciatus Kolbe, Stett. Ent. Zeit. LIV,
 1893, p. 68.
tibialis Jord. Novit. Zool. I, 1894, p. 227. Kuilu
 3

Cyclotaenia Jord.

- Jord. Novit. Zool. X, 1903, p. 176. — Auriv. Arkiv f. Zool. III, 18,
 1907, p. 27.
discus Jord. Novit. Zool. X, 1903, p. 176. Gabun
 1

Hypsideres Jord.

- Jord. Novit. Zool. X, 1903, p. 177. — Auriv. Arkiv f. Zool. III, 18,
 1907, p. 27.
curvinucha Jord. Novit. Zool. X, 1903, p. 177. Ashanti,
 Kamerun
Junodi Jord. Ins. Transvaal. 1906, p. 163, t. 16, f. 17. Transvaal
 2

XXIII. Petrognathini.

- Blanchard, Hist. Nat. Ins. II, 1845, p. 160.
Omacanthidae Lacord. Gen. Col. IX, 1872, p. 415, 447.

Petrognatha Leach.

- Leach in Bowdich, Miss. fr. Cape Coast Castle to Ashantee 1819,
 Append. IV, p. 495. — Blanch. Hist. Nat. Ins. II, 1845, p. 160.
Lamia Thoms. Classif. Ceramb. 1860, p. 78; Syst. Ceramb.
 1864, p. 373.

Omacantha Serv. Ann. Soc. Ent. France IV, 1835, p. 89. —
Cast. Hist. Nat. Col. II, 1840, p. 470. — Lacord. Gen. Col.
IX, 1872, p. 447.

- gigas** F. Ent. Syst. I, 2, 1792, p. 265; Syst. Eleuth. II, 1801, p. 281. — Ol. Encycl. méth. VII, 1792, p. 456; Ent. IV, 67, 1795, p. 59, t. 13, f. 91. — Percher. Dict. Pittor. d'Hist. Nat. IV, 1836, p. 335, t. 289, f. 1. — Cast. Hist. Nat. Col. II, 1840, p. 470. — Blanch. in D'Orb. Dict. Hist. Nat. 1849, Col. t. 13, f. 1. — Thoms. Classif. Ceramb. 1860, t. 1, f. 2—9. — Lacord. Gen. Col. IX, 1872, p. 448. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 19. — Aulmann, Fauna Deutsch. Kolon. V, 5, 1913, p. 11.
var. (ab.) *spinosa* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 39. — Aulmann, Fauna Deutsch. Kolon. V, 5, 1913, p. 12, f. 9.
spinosissima Garcia, Mem. Soc. Españ. Hist. Nat. Tomo cinquent. 1921, p. 387, fig. 1—9.

Senegal bis
Angola

Kamerun,
Congo,
Fernando Po

1

Ithocritus Lacord.

Lacord. Gen. Col. IX, 1872, p. 447, 448.

- ruber** Hope, Proc. Linn. Soc. Lond. I, 1839, p. 43; Trans. Linn. Soc. Lond. XVIII, 1840, p. 441, t. 30, f. 5; Ann. Mag. Nat. Hist. IV, 1840, p. 280.

Assam,
Himalaya

1

loesse Thoms.

Thoms. Syst. Ceramb. 1864, p. 68. — Lacord. Gen. Col. IX, 1872, p. 447, 449. — Gahan, Ann. Mus. Civ. Genova XXXIV, 1895, p. 58.

- sanguinolenta** Thoms Syst. Ceramb. 1864, p. 68. — Lacord. Gen. Col. IX, 1872, p. 450. — ♂ Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 58.

Malacca,
Birma

1

Tetraulax Jord.

Jord. Novit. Zool. X, 1893, p. 182.

- lateralis** Jord. l. c. p. 183.
pictiventris Chevr. Revue Zool. (2) IX, 1857, p. 78; Cent. Longic. 1858, nr. 68. — Murray, Ann. Mag. Nat. Hist. (4) VII, 1871, p. 43 (sep. p. 214).

Franz-Congo
Alt-Calabar

2

XXIV. Baraeini.

Lacordaire, Gen. Col. IX, 1872, p. 414, 439.

Phrynesthis Lacord.

Lacord. Gen. Col. IX, 1872, p. 440.

- pachystoloides** Lacord. l. c. p. 441, nota 1.

Zambesi,
Mossambik,
Deutsch-
Ostafrika

tuberculosa Auriv. Arkiv f. Zool. VII, 3, 1910, p. 35. Brit.-
Ostafrika

2

Aphalanthus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 260.

Conradti Kolbe, l. c. p. 260. Usambara

1

Peleconus Jord.

Jord. in Dist. Ins. Transvaal. 1906, p. 163.

Junodi Jord. l. c. p. 163, t. 16, f. 14. Transvaal

1

Plectroscapus Gah.

Gahan, Trans. Ent. Soc. Lond. 1890, p. 319.

bimaculatus Gah. l. c. p. 320, t. 9, f. 5. Alt-Calabar

1

Temnoscelis Chevr.

Chevr. Revue Zool. (2) VII, 1855, p. 186; Cent. Longic. 1858, nr. 11.
— Thoms. Syst. Ceramb. 1864, p. 381. — Lacord. Gen. Col. IX, 1872,
p. 440, 441.

Waddeli Chevr. Revue Zool. (2) VII, 1855, p. 185; Alt-Calabar,
Cent. Longic. 1858, nr. 11, t. 2, f. 10. — Murray, Kamerun
Ann. Mag. Nat. Hist. (4) VI, 1870, t. 3, f. 10.

1

Stenobia Lacord.

Lacord. Gen. Col. IX, 1872, p. 440, 442.

Pradieri Lacord. l. c. p. 442. — Fairm. Ann. Soc. Gabun,
Ent. Belg. XXXVIII, 1894, p. 330. Kamerun

1

Emphreus Pasc.

Pasc. Journ. of Ent. II, 1864, p. 274. — Gahan, Trans. Ent. Soc.
Lond. 1890, p. 313.

ferrugineus White, Proc. Zool. Soc. Lond. XXVI, Natal
1858, p. 400, t. 53, f. 8. — Gahan, Trans.
Ent. Soc. Lond. 1890, p. 313.

Sundewalli Fähr. Öfvers. Vet. Akad. Förh.
XXIX, 2, 1872, p. 46.

1

Baraeus Thoms.

Thoms. Archives Ent. II, 1858, p. 164; Classif. Ceramb. 1860, p. 78,
83; Syst. Ceramb. 1864, p. 377. — Lacord. Gen. Col. IX, 1872, p.
440, 442.

auriseator Thoms. Archives Ent. II, 1858, p. 164, Gabun,
t. 6, f. 10. — Gerst. Archiv f. Naturg. XXV, Kamerun
2, 1859, p. 414 sep. p. 118). — Lacord. Gen.
Col. IX, 1872, p. 443.

- orientalis** Auriv. Arkiv f. Zool. III, 18, 1907, p. 27, f. 38. Deutsch-Ostafrika
taeniolatus Chevr. Revue Zool. (2) IX, 1857, p. 79; Alt-Calabar, Cent. Longic. 1858, nr. 69. Kamerun
tridentatus F. Syst. Eleuth. II, 1801, p. 284. „Guinea“, Alt-Calabar, Kamerun
bimarginatus Chevr. Revue Zool. (2) VIII, 1856, p. 485; Cent. Longic. 1858, nr. 49. Kamerun
vittatus Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 22, f. 64. Kamerun

5

Abaraeus Jord.

Jord. Novit. Zool. X, 1903, p. 185.

- cuneatus** Jord. l. c. p. 186. Kamerun
curvidens Auriv. Ent. Tidskr. XXIX, 1909, p. 129, fig. 1. Natal
hamifer Auriv. Arkiv f. Zool. III, 18, 1907, p. 28. Kamerun

3

Ischnia Jord.

Jord. Novit. Zool. X, 1903, p. 184.

- picta** Jord. l. c. p. 184. Kamerun

1

Parischnia Auriv.

Auriv. Arkiv f. Zool. III, 18, 1907, p. 29.

- camerunica** Auriv. l. c. p. 29, fig. 40. Kamerun
spinosa Auriv. l. c. p. 30. "

2

Thaumasesthes Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 155.

- penicillus** Fairm. l. c. p. 155. Madagaskar

1

XXV. Xylorhizini.

Lacordaire, Gen. Col. IX, 1872, p. 413, 443.

Gymnostylus Auriv.

Auriv. Tijdschr. v. Ent. LIX, 1916, p. 219.

- signatus** Auriv. l. c. p. 219, t. 8, f. 7. Congo

1

Cymatura Gerst.

- Gerst. Monatsb. Akad. Wiss. Berlin 1855, p. 266; Peters' Reise Mossamb. Ins. 1862, p. 324. — Thoms. Syst. Ceramb. 1864, p. 366. — Lacord. Gen. Col. IX, 1872, p. 444.
bifasciata Gerst. Monatsb. Akad. Wiss. Berlin 1855, p. 266; Peters' Reise Mossamb. Ins. 1862, p. 325, t. 19, f. 9. — Lacord. Gen. Col. IX, Mossambik, Mashunaland,

- 1872, p. 444. — Marshall, Trans. Ent. Soc. Lond. 1902, p. 519, t. 19, f. 14. Matabeleland
var. nigripennis Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 744. Zentralafrika
- bizonata* Quedenf. Berl. Ent. Zeitschr. XXV, 1881, p. 289; XXVI, 1882, p. 352. Angola
- fasciata* Guér. Voy. Lefeb. Ins. 1849, p. 328, t. 5, f. 8. Abessinien
- lichenifera* Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 332. Mossambik
- Mechowi* Quedenf. Berl. Ent. Zeitschr. XXV, 1881, p. 289; XXVI, 1882, p. 353, t. 6, f. 8. Angola
- mucorea* Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 343. Somaliland
- scoparia* Gerst. Monatsb. Akad. Wiss. Berlin 1855, p. 286. Natal
- spumans* Guér. Revue Zool. X, 1847, p. 8. Natal,
mashuna Péring. Ann. S. Afr. Mus. I, 1899, p. 324; III, 1904, p. 297. Zambesi
- tarsalis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 24. Brit.-Ostafrika
- Zuberhoferi* Thoms. Ann. Soc. Ent. France (5) VIII, 1878, Bull. p. 65. Gabun

10

Thylactus Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 242. — Lacord. Gen. Col. IX, 1872, p. 444, 445.
- angularis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 242, t. 27, f. 6. — Lacord. Gen. Col. IX, 1872, p. 445. Penang
- dorsalis* Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 58, t. 7, f. 4. Nepal
- insignis* Gah. Trans. Ent. Soc. Lond. 1890, p. 320, t. 9, f. 6. Senegal:
 Bathurst,
 Angola
 Sumatra
- lateralis* Jord. Novit. Zool. I, 1894, p. 120. Sumatra
- longipennis* Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 242. — Waterh. Aid Identif. Ins. II, 1886, t. 175, f. 7. Alt-Calabar
- nubilus* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 70. Togo
- simulans* Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 58. Nordindien:
 Darjeeling

7

Spodotaenia Fairm.

- Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 77; Ann. Soc. Ent. France (6) VII, 1887, p. 342.
- basicornis* Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 77; Ann. Soc. Ent. France (6) VII, 1887, p. 343, t. 3, f. 11. Brit.-Ostafrika,
 Somaliland

1

Xylorhiza Cast.

- Cast. Hist. Nat. Col. II, 1840, p. 476. — Blanch. Hist. Nat. Ins. II, 1845, p. 162. — Thoms. Classif. Ceramb. 1860, p. 38; Syst. Ceramb. 1864, p. 366. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 162. — Lacord. Gen. Col. IX, 1872, p. 444, 445.

- ✓ **adusta** Wiedem. Zool. Mag. I, 3, 1819, p. 182. — Gah. Bengalen.
Ann. Mus. Civ. Genova (2) XIV, 1894, p. 58. Birma,
venosa Cast. Hist. Nat. Col. II, 1840, p. 476. Malacca
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1865,
p. 162. — Lacord. Gen. Col. IX, 1872, p. 446.
— Lucas, Ann. Soc. Ent. France (5) X, 1880,
Bull. p. 92. — Latr. in Cuvier, Règne Anim.
IV, 1817, t. 14, f. 7; ed. 2, III, 1830, t. 18, f. 7.
Biologie: Lucas, Ann. Soc. Ent. France
(5) III, 1873, p. 375, t. 11; Bull. p. 151. —
Cotes, Ind. Mus. Notes III, 1894, p. 47.
Dohrni Lansb. Ann. Soc. Ent. Belg. XXIII, 1880, C. Sumbawa
R. p. 139.
2

Grammoxyla Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 21.

- hieroglyphica** Redtenb. Reise Novara, Col. 1868, p. 178, Java,
t. 5, f. 2. Borneo
1

Aetholopus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 160. — Lacord.
Gen. Ins. IX, 1872, p. 444, 446.

- exutus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 161. — Lacord. Gen. Ins. IX, 1872, p. 447. Ceram
scalaris Pasc. Trans. Ent. Soc. Lond. (3) III, 1865,
p. 161, t. 9, f. 6. — Lacord. Gen. Ins. IX,
1872, p. 447.
2

XXVI. Rhodopini.

Lacordaire, Gen. Col. IX, 1872, p. 450.

Rhodopis Thoms.

- Thoms. Archives Ent. I, 1857, p. 174; Classif. Ceramb. 1860, p. 95,
103; Syst. Ceramb. 1864, p. 386. — Lacord. Gen. Col. IX, 1872, p.
450. — Gahan, Ann. Mag. Nat. Hist. (6) V, 1890, p. 61.
aberrans Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 59
albomaculata Gah. Ann. Mag. Nat. Hist. (6) V, 1890, Sikkim,
p. 60. Nepal
alboplagiata Gah. l. c. p. 60, t. 7, f. 5. Sikkim
integripennis Bates, Journ. Linn. Soc. Lond. Zool. Japan
XVIII, 1884, p. 243.
javana Auriv. Arkiv f. Zool. III, 18, 1907, p. 30. Java
Lewisi Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 313. Japan
piperata Gah. l. c. (6) V, 1890, p. 59. Nilghiri
pubera Thoms. Archives Ent. I, 1857, p. 174, t. 10,
f. 7. — Lacord. Gen. Col. IX, 1872, p. 451. Silhet
quadrituberculata Auriv. Arkiv f. Zool. XIII, 9, 1920, Madura
p. 17.
seriata Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 24. Borneo
10

Iphiothe Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 254. — Lacord. Gen. Col. IX, 1872, p. 450, 451.

eropsioides Pasc. Trans. Ent. Soc. Lond. (3) III, 1866. Borneo,
p. 255. — Lacord. Gen. Col. IX, 1872, p. 451. Sumatra,
Malacca

1

XXVII. Protonarthrini.

Thomson, Syst. Ceramb. 1864, p. 57, 340. — Lacordaire, Gen. Col. IX. 1872, p. 413, 452.

Protonarthron Thoms.

Thoms. Archives Ent. II, 1858, p. 180; Classif. Ceramb. 1860, p. 110, 119; Syst. Ceramb. 1864, p. 369. — Lacord. Gen. Col. IX, 1872, p. 452.

diabolicum Thoms. Archives Ent. II, 1858, p. 181, Gabun,
t. 6, f. 4. Kamerun

gabium Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Exped. Congo
III, 1911, p. 439.

microps Jord. Novit. Zool. X, 1903, p. 194. Insel
S. Thomé

olympianum Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 24. Congo

subfasciatum Jord. Novit. Zool. I, 1894, p. 227. Kuiu

5

XXVIII. Acrocserini.

Thomson, Syst. Ceramb. 1864, p. 57, 340. — Lacordaire, Gen. Col. IX, 1872, p. 415, 453.

Acrocsera Thoms.

Thoms. Archives Ent. II, 1858, p. 181; Classif. Ceramb. 1860, p. 109, 110; Syst. Ceramb. 1864, p. 369. — Lacord. Gen. Col. IX, 1872, p. 453. — Jordan, Novit. Zool. X, 1903, p. 179.

albifasciata Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Ituri
Exped. III, 1911, p. 440, t. 7, f. 7.

anthriboides Chevr. Archives Ent. II, 1858, p. 248, Alt-Calabar,
t. 14, f. 7. Kamerun,
Gabun,
Loanda,
Goldküste

var. *picta* Jord. Novit. Zool. X, 1903, p. 178. Deutsch-
Ostafrika

compressa F. Syst. Eleuth. II, 1801, p. 290. — Murray, Goldküste bis
Ann. Mag. Nat. Hist. (4) VI, 1870, p. 408 Gabun,
(sep. p. 195). Congo und
Nianniam

conjux Thoms. Archives Ent. II, 1858, p. 183,
t. 6, f. 6.

subundata Chevr. Revue Zool. (2) IX, 1857,
p. 107; Cent. Longic. 1858, nr. 72. — Thoms.
Archives Ent. II, 1858, p. 183.

inermis Thoms. Archives Ent. II, 1858, p. 183, t. 6, f. 7. Gabun

lutosa Jord. Novit. Zool. X, 1903, p. 195. Insel
S. Thomé

14*

- olympiana** Thoms. Archives Ent. II, 1858, p. 182, Goldküste
t. 6, f. 5. bis Kuilu
undulata Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, Gabun bis
p. 185, 354. Angola
7

Acridoschema Thoms.

- Thoms. Archives Ent. II, 1858, p. 185; Classif. Ceramb. 1860, p. 109,
110; Syst. Ceramb. 1864, p. 369. — Lacord. Gen. Col. IX, 1872,
p. 453, 454. — Jord. Novit. Zool. X, 1903, p. 179.
aberrans Jord. Novit. Zool. I, 1894, p. 230; X, 1903, Kuilu
p. 179.
apicale Jord. l. c. I, 1894, p. 230. Congo,
Kamerun
atricolle Jord. l. c. X, 1903, p. 178. Congo
bimaculatum Thoms. Revue Zool. (3) VI, 1878, p. 67. Gabun
capricorne Thoms. Archives Ent. II, 1858, p. 185, "
t. 6, f. 2.
convexum Jord. Novit. Zool. I, 1894, p. 229. Kamerun
isidori Chev. Archives Ent. II, 1858, p. 252, t. 14, Elfenbein-
f. 8. küste: Grand
Bassam
ligatum Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, Angola
p. 185, 354, t. 6, f. 9.
thomense Jord. Novit. Zool. X, 1903, p. 195. Insel
S. Thomé
unifasciatum Thoms. Archives Ent. II, 1858, p. 185, Gabun
t. 6, f. 3.
varians Jord. Novit. Zool. I, 1894, p. 228; X, 1903, Kuilu
p. 179.
11

Discoceps Jord.

- Jord. Novit. Zool. I, 1894, p. 231.
fasclatus Jord. l. c. p. 231. Kuilu
griseus Jord. l. c. X, 1903, p. 179. Franz.-
Congo:
spilotus Jord. l. c. p. 179. Benito
3 "

Acridocera Jord.

- Jord. Novit. Zool. X, 1903, p. 180.
ziezac Jord. l. c. p. 180. Franz.-
Congo:
1 Benito

Metretes Thoms.

- Thoms. Syst. Ceramb. 1864, p. 47, 365.
inaequalis Thoms. Syst. Ceramb. 1864, p. 47. — Madagaskar
Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 72.
1

XXIX. Dorcaschematini.

Thomson, *Classif. Ceramb.* 1860, p. 104, 107; *Syst. Ceramb.* 1864, p. 90, 340. — Lacordaire, *Gen. Col.* IX, 1872, p. 415, 456.

Cylindrepomus Blanch.

Blanchard, *Voy. Pôle Sud, Zool.* IV, 1853, p. 268. — Thoms. *Syst. Ceramb.* 1864, p. 386. — Pasc. *Trans. Ent. Soc. Lond.* (3) III, 1866, p. 259, 318. — Lacord. *Gen. Col.* IX, 1872, p. 457.

Cylindropomus Thoms. *Classif. Ceramb.* 1860, p. 104.

albicornis Nonfr. *Deutsche Ent. Zeitschr.* 1894, p. 212. Sumatra

comis Pasc. *Trans. Ent. Soc. Lond.* (2) IV, 1858, Borneo
p. 241, t. 25, f. 7; (3) III, 1866, p. 320. —
Shelf. *Proc. Zool. Soc. Lond.* 1902, 2, p. 282,
t. 20, f. 32.

grammicus Pasc. *Ann. Mag. Nat. Hist.* (3) V, 1860, Molukken,
p. 121; *Trans. Ent. Soc. Lond.* (3) III, 1866, Waigiu,
p. 319, t. 14, f. 5. — Waterh. *Aid Identif.* Saylee
Ins. II, 1886, t. 175, f. 12.

laetus Pasc. *Trans. Ent. Soc. Lond.* (2) IV, 1858, p. Malacca
241; (3) III, 1866, p. 319. — Waterh. *Aid*
Identif. Ins. II, 1886, t. 175, f. 4.

var. *Shelfordi* n. nom.

Borneo

comis? Shelf. *Proc. Zool. Soc. Lond.* 1902,
2, p. 282, t. 20, f. 33.

laetus var. Gah. *Proc. Ent. Soc. Lond.*
1911, p. 79.

lineatus Auriv. *Arkiv f. Zool.* VIII, 29, 1914, p. 25. Tonkin

nigrofasciatus Blanch. *Voy. Pôle Sud, Zool.* IV, 1853. Neuguinea,
p. 268, t. 17, f. 2. — Pasc. *Trans. Ent. Soc.* Aru
Lond. (3) III, 1866, p. 318.

oxypterus Fairm. *Le Natural.* I, 1879, p. 75; *Ann. Neu-Mecklen-*
Soc. Ent. Belg. XXVII, 2, 1883, p. 52. burg

peregrinus Pasc. *Trans. Ent. Soc. Lond.* (2) IV, 1858, Borneo, Java,
p. 241; (3) III, 1866, p. 319. — Shelf. *Proc.* Luzon
Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 30.

signatus Auriv. *Arkiv f. Zool.* VIII, 29, 1914, p. 25. Tonkin

unguiculatus Nonfr. *Deutsche Ent. Zeitschr.* 1894, Sumatra
p. 212.

virgatus Gah. *Ann. Mag. Nat. Hist.* (6) V, 1890, p. 61. Himalaya

11

Olenecamptus Chevr.

Chevr. *Mag. Zool.* V, 1835, *Ins.* t. 134. — Thoms. *Classif. Ceramb.*
1860, p. 104, 108; *Syst. Ceramb.* 1864, p. 386. — Pasc. *Trans. Ent.*
Soc. Lond. (3) III, 1866, p. 259, 316. — Lacord. *Gen. Col.* IX, 1869,
p. 457, 458.

Authades Thoms. *Archives Ent.* I, 1857, p. 191; *Classif.*
Ceramb. 1860, p. 104, 108; *Syst. Ceramb.* 1864, p. 386.

Ibidimorphum (Motsch. Schrenck's *Reisen Amurl. Col.*
1860, p. 153.) — Blessig, *Horae Soc. Ent. Ross.* IX, 1873,
p. 191 (31). — Ganglb. *Best.-Tab.* VIII, 1884, p. 86 (520)

Ibidimorphum Motsch. Schrenck's *Reisen Amurl. Col.*
1860, t. 10.

Arten aus Asien.

- albolineatus** Pic, Mélanges Exot.-Ent. XVII, 1916, p. 5. Cochinchina
- basalis** Gah. Christmas Island 1900, p. 122. Christmas-Insel
- ✓ **bilobus** F. Syst. Eleuth. II, 1801, p. 324. — Er. Nova Acta Acad. Nat. Cur. XVI, Suppl. 1, 1834, p. 269; t. 39, f. 9. — Boisd. Voy. Astrolabe, Ins. II, 1835, p. 527. — Montrouz. Ann. Soc. Agric. Lyon (2) VII, 1855, p. 63. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 316. *serratus* Chevr. Mag. Zool. V. 1835, Ins. t. 134. Seychellen, Ceylon, Ostindien, Birma, Siam, Malacca, Sunda-Ins., Molukken, Neuguinea
- Biologie: Maxwell-Lefroy, Ind. Ins. Life 1909, p. 376.
- borneensis** Pic, Mélanges Exot.-Ent. XVII, 1916, p. 6. Borneo
- clarus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 44. Nordchina
- compressipes** Fairm. Ann. Soc. Ent. France (6) VIII, 1888, p. 370. Cambodja
- cretaceus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 314. Japan
- decemmaculatus** Pic, Longic. X, 1, 1916, p. 13. Tonkin
- dominus** Thoms. Classif. Ceramb. 1860, p. 362. Assam
- ✓ **formosanus** Pic, Longic. IX, 1, 1914, p. 19. Formosa
- indianus** Thoms. Archives Ent. I, 1857, p. 192. — Lacord. Gen. Col. IX, 1872, p. 458, nota 5. „Ostindien“
- lacteoguttatus** Fairm. Le Natural. III, 1881, p. 359. Carolinen: Insel Ruk
- lineaticeps** Pic, Longic. X, 1, 1916, p. 18. Tonkin
- lineatus** Gestro, Ann. Mus. Civ. Genova VIII, 1876, p. 520. Sorong
- multinotatus** Pic, Bull. Soc. Ent. France 1916, p. 141. Assam?
- nigromaculatus** Pic, Echange XXXI, 1915, p. 14; Longic. X, 1, 1916, p. 14. Tibet
- obsoletus** Fairm. Revue d'Ent. VII, 1888, p. 146. Peking
- octopustulatus** Motsch. Schrenck's Reisen Amurl. Col. 1860, p. 152, t. 10, f. 3. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 194. — Ganglb. Best.-Tab. VIII, 1884, p. 87 (521). — Jakobs. Käfer Rußl. IX, 1911, t. 71, f. 6. Amur, Mongolei
- ✓ **optatus** Pasc. Proc. Zool. Soc. Lond. 1866, p. 253; Trans. Ent. Soc. Lond. (3) III, 1866, p. 317. — Lacord. Gen. Col. IX, 1872, t. 101, f. 4. — Waterh. Aid Identif. Ins. II, 1886, t. 175, f. 3. Malacca, Borneo
- quietus** Pasc. Proc. Zool. Soc. Lond. 1866, p. 254. Penang
- Rouyeri** Pic, Mélanges Exot.-Ent. XVII, 1915, p. 6. Java
- rubriceps** Auriv. Arkiv f. Zool. III, 18, 1907, p. 31. „
- strigosus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 317. Amboina, Aru, Neuguinea
- **superbus** Pic, Longic. VII, 1, 1908, p. 16. Yunnan

Arten aus Afrika.

- albidus** Jord. Novit. Zool. I, 1894, p. 232. Kuilu
- var. *interruptus* Auriv. Arkiv f. Zool. IX, 8, 1914, p. 10. Deutsch-Ostafrika
- Battangi** Villard, Bull. Soc. Ent. France 1901, p. 144. „

- elegans** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 26. Nyassaland
Hofmanni Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, Angola,
 p. 355, t. 6, f. 10. Congo
Macari Lameere, Ann. Soc. Ent. Belg. XXXVI, 1892, Congo:
 p. 507. Kassai
madecassus Fairm. Revue d'Ent. Franç. XX, 1901, Madagaskar
 p. 226.
nubilus Jord. Novit. Zool. XI, 1904, p. 365. Brit.-
 Ostafrika
oleus Gah. in Dist. Ins. Transvaal. 1904, p. 143, Transvaal
 t. 14, f. 1.
tessellatus Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 384. Delagoa-Bay
triplagiatus Jord. Novit. Zool. I, 1894, p. 232. Goldküste

34

Brachyolene Auriv.

Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 26.

- brunnea** Auriv. l. c. p. 27, t. 1, f. 6. Kamerun

1

Dorcaschema J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 147. — Thoms. Classif. Ceramb. 1860, p. 104; Syst. Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 457, 459. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 335. — Prov. Faune Ent. Canada I, 1877, p. 626. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 320. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 193; XXIII, 1896, p. 110 (Synopsis). — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Blatchley, Col. Indiana 1910, p. 1063, 1065.

- ✓ **alternatum** Say, Journ. Acad. Philad. III, 1823, p. 405; Nordamerika
 Compl. Writings II, 1859, p. 188. — J. Lec. New York :
 Journ. Acad. Philad. (2) II, 1852, p. 147. — bis Südcaro-
 Lacord. Gen. Col. IX, 1872, p. 460. — Horn, lina und
 Synops. XII, p. 194; XXIII, p. 110. — Texas
 Blatchley, Col. Indiana 1910, p. 1065, 1066.
 ✓ **nigrum** Say, Journ. Acad. Philad. V, 2, 1827, p. 272; Canada und
 Compl. Writings II, 1859, p. 330. — J. Lec. Vereinigte
 Journ. Acad. Philad. (2) II, 1852, p. 147. — Staaten
 Prov. Pet. Faune Ent. Canada I, 1877, p. Nord-
 626. — Horn, Synops. XII, 1885, p. 194; XXIII, amerikas bis
 1896, p. 110. — Felt, Ins. Affect. Trees II, Louisiana
 1907, p. 444, f. 100. — Blatchley, Col. Indiana
 1910, p. 1065, 1066.
 Biologie: Hamilton, Canad. Ent. XXII,
 1890, p. 239.
 ✓ **Wildi** Uhler, Proc. Acad. Philad. VII, 1855, p. 417. Indiana, Ohio,
 — Horn, Synops. XII, 1885, p. 194; XXIII, Penn-
 1896, p. 110. — Blatchley, Col. Indiana 1910, sylvania,
 p. 1065. Maryland

3

Hetoemis Haldem.

Haldem. Trans. Amer. Philos. Soc. X, 1847, p. 54. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 146. — Thoms. Classif. Ceramb. 1860, p. 7, 14. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 335. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 320. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Blatchley, Col. Indiana 1910, p. 1063, 1066.

- ✓ **cinerea** Ol. Ent. IV, nr. 68, 1795, p. 28, t. 3, f. 35. — New York bis
 J. Lec. Journ. Acad. Philad. (2) II, 1852, p. Alabama
 146. — Leng & Hamilton, Trans. Amer. Ent. und
 Soc. XXIII, 1896, p. 111. — Blatchley, Col. Louisiana
 Indiana 1910, p. 1066.
juglandis Haldem. Trans. Amer. Philos.
 Soc. (2) X, 1847, p. 54.
trilineata Say, Journ. Acad. Philad. V, 2,
 1827, p. 273; Compl. Writings II, 1859, p. 331.

- modesta** Montrouz. Ann. Soc. Ent. France (4) I, 1861. Insel Lifu
 p. 270.
 2

XXX. Xenoleini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 460.

Xenolea Thoms.

- Thoms. Syst. Ceramb. 1864, p. 91. — Lacord. Gen. Col. IX, 1872.
 p. 460.
Aeschopalaea Pasc. Trans. Ent. Soc. Lond. (3) III, 1864,
 p. 10, 24.
agraria Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. Ceram
 24, t. 1, f. 2.
collaris Thoms. Syst. Ceramb. 1864, p. 91. Borneo?
grisella Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 25. Aru
laticollis Pasc. l. c. p. 25. Mysol
tomentosa Pasc. l. c. p. 25. Singapur,
 Macassar

5

Xenicotela Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 242.
fuscula Bates, l. c. p. 242, t. 2, f. 2. Japan
 1

Nanohammus Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 243.
rufescens Bates, l. c. p. 244, t. 2, f. 4. Japan
 1

XXXI. Hyborhabdinae.

- Aurivillius, Arkiv f. Zool. VII, 19, 1911, p. 22; Journ. Sarawak
 Mus. I, 3, 1913, p. 10.

Hyborhabdus Auriv.

- Auriv. Arkiv f. Zool. VII, 19, 1911, p. 22; Journ. Sarawak Mus. I,
 3, 1913, p. 10.
singularis Auriv. Arkiv f. Zool. VII, 19, 1911, p. 23; Borneo
 Journ. Sarawak Mus. I, 3, 1913, p. 10.
 1

XXXII. Nemotragini.

Thomson, Syst. Ceramb. 1864, p. 93, 341. — Lacordaire, Gen. Col. IX, 1872, p. 414, 461.

Nemotragus Guér.

Guér. Icones Règne Anim. Ins. 1844, p. 253. — Westw. Arcana Ent. II, 1845, p. 57. — Thoms. Classif. Ceramb. 1860, p. 124; Syst. Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 461.

helvolus Guér. Icones Règne Anim. Ins. 1844, p. 253. Kapland, — Westw. Arcana Ent. II, 1845, p. 58, t. 61, Transvaal f. 4. — Fähr. Öfvers. Vet. Akad. Förl. XXIX, 2, 1872, p. 47. — Lacord. Gen. Col. IX, 1872, p. 462. — Dist. Ins. Transvaal. 1904, p. 144, t. 14, f. 3.

1

XXXIII. Anauxesini.

Thomson, Syst. Ceramb. 1864, p. 94, 341. — Lacordaire, Gen. Col. IX, 1872, p. 413, 462.

Anauxesis Thoms.

Thoms. Archives Ent. I, 1857, p. 191; Classif. Ceramb. 1860, p. 124, 125; Syst. Ceramb. 1864, p. 94. — Lacord. Gen. Col. IX, 1872, p. 463.

Ischnoberea Brancs. Jahrb. Ver. Trencsen XIX, 1897, p. 128. — Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 255.

atrata Chevr. Revue Zool. (2) VII, 1855, p. 290; Cent. Alt-Calabar Longic. 1858, nr. 30.

calabarica Chevr. Revue Zool. (2) VII, 1855, p. 290; Cent. Longic. 1858, nr. 29. — Thoms. Classif. Ceramb. 1860, p. 125. ”

cincticornis Pasc. Trans. Ent. Soc. Lond. (2) IV, Natal, 1857, p. 110. Zululand

elongata Brancs. Jahrb. Ver. Trencsen XIX, 1897, Nossi-Bé p. 128, t. 4, f. 21. — Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 255.

filiformis Ol. Ent. IV, nr. 68, 1795, p. 28, t. 4, f. 47. Senegal

Perrieri Fairm. Ann. Soc. Ent. Belg. XLVI, 1908, Madagaskar p. 256; Ann. Soc. Ent. France LXXII, 1903, p. 255.

simplex Jord. Novit. Zool. XI, 1904, p. 365. Brit.-Ostafrika: Ikutha

singularis Auriv. in Sjöstedt, Kilimandjaro-Exp. VII, Meru-Berg 1908, p. 148.

vittata Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 27. Nyassaland

9

Dalterus Fairm.

Fairm. Revue d'Ent. Fr. XI, 1892, p. 125.

Auberti Fairm. l. c. p. 126.

Obock

1

XXXIV. Nyctimenini.

Thomson, Syst. Ceramb. 1864, p. 94, 341. — Lacordaire, Gen. Col. IX, 1872, p. 415, 467.

Nyctimene Thoms.

Thoms. Archives Ent. I, 1857, p. 314; Classif. Ceramb. 1860, p. 41, 61; Syst. Ceramb. 1864, p. 388. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 329, 330. — Lacord. Gen. Col. IX, 1872, p. 468.

- subsericea* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Celebes:
p. 331. Menado
- varicornis* F. Syst. Eleuth. II, 1801, p. 325. Sumatra,
agrilloides Thoms. Archives Ent. I, 1857, Java
p. 314. — Chevr. Journ. of Ent. I, 1860,
p. 189. — Lacord. Gen. Col. IX, 1872, p. 468.
- ✓ *vittata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Singapur
p. 330.

3

Euseboides Gah.

Gahan, Ann. Mag. Nat. Hist. (6) XI, 1893, p. 385.

- plagiatus* Gah. I. c. p. 386, t. 19, f. 6. Sikkim

1

XXXV. Amymomini.

Lacordaire, Gen. Col. IX, 1872, p. 415, 468.

Amymoma Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 332. — Lacord. Gen. Col. IX, 1872, p. 469.

- ✓ *pulchella* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo
p. 332, t. 15, f. 3.

1

XXXVI. Protorhopalini.

Thomson, Syst. Ceramb. 1864, p. 69, 374. — Lacordaire, Gen. Col. IX, 1872, p. 414, 455.

Protorhopala Thoms.

Thoms. Classif. Ceramb. 1860, p. 91; Syst. Ceramb. 1864, p. 374. — Lacord. Gen. Col. IX, 1872, p. 455.

- elegans* Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, Madagaskar
p. 68, t. 8, f. 1. — Künckel in Grandid.
Hist. Madag. Col. 1890, t. 46, f. 10.
- ✓ *sexnotata* Klug, Abhandl. Akad. Wiss. Berlin I,
1833, p. 206, t. 5, f. 3. — Fairm. Ann. Soc.
Ent. France (5) I, 1871, p. 66. — Lacord.
Gen. Col. IX, 1872, p. 456. — Künckel in
Grandid. Hist. Madag. Col. 1890, t. 50, f. 3.
— Heyne-Taschenb. Exot. Käfer 1904, p. 243,
t. 35, f. 27.

cretacea Coquer. Revue Zool. (2) III, 1851,
p. 89; Ann. Soc. Ent. France (2) X, 1852,
p. 397.

2

XXXVII. Homonoeni.

Thomson, Syst. Ceramb. 1864, p. 35, 338. — Lacordaire, Gen. Col. IX, 1872, p. 413, 469. — Aurivillius, Deutsche Ent. Zeitschr. 1908, p. 218 (Revisio).

Homonoea Newm.

Newm. Entomolog. I, 1842, p. 319. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 344. — Thoms. Classif. Ceramb. 1860, p. 352; Syst. Ceramb. 1864, p. 359. — Lacord. Gen. Col. IX, 1872, p. 470, 473. — Auriv. Revis. p. 219.

pannosa Newm. Entomolog. I, 1842, p. 320. — White, Philippinen
Cat. Col. Brit. Mus. VIII, 1855, p. 345.
patrona Newm. Entomolog. I, 1842, p. 320. — White, "
Cat. Col. Brit. Mus. VIII, 1855, p. 344, t. 7,
f. 8. — Lacord. Gen. Col. IX, 1872, p. 474.
praecisa Newm. Entomolog. I, 1842, p. 320. — White, "
Cat. Col. Brit. Mus. VIII, 1855, p. 344.
uniformis Jord. Novit. Zool. I, 1894, p. 117, t. 8, f. 8. Insel Sanghir

4

Urocalymma Westw.

Westw. Arcana Ent. I, 1842, p. 58. — Thoms. Classif. Ceramb. 1860, p. 352; Syst. Ceramb. 1864, p. 359. — Lacord. Gen. Col. IX, 1872, p. 474.
longinasa Westw. Arcana Ent. I, 1842, p. 58, t. 15, Philippinen
f. 3. — Lacord. Gen. Col. IX, 1872, p. 475.

1

Micromulciber Auriv.

Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 25.

biguttatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur,
p. 453. Borneo
fuscomarginatus Auriv. Arkiv f. Zool. VIII, 29, 1914, "
p. 28.
variegatus Auriv. l. c. p. 28. "

3

Grynex Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 502.

lineatus Pasc. l. c. p. 502, t. 14, f. 2. Südostindien

1

Sormea Lacord.

Lacord. Gen. Col. IX, 1872, p. 470, 473. — Auriv. Revis. p. 219.

Orbigny Guér. Voy. Coquille, Zool. II, 2, 1831, p. 134, Neu-
t. 7, f. 6. — White, Cat. Col. Brit. Mus. VIII, Mecklenburg
1855, p. 345.

1

Mulciber Thoms.

Thoms. Syst. Ceramb. 1864. p. 493. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 453. — Lacord. Gen. Col. IX, 1872, p. 471. — Auriv. Revis. p. 219.

- ✓ **lineatus** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 18. Neuguinea
Linnei Thoms. Syst. Ceramb. 1864, p. 494. — Pasc. Molukken,
 Trans. Ent. Soc. Lond. (3) III, 1867, p. 453. Neuguinea
 — Auriv. Arkiv f. Zool. X, 19, 1916, p. 16.
plagiatus Auriv. l. c. p. 16. Neuguinea
pullatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan
 p. 454.

4

Anapausa Thoms.

Thoms. Syst. Ceramb. 1864, p. 494. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 452. — Lacord. Gen. Col. IX, 1872, p. 470, 472. — Auriv. Revis. p. 219.

- ✓ **armata** Thoms. Syst. Ceramb. 1864, p. 495. — Pasc. Molukken,
 Trans. Ent. Soc. Lond. (3) III, 1867, p. 452. Neuguinea
 — Lacord. Gen. Col. IX, 1872, p. 472. —
 Heyne-Taschenb. Exot. Käfer 1904, p. 243,
 t. 35, f. 30.

1

Catapausa Auriv.

Auriv. Deutsche Ent. Zeitschr. 1908, p. 219, 220.

- bispinosa** Auriv. l. c. p. 220, t. 3, f. 1. Neuguinea
inermis Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 19. „

2

Trachelophora Perroud.

Perroud, Ann. Soc. Linn. Lyon (2) II, 1855. p. 357; Mélanges Ent. III, 1855. p. 37. — Thoms. Syst. Ceramb. 1864, p. 358. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 451. — Lacord. Gen. Col. IX, 1872, p. 470, 471. — Auriv. Revis. p. 219.

- ✓ **curvicollis** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, Java,
 p. 359; Mélanges Ent. III, 1855, p. 39. — Sumatra
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1867,
 p. 452. — Lacord. Gen. Col. IX, 1872, p. 471.

1

Notomulciber Blackb.

Blackb. Trans. R. Soc. S. Austr. XVIII, 1894, p. 166. — Auriv. Revis. p. 218.

- Carpentariae** Blackb. Trans. R. Soc. S. Austr. XVIII, Cape York
 1894, p. 166.

1

Homonoemomorpha Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 23; Journ. Sarawak Mus. I, 3, 1913, p. 11.

- aliena** Newm. Entomolog. I, 1842, p. 321. — White, Philippinen
Cat. Col. Brit. Mus. VIII, 1855, p. 346. —
Lacord. Gen. Col. IX, 1872, p. 474, nota 1.
- bilinea** Newm. Entomolog. I, 1842, p. 320. — White, „
Cat. Col. Brit. Mus. VIII, 1855, p. 345. —
Lacord. Gen. Col. IX, 1872, p. 474, nota 1.
- flavovariegata** Auriv. Arkiv f. Zool. VII, 19, 1911, Borneo
p. 23; Journ. Sarawak Mus. I, 3, 1913, p. 11.
- fornicata** Newm. Entomolog. I, 1842, p. 321. — White, Philippinen
Cat. Col. Brit. Mus. VIII, 1855, p. 345. —
Lacord. Gen. Col. IX, 1872, p. 474, nota 1.

4

Heteroclytomorpha Blanch.

Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 277. — Thoms. Syst. Ceramb. 1864, p. 358. — Gahan, Ann. Mag. Nat. Hist. (6) I, 1888, p. 192 nota. — Auriv. Revis. p. 219.

Heteroclytomorpha Gemm. & Har. Catal. Col. X, 1873, p. 3064.

- inaequalis** Auriv. Deutsche Ent. Zeitschr. 1908, p. 220, Admiraltäts-
t. 3, f. 7. Inseln
- punctata** Gah. Ann. Mag. Nat. Hist. (6) I, 1888, p. 192. Salomonen
- quadrinotata** Blanch. Voy. Pôle Sud, Zool. IV, 1853, „
p. 277, t. 17, f. 10. — White, Cat. Col. Brit.
Mus. VIII, 1855, p. 341.
- sormeoides** Auriv. Deutsche Ent. Zeitschr. 1908, p. 219, Neu-
f. 11, 11a. Pommern

4

XXXVIII. Tmesisternini.

Thomson, Classif. Ceramb. 1860, p. 76. — Lacordaire, Gen. Col. IX, 1869, p. 242. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 139 (Catal.). — Taschenberg in Heyne, Exot. Käfer 1907, p. 241.

Buprestomorpha Thoms.

Thoms. Classif. Ceramb. 1860, p. 352, 359; Syst. Ceramb. 1864, p. 357. — Lacord. Gen. Col. IX, 1869, p. 244. — Fauvel, Revue d'Ent. XXV, 1906, p. 59 (Synopsis).

- Dubouzeti** Montrouz. Ann. Soc. Ent. France (4) I, Neu-
1861, p. 296 (sep. p. 390), t. 5, f. 5. — Fauvel, caledonien
Synopsis. p. 59.
- Montrouzieri** Thoms. Classif. Ceramb. 1860, p. 359. — „
Lacord. Gen. Col. IX, 1869, p. 245. — Fauvel,
Synopsis. p. 59.

2

Pascoëa White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 340. — Thoms. Classif. Ceramb. 1860, p. 76, 353; Syst. Ceramb. 1864, p. 357. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441, 485. — Lacord. Gen. Col. IX, 1869, p. 245.

Subg. *Elais* Thoms. Syst. Ceramb. 1864, p. 32, 357. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 495. — Lacord. Gen. Col. IX, 1869, p. 246.

Subgen. **Pascoëa** s. str.

- * *Amaliae* Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 171. Neu-Guinea
- * *Idae* White, Cat. Col. Brit. Mus. VIII, 1855, p. 341, Ceram,
t. 8, f. 5. — Pasc. Trans. Ent. Soc. Lond. Amboina
(3) III, 1867, p. 486, t. 19, f. 6. — Lacord. Gen.
Col. IX, 1869, p. 245, t. 96, f. 1.

Subgen. **Elais** Thoms.

- thoracica* Thoms. Syst. Ceramb. 1864, p. 32. — Gah. Aru
Report Wollast. Exped. Dutch N. Guinea I.
1915, Col. 3, p. 6 nota.
- ♂ *exarata* Pasc. Journ. of Ent. I, 1862,
p. 364; ♂ Trans. Ent. Soc. Lond. (3) III,
1867, p. 496, t. 19, f. 7.

Subgenus ?

- albomaculata* Gah. Report Wollast. Exped. Dutch Neu-Guinea
N. Guinea I, 1915, Col. 3, p. 6; Trans. Zool. Neu-Guinea
Soc. Lond. XX, 1915, p. 541, t. 39, f. 21.
- bimaculata* Gestro, Ann. Mus. Civ. Genova IX, 1876, Neu-Guinea:
p. 173. Ramoi
- ✓ *exarata* Pasc. Journ. of Entomol. I, 1862, p. 364 „♂“, Aru
non „♀“; Trans. Ent. Soc. Lond. (3) III, 1867,
p. 496 ♀, non ♂. — Gah. Report Wollast.
Exped. Dutch N. Guinea I, 1915, Col. 3,
p. 6 nota.
- Hauseri* Auriv. Ark. f. Zool. III, 18, 1907, p. 15. Neu-Guinea

7

Spingnotus Perroud.

Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 410; Mélang. Ent. III, 1855, p. 90. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441, 482. — Lacord. Gen. Col. IX, 1869, p. 246.

Ichthyosoma Montrouz. Ann. Soc. Agr. Lyon (2) VII, 1855, p. 59 (ex parte) nom. vix descr.

Sphingnothus Thoms. Classif. Ceramb. 1860, p. 353; Syst. Ceramb. 1864, p. 357.

- ✓ *Albertisi* Gestro, Ann. Mus. Civ. Genova VIII, 1876, Neu-Guinea
p. 523; IX, 1876, p. 169.
- Dohrni* Fairm. Ann. Soc. Ent. Belg. XXVII, 2, 1883, Insel Duke
p. 48. of York
- ✓ *Dunningi* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan,
p. 484, t. 18, f. 4. — Fairm. Ann. Soc. Ent. ? Insel Duke
Belg. XXVII, 2, 1883, p. 47. of York

- insignis** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 413; Mélang. Ent. III, 1855, p. 93. Salomonen: San Cristoval
- mirabilis** Boisd. Voy. Astrolabe, Ins. II, 1835, p. 468, t. 8, f. 5. — Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 411; Mélang. Ent. III, 1855, p. 91. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 483; Ann. Mag. Nat. Hist. (4) XV, 1875, p. 66. — Gah. Report Wollaston Exped. Dutch N. Guinea I, 1915, Col. 3, p. 6. Ceram, Aru, Misol, Salwatty, Waigiu, Neu-Guinea
- Mniszechi** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 417. Amboina?
- Perroudi** Montrouz. Ann. Soc. Linn. Lyon (2) XI, 1864, p. 196. Salomonen: San Cristoval
- mirabilis* Montrouz. Ann. Soc. Agr. Lyon (2) VII, 1855, p. 58.

Arrhenotus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 242. — Thoms. Classif. Ceramb. 1860, p. 353; Syst. Ceramb. 1864, p. 357. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441, 492. — Lacord. Gen. Col. IX, 1869, p. 247.
- Mneside* Thoms. Syst. Ceramb. 1864, p. 324, 357. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441, 493. — Lacord. Gen. Col. IX, 1869, p. 248, nota 1.
- Polyxo* Thoms. Syst. Ceramb. 1864, p. 32, 357. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441, 487. — Lacord. Gen. Col. IX, 1869, p. 248, nota 1.
- adpersus** Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 279. Aru
- marmoratus* Blanch. l. c. Atlas, t. 16, f. 18.
- bialbatus** Gah. Trans. Zool. Soc. Lond. XX, 1915, p. 543, t. 39, f. 22; Rep. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 8. Holländisch-Neuguinea
- biarcifer** Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 280, t. 16, f. 12. — Pasc. Trans. Ent. Soc. Lond. (3) III, p. 491. Neuguinea, Salwatty
- degeneratus** Heller in Wichmann, Nova Guinea IX, 1914, p. 658, t. 16, f. 11; Deutsche Ent. Zeitschr. 1914, p. 315. Neuguinea
- humilis** Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 167. "
- jaspidens** Boisd. Voy. Astrolabe, Ins. II, 1835, p. 473. "
- flexuosus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 489.
- sulcatipennis* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 281, t. 16, f. 19. Aru
- var. *Pascoei* n. nom.
- sulcatipennis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 490.
- lietorius** Pasc. l. c. p. 489, t. 19, f. 8. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 166. Ceram, Aru, Salwatty, Jobi
- ludificator** Heller. Deutsche Ent. Zeitschr. 1914, p. 315, t. 12, f. 4. Deutsch-Neuguinea

- mucronatus** Gah. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 8. Holländisch-Neuguinea
- patricius** Thoms. Syst. Ceramb. 1865, p. 545. — Pasc. „Celebes“, Trans. Ent. Soc. Lond. (3) III, 1867, p. 488. Amboina, Aru, Celebes
- Pauli** Heller, Abhandl. Mus. Dresden VI, 10, 1897, p. 35.
- rufipes** Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 287, t. 16, f. 13. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 493. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 167. — Gah. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 7. Batjan, Kaioa, Morotai, Key, Aru, Sorong, Neuguinea
- Salomonum** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 18, fig. 77. Bougainville
- septempunctatus** Boisd. Voy. Astrolabe, Ins. II, 1835, p. 470, t. 9, f. 16. — Blanch. Règne Anim. éd. Masson, Ins. 1849, I, t. 66 bis, f. 5. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 491. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 166. Neuguinea
- subchlorus** Heller, Nova Guinea IX, 1914, p. 659.
- superans** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 488. Waigiū
- trapezicollis** Heller, Nova Guinea IX, 1914, p. 659, t. 16, f. 13. Neuguinea
- laticollis* Gah. Trans. Zool. Soc. Lond. XX, 1915, p. 541, t. 39, f. 24; Wollast. Exped. Dutch N. Guinea I. 1915. Col. 3, p. 7.
- venatus** Thoms. Syst. Ceramb. 1864, p. 324. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 494. Flores
- viridescens** Thoms. Syst. Ceramb. 1864, p. 32. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 487. Amboina, Ceram, Neuguinea
- Wallacei** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 242, t. 25, f. 1; (3) III, 1867, p. 492. — Thoms. Classif. Ceramb. 1860, p. 360. Celebes: Macassar
- Willeyi** Sharp in Willey, Zoolog. Results IV, 1900, p. 383, t. 35, f. 5. Neupommern

21

Tmesisternus Latr.

- Latr. Règne Anim. ed. 2, V, 1829, p. 121. — Thoms. Classif. Ceramb. 1860, p. 76. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441, 460. — Lacord. Gen. Col. IX, 1869, p. 244, 248.
- Apolia* Thoms. Syst. Ceramb. 1864, p. 34, 358.
- Ichthyosoma* Montrouz. Ann. Soc. Agr. Lyon (2) VII. 1855, p. 59 (ex parte); vix descr.
- Ichthyosomus* Thoms. Classif. Ceramb. 1860, p. 352; Syst. Ceramb. 1864, p. 358.
- agnatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 465. Molukken: Gagie
- agrarius** Pasc. l. c. p. 472. Salwatty, Neuguinea
- agriloides** Pasc. l. c. p. 481. Neuguinea
- albosignatus** Gah. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 12. „
- amoenus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 470. Ceram

analis Pasc. l. c. p. 465.	Salwatty, Neuguinea, Jobi Neuguinea
arfakianus Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 158.	
armatus Montrouz. Ann. Soc. Agr. Lyon (2) VII, 1855, p. 59. — Montrouz. & Perroud, Ann. Soc. Linn. Lyon (2) XI, 1864, p. 199.	Insel Woodlark
avarus Pasc Trans. Ent. Soc. Lond (3) III, 1867, p. 477.	Insel Key
bizonatus Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 285. <i>trivittatus</i> var. Blanch. l. c. Atlas, Ins. 1842, t. 16, f. 16.	Neuguinea
Bruijni Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 154.	„
conicicollis Thoms. Syst. Ceramb. 1864, p. 34. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 480.	Salwatty, Aru
contraversus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 478.	Amboina, Aru, Neuguinea
cupreosignatus Auriv. Arkiv f. Zool. III, 18, 1907, p. 15.	Neuguinea
Dejeani Montrouz. Ann. Soc. Agr. Lyon (2) VII, 1855, p. 59. — Montrouz. & Perroud, Ann. Soc. Linn. Lyon (2) XI, 1864, p. 199.	Insel Woodlark
dissimilis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 476.	Salwatty
dlstinctus Boisd. Voy. Astrolabe, Ins. II, 1835, p. 471.	Neuguinea
Dohertyi Jord Nov. Zool. I, 1894, p. 500, t. 13, f. 11.	„
dubius Montrouz. Ann. Soc. Agr. Lyon (2) VII, 1855, p. 58. — Montrouz. & Perroud, Ann. Soc. Linn. Lyon (2) XI, 1864, p. 199. — Lacord. Gen. Col. IX, 1869, p. 249, nota 1.	Insel Woodlark
elateroides Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 160.	Neuguinea
electus Heller, Nova Guinea IX, 1914, p. 662.	„
elegans Heller, l. c. p. 662, t. 16, f. 9.	„
<i>taeniatus</i> Gah. Trans. Zool. Soc. Lond. XX, 1915, p. 541, 543, t. 39, f. 16; Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 11.	
excellens Auriv. Deutsche Ent. Zeitschr. 1908, p. 214, t. 3, f. 5.	Deutsch- Neuguinea
Froggatti M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 200.	Neuguinea: Fly River
geelvinkianus Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 159.	Insel Jobi
glaucus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 463.	Amboina, Ceram
griseus Thoms. Syst. Ceramb. 1865, p. 546. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 472.	Aru
herbaceus Pasc. Journ. of Ent. I, 1862, p. 365; Trans. Ent. Soc. Lond. (3) III, 1867, p. 471, t. 19, f. 4.	Misol, Waigiu, Salwatty, Neuguinea
hieroglyphicus Blanch. Voy. Pôle Sud, Zool. IV, Atlas, Ins. Col. t. 16, f. 14, 1842, Text p. 286, 1853. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 477.	Neuguinea, Aru
immitis Pasc. l. c. p. 482.	Misol
✓ intricatus Pasc. l. c. p. 471.	Misol, Neuguinea

- irregularis* Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 165. Neuguinea
- isabellae* Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 107, t. 4, f. 7. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 152. Salwatty, Neuguinea
- joblensis* Gestro, l. c. VIII, 1876, p. 522; IX, 1876, p. 164. Insel Jobi
- lateralis* M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 202. Neuguinea: Fly River
- latifascia* Heller, Nova Guinea IX, 1914, p. 660. Neuguinea
- cinctus* Gah. Trans. Zool. Soc. Lond. XX, 1915, p. 541, 543, t. 39, f. 17; Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 11.
- lepidus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 469. Ceram
- lineatus* M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 201. Neuguinea: Fly River
- lotor* Pasc. Proc. Ent. Soc. Lond. 1859, p. 84; Trans. Ent. Soc. Lond. (3) III, 1867, p. 468. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 156. — Waterh. Aid ident. Ins. II, 1885, t. 157, f. 3. Batjan, Halmahera
- luteostriatus* Heller, Ent. Mitteil. I, 1912, p. 172, f. 2. Deutsch-Neuguinea: Sattelberg
- ✓ *marmoratus* Guér. Voy. Coquille, Zool. Atlas, Ins. t. 7, f. 13, 1831, Texte II, 2, 1835, p. 131. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 473. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 156. Misol, Salwatty, Jobi, Neuguinea
- viridipes* Thoms. Syst. Ceramb. 1865, p. 546.
- modestus* Gah. Trans. Zool. Soc. Lond. XX, 1915, p. 543, t. 39, f. 20; Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 10. Holländisch-Neuguinea
- monticola* Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 161. S. O. Neuguinea: Berg Epa
- mortyanus* Thoms. Syst. Ceramb. 1865, p. 545. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 469. Morotai, Halmahera
- multiplicatus* Gah. Trans. Zool. Soc. Lond. XX, 1915, p. 543, t. 39, f. 19; Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 10. Holländisch-Neuguinea
- nigrofasciatus* Auriv. Deutsche Ent. Zeitschr. 1908, p. 214, t. 3, f. 8. Neuguinea
- nigrotriangularis* Heller, l. c. 1914, p. 316, t. 12, f. 9. Deutsch-Neuguinea
- oblongus* Boisd. Voy. Astrolabe, Ins. II, 1835, p. 474. Neuguinea
- obsoletus* Blanch. Voy. Pôle Sud, Zool. Atlas, Ins. Col. t. 16, f. 20, 1842, Texte IV, 1853, p. 282. — ? Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 474. Neuguinea, Aru
- opalescens* Pasc. l. c. p. 467, t. 19, f. 3. ? Süd-molukken
- petechialis* Pasc. l. c. p. 466. Kaioa
- phaleratus* Thoms. Syst. Ceramb. 1865, p. 545. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 479. Morotai
- ✓ *pleuristileus* Pasc. l. c. p. 478. Aru, Neuguinea

- plumbeus* Pasc. l. c. p. 470.
politus Blanch. Voy. Pôle Sud, Zool. Atlas, Ins. Col. t. 16, f. 17, 1842; Texte IV, 1853, p. 288. — Gah. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 9. Makian
equestris Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 462. Salwatty.
var. aruensis Gah. Wollaston Exped. Dutch N. Guinea I, 1915, Col. 3, p. 9. Neuguinea
politus Thoms. Classif. Ceramb. 1860, p. 358. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 461. Aru
prasinatus Heller, Nova Guinea IX, 1914. p. 661. Neuguinea
pulvereus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 466. Salwatty,
 Neuguinea:
 Dorei
quadrinaculatus Auriv. Deutsche Ent. Zeitschr. 1908, p. 214, fig. 10. Neuguinea
Rafaelae Lansb. Ann. Soc. Ent. Belg. XXIX, 1885. Celebes
 Bull. p. 20.
restrictus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 464. — Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 155. Misol, Aru,
 Waigiu
ruficornis Thoms. Syst. Ceramb. 1865, p. 545. Timor
rugosicollis Blanch. Voy. Pôle Sud, Zool. Atlas, Ins. Col. t. 16, f. 11, 1842, Texte IV, 1853, p. 283. Neuguinea
Schaumi Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 462, t. 19, f. 2. Key-Inseln
socius Gah. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 12. Neuguinea
speciosus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 479, t. 19, f. 1. — Gah. Wollast. Exped. Dutch N. Guinea I, 1915, Col. 3, p. 13. Misol
splnicollis Boisd. Voy. Astrolabe, Ins. II, 1835, p. 472. Waigiu
strigosus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 480. Morotai
subinectus Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 163. Insel Jobi
salcatus Auriv. Arkiv f. Zool. VII, 19, 1911, p. 7. Deutsch-
 Neuguinea
tersus Pasc. Journ. of Ent. I, 1862, p. 365; Trans. Ent. Soc. Lond. (3) III, 1867, p. 463. Goram,
quadri-fasciatus Thoms. Syst. Ceramb. 1865, p. 545. Ceram,
 ? Batjan
tessellatus Boisd. Voy. Astrolabe, Ins. II, 1835, p. 471. Neuguinea
Thomsoni Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 475. Neuguinea,
 Aru
Dajeani Thoms. Syst. Ceramb. 1865, p. 546.
torridus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 467. Batjan,
 Halmahera
transversus Pasc. l. c. p. 476, t. 19, f. 5. Aru,
 Neuguinea
trivittatus Guér. Voy. Coquille, Zool. Atlas, Ins. t. 7, f. 12, 1831, Texte II, 2, 1835, p. 130. — Blanch. Voy. Pôle Sud, Zool. Atlas, Ins. Col. t. 16, f. 15, 1842; Texte IV, 1853, p. 284. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 464. Neuguinea,
 Aru
bicinctus Boisd. Voy. Astrolabe, Ins. II, 1835, p. 473.

- bizonulatus* Guér. Icones Règne Anim. Ins. t. 45, f. 7a, 1831–32; p. 250, 1844. — Gray in Griffith, Anim. Kingd. Ins. II, 1832, t. 95, f. 7.
- unipunctatus* Guér. Voy. Coquille, Zool. II, 2, 1835, p. 132. — Boisd. Voy. Astrolabe. Ins. II, 1835, p. 471. Neu-Mecklenburg
- ✓ *vagus* Thoms. Syst. Ceramb. 1865, p. 546. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 473. Batjan, Kaioa, Halmahera, Ternate
- vestitus* Fauvel, Revue d'Ent. XXV, 1906, p. 72. Neu-caledonien
- villarisi* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 474. Neuguinea, Salwatty
- vinculatus* Heller, Deutsche Ent. Zeitschr. 1914, p. 316, t. 12, f. 10. Deutsch-Neuguinea
- viridis* Gestro, Ann. Mus. Civ. Genova IX, 1876, p. 157. Neuguinea: Hatam
- ✓ *Wiedenfeldi* Auriv. Arkiv f. Zool. VII, 19, 1910, p. 8. Deutsch-Neuguinea
- yorkensis* Fairm. Le Natural. III, 1881, p. 359; Ann. Soc. Ent. Belg. XXVII, 2, 1883, p. 47. Insel Duke of York

Blapsilon Pasc.

- Pasc. Journ. of Ent. I, 1860, p. 129. — Thoms. Classif. Ceramb. 1860, p. 353; Syst. Ceramb. 1864, p. 357. — Lacord. Gen. Col. IX, 1869, p. 250. — Fauvel, Revue d'Ent. XXV, 1906, p. 60 (Synopsis).
- austrocaledonium* Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 296. — Fauvel, Synops. p. 60, 61. Neu-caledonien
- cyanipes* Fauvel, Synops. p. 60, 62. "
- elongatum* Fauvel, l. c. p. 60, 61. "
- ✓ *irroratum* Pasc. Journ. of Ent. I, 1860, p. 129, t. 5, f. 8. — Lacord. Gen. Col. IX, 1869, t. 96, f. 2. — Fauvel, Synops. p. 60. "
- scutellatum* Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 297.
- Montrouzieri* Thoms. Syst. Ceramb. 1865, p. 545. Neu-caledonien, Lifu
- purpureum* Fauvel, Synops. p. 60, 62. Neu-caledonien
- seutellare* Fauvel, l. c. p. 60, 61. "
- ✓ *viridicollis* Chevr. Revue Zool. (2) X, 1858, p. 82; Arch. Ent. I, 1858, p. 414. — Fauvel, Synops. p. 60, 62. "
- metallicum* Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 297.

8

Temnosternus White.

- White, Cat. Col. Brit. Mus. VIII, 1855, p. 335. — Thoms. Syst. Ceramb. 1864, p. 357. — Lacord. Gen. Col. IX, 1869, p. 250.
- apicalis* Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 371. Queensland: Rockhampton

- dissimilis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Queensland:
p. 59. Moreton-Bay
- Martini** Allard, Le Natural. XVI, 1894, p. 189. ?
- planusculus** White, Cat. Col. Brit. Mus. VIII, 1855, Neuholland
p. 335, t. 8, f. 6. — Lacord. Gen. Col. IX,
1869, p. 251.
- vitulus** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 275. Queensland
5

XXXIX. Crinotarsini.

Lacordaire, Gen. Col. IX, 1872, p. 415, 475.

Crinotarsus Blanch.

- Blanch.** Voy. Pôle Sud, Zool. IV, 1853, p. 275. — Thoms. Syst.
Ceramb. 1864, p. 358. — Lacord. Gen. Col. IX, 1872, p. 475, 476.
- plagiatus** Blanch. Voy. Pôle Sud, Zool. IV, 1853, Fidschi
p. 276, t. 16, f. 10. — White, Catal. Col. Brit.
Mus. VIII, 1855, p. 346. — Lacord. Gen.
Col. IX. 1872. p. 477, t. 101, f. 5.

1

Sormida Gah.

- Gahan, Ann. Mag. Nat. Hist. (6) I, 1888, p. 193.
- Heteroclytomorpha* Lacord. Gen. Col. IX, 1872, p. 475.
- maculicollis** Thoms. Syst. Ceramb. 1865, p. 546. — Fidschi
Auriv. Deutsche Ent. Zeitschr. 1908, p. 218.
- simplex** Lacord. Gen. Col. IX, 1872, p. 476, nota 1. Philippinen
2

Sormidomorpha Auriv.

- Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 20.
- unicolor** Auriv. l. c. p. 20. Salomoneu:
Bougainville

1

XL. Trigonopterini n. nov.

Arsysiides Lacord. Gen. Col. IX, 1872, p. 416, 479.

Trigonoptera Perroud.

- Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 336; Mélanges Ent.
III, 1855, p. 16. — Thoms. Syst. Ceramb. 1864, p. 358. — Auriv. Arkiv
f. Zool. X, 23, 1917, p. 31.
- Arsysia* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 441.
— Lacord. Gen. Col. IX, 1872, p. 480. — Gestro, Ann. Mus.
Civ. Genova IX, 1876, p. 142 (sep. p. 4).
- albonotata** Gah. Trans. Zool. Soc. Lond. XX, 1915, Neuguinea
p. 543, t. 39, f. 23; Wollaston Exped. Dutch
N. Guinea I, 1915, Col. 3, p. 15.
- bimaculata** Thoms. Syst. Ceramb. 1865, p. 546. —
Pasc. Trans. Ent. Soc. Lond. (3) III, 1867,
p. 442. "

- erythrospila** Heller, Ent. Mitteil. I, 1912, p. 172, f. 3. Neuguinea
flavipicta Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan,
 p. 445, t. 18, f. 1. — Gestro, Ann. Mus. Civ. Amboina
 Genova IX, 1876, p. 146.
gracilis Auriv. Arkiv f. Zool X, 23. 1917, p. 31, t. 3, f. 11. Queensland
guttulata Gestro, Ann. Mus. Civ. Genova VIII, 1876, Insel Jobi
 p. 521; IX, 1876, p. 145 (sep. p. 7).
leptura Gestro, l. c. VIII, 1876, p. 521; IX, 1876, p. 144 Neuguinea
 (sep. p. 6).
maculata Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, Aru,
 p. 338; Mélanges Ent. III, 1855, p. 18. — Pasc. Misol
 Trans. Ent. Soc. Lond. (3) III, 1867, p. 442.
marmorata Auriv. Deutsche Ent. Zeitschr. 1908, p. 221. Neuguinea
 t. 3, f. 6.
nervosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Timor
 p. 443.
olivacea Auriv. Deutsche Ent. Zeitschr. 1908, p. 221, Neuguinea
 t. 3, f. 4.
papuaana Gestro, Ann. Mus. Civ. Genova IX, 1876, .
 p. 147 (sep. p. 9).
quadrinaculata Nonfr. Deutsche Ent. Zeitschr. 1894, Sumatra
 p. 211.
sordida Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Misol
 p. 444.
spilonota Gestro, Ann. Mus. Civ. Genova VIII, 1876, Insel Jobi
 p. 521; IX, 1876, p. 143 (sep. p. 5).
tessellata Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Ceram
 p. 445.
vittata Gestro, Ann. Mus. Civ. Genova VIII, 1876, Cape York
 p. 522; IX, 1876, p. 148 (sep. p. 10).
Woodfordi Gah. Ann. Mag. Nat. Hist. (6) I, 1888, Salomonen
 p. 193.

18

Amblymora Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 454. — Lacord.
 Gen. Col. IX, 1872, p. 480, 481.

- conferta** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes:
 p. 456. Tondano
conspuata Pasc. l. c. p. 456. Neuguinea.
 Salwatty
fumosa Pasc. l. c. p. 455. Morotai,
 Halmahera
instabilis Pasc. l. c. p. 455, t. 18, f. 3. Aru, Batjan
marmorea Pasc. l. c. p. 456. Insel Kaioa
uniformis Jord. Novit. Zool. I, 1894, p. 118. Buru

6

Othelais Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 241. — Lacord.
 Gen. Col. IX, 1872, p. 480, 482.

- histrion** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Aru
 p. 43; (3) III, 1867, p. 241, t. 12, f. 3.
virescens Pasc. l. c. (3) III, 1867, p. 241. Neuguinea

2

Otroea Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 243. — Lacord.
Gen. Col. IX, 1872, p. 480, 483.

cinerascens Pasc. Trans. Ent. Soc. Lond. (3) III, Amboina
1866, p. 244.

semiflava Pasc. l. c. p. 244, t. 12, f. 2.

Batjan

tessellata Pasc. l. c. p. 245.

Ceram

3

Philicus Pasc.

Pasc. Notes Leyd. Mus. V, 1883, p. 89.

dialloides Pasc. l. c. p. 90.

Saleyer

1

XLI. Bumetopini.

Lacordaire, Gen. Col. IX, 1872, p. 413, 477.

Bumetopia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 252. — Lacord. Gen
Col. IX, 1872, p. 477.

Yochostyla Thoms. Physis II, 1868, p. 151.

oscitans Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Japan,
p. 252, t. 26, f. 7. — Lacord. Gen. Col. IX, China
1872, p. 478. — Bates, Ann. Mag. Nat. Hist.
(4) XII, 1873, p. 314.

japonica Thoms. Physis II, 1868, p. 151.

1

Hestima Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 445. — Lacord.
Gen. Col. IX, 1872, p. 477, 478.

bisignifera Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan
p. 447.

floccosa Pasc. l. c. p. 446, t. 18, f. 7.

Nord-
Molukken,
Waigiu

stellata Pasc. l. c. p. 446.

striolata Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 47, Salomonen
t. 2, f. 3.

sybroides Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Neuguinea
p. 446.

trigamlnata Pasc. l. c. p. 447.

Waigiu, Aru

6

Orinoeme Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 448. — Lacord.
Gen. Col. IX, 1872, p. 477, 479.

acutipennis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan,
p. 449. Halmahera

chalybeata Pasc. l. c. p. 448, t. 18, f. 5.

Ternate,
Salwatty

lineigera Pasc. l. c. p. 450.

Buru, Misol

- maeniteollis** Auriv. Arkiv f. Zool. X, 19, 1916, p. 17. Neupommern
maxima Heller, Nova Guinea IX, 1914, p. 663, t. 16, Neuguinea
 f. 12.
pubescens Auriv. Arkiv f. Zool. X, 23, 1917, p. 30, Queensland
 t. 2, f. 10.
puncticollis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Ceram
 p. 449.
rubricollis M'Leay, Proc. Linn. Soc. N. S. Wales (2) Brit.-
 I, 1886, p. 199. Neuguinea
rufitarsis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Neuguinea
 p. 449.
striata Auriv. Arkiv f. Zool. X, 19, 1916, p. 16.
sulceiceps Gestro, Ann. Mus. Civ. Genova IX, 1877, Salwatty
 p. 149 (sep. p. 11).
truncata Auriv. Arkiv f. Zool. X, 23, 1917, p. 29, Queensland
 t. 2, f. 11.
xanthostieta Gestro, Ann. Mus. Civ. Genova IX, 1877, Aru
 p. 151 (sep. p. 13).

13

XLII. Enicodini.

Thomson, Syst. Ceramb. 1864, p. 35, 338.

Leptonotides + *Enotides* Lacordaire, Gen. Col. IX, 1872, p. 417, 483, 487.

Enotides Heller, Käfer v. Neu-Caledonien 1917, p. 288 (Synopsis).

Eurychaena Bates.

Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 127. — Broun, Man. N. Zeal. Col. I, 1880, p. 607.

acutula Broun, l. c. p. 608. Neuseeland

Feredayi Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 127. — Broun, Man. N. Zeal. Col. I, 1880, p. 608. "

fragilis Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 127. — Broun, Man. N. Zeal. Col. I, 1880, p. 608. "

3

Enicodes (Gray) Thoms.

[Gray in Griffith, Anim. Kingd. Ins. II, 1832, p. 117 nom. nudum.] — Thoms. Classif. Ceramb. 1860, p. 350, 353; Syst. Ceramb. 1864, p. 359. — Lacord. Gen. Col. IX, 1872, p. 484. — Fauvel. Revue d'Ent. XXV, 1906, p. 72 (Revisio). — Heller, Synops. p. 288.

Henicodes Pasc. Trans. Ent. Soc. Lond. (3) III, 1868, p. 485 nota.

- annulifer** Fauv. Revis. p. 73, 75. Neu-caledonien
bimaculatus Fauv. l. c. p. 73, 79. "
Bongleri Fauv. l. c. p. 73, 78. "
clavus Fauv. l. c. p. 74, 77. "
cylindricus Fauv. l. c. p. 73, 77. "
Fichteli Schreibers, Trans. Linn. Soc. Lond. VI, 1802, p. 200, t. 19, f. 13, 14, t. 21, f. 9. — Donovan. "

Ins. New Holl. 1805, t. 5, f. 2. — Gray in Griffith, Anim. Kingd. Ins. II, 1832, p. 117, t. 65, f. 1, t. 73, f. 2. — Boisd. Voy. Astrolabe, Ins. II, 1835, p. 520. — Westw. Arcana Ent. I, 1842, p. 58, t. 15, f. 4 ♂, ♀. — Olliff, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 1013. — Fauv. Revis. p. 73, 74.

fractimacula Fauv. Revis. p. 73, 80.

Neu-
caledonien

gracilis Fauv. l. c. p. 73, 78.

granulum Fauv. l. c. p. 73, 76.

Latreillei Fauv. l. c. p. 73, 79.

limbicollis Fauv. l. c. p. 74, 81.

Montrouzieri Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 286. — Fauv. Revis. p. 73.

tapeinoides Thoms. Syst. Ceramb. 1865, p. 546.

opacus Fauv. Revis. p. 73, 79.

Perroudi Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 287. — Fauv. Revis. p. 73.

rugiceps Fauv. l. c. p. 73, 75.

Sarasinii Heller, Käfer v. Neu-Caledon. 1917, p. 289, t. 10, f. 11, 12.

Loyalty-
Inseln

Schreibersi Thoms. Syst. Ceramb. 1865, p. 546. — Fauv. Revis. p. 73, 74.

Neu-
caledonien

Fichteli Lacord. Gen. Col. IX, 1872, t. 102, f. 1.

scripticollis Fauv. Revis. p. 73, 80.

Thomsoni Fauv. l. c. p. 73, 75.

trochilus Fauv. l. c. p. 73, 74.

univittatus Fauv. l. c. p. 74, 81.

viridipes Fauv. l. c. p. 74, 76.

22

Heliolus Fauv.

Fauv. Revue d'Ent. XXVI, 1907, p. 70.

Heliolus Fauv. l. c. XXV, 1906, p. 71.

brevicornis Fauv. l. c. p. 71.

Neu-
caledonien

1

Leptonota Thoms.

Thoms. Classif. Ceramb. 1860, p. 350, 353; Syst. Ceramb. 1864, p. 359. — Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 288. — Lacord. Gen. Col. IX, 1872, p. 484, 485. — Fauv. Revue d'Ent. XXV, 1906, p. 86 (Revisio). — Heller, Synops. p. 288.

aenea Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 292. — Fauv. Revis. p. 86, 88. Neu-caledonien

comitessa White, Cat. Col. Brit. Mus. VIII, 1855, p. 343, t. 8, f. 4. — Thoms. Classif. Ceramb. 1860, p. 354. — Fauv. Revis. p. 86, 87.

picta Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 288.

lifuana Montrouz. l. c. p. 289. — Fauv. Revis. p. 86.

Insel Lifu
Neu-
caledonien

scabricollis Fauv. l. c. p. 86.

- sepium** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 289. — Fauv. Revis. p. 86. Insel Lifu
- tristis** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 289. — Fauv. Revis. p. 86, 87. Neu-caledonien
- albovittata* Fauv. Bull. Soc. Linn. Normand. VII, 1862, p. 166, t. 10, f. 68—70; Notices Entomol. I, 1862, p. 49, t. 10, f. 68—70.
- ab. *ruficollis* Fauv. Revis. p. 87.

6

Dicra Fauv.

Fauv. Revue d'Ent. XXV, 1906, p. 88.

- insignicornis** Fauv. l. c. p. 88. Neu-caledonien
- nodicornis** Fauv. l. c. p. 88, 89. "

2

Nemaschema Thoms.

Thoms. Classif. Ceramb. 1860, p. 354; Syst. Ceramb. 1864, p. 359. — Lacord. Gen. Col. IX, 1872, p. 484, 486. — Fauv. Revue d'Ent. XXV, 1906, p. 82 (Revisio).

Nemaschema Gemm. & Har. Cat. Col. X, 1873, p. 3067. — Heller, Synops. p. 288.

- baladicum** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 290. — Fauv. Revis. p. 82, 83. Neu-caledonien
- Mulsanti* Perroud, Ann. Soc. Linn. Lyon (2) XI, 1864, p. 194, t. I, f. 6.
- chlorizans** Fauv. Revis. p. 82, 84. "
- filarium** Fauv. l. c. p. 82, 86. "
- griseum** Fauv. l. c. p. 82, 85. "
- inconspicuum** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 293. — Fauv. Revis. p. 82. " Insel Lifu, Art Neu-caledonien
- lineatum** Fauv. l. c. p. 82, 83. "
- macilentum** Fauv. l. c. p. 82, 85. "
- nitidulum** Fauv. l. c. p. 82, 84. "
- puberulum** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 292. — Fauv. Revis. p. 82, 83. Insel Lifu
- modestum* Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 292.
- Thomsoni* Fauv. Bull. Soc. Linn. Normand. (2) II, 1867, p. 200, nota 2; Notices Ent. V, 1867, p. 102, nota 2.
- ✓ **sanguinicolle** Chev. Archives Ent. I, 1857, p. 416; Neu-caledonien, Insel Lifu, Insel Art
- Revue Zool. (2) X, 1858, p. 82. — Thoms. Classif. Ceramb. 1860, p. 355. — Lacord. Gen. Col. IX, 1872, p. 487. — Fauv. Revis. p. 82, 83.
- Lamberti* Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 291.

10

Lepturoschema Heller.

Heller, Käfer v. Neu-Caledon. 1917, p. 288, 290.

- ✓ **Leseleuci** Fauv. Revue d'Ent. XXV, 1906, p. 82 obs. Neu-caledonien

costulatum Heller, Käfer v. Neu-Caled. 1917, p. 290.

Peuardi Montrouz, Ann. Soc. Ent. France (4) I, 1861, p. 290. — Fauv. Revue d'Ent. XXV, 1906, p. 82. Neu-caledonien, Insel Lifu

ab. *humeralis* Heller, Käfer v. Neu-Caledon. 1917, p. 291.

2

Toxotomimus Heller.

Heller, Käfer v. Neu-Caled. 1917, p. 289, 291.

diopetes Heller, l. c. p. 292. Neu-caledonien

1

Otenis Heller.

Heller, Käfer v. Neu-Caled. 1917, p. 289, 293.

chalybaca Heller, l. c. p. 293. Neu-caledonien

epaphra Heller, l. c. p. 294, t. 11, f. 14. „

2

Enotes Thoms.

Thoms. Syst. Ceramb. 1864, p. 34, 358. — Lacord. Gen. Col. IX, 1872, p. 487. — Fauv. Revue d'Ent. XXV, 1906, p. 92 (Synopsis). — Heller, Käfer v. Neu-Caled. 1917, p. 289.

lifuanus Montrouz, Ann. Soc. Ent. France (4) I, 1861, p. 293 (*Hammaticherus*). Neu-caledonien, Insel Lifu

Lacordairei Thoms. Physis I, 1867, p. 130.

Montrouzleri Thoms. Syst. Ceramb. 1864, p. 34. Neu-caledonien

2

Anomonotes Heller.

Heller, Käfer v. Neu-Caled. 1917, p. 289, 294.

leucomerus Heller, l. c. p. 295, t. 11, f. 15. Neu-caledonien

1

Micronotes Heller.

Heller, Käfer v. Neu-Caled. 1917, p. 289, 295.

annulipes Heller, l. c. p. 296. Neu-caledonien

1

Enotogenes Heller.

Heller, Käfer v. Neu-Caled. 1917, p. 289, 296.

exiguus Heller, l. c. p. 297, t. 11, f. 16. Neu-caledonien

1

Ichthyodes Newm.

Newm. Entomol. I, 1842, p. 321.

- ✓ **biguttula** Newm. l. c. p. 321. — White, Cat. Col. Philippinen
Brit. Mus. VIII, 1855, p. 346, t. 7, f. 9.

1

XLIII. Tapeinini.

Thomson, Archives Ent. I, 1857, p. 41; Classif. Ceramb. 1860, p. 73;
Syst. Ceramb. 1864, p. 129, 342. — Lacordaire, Gen. Col. IX, 1872, p. 417.
488. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 133.

Tapeina Serv.

Serv. Encycl. méth. Ins. X, 1825, p. 545; Ann. Soc. Ent. France IV,
1835, p. 23 — Cast. Hist. Nat. Col. II, 1840, p. 487. — Blanch Hist.
Nat. Ins. II, 1845, p. 161. — Thoms. Archives Ent. I, 1857, p. 42—44
(Monograph); Classif. Ceramb. 1860, p. 74; Syst. Ceramb. 1864, p. 403.
— Lacord. Gen. Col. IX, 1872, p. 489.

Eurycephalus Gray in Griffith, Anim. Kingd. Ins. II,
1832, p. 119.

Tapina Gemm. & Har. Cat. Col. X, 1873, p. 3068.

americana Cast. Ann. Soc. Ent. France I, 1832, p. 411. Chile

- ✓ *coronata* Serv. Encycl. méth. Ins. X, 1825, p. 546. — Brasilien
Heyne-Taschenb. Exot. Käfer 1904, p. 243,
t. 37, f. 16.

erectifrons Thoms. Monogr. p. 43, t. 7, f. 2.
— Gerst. Archiv f. Naturg. XXIV, 2, 1858,
p. 329 (sep. p. 137).

nigra Gray in Griffith, Anim. Kingd. Ins. II,
1832, p. 119, t. 65, f. 5; t. 73, f. 5a—d.

picea Serv. Encycl. méth. Ins. X, 1825, p. 546.
— Perty, Del. Anim. Art. 1830, p. 95,
t. 19, f. 7.

diadema Gemm. Col. Hefte XI, 1873, p. 146. Columbien

coronata Thoms. Monogr. p. 43, t. 7, f. 1a—g.

✓ *dispar* Serv. Encycl. méth. Ins. X, 1825, p. 546. — Brasilien

Cast. Hist. Nat. Col. II, 1840, p. 487. — Thoms.
Monogr. p. 42, t. 7, f. 4a, b. — Camerano,
La Scelta sessuale 1880, p. 96, t. 12, f. 9♂,
10♀.

♀ *bicolor* Serv. Encycl. méth. Ins. X, 1825,
p. 546.

- ✓ *transversifrons* Thoms. Monogr. p. 44, t. 7, f. 3. Mexico

5

Peritapnia Horn.

Horn. Bull. Calif. Acad. (2) IV, 1894, p. 402. — Leng & Hamilton,
Trans. Amer. Ent. Soc. XXIII, 1896, p. 133, 177.

- ✓ *fabra* Horn, Bull. Calif. Acad. (2) IV, 1894, p. 404. — Arizona
Leng & Hamilton, Trans. Amer. Ent. Soc.
XXIII, 1896, p. 134, 177.

Wickhami Leng. l. c. p. 114, 176.

- rudicornis** Bates, Biol. Centr.-Amer. Col. V, 1885, Mexico,
p. 421. — Horn, Calif. Acad. Sc. (2) IV, 1894, Nieder-
p. 340, 403. — Leng & Hamilton, Trans. Californien
Amer. Ent. Soc. XXIII, 1896, p. 177.

XLIV. Epicastini.

Lacordaire, Gen. Col. IX, 1872, p. 490.

Epicasta Thoms.

Thoms. Syst. Ceramb. 1864, p. 90, 385. — Lacord. Gen. Col. IX,
1872, p. 490, 491.

Psauumis Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 246.

- ocellata** Thoms. Syst. Ceramb. 1864, p. 90. Java
turbida Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo
p. 246, t. 11, f. 6.

2

Dysthaeta Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 31. — Thoms. Syst.
Ceramb. 1864, p. 385. — Lacord. Gen. Col. IX, 1872, p. 491, 492.

- anomala** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Queensland:
p. 31, t. 2, f. 6. — Lacord. Gen. Col. IX, 1872, Moreton Bay
p. 492.

naevia Olliff, Proc. Linn. Soc. N. S. Wales (2) II, Insel Norfolk
1888, p. 1011.

2

Oricopsis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 543. — Thoms. Syst.
Ceramb. 1864, p. 385. — Lacord. Gen. Col. IX, 1872, p. 491, 492.

guttatus Blackb. Trans. R. Soc. S. Austr. XVIII, 1894, Neusüd-wales
p. 167.

intercoxalis Lea, Trans. R. Soc. S. Austr. XLI, 1917, Queensland
p. 314.

maculiventris Lea, l. c. p. 316.

setipennis Lea, l. c. p. 315.

umbrosus Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Port Denison
p. 543, t. 23, f. 2. — Lacord. Gen. Col. IX,
1872, p. 493.

5

Trepidema Thoms.

Thoms. Syst. Ceramb. 1864, p. 88, 385. — Fairm. Ann. Soc. Ent.
France (5) I, 1871, p. 74. — Lacord. Gen. Col. IX, 1872, p. 491, 493.

Tropidodema Gemm. & Har. Cat. Col. X, 1873, p. 3069.

- chrysocephala** Coquer. Revue Zool. (2) III, 1851, p. Madagaskar
90; Ann. Soc. Ent. France (2) X, 1852,
p. 400. — Thoms. Syst. Ceramb. 1864, p. 89.
— Fairm. Ann. Soc. Ent. France (5) I, 1871,
p. 75. — Lacord. Gen. Col. IX, 1872, p. 493.

1

XLV. Theocridini.

Lacordaire, Gen. Col. IX, 1872, p. 414, 494.

Typocaeta Thoms.

Thoms. Syst. Ceramb. 1864, p. 99, 390. — Lacord. Gen. Col. IX, 1872, p. 494.

subfasciata Thoms. Syst. Ceramb. 1864, p. 99. — Guinea
Lacord. Gen. Col. IX, 1872, p. 495.

1

Theocris Thoms.

Thoms. Archives Ent. II, 1858, p. 193; Classif. Ceramb. 1860, p. 110, 113; Syst. Ceramb. 1864, p. 386. — Lacord. Gen. Col. IX, 1872, p. 494, 495. — Jord. Novit. Zool. X, 1903, p. 183.

baltica Jord. Novit. Zool. X, 1903, p. 184. Franz. Congo*mlmetica* Auriv. Arkiv f. Zool. III, 18, 1907, p. 31, f. 41. Kamerun*obliqua* Jord. Novit. Zool. X, 1903, p. 184. Franz. Congo*saga* Thoms. Archives Ent. II, 1858, p. 193. — Lacord. Gabun
Gen. Col. IX, 1872, p. 495.*adorata* Thoms. l. c. t. 8, f. 4.*viridis* Auriv. Arkiv f. Zool. III, 18, 1907, p. 31. Kamerun

5

Planodema Thoms.

Thoms. Classif. Ceramb. 1860, p. 68; Syst. Ceramb. 1864, p. 386. — Lacord. Gen. Col. IX, 1872, p. 494, 496. — Jord. Novit. Zool. X, 1903, p. 183.

scorta Thoms. Archives Ent. II, 1858, p. 195. — Gabun

Lacord. Gen. Col. IX, 1872, p. 496.

unicolor Jord. Novit. Zool. X, 1903, p. 183. Franz. Congo

2

Cyrtocris Auriv.

Auriv. Arkiv f. Zool. I, 1904, p. 321.

fulvicornis Auriv. l. c. p. 322, fig. 27.

1

Deutsch-
Ostafrika:
Lukuledi**Hoplocris** Auriv.

Auriv. Arkiv f. Zool. IX, 8, 1914, p. 11.

elytoides Auriv. l. c. p. 11.

1

Goldküste

Docus Gah.

Gahan, Trans. Ent. Soc. Lond. 1890, p. 321.

femoratus Gah. l. c. p. 322, t. 9, f. 7. — Auriv. Arkiv Massailand
f. Zool. VIII, 29, 1914, p. 29.*flavosparsus* Auriv. l. c. VII, 3, 1910, p. 39.Brit.-
Ostafrika
Nyassaland*nigrosparsus* Auriv. l. c. VIII, 29, 1914, p. 28.

3

Leptodocus Auriv.

Auriv. Arkiv f. Zool. X, 19, 1916, p. 17.

bimaculatus Auriv. l. c. p. 17, t. 1, f. 9.Deutsch-
Ostafrika:
Lukuledi

1

Arianida Fairm.

Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 256.

maetata Fairm. l. c. p. 257.

Madagaskar

1

XLVI. Zygocerini.*Zygocerides* + *Disternides* Lacord. Gen. Col. IX, 1872, p. 415,
416, 498, 500.**Demonassa** Thoms.Thoms. Syst. Ceramb. 1864, p. 327. — Lacord. Gen. Col. IX, 1872,
p. 498, 499.**capitalis** Blackb. Trans. R. Soc. S. Austr. XXXII, Queensland
1908, p. 386.**dichotoma** Newm. Zoologist IX, 1851, Append. p. 179. Neusüdwaless
— Blackb. Trans. R. Soc. S. Austr. XIII.
1889, p. 131.*funeraria* Thoms. Syst. Ceramb. 1864, p. 328.*Macleayi* Pasc. Trans. Ent. Soc. Lond. (2) V.
1859, p. 32.

2

Zygocera Er.Er. Archiv f. Naturg. VIII, 1, 1842, p. 224. — Thoms. Syst. Ceramb.
1864, p. 384. — Lacord. Gen. Col. IX, 1872, p. 498, 499. — Blackb.
Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 155.**canosa** Er. Archiv f. Naturg. VIII, 1, 1842, p. 223. — Tasmania
Blackb. Trans. R. Soc. S. Austr. XXV, 1901,
p. 37.**metallica** Westw. Trans. Ent. Soc. Lond. (3) I, 1863. Süd-
p. 627, t. 25, f. 7. — Tepper. Native Ins. australien**pentheoides** Pasc. l. c. (2) V, 1859, p. 32; Journ. Linn. West-
Soc. Lond. Zool. IX, 1866, p. 142, t. 3, f. 5. australien:
Swan River**pruinosa** Boisd. Voy. Astrolabe, Entomol. II, 1835, Neu-
p. 489. — Westw. Trans. Ent. Soc. Lond. Süd-Wales
(3) I, 1863, p. 626, t. 25, f. 6a, b.**baladica** Montrouz. Ann. Soc. Ent. France (4) I, Neu-
1861, p. 274. — Fauv. Revue d'Ent. XXV, caledonien
1906, p. 92.**fasciolata** Fauv. l. c. p. 92.

6

Disterna Thoms.

- Thoms. Syst. Ceramb. 1864, p. 88, 385. — Lacord. Gen. Col. IX, 1872, p. 500, 501. — Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 155.
- atrofasciculata** Auriv. Arkiv f. Zool. X. 19, 1916, p. 18. Neuguinea
- bifasciata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Sydney,
p. 32. — Blackb. Trans. R. Soc. S. Austr. Queensland,
XXV, 1901, p. 37. — Olliff, Mem. Austral. Lord Howe-
Mus. II, 1889, p. 98. Insel
- infusata* Thoms. Syst. Ceramb. 1864, p. 88.
- concinna** Blackb. Trans. R. Soc. S. Austral. XXV. Nordwest-
1901, p. 36. australien
- caneata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Neu-
p. 542. — Blackb. Trans. R. Soc. S. Austral. Süd-Wales
XXV, 1901, p. 37.
- luctuosa** Pasc. Ann. Mag. Nat. Hist. (3) IX, 1862, Queensland:
p. 465. — Blackb. Trans. R. Soc. S. Austral. Lizard-Insel
XXV, 1901, p. 37.
- lugubris** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Neu-
p. 541. — Blackb. Trans. R. Soc. S. Austral. Süd-Wales
XXV, 1901, p. 37. — Tepper, Native Ins. S. Austral. I, 1887, p. 41.
- Mastersi** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Queensland
p. 276. — Blackb. Trans. R. Soc. S. Austral. XXV, 1901, p. 37. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 32.
- plumifera** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Neu-
p. 33. — Blackb. Trans. R. Soc. S. Austral. Süd-Wales,
XXV, 1901, p. 37. Queensland
- pumila** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 33, Neu-
— Blackb. Trans. R. Soc. S. Austral. XXV. Süd-Wales
1901. p. 37.

9

Thyada Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 544. — Thoms. Syst. Ceramb. 1864, p. 385. — Lacord. Gen. Col. IX, 1872, p. 500, 501.
- barbicornis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Queensland
p. 34; (3) I, 1863, p. 544, t. 22, f. 4. — Froggatt, Austral. Ins. 1907, p. 198.

1

Nicippe Thoms.

- Thoms. Syst. Ceramb. 1864, p. 88, 385. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 228, 255. — Lacord. Gen. Col. IX, 1872, p. 502.
- complexa** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Aru
p. 34; (3) III, 1866, p. 256. — Thoms. Syst. Ceramb. 1864, p. 88. — Lacord. Gen. Col. IX, 1872, p. 502.

1

Anacasta Auriv.

- Auriv. Tijdschr. v. Ent. LIX, 1916, p. 221.
- conspersa** Auriv. l. c. p. 221. t. 8, f. 9. Borneo

1

XLVII. Ecyroschemini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 503.

Ecyroschema Thoms.

Thoms. Syst. Ceramb. 1864, p. 48, 365. — Lacord. Gen. Col. IX, 1872, p. 503.

favosum Thoms. Syst. Ceramb. 1864, p. 48. — Lacord. Kapland, Gen. Col. IX, 1872, p. 504. — Dist. Ins. Transvaal 1904, p. 144, t. 14, f. 2, 2a.**rugatum** Pasc. Trans. Ent. Soc. Lond. 1888, p. 503. Ngami-See
2**Apatelarthron** Thoms.

Thoms. Syst. Ceramb. 1864, p. 89, 385. — Lacord. Gen. Col. IX, 1872 p. 503, 504.

heteroclitum Thoms. Syst. Ceramb. 1864, p. 89. — „Malasia“, Lacord. Gen. Col. IX, 1872, p. 504. Siam?

1

XLVIII. Velorini n. nov.*Hebecesides* Lacordaire, Gen. Col. IX, 1872, p. 417, 510 (ex parte).**Probatodes** Thoms.

Thoms. Syst. Ceramb. 1864, p. 56, 369. — Lacord. Gen. Col. IX, 1872, p. 510, 511.

piliger M'Leay in King, Narrat. Survey Austral. II, Victoria, 1827, p. 452. Tasmanien*plumula* Newm. Zoolog. IX, 1851, Append. p. 130. — Thoms. Syst. Ceramb. 1864, p. 57.

— Lacord. Gen. Col. IX, 1872, p. 511.

1

Retilla Lacord.

Lacord. Gen. Col. IX, 1872, p. 511, 512.

Retilia Gemm. & Har. Cat. Col. X, 1873, p. 3073.**indigena** Lacord. l. c. p. 512, nota 1. „Malasia“

1

Phyxium Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 21. — Lacord. Gen. Col. IX, 1872, p. 511, 512.

bufonium Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Batjan p. 22, t. 2, f. 3.**ignarum** Pasc. l. c. p. 23.**lapatum** Fauv. Revue d'Ent. XXV, 1906, p. 89.Mysol
Neu-
caledonien,
Lifu-Insel**scorpioides** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Aru p. 22.

4

Velora Thoms.

Thoms. Syst. Ceramb. 1864, p. 56. — Lacord. Gen. Col. IX, 1872, p. 513.

sordida Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 527. Neu-
australis Thoms. Syst. Ceramb. 1864, Süd-Wales
p. 56, 484.

1

Polyacanthia Montrouz.

Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 269. — Fauv. Revue
d'Ent. XXV, 1906, p. 90 (Synopsis).

Prosacantha Thoms. Syst. Ceramb. 1864, p. 56.

Rosacantha Thoms. l. c. p. 484. — Lacord. Gen. Col. IX,
1872. p. 511, 515.

Fonsolembi Montrouz. Ann. Soc. Ent. France (4) I, Neu-
1861, p. 269. — Lacord. Gen. Col. IX, 1872, caledonien,
p. 515. — Fauv. Synops. p. 90. Insel Lifu

tigrina Fauv. Synops. p. 90. Neu-
caledonien

trifolium Fauv. l. c. p. 90, 91.

3

Brachytatus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 158.

bigibbus Fairm. l. c. XL, 1896, p. 388. Madagaskar

bipartitus Fairm. l. c. XLIX, 1905, p. 137. "

funereus Fairm. l. c. XLVI, 1902, p. 254. "

insignicornis Fairm. l. c. XLIII, 1899, p. 552. "

interruptus Fairm. l. c. XLVI, 1902, p. 253. "

limbolaris Fairm. l. c. XXXVIII, 1894, p. 159. "

niviplagiatus Fairm. l. c. p. 159. "

notabilis Fairm. l. c. XLIX, 1905, p. 136. "

obliquepictus Fairm. Ann. Soc. Ent. France LXXII,
1903, p. 256. "

obscuricollis Fairm. Ann. Soc. Ent. Belg. XLVI,
1902, p. 253. "

10

Ranova Thoms.

Thoms. Syst. Ceramb. 1864, p. 64, 372. — Fairm. Ann. Soc. Ent.
France (7) I, 1871, p. 71. — Lacord. Gen. Col. IX, 1872, p. 511, 516.

forticornis Fairm. Notes Leyden Mus. XXIII, 1901, Madagaskar
p. 80.

fuscognata Fairm. Ann. Soc. Ent. France (6) VI,
1886, p. 86. "

lineigera Fairm. Ann. Soc. Ent. Belg. XXIII, 1889,
Compt. Rend. p. 8. "

pictipes Thoms. Syst. Ceramb. 1864, p. 64. — Fairm.
Ann. Soc. Ent. France (7) I, 1871, p. 71. —
Lacord. Gen. Col. IX, 1872, p. 516. —
Künckel in Grandid. Hist. Madag. Col.
1890, t. 53, f. 7.

4

Lasiocercis Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 420.

albicollis Fairm. Ann. Soc. Ent. Belg. XLI, 1897, Madagaskar
p. 400.*fasciata* Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, " "
p. 420. — Künckel in Grandid. Hist. Madag.
Col. 1890, t. 54, f. 11.

2

Aphronastes Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 384.

subfasciatus Fairm. l. c. p. 384. Madagaskar

1

Lentalius Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 256.

obliquepictus Fairm. l. c. p. 257. Madagaskar

1

Lagrida Jord.

Jordan, Novit. Zool. I, 1894, p. 240.

rufa Jord. l. c. p. 240, t. 10, f. 12. Kuilu

1

Tetradia Thoms.Thoms. Syst. Ceramb. 1864, p. 65, 372. — Lacord. Gen. Col. IX
1872, p. 511, 516.*leptoptera* Guér. Icones Règne Anim. Ins. 1844, Senegal,
p. 249. — Dixey, Trans. Ent. Soc. Lond. Uganda,
1907, p. 351. Brit.-
fasciata Thoms. Syst. Ceramb. 1864, Ostafrika,
p. 65. — Lacord. Gen. Col. IX, 1872, p. 517. Südafrika
— Fähr. Öfvers. Vet. Akad. Förh. XXIX, bis Damara-
2, 1872, p. 37. — Dist. Ins. Transvaal. 1904, land und
p. 146, t. 14, f. 12, 12a. Mashuna-
frontalis Pasc. Journ. of Ent. II, 1864, p. 272. land

1

Bourbonia Jord.

Jordan, Novit. Zool. I, 1894, p. 239.

obfasciata Jord. l. c. p. 239. Insel
Bourbon

1

XLIX. Hecyrini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 517.

Mycerinicus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 71; LV, 1894, p. 28.

brevis Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 30. Congo

16*

- doreadioides** Serv. Ann. Soc. Ent. France IV, 1835, Senegal,
p. 78. — Cast. Hist. Nat. Col. II, 1840, p. Nord-
492. — Kolbe, Stett. Ent. Zeit. LIV, 1893, Adamaua
p. 71; LV, 1894, p. 27.
- leucoloma** Cast. Hist. Nat. Col. II, 1840, p. 492. Senegal
- limbatus** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 28. Niger
- punctiventris** Kolbe, l. c. LIV, 1893, p. 71. Togo
- subcostatus** Kolbe, l. c. LV, 1894, p. 28; Deutsch- Ostafrika
Ostafrika IV, 1897, p. 318, t. 4, f. 48. Ostafrika

6

Biobessa Gah.

Gahan, Ann. Mag. Nat. Hist. (7) II, 1898, p. 56.

beatrice Gah. l. c. p. 56.Brit.-
Ostafrika

1

Plectropygus Gah.

Gahan, Ann. Mag. Nat. Hist. (7) II, 1898, p. 54.

mucoreus Gah. l. c. p. 55.Brit.-
Ostafrika,
Nyassaland

1

Niphecyra Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 29.

interpres Kolbe, l. c. p. 30.**rufolineata** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, Ituri
p. 208. — Kolbe, Stett. Ent. Zeit. LV, Lunda-Reich
1894, p. 30.

2

Hecyra Thoms.

Thoms. Archives Ent. I, 1857, p. 180.

Hecyrida Thoms. Classif. Ceramb. 1860, p. 38, 39. —
Lacord. Gen. Col. IX. 1872, p. 517, 518.**Omopsides** Chevr. Revue Zool. (2) X, 1858, p. 307 (nom.
nud.).**asiatica** Pic, Echange XIX, 1903, p. 121; Longic. IV, Südchina:
2, 1903, p. 31. Yunnan**asperata** White, Ann. Mag. Nat. Hist. (3) II, 1858, Natal
p. 270.**Blanchardi** Chevr. Revue Zool. (2) X, 1858, p. 307; Alt-Calabar
Cent. Longic. 1858, nr. 87.**costata** Auriv. Denkschr. Medic.-Nat. Ges. Jena XIII, Damaraland
1908, p. 433.**formosana** Pic, Melang. Exot.-Ent. XXVI, 1917, p. 7. Formosa**Graneri** Hintz, Ann. Hofmus. Wien XXX, 1916, p. 236. Zentralafrika**lutulenta** Gestro, Ann. Mus. Civ. Genova (2) XII, Somaliland
1892, p. 789.**obscurator** F. Syst. Eleuth. II, 1801, p. 291. — Gerst. Guinea
Peters' Reise Mossamb. Ins. 1862, p. 330.**plagicollis** Gah. in Dist. Ins. Transvaal. 1904, p. 147, Transvaal
t. 15, f. 5.

- tenobrioides** Fähr. Öfvers. Vet. Akad. Förhl. XXIX. 2, 1872, p. 36. „Kaffern-land“
- terrea** Bertol. Nov. Comment. Acad. Bonon. X, 1849, p. 431, t. 10, f. 5. — Dist. Ins. Transvaal. 1904, p. 147, t. 14, f. 3. Mossambik, Natal
- improbata** Thoms. Archives Ent. I, 1857, p. 181. — Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 35.

11

Moechotypa Thoms.

- Thoms. Syst. Ceramb. 1864, p. 55, 368. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 85. — Lacord. Gen. Col. IX, 1869, p. 518.
- Scotinages** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 277.
- Tylophorus** Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 213. — Ganglb. Best.-Tab. VIII, 1884, p. 103 (537).
- adusta** Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 207. Laos
- Davidis** Fairm. Revue d'Ent. VI, 1887, p. 328. Peking
- delicatula** White. Ann. Mag. Nat. Hist. (3) II, 1858, p. 268. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 60. Assam, Birma, Laos
- diphysis** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 277, t. 13, f. 4. — Lewis, Entomolog. XXVI, 1893, p. 152. Japan, Korea, Amur, Nordchina
- fuliginosa** Kolbe. Archiv f. Naturg. LIII, 1. 1886, p. 221, t. 11, f. 38.
- Wulfiusi** Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 215, t. 7, f. 3. — Ganglb. Best.-Tab. VIII, 1884, p. 103 (537). — Jacobs. Käfer Russl. 1911, t. 71, f. 7.
- marmorea** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 85. Borneo
- suffasa** Pasc. Journ. of Ent. I, 1862, p. 336. Laos
- arida** Thoms. Syst. Ceramb. 1864, p. 55. — Lacord. Gen. Col. IX, 1869, p. 519, t. 102, f. 2.
- thoracica** White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 267. — Lacord. Gen. Col. IX, 1872, p. 519, nota 1. — Rits. Notes Leyden Mus. XII, 1890, p. 37. Nordindien, Birma
- umbrosa** Lacord. Gen. Col. IX, 1872, p. 519, nota 1. Laos
- verrucicollis** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 60. Birma

9

L. Niphonini.

- Pascoe, Trans. Ent. Soc. Lond. (3) III, 1864, p. 7, 56. — Lacordaire Gen. Col. IX, 1872, p. 414, 519.

Sotades Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 74. — Lacord. Gen. Col. IX, 1872, p. 521, 523.
- caprinus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 75. Morty, Batjan

- fatidicus** Pasc. l. c. p. 76. Kaioa
platypus Pasc. l. c. p. 75, t. 6, f. 4. Ternate
agrestis Pasc. l. c. p. 76.
 3

Eczemotes Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 79. — Lacord. Gen. Col. IX, 1872, p. 521, 524.
atomaria Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Kaioa
 p. 80, t. 4, f. 4.
cerviniapex Heller, Nov. Guinea IX, 1914, p. 664, Neuguinea
 t. 16, f. 10.
conferta Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Aru
 p. 40; (3) III, 1864, p. 80.
guttulata Bates, Proc. Zool. Soc. Lond. 1877, p. 153. Insel Duke of
 York, Neu-
 pommeru

4

Exarrhenus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 86. — Lacord. Gen. Col. IX, 1872, p. 521, 525.
egens Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 86, Neuguinea:
 t. 5, f. 5. — Lacord. Gen. Col. IX, 1872, p. 525. Saylee

1

Escharodes Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 70. — Lacord. Gen. Col. IX, 1872, p. 521, 525.
carinicollis Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Batjan,
 p. 71. Halmahera,
 Aru,
 Neuguinea
erimnosus Pasc. l. c. p. 72. Neuguinea:
 Saylee
interruptus Pasc. l. c. p. 71, t. 5, f. 1. Morty,
 Halmahera
paganus Pasc. l. c. p. 72. Aru

4

Axiothea Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 72. — Lacord. Gen. Col. IX, 1872, p. 521, 526.
distincta Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Ceram
 p. 73, t. 4, f. 6.
invida Pasc. l. c. p. 74. Batjan
pulchra Auriv. Arkiv f. Zool. IV, 17, 1908, p. 6, fig. 46. Neuguinea
strenua Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Amboina,
 p. 73. Batjan,
 Morty,
 Mysol, Kaioa

4

Alidus Gah.

Gahan, Ann. Mag. Nat. Hist. (6) XI, 1893, p. 258.

biplagiatus Gahan, l. c. p. 258.

China, Assam

1

Pseudabryna

Schultze, Philipp. Journ. of Sc. D. XI, 1916, p. 347.

luzonica Schultze, l. c. p. 347.

Luzon

1

Abryna Newm.

Newm. Entomolog. I, 1842, p. 289. — Thoms. Syst. Ceramb. 1864. p. 363. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 81. — Lacord. Gen. Col. IX, 1872, p. 521, 527.

basalis Auriv. Deutsche Ent. Zeitschr. 1908, p. 221. Salomonen✓ *baccinator* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 84. Sumatra✓ *coenosa* Newm. Entomolog. I, 1842, p. 289. — Westw. Manila
Trans. Ent. Soc. Lond. (3) I, 1863, p. 628,
t. 25, f. 3a, b.*comosa* Newm. Entomolog. I, 1842, p. 323. Philippinen*Hoffmeisteri* Schultze, Philipp. Journ. Sc. D. XI, Luzon
1916, p. 348.*regis Petri* Paiva, Descripc. de dois Ins. Col. 1860, Cambodja
p. 5, t. 1, f. 1; Ann. Mag. Nat. Hist. (3) VI,
1860, p. 360. — Lacord. Gen. Col. IX, 1872,
t. 102, f. 3.✓ *rubeta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 84. Borneo

7

Proteucelea Heller.

Heller, Philippine Journ. Sc. D. X, 1915, p. 245.

✓ *laterivitta* Heller, l. c. p. 245, t. 1, f. 17. Luzon✓ *sulphureomaculata* Schultze, l. c. XI, 1916, p. 293, „
t. 1, f. 5.

2

Niphonoclea nov. nom.*Euclea* (non Hübner 1816) Newman, Entomolog. I, 1842, p. 290. — Thoms. Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 363. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 149. — Lacord. Gen. Col. IX, 1872, p. 521, 528.✓ *albata* Newm. Entomolog. I, 1842, p. 290. Manila✓ *bizonata* Thoms. Syst. Ceramb. 1865, p. 549. „Malasia“✓ *capito* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 149 nota. Philippinen*albata* Lacord. Gen. Col. IX, 1872, t. 102, f. 4.✓ *casta* Thoms. Syst. Ceramb. 1865, p. 549. „Malasia“✓ *cynthia* Thoms. l. c. p. 549. Philippinen✓ *ilicebrosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes
p. 150, t. 8, f. 3.✓ *irrorata* Newm. Entomolog. I, 1842, p. 290. Manila

- mesoleuca* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Manila
p. 150 nota.
- nigritarsis* Pasc. l. c. p. 150. — Lacord. Gen. Col. Amboina
IX, 1872, p. 528, nota 1.
- nodicornis* Rits. Notes Leyden Mus. XIV, 1892, p. 38.
- rhombifera* Heller, Philippine Journ. Sc. D. VIII, 2, Philippinen
1913, p. 158, fig. 11.
- ruficollis* Heller. l. c. D. X, 4, 1915, p. 244. Luzon
- tagala* Heller, Abhandl. Mus. Dresden VII, 8. 1899, Philippinen
p. 6.

13

Acronia Westw.

- Westw. Trans. Ent. Soc. Lond. (3) I, 1863, p. 632. — Lacord. Gen.
Col. IX, 1872, p. 550.
- perelegans* Westw. Trans. Ent. Soc. Lond. (3) I, 1863, Philippinen
p. 633, t. 24, f. 4.
- pretiosa* Schultze, Philipp. Journ. Sc. D. XII, 1917, „
p. 249, t. f. 1.

2

Milothris Cast.

Cast. Hist. Nat. Col. II, 1840, p. 492.

- Atmodes* Thoms. Archives Ent. I, 1857, p. 301; Classif.
Ceram. 1860. p. 43, 71; Syst. Ceramb. 1864, p. 367. —
Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 151. —
Lacord. Gen. Col. IX, 1872, p. 522, 529.
- irrorata* F. Syst. Eleuth. II, 1801, p. 329. — Kempers, Java
Tijdschr. v. Ent. LII, 1909, p. 277, t. 17, f. 3.
- cinerea* Taschenb. in Heyne. Exot. Käfer
1904, t. 35, f. 24.
- lynæ* Dalm. in Schönh. Synon. Ins. I, 3, 1817.
Append. p. 173.
- marmorea* Schönh. Synon. Ins. I, 3, 1817,
p. 436. — Cast. Hist. Nat. Col. II, 1840,
p. 492. — Pasc. Trans. Ent. Soc. Lond. (3)
III, 1865, p. 151. — Lacord. Gen. Col. IX,
1872, p. 529.
- Schönherri* Thoms. Syst. Ceramb. 1865, p. 550. „Malasia“

2

Xiphotheata Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 93. — Lacord. Gen.
Col. IX, 1872, p. 522, 529.
- Bubalotragus* Flach. Ent. Zeit. IX. 1890, p. 239. —
v. d. Poll, l. c. X, 1891, p. 232.
- lucifera* Fairm. Le Natural. III, 1881, p. 359; Ann. Bismarck-
Soc. Ent. Belg. XXVII, 2, 1883, p. 49. — Archipel
Sharp in Willey, Zool. Results IV, 1900,
p. 385, t. 35, f. 6, 6a, 6b.
- Möllendorfi* Flach, Wien. Ent. Zeit. IX.
1890, p. 239, t. 3, f. 1—6.
- Saundersi* Pasc. Trans. Ent. Soc. Lond. (3) III. 1864, Batjan,
p. 94, t. 5, f. 7. — Lacord. Gen. Col. IX. Morotai,
1872, p. 530. Halmahera

2

Niphona Muls.

- Muls. Col. France, Long. ed. 1, 1839, p. 169; ed. 2, 1862, p. 335. — Thoms. Classif. Ceramb. 1860, p. 38. 40; Syst. Ceramb. 1864, p. 368. — Fairm. Gen. Col. d'Eur. IV, 1868, p. 165. — Lacord. Gen. Col. IX, 1872, p. 522, 530. — Cuni y Mart. Cat. Col. Cataluña 1876, p. 299. — Ganglb. Best.-Tab. VII, 1882, p. 694 (sep. p. 16). — Seidl. Fauna Transsylv. 1891, Gatt. p. 186.
- Aelara* Thoms. Syst. Ceramb. 1864, p. 55, 368. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 57, 81. — Lacord. Gen. Col. IX, 1872, p. 522, 531.
- Ocheutes* Thoms. Syst. Ceramb. 1864, p. 54, 368. — Lacord. Gen. Col. IX, 1872, p. 522. 532.

Paläarktische Art.

- picticornis* Muls. Col. France, Long. ed. 1, 1839, p. 169, t. 3, f. 6; ed. 2, 1862, p. 336. — Küster, Käfer Eur. XXII, 1851, p. 96. — Redtenb. Fauna Austr. ed. 2, 1858, p. 861; ed. 3, 1874, p. 420. — Fairm. Gen. Col. d'Eur. IV, 1868, p. 166, t. 50, f. 233. — Lacord. Gen. Col. IX, 1872, p. 531. — Cuni y Mart. Cat. Col. Cataluña 1876, p. 300. — Schlosser, Fauna Kornjas. III, 1879, p. 832. — Ganglb. Best.-Tab. VIII, 1884, p. 103 (537). — Jacobs. Käfer Rußl. 1911, t. 69, f. 3.
- Biologie: Muls. & Revel. Ann. Soc. Linn. Lyon (2) VI, 1859, p. 134; Opusc. Ent. XI, 1860, p. 92. — Xambeu, Moeurs & Métam. VIII, 1902, p. 169. — Petroff, Bull. Soc. Ent. d'Egypte 1919 (1920), p. 63.
- Südeuropa.
Nordafrika.
Kleinasien,
Syrien

Aethiopische Art.

- appendiculata* Gerst. Archiv f. Naturg. XXXVII, 1, 1871, p. 78; Decken's Reise III, 2, 1873, p. 259. — Har. Col. Hefte XVI, 1879, p. 204. — Dist. Ins. Transvaal. 1904, p. 148, t. 14, f. 14.
- severa* Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 360.
- sordida* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 35. — Bates, Proc. Zool. Soc. Lond. 1890, p. 492.
- Südafrika
bis Congo
und Brit.-
Ostafrika,
Togo

Indo-malaiische Arten.

- arrogans* Pasc. Journ. of Ent. I, 1862, p. 338; Trans. Ent. Soc. Lond. (3) III, 1864, p. 82, t. 4, f. 5.
- Batesi* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 63.
- cylindracea* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 268.
- excisa* Pasc. Journ. of Ent. I, 1862, p. 337.
- fasciculata* Pic, Mélang. Exot.-Ent. XXVI, 1917, p. 7.
- furcata* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 314. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 62. — Jacobs. Käfer Rußl. 1911, t. 71, f. 21.
- Borneo
Birma
Ostindien
Cambodja
Tibet
Japan,
Formosa

- fascator* F. Ent. Syst. I. 2, 1792, p. 291; Syst. Eleuth. II, 1801, p. 284. Tranquebar
- Hookeri* Gah. Ann. Mag. Nat. Hist. (8) V, 1900, p. 351. China,
Hainan,
Sikkim.
Andamanen
- minor* Lameere, Ann. Soc. Ent. France LXII, 1893, p. 284. Cambodja
- ornata* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 64. Birma
- pannosa* Pasc. Journ. of Ent. I, 1862, p. 537. Cambodja
- parallela* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 267. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 65. Nordindien.
Tenasserim.
Birma,
China
- plagiata* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 267. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 65. Ostindien
- princeps* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 63, t. 1, f. 11. Birma
- regis Fernandi* Paiva, Descripc. de dois Ins. Col. 1860, p. 8, t. 1, f. 2; Ann. Mag. Nat. Hist. (3) VI, 1860, p. 361. — Thoms. Syst. Ceramb. 1864, p. 55. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 61. Cambodja.
Birma,
Assam
- scopulifera* Thoms. Syst. Ceramb. 1864, p. 54. — Lacord. Gen. Col. IX, 1872, p. 532. Siam
- spinicollis* Bates, Entomolog. XXIV, 1891, Suppl. p. 22. Nordwest-
Himalaja:
Kulu
- tibialis* Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 257. Südindien:
Canara
- variolosa* Pasc. l. c. (5) II, 1878, p. 375. Andamanen
- vicina* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 62. Tenasserim

22

Dioristus Waterh.

- Waterh. Ann. Mag. Nat. Hist. (5) X, 1882, p. 46.
- albolateralis* Waterh. l. c. p. 47; Aid Identif. Ins. II, 1885, t. 157, f. 5. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 50, f. 6. Madagaskar

1

Camptocnema Thoms.

- Thoms. Syst. Ceramb. 1864, p. 54, 367. — Lacord. Gen. Col. IX, 1872, p. 522, 532.
- lateralis* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 267. — Thoms. Syst. Ceramb. 1864, p. 54. — Lacord. Gen. Col. IX, 1872, p. 532. Assam:
Silhet,
Birma,
- bimaculata* Brongn. Nouv. Archiv. Mus. Paris (3) III, 1892, p. 252, t. 10, f. 11. Siam

1

Cyardium Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 239. — Lacord. Gen. Col. IX, 1872, p. 522, 533.

cribrosum Pasc. Proc. Zool. Soc. Lond. 1866, p. 240, Malacca,
t. 26, f. 5. — Lacord. Gen. Col. IX, 1872, Nias
p. 533.

variegatum Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 26. Borneo
2

Sesiosa Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 154. — Lacord.
Gen. Col. IX, 1872, p. 522, 533.

subfasciata Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Singapur
p. 154, t. 8, f. 2. — Lacord. Gen. Col. IX,
1872, p. 533.

1

Etaxalus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 153. — Lacord.
Gen. Col. IX, 1872, p. 522, 534.

iliacus Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 153, t. 9, f. 4. — Lacord. Gen. Col. IX,
1872, p. 534.

1

Cryptocranium Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 75. — Cast. Hist. Nat. Col. II,
1840, p. 493. — Thoms. Classif. Ceramb. 1860, p. 43; Syst. Ceramb.
1864, p. 364. — Lacord. Gen. Col. IX, 1872, p. 522, 534.

laterale Serv. Ann. Soc. Ent. France IV, 1835, p. 76. Brasilien
— Cast. Hist. Nat. Col. II. 1840, p. 493. —
Lacord. Gen. Col. IX, 1872, p. 535.

1

Synixais Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 24; Journ. Sarawak Mus. I,
3, 1913, p. 12.

fuscomaculata Auriv. l. c. p. 24; l. c. p. 12. Borneo

1

Cenodocus Thoms.

Thoms. Syst. Ceramb. 1864, p. 47, 365. — Pasc. Trans. Ent. Soc.
Lond. (3) III, 1865, p. 140, 142. — Lacord. Gen. Col. IX, 1872,
p. 522, 535.

adustus Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Sumatra
p. 142, t. 10, f. 3.

antennatus Thoms. Syst. Ceramb. 1864, p. 48. Java

granulosus Pasc. Proc. Zool. Soc. Lond. 1866, p. 238, Malacca
t. 26, f. 12.

3

Ixais Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 239.

Nicomia Thoms. (nec Walker 1857) Syst. Ceramb. 1864, p. 49, 366. — Lacord. Gen. Col. IX, 1872, p. 522, 536.**Castelnaudi** Thoms. Syst. Ceramb. 1864, p. 50. — „Malasia“,
Lacord. Gen. Col. IX, 1872, p. 536. — Gah. Malacca,
Proc. South Lond. Ent. Soc. 1912—13, t. 10, Sumatra,
f. 9, 2. Java*episomoides* Pasc. Proc. Zool. Soc. Lond.
1866, p. 239, t. 26. f. 10.**leucoma** Lacord. Gen. Col. IX, 1872, p. 536, nota 3. „Malaisie“
2**Cyphoscyla** Thoms.

Thoms. Physis II, 1868, p. 65. — Lacord. Gen. Col. IX, 1872, p. 522, 537.

Lacordairei Thoms. Physis II, 1868, p. 66. — Lacord. „Malasia“
Gen. Col. IX, 1872, p. 537.

1

Acroptycha Quedenf.

Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 209.

spinifera Quedenf. l. c. p. 210.Congogebiet,
Nigeria

1

Theticus Thoms.Thoms. Archives Ent. II, 1858, p. 190; Classif. Ceramb. 1860. p. 42.
70; Syst. Ceramb. 1864, p. 365. — Lacord. Gen. Col. IX, 1872,
p. 522, 537.**angulatus** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 270. Usambara**biarcuatus** Thoms. Archives Ent. II, 1858, p. 191, Gabun
t. 8, f. 6.**bisbinodulus** Quedenf. Berl. Ent. Zeitschr. XXVII, Chinchono
1883, p. 140, t. 1, f. 8.**caudatus** Auriv. Ent. Tidskr. XXIV, 1903, p. 278, fig. 11. Kamerun**denticollis** Jord. Novit. Zool. I, 1894, p. 240. Kulu**dentifer** Ol. Ent. IV, nr. 67, 1795, p. 132, t. 23, f. 185. Kamerun
— Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, bis Congo
p. 140.*minor* Duviv. Ann. Soc. Ent. Belg. XXXV,
1891, Bull. p. 381; XXXVI, 1892, p. 361.**ecaudatus** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 270. Usambara**similis** Jord. Novit. Zool. I, 1894, p. 241. Gabun

8

Hylobrotus Lacord.

Lacord. Gen. Col. IX, 1872, p. 522, 538.

Ploemi Lacord. l. c. p. 539. nota 1. t. 102, f. 5.Malacca.
Java

1

Pterolophia Newm.

- Newm. Entomolog. I, 1842, p. 370. — Thoms. Syst. Ceramb. 1864, p. 365. — Gahan, Ann. Mus. Civ. Genova XXXIV, 1895, p. 66.
Praonetha Pasc. Journ. of Ent. I, 1862, p. 348; Trans. Ent. Soc. Lond. (3) III, 1865, p. 163. — Lacord. Gen. Col. IX, 1872, p. 522, 539.
Prioneta Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 292. — Thoms. Syst. Ceramb. 1864, p. 366 (*Prionetha*).

Indomalayische Arten.

- albivenosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 171. Malacca:
Berg Ophir
- alboplagiata* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 70, t. I, f. 12. Birma
- alternans* Wiedem. Zool. Mag. II, 1, 1823, p. 111. Java
- angusta* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 317. Japonia
- annulata* Chevr. Revue Zool. VIII, 1845, p. 99. — Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 69. China: Macao.
Birma
- annularis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 185. Borneo
- anoplagiata* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 23; Journ. Sarawak Mus. I, 3, 1913, p. 11. "
- armata* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 68. Birma
- Beccarii* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 83. Sumatra
- bigibbera* Newm. Entomolog. I, 1842, p. 323. Philippinen
- bimaculata* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 103. Birma
- bimaculata* Bates, Proc. Zool. Soc. Lond. 1866, p. 350. Formosa
- Bowringi* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 170 nota. Hongkong
- camura* Newm. Entomolog. I, 1842, p. 371. — Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 85. Philippinen.
Ceylon
- posticalis* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 106.
- capreola* Pasc. l. c. (3) III, 1865, p. 180. Flores
- carinata* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 72. Birma
- caudata* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 315. Japan
- chebana* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 102. Birma
- commixta* Newm. Entomolog. I, 1842, p. 381. Philippinen
- concreta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 167. Celebes:
Tondano
- conjecta* Pasc. l. c. p. 172. "
- consobrina* Lucas, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 67 (Larve). Cochinchina
- consularis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 240. Malacca,
— Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 68. Birma
- crassipes* Wiedem. Zool. Mag. II, 1, 1823, p. 111. China: Macao
- deducta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 176. Celebes:
Tondano

- detersa* Pasc. l. c. p. 166. Borneo
digosta Newm. Entomolog. l. 1842, p. 370. Philippinen
Dohrni Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 69. Ceylon
enganeasis Gah. Ann. Mus. Civ. Genova (3) III, 1907, Engano
p. 84.
ephippiata Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
p. 171. Menado
fasciculosa Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 26. Borneo
ferrugata Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, "
p. 179.
fractilinea Pasc. l. c. p. 178. "
fulvisparsa Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 71.
fascobasalis Auriv. Arkiv f. Zool. X, 19, 1916, p. 19. Java
hybrida Newm. Entomolog. l. 1842, p. 371. Philippinen
ignobilis Newm. l. c. p. 382. "
iliaea Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 178. Borneo
illicita Pasc. (siehe unten). Malacca.
Java
imbuta Newm. Entomolog. l. 1842, p. 381. Philippinen
immista Newm. l. c. p. 382. "
jacta Newm. l. c. p. 381. "
jugosa Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 351. Japan
kalea Bates, Proc. Zool. Soc. Lond. 1866, p. 351. Formosa
Koehleri Rits. Tijdschr. v. Ent. XIX, 1876, p. 47. Sumatra
lateralis Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 65.
leiopodina Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 317.
ligata Pasc. Journ. of Entom. l. 1862, p. 350. Java
lunigera Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 25. Borneo
melanura Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Malacca
p. 106; (3) III, 1865, p. 167. — Gah. Journ.
Malay. States Mus. I, 1906, p. 119.
montana Pasc. Trans. Ent. Soc. Lond. (3) III, Borneo
1865, p. 165.
quadraticollis Pasc. l. c. p. 168.
modesta Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 66. Birma
Moensi Rits. Notes Leyden Mus. III, 1881, p. 15. Java:
Bandong
nigrocincta Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 69.
oopsida Gah. l. c. (3) III. 1907, p. 84. Sumatra
penicillata Pasc. Journ. of Ent. l. 1862, p. 349. Cambodja
perplexa Gah. Proc. Zool. Soc. Lond. 1888, p. 541; Christmas
Christmas Isl. 1900, p. 123, t. 11, f. 5. Insel
persimilis Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 71.
pilosella Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Flores
p. 178.
propinqua Pasc. l. c. p. 177. Borneo
proxima Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 67.
punctigera Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 171.
quadrifasciata Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 71.
reducta Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
p. 166. Tondano

- rigida* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 316. Japan
Robinsoni Gah. Journ. Malay. States Mus. I, 1906, Malacca
 p. 119.
scopulifera Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo,
 p. 175. Birma
secuta Pasc. l. c. p. 167. Borneo
similata Pasc. l. c. p. 166. Flores
simulata Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
 p. 85.
sinensis Fairm. Ann. Soc. Ent. France LXVIII, 1900, China
 p. 642.
sobriina Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
 p. 173. Tondano
socia Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 70. Birma
subfasciata Gah. l. c. p. 67. ”
subtincta Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Java,
 p. 170. — Gah. Journ. Malay. States Mus. I, Malacca
 1906, p. 119.
uniformis Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Java
 p. 169.
vagans Gah. Ann. Mus. Civ. Genova XXXIV, 1894. Birma
 p. 73.
villosa Pasc. Proc. Zool. Soc. Lond. 1866, p. 241. Malacca:
 Penang
vitticollis Newm. Entomolog. I, 1842, p. 370. Philippinen
zonata Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. Japan
 315. — Matsum. Thous. Ins. Japan III, 1908,
 nr. 734, t. 55, f. 8.

Australo-papuanische Arten.

- albosignata* Blanch. Voy. Pôle Sud, Zool. IV, 1853, Amboina
 p. 293, t. 17, f. 11. — Pasc. Trans. Ent. Soc.
 Lond. (3) III, 1865, p. 164.
basalis Auriv. Deutsche Ent. Zeitschr. 1908, p. 222. Salomonen
bizonata M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, Neuguinea
 1886, p. 198.
Blackburni n. nom. Queensland
bimaculata Blackb. Trans. R. Soc. S. Austr.
 XIX, 1895, p. 223.
conformis Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Neuguinea:
 p. 181. Saylee
costalis Pasc. Journ. of Ent. I, 1862, p. 349; Trans. Nord-
 Ent. Soc. Lond. (3) III, 1865, p. 177. molukken,
 Sula
crispata Pasc. l. c. p. 184. Waigiu
disjuncta Pasc. l. c. p. 182. Neuguinea
dispersa Pasc. l. c. (2) V, 1859, p. 47. Nord-
 australien
duplicata Pasc. l. c. (3) III, 1865, p. 179. Neuguinea
frustrata Pasc. l. c. p. 181. Aru
grisescens Pasc. l. c. p. 168. Goram
ignara Pasc. l. c. p. 183. Misol
illicita Pasc. l. c. p. 169; Proc. Zool. Soc. Lond. 1866, Misol, Aru,
 p. 240. Malacca,
 Java
infima Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 175. Batjan,
 Morotai
medifusca Pasc. l. c. p. 182. Ternate

<i>ministrata</i> Pasc. l. c. p. 168.	Batjan
<i>obducta</i> Pasc. l. c. p. 165.	Ceram, Buru
<i>palliat</i> a Pasc. l. c. p. 183.	Neuguinea
<i>pallida</i> M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 198.	"
<i>pituitosa</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 176.	Nord-molukken: Kaioa
<i>pleuricausta</i> Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 89.	"Port "Albany", Queensland
<i>privata</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 174.	Amboina
<i>pulehra</i> Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 48, t. 2, f. 4.	Salomonen
<i>restricta</i> Pasc. l. c. p. 184.	Misol, Aru
<i>satrapa</i> Pasc. l. c. p. 173, t. 10, f. 6.	Ternate
<i>scoriacea</i> Pasc. l. c. p. 184.	Aru
<i>signata</i> Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 399; Mélang. Ent. III, 1855, p. 79.	Insel Woodlark
<i>sordidata</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 174.	Batjan
<i>strumosa</i> Pasc. l. c. p. 180.	Neuguinea
<i>subsellata</i> Pasc. l. c. p. 175.	Ke-Inseln
<i>terrea</i> Pasc. l. c. p. 169.	Aru
<i>torpida</i> Pasc. l. c. p. 169.	Neuguinea
<i>undulata</i> Pasc. Journ. of Ent. I, 1862, p. 349; Trans. Ent. Soc. Lond. (3) III, p. 172.	Batjan
<i>variabilis</i> Pasc. l. c. (2) V, 1859, p. 47; (3) III, 1865, p. 181.	Aru
<i>vicinalis</i> Pasc. l. c. (3) III, 1865, p. 183.	Batjan, Ternate
<i>villaris</i> Pasc. l. c. p. 174.	Neuguinea

Äthiopische Arten.

<i>alboclucta</i> Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 410.	Somaliland
<i>Annobonae</i> Auriv. Arkiv f. Zool. VII, 3, 1910, p. 39.	Insel Annobon
<i>apicata</i> Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 254.	Madagaskar
<i>biangulata</i> Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 553.	Insel Mayotte
<i>bispina</i> Fairm. l. c. XLVIII, 1904, p. 261.	Madagaskar
<i>crassiuscula</i> Fairm. l. c. XL, 1896, p. 390.	"
<i>cristulata</i> Fairm. l. c. p. 391.	"
<i>dorsata</i> Fairm. l. c. p. 392.	"
<i>ephippiata</i> Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 72.	Comoren: Mayotte
<i>fuscopunctata</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 260.	Madagaskar
<i>laterifusca</i> Fairm. Ann. Soc. Ent. France (6) V, 1886, p. 460.	Abessinien: Obock
<i>lichenea</i> Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 363.	Congo
<i>lineigera</i> Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 120.	Madagaskar

- melanura** Pasc. (siehe oben). — Gerst. Decken's Reisen III, 2, 1873, p. 261. Deutsch-Ostafrika. Comoren, Madagaskar
- nervosa** Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 73; Ann. Soc. Ent. Belg. XXXVII, 1893, p. 553. Madagaskar
- nlgrosparsa** Kolbe, Stett. Ent. Zeit. LIV. 1893, p. 271. Deutsch-Ostafrika: Pangani Madagaskar
- nivipicta** Fairm. Revue d'Ent. XX, 1901, p. 226. Madagaskar
- obliquepicta** Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 121. "
- obsoleta** Fairm. i. c. (5) I, 1871, p. 67. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 50, f. 4. Comoren: Mayotte, Madagaskar
- pllicata** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 70. Togo
- principis** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 40. Prinzen-Insel
- scripta** Gerst. Archiv f. Naturg. XXXVII, 1, 1871. p. 79; Decken's Reise III, 2, 1873. p. 261. Brit.-Ostafrika, Endara Usambara
- var. *dorsalis* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 273. Usambara
- truncata** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 392. Madagaskar
- unifasciata** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 272. Usambara
- vagefasciata** Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 388. Madagaskar
- variolosus** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 272. Usambara

140

Marmylaris Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 88 nota.

- Buckleyi** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 107. — Au. iv. Ent. Tidskr. XII, 1891, p. 106, fig. 6. Nordindien, Himalaya
- ? *varipennis* Thoms. Syst. Ceramb. 1865, p. 550. — Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 88 nota.

1

Lychrosis Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 89. — Lacord. Gen. Col. IX, 1872, p. 522, 541.

- afflictus** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 305. Queensland
- albonotatus** Pic, Mélang. Exot.-Ent. XXVII, 1918, p. 10. Tonkin
- angustus** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 74. Birma
- humerosus** Thoms. Syst. Ceramb. 1865, p. 550. Ostindien, Birma
- luctuosus** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 546, t. 22, f. 5. Queensland
- variegatus** Thoms. Syst. Ceramb. 1865, p. 559. Ostindien
- zebrinus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 252. — Lacord. Gen. Col. IX, 1872, p. 541, nota 2. Nordindien

7

Hathliodes Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 88. — Lacord. Gen. Col. IX, 1872, p. 522, 542.

- costulatus** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 305. West-australien: Champion Bay
- grammicus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 49; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 88, 142, t. 3, f. 7. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1469. „Nord-australien“
- lineellus** Hope, Proc. Ent. Soc. Lond. I, 1841, p. 50; Ann. Mag. Nat. Hist. IX, 1842, p. 430. Nord-australien: Port Essington, Queensland
- melanocephalus** Hope, Proc. Ent. Soc. Lond. I, 1841, p. 50; Ann. Mag. Nat. Hist. IX, 1842, p. 430. Nord-australien: Port Essington
- gracilis* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 301, t. 17, f. 18.
- molitorius** Auriv. Arkiv f. Zool. X, 23, 1917, p. 33, t. 3, f. 7. Nordwest-australien: Kimberley
- moratus** Pasc. Journ. Linn. Soc. IX, 1866, p. 89. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 32. „Nord-australien“, Nordwest-australien: Kimberley
- murinus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 50. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 33. „Nord-australien“, Nordwest-australien: Kimberley
- quadrilineatus** Hope, Proc. Ent. Soc. Lond. I, 1841, p. 50; Ann. Mag. Nat. Hist. IX, 1842, p. 429. Nord-australien: Port Essington, Nordwest-australien: Kimberley, Queensland

8

Cairnsia Blackb.

Blackb. Trans. R. Soc. S. Austral. XIX, 1895, p. 224.

- Cowleyi** Blackb. l. c. p. 225. Queensland

1

Mycerinus Thoms.

Thoms. Archives Ent. I, 1857, p. 300; Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 366. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 27, 31.

- dorcadioides** Thoms. Archives Ent. I, 1857, p. 301. Senegal
— Kolbe, Stett. Ent. Zeit. LV, 1894, p. 27, 31.
- leucocincta** Guér. Icones Règne Anim. Ins. 1844, p. 248. „

2

Niphotragulus Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 31.

Batesi Kolbe, l. c. p. 32.

Nyassaland,
Deutsch-
Ostafrika

1

Stesilea Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 185. — Lacord.
Gen. Col. IX, 1872, p. 523, 543.**feriata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 187. Ceram**honesta** Pasc. l. c. p. 187.**inornata** Pasc. l. c. p. 186.

Manowalko

Celebes:

Tondano

Buru

Celebes:

Tondano

prolata Pasc. l. c. p. 185, t. 9, f. 5.**scutellaris** Pasc. l. c. p. 186.**tuberculata** Nonfr. Deutsche Ent. Zeitschr. 1894,
p. 210 (*Stelisea*).

Sumatra

6

Diexia Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1864-65, p. 96, 137. — Lacord.
Gen. Col. IX, 1872, p. 522, 543.**punctigera** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 138, t. 7, f. 1. — Lacord. Gen. Col. IX,
1872, p. 544. Singapur

1

Ale Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1864-65, p. 96, 131. — Lacord.
Gen. Col. IX, 1872, p. 523, 544.**agraria** Pasc. l. c. p. 132, t. 6, f. 6. — Lacord. Gen. Col. IX, 1872, p. 544. Batjan

1

Synelasma Pasc.Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 248; (3) III, 1865,
p. 140, 143. — Lacord. Gen. Col. IX, 1872, p. 523, 544.**anolius** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 144. Borneo**baramensis** Heyd. Abhandl. Senckenb. Ges. XXIII, 1897, p. 578. „**bufo** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 248, t. 26, f. 1; (3) III, 1865, p. 143. „**scincus** Pasc. l. c. p. 145. „**stellio** Pasc. l. c. p. 144. „

5

Zosmotes Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 145. — Lacord.
Gen. Col. IX, 1872, p. 523, 545.

plumula Pasc. Trans. Ent. Soc. Lond. (3) III, 1865. Borneo
p. 145, t. 9, f. 3. — Lacord. Gen. Col. IX,
1872, p. 546.

1

Catafimbria n. nom.

Fimbria Belon (nec Boh. 1761), Bull. Soc. Ent. France
1896, p. 387.

boliviana Belon, l. c. p. 388.

Bolivia

1

Moron Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 249; (3) III, 1865,
p. 140, 146. — Lacord. Gen. Col. IX, 1872, p. 523, 546

distigma Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo
p. 249, t. 26, f. 2; (3) III, 1865, p. 146. —
Lacord. Gen. Col. IX, 1872, p. 546.

1

Paramoron Auriv.

Auriv. Arkiv f. Zool. IV, 17, 1908, p. 7.

Menyllodes Heller, Abhandl. Dresden. Mus. XIII, 3, 1910,
p. 39; Ent. Mitt. I, 1912, p. 173 nota.

diadematum Heller, l. c. p. 40, tab. f. 9.

Neuguinea

singulare Auriv. Arkiv f. Zool. IV, 17, 1908, p. 8,
fig. 47.

„

2

Paracomeron Heller.

Heller, Ent. Mitteil. I, 1912, p. 173.

Aurivilliusi Heller, l. c. p. 174, fig. 4.

Neuguinea

1

Zaera Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 147. — Lacord.
Gen. Col. IX, 1872, p. 523, 547.

cretata Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Batjan,
p. 147, t. 8, f. 5. — Lacord. Gen. Col. IX, Neuguinea
1872, p. 547.

pulcherrima Nonfr. Ent. Nachr. XX, 1894, p. 83. Neupommern

2

Cobria Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 147. — Lacord.
Gen. Col. IX, 1872, p. 523, 547.

albisparsa Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Neuguinea
p. 148, t. 8, f. 1. — Lacord. Gen. Col. IX,
1872, p. 548.

1

Aprophata Pasc.

- Pasc. Journ. of Ent. I, 1862, p. 341. — Thoms. Syst. Ceramb. 1864.
p. 363. — Lacord. Gen. Col. IX, 1872, p. 523, 548.
- eximia** Newm. Entomolog. I, 1842, p. 298. — Westw. Philippinen
Cabin. Or. Ent. 1848, p. 60, t. 29, f. 5; Trans.
Ent. Soc. Lond. (3) I, 1863, p. 629, t. 24, f. 6.
ab. *cuprea* Westw. l. c. p. 636, t. 24, f. 1.
ab. *purpurconigricans* Westw. l. c. t.
25, f. 1.
ab. *viridis* Westw. l. c. t. 24, f. 2.
- fausta** Newm. Entomolog. I, 1842, p. 289. — Westw. "
Trans. Ent. Soc. Lond. (3) I. 1863, p. 628,
t. 25, f. 4.
- gryphogramma** Heller, Deutsche Ent. Zeitschr. 1916, Mindanao
p. 307, t. 3, f. 6.
- Newmani** Westw. Trans. Ent. Soc. Lond. (3) I, 1863, Luzon:
p. 631, t. 25, f. 5. Manila
- notha** Newm. Entomolog. I, 1842, p. 290. — Pasc. "
Journ. of Ent. I, 1862, p. 342. — Westw.
Trans. Ent. Soc. Lond. (3) I, 1863, p. 632,
t. 25, f. 2. — Lacord. Gen. Col. IX, 1872,
p. 549, t. 103, f. 1.
- ocellifera** Westw. Trans. Ent. Soc. Lond. (3) I, 1863, "
p. 364, t. 24, f. 5. — Lacord. Gen. Col. IX,
1872, p. 549, nota 1.
- ruficollis** Heller, Deutsche Ent. Zeitschr. 1916, p. 308. Philippinen:
Baguio
- Semperi** Westw. Trans. Ent. Soc. Lond. (3) I; 1863, Luzon
p. 630, t. 24, f. 3.

8

Doliops Waterh.

- Waterh. Proc. Ent. Soc. Lond. 1841, p. 27; Ann. Mag. Nat. Hist.
VIII, 1841, p. 221; Trans. Ent. Soc. Lond. IV, 1845, p. 42. — Westw.
Arcana Ent. I, 1843, p. 57. — Thoms. Syst. Ceramb. 1864, p. 363.
— Lacord. Gen. Col. IX, 1872, p. 550.
- curculionoides** Waterh. Proc. Ent. Soc. Lond. 1841, Philippinen
p. 27; Ann. Mag. Nat. Hist. VIII, 1841,
p. 222; Trans. Ent. Soc. Lond. IV, 1845,
p. 42. — Westw. Arcana Ent. I, 1843.
p. 57, t. 15, f. 1. — Gah. Proc. South Lond.
Ent. Soc. 1912-13, t. 10, f. 8, 2.
- geometrica** Waterh. Proc. Ent. Soc. Lond. 1842, "
p. 55; Ann. Mag. Nat. Hist. X, 1842, p. 70;
Trans. Ent. Soc. Lond. IV, 1845, p. 44. —
Westw. Cabin. Orient. Ent. 1848, p. 60, t. 29,
f. 6. — Vuillet, Insecta I, 1911, p. 55, fig.
- imitator** Schultze, Philipp. Journ. Sc. D. XIII, 1918, ..
p. 377, t. 1, f. 6.
- pachyrhynchooides** Heller, Deutsche Ent. Zeitschr. Luzon
1916, p. 309, t. 3, f. 5.

4

Chaetostigme Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 69.

casta Pasc. l. c. p. 70, t. 8, f. 5.West-
australien.
Nordwest-
australien:
Kimberley

1

Prosoplus Blanch.

Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 290.

Aegomomus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 59.*Atyporis* Pasc. l. c. p. 58, 67. — Lacord. Gen. Col. IX, 1872, p. 551, 555.*Micracantha* Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 271. — Thoms. Syst. Ceramb. 1864, p. 367. — Lacord. Gen. Col. IX, 1872, p. 551, 554.*Prosacanthus* Fauv. Bull. Soc. Linn. Normandie VII, 1862, p. 163; Notices Ent. I, 1862, p. 46.**affectus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 61.**albidus** Auriv. Arkiv f. Zool. X, 23, 1917, p. 33, t. 2, f. 8.Batjan,
Nordwest-
australien
Insel
Woodlark**aspersus** Montrouz. Ann. Soc. Agric. Lyon (2) VII, 1, 1855, p. 66.**assimilis** Montrouz. l. c. p. 65.**australis** Montrouz. Ann. Soc. Ent. France (4) I, 1861, p. 271. — Fauv. Revue d'Ent. XXV, 1906, p. 95.Neu-
caledonien.
Lifu*Chevolati* Fauv. Bull. Soc. Linn. Normand. VII, 1862, p. 163, t. 10 bis, f. 64-67.**Banki** F. Syst. Ent. 1775, p. 176; Mant. Ins. I, 1787, p. 141; Ent. Syst. I, 2, 1792, p. 287; Syst. Eleuth. II, 1801, p. 301. — Ol. Encycl. méth. VII, 1792, p. 474; Ent. IV, 67, 1795, p. 118, t. 15, f. 111. — Gah. Trans. Ent. Soc. Lond. 1893, p. 192. — Sharp, Fauna Hawaiens. II, 1900, p. 114.Java, Borneo,
Lombok,
Flores,
Timor,
Molukken.
Aru, Key,
Nord-
australien:
Port
Essington,
Honolulu*abdominalis* White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 273.*Bancki* F. Spec. Ins. I, 1781, p. 223.*Banksi* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1834.*hollandicus* Boisd. Voy. Astrolabe, Ent. II, 1835, p. 491.*insularis* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 39; (3) III, 1864, p. 65.*nutans* Sharp. Trans. Ent. Soc. Lond. 1878, p. 209; Trans. R. Dublin Soc. (2) III, 1884, p. 262, t. 5, f. 50.**bimaculatus** Auriv. Arkiv f. Zool. III, 18, 1907, p. 32.**dentatus** Ol. Encycl. méth. VII, 1792, p. 469. — Gah. Trans. Ent. Soc. Lond. 1893, p. 192.*spinipes* Ol. Ent. IV, nr. 67, 1795, p. 103, t. 10, f. 66. — F. Syst. Eleuth. II, 1801, p. 282.Neuguinea
Bourbon,
Mauritius,
Rodriguez**Desjardinsi** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1899, Bull. p. 96.

Madagaskar

- clusus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 66.
encaustus Pasc. l. c. p. 59.
infelix Pasc. l. c. p. 64.
intercalaris Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 301.
intermissus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 69.
iratus Pasc. Ann. Mag. Nat. Hist. (3) IX, 1862, p. 464.
javanicus Auriv. Tijdschr. v. Ent. LIX, 1916, p. 222, t. 8, f. 10.
jubatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 68.
litigiosus Pasc. l. c. p. 61.
maculosus Pasc. l. c. p. 60.
madecassus Künckel in Grandid. Hist. Madag. Col. 1890, t. 50, f. 5.
malignus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 62.
Marianarum Auriv. Deutsche Ent. Zeitschr. 1908, p. 222.
miscellus Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 529.
molestus Pasc. l. c. (3) III, 1864, p. 69.
musivus Pasc. l. c. p. 65.
obliquatus Fairm. Ann. Soc. Ent. France XL, 1896, p. 380.
oblitus Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 530.
ominosus Pasc. l. c. (3) III, 1864, p. 63.
ornatus M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 197.
perversus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 69.
petechialis Pasc. l. c. p. 64.
pullatus Pasc. l. c. (2) V, 1859, p. 39; (3) III, 1864, p. 62.
samoanus Auriv. Denkschr. Wien. Akad. Wiss. Math.-Nat. Classe LXXXIX, 1913, p. 692 (sep. p. 5).
signatus Fauv. Revue d'Ent. XXV, 1906, p. 95.
sinuatofasciatus Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 291, t. 17, f. 14.
sparsutus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 60.
sturbinus Pasc. l. c. p. 68, t. 4, f. 7.
torosus Pasc. Journ. of Ent. II, 1863, p. 223.
truncatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 67.
uniformis Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 66.
valgus Pasc. l. c. p. 64.
vexatus Pasc. l. c. p. 63.
viduatus Pasc. l. c. p. 59, t. 4, f. 3.
- Ceram
 Buru
 Batjan,
 Halmahera
 Cape York
 Neuguinea
 Queensland:
 Lizard-Insel
 Java
 Batjan
 Batjan.
 Halmahera
 Timor
 Madagaskar
 Misol
 Marianen
 Neuholland:
 Port
 Denison,
 Queensland
 Neuguinea
 Timor, Kaioa
 Madagaskar
 Neusüdwaales
 Halmahera
 Neuguinea
 Batjan
 Morotai
 Sumatra,
 Buru,
 Aru
 Samoa
 Neu-
 caledonien,
 Insel Lifu
 Neuguinea
 Batjan,
 Kaioa, Aru
 Aru
 Süd-
 australien
 Misol
 Buru
 Neuguinea
 Saylee
 Amboina

- villaris** Pasc. l. c. p. 62. Insel Gag
woodlarkianus Montrouz. Ann. Soc. Agric. Lyon (2) Woodlark,
 VII, 1855, p. 65. Queensland,
Bakewelli Pasc. Trans. Ent. Soc. Lond. (2) Queen-
 V, 1859, p. 38.° wales
xyalopus Karsch, Berl. Ent. Zeitschr. XXV, 1881, Marshall-
 p. 11, t. 1, f. 17. Inseln
yapensis Auriv. Deutsche Ent. Zeitschr. 1908, p. 223. Insel Yap
 47

Ischioplites Thoms.

- Thoms. Syst. Ceramb. 1864, p. 53. 367. — Pasc. Trans. Ent. Soc.
 Lond. (3) III, 1864, p. 58. 82. — Lacord. Gen. Col. IX, 1872,
 p. 551, 553.
metutus Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Aru,
 p. 40: (3) III, 1864, p. 65. Neuguinea.
agnalus Pasc. l. c. p. 81. Saylee.
mitutus Thoms. Syst. Ceramb. 1864, p. 53. Cape York
 1

Achriotypa Pasc.

- Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 71.
basalis Pasc. l. c. p. 72. Neusüdwaless
 1

Menyllus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58. 87. — Auriv. Arkiv
 f. Zool. X, 23. 1917. p. 35.
Menyllus Lacord. Gen. Col. IX, 1872, p. 551, 555.
Sysspilotus Pasc. Journ. of Ent. II, 1865, p. 359.
maculicornis Pasc. Trans. Ent. Soc. Lond. (3) III, Aru,
 1864, p. 87, t. 5. f. 6. — Lacord. Gen. Col. Queensland
 IX, 1872, p. 556. — Auriv. Ent. Tidsskr. 1867, p. 300 nota.
Macleayi Pasc. Journ. of Ent. II, 1865,
 p. 360; Journ. Linn. Soc. Lond. Zool. IX,
 1867, p. 300 nota.
 1

Symphyletes Newm.

- Newm. Entomolog. I, 1842, p. 362. — Auriv. Arkiv f. Zool. X, 23.
 1917. p. 35.
Symphyletes Thoms. Classif. Ceramb. 1860. p. 38; Syst.
 Ceramb. 1864, p. 367. — Lacord. Gen. Col. IX, 1872, p. 551, 556.
nodosus Newm. Entomolog. I, 1842, p. 362. — Lacord. Neusüdwaless
 Gen. Col. IX, 1872, p. 557.
 1

Platymopsis Thoms.

- Thoms. Archives Ent. I, 1857, p. 187; Syst. Ceramb. 1864, p. 52.
 367. — Lacord. Gen. Col. IX, 1872, p. 551, 558. — Auriv. Arkiv f.
 Zool. X, 23, 1917. p. 36.
Platymopsis Pasc. Journ. Linn. Soc. Lond. Zool. IX,
 1867, p. 111.

- Saperdopsis* Thoms. Syst. Ceramb. 1864, p. 53, 367. —
 Lacord. Gen. Col. IX, 1872, p. 551, 557.
- Symphyletes* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864,
 p. 58, 77 (e max. parte).
- albocincta** Guér. Voy. Coquille Zool. II, 2, 1831, p. 137, Neusüdwaless
 Ins. t. 7, f. 7. — Boisd. Voy. Astrolabe, Ent.
 II, 1835, p. 514.
- Donovani* Newm. Zoologist IX, 1851, Append.
 p. 129.
- Biologie: Froggatt, Proc. Linn. Soc. N.
 S. Wales (2) VIII, 1893, p. 32.
- anaglypta** Pasc. Journ. Linn. Soc. N. S. Wales IX, Queensland
 1867, p. 303.
- Augasi** Pasc. Journ. of Ent. II, 1863, p. 225, t. 11, Süd-
 f. 1. — Lacord. Gen. Col. IX, 1872, t. 103, australien.
 f. 2 (non 3). — Tepper, Native ins. S. Austral. Südwest-
 I, 1887, p. 41. australien
- apiculata** Auriv. Arkiv f. Zool. X, 19, 1916, p. 19. Australien
- aretos** Pasc. Journ. of Ent. II, 1865, p. 356. West-
 australien
- armatula** White, Proc. Zool. Soc. Lond. XXVII. Neuhollland
 1859, p. 122, t. 59, f. 8.
- basalis** Auriv. Arkiv f. Zool. X, 23, 1917, p. 37, t. 3, f. 9. Nordwest-
 australien
- Bathursti** Pasc. Journ. Linn. Soc. Lond. Zool. IX, Süd-
 1866, p. 85. — Tepper, Native Ins. S. Austral. australien
 I, 1887, p. 41.
- capreolus** Pasc. Journ. Linn. Soc. Lond. Zool. IX, Queensland:
 1867, p. 304. Rock-
 hampton
- cinerascens** Auriv. Arkiv f. Zool. X, 23, 1917, p. 40. Queensland:
 Cairns
- cinnamomea** Pasc. Trans. Ent. Soc. Lond. (2) V, Queensland:
 1859, p. 59. MoretonBay
- collaris** Donov. Ins. New Holl. 1805, t. 5, f. 8. — Neu-
 ? Boisd. Voy. Astrolabe, Ent. II, 1835, p. 514. Südwaless
- compos** Blackb. Trans. R. Soc. S. Austr. XXVI, Queensland
 1902, p. 319.
- decipiens** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Süd-
 p. 532. australien:
 Adelaide
- deflorata** Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, West-
 p. 207. australien:
 Champion-
 Bay
- dentipes** Blackb. Proc. Linn. Soc. N. S. Wales (2) Queensland
 VIII, 1894, p. 202.
- derasa** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 532. Neu-
 Südwaless
- deserti** Blackb. Horn Exped. Centr.-Austral. II, 1896, Zentral-
 p. 301. australien
- devota** Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 83. West-
 australien
- Duboulayi** Pasc. l. c. p. 83. "
- egena** Pasc. Journ. of Ent. II, 1863, p. 225. Nord-
 australien
- farinosa** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Sydney
 p. 533.

- fasciata** Blackb. Trans. R. Soc. S. Austral. XXV, 1901, p. 39. Queensland
- ferruginea** Auriv. Arkiv f. Zool. X, 23, 1917, p. 39, t. 1, f. 8. Nordwest-australien
- fraserensis** Blackb. Trans. R. Soc. S. Austral. XVI, 1893, p. 198. Australien
- Frenchi** Blackb. l. c. XIII, 1890, p. 132. West-australien
- fulvescens** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 531. Queensland: Port Curtis (Port Denison).
- fumata** Pasc. Journ. of Ent. II, 1863, p. 224. Süd-australien
- gallus** Pasc. l. c. p. 226. Nord-australien
- humeralis** White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 269. Nord-australien: Port Essington
- iliaca** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 84. West-australien: Champion-Bay
- ingesta** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 537. Sydney
- lanosa** Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 208. Westaustral.: Champion-Bay
- lateralis** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 250. Westaustral.: Swan River
- lenta** Blackb. Trans. R. Soc. S. Austr. XXV, 1901, p. 38. Nordwest-australien
- maculicornis** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 250. Westaustral.: Swan River
- Mjöbergi** Auriv. Arkiv f. Zool. X, 23, 1917, p. 41, t. 1, f. 7. Queensland
- modesta** Blackb. Trans. R. Soc. S. Austr. XIII, 1890, p. 131. Süd-australien
- morata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 536. Queensland: Port Curtis (Port Denison)
- munita** Pasc. l. c. p. 536. Neu-Süd-wales: Clarence River
- neglecta** Pasc. l. c. p. 534. — Froggatt, Austral. Ins. 1907, p. 198. Neu-Süd-wales
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) VIII, 1893, p. 33.
- nigrovirens** Donovan. Ins. New Holl. 1805, t. 5, f. 7. Neusüd-wales.
— Boisd. Voy. Astrolabe, Ent. II, 1835, p. 513. — Frogg. Austral. Ins. 1907, p. 198. Queensland
Biologie: Frogg. Proc. Linn. Soc. N. S. Wales (2) VIII, 1893, p. 32.
- obliqua** Donovan. Ins. New Holl. 1805, t. 6, f. 2. — Neuholland
— Boisd. Voy. Astrolabe, Ent. II, 1835, p. 500.
— Tepper, Native Ins. S. Austr. I, 1887, p. 41.
spinosa Thoms. Syst. Ceramb. 1864, p. 52, 483.

- pallida** Auriv. Arkiv f. Zool. X, 23, 1917, p. 38. t. 3, f. 10. Nordwest-australien
Neuholland
- pedicornis** F. Syst. Ent. 1775, p. 170; Spec. Ins. I, 1781, p. 216; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 267; Syst. Eleuth. II, 1801, p. 282. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1827. — Ol. Encycl. méth. VII, 1792, p. 459; Ent. IV, nr. 67, 1795, p. 94, t. 16, f. 119. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 523. — Auriv. Ent. Tidskr. XIV, 1893, p. 167; Arkiv f. Zool. X, 23, 1917, p. 37.
? *tuberculata* Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 429.
- pubiventris** Pasc. Journ. of Ent. I, 1862, p. 339. — Tepper, Native Ins. S. Austr. I, 1887, p. 41. Süd-australien:
Kangaroo
Insel
- pulverulens** Boisd. Voy. Astrolabe, Ent. II, 1835, p. 501. — Auriv. Ent. Tidskr. XIV, 1893, p. 167.
armata Thoms. Syst. Ceramb. 1864, p. 53.
vetusta Pasc. Ann. Mag. Nat. Hist. (3) IX, 1862, p. 464. Neusüd-wales,
Queensland
- regularis** Gah. Trans. Ent. Soc. Lond. 1893, p. 193. West-australien
- satelles** Pasc. Journ. of Ent. II, 1865, p. 357. "
- simius** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 85. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 40. West-australien:
Champion
Bay,
? Nord-west-australien
- sodalis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 41. Queensland:
Moreton Bay
- soluta** Pasc. I. c. (3) I, 1863, p. 535. Queensland:
Port Curtis
- squamosa** Pasc. I. c. (3) III, 1864, p. 79. Neuguinea
- subminlata** Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 84. West-australien
- subtuberculata** White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 269. Neuholland
- torquata** Pasc. I. c. (4) XV, 1875, p. 71. — Waterh. Aid Identif. Ins. II, 1885, t. 154, f. 1. Queensland
- variolosa** Pasc. Journ. of Ent. I, 1862, p. 340. Victoria, Neu-süd-wales,
Queensland
- vestigialis** Pasc. I. c. II, 1864, p. 226. — Tepper, Native Ins. S. Austral. I, 1887, p. 41. — Frogg. Austral. Ins. 1907, p. 199, f. 96. Südaustralien
- vicaria** Pasc. Journ. of Ent. II, 1865, p. 356. Queensland
- Wallacei** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 77. Insel Wato-bela (Mat-bello),
Neuguinea

Platycranium Auriv.

Auriv. Arkiv f. Zool. X, 23, 1917, p. 36.

- pustulosum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 78. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 41. Neuguinea, Aru, Queensland
- latifasciatum** Pasc. Ann. Mag. Nat. Hist. (4) XV. 1875. p. 72.

1

Iphiastus Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 357. — Lacord. Gen. Col. IX, 1872, p. 552, 562.
- dispar** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 204. Queensland
- heros** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 530; Journ. of Ent. II, 1865, p. 357, t. 16. f. 4. Neuholland

2

Rhytiphora Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 37. — Cast. Hist. Nat. Col. II, 1840, p. 476. — Blanch. Hist. Nat. Ins. II, 1845, p. 157. — Thoms. Classif. Ceramb. 1860, p. 38; Syst. Ceramb. 1864, p. 367. — Lacord. Gen. Col. IX, 1872, p. 552, 561.

Rhytidophora Gemm. & Har. Catal. Col. X, 1873, p. 3089.

- albospilota** Auriv. Ent. Tidskr. XIV, 1893, p. 168. Queensland
- leucospila* Gah. Trans. Ent. Soc. Lond. 1893, p. 195.
- caprina** Newm. Entomolog. I. 1842, p. 362. — Waterh. Aid Identif. Ins. II, 1884, t. 144, f. 4. Süd-australien. Victoria
- cretata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 60. Queensland
- Dallasi** Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 207. — Waterh. Aid Identif. Ins. II, 1885, t. 157, f. 4. West-australien
- Frenchi** Blackb. Trans. R. Soc. S. Austral. XIX, 1895, p. 225. Nordwest-australien
- Macleayi** Lea, Mem. Mus. Melbourne IV, 1912, p. 34, fig. West-australien
- maculosella** Blackb. Trans. R. Soc. S. Austral. XXVI, 1902, p. 320. Queensland
- polymita** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 60. „
- Rosei** Olliff. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 10; Rec. Austral. Mus. I, 1890, t. 10, f. 2. Neu-Süd-wales
- rubeta** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 538. „
- rugicollis** Dalm. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 169. — Serv. Encycl. meth. Ins. X, 1825, p. 335. — Cast. Hist. Nat. Col. II, 1840, p. 476. Neu-Süd-wales, Queensland
- porphyrea* Boisd. Voy. Astrolabe, Ent. II, 1835, p. 501.
- sannio** Newm. Entomol. Mag. V. 1838, p. 498. — Frogg. Austral. Ins. 1907, p. 199. Neuholland

- Saundersi** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 103. — Lacord. Gen. Col. IX. 1872, t 103, f. 3 (non 2). — Frogg. Austral. Ins. 1907, p. 199. West-australien: Swan River
- Spenceri** Blackb. Trans. R. Soc. S. Austral. XXI, 1897, p. 38. Zentral-australien
- sospitalis** Pasc. Journ. of Ent. II, 1865, p. 358. West-australien
- Waterhousei** Pasc. I. c. 1864, p. 228. — Tepper, Native Ins. S. Austral. I, 1887, p. 42. Süd-australien
-
- amicula** White, Proc. Zool. Soc. Lond. XXVII, 1859, p. 122, t. 59, f. 7. Victoria River
- detrita** Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 429. Nord-australien: Port Essington
- intertincta** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 302. Süd-australien
- leprosa** Boisd. Voy. Astrolabe, Ent. II, 1835, p. 517. Neuholland
- mista** Newm. Entomol. I, 1842, p. 362. Sydney
- Odewahni** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 86. Süd-australien
- petrorhiza** Boisd. Voy. Astrolabe, Ent. II. 1835, p. 502. Neuholland
- piperitia** Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 429. Nord-australien: Port Essington
- saga** Pasc. Journ. of Ent. II, 1865, p. 358. West-australien
- semivestita** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 86. „
- Simsoni** Blackb. Trans. R. Soc. S. Austral. XXV, 1901, p. 41. Tasmanien
- uniformis** Blackb. I. c. p. 40; XXVI, 1902, p. 321. Nordwest-australien

Depsages Pasc.

- Pasc. Journ. of Entomol. II, 1865, p. 359. — Lacord. Gen. Col. IX. 1872, p. 552, 562. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 36.
- argus** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 302. — Waterh. Aid Identif. Ins. II, 1885, t. 154, f. 2. — Frogg. Austral. Ins. 1907, p. 200. Queensland
- granulosa** Guér. Voy. Coquille, Zool. II, 2, 1831, p. 133, t. 7, f. 8. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 499. — Frogg. Austral. Ins. 1907, p. 200. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 42. Neu-Süd-wales, Queensland
-
- Solaudri** F. Syst. Ent. 1775, p. 177; Spec. Ins. I, 1781, p. 225; Mant. Ins. I, 1787, p. 142; Ent. Syst. I, 2, 1792, p. 292; Syst. Eleuth. II, 1801, p. 304. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790. Neu-Süd-wales

p. 1829. — Ol. Encycl. méth. VII, 1792, p. 468; Ent. IV, nr. 67, 1795, p. 100, t. 16, f. 118. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 526. — Frogg. Austral. ins. 1907, p. 199.

Biologie: Frogg. Proc. Linn. Soc. N. S. Wales (2) IX, 1894, p. 115.

3

Penthea Cast.

Cast. Hist. Nat. Col. II, 1840, p. 476. — Blanch. Hist. Nat. Ins. II. 1845, p. 157. — Thoms. Classif. Ceramb. 1860, p. 38; Syst. Ceramb. 1864, p. 367. — Lacord. Gen. Col. IX, 1872, p. 551, 559. — Auriv. Arkiv f. Zool. X, 23, 1917, p. 36.

- costata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 539. Sydney
intricata Pasc. Journ. of Ent. II, 1863, p. 227. — Süd-
 Tepper. Native Ins. S. Austral. I, 1887, p. 41. australien
pardalis Newm. Entomolog. I, 1842, p. 414. — Waterh. Neusüd-wales,
 Aid Identif. Ins. II, 1884, t. 144, f. 5. — Queensland
 Auriv. Ent. Tidskr. XIV, 1893, p. 168; Arkiv
 f. Zool. X, 23, 1917, p. 42.
 var. *occidentalis* Auriv. l. c. p. 42. Nordwest-
 australien
pullina Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 539. West-
 australien
solida Pasc. l. c. p. 538. Neusüd-wales:
 Clarence
 River
tigrina Blackb. Trans. R. Soc. S. Austral. XXV, West-
 1901, p. 37. australien
vermicularia Donovan. Ins. New Holl. 1805, t. 6, f. 1. Neusüd-wales.
 — Frogg. Austral. Ins. 1907, p. 199. Queensland
vermicularis Dalm. in Schönh. Synon.
 Ins. I. 3, 1817, Append. p. 169. — Boisd.
 Voy. Astrolabe, Ent. II, 1835, p. 500. —
 Cast. Hist. Nat. Col. II, 1840, p. 477.

- erassicollis** Pasc. Journ. of Ent. II, 1863, p. 227; Zentral-
 Ann. Mag. Nat. Hist. (4) XV, 1875, p. 72. australien
 — Blackb. Trans. R. Soc. S. Austral. XXI,
 1897, p. 97.
macularia Pasc. Journ. Linn. Soc. Lond. Zool. IX, Nord-
 1867, p. 303. australien
Mastersi Blackb. Trans. R. Soc. S. Austral. XXI, Nordwest-
 1897, p. 97. australien
melanosticta Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, West-
 p. 72. — Blackb. Trans. R. Soc. S. Austral. australien
 XXI, 1897, p. 97.
miliaris Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. Queensland:
 540; Ann. Mag. Nat. Hist. (4) XV, 1875, p. 72. Port Curtis
scenica Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. Queensland
 540. — Waterh. Aid Identif. Ins. II, 1885,
 t. 154, f. 5.
nudata Montrouze. Ann. Soc. Agric. Lyon (2) VII, Insel
 1855, p. 65. Woodlark

Daxata Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 88. — Lacord. Gen. Col. IX, 1872, p. 551, 560.
- camelus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 88, t. 4, f. 2. — Lacord. Gen. Col. IX, 1872, p. 561. Borneo
- confusa** Pasc. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 206. Penang
- ustulata** Pasc. Proc. Zool. Soc. Lond. 1866, p. 230, t. 27, f. 4.

3

Sthenias Cast.

- Cast. Hist. Nat. Col. II, 1840, p. 466. — Blanch. Hist. Nat. Ins. II, 1845, p. 156. — Thoms. Classif. Ceramb. 1860, p. 38; Syst. Ceramb. 1864, p. 366. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 159. — Lacord. Gen. Col. IX, 1872, p. 552, 563.
- Anomamomus* Fähr. Col. Hefte X, 1872, p. 194.
- Chalarus* Fähr. Ötvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 45.
- Sthenias* Guérin, Revue Zool. III, 1840, p. 109.
- Thysanodes* Newm. Entomolog. I, 1842, p. 292.
- albicollis** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 61, t. 7, f. 6. Südindien
- cylindrator** F. Syst. Eleuth. II, 1801, p. 292. Westafrika,
leucaspis Fähr. Ötvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 45. Ostafrika
- Mioni* Guér. Revue Zool. III, 1840, p. 109.
- verticalis* Chevr. l. c. (2) IX, 1857, p. 81; Cent. Longic. 1858, nr. 70. — Thoms. Archives Ent. II, 1858, p. 180.
- franciscanus** Thoms. Syst. Ceramb. 1865, p. 550. — Java, Borneo
Königsb. & Zimm. Mededel. Plantent. Java XLIV, 2, 1901, p. 89, t. 45.
- grisator** F. Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 275; Syst. Eleuth. II, 1801, p. 292. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. — Ol. Encycl. méth. VII, 1792, p. 465; Ent. IV, nr. 67, 1795, p. 83, t. 22, f. 173. — Cast. Hist. Nat. Col. II, 1840, p. 466. — Lacord. Gen. Col. IX, 1872, p. 564. — Rits. Notes Leyden Mus. X, 1888, p. 272. — Cotes, Notes Ind. Mus. III, 3, 1894, p. 110; III, 6, 1905, p. 7, fig. — Maxw.-Lefr. Ind. Ins. Life 1909, p. 375. — Fletcher. South Ind. Ins. 1914, p. 326, fig. 182.
- lanulatus** Pasc. Ann. Mag. Nat. Hist. (5) XII, 1886, p. 52. Nord-Borneo
- mauliceps** Gah. l. c. (6) V, 1890, p. 62. Ceylon
- Madurae** Boppe, Bull. Soc. Ent. France 1914, p. 107, fig. 1. Madura
- Pascoei** Rits. Notes Leyd. Mus. X, 1888, p. 272. Sumatra
grisator Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 160.
- puncticornis** Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 301. Brit.-Ostafrika

- varius** Ol. Encycl. méth. VII, 1892, p. 467. Luzon
crocatus Ol. Ent. IV, nr. 67, 1795, p. 92,
 t. 12, f. 80a, b.
jucundus Newm. Entomol. I, 1842, p. 292.
 10

Rusculus Fairm.

- Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 121.
costulatus Fairm. l. c. p. 122. Madagaskar
 1

Anaches Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 160. — Lacord. Gen.
 Col. IX, 1872, p. 551, 564.
dorsalis Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Ostindien
 p. 251; (3) III, 1865, p. 160.
Gahani Pic, Mélang. Exot.-Ent. III, 1912, p. 19. Südechina
 2

Mesosella Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 246.
simiola Bates, l. c. p. 246, t. 2, f. 3. Japan
 1

Diatylus Lacord.

- Lacord. Gen. Col. IX, 1872, p. 552, 565.
elegans Heller, Deutsche Ent. Zeitschr. 1916, p. 310. Mindanao
zonarius Lacord. Gen. Col. IX, 1872, p. 565, nota 1. Malaiische
 Inseln
 2

Desisa Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 163 nota. — Lacord.
 Gen. Col. IX, 1872, p. 551, 566.
subfasciata Pasc. Journ. of Ent. I, 1862, p. 348. — Cambodja
 Lacord. Gen. Col. IX, 1872, p. 566.
 1

Cylindrostyrax Auriv.

- Auriv. Arkiv f. Zool. VII, 19, 1911, p. 26; Journ. Sarawak Mus. I,
 3, 1913, p. 13.
apomecynoides Auriv. Arkiv f. Zool. VII, 19, 1911, Borneo
 p. 26, f. 54; Journ. Sarawak Mus. I, 3, 1913,
 p. 14, t. 1, f. 7.
 1

Zygrita Thoms.

- Thoms. Classif. Longic. 1860, p. 69; Syst. Ceramb. 1864, p. 398. —
 Lacord. Gen. Col. IX, 1872, p. 552, 566.
diva Thoms. Classif. Ceramb. 1860, p. 69. — Lacord. Neusüdwaless,
 Gen. Col. IX, 1872, p. 567. — Auriv. Ent. Queensland

- Tidskr. XIII, 1892, p. 169. — Frogg.
 Austral. Ins. 1907, p. 200.
 var. *apicalis* Auriv. Arkiv f. Zool. X, 23, Nordwest-
 1917, p. 42. australien
 ab. *nigrozonata* Thoms. Classif. Ceramb. Neuholland
 1860, p. 70. — Pasc. Journ. Linn. Soc.
 Lond. Zool. IX, 1866, p. 118. — Lacord.
 Gen. Col. IX, 1872, p. 567, nota 1.

1

Xynenon Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 159. — Lacord. Gen.
 Col. IX, 1872, p. 552, 567.
Bondi Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 48; Ostindien
 (3) III, 1865, p. 160 nota.
larvatus Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, Andamanen
 p. 376. — Waterh. Aid Identif. Ins. II, 1885,
 t. 154. f. 6.

2

Dystasia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 89. — Lacord. Gen.
 Col. IX, 1872, p. 552, 568.
affinis Gab. Journ. Malay. States Mus. I, 1906, p. Malacca
 120; Ann. Mus. Civ. Genova (3) III, 1907,
 p. 86.
circulata Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Borneo
 p. 89, t. 5, f. 4. — Lacord. Gen. Col. IX,
 1872, p. 568.
nublla Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, Sumatra
 p. 245.
semicana Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Singapur
 p. 89.
similis Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
 p. 85.

5

Atybe Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 281. — Lacord. Gen. Col. IX, 1872.
 p. 552, 568.
nigritarsis Pasc. Trans. Ent. Soc. Lond. 1888, p. 504. Madagaskar
Planti Pasc. Journ. of Ent. II, 1864, p. 281, t. 13, "
 f. 6. — Künckel in Grandid. Hist. Madag.
 Col. 1890, t. 51. f. 12.

2

Albana Muls.

- Muls. Col. France, Longic. Suppl. 1846, p. (13); ed. 2. 1863, p. 338.
 — Redtenb. Fauna Austr. ed. 2, 1858, p. 861; ed. 3, 1874, p. 419. —
 Thoms. Syst. Ceramb. 1864, p. 397. — Fairm. Gen. Col. d'Eur. IV.
 1864, p. 165, 200. — Lacord. Gen. Col. IX, 1872, p. 552, 569. —
 Ganglb. Best-Tab. VII, 1882, p. 16 (694). — Seidl. Fauna Transsylv.
 1891, Gatt. p. 186. — Reitter, Fauna Germ. IV, 1913, p. 62. —
 Schauf. in Calwer, Käferb. II, 1916, p. 865.
fasciolata Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
 p. 186.

- m-griseum** Muls. Col. France, Longic. Suppl. 1846, p. (13); ed. 2, 1863 p. 338. — Redtenb. Fauna Austr. ed. 2, 1858, p. 861; ed. 3, 1874, p. 419. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 50, f. 232. — Lacord. Gen. Col. IX, 1872, p. 570. — Schlosser, Fauna Kornjas. III, 1879, p. 832. — Ganglb. Best.-Tab. VIII, 1884, p. 104 (538). — Jacobs. Käfer Russl. 1910, t. 70, f. 16. — Schauf. in Calwer, Käferb. II, 1916, t. 31, f. 16.
- accentifera** Fairm. Ann. Soc. Ent. France (3) IV, 1856, p. 543.
- grisea** Griffini, Coleott. 1896, p. 198, t. 38, f. 16. Biologie Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 333, f. 506—507; sep. p. 493. — Xamheu, l. c. (2) XLIV, 1897, p. 51; Moeurs et Métam. VII. 1899, p. 43; VIII, 1902, p. 170; Anomalies 1909, p. 2.

2

Pseudoalbana Pic.

Pic. Echange XI, 1895, p. 77 nota.

Lameerei Pic. l. c. p. 77.

1

Arabien

Prionetopsis Thoms.

Thoms. Syst. Ceramb. 1864, p. 49. — Lacord. Gen. Col. IX, 1872, p. 552, 570.

Prionethopsis Thoms. Syst. Ceramb. 1864, p. 366.**inaequalis** F. Syst. Eleuth. II, 1801, p. 291.

Tranquebar

balteata Thoms. Syst. Ceramb. 1864, p. 49.

— Lacord. Gen. Col. IX, 1872, p. 570.

1

Phesates Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 155. — Lacord. Gen. Col. IX, 1872, p. 552, 571.

ferrugatus Pasc. Trans. Ent. Soc. Lond. (3) 1865, p. 155, t. 8, f. 8. — Lacord. Gen. Col. IX, 1872, p. 572.

Borneo

1

Alyattes Thoms.

Thoms. Syst. Ceramb. 1864, p. 48, 365. — Lacord. Gen. Col. IX, 1872, p. 552, 571.

Cormia Pasc. Journ. of Ent. II, 1864, p. 281.**guiennensis** Thoms. Syst. Ceramb. 1864, p. 49. — Lacord. Gen. Col. IX, 1872, p. 571.

Guinea

ligrata Pasc. Journ. of Ent. II, 1864, p. 282. — Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 50.

Natal, Kapland

Kustenburgi Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 376; Ins. Transvaal. 1904, p. 148, t. 14, f. 15.

Transvaal

3

Elithiotes Pasc.

- Pasc. Journ. of Ent. II, 1864. p. 279. — Lacord. Gen. Col. IX, 1872, p. 552, 572.
- costulata** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, Angola
p. 359.
- hirsuta** Pasc. Journ. of Ent. II, 1864, p. 280. — Natal,
Lacord. Gen. Col. IX, 1872, p. 573. — Que- Transvaal
denf. Berl. Ent. Zeitschr. XXVI, 1882,
p. 360. — Dist. Ins. Transvaal. 1904, p. 154,
t. 15, f. 2.

2

Corrhenes Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 355. — Lacord. Gen. Col. IX, 1872, p. 552, 573.
- eruciata** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, Queensland
p. 71.
- fulva** Pasc. l. c. p. 70.
- funesta** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 53. Adelaide
- grisella** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, Australien:
p. 70. Nicol-Bay
- guttulata** Pasc. Journ. of Ent. II, 1865, p. 355. Neusüdwailes
- mystica** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863,
p. 545. "
- paulla** Germ. Linnaea Ent. III, 1848, p. 230. Adelaide
- pauvilla** Blackb. Trans. R. Soc. S. Austral. XXV, Nordwest-
1901, p. 43. australien
- picta** Pasc. Journ. of Ent. II, 1864, p. 227, t. 11, f. 5. Süd-
— Blackb. Trans. R. Soc. S. Austral. XXI, australien
1897, p. 97.
- sectator** Pasc. Journ. of Ent. II, 1865, p. 358. —
Blackb. Trans. R. Soc. S. Austral. XXI, "
- stigmatica** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Queensland:
p. 544. Port Curtis

11

Mispila Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 90. — Lacord. Gen. Col. IX, 1872, p. 552, 574.
- Subgen.: *Dryusa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 58, 91. — Lacord. Gen. Col. IX. 1872. p. 574.

Subgen. **Mispila** s. str.

- anguralis** Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, Andamanen
p. 376.
- curvilinea** Pasc. l. c. (4) IV, 1869, p. 206. Ostindien
- obscura** Gah. l. c. (6) V, 1890, p. 62. Nilghiri Hills
- venosa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Borneo,
p. 90, t. 5, f. 2. Batjan

18*

Subgen. **Dryusa** Pasc.

- diluta** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 93. Ceram
dotata Pasc. l. c. p. 92, t. 5, f. 3. Batjan
flexuosa Pasc. l. c. p. 92. Ceram,
 Misol, Aru
rufula Pasc. l. c. p. 92. Neuguinea:
 Saylee

8

Sodus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864-65, p. 96, 137. — Lacord Gen. Col. IX, 1872, p. 552, 574.
castaneus Auriv. Arkiv f. Zool. VII, 19, 1911, p. 25, Borneo
 f. 53; Journ. Sarawak Mus. I, 3, 1913, p. 13,
 t. 1, f. 5.
ursulus Pasc. Proc. Zool. Soc. Lond. 1866, p. 237, Penang
 t. 26, f. 2.
venosus Pasc. Journ. Linn. Soc. Lond. Zool. IX, Cape York
 1867, p. 304.
verticalis Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Singapur
 p. 137, t. 7, f. 5.

4

Enispia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 28, 50. — Lacord. Gen. Col. IX, 1872, p. 552, 575.
Dyemus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 28, 54.
bella Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 386, Birma
 t. 19, f. 7.
cleroides Gah. l. c. (6) V, 1890, p. 63, t. 7, f. 7. Nordindien
laevicollis Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Batjan,
 p. 38; (3) III, 1864, p. 54, t. 3, f. 9. Ceram,
 Goram,
 Neuguinea.
 Aru
puncticollis Pasc. l. c. (3) III, 1864, p. 54. Borneo
venosa Pasc. l. c. p. 51, t. 3, f. 1. Java

5

Athylia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 42. — Lacord. Gen. Col. IX, 1872, p. 552, 576.
avara Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 43, Ternate
 t. 3, f. 11.

1

Egesina Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 28, 49. — Lacord. Gen. Col. IX, 1872, p. 552, 576.
rigida Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 50, Singapur
 t. 3, f. 12.

1

Eugrapheus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 387.

haecellus Fairm. l. c. p. 387.

Madagaskar

longhamatus Fairm. l. c. XLI, 1897, p. 394.

”

2

Gyaritus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 244; (3) III, 1864, p. 27, 45. — Thoms. Syst. Ceramb. 1864, p. 395. — Lacord. Gen. Col. IX, 1872, p. 552, 577.

cinnamomeus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 46.

Borneo:
Sarawak

fulvopictus Pasc. l. c. p. 46.

Borneo:
Sarawak

hamatus Pasc. l. c. (2) IV, 1858, p. 244, t. 25, f. 6; (3) III, 1864, p. 45.

Borneo:
Sarawak

3

Axinyllium Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 46. — Lacord. Gen. Col. IX, 1872, p. 552, 577.

varium Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 47, t. 3, f. 8. — Lacord. Gen. Col. IX, 1872, p. 577.

Borneo:
Sarawak

1

Zeargyra Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 245.

vidua Pasc. l. c. p. 246.

Borneo

1

Ebaeides Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 28, 51. — Lacord. Gen. Col. IX, 1872, p. 553, 577.

exigua Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 53.

Singapur

monstrosa Pasc. l. c. p. 52, t. 3, f. 7.

Borneo

palliata Pasc. l. c. p. 53.

”

rufula Pasc. l. c. p. 52.

Celebes,
Borneo

viduata Pasc. l. c. p. 52.

”

5

Cuphisia Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 229. — Lacord. Gen. Col. IX, 1872, p. 553, 578.

callosa Pasc. Proc. Zool. Soc. Lond. 1866, p. 230, t. 26, f. 1 — Lacord. Gen. Col. IX, 1872, p. 578.

Penang

1

LI. Corynofreini.

Aurivillius, Arkiv f. Zool. VII, 3, 1910, p. 37.

Corynofrea Auriv.

Auriv. Arkiv f. Zool. VII, 3, 1910, p. 37.

- mirabilis** Auriv. l. c. p. 38. Congo
rubra Jord. Novit. Zool. X. 1903, p. 181. Kamerun
 2

Cubilla Jord.

Jord. in Smith, Through unkn. African Countries 1897, p. 453; Novit. Zool. X, 1903, p. 180.

Ertlia Auriv. Arkiv f. Zool. III, 18, 1907, p. 32.

- Eichelbaumi** Auriv. Arkiv f. Zool. VII, 3. 1910. p. 41. Deutsch-Ostafrika
Ertli Auriv. l. c. IX, 8, 1914, p. 12. Angola
fulva Jord. Novit. Zool. X, 1903, p. 181. Nyassaland
fulvotomentosa Auriv. Arkiv f. Zool. III. 18, 1907, Deutsch-Ostafrika
 p. 33.
griseotomentosa Auriv. l. c. p. 33.
Heathl Jord. Novit. Zool. X, 1903, p. 181. Brit.-Zentralafrika
metallica Auriv. Arkiv f. Zool. III, 18, 1907, p. 33. Deutsch-Ostafrika
Smithi Jord. in Smith, Through unkn. African Countries 1897, p. 453; Novit. Zool. X, 1903, p. 180. Somaliland
 8

LII. Apomecynini.

Lacordaire. Gen. Col. IX, 1872, p. 413, 579.

Apomecyna Latr.

Latreille in Cuvier, Règne Anim. ed. 2, V, 1829, p. 126. — Serv. Ann. Soc. Ent. France IV, 1835, p. 77. — Cast. Hist. Nat. Col. II. 1840, p. 491. — Blanch. Hist. Nat. Ins. II, 1845, p. 162 — Thoms. Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 364. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 152. — Lacord. Gen. Col. IX, 1872, p. 579, 580.

Mecynapus Thoms. Archives Ent. II. 1858, p. 187, nota 1.

Indo-malayische und australische Arten.

- alboguttata** Megerle. Cat. Ins. Append. 1802, Nov., Bengalen
 p. (10) nr. 473. — Germ. Magaz. Ent. I, bis Austral.
 1813, p. 130
histris Pasc. Trans. Ent. Soc. Lond. (3) III,
 1865, p. 152, 153.
eretaeae Hope in Gray, Zool. Miscell. 1831, p. 28. Nepal, Birma
excavaticeps Pic, Mélang. Exot.-Ent. XXVIII, 1918, China?
 p. 6.

- histrlo** F. Ent. Syst. I, 2, 1792, p. 288; Syst. Eleuth. II, 1801, p. 302. — Cast. Hist. Nat. Col. II, 1840, p. 492. — Blanch in Cuvier, Règne Anim. ed Masson, Ins. t 68, f. 7 (antenna).
Perroteti Thoms. Physis II, 1868, p. 159.
- leucosticta** Hope in Gray, Zool. Miscell. 1831, p. 28.
- maculaticollis** Pic, Mélang. Exot.-Ent. XXVIII, 1918, p. 6.
- multinotata** Pic, l. c. p. 5.
ab. *sinensis* Pic, l. c. p. 6.
- naevia** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 317.
- neglecta** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 152 nota.
- nigrita** Pasc. l. c. (2) V, 1859, p. 49.
- ulgritarsis** Gah. Christmas Isl. 1900, p. 123.
- niveosparsa** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 185.
ab. *tonkinca* Pic, Mélang. Exot.-Ent. XXVIII, 1918, p. 5.
- porphyrea** Montrouz. Ann. Soc. Agric. Lyon (2) VII, 1855, p. 64
albomaculata Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 362, 401; Mélanges Ent. III, 1855, p. 42, 81.
- proba** Newm. Entomolog. I, 1842, p. 299.
- ✓ **quadrifasciata** Thoms. Physis II, 1868, p. 159.
- ✓ **saltator** F. Mant. Ins. I, 1787, p. 141; Ent. Syst. I, 2, 1792, p. 287; Syst. Eleuth. II, 1801, p. 301. — Gmel. in L. Syst. Nat. ed 13, I, 4, 1790, p. 1834. — Ol. Encycl. méth. Ins. VII, 1792, p. 575.
pertigera Thoms. Physis II, 1868, p. 160. — Maxw.-Lefroy, Ind. Ins. Life 1909, p. 376, t. 25. — Quaint. Proc. Ent. Soc. Washington XV, 1913, p. 77. — Fletcher, S. Ind. Ins. 1914, p. 327, t. 11.
Biologie: Siehe oben Maxw.-Lefr., Quaint. und Fletcher.
- Sarasinorum** Heller, Tijdschr. v. Ent. LVIII, 1915, p. 110.
- tigrina** Thoms. Archives Ent. I, 1857, p. 343. — Lacord. Gen. Col. IX, 1872, t. 104, fig. 1.
- Aethiopische Arten.
- ✓ **aentipennis** Kolbe, Stett. Ent. Zeit LIV, 1894, p. 275.
- adspersa** Thoms. Physis II, 1868, p. 160.
- albofasciata** F. Syst. Eleuth. II, 1801, p. 277.
- albopicta** Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 245.
- atomaria** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 253.
- binubila** Pasc. l. c. p. 253. — Dist. Ins. Transvaal. 1904, p. 148, t. 14, f. 16. — King, Welcome Trop. Research Laborat. 4th Report Vol. B. 1911, p. 137, t. 8, f. 5.
Biologie: King, l. c. t. 8, f. 6, 7.
- Tranquebar,
Ostindien
- Nepal, Birma
Formosa
China
- Japan
Ceylon,
Bengalen,
Japan
Neuholland
Christmas-
Insel
Tonkin
- „
- Insel
Woodlark
- Philippinen
Philippinen,
Laos
Ostindien
- Celebes
- Java, Borneo
- Usambara
Mauritius,
Bourbon
Guinea
Delagoa Bay.
- Natal
Natal.
Transvaal,
Delagoa Bay.
Sudan

- brevis** Quedenf. Journ. Sc. Lisboa XL, 1885, p. 246 (sep. p. 7). Angola
- cavifrons** Thoms. Physis II, 1868, p. 161. Senegal
- chaka** Dist. Ins. Transvaal. 1906, p. 165, fig. 24. Natal
- distigma** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 553. Comoren
- flavoguttulata** Auriv. Tijdschr. v. Ent. LIX, 1916, p. 222, t. 8, f. 11. Congo
- guttulata** Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 73. — Künckel in Grandid. Hist. Madag. 1890, t. 53, f. 9. Madagaskar
- Klugi** Thoms. Physis II, 1868, p. 161. Senegal
- lactiflua** Lameere. Ann. Soc. Ent. France LXII, 1893, p. 47. Assinie
- latefasciata** Quedenf. Journ. Sc. Lisboa XL, 1885, p. 245 (sep. p. 6). Angola
- macularia** Har. Col. Hefte XVI, 1879, p. 204. Pungo
Andongo
- nigropicalis** Auriv. Arkiv f. Zool. III, 18, 1907, p. 34. Kamerun
- obliquata** Klug, Abhandl. Berl. Acad. Wiss. I, 1833, p. 207 (119), t. 5, f. 6. — Imhoff, Einf. Kol. 1856, t. 17, f. 16. Madagaskar
- parumpunctata** Chevr. Revue Zool. (2) X, 1856, p. 534; Cent. Longic. 1858, nr. 58. Alt-Calabar,
Kamerun
- longipennis* Thoms. Archives Ent. II, 1858, p. 187, t. 8, f. 5. Gabun
- quadrisignata** Quedenf. Journ. Sc. Lisboa XL, 1885, p. 246 (sep. p. 7). Angola
- quadrictata** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 63. Ituri
- scalaris** Serv. Ann. Soc. Ent. France IV, 1835, p. 78. Senegal,
— Cast. Hist. Nat. Col. II, 1840, p. 492. Prinzen-
humilis Klug, Erman's Reise V, 1835, p. 45. Insel
- serieguttata** Fairm. Ann. Soc. Ent. France LXVIII, 1899, p. 123. Madagaskar
- trifasciata** Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, p. 141. — Auriv. in Sjöstedt, Kilimandj. Exped. VII, 1908, p. 148. Chinchoxo
- triseriata** Auriv. Arkiv f. Zool. III. 18, 1907, p. 33. Kamerun
-
- tuberculator** F. Spec. Ins. I, 1781, p. 224; Mant. Ins. I, 1787, p. 142; Ent. Syst. I, 2, 1792, p. 289; Syst. Eleuth. II, 1801, p. 303. — Gmel. in L. Syst. Nat. I, 4, 1790, p. 1835. — Oi. Encycl. méth. VII, 1792, p. 468; Ent. IV, nr. 67. 1795, p. 101, t. 16, f. 120. Kapland
- varia** Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 516, t. 30, f. 8. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 526. Chile

Paramecyna Auriv.

Auriv. in Sjöstedt, Kilimandj. Exped. VII, 1908, p. 149.

x-signata Auriv. l. c. p. 149.

Kilimandjaro

Diaxenes Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) XIII, 1884, p. 128.

dendrobii Gah. Ann. Mag. Nat. Hist. (6) XIII, 1894, Birma
p. 520, fig.Biologie: Dongé, Ann. Soc. Ent. France
LXIII, 1894, Bull. p. 252. — Naubeu, l. c.
LXIV, 1895, Bull. p. 7, 249. — Schwarz,
Proc. Ent. Soc. Washingt. VI, 1904, p. 21.**Taylori** Waterh. Ann. Mag. Nat. Hist. (5) XIII, 1884, Philippinen
p. 128.

2

Dymascus Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 155. — Lacord.
Gen. Col. IX, 1872, p. 579, 581.**porosus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Singapur.
p. 156, t. 8, f. 7. — Lacord. Gen. Col. IX, Borneo
1872, p. 582. — Shelf. Proc. Zool. Soc.
Lond. 1902, 2, p. 246, t. 20, f. 9.

1

Philomecyna Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 273.

ferruginea Kolbe, l. c. p. 274.Deutsch-
Ostafrika**insularis** Auriv. Arkiv f. Zool. X, 19, 1916, p. 20.

Madagaskar

pilosella Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 273.Deutsch-
Ostafrika,
Pangani

3

Eremophanes Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 274.

aunulicornis Kolbe, l. c. p. 274.

Usambara

1

Pseudaelara Heller.

Heller, Ent. Mitteil. I, 1912, p. 175.

Sellaemontis Heller. l. c. p. 276, fig. 5.Neuguinea:
Sattelberg

1

Mycerinopsis Thoms.Thoms. Syst. Ceramb. 1864, p. 50, 366. — Lacord. Gen. Col. IX.
1872, p. 580, 583.**arida** Pasc. Ann. Mag. Nat. Hist. (3) IX, 1862, p. 466. Queensland
— Thoms. Syst. Ceramb. 1864, p. 483. —
Lacord. Gen. Col. IX, 1872, p. 583.*avida* Thoms. Syst. Ceramb. 1864, p. 50.**lacteola** Hope. Proc. Ent. Soc. Lond. 1841, p. 50; Nord-
australien:
Ann. Mag. Nat. Hist. IX, 1842, p. 429. — Port
Blackb. Proc. Linn. Soc. S. Wales (2) III, Essington
1888, p. 1470.

- lineata* Gah. Ann. Mus. Genova XXXIV, 1895, p. 75. Birma,
Sikkim
uniformis Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Queensland:
p. 546. Port Curtis
4

Eremon Thoms.

- Thoms. Syst. Ceramb. 1864, p. 51. — Lacord. Gen. Col. IX, 1872,
p. 580, 583.
myeerinoides Thoms. Syst. Ceramb. 1864, p. 51. — Guinea
Lacord. Gen. Col. IX, 1872, p. 584.
1

Hyagnis Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 280. — Lacord. Gen. Col. IX, 1872,
p. 580, 584.
fistularius Pasc. Journ. of Ent. II, 1864, p. 280. — Natal,
Lacord. Gen. Col. IX, 1872, p. 584. — Dist. Transvaal
Ins. Transvaal. 1904, p. 149, t. 15, f. 4.
1

Epoepa Thoms.

- Thoms. Syst. Ceramb. 1864, p. 51, 366. — Lacord. Gen. Col. IX,
1872, p. 580, 585.
acuta Thoms. Syst. Ceramb. 1864, p. 51. — Lacord. Senegal
Gen. Col. IX, 1872, p. 585.
1

Eunidia Er.

- Er. Archiv f. Naturg. IX, 1, 1843, p. 261. — Thoms. Syst. Ceramb.
1864, p. 396 — Lacord. Gen. Col. IX, 1872, p. 580, 585.
Anomoesia Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858.
p. 255.
Frixus Thoms. Archives Ent. I, 1857, p. 313; Classif.
Ceramb. 1860, p. 65.
Syessita Pasc. Journ. of Ent. II, 1864, p. 284. — Lacord.
Gen. Col. IX, 1872, p. 580, 586.
Tritomicrus Fairm. Revue d'Ent. XI, 1892, p. 125. —
Gah. Bull. Mus. Paris XV, 1909, p. 74.

Aethiopische Arten.

- albognitata* Auriv. Arkiv f. Zool. IX, 8, 1914, p. 13. Lukuledi
alternata Auriv. l. c. VII, 19, 1911, p. 30. Brit.-
Ostafrika
apicalis Auriv. Deutsche Ent. Zeitschr. 1907, p. 80. Kamerun
aspersa Gah. in Dist. Ins. Transvaal. I, 1904, p. 150, Transvaal
t. 14, f. 25.
Batesi Olliff in Oates, Matabele Land. ed. 2, 1889, Matabeleland
p. 381.
bifasciata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 28. Brit.-
Ostafrika

- brunneopunctata** Auriv. l. c. p. 28. Ngami-See
caffra Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, Kaffernland
 p. 54.
modesta Gah. in Dist. Ins. Transvaal. I, 1904, Transvaal
 p. 150, t. 14, f. 22.
- castanoptera** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 21. Ostafrika
cordifera Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 31. Brit.-
 Ostafrika
- cyanoptera** Auriv. l. c. VII, 3, 1910, p. 41. „
divisa Pasc. Journ. of Ent. II, 1864, p. 284. — Fähr. Natal,
 Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, Transvaal
 p. 55. — Dist. Ins. Transvaal. I, 1904, p. 152, t. 15, f. 1.
- dolosa** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 53. Natal
dorsopieta Fairm. Ann. Soc. Ent. France LXVI, „
 1898, p. 153.
- duplicata** Pasc. Journ. of Ent. II, 1864, p. 285. — „
 Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 54.
- Erichsoni** Thoms. Physis II, 1868, p. 137. — Fähr. „
 Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 53.
- euzonata** Gah. in Dist. Ins. Transvaal. I, 1904, p. 151. Transvaal
eugonata Gah. l. c. t. 14, f. 19.
- exigua** Auriv. Deutsche Ent. Zeitschr. 1907, p. 80. Kamerun
fasciata Gah. in Dist. Ins. Transvaal. 1904, p. 151, Transvaal,
 t. 14, f. 20. Abessinien
- femoralis** Auriv. Deutsche Ent. Zeitschr. 1907, p. 80. Kamerun
fulgurata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 29. Abessinien
fulva Pasc. Journ. of Ent. II, 1864, p. 283. Natal
fulvida Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, „
 p. 256, t. 25, f. 8.
- guttulata** Auriv. Arkiv f. Zool. IV, 17, 1908, p. 8. Brit.-
 Ostafrika:
 Ikutha
 Abessinien
- haplotrita** Auriv. l. c. VII, 19, 1911, p. 32.
Kristensenti Auriv. l. c. p. 29. „
lineata Auriv. l. c. p. 30. „
larida Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, Kaffernland
 1872, p. 54.
- maculiventris** Thoms. Physis II, 1868, p. 139. — Dist. Senegal,
 Ins. Transvaal. 1904, p. 149, t. 14, f. 17. Transvaal
marmorata Gestro, Ann. Mus. Civ. Genova XXXV, Somaliland
 1895, p. 426.
- marmorea** Fairm. Revue d'Ent. XI, 1892, p. 125. Obock
mimica Jord. Novit. Zool. X, 1903, p. 186. Französisch-
 Congo
- mixta** Gah. Bull. Mus. Paris XV, 1909, p. 73. Brit.-
 Ostafrika
- mucorea** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 56. „
nigromaculata Auriv. Arkiv f. Zool. III, 18, 1907, p. 34. Deutsch-
 Ostafrika
 Lukuledi
- ab. *trimaculata* Auriv. l. c. IX, 8, 1914, p. 12. „
nebulosa Er. Archiv f. Naturg. IX, 1, 1843, p. 262. Angola
piperita Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 57; Brit.-
 in Dist. Ins. Transvaal. I, 1904, p. 149, Ostafrika,
 t. 14, f. 23. Transvaal

- plagiata** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 57. Brit.-
Ostafrika:
Samburu
Transvaal
- plagifera** n. nom.
plagiata Gah. in Dist. Ins. Transvaal. 1904,
p. 149, t. 14, f. 24.
- puncticollis** Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2. Kaffernland
1872, p. 52.
- pygmaea** Fähr. l. c. p. 54.
- quadricincta** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 31. Brit.-
Ostafrika
- rufa** Auriv. Tijdschr. v. Ent. LXIV. 1921, p. 48, t. 2, f. 5. Südafrika
- rastica** Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, Kaffernland
1872, p. 53.
- semirufa** Auriv. Arkiv f. Zool. X, 19, 1916, p. 20. Deutsch-
Ostafrika
- seullis** Thoms. Physis II, 1868, p. 137. — Fähr. Öfvers. Kapland.
Vet. Akad. Förhl. XXIX, 2, 1872, p. 52. Natal
- socia** Gah. Bull. Mus. Paris XV, 1909, p. 73. Brit.-
Ostafrika
- spilota** Gah. in Dist. Ins. Transvaal. 1904, p. 150, Natal
t. 14, f. 21.
- spincornis** Péring. Trans. S. Afr. Phil. Soc. IV, Südafrika:
1888, p. 182, t. 3, f. 16 (*Spodotaenia*). zwischen
Limpopo u.
Zambesi
- strigata** Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2. Kaffernland,
1872, p. 53. Natal
- pusilla* Dist. Ins. Transvaal. 1906, p. 166,
fig. 25.
- subfasciata** Gah. Ann. Mag. Nat. Hist. (7) II. 1898. Brit.-
p. 58. Ostafrika
- subreticulata** Auriv. Arkiv f. Zool. IX. 8. 1911, p. 12. Sudan
- subtergrisea** Thoms. Physis II, 1868, p. 138. — Fähr. Damaraland.
Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 53. Kaffernland
- subtessellata** Gah. Bull. Mus. Paris XV, 1909, p. 74. Brit.-
Ostafrika
- suturalis** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 29. Kilimandjaro
- Thomsoni** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, Transvaal
p. 375; Ins. Transvaal. 1904, p. 151, t. 14, f. 18.
- tibialis** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 28. Brit.-
Ostafrika
- tripunctata** Auriv. l. c. p. 32. Angola
- vestigialis** Pasc. Journ. of Ent. II. 1864, p. 284. — Natal
Lacord. Gen. Col. IX. 1872, p. 586. nota 4.

Ostindische Arten.

- ceylanica** Thoms. Physis II, 1868, p. 139. Ceylon
- lateralis** Gah. Ann. Mag. Nat. Hist. (6) XI. 1893, Südindien:
p. 387. Canara
- simplex** Gah. l. c. (6) V, 1890, p. 64. Ostindien,
Birma
- variegata** Thoms. Archives Ent. I, 1857, p. 313. Ostindien

Australische Art.

- australica** Thoms. Physis II, 1868, p. 138. „Australien“

Vocula Lacord.

Lacord. Gen. Col. IX, 1872, p. 580, 587.

guttifera Lacord. l. c. p. 587, nota 1.

Gabun

irrorata Lacord. l. c. p. 587, nota 1.

2

Hippaphesis Thoms.

Thoms. Syst. Ceramb. 1864, p. 46, 364. — Lacord. Gen. Col. IX, 1872, p. 580, 587. — Fairm. Ann. Soc. Ent. France (6) I, 1881, p. 475.

punctata Thoms. Syst. Ceramb. 1864, p. 46. — Lacord. Insel Fidji Gen. Col. IX, 1872, p. 588. — Fairm. Ann.

Soc. Ent. France (6) I, 1881, p. 475.

1

Poromecyna Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1911, p. 27; Journ. Sarawak Mus. I, 3, 1913, p. 14.

foveolata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 27; Borneo Journ. Sarawak Mus. I, 3, 1913, p. 14.

1

Enaretta Thoms.

Thoms. Syst. Ceramb. 1864, p. 325. — Lacord. Gen. Col. IX, 1872, p. 580, 589.

Asthenes Gemm. & Har. Cat. Col. X, 1873, p. 3095.*Athenes* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 36.*Molyctypus* Fähr. Col. Hefte X, 1872, p. 194.*Phoryctus* Gerst. Archiv f. Naturg. XXXVII, 1, 1871, p. 78; Decken's Reise Ostaf. III. 2. 1873, p. 260.**brevicornis** Lacord. Gen. Col. IX, 1872, p. 589, nota 2. Kapland**Castelnaudi** Thoms. Syst. Ceramb. 1864, p. 326. — Angola, Lacord. Gen. Col. IX, 1872, p. 589. — Dist. Damaraland.

Ins. Transvaal. 1904, p. 152, t. 15, f. 6. Transvaal,

mucozeus Gerst. Archiv f. Naturg. XXXVII, Brit.-

1, 1871, p. 78; Decken's Reise Ostaf. III, Ostafrika,

2, 1873, p. 260, t. 12, f. 6. — Pasc. Ann. Abessinien

caudata Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, Kaffernland 1872, p. 36.**exigua** Gah. in Dist. Ins. Transvaal. 1904, p. 152, t. 15, f. 7.**Paulinoi** Quedenf. Journ. Sc. Lisboa XL, 1885, p. 246 Angola (sep. p. 7).

4

Sympiodes Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 243.

varius Pasc. l. c. p. 243. Delagoa-Bay

1

Alophia Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 392.

aculeata Fairm. l. c. p. 392.

Madagaskar

1

Genus?

trogloodyta Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Ostindien
Append. p. 172.

1

Ropica Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 247; (3) III, 1865, p. 141, 187. — Thoms. Syst. Ceramb. 1864, p. 364. — Lacord. Gen. Col. IX, 1872, p. 580, 590.

alboplagiata Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 86. Insel Engano**analis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 190. Morotai**angusticollis** Pasc. l. c. p. 189.

Borneo

eunicularis Pasc. l. c. p. 192.Ternate,
Batjan,
Amboina**didyma** Pasc. l. c. p. 196. — Gah. l. c. 1894, p. 486. Buru**dissonans** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 87. Sumatra**evitata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 190. Amboina**exocentroides** Pasc. l. c. (2) V, 1859, p. 61.

Queensland

formosana Bates, Proc. Zool. Soc. Lond. 1866, p. 351. Formosa**fuscicollis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 192. Aru**honesta** Pasc. l. c. p. 190.Ceram,
Neuguinea**illepida** Pasc. l. c. p. 189.

Neuguinea

illiterata Pasc. l. c. p. 195.

Borneo

indigna Pasc. l. c. p. 188.Ternate,
Halmahera,
Ceram, Buru**irritata** Pasc. l. c. p. 195.Celebes:
Tondano**lachrymosa** Pasc. l. c. p. 193.

Batjan

piperrata Pasc. l. c. (2) IV, 1858, p. 248; (3) III, 1865, p. 188. Borneo**pluvlata** Pasc. l. c. (3) III, 1865, p. 189.

Batjan

praenusta Pasc. l. c. (2) V, 1859, p. 51.

Ceylon

puncticollis Pasc. l. c. (3) III, 1865, p. 194.

Sula

rivalosa Pasc. l. c. p. 191.Neuguinea:
Dorey**servilis** Pasc. l. c. p. 195. — Gah. Trans. Ent. Soc. Lond. 1894, p. 487.Molukken,
Misol,
Neuguinea,
Aru**squamosa** Gah. Trans. Ent. Soc. Lond. 1894, p. 486.

Samboangan

stolata Pasc. l. c. (3) III, 1865, p. 191.

Batjan

subvittata Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 87. Insel Engano

- tentata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Waigiu
p. 194.
varlipennis Pasc. l. c. (2) V, 1859, p. 51; (3) III, Aru
1865, p. 191.
vetusta Pasc. l. c. (3) III, 1865, p. 193. Celebes:
Tondano
viduata Pasc. l. c. p. 193. Batjan,
Halmahera
vinacea Pasc. l. c. p. 194. Ternate,
Borneo

30

Microlera Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 380.

- ptinoides** Bates, l. c. p. 381. Japan

1

Asaperda Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 385. — Kraatz, Deutsche
Ent. Zeitschr. XXIII, 1873, p. 227.

- agapanthina** Bates, Ann. Mag. Nat. Hist. (4) XII, Japan
1873, p. 386.

rufipes Bates, l. c. p. 386.

- stenostola** Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur
1873, p. 227, t. 2, f. 14. — Jacobs. Käfer
Russl. 1911, t. 71, f. 25.

3

LIII. Cloniocerini.

Lacordaire, Gen. Col. IX, 1872, p. 413, 590.

Thercladodes Thoms.

Thoms. Physis II, 1868, p. 114. — Lacord. Gen. Col. IX, 1872, p. 591.

- Kraussi** White, Cat. Col. Brit. Mus. VIII, 1855, p. Natal,
400, t. 10, f. 8. — Thoms. Physis II, 1868, Transvaal,
p. 115. — Fähr. Öfvers. Vet. Akad. Förh. Angola
XXIX, 2, 1872, p. 48. — Lacord. Gen. Col.
IX, 1872, p. 591, t. 103, f. 4. — Dist. Ins.
Transvaal. 1904, p. 164, t. 16, f. 15.

Biologie: Agricult. Journ. S. Africa 1913.
(sep. nr. 9, 27 pg., figg.).

1

Cloniocerus Cast.

Cast. Hist. Nat. Col. II, 1840, p. 468. — Blanch. Hist. Nat. Ins. II.
1845, p. 155. — Thoms. Syst. Ceramb. 1864, p. 393. — Lacord. Gen.
Col. IX, 1872, p. 591, 592.

- Bohemani** White, Cat. Col. Brit. Mus. VIII, 1855, Natal
p. 400. — Fähr. Öfvers. Vet. Akad. Förh.
XXIX, 2, 1872, p. 49.

constrictus Fähr. l. c. p. 49. Kaffernland

hystrix F. Spec. Ins. I, 1781, p. 216; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 267; Syst. Eleuth. II, 1801, p. 282. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1828. — Ol. Encycl. méth. VII, 1792, p. 475 („575“); Ent. IV, 1795, nr. 67, p. 119, t. 15, f. 110. — Cast. Hist. Nat. Col. II, 1840, p. 468. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 400. — Lacord. Gen. Col. IX, 1872, p. 592.

3

LIV. Adetini.

Lacordaire, Gen. Col. IX, 1872, p. 413.

Agennopsides Lacord. Gen. Col. IX, 1872, p. 592.

Apomecynini Bates, Biol. Centr.-Amer. Col. V, 1880, p. 103 (ex parte).

Parmenonta Thoms.

Thoms. Physis II, 1868, p. 157. — Lacord. Gen. Col. IX, 1869, p. 264, 273. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 104.

✓ **albisetosa** Bates, Biol. Centr.-Amer. Col. V, 1880, Guatemala
p. 105.

fulvosticta Bates, l. c. 1885, p. 341. Mexico

✓ **minor** Bates, l. c. 1880, p. 105, 341.

✓ **ovata** Bates, l. c. p. 105, 341.

parallela Lameere, Ann. Soc. Ent. France LXII, Guatemala
1893, p. 275. Venezuela

✓ **valida** Thoms. Physis II, 1868, p. 158. — Lacord. Gen. Mexico,
Col. IX, 1869, p. 273. — Bates, Biol. Centr.- Guatemala,
Amer. Col. V, 1880, p. 104, t. 8, f. 3. Honduras,
Nicaragua

✓ **Wickhami** Schaeffer, Bull. Brookl. Instit. I, 1908, Texas
p. 350.

7

Adetus J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 161. — Bates, Biol. Centr.-
Amer. Col. V, 1880, p. 106.

Agennopsis Thoms. Archives Ent. I, 1857, p. 302; Classif.
Ceram. 1860, p. 43, 72; Syst. Ceram. 1864, p. 364. —
Lacord. Gen. Col. IX, 1872, p. 593.

Taloepora Fairm. Ann. Soc. Ent. France (3) VII, 1859,
p. 521.

Tautoctines Thoms. Physis II, 1868, p. 155. — Lacord.
Gen. Col. IX, 1872, p. 593, 594.

abruptus Belon, Ann. Soc. Ent. Belg XLVI, 1902, Bolivia
p. 467, 472.

analis Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, Brasilien
p. 55. — J. Lec. Journ. Acad. Philad. (2) II, („Pennsyl-
1852, p. 161. — Leng & Hamilt. Trans. Amer. vania“)
Ent. Soc. XXIII, 1906, p. 164.

antennatus Thoms. Physis II, 1868, p. 155. — Bates, Mexico
Biol. Centr.-Amer. Col. V, 1880, p. 108.

atomarius Belon, Ann. Soc. Ent. Belg XLVI, 1902, Bolivia
p. 464, 471.

- ✓ **bacillarius** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 344, t. 22, f. 6. Guatemala, Venezuela
- binotatus** Thoms. Physis II, 1868, p. 155. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 107, t. 8, f. 2. Mexico, Nicaragua
- concoris** Bates, l. c. 1885, p. 342. Guatemala, Panama, Venezuela, Brasilien
- costicollis** Bates, Trans. Ent. Soc. Lond. 1872, p. 199; Biol. Centr.-Amer. Col. V, 1880, p. 106, t. 8, f. 5. Nicaragua, Guatemala, Panama
- curtulus** Bates, l. c. 1885, p. 343. Panama
- cylindricus** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 296 (sep. p. 231). Santarem
- ✓ **denticanda** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 108. Guatemala
- elongatus** Lameere, Ann. Soc. Ent. France LXII, 1893, p. 275. Venezuela
- exultus** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 109. Nicaragua
- fuscopunctatus** Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, p. 413. Venezuela
- griseicanda** Bates, Trans. Ent. Soc. Lond. 1872, p. 199. Nicaragua, Panama
- guttulatus** Belon, Ann. Soc. Ent. Belg. XLVI, 1902, p. 466, 471. Bolivia
- incomptus** Belon, l. c. p. 469, 472. "
- latericius** Belon, l. c. p. 469, 472. "
- ✓ **leucostigma** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 108. Mexico, Guatemala, Honduras, Panama
- ✓ **Lherminieri** Fleut. & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 468, t. 8, f. 18. Guadeloupe, Grenada, St Vincent
- mucoreus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 343. Panama
- ✓ **muticus** Thoms. Archives Ent. I, 1857, p. 302. — Lacord. Gen. Col. IX, 1872, p. 594 — Bates, Trans. Ent. Soc. Lond. 1872, p. 234; Biol. Centr.-Amer. Col. V, 1880, p. 106, 341, t. 8, f. 4. — Belon, Ann. Soc. Ent. Belg. XLVI, 1902, p. 464, 471. Mexico, Honduras, Guatemala, Panama, Südamerika
- mexicanus* Thoms. Physis II, 1868, p. 153.
- vygaeus* Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 295 (sep. p. 230).
- nanus** Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 522. Chile
- nigricornis** Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, p. 412. Venezuela
- ✓ **nitens** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 344, t. 22, f. 7. Panama
- pictus** Bates, l. c. 1880, p. 109. Honduras
- postilentus** Bates, l. c. 1885, p. 343. Guatemala, Panama
- praenustus** Thoms. Physis II, 1868, p. 153. Brasilien
- pulchellus** Thoms. l. c. p. 156. "
- punctatus** Thoms. l. c. p. 154. Cayenne
- punctiger** Germ. Ins. Spec. Nov. 1824, p. 494. Brasilien
- pusillus** Fairm. & Germin. Ann. Soc. Ent. France (3) VII, 1859, p. 521. Chile

- ✓ **scissicauda** Bates, Trans. Ent. Soc. Lond. 1874, p. 225; Nicaragua,
Biol. Centr.-Amer. Col. V, 1880, p. 107, Mexico
t. 8, f. 1.
- sordidus** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Santarem
p. 295 (sep. 231).
- subcostatus** Auriv. Öfvers. Vet. Akad. Förh. LVII, Venezuela
1900, p. 412.
- ✓ **subellipticus** Bates, Biol. Centr.-Amer. Col. V, 1880, Guatemala
p. 107.

36

Sicyobius Horn.

Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 137. — Leng & Hamilt.
l. c. XXIII, 1896, p. 143.

- ✓ **Brousi** Horn, l. c. VIII, 1880, p. 137, t. 2, f. 9. — Leng Kansas,
& Hamilt. l. c. XXIII, 1896, p. 144. — Schaeffer, Texas
Bull. Brookl. Instit. I, 1908, p. 351.
- Bio logie: Knaus, Journ. N. York Ent.
Soc. XVII, 1909, p. 71.

1

Pterichtya Thoms.

Thoms. Physis II, 1868, p. 156. — Lacord. Gen. Col. IX, 1872,
p. 593, 594. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 109.

fureulicauda Bates, Biol. Centr.-Amer. Col. V, 1880, Guatemala
p. 110, t. 8, f. 6.

✓ **longicauda** Bates, l. c. p. 110.

Mexico

obliqua Bates, l. c. 1885, p. 345.

- ✓ **pisciformis** Thoms. Physis II, 1868, p. 157. — Lacord. Guatemala,
Gen. Col. IX, 1872, p. 594, t. 103, f. 5. — Mexico
Bates, Biol. Centr.-Amer. Col. V, 1880,
p. 110.

4

Stygnesis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 286. — Lacord. Gen.
Col. IX, 1872, p. 593, 594.

punctiger Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Neugranada
p. 286. — Lacord. Gen. Col. IX, 1872, p. 595.

1

LV. Pteropliini.

Thomson, Classif. Ceramb. 1860, p. 43, 73. — Lacordaire, Gen. Col.
IX, 1872, p. 414, 595.

Pteroplius Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 65. — Cast. Hist. Nat. Col.
II, 1840, p. 481. — Thoms. Classif. Ceramb. 1860, p. 43; Syst.
Ceramb. 1864, p. 394. — Lacord. Gen. Col. IX, 1872, p. 595, 596.

acuminatus Serv. Ann. Soc. Ent. France IV, 1835, Brasilien
p. 66. — Cast. Hist. Nat. Col. II, 1840, p. 481.
— Lacord. Gen. Col. IX, 1872, p. 596.

1

Rhaphiptera Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 66. — Thoms. Syst. Ceramb. 1864, p. 394. — Lacord. Gen. Col. IX, 1872, p. 595. 596. — Gounelle, Ann. Soc. Ent. France LXXVII, 1908, p. 13 (Revisio).
- affinis** Thoms. Physis II, 1868, p. 116. — Goun. Revis. Brasilien p. 18.
- annulicornis** Goun. Revis. p. 14, 18, t. 2, f. 8. Brasilien: Goyaz Pernambuco Brasilien
- candicans** Goun. l. c. p. 16, 18, t. 2, f. 3.
- Gahani** Goun. l. c. p. 15, 19.
- nodifera** Serv. Ann. Soc. Ent. France IV, 1835, p. 66. — Cast. Hist. Nat. Col. II, 1840, p. 481. — Lacord. Gen. Col. IX, 1872, p. 597. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 29. — Goun. Revis. p. 18.
- oculata** Goun. Revis. p. 16, 18, t. 2, f. 2. Goyaz
- pallens** Goun. l. c. p. 15, 18, t. 2, f. 1. Rio Janeiro
- punctulata** Thoms. Physis II, 1868, p. 117. — Goun. Revis. p. 19. Brasilien
- rixator** Thoms. Physis II, 1868, p. 117. — Goun. Revis. p. 18. Cayenne
- seruator** Thoms. Physis II, 1868, p. 118. — Goun. Revis. p. 18. "

10

LVI. Ataxiini.

- Lacordaire, Gen. Col. IX, 1872, p. 414. 597. — Bates, Biol. Centr. Amer. Col. V, 1880, p. 112.

Proecha Thoms.

- Thoms. Syst. Ceramb. 1864, p. 107, 394. — Lacord. Gen. Col. IX, 1872, p. 597, 598.
- spinipennis** Chevr. Ann. Soc. Ent. France (4) II, 1862, Cuba p. 252. — Thoms. Syst. Ceramb. 1864, p. 107. — Lacord. Gen. Col. IX, 1872, p. 598.

1

Catataxia Auriv.

Auriv. Arkiv f. Zool. VII. 3, 1910, p. 41.

- principis** Auriv. l. c. p. 42. Prinzen-Insel

1

Aporataxia Hamilt.

Hamilton, Trans. Amer. Ent. Soc. XXIII. 1896, p. 142.

- lineata** Hamilt. l. c. p. 142. Texas

1

Ataxia Haldem.

- Haldem. Trans. Amer. Philos. Soc. (2) X. 1847, p. 56. — Thoms. Syst. Ceramb. 1864, p. 394. — Lacord. Gen. Col. IX, 1872, p. 598,

19*

599. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 142.
 143. — Fall, Journ. N. York Ent. Soc. XV, 1907, p. 85 (Revisio)-
Stenidea Haldem. Proc. Amer. Philos. Soc. IV, 1847, p. 373.
Stenosoma J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 158.
- ✓ *arizonica* Fisher, Proc. Ent. Soc. Wash. XXII, 1920, Arizona
 p. 158.
- ✓ *crypta* Say, New Ins. Louisiana 1831, p. 5; Compl. Penn-
 Writ. I, 1859, p. 302. — Haldem. Trans. sylvania,
 Amer. Philos. Soc. (2) X, 1847, p. 47. — Alabama,
 J. Lec. Journ. Acad. Philad. (2) II, 1852, Louisiana,
 p. 170. — Leng & Hamilt. Trans. Amer. Texas,
 Ent. Soc. XXIII, 1896, p. 143. New Mexico.
sordida Haldem. Trans. Amer. Philos. Soc. Mexico
 (2) X, 1847, p. 56. — J. Lec. Journ. Acad.
 Philad. (2) II, 1852, p. 158. — Lacord. Gen.
 Col. IX, 1872, p. 599.
 Biologie: Hunter & Hinds, Bull. U.S. Dep.
 Ent. (2) LI, 1905, t. 12, f. 55. — Morgan,
 l. c. LXIII, 7, 1907.
- lineata* F. Ent. Syst. I, 2, 1792, p. 314. Südamerika
annulata F. Syst. Eleuth. II, 1801, p. 326.
- ✓ *setulosa* Fall, Revis. p. 84. Californien
- ✓ *spineicauda* Schaeffer, Journ. N. York Ent. Soc. XII, Florida
 1904, p. 224; Bull. Brookl. Instit. I, 1908,
 p. 349.
- ✓ *sulcata* Fall, Revis. p. 84.
- tibialis* Schaeffer, Bull. Brookl. Instit. I, 1908, p. 348. Texas
 7

Parysatis Thoms.

- Thoms. Physis II, 1868, p. 118. — Lacord. Gen. Col. IX, 1872, p.
 598, 599. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 112.
- canescens* Bates, Biol. Centr.-Amer. Col. V, 1880, Mexico
 p. 113.
- collaris* Thoms. Physis II, 1868, p. 119. — Lacord. Cayenne
 Gen. Col. IX, 1872, p. 600, nota 1.
- ✓ *fulvifrons* Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama
 346, t. 22, f. 8.
- illita* Bates, l. c. p. 347. Guatemala
- linearis* Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Santarem
 p. 290 (sep. p. 226); Biol. Centr.-Amer. Col.
 V, 1880, p. 112.
- mucronata* Bates, Ann. Mag. Nat. Hist. (3) XVII, Ega
 1866, p. 290 (sep. p. 225); Biol. Centr.-Amer.
 Col. V, 1880, p. 112.
- ✓ *nigritarsis* Thoms. Physis II, 1868, p. 120. — Gah. Brasilien,
 Trans. Ent. Soc. Lond. 1892, p. 258. Bolivia,
 Mexico,
 ✓ *flavescens* Bates, Biol. Centr.-Amer. Col. V, Costa Rica
 1880, p. 112.
- nivisparva* Bates, l. c. 1885, p. 346. Panama
- obscura* F. Syst. Eleuth. II, 1801, p. 307. Südamerika.
- obtusa* Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Rio Janeiro
 p. 291 nota (sep. p. 226); Biol. Centr.-Amer.
 Col. V, 1880, p. 112.
- perplexa* Gah. Trans. Ent. Soc. Lond. 1892, p. 258. Mexico
- rufitarsis* Bates, Biol. Centr.-Amer. Col. V, 1880, Nicaragua
 p. 112.

sulcata Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Santarem
p. 290 (sep. p. 225); Biol. Centr.-Amer. Col.
V, 1880, p. 112.

13

Esthlogena Thoms.

Thoms. Syst. Ceramb. 1864, p. 107, 394. — Bates, Ann. Mag. Nat.
Hist. (3) XVII, 1866, p. 289 (sep. p. 224). — Lacord. Gen. Col. IX.
1872, p. 598, 600.

Hebestola Thoms. Archives Ent. I, 1857, p. 302.

albisetosa Bates, Biol. Centr.-Amer. Col. V, 1880, Mexico,
p. 113. Honduras,
Guatemala

brunnipes Thoms. Physis II, 1868, p. 122. Brasilien

comata Thoms. Archives Ent. I, 1857, p. 303. "

foveolata Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 21. Bolivia

glancepennis Thoms. Physis II, 1868, p. 121. Brasilien

gnatemalena Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala
p. 348.

maculifrons Thoms. Physis II, 1868, p. 120. Brasilien

mirandilla Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala
p. 348.

operaria Er. Schomb. Reise III, 1848, p. 574. Guyana

porosa Bates, Trans. Ent. Soc. Lond. 1872, p. 200; Mexico.
Biol. Centr.-Amer. Col. V, 1880, p. 113, Nicaragua,
t. 8, f. 7. Panama

proletaria Thoms. Physis II, 1868, p. 121. Venezuela

prolixa Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Rio Janeiro
p. 291 nota (sep. p. 226).

pulverea Bates, l. c. p. 289 (sep. p. 224). Santarem

13

Rosalba Thoms.

Thoms. Syst. Ceramb. 1864, p. 108, 395. — Lacord. Gen. Col. IX,
1872, p. 598, 601.

alcidionoides Thoms. Syst. Ceramb. 1864, p. 109. — Columbien
Lacord. Gen. Col. IX, 1872, p. 601.

1

Amphicnaeia Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 32 (sep. p. 202);
Biol. Centr.-Amer. Col. V, 1880, p. 114. — Lacord. Gen. Col. IX.
1872, p. 707.

brevivittis Bates, Trans. Ent. Soc. Lond. 1872, p. 202; Nicaragua
Biol. Centr.-Amer. Col. V, 1880, p. 114,
t. 9, f. 17.

cordigera Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 26. Rio Janeiro

crustulata Bates, Trans. Ent. Soc. Lond. 1872, p. 235; Nicaragua,
Biol. Centr.-Amer. Col. V, 1880, p. 114, t. 9, Panama
f. 16.

lineata Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 33 (sep. p. 203). Ega

lyctoides Bates, l. c. p. 33 nota. Rio Janeiro

plurivittis Belon, Revue d'Ent. XXII, 1903, p. 65. Bolivia

- pusilla** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Santarem
p. 33 (sep. p. 203).
quinquevittata Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala,
p. 349, t. 22, f. 10. Panama
8

Aletretia Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 34 (sep. p. 204); Biol.
Centr.-Amer. Col. V, 1885, p. 349. — Lacord. Gen. Col. IX, 1872,
p. 708. — Belon. Ann. Soc. Ent. Belg. XLVII, 1903, p. 148.
? *Rosalba* Thoms. (vergl. Bates, Biol. Centr.-Amer. V, 1885,
p. 349).
dissimilis Belon. Annu. Soc. Ent. Belg. XLVII, 1903, Bolivia
p. 153.
fimbriata Belon, l. c. p. 152.
inscripta Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas
p. 34 (sep. p. 204).
pulchella Belon, Ann. Soc. Ent. Belg. XLVII, 1903, Bolivia
p. 151.
pulehra Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama
350, t. 22, f. 11.
5

Asyngenes Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1880, p. 114.
chaliceolus Bates, l. c. p. 115. — Auriv. Öfvers. Vet. Guatemala,
Akad. Förh. LVII, 1900, p. 415. Venezuela
1

Acestrilla Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1880, p. 350.
minima Bates, l. c. t. 22, f. 12. Guatemala.
Panama
1

LVII. Ptericoptini.

Lacordaire, Gen. Col. IX, 1872, p. 416. 601.

Typophaula Thoms.

- Thoms. Physis II, 1868, p. 152. — Lacord. Gen. Col. IX, 1872, p.
602, 604.
melancholica Thoms. Physis II, 1868, p. 152. — Brasilien
Lacord. Gen. Col. IX, 1872, p. 604.
Dejeani Thoms. Physis II, 1868, p. 153.
1

Atimuropsis Thoms.

- Thoms. Physis II, 1868, p. 162. — Lacord. Gen. Col. IX, 1872, p.
602, 604.
inaequalis Thoms. Physis II, 1868, p. 163. — Lacord. Guyana
Gen. Col. IX, 1872, p. 605.
1

Ptericoptus Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 61. — Cast. Hist. Nat. Col. II, 1840, p. 491. — Thoms. Classif. Ceramb. 1860, p. 74; Syst. Ceramb. 1864, p. 393. — Lacord. Gen. Col. IX, 1872, p. 602, 605. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 111.

Ptericoptus Gemm. & Har. Cat. Col. X, 1873, p. 3101.

acuminatus F. Syst. Eleuth. II, 1801, p. 323. Südamerika

dorsalis Serv. Ann. Soc. Ent. France IV, 1835, p. 61. — Cast. Hist. Nat. Col. II, 1840, p. 491. — Lacord. Gen. Col. IX, 1872, p. 605.

adustus Burm. Stett. Ent. Zeit. XXVI, 1865, p. 179. Argentina:

Tucuman

Guatemala,

Mexico

Südamerika

✓ **caudalis** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 111, 345.

elavicornis F. Syst. Eleuth. II, 1801, p. 323.

crassicornis F. Index Syst. Eleuth. 1803, p. 84.

eruentatus Thoms. Physis II, 1868, p. 109.

Guyana

dentipennis Latr. in Humb. & Bonpl. Obs. Zool. II, 1833, p. 56, t. 33, f. 11.

Südamerika

fusus Bates, Biol. Centr.-Amer. Col. V, 1885, p. 345.

Mexico

griseolus Bates, l. c. 1880, p. 111.

Guatemala

guttatus Kirsch, Abhandl. Mus. Dresden II, 4, 1888, p. 40, t. 4, f. 75.

Columbien

✓ **panamensis** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 111, 345.

Panama

10

Craspedocerus Auriv.

Auriv. Öfvers. Vet. Akad. Förhl. LVII, 1900, p. 413.

poecilus Auriv. l. c. p. 414.

Venezuela

1

Bisaltus Thoms.

Thoms. Physis II, 1868, p. 110. — Lacord. Gen. Col. IX, 1872, p. 602, 606.

acutipennis Thoms. Physis II, 1868, p. 111.

?

bimaculatus Auriv. Ent. Tidskr. XXV, 1904, p. 207.

Bolivia

Buqueti Thoms. Physis II, 1868, p. 111.

Cayenne

posticalis Thoms. l. c. p. 111.

Guyana

✓ **Spegazzinii** Bruch, Revista Mus. La Plata XVIII, 1911, p. 175, fig.

Argentina:

Mendoza

subreticulatus Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 21.

Südbrasilien

6

Tetrarpages Thoms.

Thoms. Physis II, 1868, p. 129. — Lacord. Gen. Col. IX, 1872, p. 602, 606.

Lansbergel Thoms. Physis II, p. 130. — Lacord. Gen. Col. IX, 1872, p. 607.

Venezuela

1

Craspedoderus Thoms.

Thoms. Syst. Ceramb. 1864, p. 33, 357; Trans. Ent. Soc. London (3) III, 1868, p. 494 nota. — Lacord. Gen. Col. IX, 1872, p. 602, 607.

dilaticollis Thoms. Syst. Ceramb. 1864, p. 33. — Pasc. Cayenne
Trans. Ent. Soc. Lond. (3) III, 1868, p. 494
nota. — Lacord. Gen. Col. IX, 1872, p. 607.

1

Tethystola Thoms.

Thoms. Physis II, 1868, p. 131. — Lacord. Gen. Col. IX, 1872,
p. 602, 608.

dispar Lameere, Ann. Soc. Ent. France LXII, 1893, Venezuela
p. 276.

mutica Gah. Trans. Ent. Soc. Lond. 1895, p. 126, St. Vincent
t. 2, f. 5

obliqua Thoms. Physis II, 1868, p. 132. — Lacord. Venezuela
Gen. Col. IX, 1872, p. 608.

3

Mythergates Thoms.

Thoms. Physis I, 1867, p. 19, nota 1. — Lacord. Gen. Col. IX, 1872,
p. 603, 608.

divaricatus Coquer. Revue Zool. (2) III, 1851, p. 90; Madagascar
Ann. Soc. Ent. France (2) X, 1852, p. 402.
— Thoms. Physis I, 1867, p. 19, nota 1. —
Lacord. Gen. Col. IX, 1872, p. 609.

1

Cornallis Thoms.

Thoms. Syst. Ceramb. 1864, p. 47, 365. — Lacord. Gen. Col. IX
1872, p. 603, 609.

gracilipes Thoms. Syst. Ceramb. 1864, p. 47. — Lacord. Ostasien
Gen. Col. IX, 1872, p. 610.

1

Stenocoptus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 280.

brevicauda Kolbe, l. c. p. 281. Usambara

1

Stathmodera Gah.

Gahan, Trans. Ent. Soc. Lond. 1890, p. 324.

aureicornis Gah. Trans. Ent. Soc. Lond. 1890, p. 325. Sierra Leone

grandis Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, Usambara
p. 264.

lineata Gah. Trans. Ent. Soc. Lond. 1890, p. 324. Sierra Leone

pusilla Auriv. Deutsche Ent. Zeitschr. 1907, p. 80. Kamerun

4

Discolops Fairm.

Fairm. Ann. Soc. Ent. France (6) V, 1886, p. 459.

basalis Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 281. Usambara**strigicollis** Fairm. Ann. Soc. Ent. France (6) V, 1886, Ostafrika:
p. 459. Obock

2

Plocia Newm.Newm. Entomolog. I, 1842, p. 292. — Thoms. Syst. Ceramb. 1864,
p. 364. — Lacord. Gen. Col. IX, 1872, p. 603, 610.**mixta** Newm. Entomolog. I, 1842, p. 292. Manila**notata** Newm. l. c. p. 292. — Lacord. Gen. Col. IX, „
1872, p. 610, t. 104, f. 3.

2

Aesylacris Thoms.Thoms. Physis II, 1868, p. 143. — Lacord. Gen. Col. IX, 1872,
p. 603, 611.? *Amphicnacia* Bates (vergl. Bates, Biol. Centr.-Amer.
Col. V, 1880, p. 114).**villosula** Thoms. Physis II, 1868, p. 143. — Lacord. Columbien
Gen. Col. IX, 1872, p. 611.

1

Orcesis Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 329, 331. — Lacord.
Gen. Col. IX, 1872, p. 603, 612.**phauloides** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Batjan
p. 332, t. 15, f. 2. — Lacord. Gen. Col. IX,
1872, p. 612.

1

Zorilispe Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 156.

Zorolispe Lacord. Gen. Col. IX, 1872, p. 603, 612.**acutipennis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Macassar
p. 157. — Lacord. Gen. Col. IX, 1872, p. 613.**fulvisparsa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 157, t. 9, f. 8.

2

Ogmodera Auriv.

Auriv. in Sjöstedt, Kilimandj. Exped. VII, 1908, p. 150.

sulcata Auriv. l. c. p. 150. Kilimandjaro,
Brit-
Ostafrika.
Abessinien

1

Ramularius Auriv.

Auriv. Denkschr. Med.-Nat. Ges. Jena XIII, 1908, p. 434.

pygmaeus Auriv. l. c. p. 434. Damaraland

1

Aethiopia Auriv.

Auriv. Arkiv f. Zool. VII. 19, 1911, p. 33.

elongata Auriv. l. c. p. 34.Abessinien,
Brit.-
Ostafrika
Congo**rufescens** Auriv. l. c. VIII, 22, 1913, p. 27.
2**Soridus** Gah.

Gahan, Trans. Ent. Soc. Lond. 1890, p. 323. — Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 282.

biapicatus Chevr. Revue Zool. (2) IX, 1857, p. 82; Alt-Calabar
Cent. Longic. 1858. nr. 71. — Gah. Trans.
Ent. Soc. Lond. 1890, p. 324.*bacillarius* Lameere, Ann. Soc. Ent. France
LXI, 1893, p. 47.**griseus** Dist. Ann. Mag. Nat. Hist. (7) XV, 1905, Natal
p. 206, fig.**jejunus** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 282. Usambara
3**Atimura** Pasc.Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 548; (3) III, 1865, p. 140.
157. — Lacord. Gen. Ins. IX. 1872, p. 603, 613.**apicalis** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 76.**ascoldensis** Heyden, Deutsche Ent. Zeitschr. XXVIII, Amur:
1884, p. 298. Insel Askold**bacillina** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo,
p. 158. Sumatra**japonica** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 381.**punctissima** Pasc. Trans. Ent. Soc. Lond. (3) III, Borneo,
1865, p. 158. Sumatra,
Singapur**terminata** Pasc. l. c. (3) I, 1863, p. 548, t. 23, f. 6. —
Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Queensland,
p. 76. Birma

6

Xylariopsis Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 247.

mimlea Bates, l. c. p. 247, t. 2, f. 7.Japan
1**Euteleuta** Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 348.

umbriata Bates, l. c. p. 349 nota.

Südbrasilien

laticauda Bates, l. c. p. 349. t. 22, f. 9.Panama
2

Epilysta Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 140, 148. — Lacord.
Gen. Col. IX, 1872, p. 603, 614.

mucida Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Borneo
p. 149, t. 9, f. 7.

1

Atelals Pasc:

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 457. — Lacord.
Gen. Col. IX, 1872, p. 603, 614.

despoliata Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan
p. 458.

evicta Pasc. l. c. p. 458.

illaesa Pasc. l. c. p. 457, t. 18, f. 2.

patruelis Pasc. l. c. p. 458.

porcina Pasc. l. c. p. 459.

seriata Pasc. l. c. p. 459.

6

Sybrinus Gah.

Gahan, Bull. Liverpool Mus. III, 1900, p. 12; in Forbes, Nat. Hist.
Sokotra 1903, p. 286.

commixtus Gah. Bull. Liverpool Mus. III, 1900, p. Sokotra
12; in Forbes, Nat. Hist. Sokotra 1903,

p. 286, t. 17, f. 8.

var. *Gahani* n. var.

sp. Gah. l. c. p. 287.

Simonyi Gah. l. c. p. 287.

2

Sybra Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 198. — Lacord.
Gen. Col. IX, 1872, p. 603, 615.

acuta Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Neusüdwaies
p. 199 nota.

geminata Pasc. l. c. (3) I, 1863, p. 547.

Biologie: Frogg. Proc. Linn. Soc. N. S.
Wales (2) IX, 1894, p. 119.

arator Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Singapur
p. 210.

arcifera Pasc. l. c. p. 201.

baculina Bates, Proc. Zool. Soc. Lond. 1866, p. 352.

binotata Gah. Ann. Mus. Civ. Genova (3) III, 1907, Insel Engano
p. 88.

centurio Pasc. Journ. Linn. Soc. Lond. Zool. IX, Neusüdwaies
1866, p. 90.

chloropoda Pasc. Trans. Ent. Soc. Lond. (3) III, Waigiui
1865, p. 200.

collaris Pasc. l. c. p. 214.

connexa Pasc. l. c. p. 202.

conspata Pasc. l. c. p. 217.

contigua Pasc. l. c. p. 201.

"
"
Morotai
Kaioa
Misol

"
"

Timor
Formosa
Insel Engano
Neusüdwaies
Waigiui
Celebes:
Tondano
Ternate, Sula
Morotai
Ceram

- cretifera** Pasc. l. c. p. 205. Borneo
cribrella Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
 p. 318.
destituta Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Neuguinea:
 p. 211. Dorey
desneta Pasc. l. c. p. 206. Dorey
devota Pasc. l. c. p. 216. Batjan
discreta Pasc. l. c. p. 216. Neuguinea
 Saylee
egregia Pasc. l. c. p. 208. Buru
erratica Pasc. l. c. p. 213. Celebes:
 Menado
exigna Pasc. l. c. p. 208. Batjan
fervida Pasc. l. c. p. 202. Borneo
furtiva Pasc. l. c. p. 218. Batjan
geminata Klug, Abhandl. Berl. Akad. I, 1833, p. 208, Madagaskar,
 t 5, f 7 (sep. p. 120). — Fairm. Ann. Soc. Seychellen
 Ent. France (5) I, 1871, p. 74.
ephippiata Fairm. Ann. Soc. Ent. Belg.
 XL, 1896, p. 391. — Alluaud, Bull. Soc. Ent.
 France 1897, p. 150.
Fauveli Thery, l. c. p. 66.
Sechellarum Lameere, Ann. Soc. Ent.
 France LXII, 1893, Bull. p. 106. — Alluaud,
 Bull. Soc. Ent. France 1897, p. 151. — Kolbe,
 Col. Seychell. 1910, p. 38.
grammica Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Misol
 p. 206.
herbacea Pasc. l. c. p. 204. Morotai
iconica Pasc. l. c. p. 207. Batjan,
 Buru.
 Neuguinea:
 Saylee
jejuna Pasc. l. c. p. 201. Neuguinea:
 Dorey
ivanis Pasc. l. c. p. 204. Salwatty
incana Pasc. l. c. (2) V, 1859, p. 50: (3) III, 1865, Aru,
 p. 210. Neuguinea,
 Waigiu,
 Sula
incivilis Pasc. l. c. (3) I, 1863, p. 546. Queensland
internata Pasc. l. c. (3) III, 1865, p. 207. Buru
invia Pasc. l. c. p. 211. Batjan
irrorata Pasc. l. c. p. 215. Celebes:
 Tondano
lineata Pasc. l. c. p. 214. Batjan,
 Neuguinea
 Neuguinea
luteicornis Pasc. l. c. p. 204.
marcida Pasc. l. c. p. 200.
Mastersi Blackb. Trans. R. Soc. S. Austral. XVIII, Queensland
 1894, p. 168.
modesta Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Neuguinea:
 p. 209. Saylee
mucronata Pasc. l. c. p. 214. Halmahera
notatipennis Pasc. l. c. p. 202. Misol
nubila Pasc. l. c. p. 212. Aru
odiosa Pasc. l. c. p. 218. Borneo
ordnata Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
 p. 318.

- palliat**a Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 212. Borneo
pantherlua Heller, Tijdschr. v. Ent. LVIII, 1915, p. Sumatra
 111, t. 5, f. 3.
Pascoei Lameere, Ann. Soc. Ent. France LXII, 1893, Huë
 p. 285.
patrua Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Amboina
 p. 209.
petulans Pasc. l. c. p. 205. Halmahera
poeciloptera Auriv. Arkiv f. Zool. X, 23, 1917, p. 43, Queensland
 t. 3, f. 6.
porcellus Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Ceram
 p. 211.
posticalis Pasc. l. c. (2) IV, 1858, p. 248, t. 26, f. 4. Hongkong
posticata Gah. Ann. Mus. Civ. Genova XXXIV, Birma
 1895, p. 77.
primaria Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Buru,
 p. 209. Ceram
procera Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon,
 p. 50. — Gah. Ann. Mus. Civ. Genova XXXIV, Ostindien,
 1895, p. 78. Birma
cylindrica Pasc. Trans. Ent. Soc. Lond.
 1888, p. 504.
pulverea Pasc. l. c. (3) III, 1865, p. 215. Neuguinea.
 Misol
 Formosa
punctatostriata Bates, Proc. Zool. Soc. Lond. 1866,
 p. 351.
purpurascens Pasc. Trans. Ent. Soc. Lond. (3) III, Batjan
 1865, p. 217.
putida Pasc. l. c. p. 206. Misol
refecta Pasc. l. c. p. 219. Neuguinea
repudiosa Pasc. l. c. p. 207. Celebes:
 Tondano
rufula Pasc. l. c. p. 217. Aru
solida Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 88. Insel Engano
stigmatica Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Aru
 p. 51; (3) III, 1865, p. 199, t. 9, f. 2.
strigina Pasc. l. c. (3) III, 1865, p. 212. Buru
subfasclata Bates, Journ. Linn. Soc. Lond. Zool. Japan
 XVIII, 1884, p. 246.
triangularis Pasc. Trans. Ent. Soc. Lond. (3) III, Batjan
 1865, p. 205.
umbratica Pasc. l. c. p. 203. Borneo,
 Ternate,
 Misol
ustulata Pasc. l. c. p. 213. Halmahera
venosa Pasc. l. c. p. 203. Misol
violata Pasc. l. c. p. 210. Waigiu
 70

Sybropis Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 52.

- front**alis Pasc. l. c. p. 52. Borneo
 1

Sybrinura Gah.

Gahan, Ann. Mus. Civ. Genova (3) III, 1907, p. 88.

- biap**lcata Gah. l. c. p. 89. Sumatra
 1

Mynonoma Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 219. — Lacord.
Gen. Col. IX, 1872, p. 603, 616.

eunidioides Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Batjan,
p. 219, t. 10, f. 1. — Lacord. Gen. Col. IX, Celebes:
1872, p. 617. Tondano

1

Pithodia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 220. — Lacord.
Gen. Col. IX, 1872, p. 603, 617.

tessellata Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
p. 220, t. 10, f. 4. — Lacord. Gen. Col. IX, Macassar
1872, p. 617.

1

Bityle Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 221. — Lacord.
Gen. Col. IX, 1872, p. 603, 617.

bleolor Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Celebes:
p. 221, t. 10, f. 5. — Lacord. Gen. Col. IX, Menado
1872, p. 618.

1

Rhadia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 440, 450. — Lacord.
Gen. Col. IX, 1872, p. 603, 618.

pusio Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Neuguinea
p. 451, t. 18, f. 6. — Lacord. Gen. Col. IX,
1872, p. 618.

1

Oopsis Fairm.

Fairm. Revue Zool. (2) II, 1850, p. 115. — Thoms. Syst. Ceramb.
1864, p. 365. — Lacord. Gen. Col. IX, 1872, p. 603, 618. — Fairm.
Ann. Soc. Ent. France (6) I, 1881, p. 475.

brunneocaudata Fairm. Pet. Nouv. Ent. II, 1879, Insel Viti
p. 290; Ann. Soc. Ent. France (6) I, 1881,
p. 478.

discedens Fairm. l. c. p. 481.

dorsata Fairm. l. c. p. 481.

dorsivaria Fairm. Revue Zool. (2) II, 1850, p. 117. Tonga Tabu

Duboisii Fairm. l. c. p. 118. Taiti

Fondrasi Montrouz. Ann. Soc. Ent. France (4) I, Neu-
1861, p. 285. caledonien,
Lifu

fuscoapicata Fairm. Pet. Nouv. Ent. II, 1879. p. 290; Insel Viti
Ann. Soc. Ent. France (6) I, 1881, p. 479.

granicornis Fairm. Pet. Nouv. Ent. II, 1879, p. 290;
Ann. Soc. Ent. France (6) I, 1881, p. 476.

griseocandata Fairm. l. c. p. 480.

lateripicta Fairm. Pet. Nouv. Ent. II, 1879. p. 290; Insel Tonga
Ann. Soc. Ent. France (6) I, 1881, p. 479.

- Moorei** Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, Insel Damma
p. 100.
- mutator** F. Mant. Ins. I, 1787, p. 142; Ent. Syst. I, Tahiti, Tonga.
2, 1792, p. 290; Syst. Eleuth. II, 1801, p. 304. Honolulu
— Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1836 — Ol. Encycl. méth. VII, 1792,
p. 473; Ent. IV, 67, 1795, p. 118, t. 14, f. 102.
— Boisd. Voy. Astrolabe, Ent. II, 1835,
p. 525. — Lacord. Gen. Col. IX, 1872, p. 619,
t. 104, f. 2. — Fairm. Revue Zool. (2) II,
1850, p. 116; Ann. Soc. Ent. France (6) I,
1881, p. 477. — Auriv. Denkschr. Akad.
Wiss. Wien LXXXIX, 1913, p. 693 (sep. p. 6).
curvicornis Karsch, Berl. Ent. Zeitschr.
XXV, 1881, p. 8, t. 1, f. 12.
- oblongipennis** Fairm. Revue Zool. (2) II, 1850, p. 118. Taiti,
Vavao
- semigranosa** Fairm. Pet. Nouv. Ent. II, 1879, p. 289; Tonga
Ann. Soc. Ent. France (6) I, 1881, p. 475.
- striatella** Fairm. Pet. Nouv. Ent. II, 1879, p. 289; Tonga, Viti
Ann. Soc. Ent. France (6) I, 1881, p. 477.
- varlivestis** Fairm. Pet. Nouv. Ent. II, 1879, p. 290; Viti
Ann. Soc. Ent. France (6) I, 1881, p. 478.

16

Meximia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 196. — Lacord.
Gen. Col. IX, 1872, p. 603, 619.
- decolorata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Batjan
p. 196, t. 10, f. 2. — Lacord. Gen. Col. IX,
1872, p. 620.
- perfusa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Neuguinea
p. 197. — Lacord. Gen. Col. IX, 1872, p. 620.

2

Gemylus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 141, 197. — Lacord.
Gen. Col. IX, 1872, p. 603, 620.
- albipictus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, Morotai
p. 198, t. 9, f. 1. — Lacord. Gen. Col. IX,
1872, p. 620.

1

Sarillus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 359.

- pygmaeus** Bates, l. c. p. 359, t. 22, f. 19. Panama

1

Amblesithidopsis Auriv.

Auriv. Tijdschr. v. Ent. LXIV. 1921, p. 49.

- areolata** Auriv. l. c. p. 50, t. 2, f. 6. Kamerun

1

LVIII. Desmiphorini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 620.

Desmiphora Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 62. — Cast. Hist. Nat. Col. II, 1840, p. 467. — Blanch. Hist. Nat. Ins. II, 1845, p. 155. — Thoms. Classif. Ceramb. 1860, p. 74; Syst. Ceramb. 1864, p. 393. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 200 (sep. p. 221). — Lacord. Gen. Col. IX, 1872, p. 621.

Desmiphora Gemm. & Har. Cat. Col. X, 1873, p. 3107.

- ✓ **aegrota** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 116. Guatemala
canescens Bates, Trans. Ent. Soc. Lond. 1874, p. 226; Nicaragua
 Biol. Centr.-Amer. Col. V, 1880, p. 116,
 t. 8, f. 10.
- ✓ **cirrosa** Er. Archiv f. Naturg. XIII, 1, 1847, p. 147. Amazon,
 — White, Cat. Col. Brit. Mus. VIII, 1855, Peru,
 p. 401. — Bates, Ann. Mag. Nat. Hist. (3) Panama,
 XVII, 1866, p. 200 (sep. p. 221); Biol. Centr.- Nicaragua,
 Amer. Col. V, 1880, p. 115, t. 8, f. 9. Guatemala,
 Mexico
- ✓ **cuellata** Thoms. Physis II, 1868, p. 104. Südbrasilien
elegantula White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos
 p. 401. — Bates, Ann. Mag. Nat. Hist. (3)
 XVII, 1866, p. 201 (sep. p. 222).
- farinosa** Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama
 351, t. 22, f. 13.
- ✓ **fasciculata** Ol. Encycl. méth. VII, 1792, p. 465; Ent. Cayenne.
 IV, 67, 1795, p. 96, t. 17, f. 131. — F. Ent. Brasilien,
 Syst. I. 2. 1792, p. 284; Syst. Eleuth. II, Nicaragua,
 1801, p. 299. — Serv. Ann. Soc. Ent. France Mexico
 IV, 1835, p. 63. — Cast. Hist. Nat. Col. II,
 1840, p. 468. — White, Cat. Col. Brit. Mus.
 VIII, 1855, p. 402. — Bates, Ann. Mag. Nat.
 Hist. (3) XVII, 1866, p. 200 (sep. p. 221);
 Trans. Ent. Soc. Lond. 1874, p. 225; Biol.
 Centr.-Amer. Col. V, 1880, p. 115, t. 8, f. 8.
gigantea Thoms. Classif. Ceramb. 1860, p.
 75. — Chevr. Ann. Soc. Ent. France (4) II,
 1862, p. 254.
- ✓ **grisea** Auriv. Ent. Tidskr. XXV, 1904, p. 208. Bolivia
hirticollis Ol. Ent. IV, 68, 1795, p. 11, t. 4, f. 37. — Brasilien,
 Cast. Hist. Nat. Col. II, 1840, p. 468. — Cayenne,
 White, Cat. Col. Brit. Mus. VIII, 1855, Columbien,
 p. 401. Zentral-
lanata Chevr. Ann. Soc. Ent. France (4) II, amerika,
 1862, p. 253. Cuba,
mexicana Thoms. Classif. Ceramb. 1860, Grenada,
 p. 75. St. Vincent
- ✓ **intricata** Casey, Mem. Col. IV, 1913, p. 350. Texas
lateralis Thoms. Physis II, 1868, p. 104. Brasilien
multicristata Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazon:
 1866, p. 201 (sep. p. 222). Obydos
- ✓ **ornata** Bates, l. c. p. 201 (sep. p. 223) nota. Südbrasilien
pallida Bates, Trans. Ent. Soc. Lond. 1874, p. 226 nota. Jamaica
scapularis Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
 p. 351.

- senicula** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Tapajos
p. 200 (sep. p. 221).
- Servillei** White, Cat. Col. Brit. Mus. VIII, 1855, p. 401, t. 10, f. 7. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 115. Brasilien:
Espiritu
Santo
- venosa** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Südbrasilien
p. 202 (sep. p. 223) nota.
18

Pyrracita Thoms.

Thoms. Physis II, 1868, p. 105. — Lacord. Gen. Col. IX, 1872, p. 621, 622.

Pyrrhacita Gemm. & Har. Cat. Col. X, 1873, p. 3107.

- apicata** Thoms. Physis II, 1868, p. 106. Brasilien
- ferruginea** Thoms. l. c. p. 107. "
- infima** Thoms. l. c. p. 107. Mexico
3

Ischnolea Thoms.

Thoms. Classif. Ceramb. 1860, p. 347.

Therchaetes Thoms. Physis II, 1868, p. 107. — Lacord. Gen. Col. IX, 1872, p. 621, 623.

- bimaculata** Chevr. Journ. of Ent. I, 1861, p. 252. Brasilien
- crinita** Thoms. Classif. Ceramb. 1860, p. 347. "
- intonasa** Germ. Ins. Spec. Nov. 1824, p. 484. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 400. — Thoms. Physis II, 1868, p. 108. "
- pallidipennis** Chevr. Journ. of Ent. I, 1861, p. 251.
3

LIX. Apodasyini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 623.

Atelodesmis Buq.

Buquet in Thoms. Archives Ent. I, 1857, p. 334. — Thoms. Syst. Ceramb. 1864, p. 393.

- hirticornis** Buq. in Thoms. Archives Ent. I, 1857, Brasilien
p. 335.
- piperlita** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 352. Mexico
- unicolor** Buq. in Thoms. Archives Ent. I, 1857, p. 336. "
- vestita** Buq. l. c. p. 335. — Lacord. Gen. Col. IX, Brasilien
1872, p. 625.
4

Astynoscelis Pic.

Pic, Longic. V, 1, 1905, p. 8.

- longicornis** Pic, l. c. p. 8. — Jacobs. Käfer Russl. Mand-
schurien
1911, t. 69, f. 15.

Rhopaloscelis Blessig.

- Blessig. Horae Soc. Ent. Ross. IX, 1873. p. 205. — Ganglb. Best-Tab. VIII, 1884, p. 93 (527).
- bifasciatus** Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur,
1879, p. 113, t. 1, f. 10. — Ganglb. Best- Japan
Tab. VIII, 1884. p. 94 (528). — Jacobs. Käfer
Russl. 1911, t. 71, f. 27.
- maculatus** Bates, Ent. Monthly Mag. XIV, 1877, p. 38. Japan
- unifasciatus** Blessig, Horae Soc. Ent. Ross. IX, 1873, Amur,
p. 206, t. 8, f. 3. — Ganglb. Best-Tab. VIII, Japan
1884, p. 94 (528). — Bates, Journ. Linn. Soc.
Lond. Zool. XVIII, 1884, p. 250.

3

Pogonillus Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1885, p. 360.
- inermis** Bates, l. c. p. 360. Mexico
- subfasciatus** Bates, l. c. p. 360, t. 22, f. 20. Guatemala

2

Stenidea Muls.

- Muls. Col. France. Longic. Suppl. 1842, p. (1); ed. 2. 1863, p. 324.
— Redtenb. Fauna Austr. ed. 2, 1858, p. 859. — Gutfl. Käfer
Deutschl. 1859, p. 583. — Pasc. Proc. Ent. Soc. Lond. (3) I, 1862,
p. 88. — Woll. Journ. of Ent. II, 1863, p. 108.
- Belodera* Thoms. Syst. Ceramb. 1864, p. 112, 396; Physis
II, 1868, p. 134. — Fairm. Gen. Col. d'Eur. IV, 1864, p.
160. — Lacord. Gen. Col. IX. 1872, p. 624. 625. — Ganglb.
Best-Tab. VII, 1881, p. 14 (692). — Seidl. Fauna Balt. ed. 2,
1891, p. 185; Fauna Transsylv. 1891, p. 185. — Stierlin,
Col. Helvet. II. 1898, p. 490.
- Blabinotus* Woll. Trans. Ent. Soc. Lond. (3) I, 1862, p.
178 (ex parte). — Redtenb. Fauna Austr. ed. 3. 1874, p. 419.
- Deroplia* [Rosenh. Beitr. Ins.-Fauna Eur. 1847, p. 59,
nom. nud.], — Bedel, Faune Col. Seine V. 1889, p. 35, 42.
— Csiki, Rovart. Lapok XI, 1904, p. 168. — Kuhnt, Käfer
Deutschl. 1912, p. 757. — Reitter, Fauna Germ. IV, 1913,
p. 58, 61. — Schauf. Calwers Käferb. II, 1916, p. 864.
- Steneida* Lucas, Explor. Algér. Col. 1849, p. 498.
- Steneidea* Lucas, l. c. p. 498.
- Stenosoma* Muls. (nec Leach 1815) Col. France. Longic.
1839, p. 162.

Paläarktische Arten.

- albida** Brullé in Webb & Berth. Ins. Canar. 1838, Canarische
p. 62, t. 1, f. 4. — Woll. Trans. Ent. Soc. Inseln
Lond. (3) I, 1862, p. 180; Journ. of Ent. II,
1863, p. 109; Cat. Canar. Col. 1864, p. 392;
Col. Atlant. 1865, p. 350.
- annulicornis** Brullé in Webb & Berth. Ins. Canar. „
1838, p. 62, t. 1, f. 3. — Woll. Trans. Ent.
Soc. Lond. (3) I, 1862, p. 179; Journ. of
Ent. II, 1863, p. 108; Catal. Canar. Col. 1864,
p. 391; Col. Atlant. 1865, p. 350.

- Genei** Aragona, De quibusd. Col. 1830, p. 25. — Gutfl. Käfer Deutschl. 1859, p. 583. — Redtenb. Fauna Austr. ed. 3, 1874, p. 419. — Ganglb. Best.-Tab. VIII, 1884, p. 95 (529). — Bedel, Faune Col. Seine V. 1889, p. 42, 92. — Seidl. Fauna Transsylv. 1891, p. 848. — Stierl. Col. Helvet. II, 1898, p. 495. — Csiki, Rovart. Lapok XII, 1905, p. 38. — Kuhnt, Käfer Deutschl. 1912, p. 793. — Reitter, Fauna Germ. Käfer IV, 1913, p. 61.
- Houdrasi*** Muls. Col. France, Longic. 1839, p. 162, t. 3, f. 6; ed. 2, 1863, p. 326. — Redtenb. Fauna Austr. ed. 2, 1858, p. 860.
- obliquetruncata*** Rosenh. Beitr. Ins.-Fauna Eur. 1847, p. 59. — Fuss, Verh. Siebenb. Nat. Ver. XIX, 1868, p. 108.
- Biologie:** Tinseau, Abeille XVIII, 1880, Nouv. et Faits 31, p. 124. — Xambeau, Revue d'Ent. IX, 1890, p. 277; Ann. Soc. Linn. Lyon (2) XL, 1893, p. 116 (sep. p. 192); Moeurs et Métam. VIII, 1902, p. 205.
- hesperus** Woll. Journ. of Ent. II, 1863, p. 110; Cat. Canar. Col. 1864, p. 392; Col. Atlant. 1865, p. 351; Abeille XII, 1875, p. 411.
- pilosa** Woll. Trans. Ent. Soc. Lond. (3) I, 1862, p. 181; Journ. of Ent. II, 1863, p. 109; Cat. Canar. Col. 1864, p. 392; Col. Atlant. 1865, p. 351.
- Troberti** Muls. Ann. Soc. Agric. Lyon VI, 1843, p. 283; Col. France, Longic. ed. 2, 1863, p. 325. — Lucas, Explorat. Algér. Col. 1849, p. 498, t. 42, f. 5. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 48, f. 222. — Ganglb. Best.-Tab. VIII, 1884, p. 95 (529). — Bedel, Faune Col. Seine V. 1889, p. 42.
- Siebenbürgen,
Ungarn,
Deutschland,
Frankreich,
Schweiz.
Italien
- Insel Hierro
- Insel
Lanzarote
- Südfrankreich,
Korsika,
Nordafrika,
Dalmatien,
Sicilien,
Portugal

Aethiopische Arten.

- affinis** Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 331. Abessinien
- amoena** Fairm. Ann. Soc. Ent. France LXVI, 1898, p. 153. Natal
- apicalis** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 464. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 396. Madagaskar
- densevestita** Fairm. Ann. Soc. Ent. France (6) X, 1890, p. 552. Obock,
Somali
- Fairmairei** n. nom. Südsomali
- apicalis*** Fairm. (nec Gah.) Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 301.
- floccifera** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 276. Usambara
- interrupta** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 395. Madagaskar
- simplex** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 275. — Auriv. in Sjöstedt. Kilimandj. Exped. VII, 1908, p. 150. Deutsch-Ostafrika:
Pangani
- subfasciata** Jord. Novit. Zool. I, 1894, p. 242. Gabun
- verticalis** Thoms. Physis II, 1868, p. 135. Kapland

Paradera Auriv.

Auriv. Arkiv f. Zool. IX, 8, 1914, p. 13.

truncata Auriv. l. c. p. 14.Kamerun,
Ashanti

1

Micurus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 393.

asperipennis Fairm. l. c. p. 394.

Madagaskar

obliquatus Fairm. Ann. Soc. Ent. France LXXII,
1903, p. 254.

„

2

Alsiosus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 395.

unlannulatus Fairm. l. c. XLIII, 1899, p. 552.

Madagaskar

villosicornis Fairm. l. c. XL, 1896, p. 395.

„

2

Paphraecia Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 332.

brevicollis Fairm. l. c. XL, 1896, p. 394.

Madagaskar

obliquipicta Fairm. l. c. XXXVIII, 1894, p. 332.

Abessinien

2

Amblesithis Thoms.Thoms. Classif. Ceramb. 1860, p. 346; Syst. Ceramb. 1864, p. 396. —
Lacord. Gen. Col. IX, 1872, p. 624, 626.**alutacea** Thoms. Classif. Ceramb. 1860, p. 347. — Kapland
Lacord. Gen. Col. IX, 1872, p. 627.**gemina** Pasc. Trans. Ent. Soc. Lond. 1888, p. 505.

„

insignis Dist. Ann. Mag. Nat. Hist. (7) I, 1898, Transvaal
p. 377; Ins. Transvaal. 1904, p. 153, t. 15, f. 8.**nemorensis** Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, Kaffernland
1872, p. 50.**serlepilosa** Kirsch, Abhandl. Mus. Dresden II, 1889, Ecuador
p. 40, t. 4, f. 76.

5

Amblesithidus Fähr.

Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, 1872, p. 51.

lateralis Auriv. Denkschr. Med.-Nat. Ges. Jena XIII, Damaraland
1908, p. 433.**plagiatus** Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, „Kaffern-
1872, p. 51. — Dist. Ins. Transvaal. 1904, land“,
p. 153, t. 15, f. 9. Kapland,
Transvaal**simplex** Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2, „Kaffern-
1872, p. 52. land“

3

Diadelia Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 421.

- atomosparsa** Fairm. Ann. Soc. Ent. Belg. XLVIII, Madagaskar
1904, p. 260.
- bicaudata** Fairm. Bull. Soc. Ent. France 1899, p. 387. ”
- biplagiata** Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, ”
p. 421. — Künckel in Grandid. Hist. Madag.
Col. 1890, t. 54. f. 8.
- cinerascens** Fairm. Ann. Soc. Ent. Belg. XL, 1896, ”
p. 389.
- costipennis** Fairm. l. c. p. 390. — [= *nebulosa* Fairm. ”
sec. Fairm. Bull. Soc. Ent. France 1899.
p. 388.]
- iners** Fairm. Ann. Soc. Ent. France LXXI, 1902, p. 388. ”
- lateritia** Fairm. l. c. LXXII, 1903, p. 255. ”
- nebulosa** Fairm. (wo beschrieben?) — Vergl. Fairm. ”
Bull. Soc. Ent. France 1899, p. 388; Ann.
Soc. Ent. France LXXI, 1902, p. 388; Ann.
Soc. Ent. Belg. XLVII, 1903, p. 375.
- nervulata** Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, ”
p. 375.
- rufostrigata** Fairm. l. c. XLI, 1897, p. 402. ”
- x-fasciata** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, ”
p. 465.

11

Unelcus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 109, 395. — Lacord. Gen. Col. IX,
1872, p. 624, 627. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 354.
- acanthocinoides** Thoms. Physis II, 1868, p. 142. Cayenne
- lineatus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 354, Mexico,
t. 22, f. 16. Guatemala
- obliquus** Thoms. Physis II, 1868, p. 141. Venezuela
- piectus** Thoms. Syst. Ceramb. 1864, p. 109. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 627.
- rectus** Thoms. Physis II, 1868, p. 142. Venezuela
- stigmatifer** Thoms. l. c. p. 142. ”

6

Tlepolemus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 106, 393. — Lacord. Gen. Col. IX,
1872, p. 624, 627.
- namaqua** Péring. Ann. S. Afr. Mus. V, 1908, p. 329. Namaqua-
land
- puerulus** Thoms. Syst. Ceramb. 1864, p. 106. — Kapland
Lacord. Gen. Col. IX, 1872, p. 628.
- pilosus** Thunb. Mus. Nat. Upsal. IV, 1787, p. 58, Patria?
nota 22.

3

Apodasya Pasc.Pasc. Journ. of Ent. II, 1863, p. 54. — Lacord. Gen. Col. IX, 1872,
p. 624, 628.*Apodasia* Thoms. Syst. Ceramb. 1864, p. 393.

- cleroides** Thoms. Physis II, 1868, p. 116. Natal
pilosa Pasc. Journ. of Ent. II, 1863, p. 54. — Lacord. Kapland,
 Gen. Col. IX, 1872, p. 629. — Dist. Ins. Natal,
 Transvaal. 1904, p. 153, t. 15, f. 10. 'Transvaal

2

Blasimia Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 271. — Lacord. Gen. Col. IX, 1872,
 p. 624, 629.
guttata Pasc. Journ. of Ent. II, 1864, p. 271. — Lacord. Natal
 Gen. Col. IX, 1872, p. 629. — Waterh. Aid
 Identif. Ins. II, 1890, t. 188, f. 3.

1

Alluaudia Lameere.

- Lameere, Ann. Soc. Ent. France LXII, 1893, p. 48.
insignis Lameere. l. c. p. 49. Assinie

1

Lasiapheles Bates.

- Bates, Ann. Mag. Nat. Hist. (4) II, 1873, p. 382.
obrioides Bates, l. c. p. 382. Nagasaki

1

Terinaea Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 249.
atrofusca Bates, l. c. p. 250. t. 2, f. 6. Japan

1

Cylindilla Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 250.
grisescens Bates, l. c. p. 250. Japan

1

Esmia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 55. — Bates, Ann. Mag.
 Nat. Hist. (3) XVII, 1866, p. 195 (sep. p. 217). — Lacord. Gen. Col.
 IX, 1872, p. 624, 630.
turbata Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Para. Ega
 p. 55. t. 2, f. 8. — Bates, Ann. Mag. Nat. Hist.
 (3) XVII, 1866, p. 196 (sep. p. 217). — Lacord.
 Gen. Col. IX, 1872, p. 630.

1

Phidola Thoms.

- Thoms. Syst. Ceramb. 1864, p. 110, 395. — Lacord. Gen. Col. IX,
 1872, p. 624, 630.
lanuginosa Chevr. Ann. Soc. Ent. France (4) II, 1862, Cuba
 p. 255.

maenicornis Chevr. l. c. p. 254. — Thoms. Syst. Cuba
Ceramb. 1864, p. 110. — Lacord. Gen. Col.
IX, 1872, p. 631.

2

Eupogonius J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 159. — Thoms. Syst.
Ceramb 1864, p. 395. — Lacord. Gen. Col. IX, 1872, p. 624, 631. —
J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 342. — Prov. Pet.
Faune Ent. Canada I, 1877, p. 581, 631. — Bates, Biol. Centr.-Amer.
Col. V, 1880, p. 117. — J. Lec. & Horn. Classif. Col. N. Amer.
1883, p. 327. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 196
(Synopsis). — Leng & Hamilton, l. c. XXIII, 1896, p. 138 (Synopsis).
— Blatchley, Col. Indiana 1910, p. 1080, 1082.

Eriopsilus Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866.
p. 193 (sep. p. 214). — Lacord. Gen. Col. IX, 1872, p.
624, 631.

Oebaceres Thoms. Physis II, 1868, p. 164. — Lacord. Gen.
Col. IX, 1872, p. 650, 652.

apicicornis Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala,
p. 352, t. 22, f. 14. Panama

comus Bates, l. c. p. 354. Mexico

flavocinctus Bates, Trans. Ent. Soc. Lond. 1872, p. Nicaragua
235; Biol. Centr.-Amer. Col. V, 1880, p. 117,
t. 8, f. 15.

fraxini Knoll, Ent. News XXIX, 1918, p. 132. Pennsylvania

fulvovestitus Schaeffer, Bull. Brookl. Instit. I, 1905, Texas

p. 134.

laetus Bates, Biol. Centr.-Amer. Col. V, 1885, p. 353. Guatemala

longipilis Bates. l. c. 1880, p. 117. Guatemala,
Mexico

major Bates, l. c. 1885, p. 353. Mexico.

nigrinus Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 193 (sep. p. 215). — Lacord. Gen. Col. St. Paulo
IX, 1872, p. 631.

pilosulus Chevr. Ann. Soc. Ent. France (4) II, 1862, Cuba
p. 254.

exiguus Thoms. Physis II, 1868, p. 165. —
Gah. Trans. Ent. Soc. Lond. 1895, p. 123.
124.

pubescens J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Ohio,
p. 236. — Horn, Synops. p. 196. — Leng Illinois
& Hamilt. Synops. p. 138. — Blatchley, Col.
Indiana 1910, p. 1082.

rubiginosus Chevr. Ann. Soc. Ent. France (4) II, Cuba
1862, p. 254.

scutellaris Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 352.

subaeneus Bates, Trans. Ent. Soc. Lond. 1872, p. Mexico,
234; Biol. Centr.-Amer. Col. V, 1880, p. 117, Guatemala,
t. 8, f. 14. Nicaragua,
Costarica

subarmatus J. Lec. Col. of Kansas 1859, p. 22; Proc. Canada,
Acad. Nat. Sc. Philad. XIII, 1861, p. 354 New
nota. — Prov. Pet. Faune Ent. Canada I, Hampshire,
1877, p. 631. — Horn, Synops. p. 196. — New York,

- Leng & Hamilt. Synops. p. 138, 139. — Pennsylvania, Virginia, Michigan, Wisconsin, Iowa, Illinois, Ohio
Blatchley, Col. Indiana 1910, p. 1082. Guatemala
- subnudus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 353. Guatemala
- tenuicornis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 249. Japan
- ✓ **tomentosus** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 50. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 159. — Lacord. Gen. Col. IX, 1872, p. 632. — Horn, Synops. p. 196. — Hamilt. Canad. Ent. XXIV, 1892, p. 39. — Leng & Hamilt. Synops. p. 138. — Blatchley, Col. Indiana 1910, p. 1082. Canada, Massachusetts, New York, New Jersey, Pennsylvania, Florida, Michigan, Wisconsin
- pinivorus* Fitch, Trans. N. York State Agric. Soc. 1857, p. 712; 4th Rep. Nox. Ins. N. York 1859, p. 26. — Pack. Forest Ins. 1890, p. 696. Nicaragua
- ursulus** Bates, Trans. Ent. Soc. Lond. 1872, p. 235; Biol. Centr.-Amer. Col. V, 1880, p. 118, t. 8, f. 13.
- ✓ **vestitus** Say, Journ. Acad. Philad. V, 1827, p. 273; Compl. Writ. II, 1859, p. 331. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 159. — Horn, Synops. p. 196. — Leng & Hamilt. Synops. p. 138, 139. — Blatchley, Col. Indiana 1910, p. 1082. Canada, Vermont, Connecticut, Massachusetts, New York, New Jersey, Pennsylvania, Michigan, Ohio, Alabama
- pauper* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 159. Guatemala
- vittipennis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 353, t. 22, f. 15. Guatemala

tuberculatus F. Syst. Eleuth. II, 1801, p. 331.
22

Südamerika

Pseudomiccolamia Pic.

Pic, Longic. X, 1, 1916, p. 14.

pulchra Pic. l. c. p. 14.
1

Yunnan

Diliolophus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 355.

vexator Bates. l. c. p. 355, t. 22, f. 17.
1

Guatemala

Sophronisca Auriv.

Auriv. Arkiv f. Zool. VII, 3, 1910, p. 43.

grisea Auriv. l. c. p. 43.

1

Kamerun,
Gabun**Sophronica** Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 160. — Lacord. Gen. Col. IX, 1872, p. 624, 632.

Dasyo Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 253;
Journ. of Ent. II, 1864, p. 282.**amplipennis** Pasc. Trans. Ent. Soc. Lond. 1888, p. 506.**aureovittata** Auriv. Deutsche Ent. Zeitschr. 1907, p. 81.**Bettoni** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 58. —
Auriv. in Sjöstedt, Kilimandj. Exped. VII,
1908, p. 150.**bifoveata** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 31.**calceata** Chevr. Revue Zool. (2) VII, 1855, p. 287;
Cent. Longic. 1858, nr. 25.**carbonaria** Pasc. Journ. of Ent. II, 1864, p. 282.**Conradti** Auriv. Deutsche Ent. Zeitschr. 1907, p. 81.**exigua** Auriv. l. c. p. 81.**fulvicollis** Gah. in Dist. Ins. Transvaal. 1904, p. 154.
t. 15, f. 15.**fusca** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 280.**grisea** Auriv. in Sjöstedt, Kilimandj. Exped. VII, 1908,
p. 150. — Gah. Bull. Mus. Paris XV, 1909,
p. 74.**improba** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858,
p. 254. — Fähr. Öfvers. Vet. Akad. Förh.
XXIX, 2, 1872, p. 50.**lineata** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858,
p. 254, t. 26, f. 8.**minuta** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 280.**nitida** Auriv. Deutsche Ent. Zeitschr. 1907, p. 81.**oblonga** Pasc. Trans. Ent. Soc. Lond. 1888, p. 506.**obscuriceps** Auriv. in Sjöstedt, Kilimandj. Exped.
VII, 1908, p. 150.**pilosa** Jord. Novit. Zool. I, 1894, p. 243.**punctata** Jord. l. c. p. 242.**reducta** Pasc. Trans. Ent. Soc. Lond. 1888, p. 508.**rufoscapa** Auriv. Deutsche Ent. Zeitschr. 1907, p. 81.**testacea** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 59.

Angola

Kamerun

Brit.- und

Deutsch-

Ostafrika

Brit.-

Ostafrika

Alt-Calabar

Kapland

Kamerun

"

Transvaal

Deutsch-

Ostafrika:

Pangani

Kilimandjaro,

Brit.-

Ostafrika,

Uganda

Natal

"

Usambara

Kamerun

Kapland:

Grahams-

town

Kilimandjaro

Kuilu

"

Kapland:

Grahams-

town

Kamerun

Deutsch-

Ostafrika

22

Corus Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 506.

annulicornis Pasc. l. c. p. 507.

1

Kapland:

Grahams-

town

Paracorus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 276.

nitidulus Kolbe, l. c. p. 277.	Usambara
piliger Kolbe, l. c. p. 278.	”
praecox Kolbe, l. c. p. 277.	”
3	

Liodasys Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 278.

maenlatus Kolbe, l. c. p. 279.	Usambara
1	

Psilodasys Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 279.

clavipes Kolbe, l. c. p. 279.	Usambara
1	

Oplasia Muls.

Muls. Col. France, Longic. ed. 2, 1863, p. 300. — Thoms. Syst. Ceramb. 1864, p. 355. — Seidl. Fauna Balt. 1872, Gatt. p. 140. — Redtenb. Fauna Austr. ed. 3, II, 1874, p. 418. — Lacord. Gen. Col. IX, 1872, p. 624, 633.

Hoplosia Fairm. Gen. Col. d'Eur. IV, 1864, p. 158. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 341. — Ganglb. Best.-Tab. VII. 1881, p. 15 (693). — Bau, Käfer 1888, p. 415. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 326. — Bedel, Faune Col. Seine V, 1889, p. 35. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 185; Fauna Transsylv. 1891, Gatt. p. 185. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 133, 134. — Csiki, Rovart. Lapok XI, 1904, p. 168. — Kühnt, Käfer Deutschl. 1912, p. 757. — Reitter, Fauna Germ. 1913, p. 58, 60. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 19. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 864, 872. — Auriv. Svensk Insektf. IX, 1, 1917, p. 36, 39.

Lepargus Schiödte, Naturh. Tidskr. (3) III, 1864, p. 512. 566; Ann. Mag. Nat. Hist. (3) XV, 1865, p. 208. — C. G. Thoms. Skand. Col. VIII, 1866, p. 86.

fennica Payk. Fauna Suec. III, 1800, p. 58. — Quens. in Acerbi. Travels II, 1802, p. 254, t. 3. f. 17. — Gyllenh. Ins. Suec. I, 4, 1827, p. 58. — Muls. Col. France, Longic. ed. 2, 1863, p. 300. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 47, f. 218. — Schiödte, Naturh. Tidskr. (3) III, 1864, p. 566. — C. G. Thoms. Skand. Col. VIII, 1866, p. 87. — Lacord. Gen. Col. IX, 1872, p. 633. — Redtenb. Fauna Austr. ed. 3, 1874, p. 418. — Seidl. Fauna Balt. 1875, p. 517; ed. 2, 1891, p. 750. — Ganglb. Best.-Tab. VIII, 1884, p. 102 (536). — Bau, Handb. Käfer 1888, p. 421. — Seidl. Fauna Transsylv. 1891, p. 847. — Csiki, Rovart. Lapok	Finnland, Schweden, Norwegen, Dänemark, Nord- deutschland, Ungarn, Frankreich
---	--

XII, 1905, p. 16. — Jacobs. Käfer Russl. 1911, t. 71, f. 24. — Kuhnt, Käfer Deutschl. 1912, p. 791, f. 193. — Reitter. Fauna Germ. IV, 1913, p. 60, t. 138, f. 11. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 19, f. 10. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 872. — Auriv. Svensk Insektf. Col. I, 1917, p. 39.

cinerea Muls. Col. France, Longic. 1839, p. 152, t. 3, f. 3. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 396.

punctulata Muls. Col. France, Palpic. 1844, Rectif. aux Longic.

var. *Suvorovi* Pic, Echange XXX, 1914, p. 65; Longic. IX, 1, 1915, p. 8. Sibirien

umbilata J. Lec. Proc. Acad. Philad. XIV, 1862, p. 39. — Canada, Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 134. New York, Michigan, Illinois

2

Anaesthetis Muls.

Muls. Col. France, Longic. 1839, p. 171. — Redtenb. Gatt. Deutsch. Käferf. 1845, p. 112; Fauna Austr. 1849, p. 46. 497; ed. 2, 1858, p. CXXIX, 863; ed. 3, 1874, I, p. CXLV; II, p. 420. — Gutfl. Käfer Deutschl. 1859, p. 584. — Thoms. Classif. Ceramb. 1860, p. 41; Syst. Ceramb. 1864, p. 398. — Muls. Col. France, Longic. ed. 2, 1863, p. 340. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 167. — Seidl. Fauna Balt. 1872, Gatt. p. 140. — Lacord. Gen. Col. IX, 1872, p. 624, 634. — Schlosser, Fauna Kornjas. III, 1879, p. 809, 838. — Ganglb. Best.-Tab. VII, 1881, p. 16 (694). — Bau, Handb. Käfer 1888, p. 416. — Bedel, Faune Col. Seine V, 1889, p. 35. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Stierl. Col. Helvet. II, 1898, p. 490. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Beckm. Revue Russe d'Ent. III, 1903, p. 393—396 (Synopsis). — Houlbert, Faune Ent. Armor. Longic. 1904, p. 20; ed. 2, 1909, p. 18. — Kuhnt, Käfer Deutschl. 1912, p. 758. — Reitter, Fauna Germ. IV, 1913, p. 62, 63. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 865, 876.

Anaesthetus Bach. Käferf. III, 1856, p. 33.

confossicollis Beckm. Revue Russe d'Ent. III, 1903, p. 394. Amur

flavipilis Beckm. l. c. p. 394.

Sibirien:

Tomsk

Transcaspien

lanuginosa Beckm. l. c. p. 395.

testacea F. Spec. Ins. I, 1781, p. 235; Mant. Ins. I, 1787, p. 150; Ent. Syst. I, 2, 1792, p. 316; Syst. Eleuth. II, 1801, p. 331. — Laich. Tyrol. Ins. II, 1784, p. 48. — Villers. Linn. Ent. I, 1789, p. 244. — Fröhl. Naturf. XXVII, 1793, p. 150. — Rossi, Mant. II, 1794, p. 98. — Ol. Ent. IV, nr. 68, 1795, p. 33, t. 2, f. 15. — Panz. Ent. Germ. 1795, p. 259; Fauna Ins. Germ. XLV, 1796, t. 8. — Latr. Hist. Nat. Ins. XI, 1804, p. 280. — Boit. Man. d'Ent. II, 1828, p. 25. — Muls. Col. France, Longic. 1839, p. 171; ed. 2, 1863, p. 340. —

Mittel- und

Südeuropa,

Kleinasien,

Syrien

(fehlt in

England.

Holland und

Belgien)

- Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 101. — Küster, Käfer Eur. IV, 1846, nr. 81. — Redtenb. Fauna Austr. 1849, p. 497; ed. 2, 1858, p. 863; ed. 3, II, 1874, p. 420. — Bach, Käferf. III, 1856, p. 33. — Gutfl. Käfer Deutschl. 1859, p. 584. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 50, f. 235. — Lacord. Gen. Col. IX, 1872, p. 634. — Seidl. Fauna Balt. 1875, p. 519; ed. 2, 1891, p. 752. — Schlosser, Fauna Kornjas. III, 1879, p. 838. — Ganglb. Best.-Tab. VIII, 1884, p. 104 (538). — Bau, Handb. Käfer 1888, p. 422. — Bedel, Faune Col. Seine V. 1889, p. 43, 94. — Seidl. Fauna Transsylv. 1891, p. 850. — Griffini, Coleott. 1896, p. 199, t. 39, f. 1. — Stierl. Col. Helvet. II, 1898, p. 499. — Beckm. Synops. p. 396. — Houlb. Faune Armor. Ceramb. 1904, p. 67, fig. 126; ed. 2, 1909, p. 68, fig. 126. — Csiki, Rovart. Lapok XII, 1905, p. 81. — Jacobs. Käfer Russl. 1911, t. 72, f. 1. — Kuhnt. Käfer Deutschl. 1912, p. 793. — Reitter, Fauna Germ. IV, 1913, p. 63, t. 139, f. 10. — Schauf. in Calwer. Käferb. ed. 6, 1916, p. 876, t. 32, f. 1.
- fuscica* Geoffr. in Fourcr. Ent. Paris II, 1785, p. 84.
- livida* Herbst, Archiv Insectengesch. V, 1784, p. 95, t. 26, f. 7. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843.
- teutonica* Gmel. l. c. p. 1842.
- var. *rufescens* Beckm. Synops. p. 394. Kaukasus
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 335, fig. 508—513 (sep. p. 495). — Xamheu, Moeurs & Métam. VIII, 1902, p. 173. — Beffa, Revista Col. Ital. XIII, 1915, Append. t. 1, f. 33.
- lepida** Germ. Linn. Ent. III, 1848, p. 228. — Pasc. Südaustral.:
Adelaide
Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 118.
- numeensis** Fauv. Revue d'Ent. XXV, 1906, p. 99. Neu-
caledonien

6

Psenocerus J. Lec.

- J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 158. — Thoms. Syst. Ceramb. 1864, p. 397. — Lacord. Gen. Col. IX, 1872, p. 624, 634. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 333. — Prov. Pet. Faune Ent. Canada I, 1877, p. 624. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 318. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1876, p. 107. — Blatchley, Col. Indiana 1910, p. 1061, 1062.
- ✓ **supernotatus** Say, Journ. Acad. Philad. III, 1823, p. 425; Compl. Writ. II, 1859, p. 200. — Canada,
Oststaaten
Nord-
amerikas
bis Kansas
und
Nebraska
Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 42. — Fitch, Report Ins. N. York III, 1856, p. 98, t. 2, f. 1. — Lacord. Gen. Col. IX, 1872, p. 635. — Prov. Pet. Faune Ent. Canada I, 1877, p. 624. — Saund. Canad.

Ent. XII, 1880, p. 5, fig. 2. — Casey, Ann. N. York Acad. VI, 1891, p. 46. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Wickham, Canad. Ent. XXIX, 1897, p. 204, fig. 30. — Blatchley, Col. Indiana 1910, p. 1062, fig. 453. — Casey, Mem. Col. V, 1914, p. 367.
pini J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 158.

Biologie: Osten-Sacken, Proc. Ent. Soc. Philad. I, 1862, p. 122. — Pack. Guide ed. 8, 1883, p. 499, fig. 491. — Beutenm. Journ. N. York Ent. Soc. IV, 1896, p. 78.

ab. funebris Casey, Mem. Col. V, 1914, p. 367.
tristis Casey, Ann. N. York Acad. VI, 1891, p. 46. — Hamilt. Canad. Ent. XXIV, 1892, p. 160, 298. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 108. — Casey, Mem. Col. V, 1914, p. 367.

Oststaaten
 Nord-
 amerikas

2

LX. Nedinini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 635.

Nedine Thoms.

Thoms. Syst. Ceramb. 1864, p. 27, 355. — Lacord. Gen. Col. IX, 1872, p. 636.

longipes Thoms. Syst. Ceramb. 1864, p. 27. — Lacord. Siam Gen. Col. IX, 1872, p. 636.

1

LXI. Estolini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 636.

Sulenus Lacord.

Lacord. Gen. Col. IX, 1872, p. 637, 638.

humeralis Lacord. l. c. p. 639, nota 1. — Künckel Madagaskar in Grandid. Hist. Madag. Col. 1890, t. 51, f. 2.

1

Panegyrtes Thoms.

Thoms. Physis II, 1868, p. 133. — Lacord. Gen. Col. IX, 1872, p. 637, 639.

lactescens Thoms. Physis II, 1868, p. 133. — Lacord. Brasilien Gen. Col. IX, 1872, p. 639.

1

Sydonia Thoms.

Thoms. Syst. Ceramb. 1864, p. 45, 364. — Lacord. Gen. Col. IX, 1872, p. 637, 639.

apomecynoides Thoms. Syst. Ceramb. 1864, p. 45. — Singapur
Pasc. Trans. Ent. Soc. Lond. (3) III, 1865,
p. 221 nota. — Lacord. Gen. Col. IX, 1872,
p. 640.

divaricata Bates, Journ. Linn. Soc. Lond. Zool. XVIII. Japan
1884, p. 247.

2

Phaeopate Pasc.

Pasc. Journ. of Ent. II, 1864, p. 363. — Lacord. Gen. Col. IX. 1872.
p. 637, 640.

albula Pasc. Journ. of Ent. II, 1865, p. 363.

Queensland

denticollis Pasc. Journ. Linn. Soc. Lond. Zool. IX.
1867, p. 306.

Queensland:
Rock-
hampton

2

Malthonea Thoms.

Thoms. Syst. Ceramb. 1864, p. 329, 394. — Lacord. Gen. Col. IX,
1872, p. 637, 641.

rusticornis Belon, Revue d'Ent. XXVI, 1903, p. 61.

Bolivien

tigrinata Thoms. Syst. Ceramb. 1864, p. 329. —

Brasilien

Lacord. Gen. Col. IX, 1872, p. 641.

2

Prymnopteryx Thoms.

Thoms. Physis II, 1868, p. 130. — Lacord. Gen. Col. IX, 1872, p.
637, 641.

glauцина Thoms, Physis II. 1868, p. 131.

Venezuela

Meinerti Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900,
p. 414.

„

piscoides Thoms. Physis II, 1868, p. 131. — Lacord.
Gen. Col. IX, 1872, p. 642.

„

3

Blabia Thoms.

Thoms. Syst. Ceramb. 1864, p. 109, 395. — Lacord. Gen. Col. IX,
1872, p. 637, 642.

colobothoides Thoms. Syst. Ceramb. 1864, p. 109. Columbien
— Lacord. Gen. Col. IX, 1872, p. 642.

1

Catognatha Blanch.

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 517.

gracilis

Blanch. l. c. p. 517, t. 30, f. 10. — Fairm. Chile
& Germain, Ann. Soc. Ent. France (3) VII.
1859, p. 529.

Chile

1

Prymnosis Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 288 (sep. p. 223).
Lacord. Gen. Col. IX, 1872, p. 637, 642.

bicuspis Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 288 (sep. p. 223). — Lacord. Gen. Col. IX, Santarem
1872, p. 643.

1

Parestola Bates.

Bates, Biol. Centr.-Amer. Col. V, 1880, p. 119.

✓ **zapotensis** Bates, l. c. p. 119. Guatemala,
Panama

1

Estola Fairm. & Germain.

Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 524. —
Thoms. Syst. Ceramb. 1864, p. 394; Physis II, 1868, p. 122. — Bates,
Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 291 (sep. p. 227). — Lacord.
Gen. Col. IX, 1872, p. 638, 643. — J. Lec. & Horn, Classif. Col.
N. Amer. 1883, p. 325. — Bates, Biol. Centr.-Amer. Col. V, 1885,
p. 355. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,
p. 133, 134.

acricula Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Rio Janeiro
p. 293 nota (sep. p. 228 nota).

albosparsa Thoms. Physis II, 1868, p. 124. Brasilien

basinotata Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas:
1866, p. 291 (sep. p. 227). Tapajos

✓ **brunnea** Thoms. Physis II, 1868, p. 123. Brasilien

fulvitaris Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 356.

hirsuta De Geer, Hist. Ins. V, 1775, p. 115, t. 14, f. 8. Surinam

— Goeze, Ent. Beitr. I, 1777, p. 475. —

Retzius, Gen. Spec. Ins. 1783, p. 139. —

Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1864.

hirsutella n. nom.

hirsuta Fairm. & Germain, Ann. Soc. Ent.
France (3) VII, 1859, p. 525.

hispida Lameere, Ann. Soc. Ent. France LXII, 1893, Venezuela

p. 277.

✓ **ignobilis** Bates, Trans. Ent. Soc. Lond. 1872, p. 200; Mexico,
Biol. Centr.-Amer. Col. V, 1880, p. 118, Honduras,
t. 8, f. 11. Guatemala,
Nicaragua,
Panama

lineolata Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Cayenne,
p. 292 (sep. p. 228). — Belon, Revue d'Ent. Amazonas.
XXII, 1903, p. 64. Bolivia,
Rio Janeiro

leucosticta Bates, Biol. Centr.-Amer. Col. V, 1885, Mexico
357.

✓ **misella** Bates, l. c. p. 357. — Belon, Revue d'Ent. Honduras,
XXII, 1903, p. 63. Guatemala,
Panama

- obscura** F. Ent. Syst. I, 2, 1792, p. 261; Syst. Eleuth. II, 1801, p. 277. — Auriv. Öfvers. Vet. Akad. Förh. LVII, 1899, p. 415. „Kapland“
Süd-
amerika?
- auriga* Schönh. Synon. Ins. I, 3, 1817, p. 376.
- ✓ **obscura** Thoms. Physis II, 1868, p. 123. Brasilien
- ✓ **perforata** Bates, Trans. Ent. Soc. Lond. 1872, p. 200; Mexico bis
Biol. Centr.-Amer. Col. V, 1880, p. 118. — Panama,
Auriv. Öfvers. Vet. Akad. Förh. LVII, 1899, Venezuela
p. 415.
- porcula** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 293 (sep. p. 229). Santarem
- prolongata** Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 356.
- seriata** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, Peru
p. 287.
- ✓ **sordida** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. Unteres
237. — Horn, Trans. Amer. Ent. Soc. V, Californien
1875, p. 150; VII, 1878, p. 43. — Leng
& Hamilt. I. c. XXIII, 1896, p. 134.
- ✓ **tigrina** Skinner, Ent. News XVI, 1905, p. 29. Arizona
picta Schaeffer, Canad. Ent. XXXVIII, 1906,
p. 21.
- truncatella** Bates, Ann. Mag. Nat. Hist. (3) XVII, Rio Janeiro
1866, p. 293 nota (sep. p. 228 nota).
- unicolor** Fairm. & Germain, Ann. Soc. Ent. France Chile
(3) VII, 1859, p. 526.
- varicornis** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Rio Janeiro
p. 293 nota (sep. p. 228 nota). — Thoms.
Physis II, 1868, p. 123.
- variegata** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 292 (sep. p. 227). Ega
- vittulata** Bates, Trans. Ent. Soc. Lond. 1874, p. 226; Mexico,
Biol. Centr.-Amer. Col. V, 1880, p. 118, Guatemala,
t. 8, f. 12. Honduras,
Nicaragua.
Panama

25

Pygmaeopsis Schaeffer.

Schaeffer, Bull. Brookl. Instit. I, 1908, p. 347.

- ✓ **viticola** Schaeffer, I. c. p. 348. Texas
1

Taelosilla Thoms.Thoms. Physis II, 1868, p. 112. — Lacord. Gen. Col. IX, 1872, p.
638, 644.

- lateralis** Thoms. Physis II, 1868, p. 113. — Lacord. Mexico
Gen. Col. IX, 1872, p. 644.
1

Atimiola Bates.

Bates, Biol. Centr.-Amer. Col. V, 1880, p. 119.

- guttulata** Bates, I. c. p. 120. Guatemala,
Honduras

1

Hallothamus Thoms.

Thoms. Physis II, 1868, p. 128. — Lacord. Gen. Col. IX, 1872, p. 638, 644.

decorus Thoms. Physis II, 1868, p. 129. — Lacord. Venezuela Gen. Col. IX, 1872, p. 645.

1

Eupromera Westw.

Westw. Trans. Ent. Soc. Lond. IV, 1846, p. 224. — Lacord. Gen. Col. IX, 1872, p. 638, 644. — Belon, Ann. Soc. Linn. Lyon (2) XLIII, 1896, p. 252 (Synopsis).

brachialis Thoms. Physis II, 1868, p. 109. — Belon, Brasilien Synops. p. 253.

costulata Belon, Ann. Soc. Linn. Lyon (2) XLIII, Bolivia 1896, p. 251, 253.

glabricula Bates, Biol. Centr.-Amer. Col. V, 1885, Panama p. 352, t. 22, f. 18. — Belon, Synops. p. 253.

ochropyga Belon, Ann. Soc. Linn. Lyon (2) XLIII, Bolivia 1896, p. 249, 252.

✓ **Spryana** Westw. Trans. Ent. Soc. Lond. IV, 1846, Brasilien p. 221, t. 13, f. 5. — Belon, Synops. p. 252.

tuberosa Belon, l. c. p. 247, 252. Bolivia

6

Graphidessa Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 248.

venata Bates, l. c. p. 248.

Japan

1

Tetrorea White.

White, Voy. Erebus and Terror, Ins. 1846, p. 21. — Thoms. Syst. Ceramb. 1864, p. 358. — Lacord. Gen. Col. IX, 1872, p. 638, 645. — Broun, Man. N. Zeal. Col. I, 1880, p. 609.

cilipes White, Voy. Erebus and Terror, Ins. p. 21, Neuseeland t. 4, f. 9. — Lacord. Gen. Col. IX, 1872, p. 646. — Broun, Man. N. Zeal. Col. I, 1880, p. 609.

discedens Sharp, Trans. Ent. Soc. Lond. 1882, p. 95. "

longipennis Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 445, t. 13, f. 22. — Broun, Man. N. Zeal. Col. V, 1893, p. 1293. "

sellata Sharp, Trans. Ent. Soc. Lond. 1882, p. 95. — Broun, Man. N. Zeal. Col. V, 1893, p. 1294. "

4

Mesolamia* Bates.

Bates, Trans. Ent. Soc. Lond. 1882, p. 96. — Broun, Man. N. Zeal. Col. V, 1893, p. 1295.

aerata Broun, l. c. p. 1296. Neuseeland

marmorata Sharp, Trans. Ent. Soc. Lond. 1882, p. 97. "
— Broun, Man. N. Zeal. Col. V, 1893, p. 1295.

2

Mynonebra Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 17. — Lacord. Gen. Col. IX, 1872, p. 638, 646.

angulata Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 19. Morotai

consputa Pasc. l. c. p. 19.

Batjan,
Halmahera
Waigiu

diversa Pasc. l. c. p. 18. t. 1, f. 7.

sparsuta Pasc. l. c. p. 18.

villica Pasc. l. c. p. 19.

Misol

5

Diboma Thoms.

Thoms. Syst. Ceramb. 1864, p. 46. — Lacord. Gen. Col. IX, 1872, p. 638, 646.

tranquilla Thoms. Syst. Ceramb. 1864, p. 46. — Bombay
Lacord. Gen. Col. IX, 1872. p. 647.

1

Zotale Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 329. — Lacord. Gen. Col. IX, 1872, p. 638, 647.

alternata Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 180. Tonkin

unicolor Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 330, t. 15, f. 5. — Lacord. Gen. Col. IX, 1872. p. 648. Sumatra

2

Styne Lacord.

Lacord. Gen. Col. IX, 1872, p. 638, 648.

divaricata Lacord. l. c. p. 648. nota 2.

? („Madagaskar“)

1

Mimomorpha Newm.

Newm. Entomolog. I, 1842, p. 322.

Mimomorpha White, Cat. Col. Brit. Mus. VII¹, 1855, p. 399.
clytiformis Newm. l. c. p. 323. — White, Cat. Col. Philippinen
Brit. Mus. VIII, 1855, p. 399.

1

- Pars 52: A. Lameere, Cerambycidae: Prioninae. 1913. 108 p.
- 53: C. Clavareau, Chrysomelidae: 5. Megascelinae, 6. Megalopodinae, 7. Clytrinae, 8. Cryptocephalinae, 9. Chlamydinae, 10. Lamprosominae. 1913. 278 p.
- 54: E. Csiki, Rhipiphoridae. 1913. 29 p.
- 55: M. Pic, Bruchidae. 1913. 74 p.
- 56: A. Grouvelle, Byturidae, Nitidulidae: 1. Cateretinae, 2. Meligethinae, 3. Carpophilinae, 4. Nitidulinae, 5. Cryptarchinae, 6. Cybocephalinae. 1913. 223 p.
- 58: M. Pic, Dascillidae, Helodidae, Eucinetidae. 1914. 65 p.
- 59: H. Clavareau, Chrysomelidae: 11. Eumolpinae. 1914. 214 p.
- 60: R. Jeannel, Silphidae: Subfam. Bathysciinae. 1914. 62 p.
- 61: A. Méquignon, Rhizophagidae. 1914. 16 p.
- 62: F. Spaeth, Chrysomelidae: 16. Cassidinae. 1914. 182 p.
- 63: E. Csiki, Mordellidae. 1915. 84 p.
- 64: S. Schenkling, Derodontidae, Lymexylonidae, Micro-malthidae. 1915. 14 p.
- 65: S. Schenkling, Oedemeridae. 1915. 82 p.
- 66: F. Ohaus, Scarabaeidae: Enchirinae, Phaenomerinae, Rutelinae. 1918. 241 p.
- 68: J. Weise, Chrysomelidae: 12. Chrysomelinae. 1916. 255 p.
- 69: F. Borchmann, Meloidae, Cephaloidae. 1917. 208 p.
- 70: E. Csiki, Scydmaenidae. 1919. 106 p.
- 71: A. Zimmermann, Dytiscidae, Haliplidae, Hygrobiidae, Amphizoidae. 1920. 326 p.
- 72: S. Schenkling, Scarabaeidae: Cetoninae. 1921. 431 p.

- Pars 24: H. Bickhardt, Histeridae. 1910. 137 p.
25: K. W. von Dalla Torre, Cebrionidae. 1911. 18 p.
26: M. Pic, Scaptiidae, Pedilidae. 1911. 27 p.
27: A. Raffray, Pselaphidae. 1911. 222 p.
30: K. W. von Dalla Torre, Cioidae. 1911. 32 p.
31: K. W. von Dalla Torre, Aglycyderidae, Proterrhinidae.
1911. 8 p.
32: E. Csiki, Hydroscaphidae, Ptiliidae. 1911. 61 p.
33: K. W. von Dalla Torre, Nosodendridae, Byrrhidae,
Dermestidae. 1911. 96 p.
34: P. Kuhn, Erotylidae. — C. Ritsema, Helotidae. 1911.
106 p.
35: J. Weise, Chrysomelidae: 15. Hispinae. 1911. 94 p.
36: M. Pic, Anthicidae. 1911. 102 p.
38: J. J. E. Gillet, Scarabaeidae: Coprinae I. 1911. 100 p.
39: Chr. Aurivillius, Cerambycidae: Cerambycinae. 1912.
574 p.
41: M. Pic, Ptinidae. 1912. 46 p.
42: A. Schmidt, Scarabaeidae: Aegialiinae, Chironinae.
1912. 11 p.
43: G. J. Arrow, Scarabaeidae: Pachypodinae, Pleoco-
minae, Aclopiniae, Glaphyrinae, Ochodaeinae, Orph-
ninae, Idiostominae, Hybosorinae, Dynamopiniae,
Acanthocerinae, Troginae. 1912. 66 p.
44: H. Strohmeier, Platypodidae. 1912. 26 p.
45, 47, 49, 50: K. W. von Dalla Torre, Scarabaeidae:
Melolonthinae. 1912—13. 451 p.
46: A. Boucomont, Scarabaeidae: Taurocerastinae, Geo-
trupinae. 1912. 47 p.
48: M. Pic, Anobiidae. 1912. 92 p.
51: H. Clavareau, Chrysomelidae: 1. Sagrinae, 2. Dona-
ciinae, 3. Orsodacninae, 4. Criocerinae. 1913. 103 p.

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 74:

Chr. Aurivillius

Cerambycidae: Lamiinae II.



W. Junk
Berlin W. 15
2. VII. 1923.

c
262283

Coleopterorum Catalogus

- Pars 1: R. Gestro, Rhysodidae. 1910. 11 p.
2: F. Borchmann, Nilionidae, Othniidae, Aegialitidae, Pe-
triidae, Lagriidae. 1910. 32 p.
3: F. Borchmann, Alleculidae. 1910. 80 p.
4: M. Hagedorn, Ipidae. 1910. 134 p.
5: R. Gestro, Cupedidae, Paussidae. 1910. 31 p.
6: H. Wagner, Curculionidae: Apioninae. 1910. 81 p.
7: H. von Schönfeldt, Brenthidae. 1910. 57 p.
8: G. van Roon, Lucanidae. 1910. 70 p.
9: E. Olivier, Lampyridae. 1910. 68 p.
10: E. Olivier, Rhagophthalmidae, Drilidae. 1910. 10 p.
11: A. Lèveillé, Temnochilidae. 1910. 40 p.
12: E. Csiki, Endomychidae. 1910. 68 p.
13: E. Csiki, Scaphidiidae. 1910. 21 p.
14: M. Pic, Hylophilidae. 1910. 25 p.
15, 22, 28, 37: H. Gebien, Tenebrionidae, Trictenotomidae.
1910—11. 742 p.
16: P. Pape, Brachyceridae. 1910. 36 p.
17: Ph. Zaitzev, Dryopidae, Cyathoceridae, Georyssidae,
Heteroceridae. 1910. 68 p.
18: E. Csiki, Platypsyllidae, Orthoperidae, Phaenoceph-
alidae, Discolomidae, Sphaeriidae. 1910. 35 p.
19, 29, 40, 57, 67: M. Bernhauer et K. Schubert, Staphy-
linidae I—V. 1910—16. 498 p.
20: A. Schmidt, Aphodiinae. 1910. 111 p.
21: K. Ahlwarth, Gyrinidae. 1910. 42 p.
23: S. Schenkling, Cleridae. 1910. 174 p.

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk


editus a

S. Schenkling.

Pars 74:

Chr. Aurivillius

Cerambycidae: Lamiinae II.



W. Junk

Berlin W. 15

1923.

THE UNIVERSITY OF CHICAGO

PHILOSOPHY DEPARTMENT

PHILOSOPHY 101

LECTURE NOTES

BY

PROFESSOR

JOHN DEWEY

1919

1919

LXII. Pogonocherini.

Lacordaire, Gen. Col. IX, 1872, p. 417, 650.

Hybolasius Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 128. — Broun, Man. N. Zeal. Col. I, 1880, p. 609.
- albihirtus** Broun, Man. N. Zeal. Col. V, 1893, p. 1298. Neuseeland
- apicalis** Broun, l. c. IV, 1886, p. 872. "
- bellicosus** Broun, l. c. I, 1880, p. 614. "
- brevicollis** Broun, N. Zeal. Journ. of Sc. I, 1883, p. 496; Man. N. Zeal. Col. III, 1886, p. 811. "
- castaneus** Broun, l. c. V, 1893, p. 1297. "
- cillatus** Broun, Bull. N. Zeal. Instit. I, 1914, p. 140. "
- cognatus** Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 82. "
- concolor** Broun, Trans. N. Zeal. Instit. IX, 1876, p. 374; Man. N. Zeal. Col. I, 1880, p. 611. "
- crista** F. Syst. Ent. 1775, p. 170; Spec. Ins. I, 1781, p. 217; Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 268; Syst. Eleuth. II, 1801, p. 282. — Goeze, Ent. Beytr. I, 1777, p. 469. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1828. — Ol. Ent. IV, nr. 67, 1795, p. 113, t. 14, f. 101. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 524. — White, Voy. Erebus and Terror, Ins. 1846, p. 21; Cat. Col. Brit. Mus. VIII, 1855, p. 398. — Lacord. Gen. Col. IX, 1872, p. 654, nota 2. — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 128. — Broun, Man. N. Zeal. Col. I, 1880, p. 610. "
- cristatellus** Bates, Ent. Monthly Mag. XIII, 1876, p. 55. — Broun, Man. N. Zeal. Col. I, 1880, p. 614. "
- deplanatus** Sharp, Trans. Ent. Soc. Lond. 1882, p. 94. — Broun, Man. N. Zeal. Col. V, 1893, p. 1297. "
- dubius** Broun, l. c. VI, 1893, p. 1389. "
- fasciatus** Broun, l. c. II, 1881, p. 744. "
- femorialis** Broun, l. c. V, 1893, p. 1299. "
- finitimus** Broun, l. c. p. 1298. "
- genalis** Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 84. "
- gnarus** Broun, Man. N. Zeal. Col. V, 1893, p. 1298. "
- graclipes** Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 84. "
- lanipes** Sharp, Ent. Monthly Mag. XIII, 1877, p. 195. "
- Broun, Man. N. Zeal. I, 1880, p. 610.

- laticollis* Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 83. Neuseeland
- lineiceps* Broun, Bull. N. Zeal. Instit. I, 1914, p. 257. "
- modestus* Broun, Man. N. Zeal. Col. I, 1880, p. 613. "
- optatus* Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 389. "
- parvus* Broun, Man. N. Zeal. Col. I, 1880, p. 614. "
- pedator* Bates, Ent. Monthly Mag. XIII, 1876, p. 54. "
- Broun, Man. N. Zeal. Col. I, 1880, p. 610. "
- piceus* Broun, l. c. IV, 1886, p. 872. "
- picitarsis* Broun, N. Zeal. Journ. of Sc. I, 1883, p. 496; Man. N. Zeal. Col. III, 1886, p. 812. "
- promissus* Broun, l. c. I, 1880, p. 612. "
- pusillus* Broun, N. Zeal. Journ. of Sc. I, 1883, p. 496; Man. N. Zeal. Col. III, 1886, p. 812. "
- rufescens* Broun, l. c. V, 1893, p. 1300. "
- sculpturatus* Broun, Bull. N. Zeal. Instit. I, 1914, p. 341. "
- thoracicus* Broun, Man. N. Zeal. Col. V, 1893, p. 1299. "
- trigonellaris* Hutton, Trans. N. Zeal. Instit. XXX, 1898, p. 158. "
- variegatus* Broun, Man. N. Zeal. Col. I, 1880, p. 613. "
- varipes* Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 281. "
- vegetus* Broun, Man. N. Zeal. Col. II, 1881, p. 744. "
- viridescens* Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 128. — Broun, Man. N. Zeal. Col. I, 1880, p. 611. "
- vittiger* Broun, Bull. N. Zeal. Instit. I, 1914, p. 141. "
- Wakefieldi* Bates, Ent. Monthly Mag. XIII, 1876, p. 55. "
- Broun, Man. N. Zeal. Col. I, 1880, p. 611. "

39

Poecilippe Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 129. — Broun, Man. N. Zeal. Col. I, 1880, p. 615; II, 1893, p. 1300. — Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 444.
- femoralis* Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 444. — Broun, Man. N. Zeal. Col. V, 1893, p. 1301. Neuseeland
- flavipes* White, Voy. Erebus and Terror. Ins. 1816, p. 21. — Broun, Man. N. Zeal. Col. I, 1880, p. 615. "
- medialis* Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 444. — Broun, Man. N. Zeal. Col. V, 1893, p. 1301. "
- obtusipennis* Bates, Ent. Monthly Mag. XIII, 1876, p. 54. "
- simplex* Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 129. — Broun, Man. N. Zeal. Col. I, 1880, p. 612; V, 1893, p. 1300. — Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 444. "
- stictica* Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 130. — Broun, Man. N. Zeal. Col. I, 1880, p. 615. Neuseeland

Ecyrus J. Lec.

- J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 160. — Thoms. Syst. Ceramb. 1864, p. 365. — Lacord. Gen. Col. IX, 1872, p. 650, 651. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 341. — Bates. Biol. Centr.-Amer. Col. V, 1880, p. 137. — J. Leconte & Horn, Classif. Col. N. Amer. 1883, p. 326. — Gahan. Trans. Ent. Soc. Lond. 1892, p. 259. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 136.
- arcuatus** Gah. Trans. Ent. Soc. Lond. 1892, p. 259. Mexico
t. 12, f. 2.
- dasycerus** Say, Journ. Acad. Philad. V, 1827, p. 270: Canada und
Compl. Writ. II, 1859, p. 328. — J. Lec. Oststaaten
Journ. Acad. Philad. (2) II, 1852, p. 160. — Nord-
Lacord. Gen. Col. IX, 1872, p. 652. — Leng amerikas
& Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 136, 137.
- æxiguus* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 161. — Gah. Trans. Ent. Soc. Lond. 1892, p. 259. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 136, 137.
- obscurus* Haldem. Trans. Amer. Philos. Soc. X, 1847, p. 50.
- var. *texanus* Schaeffer, Bull. Brookl. Instit. Texas
I, 1908, p. 347.
- fasciatus** Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 137. "
- hirtipes** Gah. Trans. Ent. Soc. Lond. 1895, p. 127, Insel Grenad
t. 2, f. 6.
- penicillatus** Bates, Biol. Centr.-Amer. Col. V, 1880, Mexico
p. 137.

5

Lypsimena J. Lec.

- J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 155. — Thoms. Syst. Ceramb. 1864, p. 397. — Lacord. Gen. Col. IX, 1872, p. 650, 653. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 342. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 326. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 138, 139.
- Allocooscelis* Bates, Biol. Centr.-Amer. V, 1885, p. 358. — Gah. Trans. Ent. Soc. Lond. 1895, p. 123.
- californica** Horn, Trans. Amer. Ent. Soc. XII, 1885, Kalifornien
p. 194. — Leng & Hamilt. l. c. XXIII, 1896, p. 139, 140.
- fuscata** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 155. — Chevr. Ann. Soc. Ent. France (4) II, New York,
1862, p. 253. — Lacord. Gen. Col. IX, 1872, Carolina,
p. 653. — Leng & Hamilt. Trans. Amer. Florida,
Ent. Soc. XXIII, 1896, p. 138, 139. Cuba,
Panama,
- leptis* Bates, Biol. Centr.-Amer. Col. V, 1885, Venezuela
p. 358. — Gah. Trans. Ent. Soc. Lond. 1895, p. 123.

2

Poliaenus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1880, p. 120.

hircinus Bates, l. c. 1885, p. 358.

Mexico

hirsutus Bates, l. c. 1880, p. 120.

Guatemala

2

Pogonocherus Zett.

Zett. Fauna Ins. Lappon. 1828, p. 364. — Latr. Règne Anim. ed. 2, V, 1829, p. 124. — Stephens, Brit. Ent. Mand. IV, 1831, p. 233. — Wilson, Entomol. Edinensis 1834, p. 270 (ex parte). — Serv. Ann. Soc. Ent. France IV, 1835, p. 57. — Stephens, Man. Brit. Col. 1839, p. 269. — Muls. Col. France, Longic. 1839, p. 155; ed. 2, 1863, p. 302. — Cast. Hist. Nat. Col. II, 1840, p. 467. — Zett. Ins. Lapp. 1840, p. 202. — Redtenb. Gatt. Deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 494; ed. 2, 1858, p. 859; ed. 3, 1874, II, p. 418. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 159. — Bach, Käferf. III, 1856, p. 28. — Gutfl. Käfer Deutschl. 1859, p. 583. — Thoms. Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 397. — Schiöde, Naturh. Tidskr. (3) II, 1864, p. 561. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 159. — C. G. Thoms. Skand. Col. VIII, 1866, p. 83. — Lacord. Gen. Col. IX, 1872, p. 650, 653. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 341. — Cox. Handb. Col. II, 1874, p. 304. — Seidlitz, Fauna Balt. 1875, Gatt. p. 140; ed. 2, 1891, Gatt. p. 185. — Cuni y Mart. Cat. Col. Cataluña 1876, p. 299. — Prov. Pet. Faune Ent. Canada I, 1877, p. 630. — Schoch, Käfer Deutschl. 1878, p. 130. — Schlosser, Fauna Kornjas. III, 1879, p. 808. — Sériziat, Col. France 1880, p. 311. — Fairm. Hist. Nat. France, Col. 1882, p. 265; ed. 2, 1902, p. 265. — Ganglb. Best.-Tab. VII, 1882, p. 14 (692). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 326. — Bau, Handb. Käfer 1888, p. 415. — Seidlitz, Fauna Transsylv. 1891, p. 185. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 134. — Stierlin, Col. Helvet. II, 1898, p. 490. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 13. — Auriv. Svensk Insektf. Col. I, 1917, p. 36, 40.

Pogonochaerus Gemm. & Har. Cat. Col. X, 1873, p. 3116. — Bedel, Faune Col. Seine V, 1889, p. 35, 40. — Fowler, Col. Brit. Isl. IV, 1890, p. 243, 246. — Lameere, Faune Belg. II, 1900, 413. — Everts, Col. Neerl. II, 1901, p. 345, 378. — Csiki, Rov. Lapok XI, 1904, p. 168. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 19, 64; ed. 2, 1909, p. 17, 66. — Kuhnt, Käfer Deutschl. 1912, p. 757, 792. — Reitter, Fauna Germ. IV, 1913, p. 58, 61. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 864, 873.

Subgen. *Pityphilus* Muls. Col. France, Longic. ed. 2, 1863, p. 302. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 160. — Lacord. Gen. Col. IX, 1872, p. 653, nota 2.

Pityophilus Bedel (nec. Brullé 1837), Faune Col. Seine V, 1889, p. 41. — Everts, Col. Neerl. II, 1901, p. 378.

Paläarktische und japanische Arten.

J. Müller, Ent. Blätter XII, 1916, p. 101—104 (Revisio).

Subgen. *Pityphilus* Muls.**accentifer** Fairm. Ann. Soc. Ent. France (3) IV, 1856. Frankreich p. 543.

- costatus** Motsch. Mélang. Biol. Acad. Petersb. III, 1859, p. 234; Bull. Phys. Math. Acad. Petersb. XVII, 1859, p. 572. — Ganglb. Best.-Tab. VIII, 1884, p. 93 (527).
- decoratus** Fairm. Ann. Soc. Ent. France (3) III, 1855, p. 320; Gen. Col. d'Eur. IV, 1864, t. 47, f. 221. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 399. — Muls. Col. France, Longic. ed. 2, 1863, p. 305. — Ganglb. Best.-Tab. VIII, 1884, p. 90 (524). — Bedel, Faune Col. Seine V, 1889, p. 41. — Seidlitz, Fauna Transsylv. 1891, p. 848. — Everts, Col. Neerl. II, 1901, p. 379. — Kuhnt, Käfer Deutschl. 1912, p. 793. — Reitter, Fauna Germ. IV, 1913, p. 62, t. 139, f. 5. — J. Müller, Revis. p. 102. — Auriv. Svensk Insektf. IX, 1, 1917, p. 41.
- ovalis** Gyllenh. Ins. Suec. I, 4, 1827, p. 65. — ? Bach Käferf. III, 1856, p. 29. — ? Gutfl. Käfer Deutschl. 1859, p. 583. — C. G. Thoms. Skand. Col. VIII, 1866, p. 84. — Guillebeau, Ann. Soc. Ent. France (6) X, 1890, Bull. p. 56.
- ovatus** Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 14, 16, f. 7 d.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 327 (sep. p. 487). — Xambeau, Moeurs et Métam. VIII, 1902, p. 198.
- fasciculatus** De Geer, Mém. Ins. V, 1775, p. 71, t. 3, f. 17, 18. — Piller, Iter Poseg. 1783, p. 34. — Retzius, Gen. Spec. Ins. 1783, p. 138. — F. Mant. Ins. I, 1787, p. 134; Ent. Syst. I, 2, 1792, p. 262; Syst. Eleuth. II, 1801, p. 277. — Panzer, Naturf. XXIV, 1789, p. 26, t. 1, f. 34. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1821. — Brahm in Scriba, Journ. Ent. 1790, p. 17. — Borkh. l. c. p. 88. — Rossi, Mant. Ins. I, 1792, p. 49; ed. Hellwig I, 1795, p. 390. — Panz. Fauna Ins. Germ. XIV, 1794, t. 15 text. — Payk. Fauna Suec. III, 1800, p. 58. — Bechst. & Scharfenb. Forstins. I, 1804, p. 188. — Dumér. Dictionn. Sc. Nat. VI, 1817, p. 512. — Zett. Fauna Ins. Lapp. I, 1828, p. 364. — Steph. Brit. Ent. Mand. IV, 1831, p. 234; Man. 1839, p. 271. — Thon, Naturg. Ins. 1837, p. 411, t. 99, f. 643. — Zett. Ins. Lapp. 1840, p. 202. — Muls. Col. France, Longic. ed. 2, 1863, p. 307. — Schiöde, Naturhistor. Tidskr. (3) II, 1864, p. 562. — C. G. Thoms. Skand. Col. VIII, 1866, p. 83. — Cox, Handb. Col. II, 1874, p. 306. — Seidl. Fauna Balt. 1875, p. 518; ed. 2, 1891, p. 751. — Cuni, Cat. Col. Cataluña 1876, p. 299. — Sériziat, Hist. Col. France, 1880, p. 311. — Ganglb. Best.-Tab. VIII, 1884, p. 91 (524). — Bau, Handb. Käfer 1888, p. 418. — Bedel, Faune Col. Seine V, 1889, p. 41, 91. — Fowler, Col. Brit. Isl. IV, 1890, p. 246, t. 123, f. 8. — Seidl. Fauna Transsylv.
- Sibirien:
Jakutsk
- Frankreich,
Belgien,
Holland,
Deutschland
Dänemark,
Schweden,
Norwegen
- Nord- und
Mittel-
Europa

- 1891, p. 848. — Griffini. Coleott. 1896. p. 197, t. 37, f. 15. — Stierl. Col. Helvet. II, 1898, p. 496. — Everts, Col. Neerl. II, 1901, p. 379. — Csiki, Rovart. Lapok XII, 1905, p. 38. — Jacobs. Käfer Russl. 1910, t. 68, f. 15. — Kuhnt, Käter Deutschl. 1912, p. 793, f. 198. — Reitter, Fauna Germ. IV, 1913, p. 61, t. 139, f. 4. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 14, 16, fig. 7c. — Schauf. in Calwer. Käferb. ed. 6, 1916, p. 874, t. 30, f. 15. — J. Müller, Revis. p. 102. — Auriv. Svensk Insektf. IX, 1, 1917, p. 40.
- fascicularis* Panz. Fauna Ins. Germ. XIV, 1794, t. 15; Voet, Col. ed. 2, 1794, p. 65, t. 22, f. 118; Ent. Germ. 1795, p. 249. — Gyllenh. Ins. Suec. I, 4, 1827, p. 64. — Muls. Col. France, Longie. 1839, p. 156. — Berge, Käferb. 1844, p. 126, t. 12, f. 17. — Redtenb. Fauna Austr. 1849, p. 494; ed. 2, 1858, p. 859; ed. 3, II, 1874, p. 418. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 397. — Bach, Käferf. III, 1856, p. 29. — Gutfl. Käfer Deutschl. 1859, p. 583.
- griseoalbidus* Voet, Cat. Col. II, 1804-6, p. 25, t. 22, f. 118.
- hispidus* L. Fauna Suec. ed. 2, 1761, p. 188 (ex parte). — Herbst in Füssly, Archiv Insecteng. V, 1784, p. 90. — Martyn, Engl. Ent. 1792, t. 24, f. 5 (non 10)? — Marsh. Ent. Brit. I, 1802, p. 326 (ex parte).
- setifer* Müll. Zool. Danm. Prodr. 1776, p. 92. Biologie: Ratzeb. Forstins. ed. 2, 1839, Nachtr. p. 54. — Nördl. Kl. Feinde 1855, p. 197. — Altum, Dankelm. Zeitschr. VII, 1875, p. 127; XVI, 1884, p. 25 figg. — Judeich, Forstins. II, 1, 1889, p. 569. — Lunardoni, Ins. Noc. I, 1889, p. 506. — Nambou, Moeurs et Métam. VIII, 1902, p. 201. — Rudow, Int. Ent. Zeitschr. VI, 1912, p. 201. — Barbey, Ent. Forest. 1913, p. 224, fig. 154.
- granulatus* Motsch. Bull. Moscou XXXIX. 1, 1866, p. 174. Japan
- inermicollis* Reitter, Wien. Ent. Zeit. XIII, 1894, p. 247. — J. Müller, Revis. p. 101. Kaukasus:
- ovatus* Goeze, Ent. Beytr. I, 1777, p. 474. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 76. — Villers, Linn. Ent. I, 1789, p. 238. — Muls. Col. France, Longie. ed. 2, 1863, p. 302. — ? Seidl. Fauna Balt. 1875, p. 517; ed. 2, 1891, p. 751. — Ganglb. Best.-Tab. VIII, 1884, p. 90 (524). — Bau, Handb. Käfer 1888, p. 418. — Bedel, Faune Col. Seine V, 1889, p. 41, 91. — Seidlitz, Fauna Transylv. 1891, p. 848. — Stierl. Col. Helvet. II, 1898, p. 496. — Everts, Col. Neerl. II, 1901, p. 378. — Houlb. Faune Armoric. Ceramb. 1904, p. 65; ed. 2, 1909, p. 67. — Csiki, Rovart. Lapok XII, 1905, p. 38. — Kuhnt, Käfer Deutschl. 1912, p. 793. — Reitter, Fauna Germ. IV, 1913, p. 62. Mitteleuropa (fehlt in England, Holland, Skandinavien und Finnland)

t. 139, f. 6. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 874. — J. Müller, Revis. p. 102.
multipunctatus Georg, Stett. Ent. Zeit. XVIII, 1857, p. 64. — Muls. Col. France, Longic. ed. 2, 1863, p. 309.

ovalis Gmel. in L. Syst. Nat. ed. 13, I, 4. 1790, p. 1863. — Muls. Col. France, Longic. 1839, p. 155. — Redtenb. Fauna Austr. 1849, p. 494; ed. 2, 1858, p. 859; ed. 3, II, 1874, p. 418. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 397.

Schlumbergeri Duf. Actes Soc. Linn. Bordeaux XVII, 1851, p. 351.

scutellaris Muls. Col. France, Longic. Suppl. 1846, p. (11); ed. 2, 1863, p. 304. — Seidl. Fauna Balt. 1875, p. 517; ed. 2, 1891, p. 751; Fauna Transsylv. 1891, p. 848. — Guillebeau, Ann. Soc. Ent. France (6) X. 1890. Bull. p. 54.

var. *subovatus* Muls. Col. France, Longic. Frankreich 1839, p. 155.

Subgen. Pogonocherus s. str.

- anatolicus** Daniel, Col. Stud. II, 1899, p. 76. — J. Müller, Revis. p. 103. Kleinasien
- Caroli** Muls. Col. France, Longic. ed. 2, 1863, p. 313. — Ganglb. Best.-Tab. VIII, 1884, p. 91 (525). Südf-
 — Bedel, Faune Col. Seine V, 1889, p. 41. — frankreich,
 Pic, Echange V, 1889, p. 67. — Stierl. Col. Schweiz
 Helvet. II. 1898, p. 497. — J. Müller, Revis. p. 104.
- var. *griseus* Pic, Echange V. 1889, p. 67. — Südf-
 Daniel, Col. Stud. I, 1891, p. 63. — J. Müller, frankreich
 Revis. p. 104.
 Biologie: Rey, Ann. Soc. Linn. Lyon (2) XXXIII, 1887, p. 235. — Xambeu, Moeurs et Métam. VIII, 1902, p. 200.
- var. *icosiensis* Peyerimh. Bull. Soc. Ent. Nordafrika
 France 1918, p. 143.
- caucasicus** Ganglb. Wien. Ent. Zeit. X, 1891, p. 132. Kaukasus
 — J. Müller, Revis. p. 104.
- cedri** Peyerimh. Bull. Soc. Ent. France 1916, p. 318. Algier
- dimidiatus** Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 208. — Ganglb. Best.-Tab. VIII, 1884, p. 93 (527). Südost-
 sibirien
- var. *?bicristatus* Kraatz, Deutsche Ent. Amur
 Zeitschr. XXIII. 1879. p. 114. — Ganglb. Best.-Tab. VIII, 1884, p. 93 (527).
- Eugeniae** Ganglb. Wien. Ent. Zeit. X, 1891. p. 131. Österreich,
 — J. Müller, Revis. p. 103. Griechenland
- hispidulus** Piller, Iter Poseg. 1783. p. 35. — Borekh. Nord- und
 in Scriba, Journ. Ent. I, 1790, p. 87. — Mittel-
 Bedel, Faune Col. Seine V, 1889, p. 41, 92. europa.
 — Lameere, Faune Belg. II, 1900, p. 414. — Madera
 Everts, Col. Neerl. II, 1901, p. 379. — Houlb. Faune Armor. Ceramb. 1904, p. 64; ed. 2, 1909, p. 66. — Csiki, Rovart. Lapok XII.

- 1905, p. 37. — Kuhnt, Käfer Deutschl. 1912, p. 792, fig. 196 c, 199. — Reitter, Fauna Germ. IV, 1913, p. 61, t. 139, f. 2. — Beffa, Revista Col. Ital. XIII, 1915, Append. t. 1, f. 34. — Csiki, Rovart. Lapok XXIII, 1916, p. 13. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 873. — J. Müller, Revis. p. 102. — Auriv. Svensk Insektf. Col. I, 1917, p. 40, 41.
- bidentatus* C. G. Thoms. Skand. Col. VIII, 1866, p. 85. — Seidl. Fauna Balt. 1875, p. 518; ed. 2, 1891, p. 751. — Heyden, Käfer Nassau 1877, p. 336. — Ganglb. Best.-Tab. VIII, 1884, p. 93 (527). — Bau, Handb. Käfer 1888, p. 417. — Fowler, Col. Brit. Isl. IV, 1890, p. 247, t. 123, f. 9. — Seidl. Fauna Transsylv. 1891, p. 849. — Stierl. Col. Helvet. II, 1898, p. 497. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 15, f. 7a.
- dentatus* Sériziat, Hist. Col. France 1880, p. 311.
- hispidus* F. Syst. Ent. 1775, p. 169; Spec. Ins. I, 1781, p. 215; Mant. Ins. I, 1787, p. 134; Ent. Syst. I, 2, 1792, p. 262; Syst. Eleuth. II, 1801, p. 278. — ? Müller, Zool. Dan. Prodr. 1776, p. 92. — Laich. Tyroler Ins. II, 1784, p. 27. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 76. — Villers, Linn. Ent. I, 1789, p. 225 (ex parte). — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1821. — Rossi, Fauna Etrusca I, 1790, p. 143; ed. Hellwig 1795, p. 153. — Donov. Brit. Ins. II, 1793, p. 74, t. 64, f. 2, 3. — Panzer, Ent. Germ. 1795, p. 249. — Cederhj. Faun. Ingr. Prodr. 1798, p. 86. — Payk. Fauna Suec. III, 1800, p. 59. — Walcken. Faune Paris I, 1802, p. 205. — Stewart, Elem. Nat. Hist. II, 1802, p. 63. — Panzer, Schaeff. Icon. Ins. ed. 2, 1804, p. 158, t. 176, f. 5. — Bechst. & Scharfenb. Forstins. I, 1804, p. 189. — Dumér. Dict. Sc. Nat. VI, 1817, p. 512. — Germ. Fauna Ins. Eur. VI, 1822, t. 10. — Gyllenh. Ins. Suec. I, 4, 1827, p. 66. — Muls. Lettres à Julie II, 1830, p. 327. — Steph. Brit. Ent. Mand. IV, 1831, p. 234; Man. 1839, p. 271. — Muls. Col. France, Longic. 1839, p. 159; ed. 2, 1863, p. 309. — Duf. Excurs. Ent. d'Ossau 1843, p. 99. — Küster, Käfer Eur. IX, 1847, p. 72. — Labr. & Imh. Ins. der Schweiz V, 1845, t. (73); Schweiz. Käferg. 1848, tab. — Redtenb. Fauna Austr. 1849, p. 494; ed. 2, 1858, p. 859; ed. 3, II, 1874, p. 418. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 398. — Bach, Käferf. III, 1856, p. 29. — Woll. Cat. Col. Ins. Madeira 1857, p. 128. — Gutfl. Käfer Deutschl. 1859, p. 583. — Cox, Handb. Col. II, 1874, p. 306. — Schoch, Käfer Deutschl. 1878, p. 134. — Schlosser, Fauna Kornjas. III, 1879, p. 830.
- pilosus* Shuck. Brit. Col. 1840, p. 66, t. 77, f. 2.

Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 328 (sep. p. 488). — Henriksen, Danm. Fauna, Biller III, 1914, p. 95.

ab. *Sieversi* Ganglb. Horae Soc. Ent. Ross. Kaukasus
XX, 1886, p. 139. — J. Müller, Revis. p. 102,
nota 1.

hispidus L. Syst. Nat. ed. 10, 1758, p. 391; Fauna Europa,
Suec. (1746, t. 1, f. 484, fig. typica); ed. 2, Nordafrika
1761, p. 188; Syst. Nat. ed. 12, 1767, p. 627
(ex parte). — Houttuyn, Natuurl. Hist. I, 9,
1766, p. 540 (ex parte). — Schrank, Enum.
Ins. Austr. 1781, p. 130. — Herbst in
Füessly, Archiv Insecteng. VII, 1786, p. 169.
— Panz. Naturf. XXIV, 1789, p. 26, t. 1, f. 35;
Fauna Ins. Germ. XIV, 1794, t. 16. — Brahm
in Scriba, Journ. f. Ent. I, 1790, p. 17. —
Ol. Ent. IV, nr. 67, 1795, p. 53, t. 11, f. 77.
— Goeze, Eur. Fauna VIII, 1799, p. 546. —
β. Payk. Fauna Suec. III, 1800, p. 60. —
Marsh. Ent. Brit. I, 1802, p. 326 (ex parte),
t. 16. — Latr. Hist. Nat. Ins. XI, 1804, p.
285. — Tigny, Hist. Nat. Ins. ed. 2, VII,
1813, p. 271; ed. 3, IV, 1828, p. 348. —
Wood, Ill. Linn. Gen. Ins. I, 1821, p. 46,
t. 16. — Boit. Man. d'Ent. II, 1828, p. 22. —
Thon, Naturg. Ins. 1837, p. 411, t. 99, f. 642.
— Cast. Hist. Nat. Col. II, 1840, p. 467 (ex
parte). — Berge, Käferb. 1844, p. 126, t. 12,
f. 18. — C. G. Thoms. Skand. Col. VIII,
1876, p. 84. — Seidl. Fauna Balt. 1875, p.
518; ed. 2, 1891, p. 751. — Sériziat, Hist.
Col. France 1880, p. 311. — Ganglb. Best-
Tab. VIII, 1884, p. 92 (526). — Bau, Handb.
Käfer 1888, p. 418. — Seidl. Fauna Trans-
sylv. 1891, p. 848. — Stierl. Col. Helvet. II,
1898, p. 497. — Everts, Col. Neerl. II, 1901,
p. 379. — Csiki, Rovart. Lapok XII, 1905,
p. 27. — Jacobs. Käfer Russl. 1910, t. 68,
f. 14. — Kuhnt, Käfer Deutschl. 1912, p. 792,
f. 196b, 197. — Reitter, Fauna Germ. 1913,
p. 61, t. 139, f. 3. — Jensen-Haarup, Danm.
Fauna, Biller III, 1914, p. 15, f. 7b. — Schauf
in Calwer, Käferb. ed. 6, 1916, p. 874, t. 30,
f. 14. — J. Müller, Revis. p. 102. — Auriv.
Svensk Insektf. Col. I, 1917, p. 40.

dentatus Geoffr. in Fourcr. Ent. Paris. I,
1785, p. 76; Hist. Ins. ed. 2, I, 1799, p. 526.
— Villers, Linn. Ent. I, 1789, p. 239. —
Muls. Col. France, Longic. ed. 2, 1863, p.
315. — Cox, Handb. Col. II, 1874, p. 306. —
Fairm. Hist. Nat. France, Col. 1882, p. 267;
ed. 2, 1902, p. 267. — Bedel, Faune Col.
Seine V, 1889, p. 41, 92. — Fowler, Col. Brit.
Isl. IV, 1890, p. 247, t. 123, f. 10. — Griffini,
Coleott. 1896, p. 197, t. 37, f. 14. — Lameere,
Faune Belg. II, 1900, p. 414.

pilosus F. Mant. Ins. I, 1787, p. 134; Ent.
Syst. I, 2, 1792, p. 262; Syst. Eleuth. II,

- 1801, p. 278. — Gmel. in L. Syst. Nat. ed. 13, I. 4, 1790, p. 1822. — ? Ol. Ent. IV, nr. 67. 1795, p. 53, t. 9, f. 60. — Panz. Ent. Germ. 1795, p. 249. — Marsh. Ent. Brit. I, 1802, p. 327. — Latr. Hist. Nat. Ins. IX, 1804, p. 284. — Gyllenh. Ins. Suec. I, 4, 1827, p. 67. — Boit. Man. d'Ent. II, 1828, p. 23. — Steph. Brit. Ent. Mand. IV, 1831, p. 233; Man. 1839, p. 271. — Muls. Col. France, Longic. 1839, p. 160. — Redtenb. Fauna Austr. 1849, p. 494; ed. 2, 1858, p. 859; ed. 3. II, 1874, p. 418. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 308. — Bach, Käferf. III, 1856, p. 29. — Gutfl. Käfer Deutschl. 1859, p. 583. — Schiödte, Naturh. Tidskr. (3) II, 1864, p. 563. — Disconzi, Ent. Vicent. 1865, p. 85. 88. — Schlosser, Fauna Kornjas. III, 1879, p. 830.
- Biologie:** Bouché, Stutt. Ent. Zeit. VIII, 1847, p. 165. — Fairm. Ann. Soc. Ent. France (2) V, 1847, Bull. p. 17. — Pass. Ins. Col. dann. del Fico, 1851, p. 6. — Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1853, t. 8, f. 9. — Reiche, Ann. Soc. Ent. France (4) V, 1865, Bull. p. 35. — Desbr. l. c. p. 44. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 428. 448, t. 17, f. 14—16. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 326 (sep. p. 486). f. 500. — Honnorat, Feuille Jeun. Natural. VIII, 1877, p. 54. — Troostenberg, l. c. p. 75. — Buysson, l. c. p. 126; IX, 1878, p. 66. — Honnorat, Bull. Soc. Zool. France III, 1878, p. 312. — Poussielque, Feuille Jeun. Natural. XI, 1880, p. 15. — Schriever, Jahresb. Westf. Prov.-Ver. X, 1882, p. 10. — Henriksen Danm. Fauna, Biller III, 1914, p. 95, f. 67.
- ab. rufescens* Pic, Echange XXXIII, 1917, p. 6.
- Neuhaasi** J. Müller, Revis. p. 98, 103.
- Perrondi** Muls. Col. France, Longic. 1839, p. 158, t. 3, f. 4; ed. 2, 1863, p. 311. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 397. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 47, f. 220. — Ganglb. Best.-Tab. VIII, 1884, p. 91 (525). — Bedel, Faune Col. Seine V, 1889, p. 42. — Csiki, Rovart. Lapok XII, 1905, p. 27. — J. Müller, Revis. p. 102.
- pilosipes** Pic, Longic. VI, 2, 1907, p. 21.
- Plasoui** Ganglb. Best.-Tab. VIII, 1884, p. 92 (526). — J. Müller, Revis. p. 101, 103.
- semivivens** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 382. — Matsum. Thous. Ins. Japan III, 1908, nr. 733, t. 55, f. 7.
- taygetanus** Pic, Longic. IV, 2, 1903, p. 8. — J. Müller, Revis. p. 100, 103.
- tristiculus** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 115. — Ganglb. Best.-Tab. VIII, 1884, p. 93 (527).
- tuberculatus** Pic, Mélang. Exot.-Ent XXVII, 1918, p. 10.
- Algier,
Ragusa
Süd-
frankreich,
Dalmatien,
Südtirol
- Ostchina
Griechenland
- Japan
- Griechenland
- Amur
- Japan

Nearktische Arten.

Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 42, 43 (Synopsis).
 Leng & Hamilt. l. c. XXIII, 1896, p. 135 (Synopsis). — Schaeffer.
 Journ. N. York Ent. Soc. XVII, 1909, p. 102, 103 (Synopsis). —
 Fall, Ent. News XXI, 1910, p. 5—9 (Revisio). — Casey, Mem. Col
 IV, 1913, p. 345—349 (Revisio).

- ✓ *alaskanus* Schaeffer, Bull. Brookl. Inst. I, 1909, p. Alaska
 385; Synops. p. 102, 103. — Fall, Revis.
 p. 8. — Casey, Revis. p. 348.
- ✓ *arizonicus* Schaeffer, Bull. Brookl. Inst. I, 1908, p. Arizona
 346; Synops. p. 102. — Fall, Revis. p. 8. —
 Casey, Revis. p. 346.
- ✓ *californicus* Schaeffer, Bull. Brookl. Inst. I, 1908, Californien
 p. 347; Synops. p. 103. — Fall, Revis. p. 7.
- ✓ *carinatus* Casey, Revis. p. 346. Colorado
- ✓ *confolor* Schaeffer, Synops. p. 102. — Fall, Revis. p. 9. Californien? /c
- ✓ *crinitus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Vancouver-
 p. 267. — Horn, Synops. p. 42. — Leng Insel,
 & Hamilt. Synops. p. 135. — Schaeffer, Californien
 Synops. p. 102. — Fall, Revis. p. 7.
- ✓ *emarginatus* Casey, Revis. p. 347. Colorado
- ✓ *fastigiatus* Casey, Revis. p. 248. Montana
- ✓ *mixtus* Haldem. Trans. Amer. Philos. Soc. (2) X,
 1847, p. 50. — J. Lec. Journ. Acad. Philad. (2) X,
 (2) II, 1852, p. 160. — Prov. Pet. Faune Ent.
 Canada I, 1877, p. 631. — Horn, Synops.
 p. 42. — Leng & Hamilt. Synops. p. 135. —
 Felt, Ins. Affect. Trees II, 1907, p. 663, f.
 193. — Schaeffer, Synops. p. 102. — Fall,
 Revis. p. 8, 9. — Blatchley, Col. Indiana
 1910, p. 1081. — Casey, Revis. p. 348.
 Biologie: Caulfield, Canad. Ent. XIII, 1881,
 p. 60. — Pack. Ins. Inj. to Trees 1890, p. 558.
- ✓ *negundo* Schaeffer, Bull. Brookl. Instit. I, 1905, p. 164; Arizona
 Synops. p. 103. — Fall, Revis. p. 7.
- ✓ *obscurus* Fall, Revis. p. 5. 7. "
- ✓ *oregonus* J. Lec. Proc. Acad. Philad. XIII, 1861, Oregon.
 p. 354. — Horn, Synops. p. 42. — Leng &
 Hamilt. Synops. p. 135, 136. — Schaeffer,
 Synops. p. 103. — Fall, Revis. p. 7. Californien,
 Idaho
- ✓ *parvulus* J. Lec. Journ. Acad. Philad. (2) II, 1852, Missouri
 p. 160. — Casey, Revis. p. 346 (? = *mixtus*
 [vergl. Horn. Synops. p. 42; Leng & Hamilt.
 Synops. p. 136; Fall, Revis. p. 9]).
- ✓ *penicillatus* J. Lec. in Agass. Lake Super. 1850, p. 234. Canada.
 — Prov. Pet. Faune Ent. Canada I, 1877,
 p. 630. — Horn, Synops. p. 42. — Leng &
 Hamilt. Synops. p. 135. — Blatchley, Col.
 Indiana 1910, p. 1080. — Casey, Revis. p. 346. Maine,
 Newhamp-
 shire,
 Michigan, Lake
 Superior. *
penicellatus J. Lec. Journ. Acad. Philad.
 (2) II, 1852, p. 160. — Schaeffer, Synops.
 p. 102. — Fall, Revis. p. 8. Colorado
- ✓ *pietus* Fall, Revis. p. 6, 8. Colorado,
 Neumexicc
- ✓ *propinquus* Fall, Revis. p. 6, 8. Californien
- ✓ *salicoides* Casey, Revis. p. 347. Massa-
 chusetta

- simplex** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien
p. 237. — Casey, Revis. p. 348 (? = *mixtus*
[Vergl. Horn, Synops. p. 42. — Leng & Hamilt.
Synops. p. 135. — Fall, Revis. p. 7]).
- ✓ **volltans** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Unteres
p. 232. — Leng & Hamilt. Synops. p. 135, Californien
136. — Schaeffer, Synops. p. 103. — Fall,
Revis. p. 7.
-
- cristulatus** Fairm. Ann. Soc. Ent. France (6) V, 1885, Abessinien:
p. 458. Obock
- Schaumi** Montrouz. l. c. (4) I, 1861, p. 271. Insel Lifu
- setifer** Serv. l. c. IV, 1835, p. 59. — Lacord. Gen. Brasilien
Col. IX, 1872, p. 654, nota 2.

45

Parmenopsis Ganglb.

- Ganglb. Best.-Tab. VII, 1881, p. 15 (693); VIII, 1884, p. 89 (523).
- caucasica** Leder, Verh. zool.-bot. Ges. Wien XXX, Trans-
1880, p. 518. — Ganglb. Best.-Tab. VIII, kaukasien
1884, p. 89 (523). — Jacobs. Käfer Russl.
1911, t. 71, f. 9.

1

Eurycotyle Blessig.

- Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 210. — Ganglb. Best.-
Tab. VIII, 1884, p. 102 (536).
- ? *Pseudoalbana* Pic, Echange XI, 1895, p. 77.
- Lameeri** Pic, l. c. p. 77. Arabien
- Maacki** Blessig, Horae Soc. Ent. Ross. IX, 1873, Amur
p. 211, t. 8, f. 4. — Ganglb. Best.-Tab. VIII,
1884, p. 102 (536). — Jacobs. Käfer Russl.
1911, t. 71, f. 26.

2

Zaplous J. Lec.

- J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 415. — J. Lec.
& Horn, Classif. Col. N. Amer., 1883, p. 327. — Leng & Hamilt.
Trans. Amer. Ent. Soc. XXIII, 1896, p. 140.
- ✓ **annulatus** Chevr. Ann. Soc. Ent. France (4) II, 1862, Cuba
p. 250. — Gah. Trans. Ent. Soc. Lond. 1895,
p. 124.
- ✓ **Hubbardi** J. Lec. Proc. Amer. Philos. Soc. XVII, Florida
1878, p. 415. — Leng & Hamilt. Trans. Amer.
Ent. Soc. XXIII, 1896, p. 140.

2

Aconopterus Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 504. — Thoms. Syst. Coramb.
1864, p. 396. — Lacord. Gen. Col. IX, 1872, p. 650, 654.
- cristatipennis** Blanch. in Gay, Hist. Chile V, 1851, Chile
p. 505, t. 30, f. 2. — Fairm. & Germain,
Ann. Soc. Ent. France (3) VII, 1859, p. 515.

- laevipennis** Blanch. in Gay, Hist. Chile V, 1851, p. 506. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 516. Chile
montevideensis Thoms. Physis II, 1868, p. 146. Montevideo
 3

Ecteneolus Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1885, p. 359.
Flohrl Bates, l. c. p. 360. Mexico
 1

Colobura Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 511. — Thoms. Syst. Ceramb. 1864, p. 394. — Lacord. Gen. Col. IX, 1872, p. 650, 656.
 ✓ **alboplagiata** Blanch. in Gay, Hist. Chile V, 1851, p. 512, t. 30, f. 5. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 523. Chile
 — Lacord. Gen. Col. IX, 1872, p. 657.
 1

Soluta Lacord.

- Lacord. Gen. Col. IX, 1872, p. 650, 657.
gramineoides Lacord. l. c. nota 2, Brasilien
 1

Hoplorana Fairm.

- Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 389.
arciferens Fairm. l. c. XLVI, 1902, p. 255. Madagaskar
attenuata Fairm. l. c. XLII, 1898, p. 423. " "
dorsata Fairm. l. c. XLVI, 1902, p. 255. " "
nigroscutata Fairm. l. c. XLIX, 1905, p. 137. " "
Perrieri Fairm. l. c. XLVIII, 1904, p. 258. " "
quadricristata Fairm. l. c. XL, 1896, p. 389. " "
 6

Coedomaea Thoms.

- Thoms. Physis II, 1868, p. 163. — Lacord. Gen. Col. IX, 1873, p. 650, 655.
Fairmaireiella Berg, Communic. Mus. Buenos Ayres I, 1898, p. 156.
Tigrana Fairm. (nec Walk. 1865) Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 156.
Tigranesthes Fairm. l. c. XLI, 1897, p. 197.
apicepleta Fairm. Revue d'Ent. XX, 1901, p. 228. Madagaskar
Blucheaui Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 259. " "
griseotincta Fairm. l. c. p. 260. " "
induta Fairm. l. c. XLVI, 1902, p. 253. " "
lactaria Fairm. l. c. XXXVIII, 1894, p. 158. " "
lateritia Fairm. l. c. p. 157. " "
lichenea Fairm. l. c. XLVI, 1902, p. 255. " "
longula Fairm. l. c. XLI, 1897, p. 196. " "

- madagascariensis* Thoms. Physis II, 1868, p. 164. — Madagaskar
 Fairm. Ann. Soc. Ent. Belg. XLI, 1897.
 p. 197.
- nebulosa* Fairm. l. c. XLVIII, 1904, p. 259. ”
- nebulata* Fairm. l. c. XXXVIII, 1894, p. 157. ”
- niviscatata* Fairm. Revue d'Ent. XX, 1901, p. 228. ”
- Perrieri* Fairm. Ann. Soc. Ent. Belg. XLV, 1903.
 p. 376. ”
- rufina* Fairm. l. c. XLI, 1897, p. 196. ”
- semilactuosa* Fairm. Revue d'Ent. XX, 1901, p. 227. ”
- vagepieta* Fairm. l. c. p. 227. ”

16

Lamiessa Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1885, p. 364.
eumolpoides Bates, l. c. p. 365, t. 22, f. 24. Guatemala
 I

LXIII. Megabasini.

Lacordaire, Gen. Col. IX, 1872, p. 414, 657.

Megabasis Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 53. — Cast. Hist. Nat. Col. II.
 1840, p. 453. — Blanch. Hist. Nat. Ins. II, 1845, p. 154. — Thoms.
 Classif. Ceramb. 1860, p. 30; Syst. Ceramb. 1864, p. 353. — Lacord.
 Gen. Col. IX, 1872, p. 658.
- ✓ *speculifera* Kirby, Trans. Linn. Soc. Lond. XII, 1818, Brasilien
 p. 439; Isis XIV, 1824, p. 125; Cent. d'Ins.
 1834, p. 64. — Perty, Delect. Anim. Artic.
 1832, p. 95, t. 19, f. 5. — Serv. Ann. Soc.
 Ent. France IV, 1835, p. 54. — Westw.
 Ent. Textbook 1838, p. 242, fig. — Cast. Hist.
 Nat. Col. II. 1840, p. 459. — Lacord. Gen.
 Col. IX, 1872, p. 659, t. 104, f. 4. — Heyne,
 & Taschenb. Exot. Käfer 1906, p. 243,
 t. 37, f. 30.

I

LXIV. Compsosomatini.

Thomson, Archives Ent. I, 1857, p. 68; Classif. Ceramb. 1860, p. 34;
 Syst. Ceramb. 1864, p. 104. — Lacordaire, Gen. Col. IX, 1872, p. 414, 659.

Pythais Thoms.

- Thoms. Archives Ent. I, 1857, p. 71; Classif. Ceramb. 1860, p. 34;
 Syst. Ceramb. 1864, p. 392. — Lacord. Gen. Col. IX, 1872, p. 659, 660.
- scutigera* Vigers, Zool. Journ. II, 1825, p. 239, t. 9, Brasilien
 f. 5. — Thoms. Archives Ent. I, 1857, p. 72,
 t. 9, f. 12, 12a, 12b. — Lacord. Gen. Col. IX,
 1872, p. 660. — Heyne & Taschenb. Exot.
 Käfer 1906, p. 243, t. 37, f. 32.
- concreta* Blanch. Voy. d'Orbigny, Ins. 1843,
 p. 210, t. 22, f. 8.

I

Composoma Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 55. — Cast. Hist. Nat. Col. II, 1840, p. 483. — Blanch. Hist. Nat. Ins. II, 1845, p. 160. — Thoms. Archives Ent. I, 1857, p. 71–76 (Monographie); Classif. Ceramb. 1860, p. 34; Syst. Ceramb. 1864, p. 392. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 197 (sep. p. 218). — Lacord. Gen. Col. IX, 1872, p. 659. 660. — Gounelle, Ann. Soc. Ent. France LXXVII, 1908, p. 7–13 (Revisio).

Subgen. *Desmiphoropsis* Goun. Revis. p. 12.

Subgen. *Guariteres* Goun. Revis. p. 11.

Subgen. *Tucales* Goun. Revis. p. 13.

Subgen. *Yamamadis* Goun. Revis. p. 12.

Subgen. **Guariteres** Goun.

Geayi Goun. Revis. p. 8, 11, t. 2, f. 7.

Guyana,
Amazonas
Brasilien

mutillarum Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 463, t. 42, f. 6. — Thoms. Monogr. p. 76. — Goun. Revis. p. 9, 11.

Subgen. **Composoma** s. str.

Chabrilaci Thoms. Monogr. p. 74, t. 9, f. 6. — Goun. Revis. p. 12. Rio Janeiro

nubilum Goun. Revis. p. 9, 12, t. 2, f. 4.

Bahia
Goyaz
Brasilien

var. *simplex* Goun. Revis. p. 10, t. 2, f. 5.

perpulchrum Vigers, Zool. Journ. I, 1824, p. 418, t. 15, f. 9. — Thoms. Monogr. p. 73. — Goun. Revis. p. 9, nota 1, p. 12.

mutillarum Thoms. Monogr. p. 73, t. 8, f. 7.

phaleratum Thoms. Monogr. p. 74, t. 9, f. 5. — Goun. Revis. p. 10, 12. "

v-notatum Vigers, Zool. Journ. I, 1824, p. 417, t. 15, f. 8. "

niveosignatum Serv. Ann. Soc. Ent. France IV, 1835, p. 56. — Cast. Hist. Nat. Col. II, 1840, p. 483.

quinqnotatum Thoms. Monogr. p. 75. — Goun. Revis. p. 12.

Subgen. **Desmiphoropsis** Goun.

Mannerheimi Thoms. Syst. Ceramb. 1865, p. 557. — Goun. Revis. p. 12. Cayenne

variegatum Serv. Ann. Soc. Ent. France IV, 1835, p. 57. — Thoms. Monogr. p. 75, t. 9, f. 7. Brasilien
— Goun. Revis. p. 12.

Subgen. **Yamamadis** Goun.

Mulszechi Thoms. Monogr. p. 74, t. 9, f. 5. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 197 (sep. p. 219). — Goun. Revis. p. 12. Amazonas

Subgen. **Tucales** Goun.

- franciseum** Thoms. Monogr. p. 76, t. 9, f. 9. — Goun. Brasilien
Revis. p. 13.
- terrenum** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Para,
p. 36. — Bates, Ann. Mag. Nat. Hist. (3) S. Paulo
XVII, 1866, p. 197 (sep. p. 219). — Goun.
Revis. p. 13.

12

Eusphaerium Newm.

- Newm.** Ent. Mag. V, 1838, p. 498. — Lacord. Gen. Col. IX, 1872,
p. 659, 661.
- purpureum** Newm. Ent. Mag. V, 1838, p. 498. — Brasilien
Thoms. Archives Ent. I, 1857, p. 76, t. 9,
f. 8. — Lacord. Gen. Col. IX, 1872, p. 661.

1

Tessarecphora Thoms.

- Thoms. Archives Ent. I, 1857, p. 77; Classif. Ceramb. 1860, p. 34,
35; Syst. Ceramb. 1864, p. 393. — Bates, Ann. Mag. Nat. Hist. (3)
XVII, 1866, p. 198 (sep. p. 219). — Lacord. Gen. Col. IX, 1872,
p. 659, 661.
- arachnoides** Thoms. Archives Ent. I, 1857, p. 77, Brasilien,
t. 9, f. 10. — Lucas in Cast. Voy. Amer. Venezuela,
mer. Ins. 1859, t. 13, f. 3. — Bates, Ann. Mag. Guatemala
Nat. Hist. (3) XVII, 1866, p. 198 (sep. p. 219).
— Lacord. Gen. Col. IX, 1872, p. 661.

1

LXV. Aereinei.

- Thomson, Physis II, 1868, p. 92. — Lacordaire, Gen. Col. IX, 1872.
p. 414, 662.

Aerenea Thoms.

- Thoms. Archives Ent. I, 1857, p. 298; Classif. Ceramb. 1860, p. 34,
35; Syst. Ceramb. 1864, p. 391; Physis II, 1868, p. 93. — Bates,
Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 198 (sep. p. 220). — Lacord,
Gen. Col. IX, 1872, p. 662.
- albilavata** Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas
1866, p. 198 (sep. p. 220).
- brunnea** Thoms. Physis II, 1868, p. 96. Brasilien
- cognata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Para,
p. 36. — Bates, Ann. Mag. Nat. Hist. (3) XVII, Ega
1866, p. 199 (sep. p. 220).
- hyspionoides** Thoms. Physis II, 1868, p. 93. — Lacord. Cayenne
Gen. Col. IX, 1872, p. 663.
- impetiginosa** Thoms. Physis II, 1868, p. 95. — Bates, Venezuela,
Biol. Centr.-Amer. Col. V, 1880, p. 121, t. 8, Columbien,
f. 22. Panama,
Guatemala,
Nicaragua
- periscelifera** Thoms. Physis II, 1868, p. 95. Brasilien
- posticalis** Thoms. Archives Ent. I, 1857, p. 299. „

- ✓ **quadriplagiata** Boh. Eugen. Resa, Col. 1859, p. 151. Argentina,
— Goun. Ann. Soc. Ent. France LXXVII, Brasilien
1908, p. 7.
albigena Burm. Stett. Ent. Zeit. XXVI, 1865,
p. 179.
pulchella Thoms. Physis II, 1868, p. 96.
setifera Thoms. l. c. p. 94. Brasilien
trigona Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, ”
p. 247. — Waterh. Aid Identif. Ins. II, 1890,
t. 188, f. 4.
10

Laraesima Thoms.

- Thoms. Physis II, 1868, p. 96. — Lacord. Gen. Col. IX, 1872,
p. 662, 663.
scutellaris Thoms. Physis II, 1868, p. 97. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 663.
1

Penessada Thoms.

- Thoms. Physis II, 1868, p. 97. — Lacord. Gen. Col. IX, 1872, p. 662, 664.
albosignata Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala
p. 361, t. 22, f. 21.
asperata Bates, l. c. p. 362. Mexico
fuliginea Bates, l. c. p. 361. Guatemala
hispida Thoms. Physis II, 1868, p. 98. Brasilien
4

LXVI. Phacellini.

Lacordaire, Gen. Col. IX, 1872, p. 416, 664.

Phacellus Buq.

- Buq. Magaz. Zool. (2) I, 1839, Ins. t. 5, p. 1. — Thoms. Classif.
Ceram. 1860, p. 30; Syst. Ceram. 1864, p. 353. — Lacord. Gen.
Col. IX, 1872, p. 664.
Boryi Gory, Magaz. Zool. IX, 1832, t. 45. Cayenne,
Amazonas:
Manaos
Brasilien
Cavleri Buq. Revue Zool. (2) III, 1851, p. 604, t. 15, f. 16. Brasilien
purpureus Lacord. Gen. Col. IX, 1872,
p. 665, nota 1. — Goun. Ann. Soc. Ent.
France LXXV, 1906, p. 20.
Dejeani Buq. Revue Zool. I, 1838, p. 255; Magaz. ”
Zool. (2) I, 1839, Ins. t. 5, p. 3, f. 2.
Latrellei Buq. Revue Zool. I, 1838, p. 255; Magaz. ”
Zool. (2) I, 1839, Ins. t. 5, p. 2, f. 1.
4

Eurycallinus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 363.

- ✓ **mirabilis** Bates, l. c. p. 363, t. 22, f. 22. Mexico
1

Brachychilus Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 499. — Thoms. Syst. Ceramb. 1864, p. 393. — Lacord. Gen. Col. IX, 1872, p. 664, 665.

- Chevrolati** Thoms. Physis II, 1868, p. 103. Chile
irroratus Thoms. Physis II, 1868, p. 102. ”
litoratus Blanch. in Gay, Hist. Chile V, 1851, p. 500, t. 29, f. 9. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 518. ”
modestus Philippi, Stett. Ent. Zeit. XXV, 1864, p. 383. ”
scutellaris Blanch. in Gay, Hist. Chile V, 1851, p. 500. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 517. ”

5

LXVII. Onciderini.

Thomson, Syst. Ceramb. 1864, p. 101, 342; Physis II, 1868, p. 41. — Lacordaire, Gen. Col. IX, 1872, p. 413, 666.

Hypselomus Perty.

Perty, Delect. Anim. Art. 1830, p. 95. — Thoms. Syst. Ceramb. 1864, p. 391. — Lacord. Gen. Col. IX, 1872, p. 667, 669.

Clytemnestra Thoms. Classif. Ceramb. 1860, p. 113 (ex parte).

- ✓ **cristatus** Perty, Delect. Anim. Art. 1830, p. 96, t. 19, f. 8. — Cast. Hist. Nat. Col. II, 1840, p. 482. Brasilien
 — Jekel, Journ. of Ent. I, 1891, p. 259. — Lacord. Gen. Col. IX, 1872, p. 669. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 33.

tumulosus Thoms. Classif. Ceramb. 1860, p. 113.

1

Jamesia Jekel.

Jekel, Journ. of Ent. I, 1861, p. 259. — Thoms. Syst. Ceramb. 1864, p. 391. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 171 (sep. p. 182). — Lacord. Gen. Col. IX, 1872, p. 667, 669.

- ✓ **gemmata** Blanch. Voy. d'Orbigny, Ins. 1843, p. 210, t. 22, f. 7. — Dohrn, Stett. Ent. Zeit. XLV, 1884, p. 181. Bolivien

- ✓ **globifera** F. Syst. Eleuth. II. 1801, p. 284. — Jekel, Journ. of Ent. I, 1861, p. 259. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 171 (sep. p. 183). Amazonas, Cayenne

variolosa Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 35.

- multivittata** Bates, Trans. Ent. Soc. Lond. 1869, p. 388; Biol. Centr.-Amer. Col. V, 1880, p. 121, t. 8, f. 18. Nicaragua

- ✓ **papuleata** Thoms. Physis II, 1868, p. 43. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 121, t. 8, f. 17. Columbien, Panama, Nicaragua

4

Clytemnestra Thoms.

Thoms. Classif. Ceramb. 1860, p. 113.

- ✓ **adpersa** Cast. Hist. Nat. Col. II, 1840, p. 482. — Brasilien
Thoms. Classif. Ceramb. 1860, p. 114. —
Lacord. Gen. Col. IX, 1872, p. 676, nota 1.
- albisparsa** Germ. Ins. Spec. Nov. 1824, p. 477. — Südbrasilien,
Lameere, Ann. Soc. Ent. Belg. XXVIII, Uruguay,
1884, p. 93. Argentina
- bonaëriensis* Burm. Stett. Ent. Zeit. XXVI,
1865, p. 179.
- bonariensis* Thoms. Classif. Ceramb. 1860,
p. 115.

2

Lachnia Serv.Serv. Ann. Soc. Ent. France IV, 1835, p. 63. — Waterh. Aid Identif.
Ins. I, 1880, p. 13.**subcincta** Serv. Ann. Soc. Ent. France IV, 1835, p. 64. Cayenne
— Waterh. Aid Identif. Ins. I, 1880, p. 13, t. 5.

1

Tybalmia Thoms.Thoms. Physis II, 1868, p. 44. — Lacord. Gen. Col. IX, 1872, p. 667.
670. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 121.**coeca** Bates, Trans. Ent. Soc. Lond. 1872, p. 201; Nicaragua,
Biol. Centr.-Amer. Col. V, 1880, p. 121, Panama
t. 8, f. 19.**funeraria** Bates, l. c. p. 122. Mexico,
Guatemala**heraldica** Bates, Trans. Ent. Soc. Lond. 1872, p. 201; Nicaragua
Biol. Centr.-Amer. Col. V, 1880, p. 122, t. 8,
f. 21.**jaspidea** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Cayenne
p. 172 nota (sep. p. 184).**maculosa** Bates, l. c. p. 173 (sep. p. 185). Amazonas**mydas** Lucas in Cast. Voy. Amer. mer. Ins. 1859, Brasilien
p. 190, t. 13, f. 2.**niphonoides** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Amazonas
p. 36. — Bates, Ann. Mag. Nat. Hist. (3)
XVI, 1865, p. 172 (sep. p. 184).**pupillata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Cayenne
p. 35. — Bates, Ann. Mag. Nat. Hist. (3)
XVI, 1865, p. 171 (sep. p. 183). — Thoms.
Physis II, 1868, p. 45. — Lacord. Gen. Col.
IX, 1872, t. 105, f. 1. — Bates, Biol. Centr.-
Amer. Col. V, 1880, p. 122.*bipunctata* Jekel, Journ. of Ent. I, 1861,
p. 260.**tetrops** Bates, Trans. Ent. Soc. Lond. 1872, p. 201 nota. Peru: Pebas**turbida** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 122. Nicaragua*maculosa* Bates, l. c. t. 8, f. 20.

10

Plerodia Thoms.

Thoms. Physis II, 1868, p. 60. — Lacord. Gen. Col. IX, 1872, p. 667, 670.

- ✓ **degenera** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 123. Mexico,
Guatemala,
Panama
- obliquator** F. Syst. Eleuth. II, 1801, p. 303. Cayenne
- (?) ✓ **pygmaea** Thoms. Physis II, 1868, p. 61. Brasilien
- singularis** Thoms. l. c. p. 61. Cayenne
- spuria** Thoms. l. c. p. 61. Brasilien
- syrius** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Rio Janeiro
p. 170 (sep. p. 182) nota.
- variegata** Auriv. Tijdschr. v. Ent. LXIV, 1921, Peru
p. 50, t. 2, f. 7.

7

Hypomia Thoms.

Thoms. Physis II, 1868, p. 51. — Lacord. Gen. Col. IX, 1872, p. 667, 671.

- mexicana** Thoms. Physis II, 1868, p. 51. — Lacord. Mexico
Gen. Col. IX, 1872, p. 671.

1

Lydipta Thoms.

Thoms. Physis II, 1868, p. 53. — Lacord. Gen. Col. IX, 1872, p. 667, 672.

- pumilio** Thoms. Physis II, 1868, p. 53. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 672.

1

Hesychotypa Thoms.

Thoms. Physis II, 1868, p. 53. — Lacord. Gen. Col. IX, 1872, p. 667, 672.

- miniata** Thoms. Physis II, 1868, p. 54. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 673.

1

Glypthaga Thoms.

Thoms. Physis II, 1868, p. 54. — Lacord. Gen. Col. IX, 1872, p. 667,
673. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 366.

- lignosa** Thoms. Physis II, 1868, p. 55. — Lacord. Gen. Brasilien
Col. IX, 1872, p. 673.

- paupera** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 366. Mexico,
Honduras

2

Ischiocentra Thoms.

Thoms. Classif. Ceramb. 1860, p. 382; Physis II, 1868, p. 55. —
Lacord. Gen. Col. IX, 1872, p. 667, 673.

Ischyocentra Thoms. Syst. Ceramb. 1864, p. 392.

- albilatera** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Amazonas
p. 36. — Bates, Ann. Mag. Nat. Hist. (3)
XVI, 1865, p. 312 (sep. p. 198).

- alternans** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 22. Espiritu
Santo

armillata Thoms. Physis II, 1868, p. 57.	Brasilien
clavata Thoms. Classif. Ceramb. 1860, p. 383.	"
cretacea Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 173 (sep. p. 185).	Amazonas
fulvolorata Thoms. Physis II, 1868, p. 56.	Guyana
humilis Thoms. l. c. p. 57.	Cayenne
liturata Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 172 (sep. p. 184) nota.	"
nobilitata Thoms. Physis II, 1868, p. 55.	Brasilien
quadrisignata Thoms. l. c. p. 57.	"
signifera Buq. Arcana Nat. 1859, p. 49.	Guadeloupe
xylina Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 172 (sep. p. 184) nota.	Rio Janeiro

12

Apamauta Thoms.

Thoms. Physis II, 1868, p. 58.

Apamauta Lacord. Gen. Col. IX, 1872, p. 667, 674.

hebes Thoms. Physis II, 1868, p. 59.	Brasilien
lineolata Thoms. l. c. p. 59.	"
pubescens Thoms. l. c. p. 59.	"

3

Hesycha Fairm. & Germain.Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 523. —
Thoms. Syst. Ceramb. 1864, p. 392; Physis II, 1868, p. 62. — Lacord.
Gen. Col. IX, 1872, p. 667, 675.

consimilis Thoms. Physis II, 1868, p. 63.	Brasilien
erlbripennis Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 523.	Chile
lateralis Thoms. Physis II, 1868, p. 63.	Cayenne
maculicornis Thoms. l. c. p. 63.	Brasilien
paupereula Thoms. l. c. p. 62.	"

5

Hypsioma Serv.Serv. Ann. Soc. Ent. France IV, 1835, p. 38. — Thoms. Classif.
Ceramb. 1860, p. 115; Syst. Ceramb. 1864, p. 391; Physis II, 1868,
p. 45. — Lacord. Gen. Col. IX, 1872, p. 668, 675.*Hypselomus* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865,
p. 111 (sep. p. 177).

aeromii Dalm. Anal. Ent. 1823, p. 70.	Brasilien
<i>omoplata</i> Lacord. Gen. Col. IX, 1872, p. 676, nota 1, t. 104, f. 5.	"
affinis Thoms. Classif. Ceramb. 1860, p. 117.	"
amazonica Thoms. l. c. p. 119. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 111 (sep. p. 178).	Amazonas
axillaris Thoms. Classif. Ceramb. 1860, p. 116.	"
Bari Jekel, Journ. of Ent. I, 1861, p. 261.	Cayenne
basalis Thoms. Classif. Ceramb. 1860, p. 117. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 111 (sep. p. 177).	Amazonas
constellata Thoms. Physis II, 1868, p. 48.	Brasilien

- ✓ *corniculata* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 365. Nicaragua
- crassipes* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 168 (sep. p. 180). Amazonas: Tapajos
- ✓ *cruda* Er. Archiv Naturg. XIII, 1, 1847, p. 148. Peru,
subfasciata Thoms. Classif. Ceramb. 1860, p. 118. Cayenne
- Dejeani* Thoms. Physis II, 1868, p. 47. Brasilien
- difficilllis* Lameere, Ann. Soc. Ent. France LXII, 1893, p. 278. Venezuela
- dimidiata* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 112 (sep. p. 173). Amazonas
- Doris* Thoms. Physis II, 1868, p. 50. Brasilien
- ✓ *egens* Er. Archiv Naturg. XIII, 1, 1847, p. 148. Peru
- fasciata* Thoms. Classif. Ceramb. 1860, p. 118. Brasilien
- ✓ *gibbera* Serv. Ann. Soc. Ent. France IV, 1835, p. 39. "
— Cast. Hist. Nat. Col. II, 1840, p. 482. —
Thoms. Classif. Ceramb. 1860, p. 116. "
- gilvicornis* Thoms. Physis II, 1868, p. 46. — Lacord. Gen. Col. IX, 1872, p. 676, nota 1. "
- grisea* Fleut. & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 469. — Gah. Trans. Ent. Soc. Lond. 1895, p. 125. Guadeloupe
- inornata* Thoms. Physis II, 1868, p. 49. Brasilien
- lignicolor* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 169 (sep. p. 181). Amazonas: Ega
- obscurrella* Bates, l. c. p. 169 (sep. p. 181). Amazonas: Obydos
- ✓ *pagana* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 35. Amazonas: Ega, S. Paulo
— Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 167.
- ✓ *pcticornis* Bates, l. c. p. 111 (sep. p. 177); Biol. Centr.-Amer. Col. V, 1880, p. 123, t. 9, f. 7, 8. Amazonas, Panama,
signaticornis Thoms. Physis II, 1868, p. 48. Nicaragua, Guatemala, Mexico
- prodigiosa* Thoms. Physis II, 1868, p. 45. Brasilien
- ✓ *rodens* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 112 (sep. p. 179). Parà
- senicula* Bates, l. c. p. 167 (sep. p. 179). Ega
- simplex* Bates, l. c. p. 168 (sep. p. 180). "
- sordida* Thoms. Physis II, 1868, p. 48. Cayenne
- tigrinata* Thoms. l. c. p. 49. "

30

Trachysomus Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 40. — Cast. Hist. Nat. Col. II, 1840, p. 482 (ex parte). — Buq. Ann. Soc. Ent. France (2) X, 1852, p. 349 (Monographie). — Thoms. Archives Ent. I, 1857, p. 384–387 (Revisio); Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 391; Physis II, 1868, p. 64 (Enumeratio). — Lacord. Gen. Col. IX, 1872, p. 668, 677. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 174 (sep. p. 186).

Buqueti Thoms. Revis. p. 386. Brasilien

camelus Buq. Monogr. p. 352, t. 7, f. 2. — Thoms. Cayenne
Revis. p. 385.

- dromedarius** Voet, Cat. Col. II, 1778, p. 10, t. 8, f. 29; Brasilien
ed. Panz. III, 1794, p. 23, t. 8, f. 29.
elephas Buq. Monogr. p. 351, t. 7, f. 1.
verrucosus Ol. Encycl. méth. Ins. VII, 1792,
p. 458; Ent. IV, nr. 67, 1795, p. 63, t. 20,
f. 148.
- fragifer** Kirby, Trans. Linn. Soc. Lond. XII, 1818, Brasilien,
p. 440; Isis XIV, 1824, p. 125; Cent. Ins. 1834, Mexico
p. 65. — Cast. Hist. Nat. Col. II, 1840,
p. 482. — Buq. Monogr. p. 350. — Thoms.
Revis. p. 384. — Bates, Biol. Centr.-Amer.
Col. V, 1880, p. 124.
var. *santarensis* Bates, Ann. Mag. Nat. Amazonas
Hist. (3) XVI, 1865, p. 174 (sep. p. 186).
- gibbosus** Buq. Monogr. p. 354, t. 7, f. 4. — Thoms. Cayenne
Revis. p. 384.
- Huamboya** Kirsch, Abhandl. Mus. Dresden II, 4, 1889, Ecuador
p. 40, t. 4, f. 77.
- peregrinus** Thoms. Revis. p. 387. Brasilien
- Thomsoni** nov. nom. Columbian
- dromedarius* Buq. Monogr. p. 353, t. 7,
f. 3. — Thoms. Revis. p. 385.

8

Oncideres Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 67. — Cast. Hist. Nat. Col. II,
1840, p. 475. — Blanch. Hist. Nat. Ins. II, 1845, p. 160. — J. Lec.
Journ. Acad. Philad. (2) II, 1852, p. 165; Smiths. Misc. Coll. XI,
1873, p. 344. — Thoms. Classif. Ceramb. 1860, p. 38, 40; Syst. Ceramb.
1864, p. 292; Physis II, 1868, p. 75—92 (Revisio). — Bates, Ann. Mag.
Nat. Hist. (3) XVI, 1865, p. 175 (sep. p. 187). — Lacord. Gen. Col. IX,
1872, p. 668, 677. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 124. —
Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 194 (Synopsis). — Leng
& Harilt. l. c. XXIII, 1896, p. 140. — Blatchley, Col. Indiana 1910,
p. 1083. — Ross, Intern. Ent. Zeitschr. IV, 1911, p. 268 (Liste). —
Casey, Mem. Col. IV, 1913, p. 352—354 (Revis. der nordamer. Arten).
- Oncideres* Gemm. & Har. Cat. Col. X, 1873, p. 3124.
- Subgen. *Lochmaeodes* Bates, Biol. Centr.-Amer. Col. V,
1880, p. 124. — Casey, Mem. Col. IV, 1913, p. 350.
- Biologie: Schmaltz, Soc. Ent. XII, 1897, p. 10. — Ohaus,
Stett. Ent. Zeit. LXI, 1900, p. 173.

Subgen. *Lochmaeodes* Bates.

- attenuata** Thoms, Physis II, 1868, p. 91. Brasilien
- callidryas** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas
p. 175 (sep. p. 187).
var. *Batesi* nom. nov.
- callidryas* var. Bates, Biol. Centr.-Amer. Nicaragua
Col. V, 1880, p. 124, t. 9, f. 9.
- congener** Thoms, Physis II, 1868, p. 89. Brasilien
- cornuticeps** Schaeffer, Canad. Ent. XXXVIII, 1906, Texas
p. 20.
- fasciata** Lucas in Cast. Voy. Amer. mer. 1859, p. 189, Brasilien
t. 13, f. 1.
- marmorata** Casey, Mem. Col. IV, 1913, p. 351. Arizona

- pustulata** J. Lec. Proc. Acad. Philad. VII, 1854, p. 82. — Texas:
Leng & Hamilt. Trans. Amer. Ent. Soc. Laredo
XXIII, 1896, p. 140.
- ✓ **Sladeni** Gah. Proc. Zool. Soc. Lond. 1903, II, p. 254, Süd-u. Zentr.-
t. 28, f. 9. Brasilien
- ✓ **sparsa** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 125. Mexico
callidryas var. ♂ Bates, l. c. t. 9, f. 10.
- tessellata** Thoms. Physis II, 1868, p. 90. — Bates, Venezuela,
Biol. Centr.-Amer. Col. V, 1880, p. 125. Columbian,
Costa Rica
Guatemala
- var. *conferta* nom. nov.
var. 2 Bates, l. c. 1885, p. 366.
var. *vestita* Bates, l. c. p. 366.
- vermiculata** Thoms. Physis II, 1868, p. 91. Mexico
Brasilien

Subgen. **Oncideres** s. str.

- ✓ **aegrota** Thoms. Physis II, 1868, p. 80. Brasilien,
Biologie: W. Müller, Kosmos XIX, 1886, Paraguay
p. 36.
- ✓ **albomarginata** Thoms. Physis II, 1868, p. 80. — Bates, Cayenne,
Biol. Centr.-Amer. Col. V, 1880, p. 125, Venezuela,
t. 9, f. 12. Nicaragua,
Mexico
- ✓ **amputator** F. Ent. Syst. I, 2, 1792, p. 276; Syst. Eleuth. St. Vincent,
II, 1801, p. 293. — Guilding, Trans. Linn. Guadeloupe
Soc. Lond. XIII, 1822, p. 604, t. 30, f. 4. —
Lucas, Dict. Pitt. d'Hist. Nat. VIII, 1839,
p. 581, t. 648, f. 1. — Poeppig, Ill. Naturg.
IV, 1851, p. 81, f. 3005.
- Biologie: Guilding, l. c. p. 605, t. 30, f. 1—3.
- Bouchardi** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Columbien
p. 179 (sep. p. 191) nota.
- cephalotes** Bates, l. c. p. 178 (sep. p. 190).
- cervina** Thoms. Physis II, 1868, p. 87. Amazonas
Brasilien
- Chevrolati** Thoms. l. c. p. 77. Para
- ✓ **cingulata** Say, Journ. Acad. Philad. V, 1827, p. 272; Ost- und
Compl. Writ. II, 1859, p. 330. — Haldem. Mittel-
Trans. Amer. Philos. Soc. (2) X, 1847, p. staat. Nord-
52. — J. Lec. Journ. Acad. Philad. (2) II, amerikas
1852, p. 165. — Emmons, Nat. Hist. N. York
V, 1854, p. 123, t. 22, f. 1. — Pack. Guide
ed. 8, 1883, p. 498, f. 489. — Fitch, Rep. Ins.
New York III, 1859, p. 122. — Horn, Trans.
Amer. Ent. Soc. XII, 1885, p. 195. — Leng
& Hamilt. l. c. XXIII, 1896, p. 140, 141. —
Blatchley, Col. Indiana 1910, p. 1083, fig.
467. — Casey, Mem. Col. IV, 1913, p. 353.
- Biologie: Walsh & Riley, Amer. Entomol.
I, 1868, p. 76, fig. — Riley, l. c. III, 1880, p.
297, f. 155, 156. — Hubbard, Ins. aff. Orange
1885, p. 128, f. 49, 50. — Pack. Forest Ins.
1890, p. 288, fig. 113, 114. — Scheffer, Ins.
Life VII, 1895, p. 345. — Felt, Ins. Aff. Trees
1907, p. 271, t. 9, f. 6—12. — Matheny, Ohio
Natural. X, 1909, p. 1—7, figg. — Matz,
Bull. Florida Agric. Exp. Stat. 147, 1918,
p. 159, fig. 72.

- ✓ *ab. pallescens* Casey, Mem. Col. IV, 1913, p. 353. New York
crassicornis Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 177 (sep. p. 189). Amazonas
Dalmani Thoms. Physis II, 1868, p. 76. Cayenne
 ✓ *Dejeani* Thoms. l. c. p. 201. Brasilien
 pustulata Thoms. l. c. p. 88.
 Biologie: Ohaus, Stett. Ent. Zeit. LXI, 1900, p. 174. — Heller, l. c. LXV, 1904, p. 395, t. 5, f. 13.
Diana Ol. Encycl. méth. VII, 1792, p. 470; Ent. IV, nr. 67, 1795, p. 107, t. 22, f. 168. — Brongniart, Bull. Soc. Philom. Paris I, 1793, p. 34, t. 2, f. 2. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, f. 176 (sep. p. 188). Cayenne, Amazonas
 albella Schönh. Syn. Ins. I, 3, 1817, p. 395.
 ✓ *digna* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 178 (sep. p. 190). Ega, Panama
Fabricii Thoms. Physis II, 1868, p. 78. Para
frontalis Er. Archiv f. Naturg. XIII, 1, 1847, p. 148. Peru
fulva Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 176 (sep. p. 188). Tapajos
 ✓ *fulvostillata* Bates, Trans. Ent. Soc. Lond. 1872, p. 202; Biol. Centr.-Amer. Col. V, 1880, p. 125, t. 9, f. 11. Nicaragua
Germari Thoms. Physis II, 1868, p. 79. Parana
gibbosa Thoms. Physis II, 1868, p. 82. Brasilien
 ✓ *guttulata* Thoms. l. c. p. 84. Uruguay, Argentina
 Südamerika
 ✓ *gutturator* F. Syst. Ent. 1775, p. 172; Spec. Ins. 1781, p. 218; Mant. Ins. II, 1787, p. 137; Ent. Syst. I, 2, 1792, p. 276; Syst. Eleuth. II, 1801, p. 293. — Goeze, Ent. Beytr. I, 1777, p. 470. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. — Ol. Encycl. méth. VII, 1792, p. 462; Ent. IV, nr. 67, 1795, p. 78, t. 13, f. 92.
 Biologie: Schrottky, Zeitschr. wiss. Ins.-Biol. V, 1909, p. 211 (*cuturator*).
humeralis Thoms. Physis II, 1868, p. 86. Brasilien
 ✓ *impluviata* Germ. Ins. Spec. Novae 1824, p. 483. Südbrasilien
 Biologie: W. Müller, Kosmos XIX, 1886, p. 38.
Hmpida Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 179 (sep. p. 191) nota. Bahia
macra Thoms. Physis II, 1868, p. 87. Brasilien
maculosa Redtenb. Reise Novara, Col. 1868, p. 184. Rio Janeiro
milliaris Voet, Cat. Col. II, 1778, p. 11, t. 9, f. 32; ed. Panzer III, 1794, p. 26, t. 9, f. 32. Südamerika
miniata Thoms. Physis II, 1868, p. 88. Brasilien
minuta Thoms. l. c. p. 86. Guyana
 ✓ *ocellaris* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 367. Guatemala
ocularis Thoms. Physis II, 1868, p. 82. Brasilien
 var. *argus* Thoms. l. c. p. 83. " "
pectoralis Thoms. l. c. p. 83. " "
Pittleri Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 119. Costa Rica
 ✓ *poecila* Bates, Biol. Centr.-Amer. Col. V, 1880, p. 125. Mexico, Yucatan
 ✓ *praecidens* Casey, Mem. Col. IV, 1913, p. 354. Nordcarolina

- pulchella** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 178 (sep. p. 190). Amazonas: Ega
- ✓ **putator** Thoms. Physis II, 1868, p. 81. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 195. — High, Bull. U. S. Dep. Agric. 184, 1915, p. 3, t. 1. Biologie: High, l. c. p. 4—9, t. 2—4. Mexico, Arizona, Honduras, Guatemala, Panama
- ✓ **quercus** Skinner, Ent. News XVI, 1905, p. 291. — Beyer, Journ. N. York Ent. Soc. XVI, 1908, p. 32. — Casey, Mem. Col. IV, 1913, p. 352. Arizona
- repandator** F. Ent. Syst. I, 2, 1792, p. 277; Syst. Eleuth. II, 1801, p. 294. Cayenne
- ✓ **rhodosticta** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 367. Mexico
- ✓ **saga** Dalm. Analecta Ent. 1823, p. 69. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 28. Südbrasilien
vomicosa Germ. Ins. Spec. Novae 1824, p. 482. — Cast. Hist. Nat. Col. II, 1840, p. 475. — ? Vogt, Zoolog. Briefe I, 1851, f. 861, 863.
 Biologie: W. Müller, Kosmos XIX, 1886, p. 38.
- satyrus** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 176 (sep. p. 188). Para
- scitula** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 126. Mexico
- senilis** Bates, l. c. 1885, p. 367. Mexico, Nicaragua
- stillata** Auriv. Ent. Tidskr. XXV, 1904, p. 208. Bolivien
- ✓ **subtropica** Casey, Mem. Col. IV, 1913, p. 353. Texas
- ✓ **texana** Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 195. — Leng & Hamilt. l. c. XXIII, 1896, p. 140, 141. — Casey, Mem. Col. IV, 1913, p. 353. Texas, Kansas, Colorado,
 Biologie: Herrick, Journ. N. York Ent. Soc. X, 1902, p. 15. — Girault, Ent. News XXI, 1910, p. 226. — Bilsing, Journ. Econ. Ent. IX, 1916, p. 110. Georgia, Florida
- ✓ **trinodata** Casey, Mem. Col. IV, 1913, p. 352. Texas, = rhod
 Arizona
- tuberculata** Thoms. Physis II, 1868, p. 85. Cayenne
- ✓ **ulcerosa** Germ. Ins. Spec. Novae 1824, p. 482. Brasilien,
heterocera Thoms. Physis II, 1868, p. 78. Cayenne
 var. *vicina* Thoms. l. c. p. 79. Brasilien
- Voeti** Thoms. l. c. p. 84. Cayenne
 62

Periergates Lacord.

Lacord. Gen. Col. IX, 1872, p. 668, 679.

- Badeni** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 369. Mexico?
- chiriquensis** Bates, l. c. p. 368. Panama
- Rodriguezi** Lacord. Gen. Col. IX, 1872, p. 679, nota 2, t. 105, f. 3 (non 2). — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 368. Guatemala

Psyllotoxus Thoms.

Thoms. Physis II, 1868, p. 74. — Lacord. Gen. Col. IX, 1872, p. 668, 680.

griseocinctus Thoms. Physis II, 1868, p. 75. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 680.

1

Taricanus Thoms.

Thoms. Physis II, 1868, p. 73. — Lacord. Gen. Col. IX, 1872, p. 668,
680. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 140.

minor Bates, Biol. Centr.-Amer. Col. V, 1885, p. 368. Mexico

Truquii Thoms. Physis II, 1868, p. 74. — Bates, Mexico,

Biol. Centr.-Amer. Col. V, 1880, p. 126, t. 9, Texas

f. 6. — Leng & Hamilt. Trans. Amer. Ent.

Soc. XXIII, 1896, p. 141.

2

Eudesmus Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 81. — Buq. Revue Zool.
(2) IV, 1852, p. 343. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865,

p. 180 (sep. p. 191); Biol. Centr.-Amer. Col. V, 1880, p. 127. —
Lacord. Gen. Col. IX, 1872, p. 668, 681.

Larvica Thoms. Classif. Ceramb. 1860, p. 43, 71; Syst.
Ceramb. 1864, p. 391; Physis II, 1868, p. 69.

caudalis Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas:
p. 180 (sep. p. 192). Ega

fascinus Serv. Ann. Soc. Ent. France IV, 1835, p. 82. Brasilien

ferrugineus Thoms. Classif. Ceramb. 1860, p. 72; Cayenne
Physis II, 1868, p. 69.

grisescens Serv. Ann. Soc. Ent. France IV, 1835, p. 82. Brasilien,
posticalis Guér. Icones Règne Anim. Ins. Amazonas,
1844, p. 248. — Bates, Ann. Mag. Nat. Hist. Nicaragua

(3) XVI, 1865, p. 181 (sep. p. 193); Biol.

Centr.-Amer. Col. V, 1880, p. 127, t. 9, f. 13.

heterocerus Buq. Revue Zool. (2) IV, 1852, p. 343. Brasilien

metallicus Thoms. Physis II, 1868, p. 70. Cayenne

rubefactus Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas:
p. 180 (sep. p. 192). Ega

7

Bacuris Goun.

Goun. Bull. Soc. Ent. France 1906, p. 274.

sexvittatus Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas:
p. 181 (sep. p. 193). — Goun. Bull. Soc. Ega;

Ent. France 1906, p. 274, fig. Peru,

Pernambuco

1

Cherentes Goun.

Goun. Bull. Soc. Ent. France 1906, p. 273.

nivellateris Thoms. Physis II, 1868, p. 70. — Bates, Brasilien:
Biol. Centr.-Amer. Col. V, 1885, p. 369. — Sao Paulo,
Goun. Bull. Soc. Ent. France 1906, Goyaz;
p. 273, fig. Mexico

1

Peritrox Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 313 (sep. p. 199). —
Lacord. Gen. Col. IX, 1872, p. 668, 682.

denticollis Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas
p. 313 (sep. p. 200). — Lacord. Gen. Col.
IX, 1872, p. 682.

✓ **nigromaculatus** Auriv. Arkiv f. Zool. XIII, 9, 1920, Argentina,
p. 23. Brasilien,
Paraguay

2

Cylicasta Thoms.

Thoms. Physis II, 1868, p. 42. — Lacord. Gen. Col. IX, 1872,
p. 668, 682.

✓ **liturata** F. Syst. Eleuth. II, 1801, p. 325. Cayenne,
coarctata Bates, Ann. Mag. Nat. Hist. (3) Amazonas,
XVI, 1865, p. 312 (sep. p. 198). Panama,
terminata Buq. Arcana Nat. 1859, p. 47, Nicaragua
t. 5, f. 3. — Thoms. Physis II, 1868, p. 43.
— Lacord. Gen. Col. IX, 1872, p. 683.

virescens Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 23. Rio Janeiro

2

Lachaerus Thoms.

Thoms. Physis II, 1868, p. 71. — Lacord. Gen. Col. IX, 1872,
p. 668, 683.

seminivorus Buq. Revue Zool. (2) IV, 1852, p. 345. Brasilien
seminivosus Thoms. Physis II, 1868, p. 71.

— Lacord. Gen. Col. IX, 1872, p. 683.

1

Cydros Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 285. — Lacord. Gen.
Col. IX, 1872, p. 668, 684.

Trachytoxus Thoms. Physis II, 1868, p. 72.

leucurus Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Columbien
p. 285, t. 20, f. 5. — Lacord. Gen. Col. IX,
1872, p. 684

scabrosus Thoms. Physis II, 1868, p. 72. — Lacord. Cayenne
Gen. Col. IX, 1872, p. 684.

2

Xylomimus Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 308 (sep. p. 194). —
Lacord. Gen. Col. IX, 1872, p. 668, 684.

baculus Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas:
p. 308 (sep. p. 195). — Lacord. Gen. Col. Tapajos
IX, 1872, p. 685.

1

Ecthoea Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 250. — Thoms. Syst. Ceramb. 1864, p. 391. — Bates, Ann. Mag. Nat. Hist. (3) 1865, p. 309 (sep. p. 195). — Lacord. Gen. Col. IX, 1872, p. 668, 685,

- ✓ *Talasius* Buq. Arcana Naturae 1859, p. 99.
quadricornis Ol. Encycl. méth. Ins. VII, 1792, p. 466; Surinam,
 Ent. IV, 67, 1795, p. 97, t. 20, f. 158. — Amazonas,
 Buq. Arcana Nat. 1859, p. 100, t. 5, f. 6. — Peru,
 Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Panama
 p. 309 (sep. p. 196); Biol. Centr.-Amer. Col.
 V, 1880, p. 127, t. 9, f. 14. — Lacord. Gen.
 Col. IX, 1872, p. 685.
bispinator F. Syst. Eleuth. II, 1801, p. 292.
 ab. *faunus* Er. Archiv Naturg. XIII, 1, 1847, Peru
 p. 148. — Lacord. Gen. Col. IX, 1872, p. 685,
 nota 2.

1

Apocoptoma Thoms.

- Thoms. Archives Ent. I, 1857, p. 326; Syst. Ceramb. 1864, p. 392.
 — Lacord. Gen. Col. IX, 1872, p. 668, 686.
Chabbrillaei Thoms. Archives Ent. I, 1857, p. 186. — Brasilien
 Buq. Arcana Nat. 1859, p. 46, t. 5, f. 1. —
 Lacord. Gen. Col. IX, 1872, p. 686.

1

Trestonia Buq.

Buq. Arcana Naturae 1859, p. 45 (Monographie). — Thoms. Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 392. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 310 (sep. p. 196). — Lacord. Gen. Col. IX, 1872, p. 668, 686.

- ✓ **assulina** Bates, Trans. Ent. Soc. Lond. 1874, p. 226; Panama,
 Biol. Centr.-Amer. Col. V, 1880, p. 128, Nicaragua
 t. 9, f. 15.
 ✓ **capreola** Germ. Ins. Spec. Novae 1824, p. 492. — Buq. Brasilien,
 Monogr. p. 47. Parana
Chevolati Buq. Monogr. p. 46. — Bates, Ann. Mag. Bolivien,
 Nat. Hist. (3) XVI, 1865, p. 311 (sep. p. 197). Amazonas
forticornis Buq. Monogr. p. 46, t. 5, f. 4. Cayenne
fulgurata Buq. Monogr. p. 48. Guadeloupe
Muiszechi Buq. Monogr. p. 48, t. 5, f. 2. Brasilien
ramuli Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, Amazonas:
 p. 311 (sep. p. 197). Ega

7

Cacostola Fairm.

Fairm. Ann. Soc. Ent. France (3) VII, 1859, p. 532. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 31 (sep. p. 201). — Lacord. Gen. Col. IX, 1872, p. 668, 687.

- brasiliensis** Thoms. Physis II, 1868, p. 68. Brasilien
flexicornis Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
 p. 32 (sep. p. 202). Santarem;
 Venezuela
fusca Thoms. Physis II, 1868, p. 68. Brasilien

- **ornata** Fleurentiaux & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 470, t. 8, f. 19. Guadeloupe
- **rugicollis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 370. Mexico
- simplex** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 55. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 31 (sep. p. 201). Amazonas, Cayenne, Südbrasilien
- vagelineata** Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 527. Chile

7

Helvina Thoms.

- Thoms. Syst. Ceramb. 1864, p. 103. — Lacord. Gen. Col. IX, 1872, p. 668, 688.
- uncinata** Thoms. Syst. Ceramb. 1864, p. 104. — Lacord. Gen. Col. IX, 1872, p. 688. Cayenne, Costa Rica

1

LXVIII. Onocephalini.

Lacordaire, Gen. Col. IX, 1872, p. 414, 688.

Onocephala Thoms.

- Thoms. Archives Ent. I, 1857, p. 304; Classif. Ceramb. 1860, p. 120, 123; Syst. Ceramb. 1864, p. 390. — Lacord. Gen. Col. IX, 1872, p. 691.
- diophthalma** Perty, Delect. Anim. Artic. 1830, p. 98, t. 19, f. 15. Brasilien
- **rugicollis** Thoms. Archives Ent. I, 1857, p. 305. — Lacord. Gen. Col. IX, 1872, p. 690, nota 1.
- nodipennis** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 181. Argentina
- obliquata** Lacord. Gen. Col. IX, 1872, p. 690, nota 1, t. 105, f. 2 (non 3). Brasilien

3

Perma Lacord.

Lacord. Gen. Col. IX, 1872, p. 689, 690.

- aulica** Lucas, Cast. Voy. Amer. mer. Ins. 1859, p. 191, t. 13, f. 4. — Lacord. Gen. Col. IX, 1872, p. 690, nota 2. Brasilien
- chalcogramma** Bates, Ent. Monthly Mag. XXIV, 1887, p. 63. Rio Janeiro
- suturalis** Bates, l. c. p. 63. "

3

Stethoperma Lameere.

Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 94.

- **Batesi** Lameere, l. c. p. 94. Südbrasilien
- Candezei** Lameere, l. c. p. 94. "Geraes
- multivittis** Bates, Ent. Monthly Mag. XXIV, 1887, p. 63. Minas

3

LXIX. Hippopsini.

Thomson, *Classif. Ceramb.* 1860, p. 124 (ex parte); *Syst. Ceramb.* 1864, p. 97, 389. — Pascoe, *Trans. Ent. Soc. Lond.* (3) III, 1864–66, p. 8, 323. — Lacordaire, *Gen. Col. IX*, 1872, p. 414, 690.

Pachypeza Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 42. — *Cast. Hist. Nat. Col. II*, 1840, p. 493. — *Blanch. Hist. Nat. Ins. II*, 1845, p. 162. — *Thoms. Classif. Ceramb.* 1860, p. 120; *Syst. Ceramb.* 1864, p. 390. — *Bates, Ann. Mag. Nat. Hist.* (3) XVI, 1865, p. 314 (sep. p. 200). — *Lacord. Gen. Col. IX*, 1872, p. 691, 692.

lanuginosa Bates, *Ann. Mag. Nat. Hist.* (3) XVI, Amazonas 1865, p. 314 (sep. p. 200).

marginata Pasc. *Trans. Ent. Soc. Lond.* 1888, p. 507. Brasilien

pennicornis Germ. *Ins. Spec. Novae* 1824, p. 490. — „

Cast. Hist. Nat. Col. II, 1840, p. 493. —

Lacord. Gen. Col. IX, 1872, p. 692.

teres Pasc. *Trans. Ent. Soc. Lond.* 1888, p. 508. „

4

Aulaconotus Thoms.

Thoms. Syst. Ceramb. 1864, p. 99. — *Lacord. Gen. Col. IX*, 1872, p. 691, 693.

pachypezoides Thoms. *Syst. Ceramb.* 1864, p. 99. — Japan

Lacord. Gen. Col. IX, 1872, p. 693.

1

Pothyne Thoms.

Thoms. Syst. Ceramb. 1864, p. 97. — *Pasc. Trans. Ent. Soc. Lond.* (3) III, 1866, p. 326. — *Lacord. Gen. Col. IX*, 1872, p. 691, 694.

capito Pasc. *Trans. Ent. Soc. Lond.* (3) III, 1866, Ternate, p. 327. — *Lacord. Gen. Col. IX*, 1872, p. Ceram, 694, nota 2, t. 105, f. 4. Neuguinea:

Dorey

niveosparsa Pic, *Longic.* VII, I, 1908, p. 16. Yunnan

silacea Pasc. *Ann. Mag. Nat. Hist.* (4) VIII, 1871, Nagasaki p. 278.

strigata Gah. *Ann. Mus. Civ. Genova* (3) III, 1907, Sumatra p. 90.

trivittata Newm. *Entomolog.* I, 1842, p. 382. Philippinen

variegata Thoms. *Syst. Ceramb.* 1864, p. 97. — Assam, *Lacord. Gen. Col. IX*, 1872, p. 694. — Gah. Birma, *Ann. Mus. Civ. Genova* (2) XIV, 1894, p. 78. Siam,

„Malayana“

virgata Gah. *Ann. Mus. Civ. Genova* (3) III, 1907, Sumatra, p. 89. Engano,

Java

7

Hippopsicon Thoms.

Thoms. Archives Ent. II, 1858, p. 195; *Classif. Ceramb.* 1860, p. 124, 126; *Syst. Ceramb.* 1864, p. 389. — *Lacord. Gen. Col. IX*, 1872, p. 691, 694.

cribricolle Quedenf. *Berl. Ent. Zeitschr.* XXXII, 1888, Zentralafrika p. 210.

- debile** Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 48. Kaffernland
- lacteolum** Thoms. Archives Ent. II, 1858, p. 196. — Lacord. Gen. Col. IX, 1872, p. 694. Gabun
- luteolum** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 360. Angola
- pleuricum** Jord. Novit. Zool. X, 1903, p. 186. Congo
- puncticolle** Auriv. Arkiv f. Zool. III, 18, 1907, p. 34. Kamerun
- rusticum** Gerst. Archiv Naturg. XXXVII, 1, 1871, p. 79; Deeken's Reise Ost-Afr. III, 2, 1873, p. 262. Brit.-Ostafrika:
See Jipe

7

Aliboron Thoms.

- Thoms. Syst. Ceramb. 1864, p. 98. — Lacord. Gen. Col. IX, 1872, p. 691, 695.
- antennatum** Thoms. Syst. Ceramb. 1864, p. 98. — „Malasia“
Lacord. Gen. Col. IX, 1872, p. 695.
- Shelfordi** n. sp. Borneo
sp. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 245, t. 20, f. 3.

2

Smermus Lacord.

- Lacord. Gen. Col. IX, 1872, p. 692, 696.
- bimaculatus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 383. Japan
- Mniszechi** Lacord. Gen. Col. IX, 1872, p. 696, nota 1. Silhet
- sericeus** Gah. Ann. Mus. Civ. Genova (2) XIV, 1895, p. 80. Birma
- similis** Gah. l. c. p. 81. Java

4

Hyllisia Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 285. — Lacord. Gen. Col. IX, 1872, p. 692, 696.

Arten aus Afrika.

- antennata** F. Syst. Eleuth. II, 1801, p. 329. Guinea
- conspersa** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 33. Britisch-Ostafrika:
Kavirondo
- flavomaculata** Auriv. l. c. p. 32. Nyassaland
- gracilis** Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 48. Kaffernland
- imitans** Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 364. — Jord. Novit. Zool. X, 1903, p. 187. Congo
- loloa** Jord. l. c. p. 187. Kamerun
- niveovitata** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 43. Britisch-Ostafrika:
Kitui
- quadricollis** Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 75. — Kolbe, Mitt. Zool. Mus. Berlin V, 1910, p. 39. Seychellen

- stenideoides** Pasc. Journ. of Ent. II, 1864, p. 285. — Natal,
Fähr. Öfers. Vet. Akad. Förhl. XXIX, 2, Transvaal
1872, p. 47. — Lacord. Gen. Col. IX, 1872,
p. 697. — Dist. Ins. Transvaal. 1904, p. 154,
t. 15, f. 16.
- subvirgata** Fairm. Ann. Soc. Ent. France (6) VII, Deutsch-
1887, p. 344. Ostafrika:
Tabora
- suturalis** Auriv. Arkiv f. Zool. XVII, 9, 1920, p. 23. Damaraland,
Transvaal
- triguttata** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 32. Britisch-
Ostafrika
- variegata** Auriv. Deutsche Ent. Zeitschr. 1907, p. 82. Togo
- virgata** Gerst. Archiv Naturg. XXXVII, 1, 1871, p. 79; Britisch-
Decken's Reise III, 2, 1873, p. 262, t. 12, f. 7. Ostafrika:
Jipe-See
- vittata** Fähr. Öfers. Vet. Akad. Förhl. XXIX, 2, Kaffernland
1872, p. 47.
- subvirgata* Dist. Ins. Transvaal. 1904, Natal,
p. 155, t. 15, f. 17. Transvaal

Arten aus Asien.

- consimilis** Gah. Ann. Mus. Civ. Genova (2) XIV, 1895, Birma
p. 79.
- lineata** Gah. l. c. p. 79. "
- tenuevittata** Fairm. Ann. Soc. Ent. France (6) VIII, Cochinchina
1888, p. 371.
- tonkinea** Fairm. l. c. p. 371. — Gah. Ann. Mus. Civ. Tonkin
Genova (2) XIV, 1895, p. 80.

19

Anauxesida Jord.

Jordan, Novit. Zool. I, 1894, p. 243.

- cuneata** Jord. l. c. p. 243. Kuilu
- lineata** Jord. l. c. p. 244. "
- longicornis** F. Spec. Ins. I, 1781, p. 234; Mant. Ins. I, Guinea
1787, p. 150; Ent. Syst. I, 2, 1792, p. 315;
Syst. Eleuth. II, 1801, p. 329. — Ol. Ent.
IV, nr. 68, 1795, p. 29, t. 3, f. 26. — Chevr.
Ann. Soc. Ent. France (2) IX, 1851, p. 663.
- macroceras** Gmel. in L. Syst. Nat. ed. 13,
I, 4, 1790, p. 1839.

3

Deremius Kolbe.

Kolbe, Steff. Ent. Zeit. LIV, 1894, p. 282.

- leptus** Kolbe, l. c. p. 283. Usambara
1

Pseudohippopsis Gestro.

Gestro, Ann. Mus. Civ. Genova XXXV, 1895, p. 427.

- brunneipes** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 33. Brit.-
Ostafrika
- filicornis** Gestro, Ann. Mus. Civ. Genova XXXV, Gallaland
1895, p. 427.

2

Zipoetes Fairm.

Fairm. Ann. Soc. Ent. France LXVI, 1898, p. 154.

grisescens Fairm. l. c. p. 154.Deutsch-
Ostafrika:
Usagara

1

Athyllus Gah.

Gahan in Dist. Ins. Transvaal 1911, p. 288.

lineatus Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 375; Transvaal
Ins. Transvaal 1904, p. 109, t. 13, f. 3.

1

Megacera Serv.Serv. Ann. Soc. Ent. France IV, 1835, p. 42. — Cast. Hist. Nat.
Col. II, 1840, p. 494. — Thoms. Classif. Ceramb. 1860, p. 124; Syst.
Ceramb. 1864, p. 389. — Bates, Ann. Mag. Nat. Hist. (3) XVII,
1866, p. 36 (sep. p. 206). — Lacord. Gen. Col. IX, 1872, p. 692, 697.**apicalis** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 37 (sep. p. 207). Ega**parvula** Newm. Entomolog. I, 1840, p. 12. Bahía**praelata** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas
p. 37 (sep. p. 207).**rigidula** Bates, l. c. p. 38 (sep. p. 208). Santarem**vittata** Serv. Ann. Soc. Ent. France IV, 1835, p. 43. Brasilien
— Cast. Hist. Nat. Col. II, 1840, p. 494.

5

Amphion Reiche.Reiche, Ann. Soc. Ent. France VIII, 1839, p. 566. — Thoms. Classif.
Ceramb. 1860, p. 124; Syst. Ceramb. 1864, p. 389. — Lacord. Gen.
Col. IX, 1872, p. 692, 697.**vittatus** Reiche, Ann. Soc. Ent. France VIII, 1839, Columbien
p. 566, t. 19, f. 7—9. — Lacord. Gen. Col.
IX, 1872, p. 697.

1

Grammopsis Auriv.

Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, p. 416.

clavigera Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 40 (sep. p. 210). Santarem;
Venezuela**minima** Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, Venezuela
p. 416.

2

Hippopsis Serv.Serv. Encycl. méth. Ins. X, 1825, p. 336; Ann. Soc. Ent. France IV,
1835, p. 41. — Cast. Hist. Nat. Col. II, 1840, p. 493. — Blanch. Hist.
Nat. Ins. II, 1845, p. 162. — J. Lec. Journ. Acad. Philad. (2) II,
1852, p. 145. — Thoms. Classif. Ceramb. 1860, p. 124; Syst. Ceramb.
1864, p. 389. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 38
(sep. p. 208). — Lacord. Gen. Col. IX, 1872, p. 692, 698.**fraetilinea** Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas:
1866, p. 41 (sep. p. 211). Ega;
Bolivien

- griseola** Bates, l. c. p. 40 (sep. p. 210); Biol. Centr.-Amer. Col. V, 1880, p. 129. Santarem
- lemniscata** F. Syst. Eleuth. II, 1801, p. 330. — Cast. Hist. Nat. Col. II, 1840, p. 493. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 145. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 144. — Blatchley, Col. Indiana 1910, p. 1083. New York bis Florida, Ohio und Texas, Zentralamerika, Brasilien
- lineata* Guér. Icones Règne Anim. 1844, p. 246.
- lineolata* Serv. Encycl. méth. Ins. X, 1825, p. 336; Ann. Soc. Ent. France IV, 1835, p. 42. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 128, t. 9, f. 18.
- Meinerti** Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, p. 416. Venezuela
- monachica** Berg, An. Univ. Buenos Aires VI, 1889, p. 106. Argentina
- Pradieri** Guér. Icones Règne Anim. Ins. 1844, p. 246. Brasilien
- quinquelineata** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 24. Südbrasilien
- triangulifera** Auriv. Arkiv f. Zool. V, 1, 1909, p. 12. Peru
- truncatella** Bates. Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 39 (sep. p. 209) — Schulz, Ent. Nachr. XXV, 1899, p. 193, fig. Amazonas
-
- nematocera** Guér. Revue Zool. III, 1840, p. 109. Senegal

10

Calamobius Guér.

- Guér. in Lucas, Explor. d' Algér. Cat. 1849, p. 500 (Ann. Soc. Ent. Fr. (2) V, 1847, Bull. p. 18; nom. nud.) — Redtenb. Fauna Austr. ed. 2, 1858, p. 868; ed. 3, II, 1874, p. 426. — Pasc. Trans. Ent. Soc. Lond. (3) II, 1866, Bull. p. 126. — Lacord. Gen. Col. IX, 1872, p. 692, 698. — Schlosser, Fauna Kornjas. III, 1879, p. 845. — Kraatz, Deutsche Ent. Zeitschr. XXVII, 1879, p. 116, t. 1, f. 76. — Ganglb. Best.-Tab. VII, 1881, p. 16 (694). — Bedel, Faune Col. Seine V, 1889, p. 36. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Stierl. Col. Helvet. II, 1898, p. 490. — Csiki, Rovart. Lapok XI, 1904, p. 168. — Houlbert, Faune Armor. Ceramb. 1904, p. 19; ed. 2, 1909, p. 17. — Kuhnt, Käfer Deutschl. 1912, p. 758, 794. — Reitter, Fauna Germ. IV, 1913, p. 65. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 865.
- filum** Rossi, Fauna Etrusca I, 1790, p. 152, t. 5, f. 10; Mant. Ins. II, 1794, p. 132; ed. Hellw. 1795, p. 168. — Houlbert, Faune Armor. Ceramb. 1904, p. 67, f. 127; ed. 2, 1909, p. 69, fig. 127. — Csiki, Rovart. Lapok XII, 1905, p. 62. — Jacobs. Käfer Russl. 1911, t. 72, f. 2. — Kuhnt. Käfer Deutschl. 1912, p. 794, fig. 204. — Reitter, Fauna Germ. IV, 1913, p. 66, t. 139, f. 11. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 876, t. 32, f. 2.
- gracilis** Creutz. Ent. Vers. 1799, p. 124, t. 3, f. 27. — Lucas, Explor. d' Algér. Col. 1849, p. 501. — Muls. Col. France, Longic. ed. 2, 1863, p. 368. — Fairm. Gen. Col. d' Eur. IV, Süd-Deutschland, Frankreich, Schweiz, Österreich, Ungarn, Siebenbürgen, Süd-Russland, Mittelmeergebiet

- 1864, t. 50, f. 236. — Lacord. Gen. Col. IX, 1872, p. 699. — Ganglb. Best.-Tab. VIII, 1884, p. 104 (538). — Seidl. Fauna Transsylv. 1891, p. 850. — Stierl. Col. Helvet. II, 1898, p. 499.
- hirtus* F. Ent. Syst. I, 2. 1792, p. 315; Syst. Eleuth. II, 1801, p. 332.
- marginellus* F. Syst. Eleuth. II, 1801, p. 332. — Muls. Col. France, 1839, p. 180. — Küster, Käfer Eur. VII, 1846, p. 70. — Redtenb. Fauna Austr. 1849, p. 501; ed. 2, 1858, p. 868; ed. 3, II, 1874, p. 427. — Bach, Käferf. III, 1856, p. 41. — Gutfl. Käfer Deutschl. 1859, p. 584. — Curtis, Farm Ins. 1860, p. 258. — Schlosser, Fauna Kornjas. III, 1879, p. 845.
- tenuis* Blanco-Fernandez, Zoolog. Agric. 1859, p. 411. — Jacobini, Bull. Soc. Ent. Ital. II, 1870, p. 288.
- Biologie:** Guér. Ann. Soc. Ent. France (2) III, 1845, Bull. p. 66; (2) V, 1847, Bull. p. 17; Revue Agric. 1847, p. 258. — Nördlinger, Kleine Feinde der Landwirth. 1855, p. 195. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 339 (sep. p. 499). — Viano, Bull. Insectolog. Agric. IV, 1879, p. 1, fig. — Kittel, Corresp. - Bl. Nat. Ver. Regensb. XXXVII, 1883, p. 132. — Lunardon, Ins. Noc. I, 1889, p. 511. — Xamheu, Revue d'Ent. IX, 1890, p. 280; Ann. Soc. Linn. Lyon (2) XI, 1893, p. 131 (sep. p. 203); Moeurs & Métam. VIII, 1902, p. 210. — Berriot, L' Aiguillonier II, 1909, p. 5, f. 1, 2. — Quaint, Proc. Ent. Soc. Washingt. XV, 1913, p. 77. — Beffa, Rivista Col. Ital. XIII, 1915, Append. t. 1, f. 35.

1

Theophilea Pic.

Pic, Echange XI, 1895, p. 39.

cylindricollis Pic, l. c. p. 39.

Kaukasus:
Bitlis

1

Pseudocalamobius Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 116. — Ganglb. Best.-Tab. VIII, 1884, p. 105 (539). — Xamheu, Revue d'Ent. IX, 1890, p. 280.

fliformis Fairm. Revue d'Ent. VII, 1888, p. 146.

Pekin
Japan,
Amur

japonicus Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 383; Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 255. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 116, t. 1, f. 7, 7a. — Ganglb. Best.-Tab. VIII, 1884, p. 105 (539). — Jacobs, Käfer Russl. 1911, t. 71, f. 12.

luteonotatus Pic, Longic. VII, 1, 1908, p. 17.

Yunnan
Südechina

talianus Pic, l. c. X, 1, 1916, p. 15.

4

Anandra Thoms.

Thoms. Syst. Ceramb. 1864, p. 96, 389. — Lacord. Gen. Col. IX, 1872, p. 692, 700.

Subgen. *Phelipara* Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 322.

Subgen. **Anandra** sens. str.

✓ **capriclosa** Thoms. Syst. Ceramb. 1864, p. 96. — Borneo
Lacord. Gen. Col. IX, 1872, p. 700. — Auriv.
Arkiv f. Zool. X, 19, 1916, p. 21.
var. *niveoplagiata* Auriv. l. c. p. 21. „

Subgen. **Phelipara** Pasc.

balteata Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 28. Borneo
marmorata Pasc. Trans. Ent. Soc. Lond. (3) III, „
1866, p. 322.
niasica Auriv. Arkiv f. Zool. X, 19, 1916, p. 22. Insel Nias
vittata Auriv. l. c. p. 21. Java
5

Ectinogramma Thoms.

Thoms. Syst. Ceramb. 1864, p. 96, 389. — Pasc. Proc. Zool. Soc. Lond. 1866, p. 266. — Lacord. Gen. Col. IX, 1872, p. 692, 700.

collare Pasc. Proc. Zool. Soc. Lond. 1866, p. 266, Penang
t. 28, f. 10.
isoscoloides Thoms. Syst. Ceramb. 1864, p. 96. „Malasia“
2

Cleptometopus Thoms.

Thoms. Syst. Ceramb. 1864, p. 95, 389. — Lacord. Gen. Col. IX, 1872, p. 702.

Apophrena Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 323, 324.

camuripes Newm. Entomolog. I, 1842, p. 382. Philippinen
enganensis Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 91. Insel Engano
filifer Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo
p. 324, t. 15, f. 7.
grandis Jord. Novit. Zool. I, 1894, p. 118. Sanghir
humeralis Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 91. Sumatra,
Malacca
montanus Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 325. Java
setiger Fauvel, Revue d'Ent. XXV, 1906, p. 99. Neucaledonien
tenellus Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 324. Aru
terrestris Thoms. Syst. Ceramb. 1864, p. 96. — La- „Malasia“
cord. Gen. Col. IX, 1872, p. 703.
9

Acroama Jord.

Jord. Novit. Zool. I, 1894, p. 501.

✓ **armata** Jord. l. c. p. 502. Borneo:
Kina Balu
1

Hippocephala Auriv.

Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 25.

aturalis Auriv. l. c. p. 25.

China

1

LXX. Spalacopsini.

Lacordaire, Gen. Col. IX, 1872, p. 414, 702.

Aprosopitae Thomson, Syst. Ceramb. 1864, p. 95, 388
(ex parte).**Amphistylus** Gah.

Gahan. Trans. Ent. Soc. Lond. 1890, p. 325.

linearis Auriv. in Sjöstedt, Kilimandj. Exp. VII, 1908, Meru-Berg
p. 151.**Pauli** Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Deutsch-
Bull. p. 77; Ann. Soc. Ent. France (6) VII, Ostafrika,
1887, p. 345, t. 3, f. 10. — Gah. Trans. Ent. Nyassaland
Soc. Lond. 1890, p. 326.

2

Tetraglenes Newm.Newm. Entomolog. I, 1842, p. 300. — Thoms. Syst. Ceramb. 1864,
p. 388. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 323, 325. —
Lacord. Gen. Col. IX, 1872, p. 702, 703.**apicalis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 92. Sumatra
baetiliarius Lameere, Ann. Soc. Ent. France LXII, Anam: Huë
1893, p. 285.**breviceps** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 284. Usambara
bucculenta Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1895, p. 81.**diuroides** Rits. Notes Leyden Mus. VII, 1885, p. 44. Sumatra
t. 3, f. 4.**fusiformis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 326. Borneo, Java**hirticornis** F. Ent. Syst. Suppl. 1798, p. 148; Syst. Ostindien
Eleuth. II, 1801, p. 132.**insignis** Newm. Entomolog. I, 1842, p. 300. — White, Philippinen
Ann. Mag. Nat. Hist. XVIII, 1846, p. 49, t. 1, f. 5.**phantoma** Gerst. Archiv Naturg. XXXVII, 1, 1871, Sansibar,
p. 79; Decken's Reise Ostafr. III, 2. 1872, Deutsch-
p. 263, t. 12, f. 8. Ostafrika

9

Eucomatocera White.White, Ann. Mag. Nat. Hist. XVIII, 1846, p. 49. — Lacord. Gen.
Col. IX, 1872, p. 707.**vittata** White, Ann. Mag. Nat. Hist. XVIII, 1846, Ostindien,
p. 49, t. 1, f. 3. — Lacord. Gen. Col. IX, Sikkim
1872, p. 707.

1

Spalacopsis Newm.

- Newm. Entomolog. I, 1842, p. 303, 305. — Thoms. Syst. Ceramb. 1864, p. 388. — Lacord. Gen. Col. IX, 1872, p. 702, 704. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 345. — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 330. — Casey, Ann. N. York Acad. Sc. VI, 1891, p. 51 (Synopsis). — Leng & Hamilt. Trans. Amer. Ent. Soc. XVIII, 1896, p. 144 (Synopsis). — Casey, Mem. Col. IV, 1913, p. 354 (Revisio).
- Eutheia* Guér. Icones Règne Anim. Ins. 1844, p. 247.
Euthuorus Jacquel. in Sagra, Hist. Cuba, Ins. 1857, p. 276
Spacalopsis J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 145.
Systeme Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 264.
- ✓ *costulata* Casey, Revis. p. 355. Florida
 ? *linum* Leng & Hamilt. Synops. p. 145.
- fallax* Lameere, Ann. Soc. Ent. France LXII, 1893, Venezuela
 p. 279.
- ✓ *filum* Klug, Preisverz. 1829, p. 13. — Guér. Icones Cuba, Haiti,
 Règne Anim. Ins. 1844, p. 247. — Jacquel. Portorico,
 in Sagra, Hist. Cuba, Ins. 1857, p. 277, t. 10, Florida
 f. 13. — Chevr. Ann. Soc. Ent. France (4) II,
 1862, p. 256. — Blatchley, Canad. Ent. LII,
 1920, p. 69.
- fusca* Gah. Trans. Ent. Soc. Lond. 1892, p. 260. Mexico
 ✓ *grandis* Chevr. Ann. Soc. Ent. France (4) II, 1862, Cuba
 p. 255.
- maclenta* Lacord. Gen. Col. IX, 1872, t. 105, f. 5. ?
 ✓ *pertenuis* Casey, Revis. p. 357. Florida
- phantoma* Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala
 p. 371.
- ✓ *protensa* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Mexico,
 p. 278, t. 13, f. 8. Guatemala
- ✓ *scapalls* Casey, Revis. p. 355. Florida
- similis* Gah. Trans. Ent. Soc. Lond. 1892, p. 260. Mexico
Simoni Lameere, Ann. Soc. Ent. France LXII, 1893, Venezuela
 p. 279.
- stellio* Newm. Entomolog. I, 1842, p. 304, 305. Brasilien
 ✓ *stolata* Newm. l. c. p. 305. — J. Lec. Journ. Acad. Florida
 Philad. (2) II, 1852, p. 145. — Lacord. Gen.
 Col. IX, 1872, p. 704, nota. 3. — Horn, Ent.
 Amer. I, 1885, p. 9. — Casey, Synops. p. 51;
 Revis. p. 357. — Leng & Hamilt. Synops.
 p. 146.
- ✓ *suffusa* Newm. Entomolog. I, 1842, p. 305. — J. Lec. "
 Journ. Acad. Philad. (2) II, 1852, p. 145. —
 Casey, Synopsis p. 51. — Leng & Hamilt.
 Trans. Amer. Ent. Soc. XXIII, 1872, p. 145.
 — Casey, Revis. p. 356.
- ✓ *suturalis* Hamilt. Trans. Amer. Ent. Soc. XXIII, 1872, "
 p. 145. — Casey, Revis. p. 356.
- ✓ *texana* Casey, Synops. p. 51. — Leng & Hamilt. Texas
 Synops. p. 145. — Casey, Revis. p. 356.
- variegata* Bates, Biol. Centr.-Amer. Col. V, 1880, Guatemala
 p. 129, 371.
 var. *tenuissima* Bates, l. c. p. 371. Mexico

Aprosopus Guér.

Guér. Icones Règne Anim. Ins. 1844, p. 248. — Thoms. Syst. Ceramb. 1864, p. 388. — Lacord. Gen. Col. IX, 1872, p. 702, 705.

Buqueti Guér. Icones Règne Anim. 1844, p. 248. — Brasilien
Lacord. Gen. Col. IX. 1872, p. 705.

1

Dorcasta Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 264. — Thoms. Syst. Ceramb. 1864, p. 388. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 34. — Lacord. Gen. Col. IX, 1872, p. 702, 705. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 845. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 129. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 330. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 143.

Aegilopsis Horn, Proc. Acad. Philad. XII, 1860, p. 571.

Bebelis Thoms. Syst. Ceramb. 1864, p. 110, 395. — Lacord. Gen. Col. IX, 1872, p. 603, 610.

- acuta** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 73, Rio Janeiro
t. 8, f. 6.
- aurulenta** Belon, Revue d'Ent. XXII, 1903, p. 56. Bolivia
- cinerea** Horn, Proc. Acad. Philad. XII, 1860, p. 571, Texas
t. 8, f. 7. — Lacord. Gen. Col. IX, 1872, p.
706. — Leng & Hamilt. Trans. Amer. Ent.
Soc. XXIII, 1896, p. 145.
- coenosa** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 36 (sep. p. 206). Santarem
- crassicornis** Pasc. Trans. Ent. Soc. Lond. (2) IV, Brasilien
1858, p. 264, t. 26, f. 5.
- cuprina** Belon, Revue d'Ent. XXII, 1903, p. 58. Bolivia
- dasycera** Er. Schomb. Reise III, 1848, p. 574. — Guyana
Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866,
p. 35 (sep. p. 205).
- furcula** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 130. Guatemala
- geometrica** Bates, l. c. p. 130. Guatemala,
Mexico,
Costarica,
Panama
- laetabilis** Belon, Revue d'Ent. XXII, 1903, p. 54. Bolivia
- lignea** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Santarem,
p. 35 (sep. p. 205); Biol. Centr.-Amer. Col. V, Panama,
1885, p. 372. Nicaragua,
Brit.-
Honduras
- lignosa** Thoms. Syst. Ceramb. 1864, p. 110. Brasilien
- longipennis** Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala.
p. 371. Panama
- mexicana** Bates, l. c. p. 372. Mexico,
Guatemala
- modesta** Belon, Revue d'Ent. XXII, 1903, p. 59. Bolivia
- obtusa** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 372, Mexico,
t. 23, f. 1. Guatemala
- occulta** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 36 (sep. p. 206). Santarem

- ✓ **oryx** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 264. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 35 (sep. p. 205); Biol. Centr.-Amer. Col. V, 1880, p. 130. Mexico, Honduras, Guatemala, Panama, Brasilien
- picta** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 73. Rio Janeiro

Genus?

- Pienaari** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 378; Ins. Transvaal. 1904, p. 155, t. 15, f. 19. Transvaal
- tonkinea** Pic, Mélang. Exot.-Ent. XXXI, 1919, p. 11; Echange XXXVI, 1920, p. 3. Tonkin

Ptilotoceraeus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 396.

- visendus** Fairm. l. c. p. 397. Madagaskar

Atrichocera Auriv.

- Auriv. Arkiv f. Zool. VII, 19, 1911, p. 34; Journ. Sarawak Mus. I, 3, 1913, p. 15.
- Moultoni** Auriv. Arkiv f. Zool. VII, 19, 1911 p. 34, Borneo
f. 56; Journ. Sarawak Mus. I. 3, 1913, p. 15,
t. 1, f. 3.

LXXI. Aegoprepini.

Pascoe, Ann. Mag. Nat. Hist. (4) VIII. 1871, p. 277.

Aegoprepes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 277.

- antennator** Pasc. l. c. p. 278, t. 13, f. 5. Malacca
- insignis** Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 246, Borneo
t. 20, f. 7, 7a.

LXXII. Ectatosiini.

Lacordaire, Gen. Col. IX, 1872, p. 415, 708.

Ectatosia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 109. — Lacord. Gen. Col. IX, 1872, p. 709.

- ✓ **Moorei** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Java,
p. 109, t. 23, f. 9. — Lacord. Gen. Col. IX, Borneo
1872, p. 709. — Shelf. Proc. Zool. Soc. Lond.
1902, 2, p. 246, t. 20, f. 10, 10a. — Auriv.
Arkiv f. Zool. VII, 19, 1911, p. 36.

sumatrensis Gah. Ann. Mus. Civ. Genova (3) III, Sumatra
1907, p. 92.
2

Ectatina Gah.

Gahan, Ann. Mus. Civ. Genova (3) III, 1907, p. 93.
irrorata Gah. l. c. p. 93. Sumatra
robusta Auriv. Arkiv f. Zool. VII, 19, 1911, p. 35. Borneo
signata Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 94. Sumatra
3

Tanylamia Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 244.
melanura Pasc. l. c. p. 244. — Waterh. Aid. Identif. Madagaskar
Ins. II, 1890, t. 175, f. 5.
1

LXXIII. Essisini.

Aurivillius, Arkiv f. Zool. X, 23, 1917, p. 44.

Essisus Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 90.
dispar Pasc. l. c. p. 91, t. 3, f. 4. Queensland
1

Paressisus Auriv.

Auriv. Arkiv f. Zool. X, 23, 1917, p. 44.
viridipennis Auriv. l. c. t. 1, f. 3. Queensland
1

LXXIV. Ischiolonchini.

Lacordaire, Gen. Col. IX, 1872, p. 414, 709.

Pemptolasius Gah.

Gahan, Ann. Mag. Nat. Hist. (6) V, 1890, p. 64.
humeralis Gah. l. c. p. 65, t. 7, f. 8. Sikkim
1

Estigmenida Gah.

Gahan, Ann. Mus. Civ. Genova XXXIV, 1895, p. 82.
variabilis Gah. l. c. p. 83, t. 1, f. 13; Proc. South Birma
Lond. Ent. Soc. 1912-13, t. 10, f. 5, 2.
1

Epaphra Newm.

Newm. Entomolog. I, 1842, p. 301. — Thoms. Syst. Ceramb. 1864,
p. 389. — Lacord. Gen. Col. IX, 1872, p. 710.
✓ **valga** Newm. Entomolog. I, 1842, p. 301. — Lacord. Philippinen
Gen. Col. IX, 1872, p. 711, t. 106, f. 1.
1

Nicarete Thoms.

Thoms. Syst. Ceramb. 1864, p. 328. 390. — Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 75. — Lacord. Gen. Col. IX, 1872, p. 710, 712.

Crossotiades Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 422; Ann. Soc. Ent. France LXVIII, 1899, p. 122.

Ouphalacra Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 393; XLVIII, 1904, p. 258.

albolineata Fairm. Ann. Soc. Ent. Belg. XLVIII, Madagascar 1904, p. 257.

brunnipennis Thoms. Syst. Ceramb. 1864, p. 329. — Fairm. Ann. Soc. Ent. France (5) I, 1871, p. 75. — Lacord. Gen. Col. IX, 1872, p. 712.

Coquereli Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 393.

impressipennis Fairm. l. c. XLI, 1897, p. 402; XLIII, 1899, p. 551.

pallidula Fairm. l. c. XLVI, 1902, p. 252.

Perrieri Fairm. l. c. XLII, 1898, p. 422.

submaculosa Fairm. l. c. XLVIII, 1904, p. 258.

vitticollis Fairm. l. c. p. 252.

8

Aspurgus Fairm.

Fairm. Bull. Soc. Ent. France 1900, p. 136.

cinerarius Fairm. l. c. p. 136. Madagascar

1

Symperga Lacord.

Lacord. Gen. Col. IX, 1872, p. 710, 711.

Balyi Thoms. Classif. Ceramb. 1860, p. 121. — Lacord. Cayenne Gen. Col. IX, 1872, p. 711.

1

Ischioloncha Thoms.

Thoms. Classif. Ceramb. 1860, p. 122; Syst. Ceramb. 1864, p. 390. — Lacord. Gen. Col. IX, 1872, p. 710, 711.

lineata Bates, Biol. Centr.-Amer. Col. V, 1885, p. 369, Guatemala t. 22, f. 25.

Wollastoni Thoms. Classif. Ceramb. 1860, p. 123. — Cayenne Lacord. Gen. Col. IX, 1872, p. 712.

2

LXXV. Emphytoeciini.

Lacordaire. Gen. Col. IX, 1872, p. 416, 713.

Emphytoecia Fairm. & Germain.

Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 529. — Thoms. Syst. Ceramb. 1864, p. 397. — Lacord. Gen. Col. IX, 1872, p. 713, 714.

aboliturata Blanch. in Gay, Hist. Chile V, 1851, Chile p. 520, t. 30, f. 12. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 530.

- dimidiata** Blanch. in Gay, Hist. Chile V, 1851, p. 521. — Chile
Fairm. & Germain, Ann. Soc. Ent. France
(3) VII, 1859, p. 531.
- liueolata** Blanch. in Gay, Hist. Chile V, 1851, p. 519. — „
Fairm. & Germain, Ann. Soc. Ent. France
(3) VII, 1859, p. 530.
- niveopicta** Fairm. & Germain, Revue Zool. (2) XVI, „
1864, p. 390.
- sutura alba** Fairm. & Germain, Ann. Soc. Ent. France „
(3) VII, 1859, p. 531.
- sutarella** Blanch. in Gay, Hist. Chile V, 1851, p. 518, „
t. 30, f. 11. — Fairm. & Germain, Ann. Soc.
Ent. France (3) VII, 1859, p. 530.

6

Epectasis Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 294 (sep. p. 229). —
Lacord. Gen. Col. IX, 1872, p. 649. — Bates, Biol. Centr.-Amer.
Col. V, 1880, p. 113.

- ✓ **attenuata** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas,
p. 294 (sep. p. 229). — Lacord. Gen. Col. IX, Panama,
1872, p. 650. — Bates, Biol. Centr.-Amer. Guatemala,
Col. V, 1880, p. 113, t. 8, f. 16. Nicaragua,
Mexico
- similis** Gah. Trans. Ent. Soc. Lond. 1895, p. 126. Insel Grenada
2

Itheum Pasc.

Pasc. Journ. of Ent. II, 1864, p. 230. — Lacord. Gen. Col. IX, 1872,
p. 713, 715.

- lineare** Pasc. Journ. of Ent. II, 1864, p. 230. Süd-
australien
- vittigeram** Pasc. l. c. p. 230. t. 11, f. 9. „
2

Thita Auriv.

Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 34.

- glauca** Auriv. l. c. p. 34, t. 1, f. 8. Borneo
1

LXXVI. Anisocerini.

Lacordaire, Gen. Col. IX, 1872, p. 415, 716.

Trigonopeplus Thoms.

Thoms. Classif. Ceramb. 1860, p. 339; Syst. Ceramb. 1864, p. 352. —
Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 446 (sep. p. 49). — Lacord.
Gen. Col. IX, 1872, p. 717.

- Anepsius* Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 447
(sep. p. 49).
- Aneptius* Thoms. Syst. Ceramb. 1864, p. 352.

- abdominalis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 403. — Lacord. Gen. Col. IX, 1872, t. 106, f. 5 (non 4). Südamerika
- binominis** Chevr. Journ. of Ent. I, 1861, p. 250. Rio Janeiro
- bispecularis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 403, t. 10, f. 1. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 446 (sep. p. 49). — Lacord. Gen. Col. IX, 1872, p. 718. Amazonas: Ega
- paterculus** Lacord. l. c. p. 718, nota 2. Brasilien
- signatipennis** Thoms. Classif. Ceramb. 1860, p. 340. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 446 (sep. p. 49). "

5

Phacellocera Cast.

- Cast. Hist. Nat. Col. II, 1840, p. 468. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 448 (sep. p. 51). — Thoms. Syst. Ceramb. 1864, p. 352. — Lacord. Gen. Col. IX, 1872, p. 717, 718.
- Acanthotritus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 404. — Thoms. Classif. Ceramb. 1860, p. 28; Syst. Ceramb. 1864, p. 352. — Lacord. Gen. Col. IX, 1872, p. 717, 724.
- Caciomorpha* Thoms. Syst. Ceramb. 1864, p. 22, 352. — Lacord. Gen. Col. IX, 1872, p. 719.
- Phacellocera* Blanch. Hist. Nat. Ins. II, 1845, p. 156.
- Batesi** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 242. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 449 (sep. p. 51). — Thoms. Syst. Ceramb. 1864, p. 22. Amazonas
- bufo** Thoms. Physis II, 1868, p. 149. Cayenne
- Buqueti** Guér. Icones Règne Anim. 1844, p. 240. "
- dorsalis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 404, t. 10, f. 2. — Gerst. Archiv Naturg. XXII, 2, 1856, p. 201 (sep. Ber. über Ent. f. 1855, p. 81). — Lacord. Gen. Col. IX, 1872, p. 725, t. 107, f. 3 (non 2). — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 35. Brasilien
- limosa** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 448 (sep. p. 51) nota. Venezuela
- plagiata** Bates, Ent. Monthly Mag. XI, 1875, p. 275. Peru: Huallaga-Fluß
- var. *genalis* Auriv. Arkiv f. Zool. V, 1, 1908, p. 9. Peru: Arcoponco
- plumicornis** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 462, t. 42, f. 5. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 402. — Imh. Einf. Kol. 1856, t. 17, f. 6. — Lacord. Gen. Col. IX, 1872, p. 719. Rio Janeiro
- scopulicornis* Cast. Hist. Nat. Col. II, 1840, p. 469.

7

Thryallis Thoms.

- Thoms. Archives Ent. I, 1857, p. 409; Classif. Ceramb. 1860, p. 28, 31; Syst. Ceramb. 1864, p. 351. — Lacord. Gen. Col. IX, 1872, p. 717, 719.
- granulosus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 374, t. 23, f. 3. Guatemala

- ✓ **leucophaeus** White, Cat. Col. Brit. Mus. VIII, 1855, Mexico p. 407.
 ✓ **maculosus** Thoms. Archives Ent. I, 1857, p. 409. — " Bates, Biol. Centr.-Amer. Col. V, 1880, p. 131, t. 9, f. 1.
 ✓ **Sallaei** Bates, l. c. p. 131. "
 ✓ **nudatus** Chev. Col. Mex. III, 1834, nr. 61. — Thoms. " Classif. Ceramb. 1860, p. 32. — Lacord. Gen. Col. IX, 1872, p. 720, nota 1, t. 106. f. 3 (non 2).

5

Chalastinus Bates.

Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 447 (sep. p. 50). — Thoms. Syst. Ceramb. 1864, p. 352. — Lacord. Gen. Col. IX, 1872, p. 717, 720.

- ✓ **Championi** Bates, Biol. Centr.-Amer. Col. V, 1885, Panama p. 374, t. 23, f. 4.
 ✓ **egensis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 408. Amazonas: *egaensis* Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 447 (sep. p. 50). Ega
 var. *postileneus* Bates, l. c. p. 448 (sep. Fonte Boa p. 50).
egaensis Lacord. Gen. Col. IX, 1872, t. 106, f. 4 (non 3).
pantherinus Lacord. Gen. Col. IX, 1872, p. 721, nota 1. Cayenne
 ✓ **reticornis** Bates, Ent. Monthly Mag. XI, 1875, p. 275. Santarem
rubrocinctus Bates, Trans. Ent. Soc. Lond. 1869, p. 131. Nicaragua 385; Biol. Centr.-Amer. Col. V, 1880, p. 131, t. 9, f. 3.

5

Gymnocerus Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 84. — Thoms. Classif. Ceramb. 1860, p. 28; Syst. Ceramb. 1864, p. 352. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 452 (sep. p. 54). — Lacord. Gen. Col. IX, 1872, p. 717, 721. — Gounelle, Ann. Soc. Ent. France LXXV, 1906, p. 19.

- Badeni** Bates, Ent. Monthly Mag. XI, 1875, p. 276. Columbien
Beiti Bates, Trans. Ent. Soc. Lond. 1872, p. 203; Biol. Nicaragua Centr.-Amer. Col. V, 1880, p. 132, t. 9, f. 4.
Bruchi Goun. Ann. Soc. Ent. France LXXV, 1906, Argentina p. 17, f. 1.
capucinus White, Ann. Mag. Nat. Hist. XVIII, 1846, Para p. 48, t. 1, f. 7; Cat. Col. Brit. Mus. VIII, 1855, p. 406; Proc. Zool. Soc. Lond. 1856, p. 407, t. 40, f. 9. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 452 (sep. p. 55).
crassus Bates, l. c. p. 453 (sep. p. 56). Amazonas: Ega
eratosomoides Bates, l. c. p. 452 (sep. p. 55). Amazonas
 ✓ **dulcissimus** White, Cat. Col. Brit. Mus. VIII, 1855, " p. 406; Proc. Zool. Soc. Lond. 1856, p. 407, t. 40, f. 10. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 452 (sep. p. 55).

- histrío** Goun. Ann. Soc. Ent. France LXXV, 1906, Amazonas
p. 18, fig. 2.
- monachinus** White, Cat. Col. Brit. Mus. VIII, 1855, "
p. 406, t. 10, f. 3. — Bates, Ann. Mag. Nat.
Hist. (3) IX, 1862, p. 454 (sep. p. 56). —
Lacord. Gen. Col. IX, 1872, t. 107, f. 1.
- var. *nautensis* Bates, l. c. p. 454 (sep. p. 57). Peru: Nauta
- scabripennis** Serv. Ann. Soc. Ent. France IV, 1835, Cayenne
p. 85. — Lacord. Gen. Col. IX, 1872, p. 722.
10

Anisocerus Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 79. — Cast. Hist. Nat.
Col. II, 1840, p. 469. — Thoms. Classif. Ceramb. 1860, p. 28; Syst.
Ceramb. 1864, p. 352. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862,
p. 449 (sep. p. 52). — Lacord. Gen. Col. IX, 1872, p. 717, 722.
- onca** White, Cat. Col. Brit. Mus. VIII, 1855, p. 405, Amazonas:
t. 10, f. 4; Proc. Zool. Soc. 1856, p. 407, t. 40, Ega
f. 8. — Bates, Ann. Mag. Nat. Hist. (3) IX,
1862, p. 449 (sep. p. 52).
- var. *fonteboensis* Bates, l. c. p. 449 (sep. Fonte Boa
p. 52).
- var. *olivencius* Bates, l. c. p. 450 (sep. p. 53). S. Paulo
d'Olivencia
- palliatu**s White, Cat. Col. Brit. Mus. VIII, 1855, Panama,
p. 407. — Bates, Biol. Centr.-Amer. Col. V, Nicaragua,
1880, p. 132, t. 9, f. 2. Guatemala
- personatus* Bates, Trans. Ent. Soc. Lond.
1869, p. 385.
- scopifer** Germ. Ins. Spec. Novae 1824, p. 476. — Perty, Brasilien
Delect. Anim. Artic. 1832, p. 95, t. 19, f. 6. —
Serv. Ann. Soc. Ent. France IV, 1835, p. 79. —
Cast. Hist. Nat. Col. II, 1840, p. 469. —
White, Cat. Col. Brit. Mus. VIII, 1855,
p. 405. — Heyne & Taschenb. Exot. Käfer
1906, p. 243, t. 37, f. 31.
- stellatus** Guér. Verh. zool.-bot. Ges. Wien V, 1855, Napo-Fluss
p. 599 (27). — Bates, Ann. Mag. Nat. Hist.
(3) IX, 1862, p. 450 (sep. p. 53).

4

Xylotribus Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 80. — Bates, Ann. Mag.
Nat. Hist. (3) IX, 1862, p. 455 (sep. p. 85). — Thoms. Syst. Ceramb.
1864, p. 352. — Lacord. Gen. Col. IX, 1872, p. 717, 723.
- decorator** F. Syst. Eleuth. II, 1801, p. 289. — White, Südamerika
Cat. Col. Brit. Mus. VIII, 1855, p. 408. —
Lacord. Gen. Col. IX, 1872, p. 724, nota 1.
- heterocerus* Serv. Ann. Soc. Ent. France Cayenne
IV, 1835, p. 80.
- simulans** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, Amazonas
p. 456 (sep. p. 58).

2

Cyclopeplus Thoms.

Thoms. Classif. Ceramb. 1860, p. 28, 32; Syst. Ceramb. 1864, p. 352. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 457 (sep. p. 60). — Lacord. Gen. Col. IX, 1872, p. 717, 726. — Gounelle, Ann. Soc. Ent. France LXXV, 1906, p. 2-5 (Revisio).

- Batesi** Thoms. Classif. Ceramb. 1860, p. 32. — Bates, Amazonas:
Ann. Mag. Nat. Hist. (3) IX, 1862, p. 458 Ega
(sep. p. 60). — Goun. Revis. p. 5.
castaneus Goun. Revis. p. 3, 5, t. 1, f. 7. Goyaz
cyaneus Thoms. Classif. Ceramb. 1860, p. 33. — Chevr. Cayenne.
Journ. of Ent. 1, 1861, p. 188. — Waterh. Amazonas
Aid. Identif. Ins. I, 1882, t. 6. — Goun. Revis.
p. 5, t. 1, f. 4.
Germaini Goun. Revis. p. 3, 5, t. 1, f. 5. Bolivia
Lacordairei Thoms. Physis II, 1868, p. 150. — Goun. Cayenne
Revis. p. 4, 5.

5

Hoplistocerus Bates.

Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 456 (sep. p. 59). — Lacord. Gen. Col. IX, 1872, p. 729. — Gounelle, Ann. Soc. Ent. France LXXII, 1906, p. 5-10 (Revisio).

Demophoo Thoms. Syst. Ceramb. 1864, p. 21, 352. — Lacord. Gen. Col. IX, 1872, p. 717, 725. — Bates, Ent. Monthly Mag. XI, 1875, p. 276.

- callioides** Goun. Revis. p. 7, 10, t. 1, f. 8. Goyaz
dichrous Goun. Revis. p. 8, 10. Columbien
dives Bates, Ent. Monthly Mag. XI, 1875, p. 276. — Bahia
Goun. Revis. p. 10.
eximius Pasc. Ann. Mag. Nat. Hist. (5) II,
1878, p. 377. — Goun. Revis. p. 9.
gemmatus Bates, Trans. Ent. Soc. Lond. 1874, p. 227; Nicaragua
Biol. Centr.-Amer. Col. V, 1880, p. 132, t. 9,
f. 5. — Goun. Revis. p. 10.
gloriosus Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, Amazonas:
p. 457 (sep. p. 59). — Goun. Revis. p. 10. Ega
hamatus Chabrill. Archives Ent. I, 1857, p. 199. — Brasilien
Thoms. Syst. Ceramb. 1864, p. 21. — Lacord.
Gen. Col. IX, 1872, p. 726. — Goun. Revis.
p. 10.
lheringi Goun. Revis. p. 6, 10, t. 1, f. 5. Sao Paulo
refulgens Blanch. Voy. d'Orbigny, Ins. 1843, p. 210, Bolivia
t. 22, f. 9. — Goun. Revis. p. 10.

9

Taurolema Thoms.

Thoms. Classif. Ceramb. 1860, p. 15; Syst. Ceramb. 1864, p. 352. — Lacord. Gen. Col. IX, 1872, p. 717, 727. — Gounelle, Ann. Soc. Ent. France LXXV, 1906, p. 11-17 (Revisio).

- albopunctata** Goun. Revis. p. 13, 17. Guatemala
bellatrix Thoms. Classif. Ceramb. 1860, p. 15. — Guyana
Lacord. Gen. Col. IX, 1872, p. 727. — Goun.
Revis. p. 16.
flavocincta Goun. Revis. p. 13, 16. Columbien

- hirsuticornis** Chev. Journ. of Ent. I. 1862. p. 188. — Brasilien
Goun. Revis. p. 16, 17, t. 1, f. 6.
- Oberthüri** Goun. Revis. p. 12, 16, t. 1, f. 2. Brasilien:
Tapajos
Espiritu
Santo
- olivacea** Goun. Ann. Soc. Ent. France LXXVII, 1908, p. 19, t. 2, f. 6. Columbien
- pretiosa** Chev. Journ. of Ent. I, 1862, p. 187. —
Goun. Revis. p. 17.
- rutilans** Goun. Revis. p. 14, 17, t. 1, f. 3. Bahia

8

Onychocerus Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 83. — Cast. Hist. Nat. Col. II, 1840, p. 469. — Thoms. Classif. Ceramb. 1860, p. 28, 33; Syst. Ceramb. 1864, p. 351. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 454 (sep. p. 57). — Lacord. Gen. Col. IX, 1872, p. 713, 728. — Herb. Smith, Amer. Nat. XVIII, 1884, p. 727 (Gahan. Proc. Ent. Soc. Lond. 1899, p. 22).

Scorpionus Herb. Smith, l. c. p. 727.

- aculeicornis** Kirby, Trans. Linn. Soc. Lond. XII, Brasilien
1818, p. 440; Isis XIV, 1824, p. 125; Cent.
Ins. 1834, p. 65. — White, Cat. Col. Brit.
Mus. VIII, 1855, p. 409.
- albitarsis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, ..
p. 31. — Wandoll. Sitzb. Ges. Naturf. Fr.
Berlin 1896, p. 51, figg.
- ampliatus** Bates, Ent. Monthly Mag. XI. 1875, p. 277. Peru
- concentricus** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, Para
p. 455 (sep. p. 57).
- crassus** Voet, Cat. Col. II, 1778, p. 10, t. 8, f. 28; ed. Brasilien
Panzer II, 1794, p. 23, t. 8, f. 28.
- scorpio* F. Spec. Ins. I, 1781, p. 210; Mant. Ins.
II, 1787, p. 131; Ent. Syst. I, 2, 1792, p. 273;
Syst. Eleuth. II, 1801, p. 289. — Gmel. in
L. Syst. Nat. ed. 13. I, 4, 1790, p. 1820. —
Ol. Encycl. méth. VII, 1792, p. 458; Ent.
IV, nr. 67, 1795, p. 63, t. 3, f. 19. — Serv.
Ann. Soc. Ent. France IV, 1835, p. 83. —
Cast. Hist. Nat. Col. II, 1840, p. 469, t. 33
(52), f. 1. — Berge, Käferb. 1844, p. 123,
t. 11, f. 3. — White, Cat. Col. Brit. Mus.
VIII, 1855, p. 408. — Bates, Ann. Mag. Nat.
Hist. (3) IX, 1862, p. 454 (sep. p. 57). —
Lacord. Gen. Col. IX, 1872, p. 729.

5

Homoeophloeus Gah.

- Gahan, Trans. Ent. Soc. Lond. 1892, p. 261.
lichenus Gah. l. c. p. 261, t. 12, f. 6. Mexico

1

LXXVII. Platysternini.

Lacordaire, Gen. Col. IX, 1872, p. 415, 729.

Eusthenomus Bates.

Bates, Ent. Monthly Mag. XI. 1875, p. 277.

- Wallisi** Bates, l. c. p. 278. Columbien

1

Platysternus Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 156. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 400 (sep. p. 44). — Thoms. Syst. Ceramb. 1864, p. 350. — Lacord. Gen. Col. IX, 1872, p. 730.

hebraeus F. Spec. Ins. I, 1781, p. 210; Mant. Ins. I, Brasilien 1787, p. 151; Ent. Syst. I, 2, 1792, p. 273. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1820. — Ol. Encycl. méth. V, 1790, p. 291; Ent. IV, nr. 67, 1795, p. 62, t. 15, f. 106. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 400 (sep. p. 44). — Lacord. Gen. Col. IX, 1872, p. 731.

1

LXXVIII. Polyraphidini.

Thomson. Classif. Ceramb. 1860, p. 30; Syst. Ceramb. 1864, p. 16, 350. — Lacord. Gen. Col. IX, 1872, p. 415, 731.

Polyraphis Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 26. — Cast. Hist. Nat. Col. II, 1840, p. 459. — Blanch. Hist. Nat. Ins. II, 1845, p. 154. — Thoms. Classif. Ceramb. 1860, p. 30; Syst. Ceramb. 1864, p. 350. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 400 (sep. p. 45). — Lacord. Gen. Col. IX, 1872, p. 731.

- Polyrrhaphis* Gemm. & Har. Cat. Col. X, 1873, p. 3139.
- angustata** Buq. Ann. Soc. Ent. France (3) I, 1853, Cayenne, p. 445. — White, Cat. Col. Brit. Mus. VIII, Amazonas, 1855, p. 351. — Bates, Ann. Mag. Nat. Hist. Nicaragua (3) IX, 1862, p. 402 (sep. p. 47); Biol. Centr.-Amer. Col. V, 1880, p. 133.
- elongata* Bates, l. c. p. 133, t. 10, f. 3.
- armata** Voet, Cat. Col. II, 1778, p. 15, t. 14, f. 58; Patria ? ed. Panzer III, 1794, p. 39, t. 14, f. 58.
- armiger* Schönh. Synon. Ins. I, 3, 1817, p. 381.
- Fabricii** Thoms. Syst. Ceramb. 1865, p. 542. — Bates, Cayenne, Trans. Ent. Soc. Lond. 1872, p. 203; Biol. Nicaragua Centr.-Amer. Col. V, 1880, p. 132, t. 10, f. 1.
- gracilis** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, Amazonas p. 403 (sep. p. 47).
- Grandini** Buq. Ann. Soc. Ent. France (3) I, 1853, Brasilien p. 444. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 351.
- hystericina** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, Para p. 402 (sep. p. 46).
- Janseni** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Amazonas p. 30. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 403 (sep. p. 48).
- Olivieri** Thoms. Syst. Ceramb. 1865, p. 542. Cayenne
- papulosa** Ol. Ent. IV, nr. 67, 1795, p. 72, t. 20, f. 156. — Cayenne, Serv. Ann. Soc. Ent. France IV, 1835, Amazonas, p. 27. — White, Cat. Col. Brit. Mus. VIII, Peru 1855, p. 351.

- paraensis** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862. Amazonas, p. 404 (sep. p. 48); Trans. Ent. Soc. Lond. 1872, p. 203; Biol. Centr.-Amer. Col. V, p. 132, t. 10, f. 2. Venezuela, Nicaragua
- spinipeanis** Cast. Hist. Nat. Col. II, 1840, p. 460. — Brasilien
White, Cat. Col. Brit. Mus. VIII, 1855, p. 351. — Lacord. Gen. Col. IX, 1872, p. 72, t. 106, f. 2 (non „5“).
- abdominalis* Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 34.
- spinosa** Drury, Ill. Exot. Ins. II, 1773, Ind. t. 31, f. 3; Cayenne, ed. Westw. II, 1837, p. 60, t. 31, f. 3. — Amazonas
Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 401 (sep. p. 45).
- horrida* Voet, Cat. Col. II, 1778, p. 15, t. 14, f. 59; ed. Panzer III, 1794, p. 39, t. 14, f. 59. — Ol. Encycl. méth. VII, 1792, p. 458; Ent. IV, nr. 67, 1795, p. 66, t. 4, f. 29. — F. Ent. Syst. I, 2, 1792, p. 273; Syst. Eleuth. II, 1801, p. 289. — Ill. Magaz. Ins. IV, 1805, p. 110. — Cast. Hist. Nat. Col. II, 1840, p. 459. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 351.
- Biologie: Goedart, Metam. Ins. I, 1662, p. 186, t. 79.

12

Eudryoctenes Hintz.

- Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afr.-Exped. III, 1911, p. 441.
- africanus** Jord. Novit. Zool. X, 1903, p. 187. Franz. Congo
- corticarius** Hintz, Wiss. Ergebn. Deutsch. Zentr.- Congo
Afr.-Exped. III, 1911, p. 441, t. 7, f. 5.

2

LXXIX. Acrocinini.

- Thomson, Classif. Ceramb. 1860, p. 27, 28; Syst. Ceramb. 1864 p. 14, 349. — Lacordaire, Gen. Col. IX, 1872, p. 415, 732.

Acrocinus Ill.

- Ill. Magaz. Insectenk. V, 1806, p. 247. — Dalm. in Schönh. Synon. Ins. I, 3, 1817, p. 347. — Latr. in Cuv. Règne Anim. ed. 2, V, 1829, p. 123; ed. Masson, Ins. I, 1849, p. 487. — Griffith, Anim. Kingd. Ins. II, 1832, p. 108. — Serv. Ann. Soc. Ent. France IV, 1835, p. 16. — Cast. Hist. Nat. Col. II, 1840, p. 456. — Blanch. Hist. Nat. Ins. II, 1845, p. 154. — Thoms. Classif. Ceramb. 1860, p. 27, 28; Syst. Ceramb. 1864, p. 349. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 47 (sep. p. 8). — Lacord. Gen. Col. IX, 1872, p. 733.

Macropus Thunb. Götting. Gel. Anz. 1805, 1, p. 282. — Leach, Encycl. Brit. IX, 1, 1815, p. 112; Zool. Misc. II, 1815, p. 83. — Latr. in Cuvier, Règne Anim. III, 1817, p. 340. — Serv. Encycl. méth. X 1825, p. 337. — Boitard, Man. d'Ent. II, 1828, p. 20.

- longimanus** L. Syst. Nat. ed. 10, 1758, p. 388; ed. 12, 1767, p. 621; Mus. Ludov. Ulr. 1764, p. 64. — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 522. — Scop. Annus Hist. Nat. V, 1772, p. 94. — Müller, Naturs. V, 1, 1774, p. 251. — De Geer, Mém. Ins. V, 1775, p. 102. — F. Syst. Ent. 1775, p. 159; Spec. Ins. I, 1781, p. 204; Mant. Ins. I, 1787, p. 128; Ent. Syst. I, 2, 1792, p. 242; Ent. Syst. Suppl. 1798, p. 142; Syst. Eleuth. II, 1801, p. 266. — Sulzer, Gesch. Ins. 1776, p. 44, t. 5, f. 1. — Goeze, Ent. Beytr. I, 1777, p. 426. — Voet, Cat. Col. II, 1778, p. 14, t. 12, f. 50 ♂, t. 13, f. 51 ♀; ed. Panzer III, 1794, p. 35, 36, t. 12, f. 50 ♂, t. 13, f. 51 ♀. — Gronov. Zoophyl. 1781, Index II, p. 159. — Retzius, Gen. et. Spec. Ins. 1783, p. 138. — Boddaert, Tables des planches enlum. de D' Aubenton 1783, p. 5 (Pl. enlum. t. 64, f. 1.) — Herbst in Füessly, Archiv IV, 1784, p. 88; in Borowski, Naturg. VI, 1784, p. 121, t. 16 A. — Blumenb. Handb. Naturg. ed. 3, 1788, p. 362. — Römer, Gen. Ins. 1789, p. 8, t. 5, f. 1. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1814. — Schwarz, Nomenclator I, 1793, p. 89 (Roesel, Ins. Belust. II, Scarab. Class. II, t. 1, f. a). — Dound. Handb. Thierng. 1793, p. 606. — Shaw, Vivar. Nat. IV, 1793, t. 134. — Ol. Ent. IV, 1795, nr. 66, p. 6, t. 3, f. 12b, t. 4, f. 12c. — Cuvier, Tabl. Elem. 1798, p. 555. — Shaw, Gen. Zool. VI, 1806, p. 70. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 247; ed. 3, IV, 1828, p. 327. — Palis. Ins. Afr. Amer. 1805–21, p. 225, t. 35, f. 1. — Lam. Hist. Nat. IV, 1817, p. 314; ed. 2, IV, 1835, p. 509. — Latr. in Cuv. Règne Anim. III, 1817, p. 340; ed. 2, V, 1829, p. 123. — Dumér. Dict. Sc. Nat. XLIII, 1826, p. 331; Entomol. Anal. 1860, p. 616. — Boit. Man. d'Ent. II, 1828, p. 20. — Lacord. Ann. Sc. Nat. XXI, 1830, p. 179. — Blanch. in Règne Anim. ed. Masson, Ins. I, 1849, p. 487, t. 57, f. 2. — Duncan, Nat. Libr. Beetles 1835, p. 250, t. 25, f. 1. — Oken, Allg. Naturg. V, 3, 1836, p. 1702, Suppl. t. 16, f. 10. — Guér. Dict. Pitt. d'Hist. Nat. IV, 1836, p. 550, t. 317, f. 1. — Burton, Lectures on Ent. 1837, p. 3. — Kaup, Das Thierr. III, 2, 1837, p. 82, fig. — Cast. Hist. Nat. Col. II, 1840, p. 457, t. 32 (51). — Berge, Käferb. 1844, p. 122, t. 11, f. 1. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 347. — Imhoff, Einf. Kol. 1856, t. 17, f. 1. — Schlegel, Handleiding II, 1858, p. 269, t. 3, f. 46. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 48 (sep. p. 9). — Lacord. Gen. Col. IX, 1872, p. 734. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 35, f. 7.

Mexico bis
Südbrasilien

pictus Leach, Zool. Misc. II. 1815, p. 84, t. 89.
 Biologie: Rojas, Ann. Soc. Ent. France
 (3) V, 1857, p. 334. — Cand. Mém. Soc. Sc.
 Liège XVI, 1861, p. 380, t. 5, f. 2. — Wood.
 Homes without Hands. 1865, p. 176. — Pack.
 Guide ed. 8, 1883. p. 497, fig. 488.

1

Macropophora Thoms.

Thoms. Syst. Ceramb. 1864, p. 15. — Lacord. Gen. Col. IX. 1872,
 p. 733, 734.

Macropus Serv. Ann. Soc. Ent. France IV, 1835, p. 18.
accentifer Ol. Ent. IV, nr. 66, 1795, p. 8, t. 4, f. 16. Sûdbrasilien
 — Lacord. Ann. Sc. Nat. XXI, 1830, p. 180.
 — Cast. Hist. Nat. Col. II, 1840, p. 457.

Biologie: Moreira, Ann. Soc. Ent. France
 LXXXII, 1914, p. 745, t. 1, f. 1—3; t. 2.

Hofmanni Thoms. Classif. Ceramb. 1860, p. 28.

Brasilien

lateralis Lacord. Gen. Col. IX, 1872, p. 735, nota 2.

”

trochlearis L. Syst. Nat. ed. 10, 1758, p. 389; ed. 12,
 1767, p. 622. — Houttuyn, Natuurl. Hist. I,
 9, 1766, p. 524. — Müller, Naturs. V, 1, 1774,
 p. 252. — Gmel. in L. Syst. Nat. ed. 13, I,
 4, 1790, p. 1814. — Ol. Ent. IV, nr. 66,
 1795, p. 7, t. 13, f. 49. — Tigny, Hist. Nat.
 Ins. ed. 2, VII, 1813, p. 249. — Griffith,
 Anim. Kingd. Ins. II, 1832, t. 95, f. 1. —
 Cast. Hist. Nat. Col. II, 1840, p. 457. —
 Guér. Icones Règne Anim. Ins. 1844, p. 237,
 t. 45, f. 1. — Bates, Ann. Mag. Nat. Hist. (3)
 VIII, 1861, p. 48 (sep. p. 9).

Cayenne.

Amazonas

depressa [? L. Syst. Nat. ed. 10, 1758, p.
 390; ed. 12, 1767, p. 626; vergl. Auriv.
 Arkiv f. Zool. V, 1, 1908, p. 9, nota 1.] —
 De Geer, Mém. Ins. V, 1775, p. 110, t. 14, f. 2.
 — Retz. Gen. Spec. Ins. 1783, p. 138.

flavimacula Voet, Cat. Col. II, 1778, p. 16,
 t. 15, f. 63; ed. Panzer III, 1794, p. 41,
 t. 15, f. 63.

lepturoides Schreber. Novae Spec. Ins.
 1759, p. 83, t. f. 10.

4

LXXX. Xenofreini.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 373.

Xenofrea Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 373.

anomala Bates, l. c. p. 373.

Panama

areolata Bates, l. c. p. 374, t. 23, f. 2.

trigonalis Bates, l. c. p. 373 nota.

Perù

zonata Bates, l. c. p. 373.

Amazonas

4

LXXXI. *Acanthoderini*.

Lacordaire. Gen. Col. IX. 1872, p. 417. 735.

Oreodera Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 19. — Cast. Hist. Nat. Col. II, 1840, p. 458. — Blanch. Hist. Nat. Ins. II, 1845, p. 154. — Thoms. Classif. Ceramb. 1860, p. 28; Syst. Ceramb. 1864, p. 349. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 48 (sep. p. 9). — Lacord. Gen. Col. IX. 1872, p. 736, 737.

Subgen. *Anorecina* Bates. Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 149 (sep. p. 15). — Lacord. Gen. Col. IX. 1872, p. 738, nota 1.

Subgen. *Oreodera* s. str.

- aehatina* Er. Archiv Naturg. XIII, 1, 1847, p. 143. — Peru
White, Cat. Col. Brit. Mus. VIII, 1855, p. 349.
- aerumosa* Er. Archiv Naturg. XIII, 1, 1847, p. 142.
— White, Cat. Col. Brit. Mus. VIII. 1855,
p. 349.
- affinis* Gah. Trans. Ent. Soc. Lond. 1892. p. 262, Guatemala
t. 12, f. 14.
- bituberculata* Bates, Ann. Mag. Nat. Hist. (3) VIII, Cayenne,
1861, p. 51 (sep. p. 12). Amazonas
- C-album* Bates, Trans. Ent. Soc. Lond. 1872, p. 204; Nicaragua
Biol. Centr.-Amer. Col. V, 1880, p. 134.
t. 10, f. 9.
- canotogata* Bates, Trans. Ent. Soc. Lond. 1872, p. 203;
Biol. Centr.-Amer. Col. V, 1880. p. 134,
t. 10, f. 7.
- cinerea* Serv. Ann. Soc. Ent. France IV, 1835. p. 20. — Brasilien
Cast. Hist. Nat. Col. II, 1840, p. 458.
- corticina* Thoms. Syst. Ceramb. 1865, p. 542. — Bates, Mexico
Biol. Centr.-Amer. Col. V, 1880, p. 134, 376.
- costaricensis* Thoms. Syst. Ceramb. 1865, p. 542. — Nicaragua,
Bates, Biol. Centr.-Amer. Col. V, 1880, p. 134, Costarica.
t. 10, f. 10. Panama
- cretata* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Tapajos
p. 148 (sep. p. 14).
- cretifera* Pasc. Trans. Ent. Soc. Lond. (2) V. 1859, p. 29. Brasilien
- fasciculosa* Thoms. Syst. Ceramb. 1865, p. 542. — Mexico,
Bates, Biol. Centr.-Amer. Col. V, 1880, Guatemala,
p. 135, 376. Honduras,
hispidata Bates, l. c. p. 135. Nicaragua
- fluctuosa* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Para,
p. 50 (sep. p. 11). Cayenne
- glauca* L. Syst. Nat. ed. 10. 1758. p. 390; ed. 12, 1767. Zentral- und
p. 626. — Houttuyn, Natuurl. Hist. I, 9, Süd-
1766, p. 537. — Müller, Natursyst. V, 1, Amerika
1774, p. 263. — F. Syst. Ent. 1775, p. 165;
Spec. Ins. I. 1781, p. 210; Mant. Ins. I, 1787.
p. 131; Ent. Syst. I, 2, 1792, p. 274; Syst.
Eleuth. II, 1801. p. 290. — Goeze, Ent.
Beytr. I, 1777, p. 433. — Gmel. in L. Syst.
Nat. ed. 13, I. 4. 1790, p. 1821. — Ol. Encycl.
méth. V, 1790, p. 292; Ent. IV, nr. 67, 1795,
p. 76, t. 17, f. 123. — Tigny, Hist. Nat. Ins.

- ed. 2, VII, 1813, p. 279; ed. 3, IV, 1828, p. 355. — Palis. Ins. Afr. Amer. 1805-21, p. 244, t. 36, f. 3. — Cast. Hist. Nat. II, 1840, p. 458. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 50 (sep. p. 11): Biol. Centr.-Amer. Col. V, 1880, p. 133, t. 10, f. 6.
- literata* Donovan. Brit. Ins. XVI, 1813, p. 15, t. 546.
- punctata* Voet. Cat. Col. II, 1778, p. 16, t. 15, f. 62; ed. Panzer III, 1794, p. 40, t. 15, f. 62.
- Spengleri* F. Gen. Ins. 1776, p. 231: Spec. Ins. I, 1781, p. 225; Mant. Ins. I, 1787, p. 142; Ent. Syst. I, 2, 1792, p. 291. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1828. — Ol. Encycl. méth. VII, 1792, p. 467.
- tuberculata* De Geer, Mém. Ins. V, 1775, p. 112, t. 14, f. 4. — Retz. Gen. Spec. Ins. 1873, p. 139.
- granulifera* Bates, Trans. Ent. Soc. Lond. 1872, p. 204; Biol. Centr.-Amer. Col. V, 1880, p. 134, t. 10, f. 8. Nicaragua.
Panama
- graphiptera* Bates, l. c. 1885, p. 376. Panama
- griseozonata* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 149 (sep. p. 15). Amazonas
- Jaquieri* Thoms. Syst. Ceramb. 1865, p. 542. Cayenne
- inscripta* Bates, Trans. Ent. Soc. Lond. 1872, p. 205; Biol. Centr.-Amer. Col. V, 1880, p. 134, 375. Nicaragua,
Panama
- inscriptipennis* Bates, l. c. t. 10, f. 11.
- lacteostriata* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 52 (sep. p. 13). Amazonas
- lateralis* Ol. Ent. IV, nr. 67, 1795, p. 129, t. 5, f. 36. Südamerika
- obsoleta* Bates, Trans. Ent. Soc. Lond. 1874, p. 228; Biol. Centr.-Amer. Col. V, 1880, p. 134, t. 10, f. 12. Mexico.
Guatemala.
Nicaragua
- purpurascens* Bates, l. c. p. 135. Guatemala
- quinquetuberculata* Drapiez, Ann. Sc. Phys. Brux. V, 1820, p. 328, t. 83, f. 6. Brasilien
- trinodosa* Germ. Ins. Spec. Novae 1824, p. 471. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 348.
- remota* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 29. — Bates, Ann. Mag. Nat. Hist. (3) XIII, 1861, p. 147 (sep. p. 13). Amazonas
- rufofasciata* Bates, l. c. p. 51 (sep. p. 12). "
- scabra* F. Ent. Syst. I, 2, 1792, p. 274; Syst. Eleuth. II, 1801, p. 290. — Ol. Ent. IV, nr. 67, 1795, p. 75, t. 17, f. 128. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 348. Cayenne
- rudis* Ol. Encycl. méth. VII, 1792, p. 461.
- semialba* Bates, Trans. Ent. Soc. Lond. 1874, p. 228; Biol. Centr.-Amer. Col. V, 1880, p. 134, t. 10, f. 5. Nicaragua
- sericata* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 148 (sep. p. 14). Amazonas
- simplex* Bates, l. c. (sep. p. 15).
- tenebrosa* Thoms. Syst. Ceramb. 1864, p. 542. Brasilien
- tuberculata* Thoms. l. c. p. 542. Columbien

- undulata* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 49 (sep. p. 10). Amazonas;
Ega
verrucosa Bates, Trans. Ent. Soc. Lond. 1872, p. 204; Nicaragua
Biol. Centr.-Amer. Col. V, 1880, p. 134,
t. 10, f. 4.

Subgen. **Anoreina** Bates.

- biannulata* Bates, Ann. Mag. Nat. Hist. (3) XVII, Peru
1866, p. 433 (sep. p. 253).
nana Bates, l. c. (3) VIII, 1861, p. 149 (sep. p. 15). Amazonas,
Peru

36

Aegomorphus Thoms.

- Thoms. Classif. Ceramb. 1860, p. 336; Syst. Ceramb. 1864, p. 349.
— Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 150 (sep. p. 16). —
Lacord. Gen. Col. IX, 1872, p. 736, 738.
adpersus Thoms. Classif. Ceramb. 1860, p. 337. Brasilien
var. *obesus* Bates, Ann. Mag. Nat. Hist. (3) Para
VIII, 1861, p. 150 (sep. p. 16).
monilifer White, Cat. Col. Brit. Mus. VIII, 1855, p. Amazonas
374, t. 9, f. 7. — Bates, Ann. Mag. Nat. Hist.
(3) VIII, 1861, p. 151 (sep. p. 17).

2

Aethiopoctines Thoms.

- Thoms. Physis II, 1868, p. 147. — Lacord. Gen. Col. IX, 1872, p.
736, 739. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 337. — J. Lec.
& Horn. Classif. Col. N. Amer. 1883, p. 322.
Morrisi Uhler, Proc. Acad. Philad. VII, 1855, p. 417. Canada,
— Lacord. Gen. Col. IX, 1872, p. 740. — Pennsyl-
Horn. Trans. Amer. Ent. Soc. VIII, 1880, vania,
p. 116. — Leng & Hamilt. l. c. XXIII, 1896, Missouri
p. 114. — Blatchley. Col. Indiana 1910.
p. 1070.
leucogenus Thoms. Physis II, 1868, p. 148.

1

Pycnomorphus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 15, 349. — Lacord. Gen. Col. IX,
1872, p. 736, 740.
bilineatus Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 51, Venezuela
t. 2, f. 13.
centrolineatus Bates, Ann. Mag. Nat. Hist. (3) IX, Amazonas,
1862, p. 122 (sep. p. 38); Trans. Ent. Soc. Lond. Venezuela,
1872, p. 206. Nicaragua
pubicornis Serv. Ann. Soc. Ent. France IV, 1835, Brasilien
p. 21. — Thoms. Syst. Ceramb. 1864, p. 15.

3

Alphus Thoms.

- Thoms. Classif. Ceramb. 1860, p. 10; Syst. Ceramb. 1864, p. 350. —
Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 121 (sep. p. 37). —
Lacord. Gen. Col. IX, 1872, p. 737, 741. — Bates, Biol. Centr.-
Amer. Col. V, 1880, p. 136.
asellus Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Columbien
p. 282.

- ✓ **biannulatus** Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 50, t. 2, f. 8. Peru.
Bolivia
- canescens** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 122 (sep. p. 38) nota. Rio Janeiro
- ✓ **cavifrons** Bates, Trans. Ent. Soc. Lond. 1872, p. 206: Nicaragua
Biol. Centr.-Amer. Col. V, p. 136, t. 10, f. 15.
var. *Batesi* n. nom. "
- ✓ **leuconotus** Thoms. Classif. Ceramb. 1860, p. 10. Brasilien
scutellaris Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, Para
p. 123 (sep. p. 39).
- senilis** Bates, l. c. p. 123 (sep. p. 39). Amazonas
- subsellatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 375. Brasilien
- tuberosus** Germ. Ins. Spec. Novae 1824, p. 477. —
White, Cat. Col. Brit. Mus. VIII, 1855, p. 375. "

9

Aethomerus Thoms.

- Thoms. Classif. Ceramb. 1860, p. 338; Syst. Ceramb. 1844, p. 350. —
Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 117 (sep. p. 33). —
Lacord. Gen. Col. IX, 1872, p. 737, 742.
- analis** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. Brasilien
281 nota.
- antennator** F. Syst. Eleuth. II, 1801, p. 288. — White, Cayenne,
Cat. Col. Brit. Mus. VIII, 1855, p. 376. — Amazonas
Bates, Ann. Mag. Nat. Hist. (3) IX, 1862,
p. 118 (sep. p. 34); Biol. Centr.-Amer. Col.
V, 1880, p. 137, t. 11, f. 2.
- ✓ **asperulus** White, Cat. Col. Brit. Mus. VIII, 1855, Venezuela,
p. 376, t. 9, f. 8. — Bates, Biol. Centr.-Amer. Panama,
Col. V, 1885, p. 376. Nicaragua,
Guatemala,
Mexico
- cretatus** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866. Brasilien
p. 281 nota.
- filicornis** Thoms. Classif. Ceramb. 1860, p. 338. "
- Laeordairei** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862. Amazonas
p. 120 (sep. p. 36).
- rufescens** Bates, l. c. p. 119 (sep. p. 35). Santarem
- verrucosus** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Columbien
p. 281.

8

Myoxinus Bates.

- Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 120 (sep. p. 36). —
Lacord. Gen. Col. IX, 1872, p. 737, 742. — Bates, Biol. Centr.-Amer.
Col. V, 1880, p. 136.
- Mysopsis* Thoms. Syst. Ceramb. 1864, p. 16. 350.
- asper** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 136. Mexico,
Nicaragua
- ✓ **pictus** Er. Archiv f. Naturg. XIII, 1. 1847, p. 144. — Peru.
White, Cat. Col. Brit. Mus. VIII, 1855, p. Amazonas.
358. — Bates, Ann. Mag. Nat. Hist. (3) IX, Panama,
1862, p. 121 (sep. p. 37). — Thoms. Syst. Nicaragua,
Ceramb. 1864, p. 16. — Lacord. Gen. Col. Guatemala.
IX, 1872, p. 743. — Bates, Biol. Centr.- Mexico
Amer. Col. V, 1880, p. 136, t. 10, f. 16.

2

Ozotroctes Bates.

Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 478 (sep. p. 32). — Thoms. Syst. Ceramb. 1864, p. 350. — Lacord. Gen. Col. IX, 1872, p. 737, 743.

punctatissimus Bates, Ann. Mag. Nat. Hist. (3) VIII. Amazonas: 1861, p. 478 (sep. p. 33). — Lacord. Gen. Santarem Col. IX, 1872, p. 744.

1

Dryoctenes Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 27. — Cast. Hist. Nat. Col. II, 1840, p. 460. — Blanch. Hist. Nat. Ins. II, 1845, p. 154. — Thoms. Classif. Ceramb. 1860, p. 28, 29; Syst. Ceramb. 1864, p. 350. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 477 (sep. p. 32). — Lacord. Gen. Col. IX, 1872, p. 737, 744.

✓ *serripulosus* Germ. Ins. Spec. Novae 1824, p. 470. — * Brasilien White, Cat. Col. Brit. Mus. VIII, 1855, p. 352. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 477 (sep. p. 32). — Lacord. Gen. Col. IX, 1872, p. 745. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 36.

caliginosus Serv. Ann. Soc. Ent. France IV, 1835, p. 28. — Cast. Hist. Nat. Col. II, 1840, p. 460.

1

Myoxomorpha Bates.

Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 150 (sep. p. 17). — Thoms. Syst. Ceramb. 1864, p. 350. — Lacord. Gen. Col. IX, 1872, p. 737, 745.

fanesta Er. Schomb. Reise III, 1848, p. 573. — Bates, Cayenne, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 152 Amazonas (sep. p. 18). — Lacord. Gen. Col. IX, 1872, p. 746, nota 4.

vidua Lacord. l. c. p. 746, nota 4. Brasilien

2

Plistonax Thoms.

Thoms. Syst. Ceramb. 1864, p. 19. — Lacord. Gen. Col. IX, 1872, p. 737, 747.

albolinus Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Brasilien p. 471 (sep. p. 25). — Lacord. Gen. Col. IX, 1872, p. 747, nota 1.

multipunctatus Thoms. Syst. Ceramb. 1864, p. 19. — Lacord. Gen. Col. IX, 1872, p. 747.

1

Steirastoma Lacord.

Lacord. Ann. Sc. Nat. XXI, 1830, p. 180. — Serv. Ann. Soc. Ent. France IV, 1835, p. 24. — Cast. Hist. Nat. Col. II, 1840, p. 460. — Blanch. Hist. Nat. Ins. II, 1845, p. 154. — Thoms. Classif. Ceramb. 1860, p. 5; Syst. Ceramb. 1864, p. 350. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 396 (sep. p. 40). — Lacord. Gen. Col. IX, 1872, p. 737, 747.

Steirastoma Gemm. & Har. Cat. Col. X, 1873, p. 3143.

- acutipenne** Sallé, Ann. Soc. Ent. France (3) IV, 1856. p. 691, t. 20, f. 4. St. Domingo
- aethiops** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 399 (sep. p. 43). Amazonas
- ✓ **albiceps** Bates, Trans. Ent. Soc. Lond. 1872, p. 167; Biol. Centr.-Amer. Col. V, 1880, p. 138, t. 10, f. 20. Nicaragua
- anomalum** Bates, l. c. p. 138. Mexico
- ✓ **breve** Sulzer, Abgek. Gesch. Ins. 1776, p. 45, t. 5, f. 5. — Goeze, Ent. Beytr. I, 1777, p. 463. Florida,
— Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, Grenada,
p. 1862. — White, Cat. Col. Brit. Mus. VIII, Trinidad,
1855, p. 352. — Auriv. Arkiv f. Zool. V. 1, Guyana,
1908, p. 9. Venezuela.
carinatum Voet, Cat. Col. II, 1778, p. 15, Amazonas.
t. 13, f. 55, 56; ed. Panzer III, 1794, p. 37, Peru,
t. 13, f. 55, 56. Bolivia
- depressum* F. Spec. Ins. I, 1781, p. 214; Mant. Ins. I, 1787, p. 134; Ent. Syst. I, 2, 1792, p. 260; Syst. Eleuth. II, 1801, p. 276. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1820. — Ol. Encycl. méth. Ins. V, 1790, p. 292; Ent. IV, nr. 67, 1795, p. 21, t. 5, f. 30. — Cast. Hist. Nat. Col. II, 1840, p. 460. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 397 (sep. p. 41). — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 345.
- Biologie: Rojas, Ann. Soc. Ent. France (3) V, 1857, p. 329. — Carr, Journ. Trinidad Club II, p. 110; Timehri (2) I, p. 354. — Van Hall, Teysmannia XXII, 1911, p. 584. — Baliou, Ins. Pests Lesser Antilles 1912, p. 86, f. 95.
- ✓ **coenosum** Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 398 (sep. p. 42); Biol. Centr.-Amer. Col. V, 1885, p. 377, t. 23, f. 6. Amazonas,
Panama
- ✓ **histrionicum** White, Cat. Col. Brit. Mus. VIII, 1855, p. 354. — Bates, Biol. Centr.-Amer. Col. V, 1880—85, p. 138, 377, t. 10, f. 18. Zentral-
Amerika
- var. *larva* Thoms. Classif. Ceramb. 1860, p. 6, 336. — Chevr. Journ. of Ent. I, 1861, p. 186. — Lacord. Gen. Col. IX, 1872, p. 749, nota 3. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 377. Venezuela,
Columbien,
Panama
- lituratum** Bates, l. c. p. 378, t. 23, f. 5. Guatemala
- ✓ **lycaon** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 279. Columbien
- marmoratum** Thunb. Mem. Acad. Petrop. VIII, 1822, p. 307, t. 10, f. 4. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 353. Südbrasilien
- lacerta* Cast. Hist. Nat. Col. II, 1840, p. 461.
- manuelatum* Germ. Ins. Spec. Novae 1824, p. 480.
- ✓ **melanogenys** White, Cat. Col. Brit. Mus. VIII, 1855, p. 355. — Bates, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 398 (sep. p. 42); Biol. Centr.-Amer. Col. V, 1880, p. 138, t. 10, f. 17. Amazonas,
Cayenne,
Nicaragua
- ✓ **meridionale** Auriv. Arkiv f. Zool. V. 1, 1908, p. 9. Südbrasilien
- depressum* Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 39.

- Poeyl Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 246. — Gahan, Trans. Ent. Soc. Lond. 1895, p. 129. Cuba
- ✓ *pustulatum* Drury, Ill. Exot. Ins. II, 1773, p. 64, t. 35, f. 1, Index. — Gah. Trans. Ent. Soc. Lond. 1895, p. 129. Jamaica
- canceriforme* F. Syst. Ent. 1775, p. 165; Spec. Ins. I. 1781, p. 209; Mant. Ins. I. 1787, p. 131; Ent. Syst. I, 2, 1792, p. 272; Syst. Eleuth. II, 1801, p. 289. — Goeze, Ent. Beytr. I, 1777, p. 466. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1819. — Westw. in Drury, Ill. Exot. Ins. ed. 2, II, 1837, p. 68, t. 35, f. 1.
- ✓ *senex* White, Cat. Col. Brit. Mus. VIII, 1855, p. 353. — Bates, Biol. Centr.-Amer. Col. V, 1880-85, p. 138. 377. t. 10, f. 19. Mexico, Guatemala, Nicaragua, Panama
- ✓ *stellio* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 280. Brasilien, Insel Laharpe
- Thunbergi* Thoms. Syst. Ceramb. 1865, p. 543. Brasilien: S. Paulo

17

Hedypathes Thoms.

- Thoms. Syst. Ceramb. 1864, p. 17. — Lacord. Gen. Col. IX, 1872, p. 737, 749.
- albus* Thoms. Syst. Ceramb. 1865, p. 543. Brasilien
- ✓ *betulinus* Klug. Nova Acta Acad. Nat. Cur. XII, 1825, p. 462, t. 42, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 461. — Imh. Einf. Kol. 1856, t. 17, f. 3. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 38. "
- ciduus* Vigors, Zool. Journ. II, 1825, p. 239, t. 9, f. 6. — Er. Schomb. Reise III, 1848, p. 573. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 357. — Thoms. Syst. Ceramb. 1864, p. 18.
- monachus* Er. Schomb. Reise III, 1848, p. 573. Guyana

3

Tetrasarus Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1880, p. 142.
- albescens* Bates, l. c. p. 143. Mexico
- callistus* Bates, l. c. p. 143. Guatemala
- ✓ *formosus* Bates, l. c. 1885, p. 382, t. 23, f. 14. Costarica
- inops* Bates, l. c. 1880, p. 142. Mexico
- pictulus* Bates, l. c. p. 143. Nicaragua
- quadriscopulatus* Bates, Trans. Ent. Soc. Lond. 1872, p. 208; Biol. Centr.-Amer. Col. V, 1880, t. 11, f. 7. Mexico
- plato* Bates, l. c. 1885, p. 382, t. 23, f. 15. Guatemala
- quadriscopulatus* Thoms. Physis II, 1868, p. 146. — Lacord. Gen. Col. IX, 1872, p. 752, nota 2. "

7

Plagiosarus Bates.

Bates, Biol.-Centr.-Amer. Col. V, 1880, p. 144.

- binoculus** Bates, l. c. p. 144. Mexico
literarius Bates, l. c. 1885, p. 382. Guatemala
melampus Bates, l. c. p. 383, t. 23, f. 16. "
 var. *congestus* Bates, l. c. t. 23, f. 17. Panama
 3

Discopus Thoms.

Thoms. Syst. Ceramb. 1864, p. 17, 350. — Lacord. Gen. Col. IX, 1872, p. 737, 752. — Bates. Ent. Monthly Mag. XVI, 1880, p. 253 (Revisio).

- antennatus** Guér. Verh. zool.-bot. Ges. Wien V, 1855, Fluss Napo
 p. 599 (sep. p. 27). — Bates, Revis. p. 255.
Buckleyi Bates, Revis. p. 254. Ecuador
comes Bates, l. c. p. 254. "
eques Bates, Revis. p. 253. Peru: Chan-
 chamayo
 Ecuador
 Peru: Pebas
 Amazonas:
 Ega
 7

Sychnomeris Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 380.

- barbiger** Bates, l. c. p. 381, t. 23, f. 12. Guatemala
hirticornis Bates, l. c. t. 23, f. 11. "
 2

Pteridotelus White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 356. — Thoms. Syst. Ceramb. 1864, p. 351. — Lacord. Gen. Col. IX, 1872, p. 737, 751. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 381.

- contaminatus** Thoms. Syst. Ceramb. 1865, p. 544. Brasilien
haematopus Lameere, Ann. Soc. Ent. Belg. XXVIII, Venezuela
 1884, p. 109.
laticornis White, Cat. Col. Brit. Mus. VIII, 1855, "
 p. 356, t. 9, f. 2.
pupillatus Lacord. Gen. Col. IX, 1872, p. 752, nota 1, Yucatan
 t. 107, f. 5 (non 4).

- argentellus** Fauv. Revue d'Ent. XXV, 1906, p. 95. Neucalé-
 donien
 5

Azygocera Auriv.

Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 26.

- picturata** Fairm. & Germain, Ann. Soc. Ent. France Chile: Val-
 (3) VII, 1859, p. 518. divia, Chiloe
 1

Acanthoderes Serv.

Serv. Ann. Soc. Ent. France IV. 1835, p. 29. — Muls. Col. France. Longic. 1839, p. 143. — Redtenb. Fauna Austr. 1849, p. 492; ed. 2, 1858, p. 857; ed. 3, II. 1874, p. 416. — J. Lec. Journ. Acad. Philad. (2) II. 1852, p. 175. — Bates. Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 212 (sep. p. 18). — Muls. Col. France, Longic. ed. 2, 1863, p. 298. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 158. — Schiödte, Naturh. Tidskr. (3) II, 1864, p. 511, 560. — C. G. Thoms. Skand. Col. VIII, 1866, p. 81. — Seidlitz, Fauna Balt. 1875, Gatt. p. 140; ed. 2, 1891, Gatt. p. 185; Fauna Transsylv. 1891, Gatt. p. 185. — Schlosser. Fauna Kornjas. III. 1879, p. 808, 828. — Horn. Trans. Amer. Ent. Soc. VIII. 1880, p. 115. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 139. — Ganglb. Best.-Tab. VII. 1881, p. 14 (692). — Bau, Handb. Käfer 1888, p. 415. — Bedel, Faune Col. Seine V. 1889, p. 35. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 114. — Stierlin. Col. Helvet. II. 1898, p. 489. — Everts, Col. Neerl. II, 1901, p. 375. — Csiki, Rovart. Lapok XI, 1904, p. 168. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 19; ed. 2, 1909, p. 17. — Kuhn, Käfer Deutschl. 1912, p. 757, 790. — Reitter, Fauna Germ. IV, 1913, p. 58. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 12. — Schaufuss in Calwer. Käferb. ed. 6, 1916, p. 864, 870. — Auriv. Svensk Insektf. IX, 1, 1917, p. 36, 41.

Acanthoderes Cast. Hist. Nat. Col. II, 1840, p. 461 (ex parte). — Redtenb. Gatt. deutsch. Käfert. 1845, p. 111. — Bach, Käferf. III. 1856, p. 26. — Gutfl. Käfer Deutschl. 1859, p. 582. — Thomson, Classif. Ceramb. 1860, p. 5.
 Subgen. *Aegomorphus* Haldem. Trans. Amer. Philos. Soc. X, 1847, p. 45. — Casey, Mem. Col. IV, 1913, p. 302.
 Subgen. *Pardalisia* Casey, l. c. p. 302.
 Subgen. *Psapharochrus* Thoms. Syst. Ceramb. 1864, p. 18, 351. — Lacord. Gen. Col. IX, 1872, p. 737, 750. — Casey, Mem. Col. IV, 1913, p. 301.
 Subgen. *Scythropopsis* Thoms. Syst. Ceramb. 1864, p. 20, 351. — Lacord. Gen. Col. IX, 1872, p. 737, 754.
 Subgen. *Sympersasmus* Thoms. Syst. Ceramb. 1864, p. 19, 351. — Lacord. Gen. Col. IX, 1872, p. 751.

Subgen. **Acanthoderes** s. str.

Serv. Ann. Soc. Ent. France IV. 1835, p. 29 (Divis. 1). — Thoms. Syst. Ceramb. 1864, p. 350. — Lacord. Gen. Col. IX, 1872, p. 737, 753. — Casey, Mem. Col. IV, 1913, p. 301.
crassa Voet. Cat. Col. II, 1778, p. 20, t. 18, f. 85; ed. Panzer III, 1794, p. 51, t. 18, f. 85.
quattuordecimguttata Schönh. Syn. Ins. I, 3, 1817, p. 396.
Daviesi Swederus, Vet. Akad. Handl. (2) VIII, 1787, p. 195, t. 8, f. 6. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1837. — Ol. Encycl. méth. Ins. VII, 1792, p. 469; Ent. IV, nr. 67, 1795, p. 104 (ex parte).
Swederi White, Cat. Col. Brit. Mus. VIII, 1855, p. 360, t. 9, f. 6. — Gerst. Archiv f. Naturg. XXII, 2, 1856, p. 201 (sep. p. 81). — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 474 (sep. p. 29).
laevicollis Bates, Trans. Ent. Soc. Lond. 1872, p. 208; Biol. Centr.-Amer. Col. V, 1880, p. 139, t. 11, f. 5. Nicaragua

- Laportei** nov. nom.
Daviesi Cast. Hist. Nat. Col. II, 1840, p. 462.
- punctata** F. Ent. Syst. I, 2, 1792, p. 272; Syst. Eleuth. II, 1801, p. 288.
Daviesi Ol. Ent. IV. nr. 67, 1795, p. 104 (ex parte), t. 6, f. 42. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 360.
- rubripes** Bates, Trans. Ent. Soc. Lond. 1872, p. 208; Biol. Centr.-Amer. Col. V, 1880, p. 139.
- satanas** Bates, Ent. Monthly Mag. XVII, 1880, p. 58.
- septemmaculata** Buq. Ann. Soc. Ent. France (3) VII, 1859, p. 635.
- subtessellata** Bates, Ent. Monthly Mag. XVII, 1880, p. 59.
- Thammi** Bates, l. c. p. 59.
- zonata** Bates, l. c. p. 59.
- Cayenne
Cayenne,
Columbien
Nicaragua.
Panama
Peru: Chan-
chamayo
Cayenne
Ecuador
Peru: Chan-
chamayo
Columbien:
Cauca-Tal
- Subgen. **Psapharochrus** Thoms.
- (mit *Aegomorphus*, *Pardalisia*, *Scythropopsis* und *Symperasmus*.¹⁾)
- Arten aus Amerika.
- abstersa** Bates, Ent. Monthly Mag. XVII, 1880, p. 60. Columbien
- affinis** Thoms. Syst. Ceramb. 1865, p. 544. Cayenne
- albitarsis** Cast. Hist. Nat. Col. II, 1840, p. 461. — Brasilien
Thoms. Syst. Ceramb. 1865, p. 20. — Lacord.
Gen. Col. IX, 1872, p. 754 (*Scythropopsis*).
- albonigra** Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Amazonas:
p. 218 (sep. p. 24). Santarem
- arietis** Bates, Biol. Centr.-Amer. Col. V, 1855, p. 380. Guatemala
t. 23, f. 10.
- bicuspis** Germ. Ins. Spec. Novae 1824, p. 475. — Brasilien
White, Cat. Col. Brit. Mus. VIII, 1855,
p. 363.
- bivitta** White, Cat. Col. Brit. Mus. VIII, 1855, p. 354. — Amazonas.
Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Cayenne,
p. 476 (sep. p. 31); Biol. Centr.-Amer. Col. V, Panama,
1880, p. 140, t. 11, f. 9. Nicaragua
- Borrei** Dugès, Ann. Soc. Ent. Belg. XXIX, 2, 1885, Mexico
p. 48, t. 3, f. 28. — Bates, Biol. Centr.-Amer.
Col. V, 1885, p. 380. — Schaeffer, Bull.
Brookl. Instit. I, 1908, p. 345.
- Biologie:** Dugès, Ann. Soc. Ent. Belg. XXIX,
2, 1885, p. 45, t. 3, f. 13–27.
- carinicollis** Bates, Ent. Monthly Mag. XVII, 1880. Brasilien
p. 61.
- chrysopus** Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Amazonas:
p. 474 (sep. p. 29). Ega
- circumflexa** Jacq. du Val, Hist. Cuba, Ins. 1857, Mexico,
p. 270. — Chevr. Ann. Soc. Ent. France (4) Zentral-
II, 1862, p. 247. — Bates, Trans. Ent. Soc. Amerika,
Lond. 1872, p. 207. — Gah. l. c. 1895, p. 130. Columbien,
meteorica Gistel, 820 wirbell. Thiere 1857, Venezuela,
p. 79. Cuba

¹⁾ Es ist vorläufig unmöglich, die Arten auf diese bisher ungenügend characterisierten Untergattungen zu verteilen.

- ? *rustica* Klug, Preisverz. 1829, p. 13.
- clavator* F. Syst. Eleuth. II, 1801, p. 291. Südamerika
- clerica* Bates, Biol. Centr.-Amer. Col. V, 1880, p. 141. Mexico
- consentanea* Thoms. Syst. Ceramb. 1865, p. 544. Brasilien
- contaminata* Thoms. l. c. p. 543. "
- cornuta* Bates, Biol. Centr.-Amer. Col. V, 1880, p. 142. Guatémala
- crocostigma* Bates, Ent. Monthly Mag. XVII, 1880, Ecuador
p. 61.
- cylindrica* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Rio Janeiro
p. 473 (sep. p. 27) nota. — Thoms. Syst.
Ceramb. 1864, p. 18.
- docta* Bates, Biol. Centr.-Amer. Col. V, 1880, p. 141. Mexico
- fascialis* White, Cat. Col. Brit. Mus. VIII, 1855, Amazonas,
p. 361. — Bates, Ann. Mag. Nat. Hist. (3) Ega
VIII, 1861, p. 217 (sep. p. 23).
- flexistigma* Bates, Ent. Monthly Mag. XVII, 1880, Para
p. 61.
- fuliginosa* Thoms. Syst. Ceramb. 1864, p. 543. Brasilien
- funeraria* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Mexico
p. 151 (sep. p. 18) nota; Biol. Centr.-Amer.
Col. V, 1880, p. 140, t. 11, f. 3, 4 (*Pardalisia*).
Erichsoni Thoms. Physis II, 1868, p. 147.
- fuscicollis* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Amazonas:
p. 216 (sep. p. 22). Ega
- guatemalensis* Casey, Mem. Col. IV, 1913, p. 303. Guatémala
- hebes* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 215 (sep. p. 21). Amazonas:
Ega
- histrion* Casey, Mem. Col. IV, 1913, p. 302. Honduras
- jaspidea* Germ. Ins. Spec. Novae 1824, p. 475. — Brasilien
White, Cat. Col. Brit. Mus. VIII, 1855, p. 358.
var. *congener* Burm. Stett. Ent. Zeit. XXVI,
1865, p. 178. Argentina
- inquinata* Bates, Trans. Ent. Soc. Lond. 1872, p. 207; Nicaragua
Biol. Centr.-Amer. Col. V, 1880, p. 140,
t. 11, f. 8.
- lacrymans* Thoms. Syst. Ceramb. 1865, p. 544. — Mexico
Bates, Biol. Centr.-Amer. Col. V, 1880, p. 140.
lachrymosa Bates, l. c. t. 11, f. 6.
- laetifica* Bates, Ent. Monthly Mag. XVII, 1880, p. 60. Ecuador
- lateralis* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Amazonas,
p. 475 (sep. p. 30). Guyana
- latevittata* Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 51. Bolivia
t. 2, f. 9.
- leucodryas* Bates, Ent. Monthly Mag. XVII, 1880, p. 61. Ecuador
- leucogaea* Er. Archiv Naturg. XIII, 1847, p. 143. — Peru
White, Cat. Col. Brit. Mus. VIII, 1855, p. 357.
- longispinis* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, Amazonas:
p. 471 (sep. p. 26). Tapajos
- longitarsis* Bates, Ent. Monthly Mag. XVII, 1880, p. 58. Ecuador
- lotor* White, Cat. Col. Brit. Mus. VIII, 1855, p. 362. Amazonas
— Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861,
p. 475 (sep. p. 30).
- luctuosa* Bates, Ent. Monthly Mag. XVII, 1880, p. 60. Brasilien
- lugens* Thoms. Syst. Ceramb. 1865, p. 543. — Bates, Mexico
Biol. Centr.-Amer. Col. V, 1880, p. 378.
- maculatissima* Bates, Ann. Mag. Nat. Hist. (3) VIII, Amazonas:
1861, p. 219 (sep. p. 25). Santarem
- maculicollis* Bates, l. c. p. 217 (sep. p. 23). Cayenne,
Amazonas

- melanosticta** White, Cat. Col. Brit. Mus. VIII, 1855, p. 361. Brasilien
- meleagris** Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 474 (sep. p. 28). Amazonas
- minima** Bates, l. c. p. 217 (sep. p. 23).
- modesta** Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 164; Ins. Suec. I, 4, 1827, p. 63. — Muls. Col. France, Longic. ed. 2, 1863, p. 291. — Seidl. Fauna Balt. 1875, p. 518; ed. 2, 1891, p. 752. — Ganglb. Wien. Ent. Zeit. II, 1883, p. 298, t. 4, f. 1; Best.-Tab. VIII, 1884, p. 101 (535). — Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 27 (*Aegomorphus*).
- decipiens* Haldem. Trans. Amer. Phil. Soc. (2) X, 1847, p. 45. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 176. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 116. — Leng & Hamilt. l. c. XXIII, 1896, p. 114. — Felt, Ins. Affect. Trees 1907, p. 473, fig. 119. — Blatchley, Col. Indiana 1910, p. 1070.
- nigricans** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 110. Venezuela, Brasilien
- nigritarsis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 363. — Gah. Trans. Ent. Soc. Lond. 1892, p. 264. Mexico, Guatemala
- sylvanus* Bates, Biol. Centr.-Amer. Col. V, 1880, p. 141, 378.
- orbifera** Auriv. Arkiv f. Zool. V, 1, 1909, p. 9. Peru
- peninsularis** Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 116. — Leng & Hamilt. l. c. XXIII, 1896, p. 114. — Schaeffer, Bull. Brookl. Instit. I, 1908, p. 345. Unteres Kalifornien, Arizona, Neu-Mexico
- phasianus** Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 473 (sep. p. 28). Amazonas
- pigmentata** Bates, l. c. p. 472 (sep. p. 27). Amazonas: Tabatinga Mexico
- piperata** Gah. Trans. Ent. Soc. Lond. 1892, p. 262, t. 12, f. 4.
- polysticta** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 379, t. 23, f. 8. Panama
- pupillata** Bates, Ent. Monthly Mag. XVII, 1880, p. 60. Columbian
- puruleusis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 379, t. 23, f. 7. Guatemala
- quadrigibba** Say, Boston Journ. Nat. Hist. I, 1835, p. 195; Compl. Writ. II, 1859, p. 665. — J. Lec. Journ. Acad. Phil. (2) II, 1852, p. 175. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 115. — Pack. Ins. Inj. Trees 1890, p. 91. — Leng & Hamilt. l. c. XXIII, 1896, p. 114. — Blatchley, Col. Indiana 1910, p. 1070, fig. 459. Massachusetts, New York, New Jersey, Pennsylvania, Ohio, Indiana, Nord-Carolina, Louisiana, Arizona
- quadrirodosa** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 178. Argentina
- Ridleyi** Waterh. Journ. Linn. Soc. Lond. Zool. XX, 1894, p. 555. Insel Fernando Noronha

- ruftarsis* Kirsch, Abhandl. Mus. Dresden II, 4, 1889, p. 41. Ecuador
- Sallei* Thoms. Syst. Ceramb. 1865, p. 543. Mexico
- satellina* Er. Archiv Naturg. XlII, 1, 1847, p. 143. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 357. Peru
- semigrisea* Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 217 (sep. p. 23) nota. Rio Janeiro
- signata* Gah. Trans. Ent. Soc. Lond. 1892, p. 263. t. 12, f. 3. Mexico
- thoracica* White, Cat. Col. Brit. Mus. VIII, 1855, p. 359. — Bates, Ann. Mag. Nat. Hist. (3) VIII, 1861, p. 219 (sep. p. 25). — Thoms. Syst. Ceramb. 1864, p. 29 (*Symperasmus*). Cayenne, Amazonas
- umbrata* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 379, t. 23, f. 9. Guatemala
- vetusta* Bates, Ent. Monthly Mag. XVII, 1880, p. 58. Ecuador

Arten aus Afrika.

- eximia* Jord. Novit. Zool. I, 1894, p. 244. Kuilu, Kamerun
- gorilla* Thoms. Archives Ent. II, 1858, p. 164. Gabun, Kamerun

Paläarktische Arten.

- clavipes* Schrank, Enum. Ins. 1781, p. 135. — Ganglb. Best.-Tab. VIII, 1883, p. 101 (535). — Bau, Handb. Käfer 1888, p. 417. — Bedel, Faune Col. Seine V, 1889, p. 38, 88. — Seidl. Fauna Balt. ed. 2, 1891, p. 751; Fauna Transsylv. 1891, p. 849. — Stierl. Col. Helvet. II, 1898, p. 498. — Everts, Col. Neerl. II, 1, 1901, p. 375. — Houlbert, Faune Armor. Ceramb. 1904, p. 61, f. 117; ed. 2, 1909, p. 62. — Csiki, Rovart. Lapok XI, 1904, p. 210. — Jacobs. Käfer Russl. 1910, t. 68, f. 13. — Sitowski, Kosmos XXXV, 1911, p. 262, t. 1, f. 2. — Kuhnt, Käfer Deutschl. 1912, p. 790, fig. 189. — Reitter, Fauna Germ. IV, 1913, p. 58, t. 138, f. 6. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 870, t. 30, f. 13. — Auriv. Svensk Insektf. IX, 1, 1917, p. 41. Europa bis Schweden und Finnland (fehlt in Grossbritannien, Belgien und Holland), Nordafrika, Sibirien
- nebulosa* De Geer, Mém. Ins. V, 1775, p. 71. — Retz. Gen. Spec. Ins. 1783, p. 137. — Laich. Tyrol. Ins. II, 1784, p. 25.
- varia* F. Mant. Ins. I, 1787, p. 130; Ent. Syst. I, 2, 1792, p. 271; Syst. Eleuth. II, 1801, p. 288. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1825. — Rossi, Fauna Etr. I, 1790, p. 142; ed. Hellw. I, 1795, p. 153. — Ol. Encycl. méth. V, 1790, p. 290; Ent. IV, nr. 67, 1795, p. 82, t. 3, f. 16. — Panzer, Ent. Germ. 1795, p. 250; Fauna Ins. Germ. XLVII, 1796, t. 19. — Payk. Fauna Suec. III, 1800, p. 456. — Panz. Schaeffer, Icones Ins. ed. 2, 1804, p. 177, t. 203, f. 5 (?). — Latr. Hist. Nat. Ins. X⁴, 1804, p. 268. — Gyllenh. Ins. Suec. I, 4, 1827, p. 62. — Boit. Man. d'Ent. II,

1828, p. 21. — Eichw. Zoolog. Spec. II, 1830, p. 257. — Muls. Col. France, Longic. 1839, p. 143; ed. 2, 1863, p. 298. — Cast. Hist. Nat. Col. II, 1840, p. 462. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 98. — Berge, Käferbuch 1844, p. 124, t. 12, f. 4. — Küster, Käfer Eur. XII, 1847, nr. 96. — Redtenb. Fauna Austr. 1849, p. 492; ed. 2, 1858, p. 857; ed. 3, II, 1874, p. 416. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 360. — Bach, Käferf. III, 1856, p. 26. — Gutfl. Käfer Deutschl. 1859, p. 582. — Schiödt, Naturh. Tidskr. (3) II, 1864, p. 560. — C. G. Thoms. Skand. Col. VIII, 1866, p. 82. — Seidl. Fauna Balt. 1875, p. 518. — Cuni y Mart. Cat. Col. Cataluna 1876, p. 299. — Schlosser, Fauna Kornjas. III, 1879, p. 828. — Sériziat, Col. France 1880, p. 310. — Fairm. Hist. Nat. France, Col. 1882, p. 266; ed. 2, 1902, p. 266. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 13, f. 6.

Biologie: Passer. Ins. Col. del Ficus carica 1851, p. 5. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 319 (sep. p. 479), fig. 491 — 494. — Xamheu, Moeurs et Métam. VIII, 1902, p. 168. — Henriksen, Danm. Fauna, Biller III, 1914, p. 94, fig. 66.

var. *griseescens* Pic, Ann. Soc. Ent. France **Syrien** LXVI, 1898, p. 392.

ab. *lucida* Stark, Wien. Ent. Zeit. IX, 1890, **Kaukasus** p. 71.

ab. *obscurior* Pic, Longic. V, 1, 1904, p. 17. **Amur**

Krüperi Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 56, **Griechen-**
t. 3, f. 11. — Fairm. Gen. Col. d'Eur. IV, **land:**
1864, t. 47, f. 219. — Ganglb. Best.-Tab. VIII, **Acarnanien**
1884, p. 101 (535).

82

Amblysaphes Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 381.

strlatus Bates, l. c. p. 382, t. 23, f. 13. **Guatemala**

1

Scleronotus Thoms.

Thoms. Classif. Ceramb. 1860, p. 340; Syst. Ceramb. 1864, p. 351. — Lacord. Gen. Col. IX, 1872, p. 737, 754. — Auriv. Arkiv f. Zool. X, 19, 1916, p. 24 (Revisio).

angulatus Auriv. Revis. p. 23, 24. **Peru**

anthribiformis Auriv. Revis. p. 22, 24. **Brasilien**

egensis White, Cat. Col. Brit. Mus. VIII, 1855, p. 364, **„**
t. 9, f. 3. — Auriv. Revis. p. 24.

egaensis Bates, Ann. Mag. Nat. Hist. (3) **„**
VIII, 1861, p. 216 (sep. p. 22).

nigroapicalis Auriv. Revis. p. 22, 24, fig. 72. **Rio Janeiro**

25*

scabrosus Thoms. *Classif. Ceramb.* 1860, p. 341. — Brasilien
Chevr. *Journ. of Ent.* I, 1861, p. 251. —
Auriv. *Revis.* p. 24.

stupidus Lacord. *Gen. Col.* IX, 1872, p. 755, t. 107, „
f. 4 (non 3). — Auriv. *Revis.* p. 24.

6

Criopsis Thoms.

Thoms. *Classif. Ceramb.* 1860, p. 341; *Syst. Ceramb.* 1864, p. 352. —
Lacord. *Gen. Col.* IX, 1872, p. 737, 755.

curta Thoms. *Classif. Ceramb.* 1860, p. 342. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 756.

1

Taurorcus Thoms.

Thoms. *Archives Ent.* I, 1857, p. 186; *Classif. Ceramb.* 1860, p. 339;
Syst. Ceramb. 1864, p. 361. — Lacord. *Gen. Col.* IX, 1872, p. 737, 756.

Taurorgus Gemm. & Har. *Cat. Col.* X, 1873, p. 3147.

Chabrillesi Thoms. *Archives Ent.* I, 1857, p. 187. — Brasilien
Lacord. *Gen. Col.* IX, 1872, p. 756.

1

Callapoecus Bates.

Bates, *Journ. Linn. Soc. Lond. Zool.* XVIII, 1884, p. 254.

guttatus Bates, l. c. p. 254, t. 2, f. 1. Japan

1

LXXXII. Acanthocinini.

Lacordaire, *Gen. Col.* IX, 1872, p. 417, 757.

Acanthocininae + *Exocentrinae* Pascoe, *Trans. Ent.*
Soc. Lond. (3) III, 1869, p. 6, 7, 9, 26.

Acanista Pasc.

Pasc. *Trans. Ent. Soc. Lond.* (3) III, 1864, p. 10. — Lacord. *Gen.*
Col. IX, 1872, p. 758, 759.

alphoides Pasc. *Trans. Ent. Soc. Lond.* (3) III, 1864, Insel Mysol,
p. 11, t. 1, f. 3. — Lacord. *Gen. Col.* IX, Neu-Guinea,
1872, p. 759. Queensland

arachne Fauv. *Revue d'Ent.* XXV, 1906, p. 97. Neucaledonien

2

Beloesthes Thoms.

Thoms. *Syst. Ceramb.* 1864, p. 23, 353. — Lacord. *Gen. Col.* IX,
1872, p. 758, 760.

megabasoides Thoms. *Syst. Ceramb.* 1864, p. 24. — Südamerika?
Lacord. *Gen. Col.* IX, 1872, p. 760.

1

Tithonus Thoms.

Thoms. Syst. Ceramb. 1864, p. 24, 353. — Lacord. Gen. Col. IX, 1872, p. 759, 760.

umbrosus Thoms. Syst. Ceramb. 1864, p. 24. — Lacord. Brasilien Gen. Col. IX, 1872, p. 761.

1

Amniscus Bates.

Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 103 (sep. p. 65). — Lacord. Gen. Col. IX, 1872, p. 79, 761.

Alcathous Thoms. Syst. Ceramb. 1864 p. 24, 353.

pectipes Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas, p. 104 (sep. p. 66). — Lacord. Gen. Col. IX, Rio Janeiro 1872, p. 762, nota 3.

polyraphoides White, Cat. Col. Brit. Mus. VIII, 1855, Venezuela p. 394, t. 10, f. 6. — Thoms. Syst. Ceramb. 1864, p. 24. — Lacord. Gen. Col. IX, 1872, p. 762.

2

Tenthras Thoms.

Thoms. Syst. Ceramb. 1864, p. 224, 441. — Lacord. Gen. Col. IX, 1869, p. 144, 146.

obliteratus Thoms. Syst. Ceramb. 1864, p. 225. — Cayenne Lacord. Gen. Col. IX, 1869, p. 147.

1

Coenopoeus Horn.

Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 117. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 323. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 113.

niger Horn, Bull. Calif. Acad. (2) IV, 1894, p. 402. Unteres Californien

Palmeri J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Arizona, p. 233. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 118, t. 2, f. 1. — Leng & Hamilt. l. c. XXIII, 1896, p. 115. Südcalifornien, Nordmexico

Biologie: Hunter, U. S. Dep. Agric. Divis. of Ent. Bull. (2) nr. 113, 1912, p. 43.

2

Lagochirus Er.

Er. Archiv Naturg. XIII, 1, 1847, p. 144. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 337. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 117. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 144. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 323. — Casey, Mem. Col. IV, 1913, p. 303.

Lagocheirus Thoms. Classif. Ceramb. 1860, p. 6, 9; Syst. Ceramb. 1864, p. 355. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 100 (sep. p. 61). — Lacord. Gen. Col. IX, 1872, p. 759, 762. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 115.

- araneiformis** [Sloane, Voy. Jamaica II, 1725, p. 209, t. 237, f. 24 (sine nom.)]. — L. Syst. Nat. ed. 12, 1767, p. 625. — Drury, Ill. Exot. Ins. II, 1773, p. 66, t. 35, f. 4; ed. Westw. II, 1837, p. 69, t. 35, f. 4. — Müller, Naturs. V, 1, 1774, p. 260. — F. Syst. Ent. 1775, p. 164; Spec. Ins. I, 1781, p. 209; Mant. Ins. I, 1787, p. 131; Ent. Syst. I, 2, 1792, p. 271; Syst. Eleuth. II, 1801, p. 288. — Forster in Füessly, Archiv Insecteng. VI, 1785, p. 11, t. 32, f. 2. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1819. — Ol. Encycl. méth. Ins. V, 1790, p. 290; Ent. IV, nr. 67, 1795, p. 64, t. 5, f. 34a, 6. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 277; ed. 3, IV, 1828, p. 353. — Lam. Hist. Nat. IV, 1817, p. 315; ed. 2, IV, 1835, p. 509. — Reichenb. Naturg. Ins. 1837, p. 410, t. 99, f. 640. — Cast. Hist. Nat. Col. II, 1840, p. 462. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 365. — Jacq. du Val in Sagra, Hist. Cuba, Ins. 1857, p. 271, t. 11, f. 2. — Thoms. Classif. Ceramb. 1860, p. 333, t. 1, f. 1. — Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 247. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 101 (sep. p. 62). — Lacord. Gen. Col. IX, 1872, t. 107, f. 2 (non 5). — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 117. — Leng & Hamilt. I. c. XXIII, 1896, p. 115. — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 40.
- epsilon* Voet, Cat. Col. II, 1778, p. 11, t. 9, f. 33; ed. Panzer III, 1794, p. 26, t. 9, f. 34.
- cristulatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 209; Biol. Centr.-Amer. Col. V, 1880, p. 146, t. 11, f. 10.
- fasciculatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 377, t. 9, f. 9. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 101 (sep. p. 62).
- flavolineatus** Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 52, t. 2, f. 10.
- funestus** Thoms. Syst. Ceramb. 1865, p. 545. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 146.
- integer** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 384.
- obsoletus** Thoms. Classif. Ceramb. 1860, p. 10. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 145. — Gah. Trans. Ent. Soc. Lond. 1895, p. 130.
- longipennis* Bates, Biol. Centr.-Amer. Col. V, 1880, p. 145, t. 14, f. 2.
- parvulus** Casey, Mem. Col. IV, 1913, p. 304.
- plantaris** Er. Archiv Naturg. XIII, 1, 1847, p. 144. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 365.
- praecellens** Bates, Trans. Ent. Soc. Lond. 1872, p. 209; Biol. Centr.-Amer. Col. V, 1880, p. 146, t. 11, f. 13.

Florida, Zentralamerika, Westindien, Südamerika, Sandwichinseln, Tahiti

Nicaragua

Columbia, Amazonas

Columbien, Amazonas, Mexico

Mexico, Guatemala, Honduras, Nicaragua, Cuba, Sandwichinseln, Loo Chooinseln

Panama, Peru

Nicaragua

- ✓ **procerus** Casey, Mem. Col. IV, 1913, p. 304. Unteres Californien
- ✓ **Rogersi** Bates, Biol. Centr.-Amer. Col. V, 1880, p. 146, 384, t. 11, f. 15. Costarica, Panama
- ✓ **rosaceus** Bates, Trans. Ent. Soc. Lond. 1869, p. 386; Biol. Centr.-Amer. Col. V, 1880, p. 146, t. 11, f. 12. Nicaragua
- ✓ **simplicicornis** Bates, Trans. Ent. Soc. Lond. 1872, p. 210; Biol. Centr.-Amer. Col. V, 1880, p. 146, t. 11, f. 14. "
- ✓ **tuberculatus** F. Mant. Ins. I, 1787, p. 131; Ent. Syst. I, 2, 1792, p. 273; Syst. Eleuth. II, 1801, p. 289. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1819. — Ol. Encycl. méth. Ins. V, 1790, p. 291; Ent. IV, nr. 67, 1795, p. 109, t. 16, f. 114. — Gah. Trans. Ent. Soc. Lond. 1895, p. 130. Jamaica (?), Mexico, Guatemala
- binumeratus* Thoms. Classif. Ceramb. 1860, p. 9. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 384.
- ✓ *var. V-album* Bates, Trans. Ent. Soc. Lond. 1869, p. 386; Biol. Centr.-Amer. Col. V, 1885, p. 384. Guatemala, Honduras, Nicaragua
- binumeratus* Bates, Trans. Ent. Soc. Lond. 1872, p. 210; Biol. Centr.-Amer. Col. V, 1880, p. 145, t. 11, f. 11. Costarica, Panama
- undatus** Voet, Cat. Col. II, 1778, p. 11, t. 9, f. 34; ed. Panzer III, 1794, p. 27, t. 9, f. 34. Patria?

16

Cleodoxus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 24, 353. — Lacord. Gen. Col. IX, 1872, p. 759, 763.
- cristatus** Thoms. Syst. Ceramb. 1864, p. 25. — Lacord. Südamerika Gen. Col. IX, 1872, p. 764.
- lineaticollis** Goun. Bull. Mus. Paris XVI, 1910, p. 17. Ecuador

2

Lathroeus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 25. — Lacord. Gen. Col. IX, 1872, p. 759, 764.
- oreoderoides** Thoms. Syst. Ceramb. 1864, p. 25. — Südamerika Lacord. Gen. Col. IX, 1872, p. 764.

1

Alcidiion Thoms.

- Thoms. Classif. Ceramb. 1860, p. 12; Syst. Ceramb. 1864, p. 354. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 105 (sep. p. 66). — Lacord. Gen. Col. IX, 1872, p. 759, 764. — Bates, Biol. Centr.-Amer. Col. V, 1880, p. 156; Ent. Monthly Mag. XVI, 1880, p. 273.
- adjunctum** Thoms. Syst. Ceramb. 1865, p. 544. Costarica
- Batesi** Kirsch, Abhandl. Mus. Dresden II, 4, 1889, p. 41, t. 4, f. 78. Columbien
- bicristatum** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 109 (sep. p. 70) nota. Rio Janeiro

- bispinum** Bates, l. c. p. 105 (sep. p. 67) nota. Rio Janeiro
- brachiale** Bates, Trans. Ent. Soc. Lond. 1872, p. 214; Mexico,
Biol. Centr.-Amer. Col. V, 1880, p. 157, Guatemala,
t. 12, f. 13. Nicaragua,
Panama
- carinatum** White, Cat. Col. Brit. Mus. VIII, 1855, Columbian
p. 395.
- coxale** Kirsch, Abhandl. Mus. Dresden II, 4, 1889, "
p. 42, t. 4, f. 79.
- deletum** Bates, Ent. Monthly Mag. XVI, 1880, p. 274. Cayenne
- emeritum** Er. Archiv Naturg. XIII, 1, 1847, p. 147. Peru
- ✓ **eulophum** Bates, Biol. Centr.-Amer. Col. V, 1880, Mexico,
p. 156, t. 14, f. 3. Guatemala,
Honduras,
Costarica
- furciferum** Bates, l. c. p. 156. Guatemala
- griseum** Auriv. Öfvers. Vet. Akad. Förh. LVII, Venezuela
1900, p. 417.
- humerosum** Bates, Ent. Monthly Mag. XVI, 1880, Ecuador
p. 274.
- interrogationis** Bates, Ann. Mag. Nat. Hist. (3) XII, Amazonas:
1863, p. 107 (sep. p. 68). Ega
- laetulum** Bates, Ent. Monthly Mag. XVI, 1880, p. 273. Bahia
- latipenne** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas
p. 107 (sep. p. 68).
- latum** Thoms. Classif. Ceramb. 1860, p. 12. Mexico
- lineatum** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Venezuela,
p. 105 (sep. p. 67) nota; Biol. Centr.-Amer. Panama
Col. V, 1885, p. 394.
- minimum** Bates, l. c. p. 108 (sep. p. 69). Amazonas:
S. Paulo
- nebulosum** Bates, Ent. Monthly Mag. XVI, 1880, p. 274. Ecuador
- oculatum** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas:
p. 106 (sep. p. 67). Ega
- olivaceum** Bates, l. c. p. 108 (sep. p. 69). Ega
- privatum** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Columbian,
p. 283. — Bates, Biol. Centr.-Amer. Col. V, Panama,
1880, p. 157, 394, t. 12, f. 10. Nicaragua,
Guatemala
- var. *penicillatum* Bates, l. c. p. 394. Nicaragua,
Guatemala
- pulchrum** Bates, Ent. Monthly Mag. XVI, 1880, p. 273. Columbian
- scutellatum** Bates, Biol. Centr.-Amer. Col. V, 1880, Guatemala
p. 157.
- sexnotatum** Waterh. Trans. Linn. Soc. Lond. Zool. Brit. Guyana
(2) VIII, 1901, p. 76.
- ✓ **soebum** Gah. Trans. Ent. Soc. Lond. 1895, p. 131. Insel
Grenada,
St. Vincent,
Venezuela
- tetramaston** White, Cat. Col. Brit. Mus. VIII, 1855, Venezuela
p. 395.
- triangulare** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas:
p. 106 (sep. p. 67). Ega
- var. *paraense* Bates, l. c. p. 107 (sep. p. 68). Para
- trivittatum** Bates, l. c. p. 109 (sep. p. 70) nota. Venezuela
- venosum** Bates, Ent. Monthly Mag. XVI, 1880, p. 274. Rio Janeiro

Xenostylus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 394.

sublineatus Bates, l. c. p. 395, t. 24, f. 5. Panama

1

Hexacona Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 157.

armata Bates, l. c. p. 158, t. 12, f. 15. Costarica

1

Catharestes Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 158.

elegans Bates, l. c. p. 158. Guatemala

1

Lophopoeum Bates.Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 275 (sep. p. 70). —
Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872,
p. 759, 765. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 159.**acutispine** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Para
p. 277 (sep. p. 73).**barbiscapum** Bates, Trans. Ent. Soc. Lond. 1872, p. Guatemala,
214; Biol. Centr.-Amer. Col. V, 1881, p. 159, Nicaragua
t. 12, f. 11.**bituberculatum** White, Cat. Col. Brit. Mus. VIII, 1855, Amazonas:
p. 382. — Bates, Ann. Mag. Nat. Hist. (3) Ega
XII, 1863, p. 277 (sep. p. 72).**carinatum** Bates, l. c. p. 275 (sep. p. 71). Ega**circumflexum** Bates, l. c. p. 276 (sep. p. 72).**cultriferum** White, Cat. Col. Brit. Mus. VIII, 1855, Amazonas
p. 374. — Bates, Ann. Mag. Nat. Hist. (3)
XII, 1863, p. 277 (sep. p. 73); Biol. Centr.-
Amer. Col. V, 1881, p. 159.**fuliginosum** Bates, Ann. Mag. Nat. Hist. (3) XII, Amazonas:
1863, p. 276 (sep. p. 71). Santarem**saronotum** Bates, Trans. Ent. Soc. Lond. 1872, p. 215 Nicaragua,
(*saronoto*); Biol. Centr.-Amer. Col. V. Panama
1881, p. 159, 395, t. 12, f. 12.**scopiferum** Bates, Trans. Ent. Soc. Lond. 1872, p. Mexico,
215; Biol. Centr.-Amer. Col. V, 1881, p. 159. Guatemala,
Honduras,
Nicaragua**splipenne** Bates, l. c. 1885, p. 396, t. 24, f. 7. Panama**Timbouva** Lameere, Ann. Soc. Ent. Belg. XXVIII, Rio Janeiro
1884, p. 102.**Volxemi** Lameere, l. c. p. 95.**W-flavum** Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama
395, t. 24, f. 6.

13

Idephrynus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 160.

scaber Bates, l. c. p. 160. Mexico

1

Leptocometes Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 161, 396.

curvatus Bates, l. c. 1885, p. 396.

Mexico

hispidus Bates, l. c. 1881, p. 161.

"

2

Onalcidion Thoms.

Thoms. Syst. Ceramb. 1864, p. 25, 353. — Lacord. Gen. Col. IX, 1872, p. 767, 768.

pictulum White, Cat. Col. Brit. Mus. VIII, 1855, p. 395, t. 10, f. 5. — Thoms. Syst. Ceramb. 1864, p. 25. — Lacord. Gen. Col. IX, 1872, p. 769.

Columbien

1

Anisopodus White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 349. — Thoms. Classif. Ceramb. 1860, p. 7, 17; Syst. Ceramb. 1864, p. 354. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 282 (sep. p. 77). — Lacord. Gen. Col. IX, 1872, p. 767, 769. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 162.

Anisopus (nec Haan 1835) Serv. Ann. Soc. Ent. France IV, 1835, p. 30. — Cast. Hist. Nat. Col. II, 1840, p. 462.*Leptoscelis* Er. (nec Cast. 1833) Archiv Naturg. XIII, 1, 1847, p. 145.**andicola** Kirsch, Abhandl. Mus. Dresden II, 4, 1889, p. 42, t. 4, f. 8. Ecuador**arachnoides** Serv. Ann. Soc. Ent. France IV, 1835, p. 31. — Cast. Hist. Nat. Col. II, 1840, p. 463. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 283 (sep. p. 79). Brasilien, Amazonas**auctus** Thoms Syst. Ceramb. 1865, p. 544. Brasilien**brevis** Gah. Trans. Ent. Soc. Lond. 1892, p. 266, t. 12, f. 12. Mexico**callistus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 164. Guatemala
canus Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 288 (sep. p. 84) nota. Südbrasilien**cognatus** Bates, l. c. p. 284 (sep. p. 79). Amazonas**curvilineatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 350, t. 9, f. 1. Brasilien**degener** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 399. Mexico✓ **dispar** Bates, l. c. t. 24, f. 10 ♀, 11 ♂. Panama**elongatus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 285 (sep. p. 81). Amazonas: Ega**gracillimus** Bates, l. c. p. 286 (sep. p. 82). Mexico,✓ **hamaticollis** Bates, Trans. Ent. Soc. Lond. 1872, p. 236; Biol. Centr.-Amer. Col. V, 1881, p. 163, t. 12, f. 4, 5. Guatemala, Honduras, Nicaragua, Panama**humeralis** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 288 (sep. p. 83). Amazonas: S. Paulo**jaculus** Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 162. („Mauritius“)**ligneus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 287 (sep. p. 82). Amazonas

- lignicola** Bates, l. c. (sep. p. 83).
macropus Bates, l. c. p. 286 (sep. p. 81).
mexicanus Bates, Biol. Centr.-Amer. Col. V, 1881, p. 162.
nigripes Bates, l. c. 1885, p. 399, t. 24, f. 12.
phalangodes Er. Archiv Naturg. XIII, 1, 1847, p. 145. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 349. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 282 (sep. p. 78); Biol. Centr.-Amer. Col. V, 1881, p. 162, t. 12, f. 6.
prolixus Er. Archiv Naturg. XIII, 1, 1847, p. 145. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 350.
scriptipennis Bates, Trans. Ent. Soc. Lond. 1872, p. 236; Biol. Centr.-Amer. Col. V, 1881, p. 163, t. 12, f. 3, 7.
seviculus Germ. Ins. Spec. Novae 1824, p. 473.
sparsus Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 284 (sep. p. 80).
strigosus Er. Archiv Naturg. XIII, 1, 1847, p. 145. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 350.
variegatus Burm. Stett. Ent. Zeit. XXVI, 1865, p. 178.
xylinus Bates, Biol. Centr.-Amer. Col. V, 1881, p. 163.
28
- Amazonas
Amazonas:
S. Paulo
Mexico,
Guatemala
Panama
Peru,
Amazonas,
Cayenne,
Panama,
Nicaragua,
Guatemala,
Mexico
Peru
Guatemala,
Nicaragua,
Panama
Brasilien
Amazonas,
Cayenne
Peru
Tucuman
Costarica

Pattalinus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 165.

- charls** Bates, l. c. p. 165.
cultus Bates, l. c. p. 165.
2
- Mexico
"

Eutrichillus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 397.

- comus** Bates, l. c. 1881, p. 155.
1
- Guatemala

Ozineus Bates.

Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 278 (sep. p. 74). — Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872, p. 767, 770. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 161.

- angulistigma** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 397, t. 24, f. 8. Panama
arietlans Bates, Trans. Ent. Soc. Lond. 1872, p. 215; Biol. Centr.-Amer. Col. V, 1881, p. 161, t. 12, f. 1. Mexico,
Guatemala,
Nicaragua,
Panama
cinerascens Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 280 (sep. p. 76). Amazonas
var. *pallipes* Bates, l. c. p. 280 (sep. p. 76).
eribriceus Bates, Biol. Centr.-Amer. Col. V, 1885, p. 396. Panama

- doctus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas
p. 280 (sep. p. 75).
- elongatus** Bates, l. c. p. 279 (sep. p. 74). Amazonas:
Ega
- ignobilis** Bates, l. c. p. 281 (sep. p. 77) nota. Rio Janeiro
- moestus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 397, Panama
t. 24, f. 9.
- mysticus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas:
p. 279 (sep. p. 75). Ega
- ocellator** F. Syst. Eleuth. II, 1801, p. 287. Südamerika
- rotundicollis** Bates, Ann. Mag. Nat. Hist. (3) XII, Rio Janeiro
1863, p. 281 (sep. p. 77) nota.
- strigosus** Bates, l. c. p. 280 (sep. p. 76) nota. Cayenne
- torquatus** Bates, Biol. Centr.-Amer. Col. V, 1881, Guatemala
p. 162.

13

Paroecus Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 379 (sep. p. 96). —
Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col IX, 1872,
p. 767, 770.
- Hystero tarsus* Thoms. Syst. Ceramb. 1864, p. 26, 354.
- celebensis** Thoms. Archiv. Ent. I, 1857, p. 289. Amazonas
- Batesi* Thoms. Syst. Ceramb. 1864, p. 26.
- ellipticus** Bates, Ann. Mag. Nat. Hist. (3)
XII, 1863, p. 380 (sep. p. 97). — Lacord.
Gen. Col. IX, 1872, p. 771.
- rigidus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Ega
p. 380 (sep. p. 97).

2

Glaucotes Casey.

- Casey, Mem. Col. IV, 1913, p. 305.
- ruccivorus** Fall, Journ. N. York Ent. Soc. XV, Arizona
1907, p. 83.

1

Astyliidius Casey.

- Casey, Mem. Col. IV, 1913, p. 308.
- lelopius** Casey, l. c. p. 308. Texas
- parvus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Texas,
p. 234. — Horn, Trans. Amer. Ent. Soc. VIII, Kansas,
1880, p. 121. — Leng & Hamilt. l. c. XXIII, Ohio, Distr.
1896, p. 119. — Blatchley, Col. Indiana 1910, Columbia,
p. 1071, 1072. — Casey, Mem. Col. IV, 1913, Pennsylvania,
p. 308. Canada
- versutus** Casey, l. c. p. 308. Distr. Colum-
bia

3

Astylopsis Casey.

- Casey, Mem. Col. IV, 1913, p. 309.
- macula** Say, Journ. Acad. Philad. V, 1827, p. 268. — Canada,
J. Lec. Journ. Acad. Philad. (2) II, 1852, Maine,
- pini** Schaeff

- p. 169; Smiths. Misc. Coll. XI, 1873, p. 233. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 120. — Leng & Hamilt. l. c. XXIII, 1896, p. 116, 121. — Blatchley, Col. Indiana 1910, p. 1071, 1072.
- sticticus* Haldem. Proc. Amer. Philos. Soc. IV, 1847, p. 372; Trans. Amer. Philos. Soc. (2) X, 1847, p. 48.
- Biologie: Fitch, Rep. Ins. N. York III, 1856, p. 144. — Packard, Ins. Inj. Forest Trees 1890, p. 337.
- sexguttata* Say, Journ. Acad. Philad. V, 1827, p. 269. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 116, 119. — Blatchley, Col. Indiana 1910, p. 1071, 1072.
- commixta* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 47. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 169; Smiths. Misc. Coll. XI, 1873, p. 233. — Fitch, Rep. Ins. N. York IV, 1859, p. 26. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121. — Pack. Ins. Inj. Forest Trees 1890, p. 697, fig. 233.
- guttata* J. Lec. in Say, Compl. Writ. II, 1859, p. 328. — Casey, Mem. Col. IV, 1913, p. 309.

Massachusetts, New York, New Jersey, Pennsylvania, Ohio, Virginia, Michigan, Lake Superior, Wisconsin, Indiana, Canada, Massachusetts, New York, New Jersey, Pennsylvania, Ohio, Michigan, Wisconsin, Indiana, New Mexico

2

Leptostylus J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 168; Smiths. Misc. Coll. XI, 265, 1873, p. 338. — Thoms. Classif. Ceramb. 1860, p. 6; Syst. Ceramb. 1864, p. 355. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 101 (sep. p. 63). — Lacord. Gen. Col. IX, 1872, p. 767, 771. — Prov. Pef. Faune Ent. Canada I, 1877, p. 627. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 119. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 323. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 113, 116. — Blatchley, Col. Indiana 1910, p. 1069, 1071. — Casey, Mem. Col. IV, 1913, p. 305.

- albescens* Halde.n. Trans. Amer. Philos. Soc. (2) X, 1847, p. 46. — Casey, Mem. Col. IV, 1913, p. 307. Nordamerika
- ab *asperatus* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 46.
- albidus* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 168; Smiths. Misc. Coll. XI, 1873, p. 233. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121. — Leng & Hamilt. l. c. XXIII, 1896, p. 116, 119. — Casey, Mem. Col. IV, 1913, p. 309. Colorado, Arizona
- albicinctus* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 388, t. 23, f. 25. Mexico
- angulatus* F. Syst. Eleuth. II, 1801, p. 312. Südamerika
- angulicollis* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 390. Guatemala
- arciferus* Gah. Trans. Ent. Soc. Lond. 1892, p. 265, t. 12, f. 8. Mexico

- arcuatus** J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 414. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121. — Leng & Hamilt. l. c. XXIII, 1896, p. 116, 118. Florida
- ✓ **argentatus** Jacq. du Val in Sagra, Hist. Nat. Cuba, Ins. VII, 1857, p. 273. — Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 247. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121, 123. — Leng & Hamilt. l. c. XXIII, 1896, p. 117. Cuba, Florida
- aspiciens** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 391, t. 24, f. 3. Mexico
- ✓ **assimilis** Gah. Trans. Ent. Soc. Lond. 1895, p. 136. Guadeloupe, Dominica, Mexico, Panama
- Batesi** Casey, Mem. Col. IV, 1913, p. 307.
albescens Bates, Biol. Centr.-Amer. Col. V, 1885, p. 387, t. 23, f. 18.
- ✓ **bidentatus** F. Syst. Ent. 1775, p. 165; Spec. Ins. I, 1781, p. 210; Mant. Ins. I, 1787, p. 131; Ent. Syst. I, 2, 1792, p. 274; Syst. Eleuth. II, 1801, p. 290. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1821. — Ol. Encycl. méth. V, 1790, p. 292. — Gah. Trans. Ent. Soc. Lond. 1895, p. 136. Guadeloupe, Insel Nevis
- ✓ **blustus** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 169; Smiths. Misc. Coll. XI, 264, 1873, p. 233. — Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 249. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121. — Hubbard, Ins. Aff. Orange 1885, p. 174, t. 14, f. 2. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 116, 119. — Gah. Trans. Ent. Soc. Lond. 1895, p. 134. — Blatchley, Col. Indiana 1910, p. 1071, 1072. Canada, New York, New Jersey, Virginia, Illinois, Florida, Louisiana, Texas, Cuba, Haiti
- ✓ **calcarius** Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 248. Cuba
- cineraceus** Bates, Trans. Ent. Soc. Lond. 1874, p. 230; Biol. Centr.-Amer. Col. V, 1881, p. 149, 385, t. 11, f. 19. Nicaragua, Guatemala
- ✓ **collaris** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 46. — J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 233. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 120. — Leng & Hamilt. l. c. XXIII, 1896, p. 116, 120. — Blatchley, Col. Indiana 1910, p. 1071, 1072. — Casey, Mem. Col. IV, 1913, p. 309. New York, New Jersey, Pennsylvania, Maryland, Georgien, Florida, Alabama, Kentucky
- var. interruptus* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 48. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 170. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 120. Pennsylvania, New York
- corpulentus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 152. Nicaragua
- crescenticus** Casey, Mem. Col. IV, 1913, p. 306. Florida
- cretatellus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 102 (sep. p. 64); Biol. Centr.-Amer. Col. V, 1881, p. 152. Amazonas; Obydos; Nicaragua

- cristulatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 213. Nicaragua,
Panama
- dealbatus** Jacq. du Val in Sagra, Hist. Cuba, Ins. VII, 1857, p. 274, t. 10, f. 11. — Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 248. Cuba
- decepiens** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 149. Nicaragua
- transversus* Bates, Trans. Ent. Soc. Lond. 1872, p. 211.
- diffusus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 387, t. 23, f. 19. Mexico,
Guatemala
- divisus** Casey, Mem. Col. IV, 1913, p. 306. Texas
- dubitans** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 390. Mexico
- fuliginens** Bates, l. c. p. 388, t. 23, f. 22. Guatemala
- gibbulosus** Bates, Trans. Ent. Soc. Lond. 1874, p. 230 nota; Biol. Centr.-Amer. Col. V, 1885, p. 385. Venezuela,
Panama,
Nicaragua,
Guatemala
- gibbus** De Geer, Mém. Ins. V, 1775, p. 116, t. 14, f. 9. — Goeze, Ent. Beytr. I, 1777, p. 475. — Retzius, De Geer Gen. et Spec. Ins. 1783, p. 139. — Gmel. in L. Syst. Nat. ed. 13, 1, 4, 1790, p. 1864. Surinam
- hilaris** Bates, Trans. Ent. Soc. Lond. 1872, p. 211; Biol. Centr.-Amer. Col. V, 1881, p. 147, t. 11, f. 17. Mexico,
Nicaragua,
Panama
- hispidulus** Bates, Trans. Ent. Soc. Lond. 1874, p. 229; Biol. Centr.-Amer. Col. V, 1885, p. 385. Nicaragua,
Guatemala
- incertus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 176, 391, 410, t. 12, f. 9. Nicaragua
- incrassatus** Klug, Verz. Ins.-Doubl. 1829, p. 13. Cuba
- transversatus* Jacq. du Val in Sagra, Hist. Cuba, Ins. VII, 1857, p. 273. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 248.
- inermis** F. Syst. Eleuth. II, 1801, p. 293. Guadeloupe,
S. Barthé-
lemy
- jamaicensis** Gah. Trans. Ent. Soc. Lond. 1895, p. 133. Jamaica
- laevicauda** Bates, Biol. Centr.-Amer. Col. V, 1881 —1885, p. 150, 386. Guatemala
- var. *chiriquinus* Bates, l. c. p. 386. Panama
- lazulinus** Bates, l. c. 1881, p. 149. Mexico
- Lecontei** Casey, Mem. Col. IV, 1913, p. 305. Florida
- leucanthes** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 148. Mexico
- leucopygus** Bates, Trans. Ent. Soc. Lond. 1872, p. 212. Nicaragua,
Panama
- liliputanus** Thoms. Syst. Ceramb. 1865, p. 545. Columbien
- macrostigma** Bates, Trans. Ent. Soc. Lond. 1872, p. 212. Nicaragua
- metallicus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 147. Costarica
- minuens** Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 121, 123. — Casey, Mem. Col. IV, 1913, p. 316. Florida
- mutillus** Casey, Mem. Col. IV, 1913, p. 307. Florida
- nebulosus** Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121, 122. — Leng & Hamilt. l. c. XXIII, 1896, p. 118. Nevada

- notaticollis** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 149, 386. Nicaragua
- obliquatus** Bates, l. c. p. 150, 386. Mexico,
Nicaragua
- obscurellus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 103 (sep. p. 64). Amazonas:
Santarem
- ochropygus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 389. Guatemala
- orbiculus** Bates, l. c. 1881, p. 151. Mexico,
Nicaragua
- ovalis** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 103 (sep. p. 64). Amazonas
- pallatus** Bates, Trans. Ent. Soc. Lond. 1874, p. 229; Biol. Centr.-Amer. Col. V, 1881, p. 152. Nicaragua
- parvulus** Gah. Trans. Ent. Soc. Lond. 1895, p. 134, t. 2, f. 9. Grenada,
Insel Mustique
- ✓ **perplexus** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 46. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 169; Smiths. Misc. Col. XI, 264, 1873, p. 233. — Horn, Trans. Amer. Ent. Soc. VI, 1880, p. 120. — Leng & Hamilt. l. c. XXIII, 1896, p. 116, 120. — Casey, Mem. Col. IV, 1913, p. 309. Georgien,
Florida
- petulans** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 389. Panama
- phrissoninus** Bates, l. c. p. 388, t. 23, f. 23. "
- pilula** Bates, l. c. 1881, p. 152. Costarica
- ✓ **planidorsus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 233. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121. — Leng & Hamilt. l. c. XXIII, 1896, p. 116, 118. — Blatchley, Col. Indiana 1910, p. 1071. Florida,
Louisiana,
Texas,
Michigan
- pleurostictus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 102 (sep. p. 63). Amazonas:
Ega
- ✓ **posticalis** Gah. Trans. Ent. Soc. Lond. 1895, p. 133, t. 2, f. 8. Insel
Grenada,
St. Vincent
- ✓ **praemorsus** F. Ent. Syst. I, 2, 1792, p. 275; Syst. Eleuth. II, 1801, p. 291. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 391. — Gah. Trans. Ent. Soc. Lond. 1895, p. 135. St. Barthé-
lemy
Biologie: Ballou, Ins. Pests Lesser Antilles 1912, p. 81, fig. 89. — Pierce, Danger. Ins. 1917, p. 56.
- pulcherrimus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 148. Mexico
- pygialis** Bates, Trans. Ent. Soc. Lond. 1872, p. 212. Nicaragua
Panama
- quintalbus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 389, t. 24, f. 2. Panama
- ✓ **retrorsus** Bates, l. c. p. 387, t. 23, f. 20. "
- ✓ **sagittatus** Jacq. du Val in Sagra, Hist. Cuba, Ins. VII, 1857, p. 272. — Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 248. Cuba,
Portorico
- ✓ **scurra** Chevr. l. c. p. 249. Cuba
scurrus Gah. Trans. Ent. Soc. Lond. 1895, p. 135.
- ✓ **signaticauda** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 387, t. 23, f. 21. Honduras,
Guatemala

- Smithi** Gah. Trans. Ent. Soc. Lond. 1895, p. 132, t. 2, f. 7. Ins. Grenada, Mustique, Becquia, Nicaragua
- spiculatus** Bates. Biol. Centr.-Amer. Col. V, 1881, p. 148.
- subfurcatus** Bates. l. c. p. 147, t. 11, f. 8. ”
- taeniatus** Casey. Mem. Col. IV, 1913, p. 306. Florida
- terraecolor** Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 121, 122. — Leng & Hamilt. l. c. XXIII, 1896, p. 117, 118. ”
- testaceus** Fröl. Naturf. XXVI, 1792, p. 141. — Schreber, l. c. XXIX, 1802, p. 124, t. 3, f. 15, 15a. Insel St. Lucia, Grenada
- similis* Gah. Trans. Ent. Soc. Lond. 1895, p. 136. St. Vincent, Dominica
- triangulifer** Bates, Trans. Ent. Soc. Lond. 1872, p. 211; Biol. Centr.-Amer. Col. V, 1881, p. 151, t. 11, f. 20. Nicaragua
- trigonus** Bates, l. c. p. 152. Guatemala, Panama
- tuberculatus** Fröl. Naturf. XXVI, 1792, p. 138. — Schreber, l. c. XXIX, 1802, p. 123, t. 3, f. 13. Canada, Ver. Staaten
- aculifer* Say, Journ. Acad. Philad. III, 1823, p. 329; Compl. Writ. II, 1859, p. 186. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 168. — Prov. Petite Faune Ent. Canada I, 1879, p. 627. — Horn, Trans. Amer. Ent. Soc. VII, 1880, p. 121. — Leng & Hamilt. l. c. XXIII, 1896, p. 117. — Blatchley, Col. Indiana 1910, p. 1071, 1073, fig. 461. — Casey, Mem. Col. IV, 1913, p. 307. — Adams, Bull. Illin. State Laborat. VI, 1915, p. 146, t. 28, f. 1. Nord-amerikas
- marginellus* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 47.
- transversus* Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 164. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 391.
- Biologie: Fitch, Rep. Ins. N. York III, 1856, p. 8, t. 1, f. 4. — Felt, Ins. Aff. Trees 1907, p. 461.
- viridescens** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 148, 385. Mexico, Nicaragua
- viriditinctus** Bates, Trans. Ent. Soc. Lond. 1872, p. 210; Biol. Centr.-Amer. Col. V, 1881, p. 147, t. 11, f. 16. Nicaragua
- xanthopygus** Bates, l. c. p. 149. Nicaragua
- x-griseus** Bates, l. c. 1885, p. 389, t. 24, f. 1. Guatemala
- zonatus** Bates, l. c. p. 388, t. 23, f. 24. Panama

Trichalphus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 153.

- pilosus** Bates, l. c. p. 153. Guatemala

Alphinellus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881. p. 153.

carinipennis Bates, l. c. 1885. p. 391.

Mexico

gibbicollis Bates, l. c. 1881, p. 153.

Guatemala

minimus Bates, l. c. p. 154.

"

subcornutus Bates, l. c. p. 154.

"

4

Leiopus Serv.

Serv. Ann. Soc. Ent. France IV, 1835. p. 86. — Steph. Man. 1839, p. 269. — Muls. Col. France, Longic. 1839, p. 143, 149. — Cast. Hist. Nat. Col. II, 1840, p. 464. — Blanch. Hist. Nat. Ins. II, 1845, p. 155. — Redtenb. Gatt. Deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 493; ed. 2, 1858, p. 858. — Bach, Käferf. III, 1856, p. 28. — Gutfl. Käfer Deutschl. 1859, p. 583. — Thoms. Classif. Ceramb. 1860, p. 7, 12; Syst. Ceramb. 1864, p. 354. — Muls. Col. France, Longic. ed. 2, 1863, p. 294. — Lacord. Gen. Col. IX, 1872, p. 767, 775. — Seidl. Fauna Balt. 1875, Gatt. p. 140; ed. 2, 1891, Gatt. p. 185; Fauna Transsylv. 1891, Gatt. p. 185. — Schlosser, Fauna Kornjas. III, 1879, p. 808. — Fowler, Col. Brit. Isl. IV, 1890, p. 243, 245. — Stierlin. Col. Helvet. II, 1898, p. 489. — Casey, Mem. Col. IV, 1913, p. 310 (Synopsis). — Jensen-Haarup, Danm. Fauna, Biller III, 1914. p. 8, 11. — Aurivillius, Svensk Insektf. IX, 1, 1917, p. 36, 41.

Leiopus J. Lec. Journ. Acad. Philad. (2) II, 1852. p. 170 (ex parte). — Fairm. Col. d'Eur. IV, 1864, p. 156. — Schiödte, Naturh. Tidskr. (3) II, 1864, p. 511, 559. — C. G. Thoms. Skand. Col. VIII, 1866, p. 80. — Cox, Handb. Col. II, 1873, p. 303. — Redtenb. Fauna Austr. ed. 3, II, 1874, p. 417. — Horn, Trans. Amer. Ent. Soc. VII, 1880, p. 123. — Fairm. Hist. Nat. France, Col. 1882, p. 266. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 324. — Ganglb. Best.-Tab. VII, 1881, p. 14 (692). — Bau, Handb. Käfer 1888, p. 415, 417. — Bedel, Faune Col. Seine V, 1889, p. 34, 39. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 113, 121 (Synopsis). — Wickham, Canad. Ent. XXIX, 1897, p. 202; XXX, 1898, p. 37. — Lameere, Faune Ent. Belg. II, 1900, p. 144. — Everts, Col. Neerl. II, 1902, p. 376. — Houlb. Faune Armor. Ceramb. 1904, p. 19; ed. 2, 1909, p. 17. — Csiki, Rovart. Lapok XI, 1904, p. 168. — Kuhnt. Käfer Deutschl. 1912, p. 757. — Reitter, Fauna Germ. IV, 1913, p. 58, 59. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 864, 871.

Sternidius J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 234.
Eleothinus Bates, Biol. Centr.-Amer. Col. V, 1881 — 1885, p. 154, 392.

Paläarktische Arten.

albivittis Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur
 p. 112, t. 1, f. 9. — Ganglb. Best.-Tab. VII,
 1884, p. 98 (532).

Bedeli Pic, Abeille XXVII, 1892, p. 289.

Algier, Tunis

Biologie: Xambou, Bull. Soc. Ent. France
 1896, p. 220; Ann. Soc. Linn. Lyon (2) XLIX,
 1902, p. 107; Moeurs et Métam. XI, 3, 1902,
 p. 13.

- caucasicus** Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 25. Kaukasus:
Tiflis
- femoratus** Fairm. Ann. Soc. Ent. France (3) VII, 1859, p. 62; Gen. Col. d'Eur. IV, 1864, t. 46, f. 216. — Muls. Col. France, Longic. ed. 2, 1863, p. 296. — Ganglb. Best.-Tab. VIII, 1884, p. 97 (531). Türkei,
Kleinasien,
Kaukasus
- constellatus** Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 159; Opusc. Ent. XIII, 1863, p. 159.
- var. **caspius** Ganglb. Best.-Tab. VIII, 1884, p. 97 (531). Kaukasus
- Ganglbaueri** Csiki in Zichy, Dritte Asiat. Forsch.-Reise II, 1901, p. 116. Sibirien
- guttatus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 384. Japan
- japonicus** Pic, Bull. Mus. Paris VII, 1902, p. 342.
- major** Pic, Bull. Soc. Ent. France 1898, p. 125.
- nebulosus** L. Syst. Nat. ed. 10, 1758, p. 391; ed. 12, 1767, p. 627; Fauna Suec. ed. 2, 1761, p. 187. — Müller, Fauna Ins. Fridr. 1764, p. 13. — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 540. — Müller, Naturs. V, 1, 1774, p. 263. — F. Syst. Ent. 1775, p. 168; Spec. Ins. 1781, p. 215; Mant. Ins. I, 1787, p. 134; Ent. Syst. I, 2, 1792, p. 261; Syst. Eleuth. II, 1801, p. 277. — Müller, Zool. Dan. Prodr. 1776, p. 92. — Goeze, Ent. Beytr. I, 1777, p. 434. — Fischer, Naturg. Livl. 1778, p. 135. — Villers, Linn. Ent. I, 1789, p. 225. — Roemer, Gen. Ins. 1789, p. 46, t. 34, f. 23. — Rossi, Fauna Etr. I, 1790, p. 142; ed. Hellw. I, 1795, p. 152. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1821. — Ol. Encycl. méth. VII, 1790, p. 292; Ent. IV, nr. 67, 1795, p. 54, t. 7, f. 47. — Martyn, Engl. Ent. 1792, t. 24, f. 6. — Panz. Fauna Ins. Germ. XIV, 1794, t. 13; Ent. Germ. 1795, p. 248. — Cederhj. Faunae Ingr. Prodr. 1798, p. 86. — Zinke, Schäd. Nadelh. Ins. 1798, p. 40 (Lincker, Der bes. Forstm. 1798, p. 65). — Donnd. Eur. Fauna, Käfer VIII, 1799, p. 545. — Payk. Fauna Suec. III, 1800, p. 56. — Marsh. Ent. Brit. I, 1802, p. 325. — Walcken. Faune Paris. I, 1802, p. 205. — Bechst. & Scharfenb. Forstins. I, 1804, p. 186. — Latr. Hist. Nat. Ins. XI, 1804, p. 285. — Panz. Schaeffer, Icon. Ins. ed. 2, 1804, p. 20, 167, t. 14, f. 9; t. 192, f. 6. — Donovan. Brit. Ins. XI, 1806, p. 95, t. 394. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 272; ed. 3, IV, 1828, p. 349. — Gyllenh. Ins. Suec. I, 4, 1827, p. 56. — Boit. Man. d'Ent. II, 1828, p. 22. — Steph. Brit. Ent. Mand. IV, 1831, p. 235; Man. 1839, p. 272. — Wilson, Ent. Edinens. 1834, p. 271. — Oken, Allgem. Naturg. V, 3, 1836, p. 1702, t. 41, 3, f. 7c. — Reichenb. Naturg. Ins. 1837, p. 411, t. 100, f. 651. — Muls. Col. France, Longic. 1839, p. 150. — Spry & Shuck. Brit. Col. 1840.

- p. 66, t. 77, f. 3. — Cast. Hist. Nat. Col. II, 1840, p. 464. — Berge, Käferb. 1844, p. 125, t. 12, f. 13. — Redtenb. Fauna Austr. 1849, p. 493; ed. 2, 1858, p. 858; ed. 3, II, 1874, p. 417. — Lentz, Preuss. Käfer 1853, p. 38. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 378. — Bach, Käferf. III, 1856, p. 28. — Gutfl. Käfer Deutschl. 1859, p. 583. — Rouget, Mém. Acad. Dijon (2) VII, 1859, p. 11. — Muls. Col. France, Longic. ed. 2, 1863, p. 294. — Schiödte, Naturh. Tidskr. (3) II, 1864, p. 559. — Disconzi, Ent. Vicent. 1865, p. 85, 88. — C. G. Thoms. Skand. Col. VIII, 1866, p. 81. — Cox, Handb. Col. II, 1874, p. 306. — Seidl. Fauna Balt. 1875, p. 517; ed. 2, 1891, p. 750. — Schlosser, Fauna Kornjas. III, 1879, p. 829. — Sériziat, Hist. Col. France 1880, p. 310. — Fairm. Hist. Nat. France, Col. 1882, p. 266. — Ganglb. Best.-Tab. VIII, 1884, p. 97 (531). — Bau, Handb. Käfer 1888, p. 417. — Bedel, Faune Col. Seine V, 1889, p. 39, 89. — Fowler, Col. Brit. Isl. IV, 1890, p. 245, t. 123, f. 7. — Pic, Echange. VII, 1891, p. 23; Longic. I, 1891, p. 33. — Seidl. Fauna Transsylv. 1891, p. 847. — Griffini, Col. 1896, p. 197, t. 37, f. 11. — Stierl. Col. Helvet. II, 1898, p. 494. — Lameere, Faune Belg. II, 1900, p. 414. — Everts, Col. Neerl. II, 1901, p. 377. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 63, fig. 120; ed. 2, 1909, p. 65, fig. 120. — Csiki, Rovart. Lapok XII, 1905, p. 15. — Jacobs. Käfer Russl. 1910, t. 68, f. 11. — Kuhn, Käfer Deutschl. 1912, p. 791, fig. 192. — Reitter, Fauna Germ. IV, 1913, p. 59, t. 138, f. 10. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 11, f. 4. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 871, t. 30, f. 11. — Auriv. Svensk Insektf. X, 1. 1917, p. 41.
- bifasciatus* Goeze, Ent. Beytr. I, 1777, p. 464 (Lepech. Tageb. II, 1775, p. 199, t. II, f. 32).
- fasciatus* Villers, Linn. Ent. I, 1789, p. 239.
- monilis* Geoffr. in Fourer. Ent. Paris. I, 1785, p. 75. — ? Villers, Linn. Ent. I, 1789, p. 238.
- taeniatus* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1863.
- tigriformis* Voet, Cat. Col. II, 1778, p. 7, t. 4, f. 4; ed. Panzer III, 1794, p. 12, t. 4, f. 4.
- Biologie: Westw. Introd. Ent. I, 1839, p. 365. — Heeger, Sitzb. Akad. Wiss. Wien XVIII, 1855, p. 36, t. 2; Beitr. Naturg. Ins. XV, 1855, p. 6, t. 2. — Nowicki, Verh. zool.-bot. Ges. Wien XXIV, 1874, p. 366. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 426, 448, t. 17, f. 12, 13. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 317, fig. 484–490 (sep. p. 477). — Nördl. Lebensw. von Forst-

kerfen 1880, p. 42. — Fromont, Ann. Soc. Ent. Belg. XXVI, 1882, Bull. p. 105. — Xamheu, Moeurs et Métam. VIII, 1902, p. 193. — Murphy, Trans. Nat. Hist. Soc. Glasgow VIII, 1911, p. 305. — Rudow, Int. Ent. Zeitschr. VI, 1912, p. 200. — Barbey, Ent. Forest. 1913, p. 559. — Henriksen, Danm. Fauna, Biller III, 1914, p. 94, fig. 64. — Beffa, Rivista Col. Ital. XIII, 1915, Append. t. 3, fig. 8.

ab. *dissimilis* Pic, Echange V, 1889, nr. 51, p. 5; VII, 1891, p. 23; Longic. I, 1891, p. 33.
 ab. *unifasciatus* Pic, Echange VII, 1891, p. 23; Longic. I, 1891, p. 33.

Frankreich

pachymerus Ganglb. Best.-Tab. VIII, 1884, p. 98 (532).

Kaukasus
 Schweden,
 Deutschld.,
 Oesterreich,
 Schweiz,
 ?Frankreich

punctulatus Payk. Fauna Suec. III, 1800, p. 57. — Gyllenh. Ins. Suec. I, 4, 1827, p. 57. — Germ. Fauna Ins. Eur. XXIV, 1848, t. 13. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 379. — Bach, Käferf. III, 1856, p. 28. — Redtenb. Fauna Austr. ed. 2, 1858, p. 858; ed. 3, II, 1874, p. 417. — Gutfl. Käfer Deutschl. 1859, p. 583. — Muls. Col. France, Longic. ed. 2, 1863, p. 296; Ann. Soc. Linn. Lyon (2) X, 1863, p. 162. — C. G. Thoms. Skand. Col. VIII, 1866, p. 81. — Seidl. Fauna Balt. 1875, p. 517; ed. 2, 1891, p. 750. — Ganglb. Best.-Tab. VIII, 1884, p. 97 (531). — Bau, Handb. Käfer 1888, p. 417. — Bedel, Faune Col. Seine V, 1889, p. 39, 89. — Seidl. Fauna Transsylv. 1891, p. 847. — Pic, Echange VIII, 1891, p. 23. — Stierl. Col. Helvet. II, 1898, p. 494. — Everts, Col. Neerl. II, 1901, p. 377. — Kuhnt, Käfer Deutschl. 1912, p. 791. — Reitter, Fauna Germ. IV, 1913, p. 60. — Auriv. Svensk Insektf. IX, 1, 1917, p. 42.

? *histrion* Voet, Cat. Col. II, 1778, p. 23, t. 21, f. 103; ed. Panz. III, 1794, p. 59, t. 21, f. 103.

syriacus Ganglb. Best.-Tab. VIII, 1884, p. 98 (532).

Syrien

Äthiopische Arten.

africanns Jord. Nov. Zool. I, 1894, p. 246, t. 10, f. 16.

Kuulu
 Kamerun

catops Jord. l. c. X, 1903, p. 188.

„

Conradi Auriv. Deutsche Ent. Zeitschr. 1907, p. 82.

fenestrella Jord. Nov. Zool. X, 1903, p. 188.

Kuulu

Mocquerysi Jord. l. c. I, 1894, p. 245, t. 10, f. 15.

nlgrofasciatus Auriv. Deutsche Ent. Zeitschr. 1907, p. 82.

Kamerun

paraphellis Jord. Nov. Zool. X, 1903, p. 188.

„
 Französisch
 Congo

Nearktische und zentralamerikanische Arten.

abstrusus Bates, Biol. Centr.-Amer. Col. V, 1881, p. 154.

Guatemala
 Canada, Mas-
 sachusetts,
 New York,

alpha Say, Journ. Acad. Philad. V, 1827, p. 270; Compl. Writ. II, 1859, p. 329. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 172. —

- Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. — Leng & Hamilt. l. c. XXIII, 1896, p. 121, 124. — Wickham, Canad. Ent. XXX, 1898, p. 37. — Blatchley, Col. Indiana 1910, p. 1073, 1074. — Casey, Mem. Col. IV, 1913, p. 314.
- lateralis* Haldem. Trans. Amer. Philos. Soc. IX, 1847, p. 48.
- var. *divergens* Haldem. l. c. p. 48. — Casey, Mem. Col. IV, 1913, p. 316.
- var. *floridanus* Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 125. — Casey, Mem. Col. IV, 1913, p. 316.
- Batesi** Gah. Trans. Ent. Soc. Lond. 1892, p. 265, t. 12, f. 9. Mexico
- centralis** J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 24. — Leng & Hamilt. l. c. XXIII, 1896, p. 121. Arizona
- cinereus** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 173. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. — Leng & Hamilt. l. c. XXIII, 1896, p. 124. — Blatchley, Col. Indiana 1910, p. 1075. — Casey, Mem. Col. IV, 1913, p. 314, 316. Georgien, New Jersey, Massachusetts
- crassulus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 235. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124, 125. — Leng & Hamilt. l. c. XXIII, 1896, p. 121, 122. — Casey, Mem. Col. IV, 1913, p. 316. Unteres Californien
- decorus** Fall, Journ. N. York Ent. Soc. XV, 1907, p. 84. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 345. Arizona, Utah
- dentatus** Casey, Mem. Col. IV, 1913, p. 311. Illinois
- fascicularis** Harris, Trans. Hartf. Nat. Hist. Soc. I, 1837, p. 88, t. 1, f. 9. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 170. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. — Leng & Hamilt. l. c. XXIII, 1896, p. 121, 123. — Blatchley, Col. Indiana 1910, p. 1073, 1074. — Casey, Mem. Col. IV, 1913, p. 311. New York, New Jersey, Florida, Wisconsin, Michigan, Illinois, Ohio
- rusticus* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 173.
- xanthoxyli* Skinner, Trans. Amer. Ent. Soc. II, 1868, Proc. p. 7. — Pack. First Rep. Inj. Ins. Massach. 1871, p. 15, t. 1, f. 2; Guide ed. 8, 1883, p. 497, 712, t. 15, f. 2; Ins. Inj. Forest Trees 1890, p. 659, fig. 215. Biologie: Pack. First Rep. Inj. Ins. Massach. 1871, p. 15, f. 7; Guide ed. 8, 1883, p. 497, 712, f. 664. — Beutenm. Journ. N. York Ent. Soc. IV, 1896, p. 79.
- foveatocollis** Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 121, 125. Florida
- Houstoni** Casey, Mem. Col. IV, 1913, p. 315. Texas
- longulus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 155. Guatemala

- mimeticus** Casey, Ann. N. York Acad. VI, 1892, p. 48; Mem. Col. IV, 1913, p. 315, 316. Texas
- misellus** J. Lec. Journ. Acad. Philad. (2)II, 1852, p. 173. Illinois,
— Casey, Mem. Col. IV, 1913, p. 313. Indiana
- moderator** Casey, l. c. 314. Distr.
Columbia
- naevicornis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 393. Mexico
- obscurus** Casey, Mem. Col. V, 1913, p. 313. New York
- pleuralis** Casey, l. c. p. 312. Delaware,
Distr.
Columbia
- punctatus** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 49. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. — Leng & Hamilt. l. c. XXIII, 1896, p. 121, 125. — Wickh. Canad. Ent. XXX, 1898, p. 37. — Blatchley, Col. Indiana 1910, p. 1073, 1075. — Casey, Mem. Col. IV, 1913, p. 311. Canada,
Wisconsin,
Indiana,
New York,
New Jersey
- pygmaeus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 392. Guatemala
- scapalis** Casey, Mem. Col. IV, 1913, p. 312. Indiana
- Schwarzi** Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 121, 124. — Casey, Mem. Col. IV, 1913, p. 316. Florida
- setipes** Casey, Ann. N. York Acad. VI, 1892, p. 48. Texas
— Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 126.
- testaceus** Casey, Mem. Col. IV, 1913, p. 312. Distr.
Columbia
- texanus** Casey, l. c. p. 315. Texas
- timidus** Casey, l. c. p. 313. Pennsylvania
- variegatus** Haldem. Trans. Amer. Phil. Soc. (2) X, 1847, p. 47. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 172. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. — Leng & Hamilt. l. c. XXIII, 1896, p. 121, 122. — Wickh. Canad. Ent. XXX, 1898, p. 37. — Blatchley, Col. Indiana 1910, p. 1073, 1074. Canada,
Massachusetts,
New York
New Jersey,
Pennsylvania,
Virginien,
Michigan,
Ohio,
Indiana,
Illinois,
Kansas,
Alabama,
Louisiana,
Texas
- Biologie: Beutenm. Journ. N. York Ent. Soc. IV, 1896, p. 79. — F. Morris, Canad. Ent. I, 1918, p. 40.
- ab. *obscurus* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 122.
- ab. *trifasciatus* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 122.
- vicinus** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 49. — Casey, Mem. Col. IV, 1913, p. 312. New York,
New Jersey,
Indiana
- Wilti** Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. Texas
— Leng & Hamilt. l. c. XXIII, 1896, p. 121, 122.

Menus Astulidi
Cas

Arten aus Südamerika.¹⁾

<i>annulicornis</i> White, Cat. Col. Brit. Mus. VIII, 1885, p. 383.	Columbien
<i>asperipennis</i> Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 513.	Chile
<i>breviceps</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 384.	Venezuela
<i>crochker</i> White, l. c. p. 381.	Columbien
<i>eremita</i> Er. Archiv Naturg. XIII, 1, 1847, p. 145. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 381.	Peru
<i>emeritus</i> Er. Archiv Naturg. XIII, 1, 1847, p. 147. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 384.	"
<i>floccidus</i> Er. Archiv Naturg. XIII, 1, 1847, p. 147. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 387.	"
<i>histrioniens</i> Gistel, Naturg. 1848, p. 430.	Brasilien
<i>implexus</i> Er. Archiv Naturg. XIII, 1, 1847, p. 146. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 386.	Peru
<i>pleuriticus</i> White, l. c. p. 385.	Brasilien
<i>polymitus</i> Er. Archiv Naturg. XIII, 1, 1847, p. 146. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 386.	Peru
<i>remissus</i> Er. Archiv Naturg. XIII, 1, 1847, p. 146. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 386.	"
<i>settulus</i> Germ. Ins. Spec. Novae 1824, p. 479.	Brasilien
<i>serpentinus</i> Er. Archiv Naturg. XIII, 1, 1847, p. 146. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 386.	Peru
<i>sorleinus</i> Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 512.	Chile
<i>strigilis</i> Er. Archiv Naturg. XIII, 1, 1847, p. 147. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 387.	Peru
<i>subfasciatus</i> White, l. c. p. 385.	Venezuela
<i>superstes</i> Er. Archiv Naturg. XIII, 1, 1847, p. 146. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 385.	Peru

Arten aus Neucaledonien.¹⁾

<i>caledonicus</i> Fauvel, Revue d'Ent. XXV, 1906, p. 98.	Neu-caledonien
<i>crucifer</i> Fauvel, l. c.	"

68

Dectes J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 144. — Thoms. Syst. Ceramb. 1864, p. 355. — Lacord. Gen. Col. IX, 1872, p. 767, 774. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 339. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 119. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 324. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 113. — Casey, Mem. Col. IV, 1913, p. 341–343 (Revision).

Subgen. *Canidia* Thoms. Archives Ent. I, 1857, p. 193; Classif. Ceramb. 1860, p. 7, 14. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 409.

Subgen. *Dectes* s. str.

<i>aridus</i> Casey, Revis. p. 343.	Mexico
-------------------------------------	--------

¹⁾ Gehören wahrscheinlich nicht der Gattung *Leiopus* an.

- brevis* Casey, Revis. p. 342. Long Island,
Nord-
carolina
Arizona
- brevisetosus* Casey, Revis p. 343.
- discolor* Casey, l. c. p. 343.
- latitarsis* Casey, Revis. p. 342. Texas
- spinosus* Say, Journ. Acad. Philad. V, 1827, p. 271; Compl. Writ. II, 1859, p. 330. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 144. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 126. — Leng & Hamilt. l. c. XXIII, 1896, p. 126. — Blatchley, Col. Indiana 1910, p. 1075. — Casey, Revis. p. 342. Massachusetts,
New York,
New Jersey,
Pennsylvania,
Ohio,
Indiana,
Iowa
Colorado,
Montana,
New Mexico
- var. *alticola* Casey, Revis. p. 342. Texas,
Mexico
- var.? *texanus* J. Lec. Proc. Acad. Philad. XIV, 1862, p. 39. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 126. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 173. — Casey, Revis. p. 343.
- thoracicus* Casey, Revis. p. 342. Arizona

Subgen. *Canidia* Thoms.

- balteatus* Lacord. Gen. Col. IX, 1872, p. 775, nota 2. Mexico,
Guatemala
Costarica
- cineticornis* Thoms. Archives Ent. I, 1857, p. 194. — Lacord. Gen. Col. IX, 1872, p. 775, nota 2.
- mexicanus* Thoms. Classif. Ceramb. 1860, p. 14. — Mexico
Bates, Biol. Centr.-Amer. Col. V, 1881,
p. 174, t. 13, f. 6.
- spinicornis* Bates, l. c. p. 174.

11

Atrypanius Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 46 (sep. p. 101). — Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872, p. 767, 773. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 177.
- conspersus* Germ. Ins. Spec. Novae 1824, p. 474. — Südbrasilien.
Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas,
p. 47 (sep. p. 101). — Lacord. Gen. Col. IX, Cayenne,
1872, p. 774, t. 108, f. 1. — Bates, Biol. Panama,
Centr.-Amer. Col. V, 1881, p. 178, t. 13, f. 9. Nicaragua,
varipennis Serv. Ann. Soc. Ent. France Guatemala,
IV, 1835, p. 87. — Cast. Hist. Nat. Col. II, Mexico
1840, p. 464.
- griseofasciatus* Serv. Ann. Soc. Ent. France IV, Brasilien
1835, p. 33.
- irreorellus* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 411. Guatemala,
Panama
- punctatellus* Bates, Trans. Ent. Soc. Lond. 1872, p. Nicaragua,
219; Biol. Centr.-Amer. Col. V, 1881, p. 178, Panama
t. 13, f. 15.

- ✓ **sedatus** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 150 (sep. p. 116). Amazonas: Ega; Panama, Costa Rica, Nicaragua, Guatemala, Mexico

5

Trypanidius Thoms.

- Thoms. Classif. Ceramb. 1860, p. 7; Syst. Ceramb. 1864, p. 355. — Lacord. Gen. Col. IX, 1872, p. 767, 772.
- andicola** Blanch. Voy. d'Orb. Ins. 1843, p. 209, t. 22, f. 6. Bolivien
- apicalis** Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 53, t. 2, f. 11. Bolivien
- dimidiatus** Thoms. Classif. Ceramb. 1860, p. 8. Brasilien
posticus Taschenb. in Heyne, Exot. Käfer 1906, p. 243, t. 37, f. 37.
- isolatus** Waterh. Journ. Linn. Soc. Lond. Zool. XX, 1894, p. 555. Insel Fernando Noronha
- ✓ **melancholicus** Serv. Ann. Soc. Ent. France IV, 1835, p. 87. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 177. Cayenne, Brasilien, Ecuador, Guatemala
- geminus* Pasc. Trans. Ent. Soc. Lond. (β) V, 1859, p. 29. — Bates, l. c. 1872, p. 238; Biol. Centr.-Amer. Col. V, 1881, t. 13, f. 12. Nicaragua
- mexicanus** Thoms. Classif. Ceramb. 1860, p. 8. — Bates, Trans. Ent. Soc. Lond. 1872, p. 219; Biol. Centr.-Amer. Col. V, 1881, p. 176, t. 13, f. 11. Mexico, Nicaragua, Panama
- rubripes** Bates, Trans. Ent. Soc. Lond. 1872, p. 219; Biol. Centr.-Amer. Col. V, 1881, p. 177, t. 13, f. 10. Nicaragua
- umbrosus** Germ. Ins. Spec. Novae 1824, p. 473. — Lacord. Gen. Col. IX, 1872, t. 108, f. 2. Brasilien

8

Paratrypanius Auriv.

Auriv. Deutsche Ent. Zeitschr. 1908, p. 223.

- flavovittatus** Auriv. l. c. p. 223, fig. 12. Samoa

1

Mecotetartus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 213. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 119. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 323, 324. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 113, 126.

Eutessus J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 339.

- ✓ **autennatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 213; Biol. Centr.-Amer. Col. V, 1881, p. 156, t. 12, f. 14. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 126. Nicaragua, Unteres Californien

asper J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 235.

1

Lepturgoides Schaeffer.

Schaeffer, Bull. Brookl. Instit. I, 1905, p. 166.

pini Schaeffer, l. c. p. 166.

Arizona

1

Valenus Casey.

Casey, Ann. N. York Acad. VI, 1892, p. 49; Mem. Col. IV, 1913, p. 322. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 346.

inornatus Casey, Ann. N. York Acad. VI, 1892, p. 50. Texas

1

Carphontes Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 171.

posticalis Bates, l. c. p. 172.

Guatemala

1

Lepturges Bates.

Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 367 (sep. p. 84). — Lacord. Gen. Col. IX, 1872, p. 767, 777. — J. Lec. Smiths. Misc. Coll. IX, 264. 1873, p. 338. — Prov. Pet. Faune Ent. Canada I, 1877, p. 581, 628. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 119, 126. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 166. — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 324. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 113, 127. — Wickh. Canad. Ent. XXIX, 1897, p. 203; XXX, 1898, p. 37. — Blatchley, Col. Indiana 1910, p. 1069, 1075. — Casey, Mem. Col. IV, 1913, p. 317-322 (Revision).

abstersus Bates, Biol. Centr.-Amer. Col. V, 1885, Honduras p. 405.**alboscriptus** Bates, Ann. Mag. Nat. Hist. (3) XII, Para 1863, p. 377 (sep. p. 94).**amabilis** Bates, l. c. p. 370 (sep. p. 87).

Ega

amoenus Bates, l. c. p. 368 (sep. p. 85) nota.

Rio Janeiro

amplicollis Bates, Biol. Centr.-Amer. Col. V, 1885, Panama p. 406, t. 24, f. 25.**angustatus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Ega p. 375 (sep. p. 92).**argentinus** Berg, Anal. Univ. Buenos Aires VI, Argentina 1889, p. 105.**Bari** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 372 Cayenne (sep. p. 89).**callinus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. Guatemala 402, t. 24, f. 14.**callizonus** Bates, l. c. p. 403, t. 24, f. 18.**candicans** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Ega " p. 371 (sep. p. 88).**canus** Casey, Revis. p. 317.

Texas

celtis Schaeffer, Bull. Brookl. Instit. I, 1905, p. 168. " — Casey, Revis. p. 320.**charicles** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 402. Panama**charillus** Bates, l. c. p. 403, t. 24, f. 17. "**clerulus** Bates, l. c. 1881, p. 168, t. 14, f. 5. Guatemala**complanatus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas: p. 370 (sep. p. 87); Biol. Centr.-Amer. St. Paulo Col. V, 1885, p. 402.

- confluens** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 50. — Casey, Revis. p. 318. Ost-Staaten Nord-amerikas
- angulatus* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 172. — Prov. Pet. Faune Ent. Canada I, 1877, p. 628.
- delicatulus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 374 (sep. p. 91). Amazonas
- delleiulus** Bates, l. c. p. 375 (sep. p. 92); Biol. Centr.-Amer. Col. V, 1885, p. 403. Santarem
- dilectus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 373 (sep. p. 89). Ega
- dorcadioides** White, Cat. Col. Brit. Mus. VII, 1855, p. 382. — Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 378 (sep. p. 95). Amazonas
- dorsalis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 382. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 125; X, 1882, p. 289. Brasilien (nicht New York)
- elegantulus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 368 (sep. p. 85). Amazonas: St. Paulo
- enprepes** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 404. Mexico
- facetus** Say, Journ. Acad. Philad. V, 1827, p. 271; Compl. Writ. II, 1859, p. 329. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 171. — Pack. Rep. Inj. Ins. Mass. I, 1871, p. 14, t. 1, f. 1; Guide, ed. 8, 1883, p. 712, t. 15, f. 1; Ins. Inj. Forest Trees 1890, p. 913. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 127, t. 2, f. 5. — Leng & Hamilt. XXIII, 1896, p. 127, 128. — Wickh. Canad. Ent. XXX, 1898, p. 38. — Blatchley, Col. Indiana 1910, p. 1076, 1077, fig. 463c. — Casey, Mem. Col. IV, 1913, p. 322. Biologie: Fitch, Rep. Ins. N. York IV, 1857, p. 65. Massachusetts, New York, New Jersey, Pennsylvania, Virginien, Ohio, Michigan. Indiana
- fasciatus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 169. Guatemala
- festivus** Bates, Trans. Ent. Soc. Lond. 1872, p. 236; Biol. Centr.-Amer. Col. V, 1881, p. 167, t. 13, f. 4. Nicaragua, Panama
- figuratus** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 283. Columbien
- flaviceps** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 369 (sep. p. 86). Para
- fragillimus** Bates, l. c. p. 373 (sep. p. 90). Santarem
- gratiosus** Bates, Trans. Ent. Soc. Lond. 1874, p. 231; Biol. Centr. Amer. Col. V, 1881, p. 167, 402, t. 12, f. 20. Nicaragua
- griseostrilatus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 376 (sep. p. 93). Amazonas: Tapajos
- guadeloupensis** Fleut. & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 472. — Gah. Trans. Ent. Soc. Lond. 1895, p. 136. Guadeloupe, Grenada, Mustique
- histrionellus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 404, t. 24, f. 19. Panama
- inflatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 217; Biol. Centr.-Amer. Col. V, 1881, p. 166, t. 13, f. 3. Mexico, Guatemala, Nicaragua

- inops* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 376 (sep. p. 93). Amazonas:
S. Paulo
- ✓ *inscriptus* Bates, l. c. p. 371 (sep. p. 88); Biol. Centr.-Amer. Col. V, 1881, p. 167. Panama,
Nicaragua,
Guatemala,
Mexico
- janus* Bates, Biol. Centr.-Amer. Col. V, 1881, p. 168. Mexico
- lacteguttatus* Bates, l. c. 1885, p. 402, t. 24, f. 15. Panama
- laticollis* Bates, l. c. p. 169, 401. Guatemala,
Panama
- ✓ *limpidus* Bates, Trans. Ent. Soc. Lond. 1872, p. 216. Nicaragua,
Guatemala,
Mexico
- linearis* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 369 (sep. p. 86). Ega
- literatus* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 405, t. 24, f. 22. Mexico
- macilentus* Bates, l. c. 1881, p. 166.
- megalops* Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 127. Florida
- minutissimus* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 379 (sep. p. 96). Amazonas:
Santarem
- mlser* Bates, l. c. p. 376 (sep. p. 93) nota. Rio Janeiro
- mixtus* Bates, Biol. Centr.-Amer. Col. V, 1881, p. 170. Nicaragua,
Honduras,
Panama
- multinotatus* Bates, l. c. p. 168. Guatemala,
Nicaragua
- mundulus* Bates, l. c. 1885, p. 407. Mexico
- musculus* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 375 (sep. p. 92). Amazonas:
S. Paulo
- ✓ *navicularis* Bates, Trans. Ent. Soc. Lond. 1872, p. 217; Biol. Centr.-Amer. Col. V, p. 171, 402, t. 13, f. 5. Nicaragua,
Mexico,
Panama
- nigradorsis* Bates, l. c. 1885, p. 405, t. 24, f. 23. Guatemala
- obscurellus* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 378 (sep. p. 95). Amazonas:
Ega
- ✓ *ornatissimus* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 403, t. 24, f. 16. Panama
- ovalis* Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 433 (sep. p. 253). Amazonas:
Santarem
- pallidulus* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 400, t. 24, f. 13. Guatemala
- perelegans* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 373 (sep. p. 90). Amazonas:
S. Paulo
- physoderus* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 405. Guatemala,
Panama
- pluristrigosus* Bates, l. c. p. 404, t. 24, f. 21. Panama
- pulchellus* Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 374 (sep. p. 91). Amazonas:
Santarem
- quercus* Fitch, Trans. N. York State Agric. Soc. 1858, p. 796; Report Ins. N. York V, 1858, p. 16 (*querci*). — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 127, t. 2, f. 4. — Leng & Hamilt. l. c. XXIII, 1896, p. 127, 128. — Wickh. Canad. Ent. XXX, 1898, p. 38. — Felt, Ins. Affect. Trees 1906, p. 439. — Blatchley, Col. Indiana 1910, p. 1076, 1077, f. 463b. Canada,
Michigan,
New York,
New Jersey,
Pennsylvania,
Ohio,
Indiana
Casey, Revis. p. 321.

- Biologie: Stoner, Ent. News XXVI, 1915.
p. 126.
- regularis** J. Lec. Proc. Acad. Philad. 1862, p. 39. — Kentucky,
Horn, Trans. Amer. Ent. Soc. VIII, 1880, Ohio,
p. 127, t. 2, f. 6. — Leng & Hamilt. l. c. Indiana
XXIII, 1896, p. 127, 129. — Blatchley, Col.
Indiana 1910, p. 1076, 1077, fig. 464. — Casey,
Revis. p. 319.
- ruficollis** Bates, Biol. Centr.-Amer. Col. V, 1881, Nicaragua
p. 170.
unilineatus Bates, Trans. Ent. Soc. Lond.
1872, p. 237.
- rufulus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 406, Guatemala
t. 24, f. 26.
- sejunctimacula** Bates, l. c. 1881, p. 167. Guatemala,
Panama
- sexvittatus** Bates, Trans. Ent. Soc. Lond. 1874, p. 230. Nicaragua
signatus J. Lec. Journ. Acad. Philad. (2) II, 1852, Canada.
p. 171. — Horn, Trans. Amer. Ent. Soc. New York,
VIII, 1880, p. 127, t. 2, f. 3. — Leng & Hamilt. New Jersey,
l. c. XXIII, 1896, p. 127, 128. — Wickh. Canad. Pennsylvania,
Ent. XXX, 1898, p. 38. — Blatchley, Col. Virginien.
Indiana 1910, p. 1076, f. 463a. — Casey, Georgien.
Revis. p. 320. Florida,
Ohio, Iowa,
Illinois.
Indiana
- sordidus** Bates, Biol. Centr.-Amer. Col. V. 1881, Guatemala.
p. 168. Mexico
- ✓ **spermophagus** Fisher, Proc. Ent. Soc. Wash. XIX, 1917. Mexico
p. 173.
- spinifer** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Rio Janeiro
p. 379 (sep. p. 96) nota.
- ✓ **stigmaticus** Bates, Biol. Centr.-Amer. Col. V, 1881, Guatemala,
p. 170. Honduras
- subglaber** Casey, Revis. p. 319. Mexico
- symmetricus** Haldem. Trans. Amer. Philos. Soc. (2) Canada,
X, 1847, p. 50. — J. Lec. Journ. Acad. Philad. New York,
(2) II, 1852, p. 171. Horn, Trans. Amer. New Jersey,
Ent. Soc. VIII, 1880, p. 126. — Leng & Hamilt. Pennsylvania,
l. c. XXIII, 1896, p. 127. — Blatchley, Col. Virginien
Indiana 1910, p. 1076. — Casey, Revis. p. 318. Georgien,
ab. *pictus* J. Lec. Journ. Acad. Philad. (2) Florida,
II, 1852, p. 172. — Horn, Trans. Amer. Ent. Michigan,
Soc. VIII, 1880, p. 126, t. 2, f. 2. — Leng & Wisconsin
& Hamilt. l. c. XXIII, 1896, p. 127. — Blatchley.
Col. Indiana 1910, p. 1076, fig. 462.
- tenebrosus** Casey, Revis. p. 320. New York
- tigrellus** Bates, Trans. Ent. Soc. Lond. 1874, p. 231; Nicaragua,
Biol. Centr.-Amer. Col. V, 1885, p. 401. Honduras
var. *megaspilus* Bates. l. c. p. 402. Guatemala
- tristis** Casey, Revis. p. 321. Pennsyl-
vania
- ✓ **trivittatus** Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 404, t. 24, f. 20.
- ✓ **tumidicollis** Bates, l. c. 1881, p. 169. Guatemala,
Nicaragua,
Panama

- unilineatus** Bates, Trans. Ent. Soc. Lond. 1872, Nicaragua
p. 237 ♂ (non ♀); Biol. Centr.-Amer. Col.
V, 1881, p. 170.
xantho Bates, l. c. 1885, p. 406, t. 24, f. 24. Guatemala
yucca Schaeffer, Bull. Brookl. Instit. I, 1905, p. 167; Arizona
1908, p. 346.

- monoxenus** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 284. Usambara
84

Hyperplatys Haldem.

Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 49. — Thoms.
Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872, p. 767.
776. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 338. — Horn,
Trans. Amer. Ent. Soc. VIII, 1880, p. 119, 127. — J. Lec. & Horn,
Classif. Col. N. Amer. 1883, p. 324. — Leng & Hamilt. Trans. Amer.
Ent. Soc. XXIII, 1896, p. 113, 129. — Wickham, Canad. Ent. XXIX,
1897, p. 203. — Blatchley, Col. Indiana 1910, p. 1069, 1077. — Casey,
Meut. Col. IV, 1913, p. 323—331 (Revision).

- annicula** Casey, Revis. p. 326. Iowa
argus Bates, Trans. Ent. Soc. Lond. 1872, p. 216; Nicaragua,
Biol. Centr.-Amer. Col. V, 1881, p. 163, Panama
t. 12, f. 2.
aspersus Say, Journ. Acad. Philad. III, 1823, p. 330; Ost-Staaten
Compl. Writ. II, 1859, p. 187. — Haldem. Nord-
Trans. Amer. Philos. Soc. (2) X, 1847, p. 49. amerikas,
— J. Lec. Journ. Acad. Philad. (2) II, 1852, Canada
p. 171. — Horn, Trans. Amer. Ent. Soc.
VIII, 1880, p. 127. — Leng & Hamilt. l. c.
XXIII, 1896, p. 129. — Wickh. Canad. Ent.
XXX, 1898, p. 38. — Blatchley, Col. Indiana
1910, p. 1078. — Casey, Revis. p. 329.
Biologie: F. Morris, Canad. Ent. I, 1918,
p. 39.
binocularis Casey, Revis. p. 328. New York
californicus Casey, Ann. N. York Acad. Sc. VI, 1892, Californien
p. 51. — Leng & Hamilt. Trans. Amer. Ent.
Soc. XXIII, 1896, p. 129. — Casey, Revis.
p. 330.
crypticus Casey, Revis. p. 327. Indiana,
New York
delicatus Casey, Revis. p. 327. Rhode Island
femoralis Haldem. Trans. Amer. Philos. Soc. (2) X, Georgien,
1847, p. 49. — J. Lec. Journ. Acad. Philad. Florida
(2) II, 1852, p. 171. — Horn, Trans. Amer.
Ent. Soc. VIII, 1880, p. 127. — Leng & Hamilt.
l. c. XXIII, 1896, p. 129. — Casey.
Revis. p. 330.
frigidus Casey, Revis. p. 328. Maine
lentiginosus Casey, Revis. p. 325. Rhode Island
maculatus Haldem. Trans. Amer. Philos. Soc. (2) X, Canada,
1847, p. 49. — J. Lec. Journ. Acad. Philad. Pennsylvanien.
(2) II, 1852, p. 170. — Horn, Trans. Amer. Indiana
Ent. Soc. VIII, 1880, p. 127. — Leng & Hamilt.
l. c. XXIII, 1896, p. 129. — Wickh. Canad. Ent.
XXX, 1898, p. 38. — Blatchley, Col. Indiana
1910, p. 1078. — Casey, Revis. p. 324.

- Biologie: Hubbard, Ins. Aff. Orange 1885.
p. 174, t. 14, f. 3. — Felt, Ins. Aff. Trees
1905, p. 432, f. 94.
- moutanus** Casey, Revis. p. 325. Colorado
- nigrellus** Haldem. Trans. Amer. Philos. Soc. (2) X, Pennsylv-
1847, p. 49. — Leng & Hamilt. Trans. Amer. vanien
Ent. Soc. XXIII, 1896, p. 129. — Casey, Revis.
p. 327.
- pardalis** Bates, Biol. Centr.-Amer. Col. V, 1881, Mexico
p. 164, 399.
- pusillus** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Pará
p. 285 (sep. p. 80).
- ✓ *var. nigrosparsus* Bates, Biol. Centr.-Amer. Mexico,
Col. V, 1885, p. 398. Guatemala,
Nicaragua,
Panama
- robustus** Casey, Revis. p. 326. Indiana
- variolatus** Casey, Revis. p. 328. Indiana,
Distr.
Columbia
- vigilans** Casey, Revis. p. 329. Distr.
Columbia

18

Eucharitolus Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1885, p. 408.
- palcher** Bates l. c. p. 408. Panama
1

Sympagus Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1881, p. 172.
- ✓ **laetabilis** Bates, Trans. Ent. Soc. Lond. 1872, p. 217; Nicaragua.
Biol. Centr.-Amer. V, 1881, p. 173, t. 12, f. 18. Panama
1

Stenolis Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 149 (sep. p. 115). —
Lacord. Gen. Col. IX, 1872, p. 767, 777.
- undulata** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas:
p. 149 (sep. p. 115). — Lacord. Gen. Col. IX, Ega
1872, p. 778.
1

Palame Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 12 (sep. p. 131). —
Lacord. Gen. Col. IX, 1872, p. 767, 778.
- crassimanus** Bates, Ann. Mag. Nat. Hist. (3) XIV, Amazonas
1864, p. 13 (sep. p. 132). — Lacord. Gen.
Col. IX, 1872, p. 778.
1

Microplia Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 21. — Cast. Hist. Nat. Col. II, 1840, p. 465. — Thoms. Syst. Ceramb. 1864, p. 355. — Lacord. Gen. Col. IX, 1872, p. 767, 778.

agilis Serv. Ann. Soc. Ent. France IV, 1835, p. 22. — Brasilien
Cast. Hist. Nat. Col. II, 1840, p. 465. —
Lacord. Gen. Col. IX, 1872, p. 779.

signifera Thoms. Syst. Ceramb. 1865, p. 544. „

2

Baryssinus Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 43 (sep. p. 98). —
Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872,
p. 767, 779.

bicirifer Bates, Trans. Ent. Soc. Lond. 1872, p. 218 Rio Janeiro
nota.

billineatus Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas:
p. 44 (sep. p. 99); Biol. Centr.-Amer. Col. Ega,
V, 1881, p. 175, t. 13, f. 1. Nicaragua,
Guatemala,
Mexico

leguminicola Linell, Proc. Ent. Soc. Washingt. IV, Paraguay
1896, p. 43.

penicillatus Bates, Ann. Mag. Nat. Hist. (3) XIII, Amazonas:
1864, p. 44 (sep. p. 98). — Lacord. Gen. Col. Santarem
IX, 1872, p. 780.

4

Phrissolaus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 172.

inspersus Bates, l. c. p. 172. Nicaragua,
Panama

1

Cosmotoma Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 155. — Bates, Ann. Mag. Nat.
Hist. (3) XIII, 1864, p. 147 (sep. p. 113). — Lacord. Gen. Col. IX,
1872, p. 767, 780. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 160.

Bellista Thoms. Classif. Ceramb. 1860, p. 16; Syst. Ceramb.
1864, p. 355.

adjuncta Thoms. Classif. Ceramb. 1860, p. 16. Cayenne,
nigricollis Bates, Ann. Mag. Nat. Hist. Amazonas
(3) XIII, 1864, p. 148 (sep. p. 114).

rubella Bates, l. c. p. 148 (114); Biol. Centr.-Amer. Col. „
V, 1881, p. 160, t. 13, f. 8.

sertifer Serv. Ann. Soc. Ent. France IV, 1835, p. 59. Südbrasilien
viridana Lacord. Gen. Col. IX, 1872, p. 781,
nota 1, t. 108, f. 4 (non 3).

3

Tenthras Thoms.

Thoms. Syst. Ceramb. 1864, p. 224, 441. — Lacord. Gen. Col. IX, 1869, p. 144, 146. — Gahan, Ann. Mag. Nat. Hist. (8) I, 1908, p. 145.

obliteratus Thoms. Syst. Ceramb. 1864, p. 225. — Cayenne
Lacord. Gen. Col. IX, 1869, p. 147.

1

Phloeopsis Blanch.

Blanch. Voy. Pôle Sud IV, 1853, p. 289. — Thoms. Syst. Ceramb. 1864, p. 355.

pubescens Blanch. l. c. p. 289, t. 17, f. 12. — White, Salomonen-
Cat. Col. Brit. Mus. VIII, 1855, p. 366. Inseln

1

Probatius Thoms.

Thoms. Classif. Ceramb. 1860, p. 16; Syst. Ceramb. 1864, p. 355. —

Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 47 (sep. p. 101). —
Lacord. Gen. Col. IX, 1872, p. 767, 781.

apicalis Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas:
p. 49 (sep. p. 103). Ega

chryseis Bates, l. c. p. 47 (sep. p. 102). Amazonas:
Obydos

✓ **humeralis** Perty, Delect. Anim. Artic. 1830, p. 91, Südbrasilien,
t. 18, f. 8. — White, Cat. Col. Brit. Mus. Brasilien,
VIII, 1855, p. 389. — Bates, Ann. Mag. Nat. Cayenne
Hist. (3) XIII, 1864, p. 48 (sep. p. 102).

ludicrus Germ. Ins. Spec. Novae 1824, p. 481. — Brasilien
White, Cat. Col. Brit. Mus. VIII, 1855, p. 389.

✓ **mexicanus** Thoms. Classif. Ceramb. 1860, p. 17. — Mexico,
Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Guatemala,
p. 48 (sep. p. 102); Biol. Centr.-Amer. Col. Honduras,
V, 1881, p. 175, t. 13, f. 7. Nicaragua,
Panama

partitus White, Cat. Col. Brit. Mus. VIII, 1855, p. 390. Amazonas:
— Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Para
p. 48 (sep. p. 103).

quadriguttatus Auriv. Arkiv f. Zool. XIII, 9, 1920, Espiritu
p. 27. Santo

ramulorum Bates, l. c. p. 49 (sep. p. 104). Santarem

saunio Germ. Ins. Spec. Novae 1824, p. 481. — White, Brasilien
Cat. Col. Brit. Mus. VIII, 1855, p. 389.

sulphurifer White, l. c. p. 390. „Süd-
amerika“,

✓ **umbraticus** Jacq. du Val in Sagra, Hist. Cuba, Ins. Cuba,
1857, p. 272, t. 10, f. 10. — Chevr. Ann. Soc. Porto Rico,
Ent. France (4) II, 1862, p. 249. — Leng & Florida
Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,
p. 142.

11

Oedopeza Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 88. — Thoms. Classif.
Ceramb. 1860, p. 11; Syst. Ceramb. 1864, p. 355. — Bates, Ann.

Mag. Nat. Hist. (3) XIII, 1864, p. 145 (sep. p. 111). — Lacord. Gen. Col. IX, 1872, p. 768, 782. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 175.

- apicalis** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Guatemala
p. 147 (sep. p. 113) nota.
- guttigera** Bates, l. c. p. 147 (sep. p. 113) nota; Biol. Mexico,
Centr.-Amer. Col. V, 1881, p. 176. Nicaragua
- guttifera* Bates, l. c. p. 176, t. 13, f. 13.
- leucostigma** Bates, Ann. Mag. Nat. Hist. (3) XIII, Amazonas:
1864, p. 146 (sep. p. 112). Ega
- litigiosa** Bates, l. c. p. 146 (sep. p. 113) nota. Rio Janeiro
- pogonocheroides** Serv. Ann. Soc. Ent. France IV, Cayenne,
1835, p. 88. — Cast. Hist. Nat. Col. II, 1840, Amazonas,
p. 464. — Bates, Ann. Mag. Nat. Hist. (3) Panama,
XIII, 1864, p. 145 (sep. p. 112); Biol. Centr.- Nicaragua,
Amer. Col. V, 1881, p. 176, t. 13, f. 14. Honduras,
Guatemala,
Mexico

5

Chaetanes Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 45 (sep. p. 99). —
Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872,
p. 768, 783. — Bates, Biol. Centr.-Amer. V, 1881, p. 177.

- setiger** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas,
p. 45 (sep. p. 100). — Lacord. Gen. Col. IX, Cayenne,
1872, p. 784. — Bates, Biol. Centr.-Amer. Ecuador,
Col. V, 1881, p. 177, t. 12, f. 8. Panama,
Nicaragua

1

Carpheolus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 410.

- sublineatus** Bates, l. c. p. 410, t. 25, f. 2. Panama

1

Trichonius Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 52 (sep. p. 107). —
Thoms. Syst. Ceramb. 1864, p. 355. — Lacord. Gen. Col. IX, 1872,
p. 768, 784.

- fasciatus** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Santarem
p. 53 (sep. p. 108).
- picticollis** Bates, l. c. p. 53 (sep. p. 108). Amazonas:
St. Paulo
- quadrivittatus** Bates, l. c. (sep. p. 107). Amazonas:
Villa Nova

3

Oxathres Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 50 (sep. p. 104). —
Lacord. Gen. Col. IX, 1872, p. 768, 784. — Bates, Biol. Centr.-
Amer. Col. V, 1885, p. 409.

- erotyloides** Bates, Ann. Mag. Nat. Hist. (3) XIII, Amazonas:
1864, p. 51 (sep. p. 106). Ega

- mucosus* Bates, l. c. p. 52 (sep. p. 106). Ega
navicula Bates, l. c. p. 50 (sep. p. 105). Amazonas
scriptus Lacord. Gen. Col. IX, 1872, p. 785, nota 1 Brasilien
 (non descr.).

4

Sphenopsilus Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 409.

- claviger* Bates, l. c. p. 409, t. 25, f. 1. Panama
peruvianus Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 28. Peru

2

Sporetus Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 54 (sep. p. 109). —
 Thoms. Syst. Ceramb. 1864, p. 355. — Lacord. Gen. Col. IX, 1872,
 p. 768, 785.

Chaetissus Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864,
 p. 54 (sep. p. 109).

- colobothoides* White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien
 p. 372. — Bates, Ann. Mag. Nat. Hist. (3)
 XVII, 1866, p. 435 (sep. p. 255).

colobothoides Gemm. & Har. Cat. Col. X,
 1873, p. 3160.

- decipiens* Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Para
 p. 434 (sep. p. 254).

- guttula* Bates, l. c. (3) XIII, 1864, p. 155 (sep. p. 121). Tapajos
porcinus Bates, l. c. (3) XIII, 1864, p. 54 (sep. p. 109). Amazonas:
 St. Paulo

- probatoides* Bates, l. c. p. 56 (sep. p. 110) nota. Rio Janeiro
seminalis Bates, l. c. p. 55 (sep. p. 109). Amazonas:

var. *agglomeratus* Bates, l. c. p. 55 (sep.
 p. 110). Ega

- vitticollis* Bates, l. c. (3) XIV, 1864, p. 157 (sep. p. Amazonas:
 123); Biol. Centr.-Amer. Col. V, 1885, p. 411. St. Paulo

7

Seriphus Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 144 (sep. p. 110). —
 Lacord. Gen. Col. IX, 1872, p. 768, 786.

- viridis* Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas:
 p. 145 (sep. p. 111). — Lacord. Gen. Col. IX, Ega
 1872, p. 786.

1

Graphisurus Kirby.

- Kirby, Fauna Bor.-Amer. IV, 1837, p. 169. — J. Lec. Journ. Acad.
 Philad. (2) II, 1852, p. 174. — Bates, Ann. Mag. Nat. Hist. (3) XIV,
 1864, p. 13 (sep. p. 133). — Lacord. Gen. Col. IX, 1872, p. 768, 786.
 — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 339. — Prov. Petite
 Faune Ent. Canada I, 1877, p. 629. — Leng & Hamilt. Trans. Amer.
 Ent. Soc. XXIII, 1896, p. 130. — Wickh. Canad. Ent. XXIX, 1897,
 p. 203. — Blatchley, Col. Indiana 1910, p. 1069, 1078.

Urographis Horn, Trans. Amer. Ent. Soc. VIII, 1880,
 p. 128. — J. Lec. & Horn, Classif. Col. N. Amer. 1883,
 p. 324. — Casey, Mem. Col. IV, 1913, p. 331—334 (Revisio).

- fasciatus** De Geer, Mém. Ins. V, 1775, p. 114, t. 14, f. 7. — Goeze, Ent. Beytr. I, 1777, p. 475. — Kirby, Fauna Bor.-Amer. IV, 1837, p. 169. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 175. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 370. — Prov. Pet. Faune Ent. Canada I, 1877, p. 630. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 128. — Pack. Ins. Inj. Trees 1890, p. 71, f. 22. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 131. — Wickh. Canad. Ent. XXX, 1898, p. 39, f. 3. — Felt, Ins. Aff. Trees 1907, t. 63, f. 2. — Blatchley, Col. Indiana 1910, p. 1079, f. 466. — Casey, Revis. p. 333.
- despectus* J. Lec. Agass. Lake Super. 1850, p. 234.
- mixtus* F. Ent. Syst. Suppl. 1798, p. 144; Syst. Eleuth. II, 1804, p. 290.
- pensylvanicus* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1863.
- ? *pusillus* Emmons, Nat. Hist. N. York Agric. V, 1854, p. 124, 255*, t. 34, f. 8.
- Biologie: Fitch, Report Ins. N. York V, 1858, p. 14. — Pack. Ins. Inj. Trees 1890, p. 72. — Felt, Ins. Affect. Trees 1907, p. 434.
- var. *reducta* Casey, Revis. p. 333.
- ✓ **hebes** Casey, Revis. p. 333.
- ✓ **triangulifer** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 45. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 174. — Prov. Pet. Faune Ent. Canada I, 1877, p. 629. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 128. — Pack. Ins. Inj. Trees 1890, p. 610, f. 200c. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 130. — Wickh. Canad. Ent. XXX, 1898, p. 39. — Blatchley, Col. Indiana 1910, p. 1079, f. 465. — Casey, Revis. p. 334.
- Biologie: Pack. Ins. Inj. Trees 1890, p. 610, f. 200 a, b.

Canada,
Maine,
New
Hampshire,
Vermont,
Massachusetts,
New York,
New Jersey,
Pennsylvania,
Virginien,
Florida,
Louisiana,
Kansas,
Ohio,
Indiana,
Michigan,
Wisconsin

New York
Iowa,
New York
Ohio,
Missouri,
Texas,
Louisiana,
Alabama,
Georgien,
? Canada

3

Ceratographis Gah.

Gahan, Trans. Amer. Ent. Soc. XV, 1887, p. 300. — Leng & Hamilt. l. c. XXIII, 1896, p. 130. — Wickh. Canad. Ent. XXIX, 1897, p. 203. — Blatchley, Col. Indiana 1910, p. 1070.

Graphisurus Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 128.

- ✓ **biguttata** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 172. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 131. — Wickh. Canad. Ent. XXX, 1898, p. 39. — Blatchley, Col. Indiana 1910, p. 1079.
- pusilla* Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 129.

Canada,
New
Hampshire,
Massachusetts,
New Jersey,
Pennsylvania,
Indiana,
Michigan

1

Nyssodrys Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 149 (sep. p. 116). — Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872, p. 768, 788. — Bates, Biol. Centr.-Amer. Col. V, 1881—85, p. 178, 411. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 130.

*Nyssodrysin*a Casey, Mem. Col. IV, 1913, p. 309.

- albomaculata** Auriv. Arkiv f. Zool. V, 1, 1909, p. 10. Peru
- alboplagiata** White, Cat. Col. Brit. Mus. VIII, 1855, Amazonas:
p. 381. — Bates, Ann. Mag. Nat. Hist. (3) Ega
XIII, 1864, p. 164 (sep. p. 130); Biol. Centr.-
Amer. Col. V, 1885, p. 414.
- anceps** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Santarem
p. 156 (sep. p. 122); Biol. Centr.-Amer. Col.
V, 1885, p. 414.
- bimaculata** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Nicaragua
p. 153 (sep. p. 119); Biol. Centr.-Amer. Col.
V, 1885, p. 412.
- bispecularis** White, Cat. Col. Brit. Mus. VIII, 1855, Ega
p. 384. — Bates, Ann. Mag. Nat. Hist. (3)
XIII, 1864, p. 155 (sep. p. 121); Biol. Centr.-
Amer. Col. V, 1885, p. 415.
- Buckleyi** Bates, l. c. p. 416. Bolivia
- ✓ **calligramma** Bates, Trans. Ent. Soc. Lond. 1872, p. Mexico,
217; Biol. Centr.-Amer. Col. V, 1881, p. 181, Guatemala,
t. 13, f. 2. Nicaragua
- ✓ **caudata** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Cayenne,
p. 157 (sep. p. 123). Amazonas
- ✓ var. *ocellata* Bates, Biol. Centr.-Amer. Col. V, Panama,
1885, p. 413. Nicaragua
- cinerascens** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Para
p. 151 (sep. p. 117); Biol. Centr.-Amer.
Col. V, 1885, p. 412.
- ✓ **circumscripta** Bates, l. c. V, 1881, p. 180, t. 12, f. 16. Nicaragua,
Panama
- ✓ **concluna** Bates, l. c. 1885, p. 417, t. 25, f. 8. Panama
- conspicillaris** Er. Archiv f. Naturg. XIII, 1, 1847, Peru
p. 146. — White, Cat. Col. Brit. Mus. VIII,
1855, p. 380. — Bates, Biol. Centr.-Amer.
Col. V, 1885, p. 414.
- corticalis** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas:
p. 151 (sep. p. 117); Biol. Centr.-Amer. Tapajos
Col. V, 1885, p. 412.
- ✓ **decemguttata** Bates, l. c. p. 416. Panama,
calligramma var. Bates, l. c. p. 181, t. 12, f. 17. Nicaragua
- ✓ **deleta** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas,
p. 160 (sep. p. 126); Biol. Centr.-Amer. Panama,
Col. V, 1881, p. 179, t. 13, f. 16. Nicaragua,
Guatemala,
Mexico
- diopilea** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Rio Janeiro
p. 153 (sep. p. 119) nota.
- dulcissima** Bates, l. c. (3) XII, 1863, p. 377 (sep. p. 94); Amazonas:
Biol. Centr.-Amer. Col. V, 1885, p. 415. S. Paulo
- efflieta** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas
p. 160 (sep. p. 126); Biol. Centr.-Amer.
Col. V, 1885, p. 414.

<i>excelsa</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 163 (sep. p. 129); Biol. Centr.-Amer. Col. V, 1885, p. 414.	Ega
<i>exilis</i> Bates, l. c. p. 412.	Panama
<i>fulminans</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 154 (sep. p. 120).	Ega
<i>grisella</i> Bates, l. c. p. 154; Biol. Centr.-Amer. Col. V, 1885, p. 412.	"
<i>Haldemani</i> J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 173. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 124. — Leng & Hamilt. l. c. XXIII, 1896, p. 133.	Pennsylvanien, Georgien, Alabama,
<i>contempta</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 152 (sep. p. 118) nota; Trans. Ent. Soc. Lond. 1872, p. 220; Biol. Centr.-Amer. Col. V, 1881—85, p. 179, 412.	Mexico, Guatemala, Honduras, Nicaragua, Costarica, Panama
<i>incisa</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 155 (sep. p. 121); Biol. Centr.-Amer. Col. V, 1885, p. 414.	Amazonas: Ega
<i>inclusa</i> Bates, l. c. p. 414, t. 25, f. 4.	Panama
<i>inflata</i> Bates, l. c. p. 412.	"
<i>laetifica</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 237; Biol. Centr.-Amer. Col. V, 1881, p. 180, 415, t. 12, f. 19.	Nicaragua
<i>lentiginosa</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 150 (sep. p. 116); Biol. Centr.-Amer. Col. V, 1885, p. 412.	Amazonas
<i>leucopyga</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 221; Biol. Centr.-Amer. Col. V, 1881, p. 179, t. 13, f. 18.	Nicaragua, Panama
<i>lignaria</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 152 (sep. p. 118) nota; Biol. Centr.-Amer. Col. V, 1885, p. 412.	Rio Janeiro
<i>lineatocolliis</i> Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, p. 373 (sep. p. 90); Biol. Centr.-Amer. Col. V, 1885, p. 412.	Santarem
<i>lineolata</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 161 (sep. p. 127); Biol. Centr.-Amer. Col. V, 1885, p. 414.	Ega
<i>longula</i> Bates, l. c. 1881, p. 181, 417.	Costarica
<i>ophthalmica</i> Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 110.	Venezuela
<i>picula</i> Bates, Biol. Centr.-Amer. Col. V, 1881, p. 175, 409, 416, t. 14, f. 1.	Guatemala
<i>polygramma</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 220; Biol. Centr.-Amer. Col. V, 1881, p. 181, 417, t. 13, f. 17.	Nicaragua
<i>polyspila</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 383. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 180, 414.	Guatemala, Honduras, Panama
<i>polytaenia</i> Bates, l. c. 1885, p. 415, t. 25, f. 7.	Panama
<i>porifera</i> Bates, l. c. p. 413, t. 25, f. 3.	"
<i>promeces</i> Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, p. 162 (sep. p. 128).	Amazonas
<i>propinqua</i> Bates, l. c. p. 159 (sep. p. 125); Biol. Centr.-Amer. Col. V, 1885, p. 414.	Amazonas, Cayenne

- ptericopta** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Tapajos
p. 163 (sep. p. 129).
- pulverea** Bates, Biol. Centr.-Amer. Col. V, 1881, Mexico
p. 180, 415.
- raucea** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas:
p. 163 (sep. p. 129); Biol. Centr.-Amer. Col. Ega;
V, 1885, p. 414. Cayenne
- rodens** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas
p. 161 (sep. p. 127); Biol. Centr.-Amer. Col. V, 1885, p. 414.
- ✓ **roseicollis** Bates, Trans. Ent. Soc. Lond. 1872, p. 221; Mexico,
Biol. Centr.-Amer. Col. V, 1881, p. 181, 417, Guatemala,
t. 14, f. 4. Nicaragua,
Panama
- scutellata** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas,
p. 434 (sep. p. 254); Biol. Centr.-Amer. Col. Panama,
V, 1885, p. 412. Honduras
- signifera** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Amazonas
p. 158 (sep. p. 124); Biol. Centr.-Amer. Col. V, 1885, p. 414.
- simulata** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Ega,
p. 159 (sep. p. 125); Biol. Centr.-Amer. Col. Cayenne
V, 1885, p. 414.
- spretta** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Santarem
p. 152 (sep. p. 118); Biol. Centr.-Amer. Col. V, 1885, p. 412.
- stillata** Bates, Ann. Mag. Nat. Hist. (3) XIII, 1864, Ega
p. 156 (sep. p. 122); Biol. Centr.-Amer. Col. V, 1885, p. 414.
- ✓ **sulphurescens** Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 416.
- ✓ **univittis** Bates, l. c. p. 415, t. 25, f. 6. Panama
- variegata** Auriv. Zool. Jahrb. Suppl. XVI, p. Trinidad
- venusta** Bates, Ann. Mag. Nat. Hist. (3) XII, 1863, Amazonas,
p. 372 (sep. p. 89); Biol. Centr.-Amer. Col. Nicaragua
V, 1881, p. 180, 417.
- vigintiguttata** Bates, l. c. p. 415, t. 25, f. 5. Panama

56

Hylettus Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 11 (sep. p. 130). —
Lacord. Gen. Col. IX, 1872, p. 768, 787. — Bates, Biol. Centr.-Amer.
Col. V, 1881, p. 182.
- ✓ **coenobita** Er. Archiv. Naturg. XIII, 1, 1847, p. 145. — Peru,
White, Cat. Col. Brit. Mus. VIII, 1855, Amazonas:
p. 380. — Bates, Ann. Mag. Nat. Hist. (3) Ega;
XIV, 1864, p. 11 (sep. p. 131); Biol. Centr.- Panama,
Amer. Col. V, 1881, p. 182, t. 13, f. 19. Nicaragua
- decorticans** Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Venezuela
p. 12 (sep. p. 131) nota.
- ✓ **griseofasciatus** Serv. Ann. Soc. Ent. France IV, 1835, Brasilien
p. 33. — Bates, Ann. Mag. Nat. Hist. (3)
XIV, 1864, p. 12 (sep. p. 131).
- ✓ **vindex** Lacord. Gen. Col. 1872, p. 788, nota 6. Cayenne

4

Olenosus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 205; Biol. Centr.-Amer. Col. V, 1881, p. 184.

- ✓ **serrimanus** Bates, Trans. Ent. Soc. Lond. 1872, Nicaragua,
p. 206; Biol. Centr.-Amer. Col. V, 1881, Guatemala,
p. 184, t. 10, f. 13, 14. Mexico

1

Toronaeus Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864 (Juli), p. 13 (sep. p. 133).
— Lacordaire, Gen. Col. IX, 1872, p. 768, 790.

Aemylus Thoms. Syst. Ceramb. 1864 (Dez.) p. 28, 355.

- ✓ **figuratus** Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Cayenne,
p. 14 (sep. p. 134). — Thoms. Syst. Ceramb. Amazonas:
1864, p. 28. Obydos

perforator Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Amazonas
p. 16 (sep. p. 135).

suavis Bates, l. c. p. 15 (sep. p. 135).

terebrans Bates, l. c. p. 17 (sep. p. 136).

"
Amazonas:
S. Paulo
Amazonas

virens Bates, l. c. p. 17 (sep. p. 137).

5

Astyochus n. nom.

Astynomus Cast. Hist. Nat. Col. II, 1840, p. 463 (ex parte).

— Thoms. Syst. Ceramb. 1864, p. 29, 356. — Lacord. Gen. Col. IX, 1872, p. 768, 789. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 182.

decorus Bates, Biol. Centr.-Amer. Col. V, 1881, p. 184. Guatemala

dorsalis Germ. Ins. Spec. Novae 1824, p. 472. Brasilien

signatus Serv. Ann. Soc. Ent. France IV,
1835, p. 33. — Cast. Hist. Nat. Col. II, 1840,
p. 463.

eucharis Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 418, t. 25, f. 9.

Gondoti White, Cat. Col. Brit. Mus. VIII, 1855, p. 370, Columbien
t. 9, f. 5.

- ✓ **mucoreus** Bates, Trans. Ent. Soc. Lond. 1872, p. 221; Mexico,
Biol. Centr.-Amer. Col. V, 1881, p. 182, Guatemala,
t. 13, f. 20. Nicaragua,
Panama,
Columbien,
Venezuela

ngropunctatus Bates, l. c. V, 1881, p. 183. Mexico,
Guatemala

obliquatus Fairm. & Germain, Ann. Soc. Ent. France
(3) VII, 1859, p. 511. Chile

- ✓ **picticauda** Bates, Biol. Centr.-Amer. Col. V, 1881, Guatemala,
p. 183. Panama

Sallei Candèze, Mém. Soc. Sc. Liège XVI, 1861, p. 384, Venezuela:
t. 4, f. 4f. Caracas

Biologie: Candèze, l. c. p. 382, t. 4, f. 4a-e.

✓ **setiger** Bates, Trans. Ent. Soc. Lond. 1872, p. 222; Mexico,
Biol. Centr.-Amer. Col. V, 1881, p. 182, Guatemala,
t. 14, f. 7. Nicaragua

tenebrosus Bates, l. c. p. 183.

vexillaris Bates, Trans. Ent. Soc. Lond. 1872, p. 222;
Biol. Centr.-Amer. Col. V, 1881, p. 183,
t. 14, f. 6.

Guatemala
Mexico,
Nicaragua,
Panama

12

Acanthocinus Guér.

Guér. Dict. Class. d'Hist. Nat. IX, 1826, p. 186. — Latr. in Cuvier, Règne Anim. ed. 2, V, 1829, p. 123. — Eichwald, Zool. Spec. II, 1830, p. 257. — Steph. Brit. Ent. Mandib. IV, 1831, p. 228, 231. — Wilson, Entomol. Edinen. 1834, p. 270. — J. Thoms. Classif. Ceramb. 1860, p. 7, 13; Syst. Ceramb. 1864, p. 356. — C. G. Thoms. Skand. Col. VIII, 1866, p. 79. — Lacord. Gen. Col. IX, 1872, p. 768, 790. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 339. — Cox, Handb. Col. II, 1874, p. 303. — Seidlitz, Fauna Balt. 1875, Gatt. p. 140; ed. 2, 1891, Gatt. p. 185. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 128, 130. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 324. — Ganglb. Best.-Tab. VII, 1881, p. 14 (692). — Bau, Handb. Käfer 1888, p. 415. — Bedel, Faune Col. Seine V, 1889, p. 34, 38. — Fowler, Col. Brit. Isl. IV, 1890, 243, 244. — Seidlitz, Fauna Transsylv. 1891, Gatt. p. 185. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 130. — Stierlin, Col. Helvet. II, 1898, p. 489. — Lameere, Faune Ent. Belg. II, 1900, p. 414. — Everts, Col. Neerl. II, 1901, p. 375. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 18; ed. 2, 1909, p. 16. — Csiki, Rovart. Lapok XI, 1904, p. 167. — Blatchley, Col. Indiana 1910, p. 1070. — Kuhn, Käfer Deutschl. 1912, p. 756, 790. — Reitter, Fauna Germ. IV, 1913, p. 58, 59. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 9. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 864, 870. — Auriv. Svensk Insektf. IX, 1917, p. 36, 42.

Aedilis Serv. Ann. Soc. Ent. France IV, 1835, p. 32. — Muls. Col. France, Longic. 1839, p. 143, 145. — Westw. Introd. Ins. II, 1840, Gener. Synops. p. 40. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 173. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 156; Hist. Nat. France, Col. 1882, p. 266.

Astynomus Steph. Man. Col. 1839, p. 269. — Spry & Shuck. Brit. Col. 1840, p. 66. — Cast. Hist. Nat. Col. II, 1840, p. 463 (ex parte). — Redtenb. Gatt. Deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 45, 493; ed. 2, 1858, p. 857; ed. 3, II, 1874, p. 416. — Bach, Käferf. III, 1856, p. 27. — Gutfl. Käfer Deutschl. 1859, p. 582. — Muls. Col. France, Longic. ed. 2, 1863, p. 287. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 511, 557. — Schoch, Käfer Deutschl. 1878, p. 130. — Schlosser, Fauna Kornjas. III, 1879, p. 807, 828. — Sériziat, Hist. Col. France 1880, p. 310.

Graphisurus Casey, Mem. Col. IV, 1913, p. 334 (non Kirby).

Subgenus Canonura Casey, l. c. p. 335.

Subgenus Tylocerina Casey, l. c. p. 335.

Subgen. Acanthocinus s. str.

Paläarktische Arten.

aedilis L. Syst. Nat. ed. 10, 1758, p. 392; ed. 12, 1767, Europa,
p. 628; Fauna Suec. ed. 2, 1761, p. 188. — Sibirien
Poda, Mus. Graec. 1761, p. 32. — Sulz. Kennz.
Ins. 1761, Erkl. p. 10, t. 4, f. 27. — Pontopp.
Danske Atlas I, 1763, p. 673; Naturg. v.

Dänem. 1765, p. 206. — Müller, Fauna Ins. Fridr. 1764, p. 13. — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 549. — Ström, Norske Vid. Selsk. Skrifter IV, 1768, p. 323. t. 16, f. 8. — Scop. Annus Hist. Nat. V, 1772, p. 95. — Müller, Naturs. V, 1, 1774, p. 266. — Hammer, Fauna Norveg. 1775, p. 102. — De Geer, Hist. Ins. V, 1775, p. 66, t. 4, f. 1, 2. — F. Syst. Ent. 1775, p. 164; Spec. Ins. I, 1781, p. 209; Mant. Ins. I, 1787, p. 130; Ent. Syst. I, 2, 1792, p. 270; Syst. Eleuth. II, 1801, p. 287. — Müller, Zool. Dan. Prodr. 1776, p. 92. — Goeze, Ent. Beytr. I, 1777, p. 438. — Bergstr. Nomencl. I, 1778, p. 3, 13, t. 1, f. 5, 6, t. 2, f. 1. — Fischer, Naturg. Livland 1778, p. 135. — Blumenb. Handb. der Naturg. 1779, p. 336; ed. 2, 1782, p. 334; ed. 12, 1830, p. 284. — Leske, Naturg. 1779, p. 428; ed. 2, 1784, p. 476. — Gronov. Zoophyl. 1781, p. 162; nr. 537, index. — Schrank, Enum. Ins. Austr. 1781, p. 133. — Herbst in Borowsky, Naturg. VI, 1784, p. 124. — Laich. Tyrol. Ins. II, 1784, p. 23. — Bock, Naturg. IV, 1784, p. 40. — Villers, Linn. Entomol. I, 1789, p. 228. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1825. — Ol. Encycl. méth. V, 1790, p. 290; Ent. IV, nr. 67, 1795, p. 81, t. 9, f. 9. — Martyn, Engl. Entomol. 1792, index, t. 26, f. 24, 25. — Donovan. Brit. Ins. II, 1793, p. 92, t. 72. — Donnd. Handb. Tierg. 1793, p. 607. — Panz. Ent. Germ. 1795, p. 550. — Schrank, Fauna Boica I, 1798, p. 657. — Cederhj. Faun. Ingr. Prodr. 1798, p. 87. — Cuvier, Tabl. Elem. 1798, p. 554. — Goeze & Donnd. Europ. Fauna VIII, 1799, p. 550. — Payk. Fauna Suec. III, 1800, p. 62. — Walther, Lehrb. Forst-Physiographie 1800, p. 542. — Marsh. Ent. Brit. I, 1802, p. 328. — Stewart, Elem. Nat. Hist. II, 1802, p. 64. — Panzer-Schaeffer, Icon. Ins. ed. 2, 1804, p. 20. t. 14. f. 7. — Bechstein & Scharfenb. Forstins. I, 1804, p. 191. — Latr. Hist. Nat. Ins. XI, 1804, p. 268; in Cuv. Regne Anim. ed. 2. V, 1829, p. 123; ed. Masson, Ins. I, 1849, p. 488, t. 67, f. 3. — Shaw. Gen. Zool. VI, 1806, p. 73. — (Anon.) Neujahrstück Zürich. Naturf. Ges. XII, 1810, p. 5, t. f. 21–24. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 280; ed. 3, IV, 1828, p. 356. — Oken, Naturg. III, 2, 1816, p. 795; Allgem. Naturg. V, 3, 1836, p. 1701, t. 41, 3, f. 7 a. — Lam. Hist. Nat. IV, 1817, p. 315; ed. 2, IV, 1835, p. 509. — Goldf. Handb. Zool. I, 1820, p. 364. — Dumér. Dict. Sc. Nat. XXV, 1822, p. 181; Entomol. Anal. 1860, p. 613. — Gyllenh. Ins. Suec. I, 4, 1827, p. 53. — Zett. Fauna Lappon. 1828, p. 363. — Boit. Man. d'Ent. II, 1828, p. 20. — Wilbrand, Handb. des Tierr. 1829, p. 478.

— Stein, Handb. Naturg. I, 1829, p. 271, t. 15, f. 131. — Eichw. Zool. Spec. II, 1830, p. 257. — Perleb. Lehrb. Zool. 1831, p. 339. — Rennie, Ins. Misc. 1831, p. 110, fig. — Steph. Brit. Ent. Mandib. IV, 1831, p. 232. — Ruthe, Handb. Zool. 1832, p. 340. — Burm. Grundr. Naturg. 1833, p. 66. — Herr.-Sch. Fauna Ins. Germ. CXIX, 1833, t. 22. — Wilson, Entomol. Edinens. 1834, p. 270. — Kiesssen, Icones Ins. 1835, p. 4, t. 69, f. 3. — Zenker, Naturg. schädli. Tiere 1836, p. 318. — Reichenb. Naturg. Ins. 1837, p. 411, t. 99, f. 641. — Dahlb. Skandin. Ins. 1837, p. 92. — Lucas, Dict. Pitt. d'Hist. Nat. IX, 1839, p. 620, t. 552, f. 7. — Westw. Introd. Classif. Ins. I, 1839, p. 365, f. 44, 3, 4. — Steph. Man. 1839, p. 271. — Spry & Shuck. Brit. Col. 1840, p. 66, t. 76, f. 2. — Cast. Hist. Nat. Col. II, 1840, p. 463. — Zett. Ins. Lapp. 1840, p. 201. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 98. — Berge, Käferb. 1844, p. 123, t. 11, f. 2. — Labr. & Imh. Ins. der Schweiz V. 1845, t. 72; Schweiz. Käferg. 1848, tab. — Küster, Käfer Eur. XII, 1848, p. 97. — Redtenb. Fauna Austr. 1849, p. 493; ed. 2, 1858, p. 857; ed. 3, II, 1874, p. 416. — Poeppig, III. Naturg. IV, 1851, p. 81. — Lentz, Preuß. Käfer 1853, p. 37. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 368. — Bach, Käferf. III, 1856, p. 27. — Imh. Einf. Kol. 1856, t. 17, f. 4. — Humphreys, Butterfl. Vivar. 1858, p. 237, t. 7, f. 7, 8. — (Anon.) Tabular View Ins. 1858, t. 1. — Gutfl. Käfer Deutschl. 1859, p. 582. — Leunis, Synops. ed. 2, I, 1860, p. 506; ed. 3, I, 2, 1886, p. 192. — Muls. Col. France, Longic. ed. 2, 1863, p. 287. — Schiödte, Naturh. Tidskr. (3) II, 1864, p. 557. — Disconzi, Ent. Vicent. 1865, p. 85, 88, t. 5, f. 86. — C. G. Thoms. Skand. Col. VIII, 1866, p. 79. — Cox, Handb. Col. II, 1874, p. 306. — Seidl. Fauna Baltica 1875, p. 516; ed. 2, 1891, p. 750. — Schoch, Käfer Deutschl. 1878, p. 134. — Schlosser, Fauna Kornjas. III, 1879, p. 829. — Sériziat, Col. France 1880, p. 310. — Ganglb. Best.-Tab. VIII, 1884, p. 99 (533). — Bau, Handb. Käfer 1888, p. 416, fig. — Bedel, Faune Col. Seine V, 1890, p. 39, 88. — Fowler, Col. Brit. Isl. IV, 1890, p. 244, t. 123, f. 5, 6. — Rye, Brit. Beetles, ed. 2, 1890, p. 199, t. 13, f. 4. — Seidl. Fauna Transs. 1891, p. 846. — Griffini, Coleott. 1896, p. 198, t. 38, f. 1. — Boas, Forstzoologie 1896, p. 223. — Stierl. Col. Helvet. II, 1898, p. 493. — Lameere, Faune Belg. II, 1900, p. 414. — Oudem. Nederl. Ins. 1900, p. 694, t. 30, f. 8. — Everts, Col. Neerl. II, I, 1902, p. 376. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 62, fig. 118; ed. 2, 1909,

- griseus** F. Ent. Syst. I, 2, 1792, p. 261; Syst. Eleuth. II, 1801, p. 277. — Panzer, Fauna Ins. Germ. XIV, 1794, t. 14; Ent. Germ. 1795, p. 248. — Cederhj. Faunae Ingr. Prodr. 1798, p. 86. — Payk. Fauna Suec. III, 1800, Append. p. 455. — Bechst. & Scharfenb. Forstins. I, 1804, p. 187. — Dumér. Diction. Sc. Nat. VI, 1817, p. 512. — Gyllenh. Ins. Suec. I, 4, 1827, p. 55. — Muls. Col. France, Longic. 1839, p. 148. — Zett. Ins. Lapp. 1840, p. 202. — Berge, Käferb. 1844, p. 125, t. 12, f. 14. — Küster, Käfer Europas XII, 1847, p. 99. — Redtenb. Fauna Austr. 1849, p. 493; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 417. — Bach, Käferf. III, 1856, p. 27. — Gutfl. Käfer Deutschl. 1859, p. 582. — Muls. Col. France, Longic. ed. 2, 1863, p. 292. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 558. — C. G. Thoms. Skand. Col. VIII, 1866, p. 80. — Seidl. Fauna Balt. 1875, p. 516; ed. 2, 1891, p. 750. — Schlosser, Fauna Kornjas. III, 1879, p. 829. — Ganglb. Best.-Tab. VIII, 1884, p. 100 (534). — Bau, Handb. Käfer 1888, p. 417. — Bedel. Faune Col. Seine V, 1889, p. 39. — Seidl. Fauna Transsylv. 1891, p. 846. — Stierl. Col. Helvet. II, 1898, p. 493. — Houlb. Faune Armor. Ceramb. 1904, p. 63; ed. 2, 1909, p. 64. — Csiki, Rovart. Lapok XII. 1905, p. 15. — Kuhnt, Käfer Deutschl. 1912, p. 791. — Reitter, Fauna Germ. IV, 1913, p. 59, t. 138, f. 9. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 10. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 871. — Auriv. Svensk Insektf. Col. I, 1917, p. 42.
- nebulosus* Sulzer, Kennz. Ins. 1761, Erkl. p. 11, t. 4, f. 27 c. — Scop. Ent. Carn. 1763, p. 54 (t. 7, f. 173).
- ab. *obscurus* Pic, Longic. I, 1891, p. 32.
- Biologie: Perris, Ann. Soc. Ent. France (3) IV, 1856, p. 463 (sep. p. 377), t. 6, f. 382. — Xambeu, Moeurs et Métam. VIII, 1902, p. 194.
- Henschi** Reitter, Wien. Ent. Zeit. XIX, 1900, p. 177.
- hirsutulus** Fald. Fauna Transeauc. II, 1837, p. 272, t. 8, f. 5. — Ganglb. Best.-Tab. VIII, 1884, p. 101 (535).
- reticulatus** Razoum. Hist. Nat. Jorat. I, 1789, p. 152. — Bedel, Faune Col. Seine V, 1889, p. 39, 89. — Everts, Col. Neerl. II, 1901, p. 376. — Csiki, Rovart. Lapok XII, 1905, p. 15. — Jakobs, Käfer Russl. 1910, t. 70, f. 2. — Kuhnt, Käfer Deutschl. 1912, p. 791, fig. 190. — Reitter, Fauna Germ. IV, 1913, p. 59, t. 138, f. 8. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 871, t. 31, f. 2.
- aedilis* Ol. Ent. IV, nr. 67, 1795, p. 81, t. 9, f. 59d.
- Nord- und Mittel-Europa (fehlt in Britannien), Sibirien, Japan
- Süd-frankreich
- Bosnien Kaukasus
- Dänemark, Deutschland, Frankreich, Österreich, Schweiz, Italien

- atomarius* F. Ent. Syst. I, 2, 1792, p. 271; Syst. Eleuth. II, 1801, p. 287. — Panz. Ent. Germ. 1795, p. 250; Fauna Ins. Germ. XLVIII, 1797, t. 18. — Schaeffer, Icon. Ins. ed. 2, 1804, p. 73, t. 55, f. 5. — Ol. Ent. IV, nr. 67, 1795, p. 131. — Latr. Hist. Nat. Ins. XI, 1804, p. 273. — Ill. Magaz. Insektenk IV, 1805, p. 109. — Boit. Man. d'Ent. II, 1828, p. 22. — Muls. Col. France, Longic. 1839, p. 147. — Küster, Käfer Eur. XII, 1847, p. 369. — Redtenb. Fauna Austr. 1849, p. 493; ed. 2, 1858, p. 857; ed. 3, II, 1874, p. 417. — Bach, Käferf. III, 1856, p. 27. — Gutfl. Käfer Deutschl. 1859, p. 582. — Muls. Col. France, Longic. ed. 2, 1863, p. 290. — Schlosser, Fauna Kornjas. III, 1879, p. 829. — Sériziat, Hist. Col. France 1880, p. 310. — Griffini, Coleott. 1896, p. 198, t. 38, f. 2. — Stierl. Col. Helvet. II, 1898, p. 493.
- costatus* F. Ent. Syst. I, 2, 1792, p. 261; Syst. Eleuth. II, 1801, p. 277. — Panz. Ent. Germ. 1795, p. 249. — Ill. Magaz. Insektenk. IV, 1805, p. 108. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 558. — Seidl. Fauna Balt. 1875, p. 516; ed. 2, 1891, p. 750; Fauna Transsylv. 1791, p. 846. — Ganglb. Best.-Tab. VIII, 1884, p. 99 (533). — Bau, Handb. Käfer 1888, p. 416. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 10.
- criticus* Schönh. Syn. Ins. III, 1817, p. 376.
- nebulosus* Schrank, Enum. Ins. 1781, p. 129; ? Fauna Boica I, 1798, p. 657.
- Biologie:** Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 316 (476), fig. 479—482. — Xambeu, Moeurs et Métam. VIII, 1902, p. 194.
- ab. *constrictus* Pic, Longic. I, 1891, p. 32. Frankreich:
Mont Dore
- stillatus** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 254. Japan
- xanthoneurus** Muls. & Rey, Ann. Soc. Linn. Lyon (2) I, 1852, p. 2; Opusc. Ent. II, 1853, p. 4; Col. France, Longic. ed. 2, 1863, p. 289. — Ganglb. Best.-Tab. VIII, 1884, p. 100 (534). Sicilien,
Italien,
Alpen:
Monte Rosa
- Edmondi* Fairm. Ann. Soc. Ent. France (2) X, 1852, Bull. p. 63; (3) III, 1855, p. 321; Gen. Col. d'Eur. IV, 1864, t. 46, f. 215.
- Biologie:** Baudi, Pet. Nouv. Ent. II, 1876, p. 10. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 316 (sep. p. 476). — Xambeu, Moeurs et Métam. VIII, 1902, p. 195.
- ab. *disjunctus* Pic, Longic. VII, I, 1908, p. 6. Italien
- Indo-malaysische Art.
- sinensis** Pic, Longic. X, I, 1916, p. 14. Yunnan

Arten aus Nordamerika.

- Revision: Casey, Mem. Col. IV, 1913, p. 334 (*Graphisurus*).
- acomanus** Casey, Revis. p. 337. Neumexico
- angulosus** Casey, Revis. p. 338.
- floridanus** Casey, Revis. p. 336. Florida
- linearis** Skinner, Ent. News XVI, 1905, p. 290. — Arizona
Casey, Revis. p. 341.
- obliquus** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 39. Kansas,
— Horn, Trans. Amer. Ent. Soc. VIII, 1880, Neumexico,
p. 130. — Leng & Hamilt. l. c. XXIII, 1896, Arizona,
p. 131. — Casey, Revis. p. 337. Colorado,
Utah,
Washington,
California
- var. *Chihuahuae* Casey, Revis. p. 337. Mexico
- var. *sedulus* Casey, l. c. p. 337. Neumexico
- obsoletus** Ol. Ent. IV, nr. 67, 1795, p. 130, t. 13, f. 90. New York
— Harris, Trans. Hartf. Nat. Hist. Soc. I, bis Carolina
1837, p. 86. — J. Lec. Journ. Acad. Philad.
(2) II, 1852, p. 174. — Horn, Trans. Amer.
Ent. Soc. VIII, 1880, p. 130. — Leng & Hamilt.
l. c. XXIII, 1896, p. 131, 132. — Schaeffer,
Ent. News XIII, 1902, p. 236. — Felt, Ins.
Affect. Trees 1907, p. 662. — Casey, Revis.
p. 335.
- pacificus** Casey, Revis. p. 338. Californien
- pusillus** Kirby, Fauna Bor.-Amer. IV, 1837, p. 169. Canada,
— Schaeffer, Ent. News XIII, 1902, p. 236. — Maine,
Casey, Mem. Col. IV, 1913, p. 331, 332, 336, Michigan,
388. Wisconsin,
Minnesota

Subgenus *Canonura* Casey.

- princeps** Walk. Natural. Vancouv. II, 1866, p. 331. Washington
— J. Lec. Ann. Mag. Nat. Hist. (4) VI, 1870, State bis
p. 402. — Casey, Mem. Col. IV, 1913, p. 339. Nord-
californien
- spectabilis** J. Lec. Proc. Acad. Philad. VII, 1854, Californien,
p. 82; Col. of Kansas 1859, p. 22, t. 2, f. 16. Nevada,
— Horn, Trans. Amer. Ent. Soc. VIII, 1880, Arizona,
p. 130. — Leng & Hamilt. l. c. XXIII, 1896, Neu Mexico
p. 131, 132. — Casey, Mem. Col. IV, 1913,
p. 339.
- vinctus** Casey, l. c. p. 340. Californien

Subgenus *Tylocerina* Casey.

- Astynomus* Haldem. Trans. Amer. Philos. Soc. (2) X,
1847, p. 46.
- laticollis** Casey, Mem. Col. IV, 1913, p. 341. Nordcarolina
- nodosus** F. Syst. Ent. 1775, p. 164; Spec. Ins. I, 1781, New Jersey,
p. 209; Mant. Ins. I, 1787, p. 131; Ent. Syst. I, 1792, p. 272; Syst. Eleuth. II, 1801, Pennsylv-
p. 289. — Goeze, Ent. Beytr. I, 1777, p. 466. vania,
— Gmel. in L. Syst. Nat. ed. 13, I, 4, Maryland,
p. 1819. — Ol. Encycl. méth. Ins. V, 1790, Florida
p. 291; Ent. IV, nr. 67, 1795, p. 75, t. 14,

f. 103. — Palis. Ins. Afr. et Amer. 1821, p. 244. t. 36, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 463. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 174. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 130. — Leng & Hamilt. l. c. XXIII, 1896, p. 131, 132. — Casey, Mem. Col. IV, 1913, p. 340.

♀ *bifidator* F. Syst. Eleuth, II, 1801, p. 286.

brevis Fauv. Revue d'Ent. XXV, 1906, p. 94.

Neu-
caledonien

24

Xylergates Bates.

Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 20 (sep. p. 139). — Lacord. Gen. Col. IX, 1872, p. 768, 792.

asper Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Südbrasilien p. 21 (sep. p. 140) nota.

lacteus Bates, l. c. p. 20 (sep. p. 140).

Amazonas,
Cayenne

2

Erphaea Er.

Er. Archiv Naturg. XIII, 1, 1847, p. 144. — Lacord. Gen. Col. IX, 1872, p. 794.

pumicosa Er. Archiv Naturg. XIII, 1, 1847, p. 144. Peru
— White, Cat. Col. Brit. Mus. VIII, 1855,
p. 363. — Lacord. Gen. Col. IX, 1872, p. 794.

1

Cobelura Er.

Er. Archiv Naturg. XIII, 1, 1847, p. 149. — Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 19 (sep. p. 138). — Lacord. Gen. Col. IX, 1872, p. 795.

lorigera Er. Archiv Naturg. XIII, 1, 1847, p. 149. Peru

prolixa Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Santarem p. 19 (sep. p. 138).

vermicularis Kirsch, Abhandl. Mus. Dresden II, 4, Ecuador 1889, p. 43.

3

Carphina Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 223; Biol. Centr.-Amer. Col. V, 1881, p. 185.

✓ *arcifera* Bates, Trans. Ent. Soc. Lond. 1872, p. 223; Mexico,
Biol. Centr.-Amer. Col. V, 1881, p. 185, Nicaragua,
t. 14, f. 8. Panama

assula Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Amazonas:
p. 23 (sep. p. 142). Tapajos

lignicola Bates, l. c. (3) XV, 1865, p. 216 (sep. p. 147) Cayenne,
nota. Amazonas:

lignicolor Bates, l. c. p. 215 (sep. p. 146).

Rio Autas
Amazonas:
Ega

4

Eutrypanus Thoms.

- Thoms. Classif. Ceramb. 1860, p. 7, 13; Syst. Ceramb. 1864, p. 356.
 — Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 21 (sep. p. 141). —
 Lacord. Gen. Col. IX, 1872, p. 768, 792.
- ellipticus** Germ. Ins. Spec. Novae 1824, p. 471. — Brasilien
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 371.
- incertus** Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Amazonas:
 p. 23 (sep. p. 143). Tapajos,
 Rio Autas,
 Cayenne
- mutilatus** Germ. Ins. Spec. Novae 1824, p. 478. Brasilien
- nigrosignatus** Lameere, Ann. Soc. Ent. Belg. XXVIII, Südbrasilien
 1885, p. 97.
- nitidus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 371, Venezuela
 t. 9, f. 4.
venezuelensis Thoms. Classif. Ceramb.
 1860, p. 13.
- nobilis** Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Amazonas:
 p. 22 (sep. p. 142). Obydos
- petulans** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, Peru
 p. 289.
- signaticornis** Cast. Hist. Nat. Col. II, 1840, p. 464. Brasilien
- tessellatus** White, Cat. Col. Brit. Mus. VIII, 1855, "
 p. 372.
- triangulifer** Er. Archiv Naturg. XIII, 1, 1847, p. 144. Peru
 — White, Cat. Col. Brit. Mus. VIII, 1855,
 p. 371.
- ypsilon** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, "
 p. 288.

11

Callipero Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 18 (sep. p. 137). —
 Lacord. Gen. Col. IX, 1872, p. 794.
- bella** Bates, Ann. Mag. Nat. Hist. (3) XIV, 1864, Amazonas:
 p. 18 (sep. p. 138). — Lacord. Gen. Col. IX, S. Paulo
 1872, p. 794.

1

Pertyia Auriv.

- Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 22.
- serlicea** Perty, Delect. Anim. Artic. 1830, p. 95, t. 19, Brasilien:
 f. 4. — Lacord. Gen. Col. IX, 1872, p. 821, Bahia
 nota 2.

1

Ostedes Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 43; (3) III, 1864, p. 10,
 14. — Thoms. Syst. Ceramb. 1864, p. 396. — Lacord. Gen. Col. IX,
 1872, p. 795, 796.
- Pasecoi** Thoms. Physis II, 1868, p. 136. Cambodja
- pauperata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Borneo,
 p. 44, t. 2, f. 1; (3) III, 1864, p. 15. — Lacord. Celebes,
 Gen. Col. IX, 1872, p. 796. Molukken,
 Aru,
 Neuguinea

variegata Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 29; Borneo
XIV, 18, 1922, p. 23.

3

Clytosemia Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 253.

apicalis Pic, Longic. VI, 2, 1907, p. 22. Japan

pulchra Bates, Journ. Linn. Soc. Lond. Zool. XVIII, " "
1884, p. 254, t. 2, f. 9.

2

Eryssamena Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 251.

acuta Bates, l. c. p. 252. Japan

Guerryi Pic, Echange XVIII, 1903, p. 105; Longic. IV, China
2, 1903, p. 22.

saperdina Bates, Journ. Linn. Soc. Lond. Zool. XVIII, " "
1884, p. 251.

splnidorsis Bates, l. c. p. 252, t. 2, f. 10. "

4

Rondibilis Thoms.

Thoms. Archiv. Ent. I, 1857, p. 306; Classif. Ceramb. 1860, p. 104,
108; Syst. Ceramb. 1864, p. 396. — Lacord. Gen. Col. IX, 1872,
p. 796, 797.

Polimeta Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 13.

bispinosa Thoms. Archives Ent. I, 1857, p. 307. Ostindien

plaglata Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 84.

stmillis Gah. l. c. XLIII, 1907, p. 94. Insel Engano

spinosula Pasc. Journ. Ent. I, 1860, p. 62; Trans. Molukken,
Ent. Soc. Lond. (3) III, 1864, p. 14, t. 1, f. 4. Neuguinea,
— Lacord. Gen. Col. IX, 1872, p. 797. — Palawan

Gah. Ann. Mus. Civ. Genova XXXIV, 1895,
p. 85; XLIII, 1907, p. 95.

♀ *simplex* Pasc. Trans. Ent. Soc. Lond.
(3) III, 1864, p. 14.

vittata Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 85.

5

Eoporis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 15. — Lacord. Gen.
Col. IX, 1872, p. 796, 797.

elegans Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Singapur,
p. 16, t. 1, f. 6. — Lacord. Gen. Col. IX, Borneo,
1872, p. 798. Celebes,
Molukken,
Neuguinea

1

Chydaeopsis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 13. — Lacord
Gen. Col. IX, 1872, p. 796, 798.

fragilis Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Borneo
p. 13, t. 1, f. 1. — Lacord. Gen. Col. IX,
1872, p. 798.

rnficollis Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 24, Borneo
fig. 107.

2

Driopea Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 243; (3) III, 1864, p. 10, 11. — Thoms. Syst. Ceramb. 1864, p. 354. — Lacord. Gen. Col. IX, 1872, p. 796, 799. — Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 24 (Synopsis).

clytina Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Malacca
p. 244, t. 25, f. 2; (3) III, 1864, p. 12.

cyrtomera Auriv. Synops. p. 24, f. 105. Malacca,
Borneo
Sumatra

delta Auriv. l. c. p. 23, 24, f. 106.

inermis Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Molukken,
p. 12. Waigeu,
Neuguinea

setosa Auriv. Synops. p. 23, 24, f. 104.

Borneo

5

Goephanes Pasc.

Pasc. Journ. of Ent. I, 1862, p. 334.

bipartitus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, Madagascar
p. 401.

luctuosus Pasc. Journ. of Ent. I, 1862, p. 334, t. 17, "
f. 2. — Künckel in Grandid. Hist. Madag.
Col. 1890, t. 51, f. 10.

pictus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 383. "

virgulifer Fairm. l. c. XLI, 1897, p. 401. "

4

Hoplomelas Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 383.

alboineellus Fairm. l. c. p. 383. Madagascar

ruficornis Fairm. l. c. p. 384. "

2

Musonius Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 256.

luctuosus Fairm. l. c. p. 256. Madagascar

1

Tephrolamia Fairm.

Fairm. Revue d'Ent. XX, 1901, p. 231.

berbonica Fairm. l. c. p. 231.

Insel
Bourbon

1

Trachylopus Fairm.

Fairm. Revue d'Ent. XX, 1901, p. 229.

annulicornis Fairm. l. c. p. 230.

Madagascar

1

Pithomictus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 16. — Lacord.
Gen. Col. IX, 1872, p. 800, 801.

decoratus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Morty
p. 16, t. 2, f. 1. — Lacord. Gen. Col. IX, 1872,
p. 802.

elegans Nonfr. Deutsche Ent. Zeitschr. 1894, p. 213. Sumatra
irroratus M'Leay, Proc. Linn. Soc. N. S. Wales IX, Neuguinea
 1884, p. 707.

3

Olmotega Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 20. — Lacord. Gen.
 Col. IX, 1872, p. 800, 802.

clnerascens Pasc. Trans. Ent. Soc. Lond. (3) III, Molukken:
 1864, p. 21, t. 1, f. 5. — Lacord. Gen. Col. Kaioa
 IX, 1872, p. 802.

1

Opsioleus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 17. — Lacord.
 Gen. Col. IX, 1872, p. 800, 803.

adversus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Malacca
 p. 17, t. 2, f. 7. — Lacord. Gen. Col. IX,
 1872, p. 803.

1

Allostichus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 285.

costalatus Kolbe, l. c. p. 285.

Usambara

1

Omoderisus Lacord.

Lacord. Gen. Col. IX, 1872, p. 800, 803.

Deyrollei Lacord. l. c. p. 804, nota 1. — Alluud Natal [„Mada-
 in Grandid. Hist. Madag. Col. 1900, p. 359 gaskar“]
 nota.

1

Nonyma Pasc.

Pasc. Journ. of Ent. II, 1864, p. 270. — Lacord. Gen. Col. IX, 1872,
 p. 800, 804.

egregia Pasc. Journ. of Ent. II, 1864, p. 271. — Natal
 Lacord. Gen. Col. IV, 1872, p. 804.

1

Myonoma Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 286.

acutipennis Kolbe, l. c. p. 288.

Usambara

glabrifrons Kolbe, l. c. p. 287.

gulnensis Quedenf. Berl. Ent. Zeitschr. 1883, p. 141. Chinchoxo

— Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 287.

3

Criodule Pasc.

Pasc. Journ. of Ent. II, 1864, p. 290. — Lacord. Gen. Col. IX, 1872,
 p. 800, 804.

strigata Pasc. Journ. of Ent. II, 1864, p. 291. — Lacord. Natal
 Gen. Col. IX, 1872, p. 805.

1

Acartus Fähr.

Fähr. Öfvers. Vet. Akad. Förh. XXIX, 2. 1872, p. 50.

hirtus Fähr. l. c. p. 50.

Kaffernland

1

Dasystola Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 63; Deutsch-Ost-Afrika IV, 1897, Käfer p. 323.

hirta Kolbe, Stett. Ent. Zeit. LV, 1894, p. 64; Deutsch-Ost-Afrika IV, 1897, Käfer p. 323.

Bukoba

1

Ispaterus Fairm.

Fairm. Revue d'Ent. XI, 1892, p. 122.

longipilis Fairm. l. c. p. 123.

Obock

1

Acalolepta Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 247; (3) III, 1864, p. 10, 23. — Thoms. Syst. Ceramb. 1864, p. 381. — Lacord. Gen. Col. IX, 1872, p. 800, 805.

pustio Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 247, t. 25, f. 4; (3) III, 1864, p. 24. — Lacord. Gen. Col. IX, 1872, p. 805.

Borneo

1

Exocentrus Muls.

Muls. Col. France, Longic. 1839, p. 152; ed. 2, 1863, p. 297, 317. — Cast. Hist. Nat. Col. II, 1840, p. 465. — Redtenb. Gatt. Deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 45, 494; ed. 2, 1858, p. 858; ed. 3, 1874, II, p. 417. — Bach, Käferf. III, 1856, p. 28. — Gufl. Käfer Deutschl. 1859, p. 583. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 157. — Thoms. Syst. Ceramb. 1864, p. 395. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 28. — Schiödt, Naturh. Tidsskr. (2) III, 1864, p. 511, 560. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 191 (sep. p. 212). — C. G. Thoms. Skand. Col. VIII, 1866, p. 85. — Lacord. Gen. Col. IX, 1872, p. 800, 805. — Seidl. Fauna Balt. 1875, Gatt. p. 140. — Schlosser, Fauna Kornjas. III, 1879, p. 808. — Ganglb. Best.-Tab. VII, 1881, p. 14 (692). — Bau, Handb. Käfer 1888, p. 415. — Bedel, Faune Col. Seine V, 1889, p. 35. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 185; Fauna Transsylv. 1891, Gatt. p. 185. — Stierl. Col. Helvet. II, 1898, p. 489. — Everts, Col. Neerl. II, 1901, p. 345, 377. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 19, 63; ed. 2, 1909, p. 17, 65. — Csiki, Rovart. Lapok XI, 1904, p. 168. — Kuhn, Käfer Deutschl. 1912, p. 757, 791. — Reitter, Fauna Germ. IV, 1913, p. 58, 60. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 11. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 872. — Auriv. Svensk Insektf. IX, 1, 1917, p. 36, 42.

Oligopsis Thoms. Syst. Ceramb. 1864, p. 111, 596. — Lacord. Gen. Col. IX, 1872, p. 806.

Paläarktische Arten.

- adpersus** Muls. Col. France, Longic. Suppl. 1846, p. (9); Col. France, Longic. ed. 2, 1863, p. 321. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 47, f. 217. — Ganglb. Best.-Tab VIII, 1884, p. 95 (529). — Bedel, Faune Col. Seine V, 1889, p. 40, 90. — Seidl. Fauna Transsylv. 1891, p. 847. — Stierl. Col. Helvet. II, 1898, p. 494. — Everts, Col. Neerl. II, 1901, p. 377. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 64, fig. 122; ed. 2, 1909, p. 65, fig. 122. — Csiki, Rovart. Lapok XII, 1905, p. 36. — Kuhn, Käfer Deutschl. 1912, p. 791, fig. 194 a. — Reitter, Fauna Germ. IV, 1913, p. 60, t. 138, f. 12. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 872.
- Clarae** Muls. Ann. Soc. Linn. Lyon (2) VIII, 1861, p. 206; Col. France, Longic. ed. 2, 1863, p. 319. — Pic, Longic. IX, 2, 1915, p. 22.
- nebulosus** Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 77.
- Revelieri** Muls. & Rey, Ann. Soc. Linn. Lyon (2) XXI, 1875, p. 413; Opusc. XVI, 1875, p. 77. Korsika
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 320 (480) f. 495—499. — Xambeu, Moeurs et Métam. VIII, 1902, p. 203. — Lucas et de Bony, Ann. Soc. Ent. France (6) II, 1882, Bull. p. 81, 83.
- hirsutulus** Fald. Fauna Transc. II, 1837, p. 272, t. 8, f. 5. — Faust, Horae Soc. Ent. Ross. XIV, 1878, p. 126. — Ganglb. Best.-Tab. VIII, 1884, p. 101 (535). Kaukasus
- lusitanus** L. Syst. Nat. ed. 12, 1767, p. 1067. — Müller, Syst. Nat. Suppl. 1776, p. 236. — Goeze, Ent. Beytr. I, 1777, p. 459. — Villers, Linn. Ent. I, 1789, p. 236. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1827. — Muls. Col. France, Longic. ed. 2, 1863, p. 323. — Ganglb. Wien. Ent. Zeit. II, 1883, p. 299, t. 4, f. 2; Best.-Tab. VIII, 1884, p. 96 (530). — Bau, Handb. Käfer 1888, p. 417. — Bedel, Faune Col. Seine V, 1889, p. 40, 90. — Griffini, Coleott. 1896, p. 197, t. 37, f. 12. — Everts, Col. Neerl. II, 1901, p. 377. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 64; ed. 2, 1909, p. 65. — Reitter, Fauna Germ. IV, 1913, p. 60, t. 139, f. 1. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 873, t. 30, f. 12. — Auriv. Svensk Insektf. Col. I, 1917, p. 43. Europa (fehlt in England), Sibirien
- balteatus** Gyllenh. in Schönh. Synon. Ins. III, 1817, Append. p. 163; Ins. Suec. I, 4, 1827, p. 67. — Muls. Col. France, Longic. 1839, p. 153. — Cast. Hist. Nat. Col. II, 1840, p. 465. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 99. — Küst. Käfer Eur. IX, 1847, p. 71. — Redtenb. Fauna Austr.

1849, p. 494; ed. 2, 1858, p. 858; ed. 3, II, 1874, p. 418. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 396. — Bach, Käferf. III, 1856, p. 28. — Gutfl. Käfer Deutschl. 1859, p. 583. — Schlosser, Fauna Kornjas. III, 1879, p. 830. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 12, f. 5.

balticus Schiödte, Naturh. Tidskr. (2) III, 1864, p. 561. — C. G. Thoms. Skand. Col. VIII, 1866, p. 85. — Seidl. Fauna Balt. 1875, p. 517; ed. 2, 1891, p. 750; Fauna Transsylv. 1891, p. 847. — Csiki, Rovart. Lapok XII, 1905, p. 36; XXIII, 1916, p. 14. — Jacobs. Käfer Russl. 1910, t. 68, f. 12.

crinitus Panz. Ent. Germ. 1795, p. 249
Fauna Ins. Germ. XLVIII, 1797, t. 17.

lasitanus Stierl. Col. Helvet. II, 1898, p. 495.

lusitanicus Ol. Encycl. méth. Ent. V, 1790, p. 269; Ent. IV, 1795, nr. 67, p. 120; nr. 70, t. 5, f. 54. — Latr. Hist. Nat. XI, 1804, p. 272. — Boit. Man. d'Ent. II, 1828, p. 22. — Kuhnt, Käfer Deutschl. 1912, p. 792, fig. 195a, d.

pubicornis Schrank, Naturf. XXIV, 1790, p. 76. — Brahm in Scriba, Journ. I, 1790, p. 31.

quercus Rossi, Fauna Etrusca I, 1790, p. 143; ed. Hellw. I, 1795, p. 154 (?). — Kugel. in Lentz, Verz. preuss. Käfer 1857, p. 144.

subpilosus Piller & Mitterp. Iter 1783, p. 67, t. 8, f. 6 (recte f. 5).

spec. nov. Townson, Travels in Hongrie 1797, p. 467, t. 12, f. 1.

Biologie: Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 321. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 427, t. 18, f. 1, 2. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 322 (482). — Xambeu, Moeurs et Métam. VIII, 1902, p. 202. — Henriksen, Danm. Fauna, Biller III, 1914, p. 94, fig. 65.

punctipennis Muls. & Guilleb. Ann. Soc. Linn. Lyon (2) III, 1856, p. 103; Opusc. Ent. VII, 1856, p. 103; Col. France, Longic. ed. 2, 1863, p. 318. — Ganglb. Best.-Tab. VIII, 1884, p. 96 (530). — Bedel, Faune Col. Seine V, 1889, p. 40, 90. — Stierl. Col. Helvet. II, 1898, p. 495. — Kuhnt, Käfer Deutschl. 1912, p. 791, fig. 194c. — Reitter, Fauna Germ. IV, 1913, p. 60.

Biologie: Muls. Ann. Soc. Linn. Lyon (2) III, 1856, p. 105; Opusc. Ent. VII, 1856, p. 105. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 323 (483). — Xambeu, Moeurs et Métam. VIII, 1902, p. 205.

var. *graccus* Pic, Echange XVII, 1901, p. 52.
var. *signatus* Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 163; Opusc. Ent. XIII, 1863, p. 163. — Ganglb. Best.-Tab. VIII, 1884, p. 96 (530).

Südfrankreich, Kor-sika, Schweiz, Schlesien, Preussen

Griechenland
Türkei

- Stierlini** Ganglb. Wien. Ent. Zeit. II, 1883, p. 298, t. 4, f. 3; Best.-Tab. VIII, 1884, p. 96 (530). — Seidl. Fauna Transsylv. 1891, p. 847. — Stierl. Col. Helvet. II, 1898, p. 495. — Csiki, Rovart. Lapok XII, 1905, p. 36. — Kuhnt, Käfer Deutschl. 1912, p. 792, f. 195 b, c. — Reitter, Fauna Germ. IV, 1913, p. 60. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 873. Österreich, Ungarn, Schlesien

Indomalaiische und Japanische Arten.

- alboserlatus** Gah. Ann. Mus. Civ. Genova ^{XXIV}, Birma
1895, p. 85.
- centenes** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Batjan
p. 29.
- ✓ **curtipennis** Pic, Mélang. Exot.-Ent. XXVII, 1918, p. 10. Japan
- echlmys** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Morotai
p. 30.
- exocentroides** Thoms. Syst. Ceramb. 1864, p. 111. Ceylon
- ✓ **fasciolatus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 384.
- ✓ **guttulatus** Bates, l. c. p. 385.
- ✓ **hispidulus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Aru,
p. 37; (3) III, 1864, p. 29. Neuguinea,
Mysol,
Celebes
- inhirsutus** Pic, Longic. VI, 2, 1907, p. 21. Japan
- lachrymosus** Pasc. Trans. Ent. Soc. Lond. (3) III, Borneo
1864, p. 29.
- lineatus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 384.
- misellus** Lameere, Ann. Soc. Ent. France LXII, 1893, Annam:
p. 285. Hue
- ✓ **moerens** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Singapur
p. 30.
- tessellatus** Perroud, Ann. Soc. Linn. Lyon (2) II, Pondicherry
1855, p. 397; Mélang. Ent. III, 1855, p. 77.
- tonsus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1864, Japan
p. 385.

Arten aus Australien und Ozeanien.

- acutispina** Fairm. Ann. Soc. Ent. France (6) I, Insel Viti
1881, p. 482.
- erlneus** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Queensland:
p. 529. „Port
Denison“

Äthiopische Arten.

- antennalis** Jord. Novit. Zool. I, 1894, p. 247. Kuilu
- aureomaculatus** Auriy. Arkiv f. Zool. IX, 8, 1914, p. 14. Nyassaland
- brevis** Jord. Novit. Zool. I, 1894, p. 247. Kuilu
- echinulus** Gah. Ins. Transvaal. I, 1904, p. 156, t. 15, Transvaal
f. 12.
- exiguus** Gah. Ins. Transvaal. I, 1904, p. 156, t. 15, f. 14. „
- griseocens** Jord. Novit. Zool. I, 1894, p. 246. Kuilu

- inclusus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Natal
p. 38.
- inermis** Gah. Ins. Transvaal. I, 1904, p. 156, t. 15, f. 13. Transvaal
- Josephi** Duviv. Ann. Soc. Ent. Belg. XXXIV, 1890, Congogebiet
p. 38; Bull. p. 197.
- lacteolus** Dist. Ins. Transvaal. I, 1906, p. 166, f. 26. Natal
- lateralis** Gah. l. c. 1904, p. 155, t. 15, f. 11. Transvaal
- nitens** Jord. Novit. Zool. X, 1903, p. 189. Kamerun
- nonymoides** Jord. l. c. I, 1894, p. 246. Kuilu
- Ortmansi** Gah. Bull. Ent. Research VIII, 1917, p. 117. Congo
- polymitus** Dist. Ann. Mag. Nat. Hist. (7) XV, 1905, Natal
p. 207.
- ruficollis** Lameere, Ann. Soc. Ent. Belg. XXXVI, Congogebiet
1892, p. 508.
- seriatus** Jord. Novit. Zool. X, 1903, p. 189. Kamerun
- sexseriatus** Auriv. Ent. Tidskr. XXI, 1908, p. 129. Zulu
- strigosus** Jord. Novit. Zool. X, 1903, p. 189. Kamerun
- subfasciatus** Jord. l. c. I, 1894, p. 247. Kuilu
- variegatus** Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Congogebiet
Bull. p. 421; XXXVI, 1892, p. 365.

Arten aus Südamerika.

- nitidulus** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 191 (sep. p. 213). Santarem
- pusillus** Blanch. in Gay, Hist. Chile V, 1851, p. 502, Chile
t. 29, f. 10. -- Fairm. & Germain, Ann. Soc.
Ent. France (3) VII, 1859, p. 514. — Lacord.
Gen. Col. IX, 1872, p. 806, nota 1.
- setosus** Serv. Ann. Soc. Ent. France IV, 1835, p. 58. Brasilien
- strlatus** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 191 (sep. p. 212). Santarem

47

Mistocles Fairm.

- Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 553.
- elegantulus** Fairm. l. c. p. 553. Madagaskar

1

Pseudocentrus Fairm.

- Fairm. Revue d'Ent. XX, 1901, p. 230.
- elegans** Fairm. Ann. Soc. Ent. France LXVIII, 1899, Madagaskar
p. 123.
- lineellus** Fairm. Revue d'Ent. XX, 1901, p. 231. „
- madecassus** Fairm. Ann. Soc. Ent. France (5) X, „
1880, p. 338. — Künckel in Grandid. Hist.
Madag. Col. 1890, t. 53, f. 10.
- reticulatus** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 382. „

4

Isse Pasc.

- Pasc. Journ. of Ent. II, 1864, p. 272. — Lacord. Gen. Col. IX, 1872,
p. 800, 806.
- punctata** Pasc. Journ. of Ent. II, 1864, p. 272. -- Natal
Lacord. Gen. Col. IX, 1872, p. 807. —
Waterh. Aid Identif. Ins. II, 1890, t. 188, f. 2.

1

Tetrise Auriv.

Auriv. Arkiv f. Zool. III, 18, 1907, p. 35.

penicillata Auriv. l. c. p. 35.Brit. Ost-
afrika

1

Allomicrus Gah.

Gahan, Trans. Ent. Soc. Lond. 1893, p. 196.

exiguus Gah. l. c. p. 197.

Australien

1

Neissa Pasc.Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 82. — Lacord.
Gen. Col. IX, 1872, p. 800, 807. — Blackburn, Trans. R. Soc. S.
Austr. XIX, 1895, p. 60.**inconspicua** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 82, t. 3, f. 6. — Blackb. Proc. Linn.
Soc. N. S. Wales (2) IV, 1889, p. 456.Süd-
australien:
Gawler,

Biologie: Frogg. l. c. (2) IX, 1894, p. 117.

Queensland

nigrina Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 82.Süd-
australien

2

Pentacosmia Newm.Newman, Entomolog. I, 1842, p. 361. — Thoms. Syst. Ceramb. 1864,
p. 368. — Lacord. Gen. Col. IX, 1872, p. 801, 808.**scoparia** Newm. Entomolog. I, 1842, p. 361. — La-
cord. Gen. Col. IX, 1872, p. 808.Neusüd-wales,
Queensland,
Victoria

1

Ipochira Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 35. — Lacord.
Gen. Col. IX, 1872, p. 801, 808.**perlata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864,
p. 36, t. 2, f. 4. — Lacord. Gen. Col. IX,
1872, p. 809.Morotai,
Halmahera,
Batjan,
Ceram

1

Myromeus Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 36. — Lacord. Gen.
Col. IX, 1872, p. 801, 809.**insignatus** Heller, Tijdschr. v. Ent. LVIII, 1915, p. 113, Celebes
t. 5, f. 5.**subpictus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Ceram
p. 37, t. 4, f. 1.

2

Contoderus Thoms.Thoms. Syst. Ceramb. 1864, p. 111, 396. — Pasc. Trans. Ent. Soc.
Lond. (3) III, 1864, p. 27, 32. — Lacord. Gen. Col. IX, 1872, p. 801, 809.**hamaticollis** Pasc. Trans. Ent. Soc. Lond. (2) V, Aru
1859, p. 37; (3) III, 1864, p. 32, t. 2, f. 9. —
Lacord. Gen. Col. IX, 1872, p. 809.**acanthocinoides** Thoms. Syst. Ceramb.
1864, p. 112.

1

Enes Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 32. — Lacord. Gen. Col. IX, 1872, p. 801, 810.
- familiaris** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Ternate
p. 34.
- intinctus** Pasc. l. c. p. 33, t. 2, f. 5. Neuguinea:
Dorey
Ceram
- irritans** Pasc. l. c. p. 35.
- juvencus** Pasc. l. c. p. 33.
- obliquus** Pasc. l. c. p. 34.
- porcellus** Pasc. l. c. p. 35. Timor
- pulcaris** Pasc. l. c. p. 34. Flores

7

Oectropsis Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 503. — Thoms. Syst. Ceramb. 1864, p. 365. — Lacord. Gen. Col. IX, 1872, p. 801, 810.
- latifrons** Blanch. in Gay, Hist. Chile V, 1851, p. 503, Chile
t. 30. f. 1. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 514. — Lacord. Gen. Col. IX, 1872, p. 811.

1

Nyoma Duviv.

- Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 366.
- parallela** Duv. l. c. p. 367. Congogebiet:
Ibembo

1

Sumelis Thoms.

- Thoms. Syst. Ceramb. 1864, p. 112, 396. — Lacord. Gen. Col. IX, 1872, p. 801, 811.
- occidentalis** Chev. Revue Zool. (2) VII, 1855, p. 516; Altcalabar,
Cent. Longic. 1858, nr. 36. — Gah. Ann. Soc. Congo
Ent. Belg. XXXIV, 1890, p. 39. — Duviv.
l. c. XXXVI, 1892, p. 366.
- singularis** Thoms. Syst. Ceramb. 1864, p. 112. — Natal
Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2,
1872, p. 49. — Lacord. Gen. Col. IX, 1872,
p. 811.

2

Ombrosaga Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 37. — Lacord. Gen. Col. IX, 1872, p. 801, 811.
- maculosa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Celebes:
p. 37, t. 2, f. 6. — Lacord. Gen. Col. IX, Tondano
1872, p. 812.

1

Xaenapta Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 38.
- Xenapta* Lacord. Gen. Col. IX, 1872, p. 801, 812.
- latimana** Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Borneo:
p. 38, t. 3, f. 3. — Lacord. Gen. Col. IX, Sarawak
1872, p. 812.

1

Clodia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 10, 20. — Lacord.
Gen. Col. IX, 1872, p. 801, 812.

decorata Nonfr. Deutsche Ent. Zeitschr. 1894, p. 214. Sumatra
sublineata Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Batjan
p. 20, t. 1, f. 8. — Lacord. Gen. Col. IX,
1872, p. 813.

2

Aegocidnus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 40. — Lacord.
Gen. Col. IX, 1872, p. 801, 813.

costulatus Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Banka
p. 41.

exiguus Gah. Christmas Isl. 1900, p. 124, t. 11, f. 4. Christmas-
Insel

~~**grammicus**~~ Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Buru
p. 40, t. 3, f. 2.

ignarus Pasc. l. c. p. 41. Sula

jubatus Pasc. l. c. p. 41. Macassar

5

Miaenia Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 38. — Lacord.
Gen. Col. IX, 1872, p. 801, 813.

irrorata Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Batjan
p. 39.

marmorea Pasc. l. c. t. 3, f. 6. Salwatty

perversa Pasc. l. c. p. 40. Misol, Buru

3

Didymocentrus Auriv.

Auriv. Arkiv f. Zool. X, 23, 1917, p. 45.

foveatus Auriv. l. c. t. 1, f. 9. Queensland

1

Miccolamia Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 253.

cleroides Bates, l. c. p. 253, t. 2, f. 11. Japan

glabricula Bates, l. c. p. 253. "

verrucosa Bates, l. c. p. 253. "

3

Phlyarus Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 244; (3) III, 1864,
p. 27, 42. — Thoms. Syst. Ceramb. 1864, p. 395. — Lacord. Gen.
Col. IX, 1872, p. 801, 814.

basalis Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo:
p. 245, t. 25, f. 5; (3) III, 1864, p. 42. — Sarawak
Lacord. Gen. Col. IX, 1872, p. 815.

erlstatus Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 95.

2

Sciades Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 30. — Lacord.
Gen. Col. IX, 1872, p. 801, 814.
- melanotis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Aru
p. 31, t. 2, f. 2.
- mutatus* Pasc. l. c. p. 31.
- suffusus* Pasc. l. c. (2) V, 1859, p. 37; (3) III, 1864, ”
p. 31.

3

Sciadella Auriv.

- Auriv. Denkschr. Wien. Akad. Math.-Nat. Classe LXXXIX, 1913,
p. 693 (6).
- albofasciata* Auriv. l. c. p. 694 (7). Samoa
- variabilis* Auriv. l. c. p. 693 (6). ”

2

Camptomys Pasc.

- ✓ Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 43. — Lacord. Gen.
Col. IX, 1872, p. 801, 815.
- bicolor* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Batjan
p. 44, t. 3, f. 10.
- callioides* Pasc. l. c. p. 44. Aru
- tristis* Pasc. l. c. p. 44. Batjan

3

Mesomomus Pasc.

- N /
Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 49. — Lacord.
Gen. Col. IX, 1872, p. 801, 815.
- servus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Morotai
p. 49, t. 2, f. 8. — Lacord. Gen. Col. IX,
1872, p. 816.

1

Emeopedus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 27, 47. — Lacord.
Gen. Col. IX, 1872, p. 801, 816.
- degener* Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Ceram
p. 48.
- insidiosus* Pasc. l. c. p. 48. Batjan,
Kaioa
- solutus* Pasc. l. c. p. 48, t. 3, f. 5. Batjan

3

Illaena Er.

- Er. Archiv Naturg. VIII, 1, 1842, p. 224. — Lacord. Gen. Col. IX,
1872, p. 816. — Blackb. Trans. R. Soc. S. Austral. XIX, 1895, p. 59.
- exilis* Er. Archiv Naturg. VIII, 1, 1842, p. 225. Tasmanien
- Meyrickii* Blackb. Proc. Linn. Soc. N. S. Wales (2) West-
australien

2

Blabicentrus Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 192 (sep. p. 213). —
Lacord. Gen. Col. IX, 1872, p. 817.

angustatus Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas :
p. 193 (sep. p. 214). Santarem

hirsutulus Bates, l. c. p. 192 (sep. p. 213). Tapajos

2

Amelopsis Pasc.

Pasc. Journ. of Ent. II, 1865, p. 354. — Lacord. Gen. Col. IX,
1872, p. 817.

marginicollis Pasc. Journ. of Ent. II, 1865, p. 354. Queensland
— Lacord. Gen. Col. IX, 1872, p. 818.

1

LXXXIII. Cyrtinini.

Thomson, Syst. Ceramb. 1864, p. 41, 339. — Lacordaire, Gen. Col.
IX, 1872, p. 416, 818. — J. Leconte, Smiths. Misc. Coll. XI, 265,
1873, p. 330, 333. — J. Leconte & Horn, Classif. Col. N. Amer. 1883,
p. 318. — Leng & Hamilton, Trans. Ent. Soc. Lond. XXIII, 1896,
p. 102, 107. — Blatchley, Col. of Indiana 1910, p. 1061, 1062. —
Aurivillius, Arkiv f. Zool. X, 23, 1917, p. 48 (Synopsis).

Cyrtillus Auriv.

Auriv. Synops. p. 46, 48.

albofasciatus Auriv. l. c. p. 47, t. 1, f. 4. Queensland

1

Oloessa Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, p. 28, 55. — Lacord.
Gen. Col. IX, 1872, p. 819. — Auriv. Synops. p. 48.

minuta Pasc. Trans. Ent. Soc. Lond. (3) III, 1864, Aru
p. 56, t. 3, f. 4. — Lacord. Gen. Col. IX,
1872, p. 819.

1

Decarthria Hope.

Hope, Trans. Ent. Soc. Lond. I, 1834, p. 16. — Gahan, l. c. 1895,
p. 137.

albofasciata Gah. l. c. p. 137, t. 2, f. 10. Insel Grenada

Stephensi Hope, l. c. I, 1834, p. 16, t. 2, f. 2. — Gah. St. Vincent
l. c. 1895, p. 138.

2

Cyrtinus J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 166. — Thoms. Syst.
Ceramb. 1864, p. 362. — Lacord. Gen. Col. IX, 1872, p. 819. — J.
Lec. Smiths. Misc. Col. XI, 1873, p. 333. — J. Lec. & Horn, Classif.
Col. N. Amer. 1883, p. 318. — Blatchley, Col. of Indiana 1910,
p. 1062. — Auriv. Synops. p. 48.

Myrmolamia Bates, Biol. Centr.-Amer. Col. V, 1885,
p. 363. — Horn, Trans. Amer. Ent. Soc. XIII, 1886, Proc.
p. 11.

- Fauveli** Cameron, Ent. Monthly Mag. XLV, 1909, p. 78. Haiti
opacicollis Bates, Biol. Centr.-Amer. Col. V, 1885, Guatemala
 p. 364, t. 22, f. 23.
penicillata Bates, l. c. p. 364. Panama
pygmaeus Haldem. Trans. Amer. Philos. Soc. (2) X, Canada,
 1847, p. 42. — J. Lec. Journ. Acad. Philad. Massachusetts,
 (2) II, 1852, p. 166. — Blatchley, Col. Indiana New York,
 1910, p. 1062. New Jersey,
 Pennsylvania, Distr. Pennsylvania,
 Columbia, Ohio,
 Indiana, Alabama

4

Brachyrhabdus Auriv.

Auriv. Arkiv f. Zool. X, 23, 1917, p. 47, 48.

- bifasciatus** Auriv. l. c. p. 47, t. 1, f. 6. Queensland
 1

Haplorhabdus Auriv.

Auriv. Arkiv f. Zool. X, 23, 1917, p. 48.

- Nymanl** Auriv. l. c. p. 48 nota. Neuguinea
 1

Odontorhabdus Auriv.Auriv. Denkschr. Akad. Wiss. Wien, math.-nat. Classe LXXXIX,
 1913, p. 694 (7); Arkiv f. Zool. X, 23, 1917, p. 48.

- Rechingeri** Auriv. Denkschr. Akad. Wiss. Wien, math.-nat. Classe LXXXIX, 1913, p. 694 (7). Samoa
 1

Diastosphea Auriv.

Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 29.

- fuscicollis** Auriv. l. c. p. 29. Fidji
 1

Omosarotes Pasc.Pasc. Journ. of Ent. I, 1860, p. 131. — Bates, Ann. Mag. Nat. Hist.
 (3) XVII, 1866, p. 193 (sep. p. 215). — Lacord. Gen. Col. IX, 1872,
 p. 819, 820.

- singularis** Pasc. Journ. of Ent. I, 1860, p. 131, t. 8, Amazonas:
 f. 5. — Bates, Ann. Mag. Nat. Hist. (3) XVII, S. Paulo
 1866, p. 194 (sep. p. 216). — Lacord. Gen. Col. IX, 1872, p. 820.
 1

Scopadus Pasc.Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 100. — Bates, Ann.
 Mag. Nat. Hist. (3) XVII, 1866, p. 194 (sep. p. 216). — Lacord. Gen.
 Col. IX, 1872, p. 821.

- ciliatus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Amazonas:
 p. 100, t. 22, f. 5. — Bates, Ann. Mag. Nat. Ega
 Hist. (3) XVII, 1866, p. 195 (sep. p. 216). —
 Lacord. Gen. Col. IX, 1872, p. 821.

Ancylistes Chevr.

- Chevr. Mém. Soc. R. Sc. Liége XVIII, 1863, p. 346.
- bellus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 465. Madagaskar
- bleuspls** Chevr. Archives Ent. I, 1857, p. 417; Revue Zool. (2) X, 1858, p. 82; Mém. Soc. R. Sc. Liége XVIII, 1863, p. 347. — Kunckel in Grandid. Hist. Madag. Col. 1890, t. 54, f. 12. "
- distinctus** Fairm. Revue d'Ent. XX, 1901, p. 229. "
- glbbicollis** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 398. "
- impunctatus** Fairm. l. c. p. 398. "
- lacteopictus** Fairm. l. c. p. 398. "
- nigrozonatus** Fairm. Ann. Soc. Ent. France LXXII, 1903, p. 255. "
- paciflens** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 400. "
- picticornis** Fairm. l. c. p. 400. "
- pletidorsis** Fairm. l. c. p. 399. "
- transversus** Fairm. l. c. XLIX, 1905, p. 137. "
- zebrinus** Fairm. l. c. XLI, 1897, p. 399. "

12

LXXXIV. Colobotheini.

- Thomson, Classif. Ceramb. 1860, p. 18; Syst. Ceramb. 1864, p. 29, 356. — Lacordaire, Gen. Col. IX, 1872, p. 417, 821.

Sympleurotis Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1881, p. 185.
- armatus** Gah. Trans. Ent. Soc. Lond. 1892, p. 266, Mexico t. 12, f. 10.
- rudis** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 185. "

2

Sangaris Dalm.

- Dalm. Analecta Ent. 1823, p. 71. — Auriv. Ent. Tidskr. XXIII. 1902, p. 224.
- Synchyzopus* Thoms. Syst. Ceramb. 1864, p. 29, 356. — Lacord. Gen. Col. IX, 1872, p. 822.
- cancellata** Bates, Ent. Monthly Mag. XVII, 1881, p. 275. Bolivia
- conciuna** Dalm. Analecta Ent. 1823, p. 71. — Serv. Brasilien Enc. méth. Ins. X, 1825, p. 333. — Auriv. Ent. Tidskr. XXIII, 1902, p. 224.
- histrivo* Perty, Delect. Anim. Artic. 1830, p. 97, t. 19, f. 10. — Lacord. Gen. Col. IX, 1872, p. 823.
- duplex** Bates, Ent. Monthly Mag. XVII, 1881, p. 276. Südbrasilien
- geometrica** Bates, Trans. Ent. Soc. Lond. 1872, p. 224; Biol. Centr.-Amer. Col. V, 1881, p. 186, t. 14, f. 9. Nicaragua
- laeta** Bates, Ent. Monthly Mag. XVII, 1881, p. 275. Ecuador
- octomaculata** Auriv. Ent. Tidskr. XXIII, 1902, p. 223. Brasilien: Espiritu-Santo
- polystigma** Bates, Ent. Monthly Mag. XVII, 1881, p. 276. Neugranada

7

Priscilla Thoms.

Thoms. Syst. Ceramb. 1864, p. 30, 356. — Lacord. Gen. Col. IX, 1872, p. 822, 823.

- ✓ *hypsiomoides* Thoms. Syst. Ceramb. 1864, p. 31. — Amazonas,
Lacord. Gen. Col. IX, 1872, p. 823, nota 2. Cayenne,
— Bates, Biol. Centr.-Amer. Col. V, 1881, Panama,
p. 187, t. 14, f. 10. Nicaragua
dioptica Bates, Ann. Mag. Nat. Hist. (3)
XV, 1865. p. 220 (sep. p. 151).

1

Colobothea Serv.

Serv. Encycl. méth. Ins. X, 1825. p. 336; Ann. Soc. Ent. France IV, 1835, p. 69. — Latr. in Cuvier, Règne Anim. ed. 2, V, 1829, p. 126, 127. — Cast. Hist. Nat. Col. II, 1840, p. 491. — Blanch. Hist. Nat. Ins. II, 1845, p. 161. — Thoms. Classif. Ceramb. 1860, p. 20; Syst. Ceramb. 1864, p. 356. — Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 214 (sep. p. 145). — Lacord. Gen. Col. IX, 1872, p. 822, 824. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 187.

- aleata* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 420. Nicaragua,
t. 25, f. 10. Panama
- amoena* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 390. Bahia
- appendiculata* Auriv. Ent. Tidskr. XXIII, 1902, p. 222. Bolivien
- ✓ *assimilis* Auriv. l. c. p. 212, 213, fig. 23 b. Columbien
- ✓ *bicuspidata* Latr. in Humb. & Bonpl. Rec. d'Observ. Zool. Ins. II, 1833, p. 30, t. 32, f. 4. — Auriv. Ent. Tidskr. XXIII, 1902, p. 216.
- ✓ *var. octolineata* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 105 (sep. p. 171). Amazonas
- biguttata* Bates, l. c. (3) XV, 1865, p. 219 (sep. p. 150) nota. Brasilien
- billneata* Bates, l. c. (3) XVI, 1865, p. 107 (sep. p. 173). Amazonas:
— Auriv. Ent. Tidskr. XXIII, 1902, p. 218, Ega;
nota 1. S. Paulo
- ✓ *bisignata* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 389 (sep. p. 163). Amazonas:
Ega
- ✓ *bitincta* Bates, Trans. Ent. Soc. Lond. 1872, p. 226; Biol. Centr.-Amer. Col. V, 1881, p. 189, Nicaragua,
t. 14, f. 17. — Auriv. Ent. Tidskr. XXIII, Panama,
1902, p. 216. Columbien
- brullei* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 389. Amazonas:
— Auriv. Ent. Tidskr. XXIII, 1902, p. 217. S. Cruz,
S. Paulo,
Peru: Nauta
- carneola* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 393 (sep. p. 167). Amazonas:
Obydos
- cassandra* Dalm. Analect. Ent. 1823, p. 70. — Lacord. Gen. Col. IX, 1872, t. 108, f. 3 (non 5). — Heyne-Taschenb. Exot. Käfer 1906, p. 243, t. 37, f. 7. Brasilien
- leucospila* Germ. Ins. Spec. Novae 1824, p. 487. — Perty, Delect. Anim. Artic. 1830, p. 96, t. 19, f. 9. — Cast. Hist. Nat. Col. II, 1840, p. 491.
- ✓ *chontalensis* Bates, Trans. Ent. Soc. Lond. 1872, p. 225; Biol. Centr.-Amer. Col. V, 1881, p. 188, t. 14, f. 11. Nicaragua,
Panama

- cincticornis* Schaller, Abhandl. Nat. Ges. Halle I, 1783, p. 290, t. 1, f. 3. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843. Patria?
- concreta* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 106 (sep. p. 173). Para, Tapajos
- crassa* Bates, l. c. p. 103 (sep. p. 169). Para
- crucigera* Auriv. Ent. Tidskr. XXIII, 1902, p. 210, fig. 22. Bolivia,
var. *amazonica* Auriv. l. c. p. 211. Amazonas
- decemmaculata* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 218 (sep. p. 148). Cayenne,
Amazonas:
Obydos,
Tapajos
- declivis* Auriv. Ent. Tidskr. XXIII, 1902, p. 209, fig. 20. Bolivia
- destituta* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 383 (sep. p. 157). Para
- discicollis* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 391. Bahía
- dispersa* Bates, Trans. Ent. Soc. Lond. 1872, p. 226; Biol. Centr.-Amer. Col. V, 1881, p. 189, t. 14, f. 15. Nicaragua,
Panama,
Columbien
- distincta* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 284. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 189, t. 14, f. 16. Columbien,
Panama,
Costarica,
Nicaragua,
Guatemala
- elongata* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 388. Cayenne
- emarginata* Ol. Ent. IV, nr. 67, 1795, p. 48, t. 12, f. 82. — Cast. Hist. Nat. Col. II, 1840, p. 491. Brasilien
— Auriv. Ent. Tidskr. XXIII, 1902, p. 217.
- erythrophthalma* Voet, Catal. Col. II, 1804—06, p. 27, t. 24, f. 130. Patria?
- virens* Schönh. Synon. Ins. III, 1817, p. 419.
- eximia* Auriv. Ent. Tidskr. XXIII, 1902, p. 213, 216. Columbien
- fasciata* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 108 (sep. p. 175) nota. Rio Janeiro
- femorosa* Er. Archiv. Naturg. XIII, 1, 1847, p. 149. Peru
- fibrosa* Er. l. c. p. 149. "
- flavimacula* Voet, Cat. Col. II, 1804—06, p. 27, t. 24, f. 132. Amerika
hieroglyphica Schönh. Synon. Ins. III, 1817, p. 421.
- flavoguttata* Auriv. Ent. Tidskr. XXIII, 1902, p. 218, fig. 25. Brasilien
- flavomaculata* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 218 (sep. p. 149). Amazonas:
Ega
- forcipata* Bates, l. c. p. 394 (sep. p. 167). — Auriv. Ent. Tidskr. XXIII, 1902, p. 218. "Fonteboa
- geminata* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 106 (sep. p. 173). Cayenne,
Amazonas
- guatemalensis* Bates, Biol. Centr.-Amer. Col. V, 1881, p. 188. Guatemala,
Honduras
- guttulata* Auriv. Ent. Tidskr. XXIII, 1902, p. 216, 217. Amazonas
- hebraica* Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 108 (sep. p. 174) nota; Biol. Centr.-Amer. Col. V, 1881, p. 189, t. 14, f. 13. Mexico,
Guatemala,
Nicaragua

- hirtipes** De Geer, Mém. Ins. V, 1775, p. 116, t. 14, f. 10. — Goeze, Ent. Beytr. I, 1777, p. 479. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1864. — Ill. Mag. Ins. V, 1806, p. 240. — Auriv. Ent. Tidskr. XXIII, 1902, p. 217. Surinam, Cayenne, Amazonas
- ? **annulata** F. Syst. Ent. 1775, p. 180; Spec. Ins. I, 1781, p. 228; Mant. Ins. I, 1787, p. 144; Ent. Syst. I, 2, 1792, p. 300; Syst. Eleuth. II, 1801, p. 310. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1860.
- annulata** Ol. Encycl. méth. V, 1792, p. 306; Ent. IV, nr. 67, 1795, p. 43, t. 16, f. 117.
- contaminata** Serv. Encycl. méth. Ins. X, 1825, p. 337. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 106 (sep. p. 172).
- hirtimana** Schönh. Synon. Ins. I, 3, 1817, p. 419.
- murina** Schönh. l. c. p. 419.
- humerosa** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 223 (sep. p. 154). Para
- juacea** Bates, l. c. p. 386 (sep. p. 160). "
- lateralis** Bates, l. c. (3) XVI, 1865, p. 108 (sep. p. 175) Brasilien
nota.
- latevittata** Bates, l. c. (3) XV, 1865, p. 390 (sep. p. 164). Amazonas
var. *obydensis* Bates, l. c. p. 390 (sep. p. 164). Obydos
- leucophaea** Bates, l. c. p. 223 (sep. p. 154) nota; Biol. Centr.-Amer. Col. V, 1881, p. 188. Mexico
- lineatocollis** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 103 (sep. p. 170) nota. Cayenne
- lineola** Bates, l. c. (3) XV, 1865, p. 222 (sep. p. 153) Venezuela
nota.
- lucaria** Bates, l. c. (3) XVI, 1865, p. 102 (sep. p. 169). Amazonas:
S. Paulo
- luctuosa** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 53. — Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 219 (sep. p. 150). Amazonas:
Ega
- lunulata** Lucas in Cast. Voy. Amér. merid. Ins. 1859, p. 190, t. 13, f. 5a. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 108 (sep. p. 174). Amazonas,
Rio Janeiro
Fryi Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 52.
- macularis** Ol. Encycl. méth. Ins. VII, 1792, p. 474; Ent. IV, nr. 67, 1795, p. 98, t. 20, f. 154. Surinam
- maculicollis** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 217 (sep. p. 148) nota. Venezuela
- meleagrina** Er. Archiv Naturg. XIII, 1, 1847, p. 149. Peru
- mimetica** Auriv. Ent. Tidskr. XXIII, 1902, p. 222. Columbien
- mosaica** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 384 (sep. p. 158) nota. Venezuela
- musiva** Germ. Ins. Spec. Novae 1824, p. 488. — Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 374. Brasilien
- naevia** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 386 (sep. p. 159). Amazonas:
Ega
- naevigera** Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 101 (sep. p. 168). Ega, S. Paulo
- niveosparva** Auriv. Ent. Tidskr. XXIII, 1902, p. 220. Peru, Bolivia
- numida** Auriv. l. c. p. 214, 217. Peru, Bolivia
- obconica** Auriv. l. c. p. 215, 217, fig. 24. Cayenne

- obtusa** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 222 (sep. p. 153). Amazonas:
Ega
- olivencia** Bates, l. c. p. 392 (sep. p. 165). Amazonas:
S. Paulo
- ordinata** Bates, l. c. (3) XVI, 1865, p. 104 (sep. p. 170). Amazonas:
Ega
- Osculatii** Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 600. — Bates, Ann. Mag. Nat. Hist. (3) XVI, 1865, p. 104 (sep. p. 170). Napo-Fluss
- parceus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 189. Mexico,
Guatemala
- passerina** Er. Schomburgs Reise III, 1848, p. 574. Guyana
- paulina** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 384 (sep. p. 158).
" Amazonas:
S. Paulo
- peruviana** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 29. Peru
- pictilis** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 221 (sep. p. 152). Para
- pimplaea** Bates, l. c. p. 382 (sep. p. 156). Cayenne.
Amazonas
- plagiata** Auriv. Ent. Tidskr. XXIII, 1902, p. 212, 213, fig. 23a. Columbien
- plebeja** Auriv. l. c. p. 219. Peru, Bolivia
- pleuralis** Casey, Mem. Col. IV, 1913, p. 344. Panama
- pocila** Germ. Ins. Spec. Novae 1824, p. 488. — Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 224 (sep. p. 155). Brasilien
- propinqua** Bates, l. c. p. 384 (sep. p. 159). Amazonas:
S. Paulo
- pulchella** Bates, l. c. p. 221 (sep. p. 152). Tapajos
- punctata** Auriv. Ent. Tidskr. XXIII, 1902, p. 221, fig. 26. Columbien
- pura** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 392 (sep. p. 166). Amazonas:
Obydos
- ramosa** Bates, Trans. Ent. Soc. Lond. 1872, p. 225; Biol. Centr.-Amer. Col. V, 1881, p. 187, 419, t. 14, f. 12. Nicaragua,
Mexico
- regularis** Bates, l. c. p. 188. Mexico
- Sahlbergi** Auriv. Ent. Tidskr. XXIII, 1902, p. 220. Brasilien:
Rio Janeiro,
Espiritu-
Santo
- Schmidti** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 225 (sep. p. 156) nota. Rio Janeiro
- scolapacea** Er. Archiv Naturg. XIII, 1, 1847, p. 149. Peru
- securifera** Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 387 (sep. p. 160). Amazonas
- sejuncta** Bates, l. c. (sep. p. 161). Ega
- seminalis** Bates, l. c. p. 383 (sep. p. 157). Pará
- sexmaculata** Auriv. Ent. Tidskr. XXIII, 1902, p. 218. Bahía
- sexualis** Casey, Mem. Col. IV, 1913, p. 344. Honduras
- signatipennis** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 98. — Gah. Ann. Mag. Nat. Hist. (6) III, 1880, p. 388. Südbrasilien
- signativentris** Gah. l. c. p. 387. Bahía
- simillima** Auriv. Ent. Tidskr. XXIII, 1902, p. 221, fig. 21. Südbrasilien
- socia** Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 390. Brasilien

- ✓ *sordida* Auriv. Ent. Tidskr. XXIII, 1902, p. 221. Amazonas
strigosa Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, Brasilien
 p. 224 (sep. p. 155) nota.
styligera Bates, l. c. p. 391 (sep. p. 164). Amazonas:
 Ega
 ✓ *subcincta* Cast. Hist. Nat. Col. II, 1840, p. 491. — Brasilien
 Bates, Ann. Mag. Nat. Hist. (3) XV, 1865,
 p. 224 (sep. p. 155).
 ✓ *subtessellata* Bates, l. c. (3) XVI, 1865, p. 104 (sep. Tapajos
 p. 171).
tristis Voet, Cat. Col. II, 1778, p. 17, t. 16, f. 67; ed. Südamerika
 Panzer III, 1794, p. 43, t. 16, f. 67.
unilincata Bates, Trans. Ent. Soc. Lond. 1872, p. 225; Nicaragua
 Biol. Centr.-Amer. Col. V, 1881, p. 189, t. 14,
 f. 14.
varia F. Mant. Ins. I, 1787, p. 144; Ent. Syst. I, 2, 1792, Cayenne
 p. 301; Syst. Eleuth. II, 1801, p. 311.
cayennensis Gmel. in L. Syst. Nat. ed.
 13, I, 4, 1790, p. 1860.
varica Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. Amazonas:
 385 (sep. p. 158). Ega
 ✓ *velutina* Bates, l. c. p. 216 (sep. p. 147). Cayenne,
 Amazonas
 ✓ *vidua* Bates, l. c. p. 224 (sep. p. 155) nota. Mexico,
 Guatemala

103

Carneades Bates.

- Bates, Trans. Ent. Soc. Lond. 1869, p. 387; Biol. Centr.-Amer. Col.
 V, 1881, p. 190.
bicincta Gah. Ann. Mag. Nat. Hist. (6) III, 1889, Guadeloupe
 p. 393.
 ✓ *Championi* Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
 p. 420, t. 25, f. 11.
delicia Bates, Trans. Ent. Soc. Lond. 1869, p. 387. Nicaragua
glaucothea Bates, l. c. 1872, p. 227 nota. Ecuador
grandis Thoms. Classif. Ceramb. 1860, p. 21. — Bates, Mexico
 Trans. Ent. Soc. London 1872, p. 227.
 ✓ *hemileuca* Bates, Biol. Centr.-Amer. Col. V, 1881, Costa Rica.
 p. 190, t. 14, f. 19. Panama
nodicornis Bates, Ent. Monthly Mag. XVII, 1881, p. Ecuador
 277; in Whymper, Travels Andes, Append.
 1891, p. 39, fig.
personata Bates, Ent. Monthly Mag. XVII, 1881, Columbien
 p. 277.
princeps Bates, Trans. Ent. Soc. London 1872, p. 238; Nicaragua
 Biol. Centr.-Amer. V, 1881, p. 190, t. 14,
 f. 20.
quadrinodosa Auriv. Ent. Tidskr. XXIII, 1902, p. 224. Columbien
reticulata Bates, Ent. Monthly Mag. XVII, 1881, p. 277. "
 ✓ *superba* Bates, Trans. Ent. Soc. Lond. 1869, p. 387; Nicaragua
 Biol. Centr.-Amer. Col. V, 1881, p. 190,
 t. 14, f. 18.
vittata Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 391. Peru: Nauta;
 Ecuador:
 Cuenza

13

Cathexis Thoms.

- Thoms. Classif. Ceramb. 1860, p. 7, 18; Syst. Ceramb. 1864, p. 356.
 — Lacord. Gen. Col. IX, 1872, p. 822, 826.
- grallatrix* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, Amazonas:
 p. 391 (sep. p. 165). — Lacord. Gen. Col. Ega, S. Paulo
 IX, 1872, p. 826, nota 1.
- longimana* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Brasilien
 p. 52. — Thoms. Classif. Ceramb. 1860, p. 19.
 — Lacord. Gen. Col. IX, 1872, p. 826.

2

Carterica Thoms.

- Thoms. Classif. Ceramb. 1860, p. 7, 19; Syst. Ceramb. 1864, p. 356.
 — Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 213 (sep. p. 143). —
 Lacord. Gen. Col. IX, 1872, p. 822, 827.
- basalis* Thoms. Syst. Ceramb. 1865, p. 545. Guyana
- bicuspis* Belon, Revue d'Ent. XXII, 1903, p. 70. Bolivia
- Buqueti* Thoms. Classif. Ceramb. 1860, p. 19. Brasilien
- clncticornis* Bates, Ann. Mag. Nat. Hist. (3) XV, 1865, Amazonas:
 p. 214 (sep. p. 144). — Lacord. Gen. Col. Ega
 IX, 1872, p. 827, nota 3.
- mima* Belon, Revue d'Ent. XXII, 1903, p. 68. Bolivia
- mueronata* Ol. Ent. IV, nr. 68, 1795, p. 30, t. 1, f. 10. Brasilien,
 — Gerst. Archiv Naturg. XXV, 2, 1859, p. 413. Amazonas
- cinctipennis* Pasc. Trans. Ent. Soc. Lond.
 (2) IV, 1858, p. 263. — Bates, Ann. Mag.
 Nat. Hist. (3) XV, 1865, p. 213 (sep. p. 144).
 — Lacord. Gen. Col. IX, 1872, p. 827.
- colobothooides* Thoms. Classif. Ceramb.
 1860, p. 20.
- tenuicornis* F. Syst. Eleuth. II, 1801, p. 328.
- optata* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. Columbien,
 284. — Bates, Biol. Centr.-Amer. Col. V, Panama,
 1881, p. 186, 419. Guatemala
- pygmaea* Bates, l. c. p. 186, 419. Nicaragua
- soror* Belon, Ann. Soc. Linn. Lyon XLIII, 1896, p. 253. Bolivia

9

Sparna Thoms.

- Thoms. Syst. Ceramb. 1864, p. 30, 356. — Lacord. Gen. Col. IX,
 1872, p. 828.
- lycoides* Thoms. Syst. Ceramb. 1864, p. 30. — Lacord. Bolivia
 Gen. Col. IX, 1872, p. 828.
- macilenta* Pasc. Trans. Ent. Soc. Lond. 1888, p. 508, Ecuador
 t. 14, f. 5.
- platyptera* Bates, Ent. Monthly Mag. XVII, 1881, Brasilien
 p. 276.

3

Apechthes Thoms.

- Thoms. Classif. Ceramb. 1860, p. 362; Syst. Ceramb. 1864, p. 391.
 — Lacord. Gen. Col. IX, 1872, p. 822, 828. — Bates, Biol. Centr.-
 Amer. Col. V, 1881, p. 190.
- Championi* Bates, l. c. p. 190. Guatemala
- mexicanus* Thoms. Classif. Ceramb. 1860, p. 363. — Mexico,
 Lacord. Gen. Col. IX, 1872, p. 829, t. 109, f. 1. Guatemala

2

Calliphenges Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 296.

cuprascens Waterh. l. c. p. 296; Aid Identif. Ins. II, Ecuador
1884, t. 149, f. 3.

1

LXXXV. Agapanthiini.

Mulsant, Col. France, Longic. 1839, p. 165, 172. — Lacordaire, Gen.
Col. IX, 1872, p. 414, 829.

Agapanthia Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 35. — Muls. Col. France,
Longic. 1839, p. 173. — Shuckard, Brit. Col. 1840, p. 66. — Cast.
Hist. Nat. Col. II, 1840, p. 494. — Redtenb. Gatt. deutsch. Käferf.
1845, p. 111; Fauna Austr. 1849, p. 46, 501; ed. 2, 1858, p. CXXX.
868; ed. 3, 1874, II, p. 420. — Bach, Käferf. III. 1856, p. 6, 40. —
Gutfl. Käfer Deutschl. 1859, p. 571, 584. — J. Thoms. Classif.
Ceramb. 1860, p. 41, 44; Syst. Ceramb. 1864, p. 397. — Muls. Col.
France, Longic. ed. 2, 1863, p. 349. — Fairm. Gen. Col. d'Eur. IV,
1864, p. 168. — Schiödtte, Naturh. Tidskr. (2) III, 1864, p. 513, 568. —
C. G. Thoms. Skand. Col. VIII, 1866, p. 96. — Lacord. Gen. Col. 1872, p.
829. — Cox, Handb. Col. II, 1874, p. 304. — Seidl. Fauna Balt. 1875,
Gatt. p. 140. — Cuni y Martorell, Cat. Col. Catal. 1876, p. 300. —
Schoch, Käfer Deutschl. 1878, p. 130, 136. — Schlosser, Fauna
Kornjas. III, 1879, p. 809, 845. — Sériziat, Col. France 1880, p. 312.
— Fairm. Hist. Nat. France, Col. 1882, p. 265, 269. — Ganglb.
Best.-Tab. VII, 1882, p. 16 (694). — Bau, Handb. Käfer 1888, p. 415.
— Bedel, Faune Col. Seine V, 1889, p. 36. — Fowler, Col. Brit.
Isl. IV, 1890, p. 244, 250. — Seidlitz, Fauna Balt. ed. 2, 1891, Gatt.
p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Stierlin, Col. Helvet.
II, 1898, p. 490. — Lameere, Faune Belg. II, 1900, p. 415. — Everts,
Col. Neerl. II, 1901, p. 385. — Csiki, Rovart. Lapok XI. 1904, p. 169.
— Houlb. Faune Ent. Armor. Ceramb. 1903, p. 19, 67; ed. 2, 1909,
p. 17, 69. — Kuhnt, Käfer Deutschl. 1912, p. 758. — Reitter, Fauna
Germ. IV, 1913, p. 65, 66. — Jensen-Haarup, Danm. Fauna. Biller
III, 1914, p. 8, 22. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p.
865, 876. — Auriv. Svensk Insektfauna Col. I, 1917, p. 37, 43.

Revisio: Reitter, Wien. Ent. Zeit. XIII, 1894, p. 144—146;
XVII, 1898, p. 130—135.

Agaphantia Steph. Man. Brit. Col. 1839, p. 269. — Westw.
Introduct. Ins. II, 1840, Synops. p. 40.

Epyoptes Gistel, 820 wirbell. Thiere 1857, p. 93.

Saperda Leach, Zool. Misc. I, 1814, p. 13; Encycl. Brit.
IX, 1, 1815, p. 112. — Samouelle, Ent. Compend. 1819, p. 209.

Subg. *Agapanthiola* Ganglb. Verh. zool.-bot. Ges. Wien L,
1900, p. 140.

Calamobiomorphus Pic, Longic. V, 1, 1904, p. 6; VI, 1,
1906, p. 12; VI, 2, 1907, p. 9.

Subg. *Ludwigia* Pic, Longic. I, 1891, p. 47.

Subgen. Agapanthia sensu str.

Alexandris Pic, Echange XVII, 1901, p. 82.

Zentralasien

alternans Fischer, Cat. Col. Karelin 1842, p. 26. — Sibirien

Ganglb. Best.-Tab. VIII, 1884, p. 111 (545).

- amurensis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 115. — Ganglb. Best.-Tab. VIII, 1884, p. 110 (544). — Reitter, Revis. 1898, p. 135.
- angelica** Reitter, Revis. 1898, p. 131.
- annularis** Ol. Ent. IV, nr. 68, 1795, p. 11, t. 4, f. 36. — Latr. Hist. Nat. Ins. XI, 1804, p. 276. — Boit. Man. d'Ent. II, 1828, p. 23. — Muls. Col. France. Longic. ed. 2, 1863, p. 361. — Ganglb. Best.-Tab. VIII, 1884, p. 106 (540).
- asphodeli** Latr. Hist. Nat. Ins. XI, 1804, p. 282. — Boit. Man. d'Ent. II, 1828, p. 25. — Muls. Col. France. Longic. 1839, p. 174. — Küster, Käfer Eur. VII, 1846, p. 66. — Cuni y Mart. Cat. Col. Catal. 1876, p. 300. — Ganglb. Best.-Tab. VIII, 1884, p. 107 (541). — Bedel, Faune Col. Seine V, 1889, p. 49. — Seidl. Fauna Transsylv. 1891, p. 849. — Houlb. Faune Armor. Ceramb. 1904, p. 67, 68, fig. 128; ed. 2, 1909, p. 69, fig. 128. — Kuhnt, Käfer Deutschl. 1912, p. 795, fig. 209. — Reitter, Fauna Germ. IV, 1913, p. 66, t. 139, f. 12.
- insularis* Gautier, Mith. Schweiz. Ent. Ges. III, 1870, p. 263.
- Spencei* Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 187.
- Biologie:** Westw. Introd. I, 1839, p. 365. — Bellier, Pet. Nouv. Ent. I, 1869, p. 14. — Muls. Mém. Acad. Lyon XIX, 1873, p. 346. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 340 (sep. p. 500), fig. 518—522. — Xamheu, Moeurs et Métam. VIII, 1902, p. 211. — Houlb. Faune Armor. Ceramb. 1904, p. 68; fig. 129; ed. 2, 1909, p. 69, fig. 129.
- auliensis** Pic, Longic. VI, 2, 1907, p. 12.
- bucharica** Pic, l. c. III, 3, 1901, p. 13.
- cardai** L. Syst. Nat. ed. 12, 1767, p. 632. — Müller, Naturs. V, 1, 1774, p. 272. — Villers, Linn. Entomol. I, 1789, p. 241. — Muls. Mém. Acad. Sc. Lyon (2) I, 1851, p. 136; Opusc. II, 1853, p. 119; XI, 1860, p. 161; Col. France, Longic. ed. 2, 1863, p. 362. — Cuni y Mart. Cat. Col. Catal. 1876, p. 301. — Ganglb. Best.-Tab. VIII, 1884, p. 109 (543). — Bedel, Faune Col. Seine V, 1889, p. 49, 103. — Stierl. Col. Helvet. II, 1898, p. 499. — Reitter, Revis. 1898, p. 134. — Everts, Col. Neerl. II, 1901, p. 386. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 67, 68, f. 131; ed. 2, 1909, p. 69, 70, f. 131. — Csiki, Rovart. Lap. XII, 1905, p. 62. — Kuhnt, Käfer Deutschl. 1912, p. 794, fig. 206. — Reitter, Fauna Germ. IV, 1913, p. 66, t. 139, f. 14.
- annulata* F. Ent. Syst. II, 1, 1792, p. 314.
- coerulescens* Petagna, Spec. Ins. Calabr. 1786, p. 18, t. f. 18; Inst. Ent. I, 1792, p. 237. — Rossi, Fauna Etr. I, 1790, p. 152.
- Amur
- Transcaspien:
Aschabad
- Spanien
- Mittelmeer-
Gebiet,
Böhmen,
Sieben-
bürgen
- Turkestan
Buchara
- Mittel- und
Süd-Europa,
Nordafrika,
Kleinasien,
Syrien

- subaculalis* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 63. — Ganglb. Best.-Tab. VIII, 1884, p. 113 (547).
- suturalis* F. Mant. Ins. I, 1787, p. 149; Syst. Eleuth. II, 1801, p. 326. — Rossi, Fauna Etr. I, 1790, p. 152; ed. Hellw. I, 1794, p. 168. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1838. — Panz. Fauna Ins. Germ. XXIII, 1794, t. 16; Entomol. Germ. 1795, p. 258. — Ol. Ent. IV, nr. 68, 1795, p. 9, t. 2, f. 16. — Latr. Hist. Nat. Ins. XI, 1804, p. 276. — Boit. Man. d'Ent. II, 1828, p. 24. — Reichenb. Naturg. Ins. 1837, p. 412, t. 100, f. 656. — Muls. Col. Fr. Longic. 1839, p. 178. — Cast. Hist. Nat. Col. II, 1840, p. 495. — Küster, Käfer Eur. VII, 1846, p. 69. — Bach, Käferf. III, 1856, p. 41. — Redtenb. Fauna Austr. ed. 2, 1858, p. 869; ed. 3, II, 1874, p. 421. — Gutfl. Käfer Deutschl. 1859, p. 584. — Disconzi, Ent. Vicent. 1865, p. 86, 89. — Schoch, Käfer Deutschl. 1878, p. 136. — Schlosser, Fauna Kornjas. III, 1879, p. 845. — Sériz. Hist. Col. France 1880, p. 313, fig. 215.
- trilineata* Schönh. Syn. Ins. I, 3, 1817, p. 433.
- ab. *consobrina* Chevr. Revue Zool. III, 1840, p. 17. — Muls. Col. France, Longic. ed. 2, 1863, p. 364. — Ganglb. Best.-Tab. VIII, 1884, p. 543. Spanien
- ab. *grossa* Pic, Longic. I, 1891, p. 63. Pyrenäen
- ab. *marginalis* Muls. Col. France, Longic. 1839, p. 179; ed. 2, 1863, p. 362. — Ganglb. Best.-Tab. VIII, 1884, p. 543. Süd-frankreich
- nigroaenea* Muls. Col. France, Longic. 1839, p. 179; ed. 2, 1863, p. 362.
- ab. *Peragalloi* Muls. l. c. p. 364. Nizza
- ab. *ruficornis* Pic, Echange XXXIV, 1918, p. 5. Oran
- Biologie: Perris, Mém. Soc. Sc. Liège X, 1855, p. 244, t. 5, f. 37—46. — Xamheu, Ann. Soc. Linn. Lyon XLIV, 1897, p. 45; Moeurs et Métam. VII, 1899, p. 37; VIII, 1902, p. 213. — Peyerimh. Ann. Soc. Ent. France LXXXIV, 1914, p. 31.
- chalybea* Falderm. Fauna Transcauc. II, 1837, p. 303, t. 10, f. 7. — Ganglb. Best.-Tab. VIII, 1884, p. 109 (543). — Reitter, Revis. 1894, p. 146. Kaukasus
- coeruleipennis* Friv. Term. Füz. II, 1878, p. 9. — Ganglb. Best.-Tab. VIII, 1884, p. 112 (546). — Reitter, Revis. 1898, p. 135. Persien, Kurdistan, Armenien, Kleinasien
- var. *brevis* Pic, Descr. Longic. Syrie 1891, p. 1; Ann. Soc. Ent. France LXI, 1892, p. 418. Syrien
- coeruleonigra* Reitter, Revis. 1898, p. 132. Mongolei
- cynaræ* Germ. Reise Dalmat. 1817, p. 222; Fauna Ins. Eur. XII, 1825, t. 9. — Brullé, Expéd. Morée III, 1832, p. 261. — Küster, Käfer Eur. VII, 1846, p. 67; XIV, 1848, t. 2, f. 1. — Rhein-provinz, Nassau, Südeuropa,

- Lucas, Explor. d'Algérie, Col. 1849, p. 499, t. 42, f. 6. — Muls. Col. France, Longic. ed. 2, 1863, p. 353. — Schlosser, Fauna Kornjas. III, 1879, p. 846. — Ganglb. Best.-Tab. VIII, 1884, p. 108 (542). — Bedel, Faune Col. Seine V, 1889, p. 49. — Griffini, Coleott. 1896, p. 199, t. 39, f. 5. — Reitter, Revis. 1898, p. 134. — Csiki, Rovart. Lapok XII, 1905, p. 63. — Jacobs, Käfer Russl. 1911, t. 72, f. 5. — Kuhnt, Käfer Deutschl. 1912, p. 795, fig. 210. — Reitter, Fauna Germ. IV, 1913, p. 66. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 877, t. 32, f. 5.
- cardui* var. β Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 189.
- decora* Kryn. Bull. Moscou VII, 1834, p. 170.
- verecunda* Chev. Ann. Soc. Ent. France (6) II, 1882, p. 63. — Ganglb. Best.-Tab. VIII, 1884, p. 113 (547).
- var. *Delagrangi* Pic, Echange X, 1894, p. 75; Longic. VIII, 2, 1912, p. 6.
- Dahl Richter, Suppl. Fauna Ins. Eur. 1821, t. 11. — Ganglb. Best.-Tab. VIII, 1884, p. 107 (541). — Bedel, Faune Col. Seine V, 1889, p. 49, 102. — Seidl. Fauna Balt. ed. 2, 1891, p. 752; Fauna Transsylv. 1891, p. 850. — Stierl. Col. Helvet. II, 1898, p. 498. — Reitter, Revis. 1898, p. 133. — Everts, Col. Neerl. II, 1901, p. 386. — Csiki, Rovart. Lapok XII, 1905, p. 64. — Kuhnt, Käfer Deutschl. 1912, p. 795. — Reitter, Fauna Germ. IV, 1913, p. 66, t. 139, f. 13. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 876.
- cardui* (? F. Syst. Ent. 1775, p. 186; Spec. Ins. I, 1781, p. 233; Mant. Ins. I, 1787, p. 149; Syst. Eleuth. II, 1801, p. 325). — Herbst in Füessly, Archiv V, 1784, p. 94, t. 26, f. 2. — ? Petagna, Spec. Ins. Calabr. 1786, p. 18. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1838. — Donndorf, Eur. Fauna VIII, 1799, p. 562. — Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 188. — Muls. Col. France, Longic. 1839, p. 175. — Küster, Käfer Eur. VII, 1846, p. 68. — Redtenb. Fauna Austr. 1849, p. 502; ed. 2, 1858, p. 869; ed. 3, II, 1874, p. 421. — Bach, Käferf. III, 1856, p. 40. — Gutfl. Käfer Deutschl. 1859, p. 584. — Schoch, Käfer Deutschl. 1878, p. 136. — Schlosser, Fauna Kornjas. III, 1879, p. 846.
- Gyllenhali* Ganglb. Cat. Col. Eur. ed. 3, 1883, p. 190.
- lineatocollis* Muls. Col. France, Longic. ed. 2, 1863, p. 358. — Seidl. Fauna Balt. 1875, p. 519. — Cuni y Mart. Cat. Col. Cataluña 1876, p. 301.
- nigricornis* F. Ent. Syst. I, 2, 1792, p. 311.
- var. *erivanica* Pic, Longic. III, 1, 1900, p. 14. Armenien

- var. *Theryi* Pic, l. c. VII, 1, 1908, p. 6. Persien
- daurica** Ganglb. Best.-Tab. VIII, 1884, p. 110 (544). — Daurien,
Reitter, Revis. 1898, p. 134. Ostsibirien,
lineatocollis Matsum. Thous. Ins. Japan Japan
- detrita** Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, Turkestan
p. 336. — Ganglb. Best.-Tab. VIII, 1884, p.
111 (545). — Reitter, Revis. 1898, p. 130.
- Frivaldszkyi** Ganglb. Best.-Tab. VIII, 1884, p. 112 Kleinasien,
(546). — Reitter, Revis. 1898, p. 134. Syrien
- Ganglbaueri** Semen. Horae Soc. Ent. Ross. XXVII, Altai
1893, p. 503. — Reitter, Revis. 1898, p. 130
nota.
- Hauseri** Reitter, Deutsche Ent. Zeitschr. 1901, p. 185. Turkestan
- irrorata** F. Mant. Ins. I, 1787, p. 147; Ent. Syst. I, Westliches
2, p. 308; Syst. Eleuth. II, 1801, p. 319. — Mittelmeer-
Petagna, Institut. Ent. I, 1792, p. 236. — gebiet
Ol. Ent. IV, nr. 68, 1795, p. 12, t. 4, f. 38.
— Latr. Hist. Nat. Ins. XI, 1804, p. 276. —
Boit. Man. d'Ent. II, 1828, p. 24. — Muls.
Col. France, Longic. 1839, p. 173; ed. 2,
1863, p. 350. — Cast. Hist. Nat. Col. II,
1840, p. 495. — Küster, Käfer Eur. VII, 1846,
p. 65. — Lucas, Explor. d'Algér. Col. 1849,
p. 499, t. 42, f. 8. — Graells, Mem. Acad.
Madrid (3) I, 1, 1850, p. 67, t. 3, f. 3. —
Fairm. Gen. Col. d'Eur. IV, 1864, t. 51, f.
237. — Sériz. Hist. Col. France 1880, p. 312.
— Ganglb. Best.-Tab. VIII, 1884, p. 105 (539).
— Bedel, Faune Col. Seine V, 1889, p. 49. —
Reitter, Revis. 1898, p. 130.
- rorida* Gmel. in L. Syst. Nat. ed. 13, I, 4,
1790, p. 1838.
- Biologie:** Graells, Mem. Acad. Madrid (3)
I, 1, 1850, p. 67, t. 3, f. 1—3. — Chevr. Ann.
Soc. Ent. France (6) I, 1881, Bull. p. 95. —
Xambeu, Mœurs et Métam. VIII, 1902, p. 215.
- ab. *integra* Chevr. Ann. Soc. Ent. France Sicilien
(6) II, 1882, p. 64. — Ganglb. Best.-Tab. VIII,
1884, p. 105 (539).
- ab. *granulosa* Chevr. Ann. Soc. Ent. France Oran
(6) I, 1881, Bull. p. 95. — Ganglb. Best.-
Tab. VIII, 1884, p. 105 (539).
- Biologie:** Peyerimh. Ann. Soc. Ent. France
LXXXIV, 1915, p. 31.
- ab. *pubiventris* Muls. Col. France, Longic. Spanien
ed. 2, 1863, p. 352. — Chevr. Ann. Soc. Ent.
France (6) I, 1881, Bull. p. 96. — Ganglb.
Best.-Tab. VIII, 1884, p. 106 (540).
- Jacobsoni** Plavistskikov, Revue Russe d'Ent. XV, Buchara
1915, p. 122.
- Kindermanni** Pic, Longic. V, 2, 1905, p. 13. Syrien
- Kirbyi** Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Böhmen,
Append. p. 186. — Abeille, Ann. Soc. Ent. Ungarn,
France (4) VII, 1867, p. 68. — Ganglb. Best.- Süd-
Tab. VIII, 1884, p. 106 (540). — Bedel, Faune frankreich,
Col. Seine V, 1889, p. 49. — Seidl. Fauna Spanien,
Transsylv. 1891, p. 849. — Reitter, Revis. Balkan,
1898, p. 130. — Csiki, Rovart. Lapok XII, Kleinasien

- 1905, p. 64. — Kuhnt, Käfer Deutschl. 1912, p. 795, fig. 208. — Reitter, Fauna Germ. IV, 1913, p. 66.
- latipennis* Muls. Col. France, Longic. ed. 2, 1863, p. 352.
- Zawadskyi* Fairm. Ann. Soc. Ent. France (4) VI, 1866, p. 275.
- lals** Reiche, Ann. Soc. Ent. France (3) VI, 1858, p. 21 (sep. p. 315). — Ganglb. Best.-Tab. VIII, 1884, p. 110 (544). — Reitter, Revis. 1894, p. 146.
- var. *violaceipennis* Pic, Longic. V, 1, 1904, p. 9.
- lateralis** Ganglb. Best.-Tab. VIII, 1884, p. 107 (541). — Reitter, Synops. 1898, p. 131.
- Biologie: Petroff, Bull. Soc. Ent. d'Egypte 1919 (1920), p. 64.
- ab. *orientalis* Pic, Echange XVII, 1901, p. 83.
- laltor** Pic, Bull. Soc. Zool. France XXIII, 1898, p. 179.
- maculicornis** Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 189. — Friv. A Magyar Tudom. Akad. Evkönyvei, XI, 4, 1865, p. 220, t. 12, f. 10. — Ganglb. Best.-Tab. VIII, 1884, p. 109 (542). — Seidl. Fauna Transsylv. 1891, p. 850. — Reitter, Revis. 1898, p. 134. — Csiki, Rovart. Lapok XII, 1905, p. 63.
- trivittata* Gebl. Ledebours Reise II, 2, 1830, p. 188; Bull. Moscou XXI, 1, 1848, p. 410 (sep. p. 315).
- melancholica** Suvar. Revue Russe d'Ent. XIII, 1913, p. 79. — Pic, Longic. IX, 2, 1915, p. 9.
- melanolopha** Fairm. Ann. Soc. Ent. France LXVIII, 1900, p. 643.
- Müllneri** Reitter, Revis. 1898, p. 133.
- nigriventris** Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 130, t. 14, f. 16. — Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 505.
- osmanlis** Reiche, Ann. Soc. Ent. France (3) VI, 1858, p. 19 (sep. p. 313), t. 1, f. 7. — Reitter, Revis. 1894, p. 146.
- persica** Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 505. — Reitter, Revis. 1898, p. 133 nota.
- persicola** Reitter, Revis. 1894, p. 146.
- pilicornis** F. Mant. Ins. I, 1787, p. 148; Ent. Syst. I, 2, 1792, p. 310; Syst. Eleuth. II, 1801, p. 321. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1840. — Ol. Ent. IV, nr. 68, 1795, p. 12, t. 4, f. 39. — Gebl. Mém. Soc. Nat. Moscou VIII ([2] II), 1832, p. 66. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 218 (ex parte). — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 386 (ex parte). — Ganglb. Best.-Tab. VIII, 1884, p. 110 (544). — Reitter, Revis. 1898, p. 135.
- Griechenland, Syrien, Palästina
- Persien
- Dalmatien, Türkei, Kleinasien, Ägypten, Syrien, Araxes
- Kleinasien
- Turkestan
- Ungarn, Balkan, Südrussland, Sibirien
- Transbaikalien
- China
- Turkestan: Taschkend
- Afganistan
- Türkei, Kleinasien
- Persien
- Persien: Astrabad
- Ostsibirien

- ? — , Pallas, Icones Ins. 1872, t. F. f. 14.
fasciculosa Motsch. Etudes Ent. IX, 1860,
 p. 41; Bull. Moscou XLIX, 1, 1875, p. 151.
- plicatipennis* Pic, Longic. IX, 2, 1915, p. 8. Ostsibirien
pustulifera Pic, l. c. VI, 2, 1905, p. 12. Palästina
- Reyi* Muls. & God. Opusc. Ent. XIV, 1870, p. 27; Spanien
 Abeille XII, 1875, p. 412. — Argod, Ann.
 Soc. Ent. France LX, 1891, Bull. p. 38;
 Echange VII, 1891, p. 82. — Pic, l. c. p. 38.
 — Fauvel, Revue d'Ent. XIV, 1895, p. 116.
- semicyanea* Pic, Longic. IX, 2, 1915, p. 8. Amur
scutla Ganglb. Best.-Tab. VIII, 1884, p. 107 (541). — Sicilien
 Reitter, Revis. 1898, p. 132.
- simplicornis* Reitter, l. c. p. 133. Kleinasien
 ab. *Heyrovskyi* Roubal, N. Beitr. syst.
 Insektenk. I, 1918, p. 63.
- soror* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, Turkestan:
 p. 336. — Ganglb. Best.-Tab. VIII, 1884, p. Samarkand
 111 (545). — Reitter, Revis. 1898, p. 130.
- subflavida* Pic, Echange XIX, 1903, p. 163. Kleinasien
subnigra Pic, l. c. VI, 1890, p. 119. Kaukasus
subnuda Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 93. Transkaspien
- transbaicalica* Suvor. Revue Russe d'Ent. XIII, 1913, Trans-
 p. 80. — Pic, Longic. IX, 2, 1915, p. 9. baikalien
transeaspica Pic, Longic. III, 1900, p. 14. Transkaspien
velox Gistel, 820 wirbell. Thiere 1857, p. 48. Portugal:
 Algarve
 Nord- und
 Mittel-
 europa,
 Kaukasus,
 Sibirien
- villosovirdescens* De Geer, Mém. Ins. V, 1775, p. 76. —
 Goeze, Ent. Beytr. I, 1777, p. 479. — Retzius,
 De Geer Gen. Sp. Ins. 1783, p. 140. — Villers,
 Linn. Entomol. I, 1789, p. 245. — Bedel,
 Faune Col. Seine V, 1889, p. 49, 102. —
 Reitter, Revis. 1898, p. 131. — Lameere,
 Faune Belg. II, 1900, p. 415, fig. — Everts,
 Col. Neerland. II, 1901, p. 386. — Houlb.
 Faune Armor. Ceramb. 1904, p. 67, 68, fig.
 130; ed. 2, 1909, p. 69, 70, fig. 130. — Csiki,
 Rovart. Lapok XII, 1905, p. 63. — Kuhnt,
 Käfer Deutschl. 1912, p. 795. — Reitter,
 Fauna Germ. IV, 1913, p. 66. — Jensen-
 Haarup, Danm. Fauna, Biller III, 1914, p.
 22, fig. 12. — Schauf. in Calwer, Käferb.
 ed. 6, 1916, p. 876. — Auriv. Svensk Insektf.
 IX, 1, 1917, p. 43.
- angusticollis* Gyllenh. in Schönh. Synon.
 Ins. I, 3, 1817, Append. p. 189. — Muls.
 Col. France, Longic. 1839, p. 176; ed. 2,
 1863, p. 360. — Redtenb. Fauna Austr. 1849,
 p. 502; ed. 2, 1858, p. 869; ed. 3, II, 1874,
 p. 421. — Bach, Käferf. III, 1856, p. 40. —
 Gutfl. Käfer Deutschl. 1859, p. 584. —
 Schiödte, Nat. Tidskr. (3) III, 1864, p. 568.
 — C. G. Thoms. Skand. Col. VIII, 1866,
 p. 96. — Blessig, Horae Soc. Ent. Ross.
 IX, 1873, p. 217. — Seidl. Fauna Balt. 1875,
 p. 519. — Schoch, Käfer Deutschl. 1878,
 p. 136. — Schlosser, Fauna Kornjas. III,

- 1879, p. 846. — Sériziat, Hist. Col. France 1880, p. 312. — Fairm. Hist. Nat. France, Col. 1882, p. 269.
- cardui* Scop. Annus Hist. Nat. V, 1772, p. 101. — Schrank, Enum. Ins. Austr. 1781, p. 140; Fauna Boica I, 2, 1798, p. 166. — Leske, Naturg. ed. 2, 1784, p. XLIII, t. 12, f. 2. — Laich. Tyrol. Ins. II, 1784, p. 37. — Rossi, Fauna Etrusca I, 1790, p. 150; ed. Hellwig I, 1795, p. 165. — Petagna, Institut. Ent. I, 1792, p. 237, t. 2, f. 10. — Donndorf, Handb. 1793, p. 607. — Ol. Ent. IV, nr. 68, 1795, p. 9, t. 1, f. 5. — Panzer, Ent. Germ. 1795, p. 257; Fauna Ins. Germ. LXIX, 1799, t. 6. — Latr. Hist. Nat. Ins. XI, 1804, p. 275. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 299; ed. 3, IV, 1828, p. 372. — Lam. Hist. Nat. IV, 1817, p. 316; ed. 2, IV, 1835, p. 510. — Dumér. Dict. Sc. Nat. XLVII, 1827, p. 309, t. 18, f. 5; Entomol. Analyt. 1860, p. 607. — Boit. Man. d'Ent. II, 1828, p. 23. — Steph. III. Brit. Ent. Mandib. IV, 1831, p. 238; Man. Brit. Col. 1839, p. 272. — Spry & Shuck. Brit. Col. 1840, p. 66, t. 76, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 495. — ? Berge, Käferb. 1844, p. 121, t. 10, f. 30. — Disconzi, Ent. Vicent. 1865, p. 86, 89. — Griffini, Coleott. 1896, p. 199, t. 39, f. 4. — Jacobs. Käfer Russl. 1911, t. 72, f. 4. — Schauf. in Calwer, Käferb. ed. 6, 1916, t. 32, f. 4.
- ? *lineata* Müller, Fauna Fridr. 1776, p. 95.
- lineatocollis* Donovan. Brit. Ins. VI, 1797, t. 209. — Marsh. Ent. Brit. I, 1802, p. 331. — Cox, Handb. Col. II, 1874, p. 307. — Ganglb. Best.-Tab. VIII, 1884, p. 108 (542). — Bau, Handb. Käfer 1888, p. 422. — Fowler, Col. Brit. Isl. IV, 1890, p. 251, t. 124, f. 4. — Seidl. Fauna Balt. ed. 2, 1891, p. 752; Fauna Transsylv. 1891, p. 850. — Stierl. Col. Helvet. II, 1898, p. 499.
- nigricornis* Fröl. Naturf. XXVII, 1793, p. 141. — Townson, Travels in Hongrie 1797, p. 468.
- virens* Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 98; ed. Panzer II, 1794, p. 58, t. 20, f. 98.
- viridescens* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1864. — Donndorf, Eur. Fauna VIII, 1799, p. 593.
- Biologie:** Girard, Ann. Soc. Ent. France (4) V, 1865, Bull. p. 113. — Rouget, l. c. Bull. (4) X, 1870, Bull. p. 48. — Tappes, l. c. Bull. p. 49. — Kaltenbach, Pflanzenfeinde 1874, p. 375. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 343 (sep. p. 503); Ann. Soc. Ent. France (5) VI, 1876, p. 240. — Fairm. l. c. (6) VIII, 1888, Bull. p. 25. — Xambeu, Moeurs et Métam. VIII, 1902, p. 217. — Pierre, Rev. Sc. Bourb. XV, 1902,

- p. 90. — Guignon, Feuille Jeunes Natural. (5) XLII, 1912, p. 88.
- var. *acutipennis* Muls. Col. France, Longic. Frankreich ed. 2, 1863, p. 357. — Pic, Longic. VII, 1, 1908, p. 10.
- var. *Lederi* Ganglb. Best.-Tab. VIII, 1884, Kaukasus p. 108 (542).
- var. *nicaeensis* Chevr. Ann. Soc. Ent. France Nizza (6) I, 1881, Bull. p. 96, 105, 107. — Ganglb. Best.-Tab. VIII, 1884, p. 105 (539).
- var. *pyrenaea* Bris. in Grenier, Cat. Col. Pyrenäen France 1863, p. 117. — Muls. Col. France, Longic. ed. 2, 1863, p. 583.
- var. *subacuta* Pic, Echange XXV, 1909, p. Kaukasus 106; Longic. VII, 2, 1910, p. 5.
- var. *subchalybaea* Reitter, Revis. 1898, Kaukasus, p. 134. Turkestan
- violacea** F. Syst. Ent. 1775, p. 187; Spec. Ins. I, 1781, Mittel- und p. 235; Mant. Ins. I, 1787, p. 150; Ent. Syst. Südeuropa, I, 2, 1792, p. 316; Syst. Eleuth. II, 1801, p. 331. — Goeze, Ent. Beytr. I, 1777, p. 478. Kleinasien, — Villers, Linn. Entomol. I, 1789, p. 244. Kaukasus, — Petagna, Institut. Ent. I, 1792, p. 238. Sibirien — Fröl. Naturf. XXVII, 1793, p. 148. — Ol. Ent. IV, nr. 68, 1795, p. 34, t. 2, f. 12. — Townson, Travels in Hongrie 1797, p. 468. — Latr. Hist. Nat. Ins. XI, 1804, p. 281. — Boit. Man. d'Ent. II, 1828, p. 25. — Dej. Ann. Soc. Ent. France IX, 1840, p. 84. — Küster, Käfer Eur. VI, 1846, p. 90. — Redtenb. Fauna Austr. 1849, p. 501; ed. 2, 1858, p. 869. — Bach, Käferf. III, 1856, p. 40. — Gutfl. Käfer Deutschl. 1859, p. 584. — Muls. Col. France, Longic. ed. 2, 1863, p. 366. — Schlosser, Fauna Kornjas. III, 1879, p. 845. — Fairm. Hist. Nat. France, Col. 1882, p. 270. — Petri, Ent. Excurs. Schässburg, 1885, p. 56. — Bedel, Faune Col. Seine V, 1889, p. 49, 101. — Griffini, Coleott. 1896, p. 199, t. 39, f. 3. — Houlb. Faune Armor. Ceramb. 1904, p. 69, f. 132; ed. 2, 1909, p. 69, 70, f. 132. — Csiki, Rovart. Lapok XII, 1905, p. 64. — Jacobs. Käfer Rußl. 1911, t. 72, f. 3. — Kuhnt, Käfer Deutschl. 1912, p. 794. — Reitter, Fauna Germ. IV, 1913, p. 67, t. 139, f. 15. — Schauf. in Calwer, Käferbuch ed. 6, 1916, p. 877, t. 32, f. 3.
- coerulea* Schönh. Syn. Ins. I, 3, 1817, p. 437 nota. — Muls. Col. France, Longic. 1839, p. 177. — Küster, Käfer Eur. VI, 1846, p. 89. — Schlosser, Fauna Kornjas. III, 1879, p. 845. — Sériziat, Hist. Col. France 1880, p. 313.
- cyanea* Herbst in Füessly, Archiv V, 1784, p. 95, t. 26, f. 6. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843. — Ganglb. Best.-Tab. VIII, 1884, p. 109 (543). — Bau, Handb. Käfer 1888, p. 422. — Seidl. Fauna Transsylv.

1891, p. 850. — Reitter, Revis. 1894, p. 145.
— Stierl. Col. Helvet. II, 1898, p. 499.

janthina Gmel. in L. Syst. Nat. ed. 13, I,
4, 1790, p. 1842.

micans Füssly, Verz. Schweiz. Ins. 1775,
p. 13. — Creutz. in Panz. Fauna Ins. Germ.
XXXV, 1796, t. 14. — Muls. Col. France,
Longic. ed. 2, 1863, p. 364. — Redtenb.
Fauna Austr. ed. 3, II, 1874, p. 421. — Rye, Ent.
Monthly Mag. IX, 1873, p. 190; Ent. Annual
1874, p. 112. — Cox, Handb. Col. II, 1874,
p. 307. — Schoch, Käfer Deutschl. 1878,
p. 136.

maragdina Kryn. Bull. Moscou V, 1832,
p. 161. — Falderm. Fauna Transc. II, 1837,
p. 301, t. 10, f. 6. — Dej. Ann. Soc. Ent.
France IX, 1840, p. 84.

Biologie: Muls. Col. France, Longic. ed. 2,
1863, p. 365. — Perris, Ann. Soc. Linn.
Lyon (2) XXIII, 1877, p. 338 (498). — Tinseau,
Nouv. et Faits (2) nr. 31. 1880, p. 124. —
Xambeu, Moeurs et Métam. VIII, 1902, p. 216.

var. *intermedia* Ganglb. Best.-Tab. VIII,
1884, p. 109 (543). — Reitter, Revis. 1894,
p. 145.

Kaukasus

Walteri Reitter, Revis. 1898, p. 132.

Armenien,
Kleinasien

Subgen. *Ludwigia* Pic.

lixoides Lucas, Explor. d'Algér. Col. 1849, p. 499, Algier
t. 42, f. 7. — Ganglb. Best.-Tab. VIII, 1884,
p. 113 (547). — Pic, Longic. II, 1898, p. 13.

Subgen. *Agapanthiola* Ganglb.

enterpe Ganglb. Verh. zool.-bot. Ges. Wien L, 1900, Irkutsk
p. 139.

leucaspis Stev. in Schönh. Synon. Ins. I, 3, 1817, Ungarn,
Append. p. 184. — Dej. Ann. Soc. Ent. Südrussland,
France IX, 1840, p. 84. — Muls. Col. France, Kaukasus,
Longic. ed. 2, 1863, p. 367. — Fairm. Gen. Sibirien
Col. d'Eur. IV, 1864, t. 51, f. 238. — Ganglb.
Best.-Tab. VIII, 1884, p. 110 (544). — Seidl.
Fauna Transsylv. 1891, p. 850. — Reitter,
Revis. 1894, p. 145. — Csiki, Rovart. Lapok
XII, 1905, p. 64.

cyanella Dalm. in Schönh. Synon. Ins. I,
3, 1817, Append. p. 190.

pectoralis Eschsch. Mem. Acad. Sc.
Petersb. VI, 1818, p. 482.

54

Cribragapanthia Pic.

Pic, Echange XVIII, 1903, p. 121; Longic. IV, 2, 1903, p. 24.

scutellata Pic, Echange XVIII, 1903, p. 121; Longic. Yunnan
IV, 2, 1903, p. 24.

1

LXXXVI Saperdini.

Mulsant, Col. France, Longic. 1839, p. 181; ed. 2, 1863, p. 370 (*Saperdaires*). — Fairmaire, Gen. Col. d'Eur. IV, 1864, p. 169. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1866, p. 327. — Lacordaire, Gen. Col. IX, 1872, p. 416, 831. — J. Leconte, Smiths. Misc. Coll. XI, 265, 1873, p. 331, 345. — J. Leconte & Horn, Classif. Col. N. Amer. 1883, p. 315, 331. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 103.

Saperda F.

F. Syst. Ent. 1775, p. 184; Gen. Ins. 1776, p. 52; Mant. Ins. I, 1787, p. 147; Ent. Syst. I, 2, 1792, p. 307; Syst. Eleuth. II, 1801, p. 317 (ex parte). — Laich. Tyroler Ins. II, 1784, p. 29 (ex parte). — Schrank, Fauna Boica I, 2, 1798, p. 372 (ex parte). — Lamarck, Syst. Anim. sans vert. 1801, p. 235. — Gyllenb. Ins. Suec. I, 4, 1827, p. 103 (ex parte). — Zett. Fauna Ins. Lapp. 1828, p. 365. — Curtis, Brit. Ent. VI, 1829, t. 275. — Eichwald, Zoolog. Spec. II, 1830, p. 257. — Steph. Illustr. Brit. Ent. Mandib. IV, 1831, p. 237. — Steph. Man. Brit. Col. 1839, p. 269. — Muls. Col. France, Longic. 1839, p. 185. — Cast. Hist. Nat. Col. II, 1840, p. 495. — Zett. Ins. Lapp. 1840, p. 202. — Westwood, Introd. Ins. II, 1840, Synopsis p. 41. — Redtenb. Gatt. Deutsch. Käferf. 1845, p. 112; Fauna Austr. 1849, p. 46, 497; ed. 2, 1853, p. CXXIX, 863; ed. 3, 1874, II, p. 421. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 161. — Emmons, Nat. Hist. N. York V, 1854, p. 119. — Bach, Käferf. III, 1856, p. 33. — Gutfl. Käfer Deutschl. 1859, p. 584. — Thomson, Classif. Ceramb. 1860, p. 41; System. Ceramb. 1864, p. 397. — Muls. Col. France, Longic. ed. 2, 1863, p. 377. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 170. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 513, 569. — C. G. Thoms. Skand. Col. VIII, 1866, p. 92. — Lacord. Gen. Col. IX, 1872, p. 832. — Cox, Handb. Col. II, 1874, p. 304. — Seidlitz, Fauna Baltica 1875, Gatt. p. 140. — Cuni, Cat. Col. Catal. 1876, p. 301. — Provancher, Faune Ent. Canada I, 1877, p. 632. — Schoch, Käfer Deutschl. 1878, p. 130, 136. — Schlosser, Fauna Kornjas. III, 1879, p. 809. — Ganglb. Best.-Tab. VII, 1882, p. 16 (694). — Bau, Handb. Käfer 1888, p. 416. — Bedel, Faune Col. Seine V, 1889, p. 35. — Fowler, Col. Brit. Isl. IV, 1890, p. 244, 251. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Stierl. Col. Helvet. II, 1898, p. 490. — Lameere, Faune Ent. Belg. II, 1900, p. 415. — Everts, Col. Neerl. II, 1, 1901, p. 345, 381. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 20; ed. 2, 1909, p. 18. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Kuhnt, Käfer Deutschl. 1912, p. 758, 795. — Reitter, Fauna Germ. IV, 1913, p. 62, 63. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 23. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865, 877. — Auriv. Svensk Insektf. IX, 1, 1917, p. 37, 43.

Amilia Muls. Col. France, Longic. ed. 2, 1863, p. 376. — Pic, Longic. VII, 2, 1910, p. 8.

Anaerea Muls. Col. France, Longic. 1839, p. 182, 184; ed. 2, 1863, p. 371, 374. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 169. — Pic, Longic. VII, 2, 1910, p. 8.

Argalia Muls. Col. France, Longic. ed. 2, 1863, p. 381.

Compsidia Muls. Col. France, Longic. 1839, p. 182; ed. 2, 1863, p. 371. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 169. — Pic, Longic. VII, 2, 1910, p. 8.

Leptura Scop. Annus Hist. Nat. V, 1772, p. 94. — Geoffroy in Foureroy, Entomol. Paris I, 1785, p. 77 (ex parte).

Paläarktische Arten.

Synopsis: Pic, Longic. VII, 2, 1910, p. 9—17.

- balsamifera** Motsch. Schrencks Reisen II, 1860, p. 151; Sibirien,
Bull. Mosc. XLIX, 1, 2, 1875, p. 151; Abeille Mongolei,
XVI, 1878, p. 115. — Solsky, Horae Soc. Thibet
Ent. Ross. VII, 1870, p. 390 (*balsamiferae*).
— Ganglb. Best.-Tab. VIII, 1884, p. 116
(550). — Pic, Synops. p. 12, 15.
- brunipes** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, China
p. 65.
- carharias** L. Syst. Nat. ed. 10, 1758, p. 394; ed. 12, Europa.
1767, p. 631; Fauna Suec. ed. 2, 1761, p. 191. — Sibirien
— Houttuyn, Natuurl. Hist. I, 9, 1766,
p. 559. — Drury, Ill. Exot. Ins. I, p. 93,
t. 41, f. 5, Index 1773; ed. Panzer, 1788, p.
156, t. 41, f. 5; ed. Westw. I, 1837, p. 88,
t. 41, f. 5. — Müller, Naturs. V, 1, 1774, p.
271. — F. Syst. Ent. 1775, p. 184; Spec.
Ins. I, 1781, p. 230; Mant. Ins. I, 1787, p.
147; Ent. Syst. I, 2, 1792, p. 307; Syst.
Eleuth. II, 1801, p. 317. — Voet, Cat. Col.
H, 1778, p. 17, t. 17, f. 71; ed. Panzer III,
1794, p. 44, t. 17, f. 71. — Bergstr. Nomencl.
I, 1778, p. 5, t. 1, f. 7. — Leske, Naturg.
1779, p. 428; ed. 2, 1784, p. 476. — Gronov.
Zoophyl. p. 163, Index 1781. — Laich.
Tyrol. Ins. II, 1784, p. 30. — Fischer,
Naturg. Livl. Zusätze 1784, p. 63. — Geoffr.
in Fourcr. Entomol. Paris. I, 1785, p. 77. —
Stroem, Vid. Selsk. Skrivt. Kiöbenh. (2)
III, 1788, p. 266. — Villers, Linn. Ent. I,
1789, p. 240. — Gmel. in L. Syst. Nat. I,
4, 1790, p. 1837. — Fröhl. Naturf. XXVII,
1793, p. 138. — Ol. Ent. IV, 68, 1795, p. 6,
t. 2, f. 22. — Panz. Entomol. Germ. 1795,
p. 256; Fauna Ins. Germ. LXIX, 1799, t. 1.
— Schrank, Fauna Boica I, 2, 1798, p. 662.
— Linker, Der besorgte Forstm. I, 1798,
p. 67. — Cederhj. Faunae Ingr. Prodr. 1798,
p. 91. — Zinke, Schädli. Nadelholz-Ins. 1798,
p. 43. — Donndorff, Eur. Fauna VIII, 1799,
p. 559. — Payk. Fauna Suec. III, 1800, p.
71. — Walcken. Faune Paris. I, 1802, p. 210.
— Bechst. & Scharfenb. Forstins. I, 1804,
p. 199. — Panz. Schaeff. Icon. Ins. Enum.
Syst. 1804, p. 54, 144, t. 38, f. 4, t. 152, f. 4.
— Latr. Hist. Nat. Ins. XI, 1804, p. 274;
in Cuv. Règne Anim. ed. 1, III, 1817, p. 341;
ed. 2, V, 1829, p. 128; ed. Masson, Ins. I,
1849, p. 491, t. 68, f. 9. — Tigny, Hist. Nat.
Ins. ed. 2, VII, 1813, p. 297; ed. 3, IV, 1828,
p. 371. — Lam. Hist. Nat. IV, 1817, p. 316;
ed. 2, IV, 1835, p. 510. — Oken, Naturg.
III, 2, 1816, p. 796; Allg. Naturg. V, 3, 1836,
p. 1699. — Hoeven, Bijdr. Nat. Wetensch.
I, 1826, p. 347. — Dumér., Dict. Sc. Nat.
XLVII, 1827, p. 309; Entomol. Anal. 1860,

p. 607. — Gyllenh. Ins. Suec. I, 4, 1827, p. 103. — Zett. Fauna Lapp. 1828, p. 365. — Boit. Man. d'Ent. II, 1828, p. 23. — Wilbr. Handb. Naturg. 1829, p. 478. — Eichw. Zoolog. Spec. 1830, p. 257. — Muls. Lettres à Julie II, 1830, p. 332. — Steph. III. Brit. Ent. Mandib. IV, 1831, p. 238. — Ruthe in Wieg. Handb. Zool. 1832, p. 340. — Reichenb. Naturg. Ins. 1837, p. 412, t. 99, f. 649. — Dahlb. Skand. Ins. 1837, p. 94. — Westw. Entomol. Textb. 1838, t. 2, fig.; Introd. I, 1839, p. 362, fig. 441. — Lucas. Dict. Pitt. d'Hist. Nat. VIII, 1839, p. 581. — Steph. Man. Brit. Col. 1839, p. 272. — Muls. Col. France. Longic. 1839, p. 184. — Cast. Hist. Nat. Col. II, 1840, p. 496, t. 34, f. 5. — Spry & Shack. Brit. Col. 1840, p. 66, t. 77, f. 1. — Zett. Ins. Lapp. 1840, p. 202. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 100. — Berge, Käferb. 1844, p. 120, t. 10, f. 21. — Küst. Käfer Eur. VII, 1846, p. 53, t. 2, f. 1. — Redtenb. Fauna Austr. 1849, p. 497; ed. 2, 1858, p. 864; ed. 3, II, 1874, p. 422. — Lentz, Preuss. Käfer 1853, p. 39. — Bach, Käferf. III, 1856, p. 34. — Gutfl. Käfer Deutschl. 1859, p. 585. — Ratzeb. Die Waldverderber ed. 5, 1860, p. 130, t. 2, f. 12. — Leunis, Synops. ed. 2, I, 1860, p. 506; ed. 3, I, 2, 1886, p. 192, fig. 181. — Muls. Col. France, Longic. ed. 2, 1863, p. 374. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 51, f. 240. — Schiödde. Naturh. Tidskr. (2) III, 1864, p. 569. — Disconzi, Ent. Vicent. 1865, p. 86, 89. — C. G. Thoms. Skand. Col. VIII, 1866, p. 93. — Cox, Handb. Col. II, 1874, p. 307. — Seidl. Fauna Balt. 1875, p. 519. — Schoch, Käfer Deutschl. 1878, p. 136. — Schlosser, Fauna Kornjas. III, 1879, p. 840. — Sériziat, Hist. Col. France 1880, p. 313, fig. 216. — Fairm. Hist. Nat. France, Col. 1882, p. 270, t. 24, f. 281. — Ganglb. Best.-Tab. VIII, 1884, p. 114 (548). — Bau, Handb. Käfer 1888, p. 423, fig. — Bedel, Faune Col. Seine V, 1889, p. 44, 95. — Fowler, Col. Brit. Isl. IV, 1890, p. 252, t. 124, f. 5. — Seidl. Fauna Balt. ed. 2, 1891, p. 753; Fauna Transsylv. 1891, p. 851. — Griffini, Coleott. 1896, p. 199, fig. 148, t. 39, f. 6. — Boas, Forstzoologi 1896, p. 224, f. 120. — Stierl. Col. Helvet. II, 1898, p. 500. — Lameere, Faune Belg. II, 1900, p. 416. — Oudem. Nederl. Ins. 1900, p. 694, t. 30, f. 10. — Everts, Col. Neerl. II, 1901, p. 381. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 69, fig. 133; ed. 2, 1909, p. 71, fig. 133. — Csiki, Rovart. Lapok. XII, 1905, p. 81. — Jacobs, Käfer Russl. 1911, t. 72, f. 6. — Pic, Synops. p. 10, 14. — Harmsworth, Nat. Hist. III, 1911, p. 1975, f. 4. — Kuhn, Käfer

Deutschl. 1912, p. 795, fig. 212. — Reitter, Fauna Germ. IV, 1913, p. 64, t. 140, f. 1. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 24, 25, fig. 13. — Schauf. in Calwer, Käferb. II, 1916, p. 878, t. 32, f. 6. — Auriv. Svensk Insektf. IX, 1, 1917, p. 44, fig. 16 a. *carcarias* Petagna, Instit. I, 1792, p. 236. *carchadelrias* Herbst in Borowski, Naturg. VI, 1784, p. 128.

populnea Houttuyn, Natuurl. Hist. I, 9, 1766, p. 562, t. 75, f. 7, 8. — Müller, Naturs. V, 1, 1774, p. 273, t. 5, f. 7, 8.

punctata De Geer, Mém. Ins. V, 1775, p. 73, t. 3, f. 19. — Retzius, Deg. Gen. Spec. Ins. 1783, p. 140.

Biologie: Goedart, Metam. Ins. II, 1667, t. 51. — Griffith, Anim. Kingd. Ins. II, 1832, p. 120. — Ratzeb. Forstins. I, 1837, p. 191, t. 16, f. 4. — Blanco-Fernandez, Zoolog. Agricola 1859, p. 409, t. 126. — Fridrici, Bull. Soc. Hist. Nat. Moselle IX, 1860, p. 17, 19. — Goureau, Ins. nuis. aux Forêts 1867, p. 118. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 437, 450, t. 18, f. 11-16. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 316 (sep. p. 506). — Ganglb. Best.-Tab. VII, 1881, t. 22, f. 4. — Judeich, Forstins. II, 1, 1889, p. 573, fig. 180, f. — Lunard. Ins. Noc. I, 1889, p. 506, fig. 80. — Fabre, Souven. Ent. IV, 1890, p. 311. — Boas, Forstzool. 1896, p. 224, fig. 121, 122. — Xambou, Moeurs et Métam. VIII, 1902, p. 176. — Collinge, Inj. Ins. 1912, p. 84, f. 34. — Barbey, Ent. Forest. 1913, p. 480, f. 293, t. 7, f. 9. — Henriksen, Danm. Fauna, Biller IV, 1914, p. 90, 96, f. 70. — Beffa, Riv. Col. Ital. XIII, 1915, Append. t. 1, f. 13, t. 2, f. 5. — Bofill y Pichot, Bolet. Soc. Ent. España I, 1918, p. 150.

Anatomie: Grenacher, Sehorgan der Arthrop. 1879, p. 86, t. 7, f. 58, 59 (Auge).

ab. grisescens Muls. Col. France, Longic. 1839, p. 134. — Pic, Synops. p. 10. Europa

decempunctata Gebl. Ledeb. Reise II, 1830, p. 186; Bull. Moscou XXI, 1, 1848, p. 403 (sep. p. 308). — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 219. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 95. — Ganglb. Best.-Tab. VIII, 1884, p. 117 (551). — Pic, Longic. IV, 2, 1903, p. 9; Synops. p. 13, 16. Sibirien, Japan

Alberti Plavil. Revue Russe d'Ent. XV, 1916, p. 80.

duodecimpunctata Motsch. Schrenck's Reisen, Col. 1860, p. 151; Bull. Moscou XLIX, 1, 2, 1875, p. 150; Abeille XVI, 1878, p. 115. — Ganglb. Best.-Tab. VIII, 1884, p. 117 (551). — Pic, Synops. p. 9. Daurien

Motschulskyi Plavil. Revue Russe d'Ent. Sibirien XV, 1916, p. 80.

- innotatipennis* Pic, Echange XXVI, 1910, p. 2; Synops. p. 6, 11, 14.
- interrupta* Gebl. in Hummel, Ess. IV, 1825, p. 52; Ledeb. Reise III, 1830, p. 187; Bull. Moscou VI, 1833, p. 303; XXI, 1, 1848, p. 404 (sep. p. 309). — Ganglb. Best.-Tab. VIII, 1884, p. 117 (551). — Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 292. — Pic, Synops. p. 9. Ostsibirien
- laterimaculata* Motsch. Schrenck's Reisen, Col. 1860, p. 151; Abeille XVI, 1878, p. 115. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 94. — Ganglb. Best.-Tab. VIII, 1884, p. 117 (551). — Pic, Synops. p. 9. Daurien, Amur
- maculithorax* Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 19; Longic. IV, 2, 1903, p. 8, 9. Japan
- maculosa* Ménétr. Cat. Rais. 1832, p. 226. — Fald. Fauna Transcauc. II, 1837, p. 288, t. 9, f. 8. — Daniel, Col. Stud. II, 1898, p. 88. — Pic, Synops. p. 12, 15. Kaukasus
- ocellata* Perrin, Bull. Soc. Ent. France 1895, p. 229. — Pic, l. c. p. 274; Longic IV, 1, 1902, p. 11; Synops. p. 11, 14. Syrien
- octomaculata* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 221. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 95. — Ganglb. Best.-Tab. VIII, 1884, p. 117 (551). — Pic, Synops. p. 13, 16. Amur
- ab. *subobliterata* Pic, Synops. p. 13. Sibirien, Japan
- octopunctata* Scop. Annus Hist. Nat. V, 1772, p. 101. — Schrank, Beytr. Naturg. 1776, p. 65; Enum. Ins. 1781, p. 142. — Villers, Linn. Ent. I, 1789, p. 243. — Gmel. Syst. Nat. I, 4, 1790, p. 1858. — Ganglb. Best.-Tab. VIII, 1884, p. 116 (550). — Bau, Handb. Käfer 1888, p. 424. — Bedel, Faune Col. Seine V, 1889, p. 44, 96. — Seidl. Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 851. — Stierl. Col. Helvet. II, 1898, p. 501. — Everts, Col. Neerl. II, 1901, p. 382. — Houlb. Faune Armor. Ceramb. 1904, p. 71, fig. 137; ed. 2, 1909, p. 73, fig. 137. — Csiki, Rovart. Lapok XII, 1904, p. 83. — Pic, Synops. p. 13, 16. — Jacobs. Käfer Russl. 1911, t. 72, f. 10. — Kuhnt, Käfer Deutschl. 1912, p. 796, f. 214. — Reitter, Fauna Germ. IV, 1913, p. 65, t. 140, f. 3. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 24, 26. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 879, t. 32, f. 10. — Auriv. Svensk Insekif. IX, 1, 1917, p. 44, 45. Nord- und Mitteleuropa (fehlt in Britannien, Belgien, Holland).
- punctata* Laich. Tyrol. Ins. II, 1784, p. 32.
- tiliae* Schrank, Fauna Boica I, 2, 1798, p. 667.
- tremula* F. Syst. Ent. 1775, p. 186; Spec. Ins. I, 1781, p. 234; Mant. Ins. I, 1787, p. 149; Ent. Syst. I, 2, 1792, p. 315; Syst. Eleuth. II, 1801, p. 327. — Goeze, Ent. Beytr. I, 1777, p. 478. — Villers, Linn. Ent. I, 1789,

p. 244. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1839. — Brahm, Ins -Kalend. I, 1790, p. 177. — Sturm, Ins.-Cabin. I, 1791, t. 18. — Petagna, Instit. Ent. I, 1792, p. 238. — Fröl. Naturf. XXVII, 1793, p. 132. — Panz.-Fauna Ins. Germ. I, 1793, t. 7; Entomol. Germ. 1795, p. 258, t. 9. — Dunker, Ent. Bilderb. I, 1795, p. 15, t. 1, f. 9. — Townson, Travels in Hongrie 1797, p. 468. — Payk. Fauna Suec. III, 1800, p. 76. — Panz. Schaeff. Icon. Ins. Enum. Syst. II, 1804, p. 111, t. 101, f. 1. — Latr. Hist. Nat. Ins. XI, 1804, p. 277. — Boit. Man. d'Ent. II, 1828, p. 23. — Berge, Käferb. 1844, p. 121, t. 10, f. 26. — Redtenb. Fauna Austr. 1849, p. 498. — Seidl. Fauna Balt. 1875, p. 520.

tremulae Gyllenh. Ins. Suec. I, 4, 1827, p. 105. — Muls. Col. France, Longic. 1839, p. 185; ed. 2, 1863, p. 382. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 100. — Küster, Käf. Eur. VII, 1846, p. 54. — Bach. Käferf. III, 1856, p. 34. — Redtenb. Fauna Austr. ed. 2, 1858, p. 865; ed. 3, 1874, p. 422. — Gutfl. Käfer Deutschl. 1859, p. 585. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 571. — C. G. Thoms. Skand. Col. VIII, 1866, p. 96. — Cuni y Mart. Cat. Col. Catal. 1876, p. 302. — Schlosser, Fauna Kornjas. III, 1879, p. 839. — Griffini, Coleott. 1896, p. 199, t. 39, f. 10.

Biologie: Xambou, Moeurs et Métam. VI, 1895, p. 65; VIII, 1902, p. 181. — Fleischer, Wien. Ent. Zeit. XXVII, 1908, p. 16.

ab. *sexpunctata* Fleischer, Wien. Ent. Zeit. XXVII, 1908, p. 16. — Reitter, l. c. XXVIII, 1909, p. 57. — Pic, Longic. VII, 2, 1910, p. 6, 13; IX, 2, 1915, p. 22.

octopunctata Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 26, fig. 16.

perforata Pall. Reise Russ. Reich. II, 1773, p. 723; Icones Ins. III, 1798, t. F, f. 16. — Müller, Natursyst. Suppl.-Band 1776, p. 241. — Goeze, Ent. Beytr. I, 1777, p. 476. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1864. — Muls. Col. France, Longic. ed. 2, 1863, p. 380. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 52, f. 242. — Seidl. Fauna Balt. 1875, p. 520. — Ganglb. Best.-Tab. VIII, 1884, p. 116 (550). — Bau, Handb. Käfer 1888, p. 424. — Seidl. Fauna Balt. ed. 2, 1891, p. 753; Fauna Transsylv. 1891, p. 851. — Griffini, Coleott. p. 199, t. 39, f. 11. — Stierl. Col. Helvet. II, 1898, p. 501. — Csiki, Rovart. Lapok XII, 1905, p. 82. — Pic, Synops. p. 13, 16. — Jacobs. Käfer Russl. 1911, t. 72, f. 11. — Kuhnt, Käfer Deutschl. 1912, p. 796, fig. 213. — Reitter, Fauna Germ. IV, 1913, p. 64, t. 139, f. 18. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 24. — Schauf. in Calwer,

Nord- und
Mittel-
Europa,
Sibirien
(fehlt in
West-
Europa).

- Käferb. ed. 6, 1916, p. 879, t. 32. f. 11. — Auriv. Svensk Insektf. IX, 1, 1917, p. 44.
- carcharias* Sulzer, Kennz. Ins. 1761, Taf. Erklär. p. 11, t. 4, f. 28.
- decempunctata* Goeze, Ent. Beytr. I, 1777, p. 506 (Lepechin, Tageb. II, 1775, p. 196, t. 10, f. 2). — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1875.
- duodecimpunctata* Brahm, Ins.-Kal. I, 1790, p. 176. — Berge, Käferb. 1844, p. 120, t. 10, f. 25.
- punctata* Payk. Fauna Suec. III, 1800, p. 76.
- Rudolphi* Cederhj. Fauna Ingr. Prodr. 1798, p. 92, t. 1, f. 1.
- Seidli* F. Syst. Eleuth. II, 1801, p. 328. — Panz.-Schaeff. Icon. Ins. Enum. Syst. II, 1804, p. 175, t. 201, f. 4. — Redtenb. Fauna Austr. ed. 3, II, 1874, p. 422.
- Seydli* Fröl. Naturf. XXVII, 1793, p. 135, t. 5, f. A. — Meyer, Zool. Annal. I, 1794, p. 207. — Gyllenh. Ins. Suec. I, 4, 1827, p. 106. — Herr.-Schaeff. Fauna Ins. Germ. CXI, 1829, t. 4. — Küster, Käfer Eur. VII, 1846, p. 57. — Redtenb. Fauna Austr. 1849, p. 498; ed. 2, 1858, p. 865. — Bach, Käferf. III, 1856, p. 34. — Gutfl. Käfer Deutschl. 1859, p. 585. — C. G. Thoms. Skand. Col. VIII, 1866, p. 95. — Schlosser, Fauna Kornjas. III, 1879, p. 840.
- Biologie: Ulrich, Deutsche Ent. Zeitschr. 1915, p. 703. — Fehse, Ent. Blätter XVII, 1921, p. 197.
- ab. *albella* Reitter, Deutsche Ent. Zeitschr. 1913, p. 665. — Pic, Longic. IX, 1, 1914, p. 10.
- ab. *algerica* Pic, l. c. IV, 2, 1903, p. 8; VII, 2, 1910, p. 13.
- ab. *deficiens* Reineck, Deutsche Ent. Zeitschr. 1913, p. 300. — Pic, Longic. IX, 1, 1914, p. 10.
- ab. *Mesmini* Pic, l. c. VII, 2, 1910, p. 13.
- var. *pallidipes* Pic, l. c. V, 1, 1904, p. 9; VII, 2, 1910, p. 13, 16. — Reitter, Deutsche Ent. Zeitschr. 1913, p. 665.
- populnea* L. Syst. Nat. ed. 10, 1758, p. 394; ed. 12, 1767, p. 632; Fauna Suec. 1761, p. 191. — F. Syst. Ent. 1775, p. 186; Spec. Ins. I, 1781, p. 234; Mant. Ins. I, 1787, p. 149; Ent. Syst. I, 2, 1792, p. 315; Syst. Eleuth. II, 1801, p. 327. — Müller, Zool. Dan. Prodr. 1776, p. 95. — Bergstr. Nomencl. I, 1778, p. 14, t. 2, f. 4. — Schrank, Enum. Ins. Austr. 1781, p. 141. — Laich. Tyrol. Ins. II, 1784, p. 38. — Scop. Delic. Faunae et Florae Insubr. II, 1786, p. 50, t. 20, f. 8. — Schmiedlein, Einl. Insectenl. 1786, p. 225. — Villers, Linn. Entomol. I, 1789, p. 241. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1838. — Rossi, Fauna Etrusca I, 1790, p. 151; ed. Hellw. I, 1795, p. 166. — Petagna, Instit. Ent. I, 1792,

Sarepta

Algerien

Deutschland

Kaukasus

"

Europa,
Sibirien

p. 237. — Martyn, Engl. Ent. 1792, t. 24, f. 8, 9. — Fröhl. Naturf. XXVII, 1793, p. 137. — Ol. Ent. IV, nr. 68, 1795, p. 16, t. 1, f. 1. — Panz. Ent. Germ. 1795, p. 258; Fauna Ins. Germ. LXIX, 1799, t. 7; Schaeff. Icon. Ins. Enum. Syst. 1804, p. 65, t. 48, f. 5. — Townson, Travels in Hongrie 1797, p. 468. — Cederhj. Faunae Ingr. Prodr. 1798, p. 92. — Schrank, Fauna Boica I, 1798, p. 666. — Donndorf, Eur. Fauna VIII, 1799, p. 563. — Payk. Fauna Suec. III, 1800, p. 77. — Walther, Lehrb. Forst.-Physiogr. 1800, p. 542. — Marsh. Ent. Brit. I, 1802, p. 330. — Walcken. Faune Paris. I, 1802, p. 211. — Latr. Hist. Nat. Ins. XI, 1804, p. 277. — Bechst. & Scharfenb. Forstins. I, 1804, p. 200. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 302; ed. 3, IV, 1828, p. 375. — Dumér. Dict. Sc. Nat. XLVII, 1827, p. 369. — Gyllenh. Ins. Suec. I, 4, 1827, p. 107. — Zett. Fauna Lapp. 1828, p. 367. — Boit. Man. d'Ent. II, 1828, p. 24. — Eichw. Zool. Spec. II, 1830, p. 257. — Muls. Lettr. à Julie II, 1830, p. 332. — Steph. Brit. Ent. Mandib. IV, 1831, p. 239. — Ruthe in Wieg. Handb. der Zool. 1832, p. 340. — Steph. Man. Brit. Col. 1839, p. 273. — Muls. Col. France, Ceramb. 1839, p. 183. — Cast. Hist. Nat. II, 1840, p. 496. — Zett. Ins. Lapon. 1840, p. 203. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 100. — Berge, Käferb. 1844, p. 120, t. 10, f. 23. — Küster, Käfer Eur. VII, 1846, p. 52, t. 2, f. 3. — Labr. & Imh. Ins. der Schweiz V, 1846, t. 75; Schweiz. Käferg. 1848, tab. — Redtenb. Fauna Austr. 1849, p. 497; ed. 2, 1858, p. 864; ed. 3, II, 1874, p. 422. — Lentz, Preuss. Käfer 1853, p. 38. — Bach, Käferf. III, 1856, p. 35. — Gutfl. Käfer Deutschl. 1859, p. 585. — Leunis, Synopsis ed. 2, I, 1860, p. 506; ed. 3, I, 2, 1886, p. 192. — Muls. Col. France, Longic. ed. 2, 1863, p. 371. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 51, f. 239. — Schiödte, Naturh. Tidsskr. (2) III, 1864, p. 570. — Disconzi, Ent. Vicent. 1865, p. 86, 89. — Wood, Homes without hands. 1865, p. 185, fig. — C. G. Thoms. Skand. Col. VIII, 1866, p. 94. — Cox, Handb. Col. II, 1874, p. 307. — Seidl. Fauna Balt. 1875, p. 520. — Cuni y Mart. Cat. Col. Catal. 1876, p. 302. — Schoch, Käfer Deutschl. 1878, p. 136. — Schlosser, Fauna Kornjas. III, 1879, p. 839. — Sériziat, Hist. Col. France 1880, p. 313. — Fairm. Hist. Nat. France, Col. 1882, p. 270, t. 23, f. 275. — Ganglb. Best.-Tab. VIII, 1884, p. 115 (549). — Bau, Handb. Käfer 1888, p. 423. — Bedel, Faune Col. Seine V, 1889, p. 43, 95. — Fowler, Col. Brit. Isl. IV, 1890, p. 253, t. 124, f. 7. — Seidl. Fauna Balt. ed.

2, 1891, p. 753; Fauna Transsylv. 1891, p. 851. — Griffini, Coleopt. 1896, p. 199, t. 39, f. 7. — Stierl. Col. Helvet. II, 1898, p. 500. — Lameere, Faune Belg. II, 1900, p. 416. — Oudem. Nederl. Ins. 1900, p. 695, t. 30, f. 9. — Everts, Col. Neerl. II, 1901, p. 301. — Pic, Longic. IV, 1, 1902, p. 11. — Houlb. Faune Armor. Ceramb. 1904, p. 70, f. 135; ed. 2, 1909, p. 72, f. 135. — Csiki, Rovart. Lapok XII, 1905, p. 82. — Pic, Synops. p. 11, 15. — Jacobs. Käfer Russl. 1911, t. 72, f. 7. — Harmsworth, Nat. Hist. III, 1911, p. 1975, fig. 5. — Swanton, Brit. Plant Galls 1912, p. 50, t. 6, f. 7—11. — Kuhnt, Käfer Deutschl. 1912, p. 796, fig. 216. — Reitter, Fauna Germ. IV, 1913, p. 64, t. 140, f. 2. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 24, 25, f. 14. — Schauf, in Calwer, Käferb. ed. 6, 1916, p. 879, t. 32, f. 7. — Auriv. Svensk Insektf. IX, 1, 1917, p. 44, f. 16 a.

betulina Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 78.

decempunctata De Geer, Mém. Ins. V, 1775, p. 78. — Retzius, Deg. Gen. Spec. Ins. 1783, p. 140.

populi Dumér. Ent. Anal. 1860, p. 607.

Biologie: Bouché, Naturg. Ins. I, 1834, p. 203, t. 10, f. 24—29. — Ratzeb. Forstins. I, 1837, p. 192, t. 16, f. 5; ed. 2, 1839, I, p. 235, t. 16, f. 5. — Lucas, Ann. Soc. Ent. France (2) IV, 1846, Bull. p. 47. — Goureau, Ins. nuis. aux forêts 1867, p. 120. — Fallou, Ann. Soc. Ent. France (5) III, 1873, Bull. p. 193. — Now. Verh. zool.-bot. Ges. Wien XXIV, 1874, p. 376. — Schiödte, Naturh. Tidsskr. (3) X, 1875, p. 439, 450. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 345 (sep. p. 506). — Czech, Centralbl. ges. Forstw. IV, 1878, p. 433. — Masson, Ann. Soc. Ent. France (6) III, 1883, Bull. p. 149. — Landois, Jahresb. Westph. Prov.-Ver. XV, 1887, p. 12. — Pissot, Le Natural. XI, 1889, p. 119, fig. 1—5. — Lunardoni, Ins. Noc. I, 1889, p. 508, fig. 81. — Judeich, Forstins. II, 1, 1889, p. 574. — Kieffer, Feuille Jeun. Nat. XXII, 1892, p. 55, fig. 9. — Eggert, Ill. Wochenschr. Ent. I, 1896, p. 578. — Boas, Forstzool. 1896, p. 225, fig. 123; Zool. Jahrb. Syst. XIII, 1900, p. 247, t. 22; XXV, 1907, p. 313, t. 10. — Xambeu, Moeurs et Métam. VIII, 1902, p. 175. — Benich, Nerthus VI, 1904, p. 306. — Kleine, Ent. Blätter VI, 1910, p. 217. — Collinge, Inj. Ins. 1912, p. 86, f. 37, 38. — Barbey, Entomol. Forest. 1913, p. 482, f. 294-5. — Henriksen, Danm. Fauna, Biller III, 1914, p. 90, 97. — Beffa, Riv. Col. Ital. XIII, 1915, Append. t. 1, f. 29.

- Scheidter, Naturw. Zeitschr. f. Forst-
u. Landwirtsch. XV, 1917, p.
- ab. *Bieckhardti*** Sattl. Ent. Blätter XIV, **Deutschland**
1918, p. 200.
- ab. *salicis*** Zett. Vet. Acad. Handl. (2) XXXIX, **Nordeuropa**
1818, p. 258; Ins. Lappon. 1840, p. 203. —
Gyllenh. Ins. Suec. I, 4, 1827, p. 107. —
C. G. Thoms. Skand. Col. VIII, 1866, p. 94.
— Ganglb. Best-Tab. VIII, 1884, p. 115
(549). — Pic, Synops. p. 11.
- pseudoscalaris** Fairm. Ann. Soc. Ent. Belg. XXXIX, **Tonkin**
1895, p. 186.
- punctata** L. Syst. Nat. ed. 12, 1767, p. 1067. — F. **Mittel-
Südeuropa**
Syst. Ent. 1775, p. 187. — Sulzer, Gesch. **Nordafrika**
Ins. 1776, p. 45, t. 5, f. 10. — Müller, **(fehlt in**
Naturesyst. Suppl.-Band 1776, p. 240. — **Holland.**
Goeze, Ent. Beytr. I, 1777, p. 475. — F. **Belgien und**
Spec. Ins. I, 1781, p. 234; Mant. Ins. II, **Britannien)**
1787, p. 150; Ent. Syst. I, 2, 1792, p. 215;
Syst. Eleuth. II, 1801, p. 328. — Puymaurin.
Mém. Acad. Toulouse III, 1788, p. 346, t. 15,
figg. — Roemer, Gen. Ins. 1789, p. 9, 46,
t. 5, f. 10. — Villers, Linn. Ent. I, 1789, p.
243. — Gmel. in L. Syst. Nat. ed. 13, I,
4, 1790, p. 1839. — Rossi, Fauna Etrusca
I, 1790, p. 151; ed. Hellw. I, 1795, p. 165.
— Petagna, Instit. Ent. I, 1792, p. 238. —
Fröl. Naturf. XXVII, 1793, p. 134. — Ol.
Ent. IV, nr. 68, 1795, p. 15, t. 1, f. 9. —
Panz. Ent. Germ. 1795, p. 258; Fauna Ins.
Germ. XLV, 1797, t. 7. — Schrank, Fauna
Boica I, 2, 1798, p. 667. — Latr. Hist. Nat.
Ins. XI, 1804, p. 277. — Tigny, Hist. Nat.
Ins. ed. 2, VII, 1813, p. 301, tab. f. 3; ed. 3,
IV, 1828, p. 374, t. 84, f. 3. — Boit. Man. d'
Ent. II, 1828, p. 23. — Reichenb. Naturg.
Ins. 1837, p. 412, t. 99, f. 650. — Muls. Col.
France, Longic. 1839, p. 187. — Küster,
Käfer Eur. VII, 1846, p. 55. — Lucas,
Explorat. d'Algér. Col. 1849, p. 502. —
Redtenb. Fauna Austr. 1849, p. 498; ed. 2,
1858, p. 865; ed. 3, II, 1874, p. 422. — Bach,
Käferf. III, 1856, p. 35. — Gutfl. Käfer
Deutschl. 1859, p. 585. — Muls. Col. France.
Longic. ed. 2, 1863, p. 383. — Fairm. Gen.
Col. d'Eur. IV, 1864, t. 52, f. 243. — Disconzi,
Ent. Vicent. 1865, p. 86, 89. — Seidl. Fauna
Balt. 1875, p. 520. — Cuni, Cat. Col. Catal.
1876, p. 302. — Schlosser, Fauna Kornjas.
III, 1879, p. 839. — Fairm. Hist. Nat. France,
Col. 1882, p. 271. — Ganglb. Best-Tab. VIII,
1884, p. 116 (550). — Bau, Handb. Käfer
1888, p. 424. — Bedel, Faune Col. Seine V,
1889, p. 44, 96. — Seidl. Fauna Balt. ed. 2,
1891, p. 754; Fauna Transsylv. 1891, p. 851.
— Griffini, Coleopt. 1896, p. 199, t. 39, f. 9. —
Stierl. Col. Helvet. II, 1898, p. 501. — Houlb.
Faune Armor. Ceramb. 1904, p. 71, fig. 138;
ed. 2, 1909, p. 73, f. 138. — Csiki, Rovart.

- Lapok XII, 1905, p. 83. — Pic, Synops. p. 13, 17. — Jacobs. Käfer Russl. 1911, t. 72, f. 9. — Kuhnt, Käfer Deutschl. 1912, p. 796, f. 215. — Reitter, Fauna Germ. IV, 1913, p. 65, t. 140, f. 4. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 24. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 879, t. 32, f. 9.
- decempunctata* Villers, Linn. Ent. I, 1789, p. 276.
- Biologie: Puymaurin, Mém. Acad. Sc. Toulouse III, 1788, p. 346, t. 15, figg. — Perris, Ann. Soc. Ent. France (2) V, 1847, p. 549, t. 9, 2, f. 5—7; Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 346 (507).
- ab. gallica** Pic, Echange XXXIV, 1913, p. 5. Frankreich
Ungarn,
Griechen-
land
- quercus** Charp. Horae Ent. 1825, p. 224. — Muls. Col. France, Longic. ed. 2, 1863, p. 373. — Ganglb. Best.-Tab. VIII, 1884, p. 115 (549). — Seidl. Fauna Transsylv. 1891, p. 851. — Pic, Longic. IV, 1, 1902, p. 11; VII, 2, 1910, p. 11, 15. — Csiki, Rovart. Lapok XII, 1905, p. 82. — Reitter, Fauna Germ. IV, 1913, p. 64.
- scalaris** L. Syst. Nat. ed. 10, 1758, p. 394; ed. 12, 1767, p. 632; Fauna Suec. ed. 2, 1761, p. 199. Nord- und
Mittel-
europa,
Kaukasus,
Sibirien
- Poda, Mus. Graec. 1761, p. 34. — Scop. Ent. Carn. 1763, p. 55 (tab. f. 175). — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 561, t. 85, f. 6. — Scop. Annus Hist. Nat. V, 1772, p. 102. — Müller, Naturs. V, 1, 1774, p. 272, t. 5, f. 6. — De Geer, Mém. Ins. V, 1775, p. 77. — F. Syst. Ent. 1775, p. 184; Spec. Ins. I, 1781, p. 231; Mant. Ins. I, 1787, p. 147; Ent. Syst. I, 2, 1792, p. 307; Syst. Eleuth. II, 1801, p. 318. — Müller, Zool. Dan. Prodr. 1776, p. 93. — Voet, Cat. Col. II, 1778, p. 19, t. 17, f. 78; ed. Panz. III, 1794, p. 47, t. 17, f. 78. — Gronov. Zoophyl. p. 163, nr. 544, index 1781. — Schrank, Enum. Ins. Austr. 1781, p. 142. — Laich. Tyrol. Ins. II, 1784, p. 35. — Schmiedl. Einleit. Insectenl. 1786, p. 225. — Villers, Linn. Entomol. I, 1789, p. 240. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1837. — Fröhl. Naturf. XXVII, 1793, p. 137. — Rossi, Mant. Ins. II, 1794, p. 97. — Ol. Ent. IV, nr. 68, 1795, p. 8, t. 1, f. 7. — Panz. Ent. Germ. 1795, p. 256; Fauna Ins. Germ. LXIX, 1799, t. 3. — Schrank, Fauna Boica I, 1798, p. 665. — Cederhj. Faunae Ingr. Prodr. 1798, p. 91, t. 1, f. K. — Donnd. Eur. Fauna VIII, 1799, p. 561. — Payk. Fauna Suec. III, 1800, p. 75. — Walther, Forst-Physiogr. 1800, p. 542. — Walcken. Faune Paris. I, 1802, p. 210. — Marsh. Ent. Brit. I, 1802, p. 329. — Bechst. & Scharfenb. Forstins. I, 1804, p. 200. — Latr. Hist. Nat. XI, 1804, p. 275. — Donovan. Brit. Ins. XI, 1806, p. 93, t. 393. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813,

p. 298; ed. 3, IV, 1828, p. 372. — (Anon.) Naturf. Ges. Zürich, Neujahrsst. XV, 1913, p. 5, tab. f. 11. — Oken, Naturg. III, 2, 1816, p. 796. — Dumér. Dict. Sc. Nat. XI.VII, 1827, p. 309; Entomol. Anal. 1860, p. 607. — Gyllenh. Ins. Suec. I, 4, 1827, p. 104. — Boit. Man. d'Ent. II, 1828, p. 23. — Zett. Fauna Lapp. 1828, p. 366. — Eichw. Zool. Spec. II, 1830, p. 257. — Gebl. Ledeb. Reise, III, 1830, p. 188. — Steph. III. Brit. Entomol. Mand. IV, 1831, p. 239; Man. Brit. Col. 1839, p. 272. — Ruthe in Wieg. Handb. Zool. 1832, p. 340. — Muls. Col. France, Longic. 1839, p. 188. — Cast. Hist. Nat. Col. II, 1840, p. 496, t. 34 (53), f. 6. — Zett. Ins. Lapp. 1840, p. 203. — Berge, Käferb. 1844, p. 120, t. 10, f. 28. — Küster, Käfer Eur. VII, 1846, p. 56, t. 2, f. 2. — Gebl. Bull. Moscou XXI, 1, 1848, p. 405 (510). — Redtenb. Fauna Austr. 1849, p. 498; ed. 2, 1858, p. 864; ed. 3, II, 1872, p. 422. — Løntz, Preuss. Käfer 1853, p. 39. — Imh. Einf. Kol. 1856, t. 17, f. 13. — Bach, Käferf. III, 1856, p. 34. — Gutfl. Käfer Deutschl. 1859, p. 585. — Leunis, Synops. ed. 2, I, 1860, p. 506. — Muls. Col. France, Longic. ed. 2, 1863, p. 378. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 570. — Disconzi, Ent. Vicent. 1865, p. 86, 89. — C. G. Thoms. Skand. Col. VIII, 1866, p. 95. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 218. — Cox, Handb. Col. II, 1874, p. 307. — Seidl. Fauna Balt. 1875, p. 520. — Cuni y Mart. Cat. Col. Catal. 1876, p. 302. — Schoch, Käfer Deutschl. 1878, p. 136. — Schlosser, Fauna Kornjas. III, 1879, p. 839. — Fairm. Hist. Nat. France, Col. 1882, p. 270. — Ganglb. Best.-Tab. VIII, 1884, p. 115 (549). — Bau, Handb. Käfer 1888, p. 423. — Bedel, Faune Col. Seine V, 1889, p. 44, 96. — Fowler, Col. Brit. Isl. IV, 1890, p. 252, t. 124, f. 6. — Rye, Brit. Beetles, ed. 2, 1890, p. 200, t. 13, f. 5. — Seidl. Fauna Balt. ed. 2, 1891, p. 753; Fauna Transsylv. 1891, p. 851. — Griffini, Coleott. 1896, p. 199, t. 39, f. 8. — Stierl. Col. Helvet. II, 1898, p. 501. — Lameere, Faune Ent. Belg. II, 1900, p. 416. — Everts, Col. Neerl. II, 1901, p. 382. — Houlb. Faune Armor. Ceramb. 1904, p. 70, fig. 136; ed. 2, 1909, p. 72, fig. 136. — Csiki, Rovart. Lapok XII, 1905, p. 82. — Pic, Synops. p. 12, 15. — Jacobs. Käfer Russl. 1911, t. 72, f. 8. — Kuhnt, Käfer Deutschl. 1912, p. 796, fig. 217. — Reitter, Fauna Germ. IV, 1913, p. 64, t. 139, f. 17. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 25, f. 15. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 879, t. 32, f. 8. — Åuriv. Svensk Insektf. IX, 1, 1917, p. 44 f. 16b.

- Biologie: Goureau, Ann. Soc. Ent. France (2) II, 1844, p. 427, t. 10, f. 4--7. — Nördl. Feinde d. Landwirthsch. 1855, p. 194, fig. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 346 (506). — Taylor, Ent. Monthly Mag. VI, 1869, p. 60. — Chappel, l. c. p. 33. — Fallou, Ann. Soc. Ent. France (6) III, 1883, Bull. p. 134. — Masson, l. c. p. 149. — Fallou, l. c. (6) VII, 1887, Bull. p. 17. — Fabre, Souven. Ent. IV, 1891, p. 311. — Rupertsb. Wien. Ent. Zeit. XII, 1893, p. 289. — Xambeu, Moeurs et Métam. VIII, 1902, p. 179. — Houleb. Faune Armor. Ceramb. 1904, p. 70, fig. 136 bis; ed. 2, 1909, p. 72, fig. 137. — Rudow, Int. Ent. Zeitschr. VI, 1912, p. 204. — Henriksen, Danm. Fauna, Biller III, 1914, p. 90, 97.
- ab. *Estellae* Muls. Col. France, Longic. 1839, p. 188. — Pic, Longic. VII, 2, 1910, p. 12, nota 1.
- var. (ab.) *hieroglyphica* Pall. Reisen Russ. Reich. II, 1773, p. 723; Icones Ins. III, 1798, t. E, f. 17. — Müller, Naturs. Suppl.-Band 1776, p. 241. — Goeze, Ent. Beytr. I, 1777, p. 476. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1864. — Ganglb. Best.-Tab. VIII, 1884, p. 116 (550). — Pic, Synops. p. 12. — Rangnow, Int. Ent. Zeitschr. IX, 1915, p. 23. — P. Schulze, Deutsche Ent. Zeitschr. LIX, 1915, p. 208.
- varia* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1875 (Lepech. Tageb II, 1775, p. 197, t. 10, f. 4).
- variegata* Goeze, Ent. Beytr. I, 1777, p. 506.
- similis** Laich. Tyrol. Ins. II, 1784, p. 31. — Ganglb. Best.-Tab. VIII, 1884, p. 114 (548). — Bau, Handb. Käfer 1888, p. 423. — Bedel, Faune Col. Seine V, 1889, p. 44, 95. — Csiki, Rovart. Lapok XII, 1905, p. 81. — Pic, Synops. p. 10, 14. — Jacobs. Käfer Russl. 1911, t. 72, f. 12. — Kuhnt, Käfer Deutschl. 1912, p. 795, fig. 211. — Reitter, Fauna Germ. IV, 1913, p. 64, t. 139, f. 16. — Schauf. in Calwer. Käferb. ed. 6, 1916, p. 879, t. 32, f. 12. — Auriv. Svensk Insektf. IX, 1, 1917, p. 44.
- phoca* Fröl. Naturf. XXVII, 1793, p. 139. — Meyer, Zool. Annal. I, 1794, p. 208. — Schrank, Fauna Boica I, 1798, p. 665. — Charp. Horae Ent. 1825, p. 223. — Germ. Fauna Ins. Eur. XXIII, 1844, t. 14. — Redtenb. Fauna Austr. 1849, p. 498. — Muls. Col. France, Longic. Supplem. 1855, ed. 2, 1863, p. 377. — Bach, Käferf. III, 1856, p. 34. — Lentz, Verz. Preuss. Käfer 1857, p. 144. — Redtenb. Fauna Austr. ed. 2, 1858, p. 864; ed. 3, II, 1874, p. 422. — Gutfl. Käfer Deutschl. 1859, p. 585. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 51, f. 241. — C. G. Thoms. Skand. Col. VIII, 1866, p. 93.
- Sibirien,
Nordeuropa
- Nord- und
Mittel-
europa

— Gredler, Käfer v. Tirol 1866, p. 390 nota.
 — Seidl. Fauna Balt. 1875, p. 519. — Schlosser, Fauna Kornjas. III, 1879, p. 840. — Seidl. Fauna Balt. ed. 2, 1891, p. 753; Fauna Transsylv. 1891, p. 851. — Griffini, Coleopt. 1896, p. 199, t. 39, f. 12. — Stierl. Col. Helvet. II, 1898, p. 501. — Everts, Col. Neerl. II, 1901, p. 381. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 24.

Biologie: Erné, Mitth. Schweiz. Ent. Ges. IV, 1873, p. 137. — Tappes, Ann. Soc. Ent. France (5) III, 1873, Bull. p. 162. — Ponson, l. c. 185. — Xambeu, Moeurs et Métam. II, 1892, p. 21; VIII, 1902, p. 178. — Delagrange, Ann. Soc. Ent. France LXI, 1892, Bull. p. 222. — Fehse, Ent. Blätter XVII, 1921, p. 197.

simulans Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 64. China
tetrastigma Bates, l. c. (5) IV, 1879, p. 466. Japan

Nearktische Arten.

J. Lec. Smiths. Misc. Col. XI, 264, 1873, p. 238–239 (Synopsis). — Felt & Joutel, Bull. N. York State Mus. LXXIV, 1904, p. 1–86, t. 1–14. (Revisio).

✓ **calcarata** Say, Journ. Acad. Philad. III, 1823, p. 408; Canada, Vereinigte Staaten
 Compl. Writings II, 1883, p. 190. — Harris, Ins. of Mass. 1841, p. 88; ed. 2, 1852, p. 93; ed. Flint 1862, p. 106, t. 2, f. 21. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 162. — Emmons, Nat. Hist. N. York V, 1854, p. 121, t. 16, f. 1. — Fitch, Report Nox. Ins. N. York V, 1858, p. 64. — J. Lec. Synops. p. 238. — Prov. Pet. Faune Ent. Canada I, 1877, p. 632, 633. — Pack, Ins. Inj. Trees 1890, p. 435, f. 160. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 146, 148. — Wickh. Canad. Ent. XXX, 1898, p. 40, 42. — Felt & Joutel, Revis. p. 39, t. 2, f. 1. — Felt, Ins. Aff. Trees 1907, p. 98, t. 6, f. 2. — Blatchley, Col. Indiana 1910, p. 1085, fig. 469. — Comst. Ins. Life 1913, t. 4, f. 7.

Biologie: Harris, Ins. Mass. 1841, p. 88; ed. 2, 1852, p. 94; ed. Flint 1862, p. 107. — Fitch, Report Nox. Ins. N. York II, 1858, p. 64. — Walsh, Pract. Entomol. I, 1866, p. 64. — Riley, Amer. Entomol. III, 1880, p. 181. — Pack, U. S. Ent. Commiss. Bull. VII, 1881, p. 117, f. 56; Report V, 1890, p. 435, fig. 161. — Dury, Ins. Life V, 1892, p. 54. — Felt & Joutel, Revis. p. 40, t. 2, f. 2, 3; Ins. Aff. Trees 1907, p. 98, t. 6, f. 1, 3–6, 26. — Gee, Journ. Econ. Ent. V, 1912, p. 336.

var. **adspersa** J. Lec. in Agass. Lake Super. 1850, p. 234; Journ. Acad. Philad. (2) II, 1852, p. 162; Synops. p. 238. — Leng

& Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 148. — Felt & Joutel, Revis. p. 42, t. 7, f. 1.

candida

F. Mant. Ins. I, 1787, p. 147; Ent. Syst. I, 2, 1792, p. 307; Syst. Eleuth. II, 1801, p. 319. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1838. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 162. — Emmons, Nat. Hist. N. York V, 1854, p. 121, t. 16, f. 3. — Bethune, Rep. Fruit Growers Assoc. Ontar. 1870 (1871), p. 69. — J. Lec. Synops. p. 238. — Bethune, Canad. Ent. IX, 1877, p. 224, tab. f. 6; Report Ent. Soc. Ontar. VIII, 1877, p. 26, fig. 3 c, tab. f. 6 (*caneida*). — Prov. Pet. Faune Ent. Canada I, 1877, p. 632, 633, fig. 48. — Brackett, Report Kans. State Hort. Soc. IX, 1879, p. 186, 198. — Pack. Guide, ed. 8, 1883, p. 500, fig. 492. — Riley, Encycl. Amer. I, 1884, p. 137, fig. — Weed, Insects 1891, p. 29, fig. 9. — Bruner, Report Nebr. State Hort. Soc. 1894, p. 161, 181, fig. 24, 25; 1898, p. 121, figg. — Fletcher, Farmers Advocate XVI, 1896, p. 480, fig. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 148. — Wickh. Canad. Ent. XXX, 1898, p. 41, 42. — Chittenden, U. S. Depart. Agric. Divis. Ent. Circul. (2) XXXII, 1898, p. 1–8, fig. 1. — Fernald, Pennsylv. Depart. Agric. Bull. XLVII, 1899, p. 12, f. 14. — Fyles, Rep. Ent. Soc. Ontar. XXIX, 1899, p. 47, fig. 16 c. — Webster, Journ. Columbus Hort. Soc. XV, 1900, t. 2, f. 5; Rep. Ent. Soc. Ontar. XXXI, 1901, p. 83, f. 44. — Felt & Joutel, Revis. p. 23, t. 1, f. 1. — Felt, Ins. Affect. Trees 1907, p. 84, f. 10. — Blatchley, Col. Indiana 1910, p. 1085, 1087, fig. 470. — Comst. Ins. Life 1913, t. 4, f. 6. — Adams, Bull. Illin. State Laborat. XI, 1915, p. 146, t. 26, f. 7 c.

bivittata Say, Journ. Acad. Philad. III, 1824, p. 409; Compl. Writ. II, 1859, p. 190. — Harris, Ins. of Mass. 1841, p. 89; ed. 2, 1852, p. 94; ed. Flint 1862, p. 107, t. 2, f. 16; New Engl. Farmer XX, 1842, p. 260, fig. — Morris, Amer. Agriculturist V, 1846, p. 98, fig. 29. — Fitch, Report Nox. Ins. N. York 1855, p. 11; III, 1859, p. 3, t. 1, f. 2. — Riley, Prairie Farmer XV, 1865, p. 21, figg. — Walsh, Pract. Entomol. I, 1866, p. 26, fig. 1. — Riley, Rep. Nox. Ins. Missouri I, 1868, p. 42, fig. 14 c. — Bethune, Rep. Ent. Soc. Ontar. I, 1871, p. 69, fig. 2. — Thomas, Rep. Nox. Ins. Illinois VI, 1877, p. 152. — Osborn, Trans. Iowa State Hort. Soc. XIII, 1879, p. 368, fig. — Dimmock, Stand. Nat. Hist. II, 1884, p. 325.

Biologie: Fitch, Amer. Quart. Journ. Agric. and. Sc. I, 1845, p. 251; Report Nox. Ins. N. York I, 1855, p. 11; III, 1859, p. 3.

Vereinigtes
Staaten

— Couper, *Canad. Natural. and Geolog.* VII, 1862, p. 278, figg. — Harris, *Ins. of Mass.* ed. Flint 1862, p. 107, t. 2, f. 17. — Walsh, *Pract. Entomol.* I, 1866, p. 26, 47; II, 1867, p. 92. — Riley, *Rep. Nox. Ins. Missouri* I, 1868, p. 42, fig. 14 a, b; II, 1870, p. 19. — Wielandy, *Amer. Entomol.* II, 1870, p. 148. — Wier, *Trans. Wiscons. State Hort. Soc.* 1872, p. 156. — Le Baron, *Rep. Nox. Ins. Illinois* IV, 1874, p. 157, 159. — Bethune, *Canad. Ent.* IX, 1877, p. 224; *Rep. Ent. Soc. Ontar.* VIII, 1877, p. 26, f. 3 a, b. — Thomas, *Rep. Nox. Ins. Illinois* VI, 1877, p. 152. — Riley, *Trans. Acad. Sc. St. Louis* III, 1877, Proc. p. 269. — Osborn, *Trans. Iowa State Hort. Soc.* XIII, 1879, p. 368, figg. — Saunders, *Canad. Ent.* XV, 1883, p. 203; *Rep. Ent. Soc. Ontar.* XIV, 1883, p. 16. — Lintner, *Rep. N. York State Mus. Nat. Hist.* XXXIX, 1885, p. 105. — Mc Millan, *Nebr. Agric. Exper. Station, Bull.* II, 1, 1888, p. 84. — Gillette, *Bull. Iowa Exp. Station* V, 1889, p. 178, fig. — Lintner, *Report Inj. Ins. N. York* V, 1889, p. 269. — Tolman, *Ins. Life* I, 1889, p. 343. — Riley & Howard, *l. c.* III, 1890, p. 59. — Beutenmüller, *Journ. N. York Microsc. Soc.* VII, 1891, p. 31. — Smith, *Rep. Ent. Soc. Ont.* XXII, 1891, p. 65; *Rep. N. York Exper. Stat.* XI, 1891, p. 513, figg.; *Ins. Life* III, 1891, p. 249; IV, 1892, p. 43. — Chambliss, *Bull. Tenness. Agric. Exp. Station* I, 6, 1893, p. 6, f. 2. — Treat, *Journ. N. York Ent. Soc.* I, 1893, p. 16. — Jack, *Trans. Mass. Hort. Soc.* 1894, p. 137. — Beutenm. *Journ. N. York Ent. Soc.* IV, 1896, p. 80. — Bogue, *Bull. Oklah. Agric. Exp. Stat.* XXVI, 1897, p. 12, fig. — Fyles, *Rep. Ent. Soc. Ontar.* XXVII, 1897, p. 39. — Bruner, *Ann. Rep. Nebr. State Hort. Soc.* 1898, p. 121, fig. — Faville & Parrott, *Bull. Kansas Exp. Stat.* LXXVII, 1898, p. 50, figg. — Stedman, *Bull. Missouri Agric. Exp. Stat.* XLIV, 1898, p. 14. — Felt & Joutel, *Revis.* p. 23—31, t. 1, f. 2—8; t. 8—10. — Brooks, *Journ. Agric. Research Washingt.* III, 1914, p. 179; *U. S. Dep. Agric. Farmers Bull.* 675, 1910, 20 pg. figg. — Adams, *Bull. Illin. State Laborat.* XI, 1915, p. 146, t. 26, f. 7 a, b, d. — Brooks, *U. S. Dep. Agric. Bull.* 847, 1920, 42 pg. figg.

concolor J. Lec. *Journ. Acad. Philad.* (2) II, 1852, p. 163; *Synops.* p. 239. — *Prov. Pet. Faune Ent. Canad.* I, 1877, p. 633, 635. — Cook, *Rep. Michig. Agric. Exp. Stat.* III, 1890, p. 118. — Leng & Hamilt. *Trans. Amer. Ent. Soc.* XXIII, 1896, p. 147, 151. — Wickh. *Canad. Ent.* XXX, 1898, p. 42. — Felt

New Mexico,
Arizona

& Joutel, Revis. p. 16, 73, t. 4, f. 3. — Blatchley, Col. Indiana 1910, p. 1084, 1086. *inornata* Walsh, Proc. Ent. Soc. Philad. VI, 1867, p. 264.

Biologie: Walsh, l. c. p. 264. — Pack. Bull. U. S. Ent. Commiss. VII, 1881, p. 118; Rep. U. S. Ent. Commiss. V, 1890, p. (427) 436. — Dimmock, Stand. Nat. Hist. II, 1884, p. 326. — Hamilt. Canad. Ent. XVII, 1885, p. 36; XX, 1888, p. 8; XXI, 1889, p. 105; Rep. Ent. Soc. Ontar. XVIII, 1888, p. 42. — Harrington, l. c. XX, 1889, p. 52. — Lugger, Bull. Minnes. Agric. Exp. Stat. IX, 1889, p. 56. — Beutenm. Journ. N. York Microsc. Soc. VII, 1891, p. 32. — Davis, Ins. Life IV, 1891, p. 66; Rep. Ent. Soc. Ontar. XXII, 1891, p. 81. — Lugger, Bull. Minnes. Agric. Exp. Stat. LXVI, 1899, p. 215. — Felt & Joutel, Revis. p. 73, t. 6, f. 11–14. — Felt, Ins. Affect. Trees 1907, p. 474.

var. *unicolor* Felt & Joutel, Revis. p. 16, 74, t. 6, f. 15.

Canada,
Massachusetts,
Rhode
Island,
New York,
New Jersey,
Pennsylvania,
Michigan,
Ohio, Texas,
Idaho

cretata Newm. Ent. Mag. V, 1838, p. 395. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 164, Synops. p. 238. — Osborn, Trans. Iowa State Hort. Soc. XV, 1881, p. 11, fig. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 149. — Chittenden, U. S. Dep. Agric. Divis. Ent. Circular XXXII, 1898, p. 8, fig. 2. — Wickh. Canad. Ent. XXX, 1898, p. 41, 42. — Felt & Joutel, Revis. p. 50, t. 4, f. 2. — Blatchley, Col. Indiana 1910, p. 1085, fig. 472.

Biologie: Cook, Canad. Ent. XIII, 1881, p. 191. — Osborn, Trans. Iowa State Hort. Soc. XV, 1881, p. 11; Amer. Natural. XV, 1881, p. 244. — Harrington, Rep. Ent. Soc. Ontar. XX, 1889, p. 52. — Chittenden, U. S. Dep. Agric. Div. Ent. Circ. XXII, 1898, p. 8. — Lugger, Bull. Minnes. Agric. Exp. Stat. LXVI, 1899, p. 215. — Felt & Joutel, Revis. p. 50, t. 4, f. 1.

Canada,
Massachusetts,
New York,
New Jersey,
Pennsylvania,
Michigan,
Wisconsin,
Illinois,
Iowa,
Texas

discoldea F. Ent. Syst. Suppl. 1798, p. 147; Syst. Eleuth. II, 1801, p. 322. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 163; Synops. p. 238. — Fitch, Rep. Nox. Ins. N. York III, 1856, p. 122. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 150. — Wickh. Canad. Ent. XXX, 1898, p. 41, 42. —

Canada,
New York,
Pennsylvania,
New Jersey,
Michigan,
Illinois,

Felt & Joutel, Revis. p. 52, t. 3, f. 5 ♀, 6 ♂.
 — Felt, Ins. Affect. Trees 1907, p. 269. —
 Blatchley, Col. Indiana 1910, p. 1085, 1089.

♂ *fuscipes* Say, Journ. Acad. Philad. V,
 1827, p. 273; Compl. Writ. II, 1859, p. 331.
 — Haldem. Trans. Amer. Philos. Soc. (2)
 X, 1847, p. 56; Proc. Amer. Philos. Soc.
 IV, 1848, p. 373. — J. Lec. Journ. Acad.
 Philad. (2) II, 1852, p. 163.

Biologie: Hamilt. Canad. Ent. XVII, 1885,
 p. 47. — Felt & Joutel, Revis. p. 52, t. 3,
 f. 2. — Felt, Ins. Affect. Trees 1907, p. 269.

ab. ♂ *dorsalis* Haldem. Trans. Amer.
 Philos. Soc. (2) X, 1847, p. 56.

Fayl Bland, Proc. Ent. Soc. Philad. II, 1863, p. 320.

— J. Lec. Synops. p. 238. — Leng & Hamilt.
 Trans. Amer. Ent. Soc. XXIII, 1896, p. 147,
 149. — Wickh. Canad. Ent. XXX, 1898, p. 41,

42. — Felt & Joutel, Revis. p. 62, t. 6, f. 4.
 — Felt, Ins. Affect. Trees 1907, p. 283, t. 6,

f. 25. — Blatchley, Col. Indiana 1910, p. 1085.

Biologie: Zimmerman, Canad. Ent. X,
 1878, p. 220. — Moffat, l. c. XIII, 1881, p.

175; Rep. Ent. Soc. Ontar. XII, 1882, p. 29.
 — Hamilt. Canad. Ent. XX, 1888, p. 6; XXI,

1889, p. 104; Rep. Ent. Soc. Ontar. XVIII,
 1887 (1888) p. 41. — Harrington, Rep. Ent.

Soc. Ontar. XX, 1889, p. 52. — Felt & Joutel,
 Revis. p. 62, t. 6, f. 1—3, t. 13, f. 1, 2. —

Felt, Ins. Affect. Trees 1907, p. 283, t. 6,
 f. 20—23.

Hornl Joutel, Ent. News XIII, 1902, p. 33, t. 2, f. 1—5.

— Felt & Joutel, Revis. p. 22, f. 41, t. 7, f. 3.

Imitans Felt & Joutel, Revis. p. 58, f. 5 b, t. 3, f. 4. —

Blatchley, Col. Indiana 1910, p. 1085, 1088.

lateralis F. Syst. Ent. 1775, p. 185; Spec. Ins. I,

1781, p. 233; Mant. Ins. II, 1787, p. 149;
 Ent. Syst. I, 2, 1792, p. 312; Syst. Eleuth.

II, 1801, p. 323. — Goeze, Ent. Beytr. I, 1777,
 p. 478. — Gmel. in L. Syst. Nat. ed. 13, I,

4, 1790, p. 1841. — Ol. Ent. IV, nr. 68, 1795,
 p. 17, t. 4, f. 41. — J. Lec. Journ. Acad.

Philad. (2) II, 1852, p. 164. — Fitch, Rep.
 Nox. Ins. N. York V, 1853, p. 60. — J. Lec.

Synops. p. 239. — Prov. Pet. Faune Ent.
 Canada I, 1877, p. 633, 635. — Leng & Hamilt.

Trans. Amer. Ent. Soc. XXIII, 1896, p. 147,
 150. — Wickh. Canad. Ent. XXX, 1898, p.

41, 42. — Felt & Joutel, Revis. p. 59, f. 6,
 t. 7, f. 8. — Felt, Ins. Affect. Trees 1907,

Indiana,
 Kansas,
 Nebraska,
 Louisiana

Canada,
 New York,
 New Jersey,
 Pennsyl-
 vania,
 Ohio

Californien,
 Oregon,
 Washington
 Canada,
 New York,
 Massa-
 chusetts,
 Pennsyl-
 vania,
 Virginia,
 Michigan,
 Wisconsin

Canada,
 Vermont,
 Massa-
 chusetts,
 Rhode
 Island,
 New York,
 New Jersey,
 Pennsyl-
 vania,
 Virginia,
 Ohio,
 Michigan,
 Illinois,
 Wisconsin,

- p. 270. — Blatchley, Col. Indiana 1910, p. 1085, 1088. — Casey, Mem. Col. IV, 1913, p. 359.
- Biologie: Fitch, Rep. Nox. Ins. N. York V, 1858, p. 60. — Pack. Bull. U. S. Ent. Commiss. VII, 1881, p. 59, 141; Rep. U. S. Ent. Commis. V, 1890, p. 226, 236. — Felt & Joutel, Revis. p. 59. — Felt, Ins. Affect. Trees 1907, p. 270.
- ab. *abbreviata* Fitch, Rep. Nox. Ins. N. York V, 1858, p. 61. ”
- ✓ ab. *connecta* Felt & Joutel, Revis. p. 60, f. 6 g—i, t. 7, f. 9. ”
- ab. *disconotata* Pic, Echange XXIII, 1907, p. 152. ”
- ab. *suturalis* Fitch, Rep. Nox. Ins. N. York V, 1858, p. 61. ”
- lateralis* Felt & Joutel, Revis. t. 7, f. 8.
- ✓ *mecasoides* Casey, Mem. Col. IV, 1913, p. 359. New York
- ✓ *mutica* Say, Journ. Acad. Philad. III, 1824, p. 409; Compl. Writ. II, 1859, p. 191. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 162; Synops. p. 238. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 148. — Wickh. Canad. Ent. XXX, 1898, p. 40. — Joutel, Ent. News XIII, 1902, p. 34, t. 2, f. 1a—5a. — Felt & Joutel, Revis. p. 21, t. 7, f. 2. — Blatchley, Col. Indiana 1910, p. 1084, 1085. Canada,
New York,
New Jersey,
Penn-
sylvania,
Missouri,
Kansas,
Nebraska
- Biologie: Harrington, Canad. Ent. XVI, 1884, p. 73, 101.
- ✓ *obliqua* Say, Journ. Acad. Philad. V, 1827, p. 274; Compl. Writ. II, 1859, p. 332. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 162; Synops. p. 238. — Prov. Pet. Faune Ent. Canada I, 1877, p. 632, 633. — Pack. Rep. U. S. Ent. Commiss. V, 1890, p. 623, fig. 204. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 146, 148. — Wickh. Canad. Ent. XXX, 1898, p. 40, 42. — Felt & Joutel, Revis. p. 18, t. 5, f. 6. — Felt, Ins. Affect. Trees 1907, p. 480. — Blatchley, Col. Indiana 1910, p. 1084, 1085, fig. 468. Canada,
Massa-
chusetts,
New York,
New Jersey,
Penn-
sylvania,
Missouri,
Mississippi,
Wisconsin
- Biologie: Knab, Ent. News VII, 1896, p. 113. — Luggler, Bull. Minnes. Agric. Exp. Station LXVI, 1899, p. 215. — Felt & Joutel, Revis. p. 18. — Felt, Ins. Affect. Trees 1907, p. 480. —
- ✓ *populnea* L. (siehe p. 474). — Felt & Joutel, Revis. p. 68, f. 7c, t. 7, f. 4. Californien,
Oregon,
Washington
- var. *moesta* J. Lec. in Agass. Lake Sup. 1850, p. 234; Journ. Acad. Philad. (2) II, 1852, p. 163; Synops. p. 239. — Prov. Pet. Faune Ent. Canad. I, 1877, p. 635. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 151. — Wickh. Canad. Ent. XXX, 1898, p. 42. — Felt & Joutel, Revis. Canada,
New York,
Penn-
sylvania,
Lake
Superior,
Wisconsin,

p. 71, f. 7b, t. 7, f. 5. — Blatchley, Col. Indiana 1910, p. 1084, 1085.

Biologie: Saunders, Canad. Ent. VI, 1874, p. 61. — Pack. Bull. U. S. Ent. Commiss. VII, 1881, p. 118; Rep. U. S. Ent. Commiss. V, 1890, p. 436. — Dimmock, Stand. Nat. Hist. II, 1884, p. 326. — Harrington, Canad. Ent. XVI, 1884, p. 102; Rep. Ent. Soc. Ontar. XX, 1890, p. 52. — Felt & Joutel, Revis. p. 71, t. 7, f. 7, 10.

var. *tulari* Felt & Joutel, l. c. p. 70, t. 7, f. 6.

Idaho,
Montana,
Colorado,
Wyoming

Californien,
Arizona,
Nevada,
Oregon,
Washington

puncticollis Say, Journ. Acad. Philad. III, 1824, p. 406; Compl. Writ. II, 1859, p. 189. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 164; Synops. p. 239. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 151. — Wickh. Canad. Ent. XXX, 1898, p. 41, 42. — Felt & Joutel, Revis. p. 66, t. 6, f. 9. — Felt, Ins. Affect. Trees 1907, p. 478, t. 6, f. 24. — Blatchley, Col. Indiana 1910, p. 1085, 1087.

irigeminata, Randall, Boston Journ. Nat. Hist. II, 1838, p. 43.

Biologie: Zimmerman, Canad. Ent. X, 1878, p. 220. — Harrington, Rep. Ent. Soc. Ontar. XX, 1889, p. 52; XXIX, 1898, p. 89. — Lugger, Bull. Minnes. Agric. Exp. Station LXVI, 1899, p. 215. — Felt & Joutel, Revis. p. 66, t. 6, f. 5—8. — Felt, Ins. Affect. Trees 1907, p. 478, t. 6, fig. 17—23.

Canada,
Massachusetts,
New York,
New Jersey,
Pennsylvania,
Ohio,
Louisiana,
Arkansas,
Kansas,
Nebraska

vestita Say, Longs Exped. II, 1824, p. 290; Compl. Writ. I, 1859, p. 193. — Harris, Magaz. of Hort. X, 1844, p. 330, figg.; Ins. Mass. ed. 2, 1852, p. 96; ed. Flint 1862, p. 109, t. 2, f. 19. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 163. — Emmons, Nat. Hist. N. York V, 1854, p. 121, t. 34, f. 4. — Pack. Amer. Natural. IV, 1870, p. 591, fig. 117; Bull. U. S. Ent. Commiss. VII, 1881, p. 124, fig. 59; Rep. U. S. Ent. Commiss. V, 1890, p. 474, fig. 171. — J. Lec. Synops. p. 238. — Prov. Pet. Faune Ent. Canada I, 1877, p. 634. — Dimmock, Stand. Nat. Hist. II, 1884, p. 326. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 149. — Wickh. Canad. Ent. XXX, 1898, p. 41, 42. — Webster, Journ. Columbus Hort. Soc. XV, 1900, t. 1, f. 3; Rep. Ent. Soc. Ontar. XXXI, 1901, p. 81, f. 42, 3. — Felt & Joutel, Revis. p. 54, t. 5, f. 5. — Felt, Ins. Affect. Trees 1907, p. 91, t. 6, f. 15. — Blatchley, Col. Indiana 1910, p. 1085, 1089, fig. 473. — Casey, Mem. Col. IV, 1913, p. 359.

Atkinsoni Curtis, Brit. Ent. VI, 1829, t. 275. — Guér. Icon. Règne Anim. Ins. p. 445, t. 45, f. 5 (1844).

Nord-
amerika,
Canada

Biologie: Harris, Magaz. of Hort. X, 1844, p. 330, figg; Ins. Mass. ed. 2, 1852, p. 96; ed. Flint 1862, p. 109. — Pack. Amer. Natural. IV, 1870, p. 591, fig. 118; Bull. U. S. Ent. Commiss. VII, 1881, p. 124, fig. 59; Rep. U. S. Ent. Commiss. V, 1890, p. 474, f. 171. — Webster, Journ. Columbus Hort. Soc. XV, 1900, t. 1, f. 1, 2; Rep. Ent. Soc. Ontar. XXXI, 1901, p. 81, f. 42, 1, 2, 43. — Felt & Joutel, Revis. p. 54, t. 5, f. 1. — Felt, Ins. Affect. Trees 1907, p. 91, t. 6, f. 7—14, 16.

37

Genus? *)

bilablis Newm. Zoolog. VIII, 1850, Append. p. 120.	Neuseeland
Boeberi Fischer, Mém. Soc. Nat. Moscou I, 1806, p. 16, t. 2, f. 2.	Sarepta
fulva Thunb. Mus. Nat. Upsal. IV, 1787, p. 57, nota 14. — (Ist eine Cleride).	Patria?
juncea Newm. Entomol. I, 1840, p. 13.	Brasilien
Latreillei Fischer, Mém. Soc. Nat. Moscou I, 1806, p. 17.	Russland
melancholica Montrouz. Ann. Soc. Agric. Lyon (2) VII, 1855, p. 66.	Woodlark
ocularis Hope, Trans. Ent. Soc. Lond. IV, 1846, p. 181, t. 13, f. 2.	Südamerika
pallens Megerle, Cat. Ins. Append. 1802, p. (10), nr. 477.	Georgia
punctata Montrouz. Ann. Soc. Agric. Lyon (2) VII, 1855, p. 66.	Woodlark
punctigera Germ. Ins. Spec. Novae 1824, p. 494; Revue Zool. II, 1839, p. 330.	Brasilien
rubescens Hope in Gray, Zool. Misc. 1831, p. 28.	Nepaul
vitta Newm. Entomol. Mag. V, 1838, p. 395.	Ostindien

12

Eutetrapha Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 256. — Pic, Longic. VII, 2, 1910, p. 9.	
✓ chrysgyrea Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 256.	Japan
metallescens Motsch. Schrenck's Reisen, Col. 1860, p. 150, t. 10, f. 2; Abeille XVI, 1878, p. 114. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 223. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1879, p. 95. — Ganglb. Best.-Tab. VIII, 1884, p. 116 (550). — Pic, Synops. p. 10, 15. — Jacobs. Käfer Russl. 1911, t. 71, f. 4.	Ostsibirien, Amur
✓ ocelota Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 387.	Japan
sedeclimpunctata Motsch. Schrenck's Reisen, Col. 1860, p. 151; Bull. Moscou XLIX, 1, 1875, p. 150; Abeille XVI, 1878, p. 115. — Ganglb. Wien.	Sibirien, Daurien, Amur

*) Als *Saperda* beschriebene Arten, deren generische oder sogar systematische Stellung unsicher ist.

Ent. Zeit. II, 1883, p. 216; Best.-Tab. VIII, 1884, p. 117 (551). — Pic, Synops. p. 11, 16.
carinata Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 219. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 95.

ab. *Rosinae* Pic, Longic. V, 1, 1904, p. 17; Sibirien VII, 2, 1910, p. 11.

tridentata Ol. Ent. IV, nr. 68, 1795, p. 30, t. 4, f. 48. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 164; Smiths. Misc. Coll. XI, 264, 1873, p. 239. — Harris, Ins. Mass. ed. 2, 1852, p. 98; ed. Flint, 1862, p. 111, t. 2, f. 13. — Fitch, Rep. Nox. Ins. N. York V, 1858, p. 59. — Pack, Amer. Nat. IV, 1870, p. 590, fig. 115; Bull. U.S. Ent. Commiss. VII, 1881, p. 58, fig. 17; Guide Ins. ed. 8, 1883, p. 499; Rep. U. S. Ent. Commiss. V, 1890, p. 224, fig. 71. — Prov. Pet. Faune Ent. Canada I, 1877, p. 632, 634. — Thomas, Rep. Illin. State Entomol. VI, 1877, p. 44, 156. — Dimmock, Stand. Nat. Hist. II, 1884, p. 326. — Forbes, Rep. Illin. State Entomol. XIV, 1885, p. 112. — Caulfield, Rep. Ent. Soc. Ontar. XXI, 1890, p. 73. — Perkins, Rep. Vermont Agric. Exp. Stat. III, 1890, p. 154. — Garman, Bull. Kentucky Exp. Stat. XLVII, 1893, p. 44; Ann. Rep. VI, 1894, p. 122, fig. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 147, 150. — Lintn. Rep. N. York State Mus. L, 1, 1898, p. 243, t. 7, f. 2. — Felt, Rep. Fish. Game and For. Commiss. N. York V, 1900, p. 371, t. 3, f. 1-4; Bull. N. York State Mus. XXXVII, 1900, p. 22, fig. 32a. — Felt & Joutel, l. c. LXXIV, 1904, p. 44, t. 3, f. 3. — Felt, Ins. Affect. Trees 1907, p. 67, t. 3, f. 4. — Blatchley, Col. Indiana 1910, p. 1085, 1087, fig. 471. — Forbes, Rep. Illin. State Ent. XXVII, 1914, p. 11, f. 1, 2. — Adams, Bull. Illin. State Laborat. XI, 1915, p. 144, t. 24, f. 4.

tridentata Emmons, Nat. Hist. N. York V, 1854, p. 122, t. 34, f. 6.

Biologie: Harris, Ins. Mass. ed. 2, 1852, p. 98; ed. Flint 1862, p. 111. — Fitch, Rep. Nox. Ins. N. York V, 1858, p. 59. — Pack, Amer. Nat. IV, 1870, p. 590, fig. 116; Bull. U. S. Ent. Commiss. VII, 1881, p. 58, fig. 17; Guide Ins. ed. 8, 1883, p. 499, fig. 490; Rep. U. S. Ent. Commiss. V, 1890, p. 224, fig. 71. — Forbes, Rep. Illin. State Ent. XIV, 1885, p. 112. — Lintner, Rep. Inj. Ins. N. York IX, 1893, p. 427; X, 1895, p. 484, 485, 499; XII, 1897, p. 239, 243, 355. — Felt, Bull. N. York State Mus. XXXVII, 1900, p. 22, fig. 32b. — Felt & Joutel, l. c. LXXIV, 1904, p. 44, t. 3, f. 1. — Felt, Ins. Affect. Trees 1907, p. 67, t. 3, f. 1-3. — Forbes, Rep. Illin. State Ent. XXVII, 1914, p. 11. —

Canada,
New York,
Massachu-
setts, Rhode
Island, New
Jersey,
Pennsylv-
vania,
Ohio,
Kentucky,
Illinois,
Michigan,
Wisconsin,
Iowa,
Texas

- Adams, Bull. Illin. State Laborat. XI, 1915,
p. 144, t. 24, f. 3.
ab. dubiosa Haldem. Trans. Amer. Philos. Soc. (2) X, 1850, p. 55. — Casey, Mem. Col. vana
IV, 1913, p. 359.
ab. intermedia Fitch, Rep. Nox. Ins. N. York
York V, 1858, p. 60.
ab. rubronotata Fitch, l. c. p. 60.
var. trifasciata Casey, Mem. Col. IV, Indiana
1913, p. 359.
varilecornis Bates, Journ. Linn. Soc. Lond. Zool. Japan
XVIII, 1884, p. 256.
sulphurata Matsum. Thous. Ins. Japan
III, 1908, nr. 698, t. 52, f. 13.
 6

Menesia Muls.

- Muls. Ann. Soc. Linn. Lyon (2) III, 1856, p. 157; Opusc. Ent. VII,
1856, p. 157; Col. France, Longic. ed. 2, 1863, p. 342. — Fairm. Gen.
Col. d'Eur. IV, 1864, p. 170, 200. — Thoms. Syst. Ceramb. 1864,
p. 398. — Redtenb. Fauna Austr. ed. 3, II, 1874, p. 423. —
Seidl. Fauna Balt. 1875, Gatt. p. 140. — Schlosser, Fauna
Kornjas. III, 1879, p. 809. — Ganglb. Best.-Tab. VII, 1881, p. 16
(694). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Trans-
sylv. 1891, Gatt. p. 186. — Csiki, Rovart. Lapok XI, 1904, p. 169.
— Kuhnt, Käfer Deutschl. 1912, p. 758. — Reitter, Fauna Germ.
IV, 1913, p. 62, 65. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 865,
880.
ablfrons Heyd. Deutsche Ent. Zeitschr. XXX, 1886, Amur
p. 276.
bipunctata Zoubk. Bull. Moscou I, 1829, p. 167, t. 5, Deutschland,
f. 8. — Germ. Fauna Ins. Eur. XXIII, 1844, Süd-
t. 15. — Küster, Käfer Eur. III, 1845, p. 75. Frankreich,
— Redtenb. Fauna Austr. 1849, p. 497; ed. Italien,
2, 1858, p. 864; ed. 3, II, 1874, p. 423. — Bach, Oesterreich,
Käferf. III, 1856, p. 33. — Gutfl. Käfer Sieben-
Deutschl. 1859, p. 585. — Twardowsky, Berl. bürgen,
Ent. Zeitschr. IV, 1860, p. 323. — Muls. Col. Südrußland
France, Longic. ed. 2, 1863, p. 344. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 52, f. 244. —
Seidl. Fauna Balt. 1875, p. 519. — Schlosser, Fauna Kornjas. III, 1879, p. 840. — Ganglb. Best.-Tab. VIII, 1884, p. 152 (586). — Seidl.
Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 852. — Griffini, Coleopt.
1896, p. 199, t. 39, f. 14. — Csiki, Rovart. Lapok XII, 1905, p. 147. — Jacobs, Käfer
Rußl. 1911, t. 72, f. 14. — Kuhnt, Käfer Deutschl. 1912, p. 796, fig. 218. — Reitter,
Fauna Germ. IV, 1913, p. 65, t. 140, f. 5. — Schauf. in Calwer, Käferb. II, 1916, p. 880,
t. 32, f. 14.
biguttata W. Redtenb. Quaedam Genera 1842, p. 26.
trimaculata Kugel. in Lentz, Verz. Preuß. Käfer, 1857, p. 145.
var. Perrisi Muls. Ann. Soc. Linn. Lyon Landes
III, 1856, p. 158; Opusc. Ent. VII, 1856, p.

158; Col. France, Longic. ed. 2, 1863, p. 342.
 — Ganglb. Best.-Tab. VIII, 1884, p. 152 (586).
 — Kuhnt, Käfer Deutschl. 1912, p. 796. —
 Schauf. in Calwer, Käferb. ed. 6, 1916, p. 880.

ab. *quadripustulata* Muls. Col. France, Frankreich
 Longic. ed. 2, 1863, p. 343. — Ganglb. Best.-
 Tab. VIII, 1884, p. 152 (586). — Seidl. Fauna
 Balt. ed. 2, 1891, p. 754; Fauna Transsylv.
 1891, p. 852. — Kuhnt. Käfer Deutschl.
 1912, p. 796. — Schauf. in Calwer, Käferb.
 ed. 6, 1916, p. 880.

Perrisi Reitter, Fauna Germ. IV, 1913, p. 65.

✓ *sulphurata* Gebl. in Hummel, Essais IV, 1825, p. 52; Sibirien,
 Ledeb. Reise II, 3, 1830, p. 188; Bull. Moscou Japan
 XXI, 1, 1848, p. 405 (310). — Kraatz, Deutsche
 Ent. Zeitschr. XXII, 1879, p. 94, nota 1. —
 Ganglb. Wien. Ent. Zeit. II, 1883, p. 216;
 Best.-Tab. VIII, 1884, p. 152 (586). — Bates,
 Journ. Linn. Soc. Lond. Zool. XVIII, 1884,
 p. 255.

ab. *flavotecta* Heyd. Deutsche Ent. Zeitschr. Amur
 XXX, 1886, p. 276.

ab. *nigrocincta* Pic, Longic. IX, 2, 1915, Sibirien
 p. 10.

ab. *semivittata* Pic, l. c. p. 10.

3

Tanylecta Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 263. — Lacord. Gen. Col. IX,
 1872, p. 832, 835.

✓ *Lambi* Pasc. Proc. Zool. Soc. Lond. 1866, p. 263, Penang
 t. 28, f. 9. — Lacord. Gen. Col. IX, 1872,
 p. 836, t. 108, f. 5.

1

Cagosima Thoms.

Thoms. Syst. Ceramb. 1864, p. 116, 398.

✓ *sanguinolenta* Thoms. l. c. p. 116. Japan

tetrastigma Matsum. Thous. Ins. Japan
 III, 1908, p. 135, t. 52, f. 1.

1

Thyestilla n. nom.

Thyestes Thoms. (nec Eichw. 1844) Syst. Ceramb. 1864, p.
 116, 398.

funebri Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 67. China

Gebleri Fald. Mem. Acad. Petersb. II, 1835, p. 434, Japan,
 t. 5, f. 6. — Matsum. Thous. Ins. Japan III, Ostsibirien,
 1908, nr. 687, t. 52, f. 2. — Jacobs. Käfer Nordchina
 Russl. 1911, t. 71, f. 29.

pubescens Thoms. Syst. Ceramb. 1864,
 p. 116.

2

Zosne Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 263. — Lacord. Gen. Col. IX, 1872, p. 832, 836.

cincticornis Pasc. Proc. Zool. Soc. Lond. 1866, p. 264, Penang
t. 28, f. 11. — Lacord. Gen. Col. IX, 1872,
p. 836.

1

Thermistis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 438 nota. — Lacord.
Gen. Col. IX, 1872, p. 832, 837.

✓ **croceocincta** Saund. Trans. Ent. Soc. Lond. II, 1839, Ostindien
p. 178, t. 16, f. 6. — Pasc. l. c. (3) III, 1867,
p. 439 nota. — Lacord. Gen. Col. IX, 1872,
p. 837.

1

Entelopes Guér.

Guér. Icon. Règne Anim. Ins. 1844, p. 245. — Thoms. Classif. Ceramb.
1860, p. 345; Syst. Ceramb. 1864, p. 398. — Pasc. Trans. Ent. Soc.
Lond. (3) III, 1866, p. 329, 333. — Lacord. Gen. Col. IX, 1872,
p. 832, 838.

amoena Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, Borneo
p. 335, t. 15, f. 8. — Shelf. Proc. Zool. Soc.
Lond. 1902, 2, t. 20, f. 26.

✓ **glauca** Guér. Icon. Règne Anim. Ins. 1844, p. 245. Malacca,
— Pasc. Trans. Ent. Soc. Lond. (2) IV, Java,
1856, p. 46, 50, t. 16, f. 2; (3) III, 1866, p. 334. Borneo
— Lacord. Gen. Col. IX, 1872, p. 838, t. 109,
f. 2. — Shelf. Proc. Zool. Soc. Lond. 1902,
2, t. 20, f. 32.

ionoptera Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo
p. 108, t. 23, f. 8.

ioptera Pasc. l. c. (3) III, 1866, p. 334.

Shelfordl n. nom.

Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, "

f. 14.

simills Pasc. Proc. Zool. Soc. Lond. 1866, p. 255; Penang
Trans. Ent. Soc. Lond. (3) III, 1866, p. 334.

Wallacel Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, Borneo
p. 46; (3) III, 1866, p. 334. — Thoms. Classif.
Ceramb. 1860, p. 346. — Lacord. Gen. Col.
IX, 1872, p. 838, nota 2.

6

Praolia Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 261.

citrinipes Bates, l. c. p. 261, t. 2, f. 8. Japan

1

Serixia Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 45; (3) III, 1866, p. 329,
335; Journ. of Ent. I, 1862, p. 353. — Thoms. Syst. Ceramb. 1864,
p. 399. — Lacord. Gen. Col. IX, 1872, p. 832, 839.

Jole Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 254.

Jolea Pasc. Journ. of Ent. I, 1862, p. 353. — Thoms. Syst. Ceramb. 1864. p. 398.

- apicalis* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 45; (2) III, 1866, p. 336. Singapore
- aurantata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 337. Borneo
- basalis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 256. Penang
- bifasciata* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 29. Borneo
- cephalotes* Pasc. Journ. of Ent. I, 1862, p. 354; Trans. Ent. Soc. Lond. (3) III, 1867, p. 339. Batjan, Morotai, Saylee
- fulvida* Pasc. l. c. p. 341. Batjan
- histrio* Pasc. l. c. (2) V, 1859, p. 45. Ceylon
- literata* Pasc. l. c. (2) IV, 1858, p. 255, t. 25, f. 9; (3) III, 1867, p. 340. Celebes: Macassar
- longicornis* Pasc. l. c. (2) IV, 1858, p. 255; (3) III, 1867, p. 339. Singapore, Ceram, Buru, Batjan
- lychnura* Pasc. l. c. (3) III, 1867, p. 338. Borneo
- marginata* Pasc. l. c. p. 337. Batjan
- modesta* Pasc. l. c. (2) IV, 1856, p. 45; (3) III, 1866, p. 336. Borneo
- apicalis* Pasc. l. c. (2) IV, 1856, t. 16, f. 3.
- optabilis* Pasc. l. c. (3) III, 1867, p. 337. Ceram
- ornata* Pasc. Journ. of Ent. I, 1862, p. 353, t. 17, f. 9; Trans. Ent. Soc. Lond. (3) III, 1867, p. 341. Batjan
- præusta* Pasc. l. c. p. 340. Insel Mysol
- prasinata* Pasc. Proc. Zool. Soc. Lond. 1866, p. 257, t. 27, f. 1. Penang
- prolata* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 254; (3) III, 1867, p. 338. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 244, t. 20, f. 12. Borneo
- proxima* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 45. Ceylon
- quadrina* Pasc. l. c. (3) III, 1867, p. 340. Morotai
- sedata* Pasc. Journ. of Ent. I, 1862, p. 354. Siam
- varians* Pasc. Proc. Zool. Soc. Lond. 1866, p. 256. Penang

21

Pseudosaperda Pic.

Pic, Echange XVIII, 1903, p. 121; Longic. IV, 2, 1903, p. 23.

- gollath* Pic, Echange XVIII, 1903, p. 121; Longic. IV, 2, 1903, p. 23. Yunnan

1

Glenida Gah.

Gahan, Ann Mag. Nat. Hist. (6) II, 1888, p. 65.

- cyaneipennis* Gah. l. c. p. 66. — Waterh. Aid Identif. China
- Ins. II, 1890, t. 181, f. 3.
- suffusa* Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 66. — " "
- Waterh. Aid Identif. Ins. II, 1890, t. 181, f. 2.

2

Accola Jord.

Jord. Novit. Zool. I, 1894, p. 503.

citrina Jord. l. c. p. 503, t. 13, f. 12.

Assam

1

Neoxantha Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 45. — Thoms. Syst. Ceramb. 1864, p. 398. — Lacord. Gen. Col. IX, 1872, p. 832, 839.

amicta Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 45, t. 16, f. 4. — Lacord. Gen. Col. IX, 1872, p. 840.*immaculata* Pic, Bull. Soc. Ent. France 1893, p. 87. Shanghai

2

Bacchisa Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 329; 1867, 342. — Lacord. Gen. Col. IX, 1872, p. 832, 840. — Gahan, Trans. Ent. Soc. Lond. 1901, p. 73.

coronata Pasc. l. c. (3) III, 1867, p. 342, t. 15, f. 11. Flores

1

Xyaste Pasc.

Pasc. Proc. Zool. Soc. 1866, p. 257; Trans. Ent. Soc. Lond. (3) III, 1866, p. 329; 1867, p. 342. — Lacord. Gen. Col. IX, 1872, p. 832, 841.

cupida Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 345. Batjan*fnita* Pasc. l. c. p. 345.

Kaioa

fumosa Pasc. l. c. p. 347. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 23, f. 25. Borneo*invada* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 343. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 23, f. 26. "*nigrilpes* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 255; (3) III, 1867, p. 346; Proc. Zool. Soc. Lond. 1866, p. 257, t. 27, f. 2. Malacca*pallata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 345. Saylee*paradoxa* Pasc. l. c. p. 343.

Singapur

semiusta Pasc. l. c. p. 343, t. 15, f. 4.

Sumatra

sublniacea Pasc. l. c. p. 344.

Singapur

torrida Pasc. l. c. p. 344.

Borneo

trigonalis Pasc. l. c. p. 346.

Morotai

trigonocephala Heller, Philipp. Journ. Sc. X, 4 D, 1915, p. 247, t. 1, f. 18, 19. Luzon*uniformis* Heller, l. c. p. 245.

"

varioscapus Heller, l. c. p. 246.

"

14

LXXXVII. Gleneini.

Lacordaire, Gen. Col. IX, 1872, p. 415, 841.

Gleneitae Thomson, Syst. Ceramb. 1864, p. 123, 401.**Malloderma** Lacord.

Lacord. Gen. Col. IX, 1872, p. 842.

Pascoel Lacord. l. c. p. 842, nota 1.

Ostindien

1

Callundine Thoms.

Thoms. Ann. Soc. Ent. France (5) IX, 1879, Bull. p. 57.

Lacordairei Thoms. l. c. p. 58.

Madagaskar

1

Glenea Newm.

Newm. Entomolog. I, 1842, p. 301. — Thoms. Classif. Ceramb. 1860, p. 41, 45; Syst. Ceramb. 1864, p. 401. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 364. — Lacord. Gen. Col. IX, 1872, p. 842, 843. — Gahan, Ann. Mag. Nat. Hist. (6) IX, 1897, p. 473. — Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 30.

Glæa Blanch. Hist. Nat. Ins. II, 1845, p. 161.*Sphenura* Cast. Hist. Nat. Col. II, 1840, p. 489 (nec Licht. 1823).*Stibara* Divisio II, Thoms. Archives Ent. I, 1857, p. 140.Subg. *Macroglenea* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 30.Subg. *Poeciloglenea* Auriv. l. c. p. 31.Subg. *Stirolglenea* Auriv. l. c. p. 31.Subgen. **Macroglenea** Auriv.

Revisio: Kuntzen, Entomol. Rundschau XXXI, 1914, p. 3, 4, 8—10.

albomaculata Gah. Trans. Ent. Soc. Lond. 1889, Borneo p. 214.**beatrix** Thoms. Revue Zool. (3) VII, 1879, p. 4. — Mindanao,
Rits. Notes Leyden Mus. XV, 1893, p. 3. — Luzon
Kuntzen, Ent. Rundschau XXXI, 1914, p. 8.**bisbiguttata** Rits. Notes Leyden Mus. XV, 1892, p. 5, Neu-Guinea
t. 1, f. 1. — Kuntzen, Ent. Rundschau XXXI,
1914, p. 9.**corona** Thoms. Revue Zool. (3) VII, 1879, p. 4. — Nikobaren
Rits. Notes Leyden Mus. XV, 1893, p. 2. —
Kuntzen, Ent. Rundschau XXXI, 1914, p. 8.**elegans** Ol. Ent. IV, nr. 68, 1795, p. 15, t. 4, f. 40. — Sumatra,
Kuntzen, Ent. Rundschau XXXI, 1914, p. 3. Nias,*chalybaea* Ill. in Wiedem. Archiv I, 2, Java,
1800, p. 138, t. 1, f. 6. — Rits. Notes Leyd. Borneo
Mus. XV, 1892, p. 2.*clytia* Thoms. Revue Zool. (3) VII, 1879,
p. 3. — Rits. Notes Leyden Mus. XV,
1892, p. 2.*delia* Pasc. Trans. Ent. Soc. Lond. (3) III,
1867, p. 375.*picta* Weber, Observ. Ent. 1801, p. 89. —
F. Syst. Eleuth. II, 1801, p. 306. — Ill.
Mag. Ins. IV, 1805, p. 111. — Cast. Hist.
Nat. Col. II, 1840, p. 491. — Heyne-Taschenb.
Exot. Käfer 1906, t. 37, f. 14.ab. *delia* Thoms. Classif. Ceramb. 1860, p. Java
48; Revue Zool. (3) VII, 1879, p. 6. — Rits.
Notes Leyden Mus. XV, 1892, p. 1.*affinis* Rits. l. c. p. 1. Borneo**florensis** Rits. Notes Leyden Mus. XIV, 1892, p. 221; Flores
XV, 1892, t. 1, f. 5.**Hasselti** Rits. l. c. XV, 1892, p. 9, t. 1, f. 4. — Kuntzen, Nias
Ent. Rundschau XXXI, 1914, p. 10.

- juno** Thoms. Syst. Ceramb. 1865, p. 560. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 372. — Kuntzen, Ent. Rundschau XXXI, 1914, p. 10. Singapur, Sumatra, Borneo
- mixta** nov. nom.
Montrouzieri Fairm. Ann. Soc. Ent. Belg. XXVII, 2, 1883, p. 53. Insel Duc of York, Woodlark
 ? *picta* Montrouz. Ann. Soc. Agric. Lyon (2) VII, 1855, p. 64.
- nivea** Rits. Notes Leyden Mus. XV, 1892, p. 6, t. 1, f. 2. Neuguinea: Arfak-Berg Penang
- porphyrio** Pasc. Proc. Zool. Soc. Lond. 1866, p. 259, t. 28, f. 5.
- regina** Thoms. Syst. Ceramb. 1865, p. 566. Penang, Borneo
neanthes Pasc. Proc. Zool. Soc. Lond. 1866, p. 259, t. 28, f. 4.
- rubricollis** Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 111, t. 10, f. 8. — Imh. Einf. Kol. 1856, t. 17, f. 15. Silhet, Sikkim
- spinifera** Voet, Cat. Col. II, 1804—06, p. 27, t. 24, f. 127, 128. Celebes, Molukken, Key-Inseln, Neu-Guinea, Nord-Australien
celebensis Rits. Notes Leyden Mus. XV, 1892, p. 3.
elegans Thoms. Classif. Ceramb. 1860, p. 49. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 374. — Rits. Notes Leyden Mus. XV, 1892, p. 3.
 ♀ *hygia* Thoms. Revue Zool. (3) VII, 1879, p. 6. — Rits. Notes Leyden Mus. XV, 1892, p. 3.
 ♂ *parthenope* Thoms. Revue Zool. (3) VII, 1879, p. 7.
picta Blanch. in Cuv. Règne Anim. ed. Masson, Ins. I, 1849, t. 68, f. 8. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 373, t. 17, f. 6. — Lacord. Gen. Col. IX, 1872, t. 109, f. 3.
venus Thoms. Syst. Ceramb. 1865, p. 560. — Kuntzen, Ent. Rundschau XXXI, 1914, p. 9, figg.
 var. *Finschi* Kuntzen, l. c. p. 10, figg. Südost-Neuguinea, Cape York
 var. *germanica* Kuntzen, l. c. p. 9, figg. Neuguinea
 var. *Heinrothi* Kuntzen, l. c. p. 10, fig. Neupommern
 var. *similis* Rits. Notes Leyden Mus. XV, 1892, p. 8, t. 1, f. 3. Insel Mysore

Subgen. **Glenea sensu str.**

Arten aus Afrika.

- adelpha** Thoms. Archives Ent. II, 1858, p. 201. Gabun, Kuilu
occidentalis Jord. Novit. Zool. I, 1894, p. 251.
- albopunctata** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika-Exped. III, 1911, p. 443. Ruwenzori
- apicalls** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 35. Uganda

- arenata** Chevr. Revue Zool. (2) X, 1858, p. 310; Centurie Longic. 1858, nr. 89. Alt-Calabar
- arida** Thoms. Syst. Ceramb. 1865, p. 565. — Auriv. Natal
Arkiv f. Zool. VIII, 29, 1914, p. 37.
ab. *Marleyi* Dist. Ins. Transvaal. I, 1906,
p. 166, fig. 27. „
- ashantica** Hintz, Deutsche Ent. Zeitschr. 1913, p. 204. Ashanti
- bala** Jord. Novit. Zool. X, 1903, p. 190. Französisch-
Congo
- balteata** Klug, Ermans Reise 1835, p. 45, t. 16, f. 8. Prinzen-
— Thoms. Archives Ent. II, 1858, p. 200. Insel
- Buqueti** Thoms. Syst. Ceramb. 1865, p. 564. Guinea
- carneipes** Chevr. Revue Zool. (2) VII, 1855, p. 187; Centurie Longic. 1858, nr. 15, t. 2, f. 14. — Murray, Ann. Mag. Nat. Hist. (4) IV, 1870, t. 2, f. 14. Alt-Calabar
- chrysocephala** Coq. Revue Zool. (2) III, 1851, p. 90; Ann. Soc. Ent. France (2) X, 1852, p. 400. Madagaskar
- congolensis** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Congo
Afr.-Exped. III, 1911, p. 442.
- ducalis** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afrika-Ituri
Exped. III, 1911, p. 443.
- fasciata** F. Spec. Ins. I, 1781, p. 227; Mant. Ins. I, Alt-Calabar,
1787, p. 144; Ent. Syst. I, 2, 1792, p. 297; Kamerun,
Syst. Eleuth. II, 1801, p. 309. Goldküste
- africana* Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1860.
- bifasciata* Ol. Ent. IV, nr. 67, 1795, p. 94, t. 14, f. 98.
- calabarica* Thoms. Syst. Ceramb. 1865, p. 567. — Bates, Proc. Zool. Soc. Lond. 1890, p. 492.
- Fene** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 31. Fernando Po
- gabonica** Thoms. Archives Ent. II, 1858, p. 200; Gabun,
Classif. Ceramb. 1860, p. 48. Kamerun
- cana* Jord. Nov. Zool. I, 1894, p. 252.
- Gahani** Jord. Novit. Zool. I, 1894, p. 248, t. 10, f. 17. Kuilu
- giraffa** Dalrn. in Schönh. Syn. Ins. I, 3, 1817, Append. Sierra Leone,
p. 182. — Gah. Trans. Ent. Soc. Lond. 1889, Goldküste
p. 225.
- jucunda* Thoms. Classif. Ceramb. 1860, p. 50.
- vittata* Lameere, Ann. Soc. Ent. France LXII, 1893, p. 49.
- griseus** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 35. Uganda
- guttulata** Coq. Revue Zool. (2) III, 1851, p. 90. Madagaskar
- guttula* Coq. Ann. Soc. Ent. France (2) X, 1852, p. 399. — Lacord. Gen. Col. IX, 1872, p. 586, nota 2.
- imparilis** Jord. Stett. Ent. Zeit. LVI, 1896, p. 368. Goldküste
- insignis** Auriv. Ent. Tidskr. XXIV, 1903, p. 280. — Kamerun
Hintz, Deutsche Ent. Zeitschr. 1913, p. 204.
- Johnstoni** Gah. in Johnston, Uganda Protector. I, Uganda
1902, p. 463.
- Kolbei** nov. nom. Togo
- lineella* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 72.
- leptis** Jord. Novit. Zool. X, 1903, p. 190. Brit.-
Ostafrika

- leucopsila** Jord. Nov. Zool. X, 1903, p. 190. Sierra Leone, Goldküste
- lunulata** Jord. Novit. Zool. I, 1894, p. 249. Kuilu
- mephisto** Thoms. Revue Zool. (3) VII, 1879, p. 11. — Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 37. Gabun
variabilis Hintz, Deutsche Ent. Zeitschr. 1913, p. 205.
- var. *longevittata* Auriv. Ent. Tidskr. XXIV, 1903, p. 279. Kamerun
- mirra** Jord. Novit. Zool. X, 1903, p. 190. Franz. Congo
- montivaga** Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 213, t. 6, f. 15. Ruwenzori
- Nigeriae** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 31. Nigeria
- obsoleta** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 36. Nyassaland
- ossifera** Jord. Novit. Zool. I, 1894, p. 250, t. 10, f. 18. Loanda
 var. *atra* Jord. l. c. — Hintz, Deutsche Ent. Zeitschr. 1913, p. 205. Kamerun
- proxima** Lameere, Ann. Soc. Ent. France LXII, 1893, p. 49. Assinie, Kamerun
- puella** Chevr. Revue Zool. (2) X, 1858, p. 311; Centurie Longic. 1858, nr. 90. — Hintz, Deutsche Ent. Zeitschr. 1913, p. 205. Alt-Calabar, Kamerun
- var. *assimilis* Jord. Novit. Zool. I, 1894, p. 249. — Hintz, Deutsche Ent. Zeitschr. 1913, p. 205. Gabun, Congo
- quinquelineata** Chevr. Revue Zool. (2) VII, 1855, p. 187; Centurie Longic. 1858, nr. 14, t. 2, f. 13. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, t. 2, f. 13. Alt-Calabar, Kamerun, Ituri, Ruwenzori
- sexvittata** Hintz, Wiss. Ergebn. Deutsch. Zentr.-Afr.-Exped. III, 1911, p. 442. Beni-Urwald
- simpliata** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 35. Uganda
- Sjöstedti** Auriv. Ent. Tidskr. XXIV, 1903, p. 280, fig. 12. Kamerun
- sylvia** Thoms. Revue Zool. (3) VII, 1879, p. 10. Gabun, Kamerun
- Tessmanni** Hintz, Deutsche Ent. Zeitschr. 1913, p. 204. Congogebiet
- vigintiduomaculata** Thoms. Archives Ent. II, 1858, p. 201. Gabun, Kamerun, Togo
- var. *vigintiquatuormaculata* Hintz, Wiss. Ergebn. Deutsche Zentr.-Afr.-Exped. III, 1911, p. 443. Beni-Urwald, Ruwenzori
- vittata** Jord. Nov. Zool. I, 1894, p. 253. — Auriv. Ent. Tidskr. XXIV, 1903, p. 280. Ogowe, Kuilu, Kamerun
- var. *orientalis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 37. Uganda

Arten vom Festlande Asiens und von Ceylon
 (mit Ausnahme der Halbinsel Malacca.)

- aeolis** Thoms. Revue Zool. (3) VII, 1879, p. 19. Birma
- anona** Pasc. (siehe p. 50).
 var. *obscura* n. nom. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 86. Birma

- arithmetica** Thoms. Archives Ent. I, 1857, p. 143. Ceylon
 var. *quadrifasciata* n. var. Birma
arithmetica Gah. Ann. Mus. Civ. Genova
 XXXIV, 1895, p. 87.
- assmilis** Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Silhet,
 p. 484. Assam
- Belli** Gah. l. c. (6) XI, 1893, p. 388. Ostindien:
 Kanara
- caudila** Thoms. Syst. Ceramb. 1865, p. 566. Bombay
- capriciosa** Thoms. Archives Ent. I, 1857, p. 142. Ostindien
- cardinalis** Thoms. Classif. Ceramb. 1860, p. 344. Assam, Birma
- centroguttata** Fairm. Notes Leyden Mus. XIX, 1897, Tibet
 p. 232.
- chalybeata** Thoms. Classif. Ceramb. 1860, p. 57. Silhet
- chlorospila** Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Oshima
 p. 488.
- commissa** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon
 p. 54.
- crucifera** Gah. l. c. 1889, p. 222. Butan
- Diana** Thoms. Syst. Ceramb. 1865, p. 561. — Rits. Assam,
 Notes Leyden Mus. XV, 1892, p. 12. Birma,
bimaculiceps Gah. Trans. Ent. Soc. Lond. Siam
 1889, p. 215.
- fainanensis** Pic, Longic. X, 1, 1916, p. 17. Fainan
- flava** Jord. Stett. Ent. Zeit. LVI, 1895, p. 270. Sikkim
- flavocincta** Gah. Trans. Ent. Soc. Lond. 1889, p. 216. Birma
- funerula** Thoms. (siehe unten p. 503).
- Gestroi** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, "
 p. 88, t. 1, f. 14.
- gratiosa** Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Silhet
 p. 485.
- iudiana** Thoms. Archives Entomol. 1, 1857, p. 141. Ostindien,
 Birma
- jaclntha** Thoms. Revue Zool. (3) VII, 1879, p. 16. Andamanen
- langana** Pic, Echange XIX, 1903, p. 107. Tonkin
- Laodice** Thoms. Revue Zool. (3) VII, 1879, p. 15. Laos, Birma
- lecta** Gah. Trans. Ent. Soc. Lond. 1889, p. 219. Silhet
- lenita** Pasc. l. c. (3) III, 1867, p. 410 nota. Ostindien
- lineata** F. Syst. Eleuth. II, 1801, p. 326. Tranquebar
tristis F. Ent. Syst. I, 2, 1792, p. 314
 (diagnosis, non autem descript.).
- lineosa** nov. nom. Oshima
lineata Gah. Ann. Mag. Nat. Hist. (6) XIX,
 1897, p. 483.
- modica** Gah. Trans. Ent. Soc. Lond. 1889, p. 217. Birma
- Mouhoti** Thoms. Syst. Ceramb. 1865, p. 567. Laos
- multiguttata** Guér. Voy. Deless. II, 1843, p. 60. — Silhet
 Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897,
 p. 492.
maculifera Thoms. Syst. Ceramb. 1865,
 p. 566.
- mutata** Gah. Trans. Ent. Soc. Lond. 1889, p. 225. Laos
Mouhoti Thoms. Revue Zool. (3) VII, 1879,
 p. 20.
- ornata** Gah. Trans. Ent. Soc. Lond. 1889, p. 223. Darjeeling
- peria** Thoms. Syst. Ceramb. 1865, p. 562. Ostindien
- posticata** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
 p. 87.
- pulchella** Thoms. Classif. Ceramb. 1860, p. 58. Silhet, Birma

- punctata* Gah. Trans. Ent. Soc. Lond. 1889, p. 220. Südostindien,
Madura
- quadrinotata* Guér. Voy. Deless. II, 1843, p. 59. Südostindien,
nigrolineata Gah. Ann. Mus. Civ. Genova Birma
XXXIV, 1895, p. 88, t. 1, f. 15.
- ✓ *quatuordecimmaculata* Hope in Gray, Zool. Misc. Nordost-
1831, p. 28. — Gah. Trans. Ent. Soc. Lond. indien
1889, p. 222.
argus Thoms. Archives Entomol. I, 1857,
p. 145.
- ✓ *relicta* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. Nordchina,
258. — Gah. Ann. Mag. Nat. Hist. (6) XIX, Japan
1897, p. 485. — Matsum. Thous. Ins. Japan
III, 1908, nr. 609, t. 52, f. 14.
- Sanctae Mariae* Thoms. Archives Ent. I, 1857, p. 141. Silhet
scapifera Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon,
p. 54. — Gah. Ann. Mag. Nat. Hist. (6) XIX, Trincomale
1897, p. 493.
trincomalica Thoms. Revue Zool. (3) VII,
1879, p. 12.
- semiluctuosa* Fairm. Bull. Soc. Ent. France 1902, Yunnan
p. 269.
- sexnotata* Gah. Trans. Ent. Soc. Lond. 1889, p. 220. Südostindien
- stamenis* Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Siam
p. 481.
- signaticollis* Gah. Trans. Ent. Soc. Lond. 1889, p. 219. Indien
socia Gah, l. c. p. 221. Ceylon
- subslmilis* Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, „India“
p. 479.
- sulphurea* Thoms. Syst. Ceramb. 1865, p. 566. Cambodja
T-notata Gah. Trans. Ent. Soc. Lond. 1889, Silhet, Java
p. 223.
- vexator* Pasc. l. c. (2) IV, 1858, p. 260. Ceylon

Arten aus Malacca, Sumatra, Java, Borneo
und den kleinen Sunda-Inseln.

- *acuta* F. Syst. Eleuth. II, 1801, p. 327. — Thoms. Sumatra,
Classif. Ceramb. 1860, p. 59. — Pasc. Trans. Java
Ent. Soc. Lond. (3) III, 1867, p. 386.
- ♂ *ana* Thoms. Archives Ent. I, 1857, p. 145.
— Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897,
p. 492.
- ♀ *lineosa* Guér. in Bélanger, Voy. Ind. Orient.
1837, p. 489, t. 2, f. 8.
- ♂ *miles* Newm. Entomol. Magaz. V, 1838,
p. 395. — Pasc. Trans. Ent. Soc. Lond. (3)
III, 1867, p. 412.
- ♂ *ochracea* Guér. in Bélanger, Voy. Ind.
Orient. 1837, p. 490, t. 2, f. 9. — Gah. in
Rep. Wollaston Exped. I, 1915, Col. 3, p. 17
nota.
- ♂ *sanguinaria* Thoms. Archives Ent. I,
1857, p. 146.
var. *montana* Jord. Novit. Zool. I, 1894, Borneo
p. 503.
- adella* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, „
p. 367.

- coris* Waterh. Aid Identif. Ins. II, 1883, t. 130, f. 2. Borneo
- aerata* Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 25. "
- albofasciata* Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 481. Java,
Sumatra
- algebraica* Thoms. Archives Ent. I, 1857, p. 144. —
Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 398. Malacca,
Java,
Borneo
- alysson* Pasc. Proc. Zool. Soc. Lond. 1866, p. 261, t. 28, f. 8; Trans. Ent. Soc. Lond. (3) III, 1867, p. 393. Malacca,
Singapur
- amoena* Thoms. Syst. Ceramb. 1865, p. 564. Java
- analytica* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 399. Borneo
- anna* Thoms. Revue Zool. (3) VII, 1879, p. 17. Borneo
- anona* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 393. Singapur
- anticepunctata* Thoms. Archives Ent. I, 1857, p. 142. Java,
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 382. Singapur,
Borneo
- ♂ *ianthe* Pasc. l. c. p. 383. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 491.
- ♂ *obsoletepunctata* Thoms. Archives Ent. I, 1857, p. 143. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 491.
- argyrostetha* Auriv. Arkiv f. Zool. III, 18, 1907, p. 36. Sumatra
- aspasia* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 384, t. 17, f. 2. Borneo
- atriceps* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 36; Journ. Sarawak Mus. I, 3, 1913, p. 17. "
- bangueyensis* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 35. Banguey
- Beccarii* Gah. Ann. Mus. Civ. Genova, (3) III, 1907, p. 95. Sumatra
- bellona* Thoms. Revue Zool. (3) VII, 1879, p. 8. — Kuntzen, Ent. Rundschau XXXI, 1914, p. 28. Sumatra,
Java
- Oberthürri* Rits. Notes Leyden Mus. XIV, 1892, p. 222; XV, 1893, t. 1, f. 6.
- blsbivittata* Auriv. Arkiv f. Zool. I, 1904, p. 327, f. 34. Java
- blandina* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 259; (3) III, 1867, p. 369. — Gah. Ann. Mag. Nat. Hist. (6) IX, 1897, p. 488. Borneo
- blandinella* nov. nom. Penang
- ♂ *blandina* ♂ Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 369.
- suturalis* Gah. Ann. Mag. Nat. Hist. (6) IX, 1897, p. 488.
- Bowringi* Gah. Trans. Ent. Soc. Lond. 1889, p. 214. Java
- Calliope* Thoms. Revue Zool. (3) VII, 1879, p. 10. Malacca
- Calypso* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 382, t. 17, f. 3. Borneo
- camellina* Pasc. l. c. p. 392.
- camilla* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 370. "
- Cassandra* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 107. Insel Engano
- cleante* Thoms. Revue Zool. (3) VII, 1879, p. 15. Borneo
- cleome* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 368. Singapur

- clymene** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 97.
- coelestina** Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Java
p. 487.
- collaris** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo
p. 258; (3) III, 1867, p. 380.
Donovanni Thoms. Classif. Ceramb. 1860,
p. 50.
- concinuata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, "
p. 403.
- coris** Pasc. l. c. p. 366. Singapur
adelia Waterh. Aid Identif. Ins. II, 1883,
t. 130, f. 1.
- cyanura** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 100.
- damalis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, "
p. 105.
- Dejeani** Gah. Trans. Ent. Soc. Lond. 1889, p. 218. Java
- despecta** Pasc. l. c. (2) IV, 1858, p. 259; (3) III, 1867, Borneo
p. 403.
guttigera Thoms. Syst. Ceramb. 1865, p. 563.
- didyma** Auriv. Arkiv f. Zool. I, 1904, p. 326. Java
- dimidiata** F. Syst. Eleuth. II, 1801, p. 327. Sumatra,
egeria Pasc. Trans. Ent. Soc. Lond. (3) Singapur,
III, 1867, p. 384. Borneo,
oudetera Thoms. Archives Ent. I, 1857, Java,
p. 143. Sumbawa
udetera Pasc. Trans. Ent. Soc. Lond. (3)
III, 1867, p. 383.
- disa** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 36; Journ. Borneo
Saraw. Mus. I, 3, 1913, p. 17.
- disceoidalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Malacca,
p. 399. Singapur
simplex Thoms. Revue Zool. (3) VII,
1879, p. 20. — Gah. Ann. Mag. Nat. Hist.
(6) XIX, 1897, p. 491.
- distinguenda** Gah. Trans. Ent. Soc. Lond. 1889, p. 217. Java
- Dohertyi** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Insel Engano
p. 98.
- elate** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Malacca
p. 368.
brunnea Thoms. Revue Zool. (3) VII, 1879,
p. 17. — Gah. Ann. Mag. Nat. Hist. (6) XIX,
1897, p. 491.
- erythrodera** Gah. Ann. Mus. Civ. Genova (3) III, Sumatra
1907, p. 106.
- extensa** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo,
p. 258; (3) III, 1867, p. 385. — Waterh. Aid Malacca
Identif. Ins. II, 1883, t. 130, f. 8. — Gah.
Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 491.
- jubaea* Pasc. Proc. Zool. Soc. Lond. 1866,
p. 260; Trans. Ent. Soc. Lond. (3) III, 1867,
p. 394.
- mima* Thoms. Syst. Ceramb. 1865, p. 561.
- fatalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo,
p. 382. Malacca,
biapicalis Thoms. Revue Zool. (3) VII, Sumatra
1879, p. 11.

- flavovittata* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 34. Kapala
Madang
- funerula* Thoms. Archives Ent. I, 1857, p. 141. — Malacca,
Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur,
p. 381. Sumatra,
Borneo
- galathea* Thoms. Syst. Ceramb. 1865, p. 566. — Pasc. Malacca,
Trans. Ent. Soc. Lond. (3) III, 1867, p. 379. Sumatra
- gedeensis* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 32. Java: Berg
Gede
- georgiana* Thoms. Revue Zool. (3) VII, 1879, p. 19. Malacca
- gloriosa* Heller, Tijdschr. v. Ent. LVIII. Suppl. 1916, Sumatra
p. 112, t. 5, f. 4.
- honora* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 373. Malacca,
— Waterh. Aid Identif. Ins. II, 1883, t. Sumatra
130, f. 6.
- ? *nympha* Kuntzen, Ent. Rundschau XXXI,
1914, p. 29.
- illuminata* Thoms. Archives Ent. I, 1857, p. 144. — Malacca
Pasc. Trans. Ent. Soc. Lond. (3) III, 1867,
p. 392.
- ♂ *irene* Pasc. l. c. — Gah. Ann. Mag. Nat.
Hist. (6) XIX, 1897, p. 492.
- interrupta* Thoms. (siehe unten p. 508). Borneo,
Singapur
- iresine* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo
p. 406.
- iridescens* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Malacca
p. 371.
- Kelli* Rits. Notes Leyd. Mus. XIX, 1897, p. 133. Sumatra
- latevittata* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 35. Borneo
- laudata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, "
p. 370. — Gah. Ann. Mag. Nat. Hist. (6) XIX,
1897, p. 487.
- viridinotata* Thoms. Classif. Ceramb.
1860, p. 52.
- lineatocollis* Thoms. l. c. p. 52. Java
- malasiaca* Thoms. Syst. Ceramb. 1865, p. 562. „Malasia“
- manto* Pasc. Proc. Zool. Soc. Lond. 1866, p. 262, Malacca,
t. 28, f. 7; Trans. Ent. Soc. Lond. (3) III, Sumatra,
1867, p. 380. Java,
Borneo
- matangensis* Auriv. Arkiv f. Zool. VII, 19, 1911, p. Borneo
37, fig. 57; Journ. Saraw. Mus. I, 3, 1913,
p. 18, t. 1, f. 2.
- mathematica* Thoms. Archives Entom. I, 1857, p. 144. Singapur,
— Pasc. Trans. Ent. Soc. Lond. (3) III, Java
1867, p. 398.
- medea* Pasc. l. c. p. 410, t. 17, f. 5. Borneo
- melia* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, "
p. 385.
- mesoleuca* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur
p. 379, t. 17, f. 4.
- Modiglianii* Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 97.
- Moultoni* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 32, Borneo
f. 68.
- myrrhis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur
p. 404.

- alcyone* Thoms. Revue Zool. (3) VII, 1879, p. 14.
- myrsino* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 367. Singapur, Borneo, Andamanen
- areca* Pasc. l. c. p. 369.
- cryllis* Thoms. Revue Zool. (3) VII, 1879, p. 17. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492.
- nigrifrons* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 35. Borneo
- Niobe* Thoms. Revue Zool. (3) VII, 1879, p. 9. "
- nitidicollis* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 32, fig. 78. Sumbawa
- novemguttata* Guér. Dict. Class. d'Hist. Nat. XVII, 1831, t. 68, f. 5. — Cast. Hist. Nat. Col. II, 1840, p. 489. — Thoms. Classif. Ceramb. 1860, p. 57. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 366. Java, Singapur
- Biologie: Koningsberger, Java 1913, p. 352.
- numerifera* Thoms. Syst. Ceramb. 1865, p. 561. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 385. Malacca, Sumatra, Nias
- nympha* Thoms. Syst. Ceramb. 1865, p. 560. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 375. Malacca
- ochraceovittata* Thoms. Syst. Ceramb. 1865, p. 565. Borneo
- Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 386.
- oeme* Pasc. Proc. Zool. Soc. Lond. 1866, p. 261, t. 28, f. 2. Malacca
- ora* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 103. Sumatra
- Pascoei* n. nom. Borneo
- pulchella* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 370. — Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 86.
- paulina* Gah. l. c. p. 107. Sumatra
- plagifera* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 30. Borneo
- plagiventris* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 33. Java
- postulata* Thoms. Syst. Ceramb. 1865, p. 564. "
- pyrrha* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 101. Sumatra
- Robinsoni* Gah. Journ. Malay. Stat. Mus. I, 1906, p. 120, t. 6, f. 16. Malacca
- ruficauda* Auriv. Arkiv f. Zool. I, 1904, p. 327, fig. 33. Sumbawa
- ruficollis* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 103. Sumatra
- rufifrons* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 36. Borneo
- rufopunctata* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 102. Sumatra
- saperdoides* Thoms. Classif. Ceramb. 1860, p. 50. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 389. Sumatra, Borneo
- scalaris* Thoms. Syst. Ceramb. 1865, p. 567. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 400. Malacca, Singapur
- cunila* Pasc. Proc. Zool. Soc. Lond. 1866, p. 260.
- scripta* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 106. Insel Nias
- sejuncta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 387. Borneo
- semigrisea* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 30. "

- sexplagiata* Auriv. l. c. p. 31, f. 66. Borneo
signatifrons Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Java,
 p. 489. Sumatra
signifera Thoms. Syst. Ceramb. 1865, p. 565. „Malasia“
sobrina Gah. Ann. Mus. Civ. Genova (3) III, 1907, Insel Engano
 p. 99.
sophia Thoms. Revue Zool. (3) VII, 1879, p. 15. Borneo
speciosa Gah. Trans. Ent. Soc. Lond. 1889, p. 213. Java
strigata Thoms. Classif. Ceramb. 1860, p. 53. „
acasta Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 390.
suada Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 96. Insel Engano
sulphurea Thoms. (siehe oben p. 500). Java
suturalis Jord. Novit. Zool. I, 1894, p. 119, t. 8, f. 10. Insel Adonara
taeniata Thoms. Classif. Ceramb. 1860, p. 54. Java
tenuilineata Thoms. Revue Zool. (3) VII, 1879, p. 13. Malacca
theodosia Thoms. l. c. p. 18. Borneo
tibialis Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
 p. 100.
timoriensis Jord. Novit. Zool. I, 1894, p. 119, t. 8, f. 9. Timor
torquata Auriv. Arkiv f. Zool. III, 8, 1907 (Febr.), Sumatra
 p. 36.
torquatella nov. nom. „
torquata Gah. Ann. Mus. Civ. Genova (3) III, 1907 (April), p. 104.
trivittata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 36; Borneo
 Journ. Sarawak Mus. I, 3, 1913, p. 17.
vaga Thoms. Syst. Ceramb. 1865, p. 565. „Malasia“
vesta Pasc. Proc. Zool. Soc. Lond. 1866, p. 260, t. 28, Malacca,
 f. 3; Trans. Ent. Soc. Lond. (3) III, 1867, Singapur,
 p. 411. Borneo,
pulchella Pasc. Trans. Ent. Soc. Lond. (2) Molukken
 IV, 1857, p. 260.
virgata Gah. Journ. Malay. Stat. Mus. I, 1906, p. 121. Malacca
vittulata Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 36, Borneo
 fig. 79.
voluptuosa Thoms. Classif. Ceramb. 1860, p. 49. — Malacca,
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Sumatra,
 p. 373. — Rits. Notes Leyden Mus. XV, Nias,
 1892, p. 12. — Kuntzen, Ent. Rundschau Borneo
 XXXI, 1914, p. 29.
 ♂ *cybele* Thoms. Syst. Ceramb. 1865, p. 561.
hebe Thoms. l. c. p. 561.
proserpina Thoms. l. c. p. 561.
 ab. *propinqua* Gah. Ann. Mag. Nat. Hist. Singapur
 (6) XIX, 1907, p. 480.
 ab. *rufipes* Rits. Notes Leyden Mus. XV, Borneo
 1892, p. 12.
 ab. *theitis* Thoms. Revue Zool. (3) VII, 1879, „
 p. 7.
Wallacei Gah. Ann. Mag. Nat. Hist. (6) XIX, 1907, „
 p. 482.
Weyersi Auriv. Arkiv f. Zool. III, 18, 1907, p. 36. Sumatra
x-nigrum Auriv. l. c. VIII, 22, 1913, p. 32, f. 67. Java

Arten aus Celebes.

- basalis* Thoms. Syst. Ceramb. 1865, p. 563. — Celebes
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 403.

- concinata* Pasc. l. c. (ex parte). — Waterh. Aid Identif. Ins. II, 1883, t. 130, f. 5. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 491.
- cinna* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 400, t. 17, f. 7. Tondano
- detrita* Pasc. l. c. (2) IV, 1857, p. 259; (3) III, 1867, p. 404. — Waterh. Aid Identif. Ins. II, 1883, t. 130, fig. 3. Macassar
- maculipennis* Thoms. Syst. Ceramb. 1865, p. 562.
- glaucescens* Auriv. Arkiv f. Zool. I, 1903, p. 327, fig. 32. Südcelebes
- griseoguttata* Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 486. Macassar
- iphia* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 391. Tondano
- lachrymosa* Pasc. l. c. p. 406, t. 17, f. 9. Menado, Macassar
- latania* Pasc. l. p. 394. Menado
- lecanor* Pasc. l. c. p. 371. Macassar,
- ♂ *maia* Thoms. Revue Zool. (3) VII, 1879, p. 9. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492. „Molukken“
- olyra* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 401. Tondano
- telmissa* Pasc. l. c. p. 391.
- tringaria* Pasc. l. c. p. 412. — Waterh. Aid Identif. Ins. II, 1883, t. 130, f. 7. Menado

Arten von den Philippinen.

- aphredite* Thoms. Syst. Ceramb. 1865, p. 561. Mindanao
- astarte* Thoms. l. c. p. 562.
- bimaculata* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 34. Philippinen
- bivittata* Auriv. Arkiv f. Zool. I, 1904, p. 326, fig. 30. Palawan
- caraga* Heller, Philipp. Journ. Sc. XIX, 5, 1921, p. 541, t. 2, f. 3. Mindanao
- cinerea* Thoms. Syst. Ceramb. 1865, p. 565. Luzon
- colenda* Thoms. Revue Zool. (3) VII, 1879, p. 18. Philippinen
- colobothecides* Thoms. Syst. Ceramb. 1865, p. 562. Mindanao
- concinna* Newm. Entomolog. I, 1842, p. 301. Manilla
- cylindrepomoides* Thoms. Syst. Ceramb. 1865, p. 564. „
- decomguttata* Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 33. Philippinen
- exculta* Newm. Entomolog. I, 1842, p. 302. Manilla,
- coryphaea* Thoms. Syst. Ceramb. 1865, p. 563. Mindanao
- glauca* Newm. Entomolog. I, 1842, p. 302. Manilla
- Helleri* nov. nom. Luzon
- scalaris* Heller, Philipp. Journ. Sc. XIX, 5, 1921, p. 541, t. 2, f. 4.
- lepida* Newm. Entomolog. I, 1842, p. 301. „
- ✓ *leucospilota* Westw. Arcana Nat. I, 1841, p. 57, t. 15, f. 2. „
- albonotata* Westw. l. c. 1842, p. 112. — Newm. Entomolog. I, 1842, p. 319.
- lineella* Thoms. Syst. Ceramb. 1865, p. 563. Mindanao
- lusoria* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 405 nota. Philippinen
- lyeoris* Thoms. Syst. Ceramb. 1865, p. 563. Mindanao
- magica* Thoms. l. c. p. 563. „

manra Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 405 nota.	Philippinen
palavensis Auriv. Arkiv f. Zool. I, 1903, p. 325, fig. 29.	Palawan
regularis Newm. Entomolog. I, 1842, p. 302.	Manilla,
<i>Kraatzii</i> Thoms. Syst. Ceramb. 1865, p. 562.	Mindanao
severa Thoms. l. c. p. 565.	Mindanao
stellata Thoms. l. c. p. 563.	
suavis Newm. Entomolog. I, 1842, p. 302.	Manilla
varifascia Thoms. Syst. Ceramb. 1865, p. 562.	Mindanao
versuta Newm. Entomolog. I, 1842, p. 302.	Manilla

Arten von den Molukken und aus dem australo-
pauanischen Gebiete.

albolineata Thoms. Classif. Ceramb. 1860, p. 51. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 395.	Batjan, Buru
♂ <i>psylla</i> Thoms. Syst. Ceramb. 1865, p. 562. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 491.	
♂ <i>subfasciata</i> Thoms. Classif. Ceramb. 1860, p. 53. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 491.	
alveusis Gah. l. c. p. 478.	Salomonen
amboynica Thoms. Classif. Ceramb. 1860, p. 56. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 377.	Amboina, Ceram
arouensis Thoms. Archives Ent. I, 1857, p. 457. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 407.	Aru
var. <i>fulvomaculata</i> Thoms. Classif. Ceramb. 1860, p. 54. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 407. — Gah. Report Wollaston Exped. I, 1915, Col. 3, p. 18.	Batjan, Neuguinea
♂ Gahan, Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 487.	
atropa Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 387.	Ceram
bimaculicollis Thoms. Classif. Ceramb. 1860, p. 56. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 377.	Batjan, Halmahera, Morotai
coeruleata Pasc. l. c. p. 396.	Ceram
eyanipennis Thoms. Archives Ent. I, 1857, p. 458. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 378.	Aru, Key
diversa Thoms. Syst. Ceramb. 1865, p. 564.	Ceram
excubitans Heller, Nova Guinea IX, 1914, p. 665, t. 16, f. 15.	Neuguinea
extrema Sharp in Willey, Zool. Results IV, 1900, p. 385.	Neu- britannien
flavovortex Heller, Nova Guinea IX, 1914, p. 665, t. 16, f. 16.	Neuguinea
grisea Thoms. Classif. Ceramb. 1860, p. 54. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 407.	Batjan, Amboina,
♀ <i>interrupta</i> Pasc. l. c. p. 397. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492.	Ceram, Aru, Salwatty

- heptagona** Thoms. Classif. Ceramb. 1860, p. 56. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 376. Batjan, Halmahera, Morotai
 ♀ *cyrilla* Pasc. l. c. p. 377. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492.
- hyphaene** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 397. .
- interrupta** Thoms. Classif. Ceramb. 1860, p. 51. Batjan, Borneo, Singapur
Boisduvali Thoms. Syst. Ceramb. 1865, p. 564. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 388. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492.
- Lefeburei** Guér. Voy. Coquille, Zool. II, 2, Atlas, 1831, t. 7, f. 2, Texte 1838, p. 138. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 378. Neuguinea, Salwatty, Waigiu, Mysol
antica Thoms. Classif. Ceramb. 1860, p. 54.
festiva Boisd. Voy. Astrolabe, Entomol. II, 1835, p. 512.
submedia Thoms. Classif. Ceramb. 1860, p. 55.
- inctaosa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 381. Aru
- lugubris** Thoms. Syst. Ceramb. 1865, p. 562. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 395. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492. Ceram
 ♀ *aitalea* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 396.
 ♀ *palaeographa* Thoms. Revue Zool. (3) VII, 1879, p. 13.
- melissa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 408. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492. Neuguinea, Mysol
mansueta Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 409.
- minlacea** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 412. — ♂ Gah. Report Wollaston Exped. I. 1915, Col. 3, p. 17. Neuguinea
Danaë Gestro, Ann. Mus. Civ. Genova VII, 1875, p. 1022. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492.
- mona** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 38. "
- Montrouzieri** Thoms. Syst. Ceramb. 1865, p. 563. Neu-caledonien
- myrsia** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 389. Amboina
 ♀ *corypha* Pasc. l. c. p. 397. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 492.
- Newmanni** Thoms. Revue Zool. (3) VII, 1879, p. 14. Ceram
- nicanor** Pasc. (siehe oben p. 506). Molukken
- orichalcea** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 38. Deutsch-Neuguinea
- papuensis** Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 486. Neuguinea
- sophronia** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 388. "
- stella** Pasc. l. c. p. 408. "
- Thomsoni** Pasc. l. c. p. 376, t. 17, f. 1. Batjan
- vanessa** Pasc. l. c. p. 408, t. 17, f. 10. Waigiu

- venenata** Pasc. l. c. p. 405.
- ✓ **venusta** Guér. Voy. Coquille, Zool. II, 2, Atlas, 1831, t. 7, f. 5, Texte 1838, p. 139. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 402. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 477, 493.
concinata Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 403 (ex parte).
viridicincta Boisd. Voy. Astrolabe, Entomol. II, 1835, p. 573, t. 9, f. 20.
 ♀ *viridinotata* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 300, t. 17, f. 17. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 402.
- vesta** Pasc. (siehe oben p. 505).
- viridipustulata** Thoms. Classif. Ceramb. 1860, p. 50. — Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 493.
 ♂ *confusa* Thoms. Classif. Ceramb. 1860, p. 52.
exculpta Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 401.
 ab. ♀ *sparsa* Thoms. Syst. Ceramb. 1865, p. 564.
- ✓ **vittifera** Boisd. Voy. Astrolabe, Entomol. II, 1835, p. 516, t. 9, f. 19. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 390.
- Wlidenfeldi** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 38.
- xanthotaenia** Gestro, Ann. Mus. Civ. Genova VII, 1875, p. 1023.
- Subgen. Stiroglenea Auriv.**
- Andrewesi** Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 388.
- angerona** Thoms. Syst. Ceramb. 1865, p. 565.
- cancellata** Thoms. l. c. p. 565.
- cantor** F. Mant. Ins. I, 1787, p. 142; Ent. Syst. I, 2, 1792, p. 291. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1829. — Gah. Trans. Ent. Soc. Lond. 1894, p. 488.
cantator F. Syst. Eleuth. II, 1801, p. 304.
- clitrina** Thoms. Syst. Ceramb. 1865, p. 566. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 411.
anthyllis Pasc. Proc. Zool. Soc. Lond. 1866, p. 262, t. 28, f. 6.
- homonospila** Thoms. Syst. Ceramb. 1865, p. 565.
- obesa** Thoms. Archives Ent. I, 1857, p. 145.
- ✓ **splota** Thoms. Classif. Ceramb. 1860, p. 58. — Maxw.-Lefr. Ind. Ins. Life 1909, p. 376.
- Neuguinea:
 Dorey
 Mysol,
 Waigiu, Aru,
 Key-Inseln,
 Neuguinea,
 Salomonen
- Ceram, Mysol
 Nord-
 molukken
- Neuguinea
- Deutsch-
 Neuguinea
 Neuguinea
- Ostindien:
 Kanara
 Java
 Cambodja,
 Birma,
 Silhet,
 Sikkim
 China
- Java,
 Sumatra,
 Malacca,
 Borneo
 „Ostasien“
 Silhet
 Java

Subgen. Poecilogenea Auriv.

- Albertisi** Gestro, Ann. Mus. Civ. Genova VII, 1875, p. 1024. Neuguinea

- celestis* Thoms. Syst. Ceramb. 1865, p. 567. Molukken
cella Pasc. Trans. Ent. Soc. Lond. 1888, p. 509. Sumatra,
 Nias,
 Borneo
sangirica Auriv. Arkiv f. Zool. I, 1904, p. 324, fig. 28. Sanghir-Insel
zalinensis Gah. Ann. Mag. Nat. Hist. (6) XIX, 1897, Tenasserim
 p. 478.
 323

Euglenea Heller.

- Heller, Abhandl. Zool. Mus. Dresden VI, 3, 1896, p. 24.
Sarasiorum Heller, l. c. p. 24, tab. f. 9. Celebes
 1

Paraglenea Bates.

- Bates, Proc. Zool. Soc. Lond. 1866, p. 352; Journ. Linn. Soc. Lond.
 Zool. XVIII, 1884, p. 258.
chrysochloris Bates, Ann. Mag. Nat. Hist. (5) IV, 1879, Japan
 p. 467; Journ. Linn. Soc. Lond. Zool. XVIII,
 1884, p. 256. — ? Matsum. Thous. Ins. Japan
 III, 1908, nr. 709, t. 53, f. 8.
eximia Bates, Journ. Linn. Soc. Lond. Zool. XVIII,
 1884, p. 257. "
Fortunei Saund. Trans. Ent. Soc. Lond. (2) II, 1853, China,
 p. 112, t. 4, f. 1. — Thoms. Archives Ent. Japan
 I, 1857, p. 140. — Lacord. Gen. Col. IX,
 1872, t. 109, f. 4. — Pic, Longic. IX, 2, 1915,
 p. 13, 14 (Synopsis).
 ♂ *chloromelas* Thoms. Revue Zool. (3)
 VII, 1879, p. 21.
 ab. *bisbinotata* Pic, Synops. p. 13, 14. China
 ab. *fasciata* Pic, l. c. p. 13, 14. "
 ab. *innotata* Pic, l. c. p. 13, 14. "
 ab. *notatipennis* Pic, Mélanges Exot.-Ent.
 XI, 1914, p. 7; Synops. p. 14. "
 ab. *pubescens* Pic, Mélanges Exot.-Ent. XI,
 1914, p. 7; Synops. p. 14. "
 ab. *soluta* Ganglb. Horae Soc. Ent. Ross. Peking
 XXI, 1887, p. 22.
monticola Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 37. Tonkin
stictica Auriv. l. c. p. 37, f. 81. "
Swinhoei Bates, Proc. Zool. Soc. Lond. 1866, p. 352, Formosa,
 fig. 3. — Heyden, Deutsche Ent. Zeitschr. China
 XXX, 1886, p. 288.
theaphia Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
 1884, p. 257.
 7

Heteroglenea Gah.

- Gahan, Ann. Mag. Nat. Hist. (6) XIX, 1897, p. 490.
glechoma Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Sumatra,
 p. 409. — Gah. Ann. Mag. Nat. Hist. (6) Matabello,
 XIX, 1897, p. 490. Philippinen,
fuscovirgata Fairm. Ann. Soc. Ent. Belg. Neu-
 XXVII, 1883, p. 53. britannien,
 Salomonen

- nigromaculata** Thoms. Syst. Ceramb. 1865, p. 566. — Siam,
 Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma
 p. 89; Ann. Mag. Nat. Hist. (6) XIX, 1897,
 p. 490.
amelia Gah. Trans. Ent. Soc. Lond. 1889,
 p. 224.

2

Chlorisanis Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 413. — Lacord.
 Gen. Col. IX, 1872, p. 842, 845.
similis Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
 p. 108.
viridis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo
 p. 413, t. 16, f. 7. — Lacord. Gen. Col. IX,
 1872, p. 845.

2

Cryllis Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 417. — Lacord.
 Gen. Col. IX, 1872, p. 842, 846.
elytoides Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur,
 p. 417. — Lacord. Gen. Col. IX, 1872, p. Borneo
 846. — Shelf. Proc. Zool. Soc. Lond. 1902,
 2, t. 20, f. 38.

1

Hemicryllis Auriv.

Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 28.

- alboguttata** Auriv. l. c. p. 29, f. 93. Singapur

1

Daphisia Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 418. — Lacord.
 Gen. Col. IX, 1872, p. 842, 846.
elytoides Gah. Trans. Ent. Soc. Lond. 1912, Proc. Borneo
 p. 79.
 —, Shelf. Proc. Zool. Soc. Lond. 1902, 2,
 p. 25, t. 20, f. 34.
eclectica Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, "
 p. 399. — Waterh. Aid Identif. Ins. II,
 1883, t. 130, f. 4.
fasciolata Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 27, "
 f. 108.
guttata Auriv. l. c. XIII, 9, 1920, p. 37. "
nlgra Auriv. l. c. XIV, 18, 1922, p. 26. "
nigriceps Auriv. l. c. I, 1904, p. 328. Malacca
nigricornis Auriv. l. c. VIII, 22, 1913, p. 30. Borneo
pallata Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur
 p. 400.
puleholla Pasc. l. c. p. 419, t. 15, f. 6. — Lacord. Gen. Singapur,
 Col. IX, 1872, p. 847. — Shelf. Proc. Zool. Borneo
 Soc. Lond. 1902, 2, t. 20, f. 38. — Auriv.
 Arkiv f. Zool. XIV, 18, 1922, p. 27.

Shelfordi nom. nov.

Borneo

—, Shelf. Proc. Zool. Soc. Lond. 1902, 2,
t. 20, f. 36.**sospita** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867,
p. 409, t. 17, f. 8.Malacca:
Berg Ophir**vittata** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 37, f. 80.
12

Borneo

Tephrocoma Pasc.Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 419. — Lacord.
Gen. Col. IX, 1872, p. 842, 847.**livia** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 419,
t. 16, f. 5. — Lacord. Gen. Col. IX,
1872, p. 847.

Ceram

1

Moraegamus Thoms.Thoms. Physis II, 1868, p. 188. — Lacord. Gen. Col. IX, 1872, p.
850, 854.**flavicapillus** Chevr. Archives Ent. II, 1858, p. 253, Westafrika
t. 14, f. 9. — Thoms. Physis II, 1868, p.
188. — Lacord. Gen. Col. IX, 1872, p. 854.

1

Volumnia Thoms.Thoms. Classif. Ceramb. 1860, p. 58. — Lacord. Gen. Col. IX, 1872
p. 850, 853. — Gahan, Trans. Ent. Soc. Lond. 1889, p. 225.**apicalis** Chevr. Revue Zool. (2) IX, 1857, p. 108; Alt Calabar
Journ. of Ent. I, 1861, p. 189; Cent. Longic.
1858, nr. 73.var. (ab.?) *guineensis* Chevr. l. c.Westafrika,
Ostafrika
Südafrikavar. *Westermanni* Thoms. Classif. Ceramb.
1860, p. 59. — Fähr. Öfvers. Vet. Akad.
Förh. XXIX, 2, 1872, p. 59. — Dist. Ins.
Transvaal. 1904, p. 157, t. 15, f. 18.**leucomelaena** Bates, Proc. Zool. Soc. Lond. 1890,
p. 492.Zentral-
afrika,*transversalis* Lameere, Ann. Soc. Ent.
Belg. XXXVI, 1892, p. 508.Congo:
Kassai;
Kamerun**morosa** Pasc. Trans. Ent. Soc. Lond. 1888, p. 510.

Angola

3

Stibara Hope.Hope, Proc. Linn. Soc. Lond. I, 1840, p. 79; Trans. Linn. Soc. Lond.
XVIII, 1841, p. 598; Ann. Mag. Nat. Hist. VI, 1841, p. 300. — Thoms.
Archives Ent. I, 1857, p. 140 (Divis. I; ex parte); Classif. Ceramb.
1860, p. 59; Syst. Ceramb. 1864, p. 401. — Lacord. Gen. Col. IX,
1872, p. 850, 851.Subg. *Nicotelia* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867,
p. 364. — Lacord. Gen. Col. IX, 1872, p. 852.Subgenus **Stibara** s. str.**Beloni** Pic, Longic. VI, 2, 1907, p. 22.

Ostchina

dichroma Thoms. Syst. Ceramb. 1865, p. 560.

Cochinchina

- humeralis* Thoms. l. c. p. 560. Malayana
lateralis Thoms. l. c. p. 560. Silhet
morbillosa F. Ent. Syst. Suppl. 1798, p. 147; Syst. Tranquebar
 Eleuth. II, 1801, p. 319.
rufina Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. Birma,
 259. — Gah. Ann. Mus. Civ. Genova (2) Assam,
 XIV, 1894, p. 90. Siam,
obsolleta Thoms. Classif. Ceramb. 1860, p. Perak
 60. — Lacord. Gen. Col. IX, 1872, p. 852,
 nota 1.
suturalis Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 65. Südindien
tetraspilota Hope, Proc. Linn. Soc. Lond. I, 1840, p. Assam,
 79; Trans. Linn. Soc. Lond. XVIII, 1841, p. Sikkim,
 598, t. 40, f. 8; Entomolog. I, 1841, p. 177; Birma
 Ann. Mag. Nat. Hist. VI, 1841, p. 300.
tricolor F. Ent. Syst. I, 2, 1792, p. 309; Syst. Eleuth. Ostindien
 II, 1801, p. 320.
trilineata Hope, Proc. Linn. Soc. Lond. I, 1840, p. Assam
 79; Trans. Linn. Soc. Lond. XVIII, 1841, p.
 599; Entomolog. I, 1841, p. 177; Ann. Mag.
 Nat. Hist. VI, 1841, p. 300.

Subgenus *Nicotelea* Pasc.

- nigricornis* F. Spec. Ins. I, 1781, p. 218; Mant. Ins. I, Coromandel
 1787, p. 136; Ent. Syst. I, 2, 1792, p. 270;
 Syst. Eleuth. II, 1801, p. 286. — Gmel. in
 L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. —
 Ol. Ent. IV, nr. 67, 1795, p. 111, t. 8, f. 55.
 — Gah. Ann. Mag. Nat. Hist. (6) V, 1890,
 p. 66.
perforata Schönh. Synon. Ins. I, 3, 1817,
 p. 418.
 11

LXXXVIII. *Onychogeneini*.*Onychogenea* Auriv.

Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 28.

-
- brunnea*
- Auriv. l. c. p. 28.

Mindanao

1

LXXXIX. *Phytoeciini*.

Lacordaire, Gen. Col. IX, 1872, p. 849.

Obereitae Thomson, Syst. Ceramb. 1864, p. 119, 399.*Nupserha* Thoms.

Thoms. Classif. Ceramb. 1860, p. 41, 60; Syst. Ceramb. 1864, p. 400.
 — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 413. — Lacord.
 Gen. Col. IX, 1872, p. 850, 854.

Arten aus Afrika.

- analis* F. Spec. Ins. I, 1781, p. 233; Mant. Ins. I, 1787, Guinea,
 p. 149; Ent. Syst. I, 2, 1792, p. 313; Syst. Alt-Calabar,
 Eleuth. II, 1801, p. 325. — Gmel. in L. Syst. Gabun
 Nat. ed. 13, I, 4, 1790, p. 1831. — Ol. Ent.
 IV, nr. 68, 1795, p. 29, t. 3, f. 23.

- impuncta* Chevr. Revue Zool. (2) IX, 1857, p. 168; Cent. Longic. 1858, nr. 76.
- impunctata* Chevr. Revue Zool. (2) X, 1858, p. 357.
- pallida* Thoms. Archives Ent. II, 1858, p. 202.
- angulata** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 38. Brit.
Ostafrika:
Kavirondo
Kuilu
Ost-undSüd-
Afrika
- antennalis** Jord. Novit. Zool. I, 1894, p. 253.
- apicalis** Fähr. Öfvers. Vet. Akad. Förhandl. XXIX, 1872, p. 56.
- globiceps* Har. Monatsb. Berl. Akad. 1880, p. 267. — Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 346. — Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 288. — Dist. Ins. Transvaal. 1904, p. 157, t. 15, f. 20.
- Biologie: Fuller, Agric. Journ. Union S. Afr. VIII, 1914, p. 242, figg.
- basalis** Er. Archiv Naturg. IX, 1843, p. 262. Angola
Uganda
- var. *Ugandae* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 37.
- basipennis** Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 345. Ostafrika:
Kibanja
- bidentata** F. Ent. Syst. I, 2, 1792, p. 313; Syst. Eleuth. II, 1801, p. 325. Guinea
- bidentula** Dalm. in Schönh. Syn. Ins. I, 3, Append. 1817, p. 182. Sierra Leone
- blsbioculata** Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, p. 142. Chinchoxo,
Uganda
- bivittata** Auriv. Deutsche Ent. Zeitschr. 1907, p. 83. Kamerun
- brachytrita** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 37. Uganda
- capitata** Jord. Nov. Zool. I, 1894, p. 254. Kuilu
- deusta** Dalm. in Schönh. Syn. Ins. I, 3, Append. 1817, p. 183. Sierra Leone,
Alt-Calabar
- lineigera* Chevr. Revue Zool. (2) IX, 1857, p. 166; Cent. Longic. 1858, nr. 74.
- fasciata** Auriv. Deutsche Ent. Zeitschr. 1907, p. 83. Togo
- Gahaul** Gestro, Ann. Mus. Civ. Genova XXXV, 1895, p. 429. Juba
- gracilis** Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Exped. III, 1911, p. 445. Ruwenzori
- Hintzi** nov. nom.
- nigriceps* Hintz, l. c. p. 445.
- insignis** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 38. Abessinien
- maculata** Auriv. Deutsche Ent. Zeitschr. 1907, p. 84. Kamerun
- nigriventris** Fairm. Ann. Soc. Ent. France (6) VII, 1887, p. 346. Ostafrika
- nyassensis** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 38. Nyassaland
- occipitalis** Chevr. Revue Zool. (2) IX, 1857, p. 169; Cent. Longic. 1858, nr. 77. Alt-Calabar
- punctata** Jord. Novit. Zool. I, 1894, p. 254. Congo:
Stanley Pool
- sexpunctata** Chevr. Revue Zool. (2) IX, 1857, p. 167; Cent. Longic. 1858, nr. 75. Alt-Calabar
- spinoza** Hintz, Ann. Hofmus. Wien XXX, 1916, p. 237. Zentral-
Afrika:
Mawambi
- tricolor** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 38. Kamerun

- tripunctata* Auriv. Ent. Tidskr. XXIV, 1903, p. 281; Congo
Arkiv f. Zool. VIII, 1914, p. 38.
ab. *testacea* Auriv. l. c. p. 38. Uganda
- vitticollis* Gestro, Ann. Mus. Civ. Genova XXXV, 1895, p. 430. Juba
- Arten aus Asien.
- ambigua* Lameere, Ann. Soc. Ent. France LXII, 1893, Saigun
p. 286.
- annulata* Thoms. Archives Ent. I, 1857, p. 147. — Nord-
Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 94. Ostindien
- antennata* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 93. Birma
- bicolor* Thoms. Archives Ent. I, 1857, p. 147. Ostindien
- cosmopolita* Thoms. l. c. p. 146. "
- dubla* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 93. Birma
- elongata* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 33. Borneo
ab. *pallescens* Auriv. l. c. p. 33. "
- fricator* Dalm. in Schönh. Syn. Ins. I, 3, Append. Birma,
1817, p. 183. — Cast. Hist. Nat. Col. II, 1840, Malacca,
p. 489. — Pasc. Trans. Ent. Soc. Lond. (3) Java,
III, 1867, p. 414. Borneo,
Celebes
- melanoscelis* Auriv. Arkiv f. Zool. XIV, 18, 1922, Mindanao
p. 30.
- nigriceps* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma
p. 90.
- pallidipeennis* Redtenb. in Hügel, Kaschmir IV, 2, Himalaya
1848, p. 552.
- quadriloculata* Thunb. Mus. Nat. Upsal. IV, 1787, p. 57. Silhet,
carinata Thoms. Archives Ent. I, 1857, Birma,
p. 146. Tenasserim,
costata Wiedem. Zool. Magaz. II, 1, 1823, Java
p. 112.
- ustulata* Er. Nova Acta Acad. Leop. XVI, Suppl. I, Luzon
1834, p. 270.
- variabilis* Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1894, p. 92.
- ventralis* Gah. l. c. p. 91. "

Synnupserha Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 73.

- abyssinica* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 39. Abessinien
- apicata* Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, Somali, Kili-
Bull. p. 301. mandjaro
- bipunctata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 39. Uganda
- Conradi* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 288. Usambara
- convergens* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 39. Uganda
ab. *flavinotum* Auriv. l. c. p. 39.
- costat* Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Exped. Zentral-
III, 1911, p. 445. Afrika
- cruciata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 40. Uganda
- cylindrica* Jord. Novit. Zool. I, 1894, p. 256. Sierra Leone
- elgonensis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 39. Uganda

- elongata* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 74. Togo
flavotum Auriv. Arkiv f. Zool. IX, 8, 1914, p. 14. Uganda
frontalis Jord. Novit. Zool. I, 1894, p. 255. Kulu
gracilis Auriv. Ent. Tidskr. XXIV, 1903, p. 281. Kamerun
Homeyeri Har. Col. Hefte XVI, 1879, p. 205. — Angola,
 Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, Congo,
 p. 367. — Kolbe, Deutsch-O.-Afr. IV, 1897, Ost-Afrika,
 p. 323, t. 4, f. 49. Abessinien
larifuga Chevr. Revue Zool. (2) VII, 1855, p. 288; Alt-Calabar
 Cent. Longic. 1858, nr. 27.
meruana Auriv. in Sjöstedt, Ergebn. Exped. Kili- Meru-Berg
 mandjaro VII, 1908, p. 151, fig. 6.
quadricostata Hintz, Wiss. Ergebn. D. Zentr.-Afr.- Ruwenzori
 Exped. III, 1911, p. 445.
quadrinaculata Auriv. Arkiv f. Zool. III, 18, 1907, Ostafrika
 p. 37.
strigicollis Fairm. Ann. Soc. Ent. Belg. XXXVII, Shoa, Congo,
 1893, p. 42. Kamerun
 var. *grisea* Auriv. Arkiv f. Zool. VIII, 29, Brit. Ost-
 1914, p. 40. afrika
Van Rooni Auriv. Tijdschr. Ent. LIX, 1916, p. 223, Usambara
 t. 8, f. 12.
variabilis Hintz, Wiss. Ergebn. D. Zentr.-Afr.-Ex- Ruwenzori
 ped. III, 1911, p. 444.
varilecornis Hintz, Wiss. Ergebn. 2. D. Zentr.-Afr.- Kamerun
 Exped. I, 13, 1919, p. 633.
vitticollis Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 73. Togo
 — Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 38.
 ab. *camerunica* Auriv. l. c. p. 39. Kamerun
 ab. *holoxantha* Auriv. l. c. p. 39. Uganda
 23

Paradystus nov. nom.

- Dystus* Pasc. (nec Stål 1862) Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 416. — Lacord. Gen. Col. IX, 1872, p. 850, 855.
notator Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Sumatra,
 p. 416, t. 16, f. 6. — Lacord. Gen. Col. IX, Singapur
 1872, p. 856.

1

Scytasis Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 414. — Lacord.
 Gen. Col. IX, 1872, p. 850, 856.
nitida Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. Borneo:
 415, t. 16, f. 8. Sarawak
oxyura Pasc. l. c. p. 416. "
punctigera Pasc. l. c. p. 415. "

3

Poecilobactris Kolbe.

- Kolbe, Deutsch-Ost-Afrika IV, 1897, p. 323.
Poecilostolus Kolbe, Stett. Ent. Zeit. LV, 1894, p. 38.
militaris Fairm. Ann. Soc. Ent. France (6) VII, 1887, Ostafrika
 p. 345.
Kirki Gah. Trans. Ent. Soc. Lond. 1890,
 p. 326.

1

Pseudonupserha Auriv.

Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 40.

Neavel Auriv. l. c. p. 41.

Uganda

ab. *apicalis* Auriv. l. c. p. 41.

Unyoro

1

Mystrocnemis Quedenf.

Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 361. — Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 43.

apicalis Auriv. Arkiv f. Zool. IX, 8, 1914, p. 15.

Brit.-

Ostafrika

bicolor Auriv. l. c. VIII, 29, 1914, p. 42.**flavovittata** Quedenf. Berl. Ent. Zeitschr. XXVI, 1882, p. 362, t. 6, f. 11, 11a.

Angola

stiletica Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 43.

Kavirondo

4

Dyenmonus Thoms.

Thoms. Physis II, 1868, p. 187. — Lacord. Gen. Col. IX, 1872, p. 851, 869.

analis Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 56.

Kaffernland

confusus Auriv. in Sjöstedt, Wiss. Ergebn. Kilimandjaro-Exped. VII, 1908, p. 152.

Kilimandjaro

flssilis Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 33.

Congo

nigrifrons Auriv. l. c. VIII, 29, 1914, p. 50.

Kavirondo

nuptus Thoms. Physis II, 1868, p. 187, ♂ (non ♀). —

Natal

Lacord. Gen. Col. IX, 1872, p. 869. — Fähr.

Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p.

55. — Auriv. in Sjöstedt, Wiss. Ergebn.

Kilimandj.-Exped. VII, 1908, p. 152.

trivittatus Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 50.

Niam-niam-

6

Land

Blepisanis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1866, p. 365 nota; Ann. Mag.

Nat. Hist. (4) VIII, 1871, p. 279. — Lacord. Gen. Col. IX, 1872, p. 851, 869.

angusta Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 52.

Kavirondo

bicolor Péring. Ann. S. Afr. Mus. V, 1908, p. 330.

Kapland

Bohemani Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858,

Natal,

p. 257. — Fähr. Öfvers. Vet. Akad. Förhl.

Transvaal

XXIX, 2, 1872, p. 55. — Waterh. Aid Identif.

Ins. II, 1889, t. 180, f. 8. — Dist. Ins. Transvaal.

1904, p. 158, t. 15, f. 24.

capensis Péring. Trans. S. Afr. Philos. Soc. IV, 1888,

Kapland

p. 184.

coerulea Auriv. Arkiv f. Zool. IV, 17, 1908, p. 8.

Uganda

collaris Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871,

Natal

p. 280.

cylindricollis Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 77.

Togo

dorsata Péring. Trans. S. Afr. Philos. Soc. IV, 1888,

Zululand,

p. 184. — Dist. Ins. Transvaal. 1906, p. 159,

Natal,

fig. 20.

Transvaal

- erythaca* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Natal
p. 257.
- exilis* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. Natal,
280. — Dist. Ins. Transvaal. 1906, p. 159. Transvaal
- fervida* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 279. Natal
lugens Fähr. Öfvers. Vet. Akad. Förhl.
XXIX, 2, 1872, p. 58.
- funesta* Fähr. l. c. p. 57. Kaffernland
- geniculata* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 77. Togo
- Haroldi* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, Transvaal
1872, p. 55; Col. Hefte IX—X, 1872, p. 196. —
Marsh. Trans. Ent. Soc. Lond. 1902, p. 340,
345, 383, 388, 391, 517, t. 18, f. 24. — Dist.
Ins. Transvaal. 1906, p. 159, fig. 21.
- Kaessneri* Dist. Ann. N. H. (7) 1, 1898, p.
378; Ins. Transvaal. 1904, p. 157, t. 15, f. 22.
- incensa* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Natal
p. 280.
- insignis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 51. Rhodesia,
Deutsch- Ostafrika
Congogebiet
- var. *apicalis* Auriv. l. c. p. 52.
- larvata* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 280. Natal
- lateralis* Auriv. Deutsche Ent. Zeitschr. 1907, p. 85. Togo
- lineata* Auriv. Arkiv f. Zool. VIII, 22, 1913, p. 35. Angola
- maculifrons* Chev. Revue Zool. (2) X, 1858, p. 350; Alt-Calabar
Cent. Longic. 1858, nr. 97.
- var. *guineensis* Kolbe, Stett. Ent. Zeit. Togo
LIV, 1893, p. 78.
- metallescens* nov. nom. Kavirondo
- var. *collaris* Auriv. Arkiv f. Zool. VIII, 29,
1914, p. 52.
- Neavel* Auriv. l. c. p. 50. Nyassaland
- var. *glabra* Auriv. l. c. p. 51. Brit.-
Ostafrika
- nigriventris* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 78. Togo
- orientis* Auriv. in Sjöstedt, Kilimandj.-Exped. VII, Kilimandjaro
1908, p. 151.
- porosa* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. Natal,
279. — Dist. Ins. Transvaal. 1906, p. 159, Transvaal
t. 15, f. 25.
- var. *necydaloides* Fähr. Öfvers. Vet. Akad.
Förhl. XXIX, 2, 1872, p. 55.
- ruficollis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 52. Nyassaland
- sericea* Auriv. l. c. VIII, 22, 1913, p. 34. Angola
- suturalis* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Natal
p. 280.
- tripunctata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 53. Uganda
- ab. *dimidiata* Auriv. l. c. p. 53.
- vittata* Péring. Trans. S. Afr. Philos. Soc. IV, 1888, p. 183. Kapland
30

Nitocris Thoms.

Thoms. Archives Ent. II, April 1858, p. 198; Classif. Ceramb. 1860,
p. 41, 62; Syst. Ceramb. 1864, p. 400. — Lacord. Gen. Col. IX, 1872,
p. 851, 867.

Dirphya Pasc. Trans. Ent. Soc. Lond. (2) IV, 5. April 1858,
p. 262; V, 1859, p. 61 nota. — Gahan, Trans. Zool. Soc.
Lond. XIX, 1909, p. 214.

- Dyrphia* (errore) Gemm. & Har. Cat. Col. X, 1873, p. 3200.
— Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 44—48.
- adorata* Thoms. Archives Ent. II, 1858, p. 198. Gabun
- angustifrons* Har. Mitth. München. Ent. Ver. II, 1878, p. 83. Congo
- angustior* Jord. Novit. Zool. I, 1894, p. 263. Ogowe
- argenteovittata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 44. Uganda
- argyrostigma* Auriv. l. c. p. 45. Nyassaland
- atricilla* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 43. Shoa
- basalis* Chev. Revue Zool. (2) X, 1858, p. 352; Cent. Longic. 1858, nr. 98. — Jord. Novit. Zool. I, 1894, p. 164. Alt Calabar
- var. *Jordani* nov. nom. Gabun,
basalis var. Jord. l. c. p. 264. Kuilu
Sierra Leone
- brevior* Jord. l. c. p. 264. "
- Blütneri* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 74. Togo
- chryso stigma* Har. Mitth. München. Ent. Ver. II, 1878, p. 111; Col. Hefte XVI, 1879, p. 206, t. 2, f. 4. Congogebiet,
Uheheland
- cingulata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 46. Brit.-
Ostafrika
- comes* Jord. Novit. Zool. I, 1894, p. 262. Sierra Leone
- comtessa* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 75. — Togo,
Jord. Novit. Zool. I, 1894, p. 262. Kuilu
- delecta* Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 214, t. 6, f. 17. Ruwenzori
- dimidiati ornis* Chev. Revue Zool. (2) IX, 1857, p. 170; Cent. Longic. 1858, nr. 78. Alt-Calabar
- discoidalis* Jord. Novit. Zool. I, 1894, p. 265. Kuilu
- elegantula* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 64. Victoria
Nyanza
- fulvotarsata* Auriv. Arkiv f. Zool. IV, 17, 1908, p. 8. "
- gigantea* Nonfr. Ent. Nachr. XVIII, 1892, p. 140. — Zambesi,
Kolbe, Stett. Ent. Zeit. LV, 1894, p. 37. Transvaal,
similis Gah. Proc. Zool. Soc. Lond. 1893 DelagoaBay,
(1894), p. 744. — Marsh. Trans. Ent. Soc. Mamboia
Lond. 1902, t. 18, f. 30. — Dist. ins. Trans-
vaal. 1904, p. 158, fig. 19.
- gracillenta* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 75. Togo
- Hintzi* nov. nom. Zentr.-Afrika
- nigriceps* Hintz, Ann. Hofmus. Wien XXX, 1916, p. 237.
- humilis* Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 333. Gabun
- insignis* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 39. Abessinien
- juvenca* Brancs. Ber. Mus.-Ver. Trencs. 1914, p. 68. Zambesi
- leucostigma* Har. Mitth. München. Ent. Ver. II, 1878, p. 111; Col. Hefte XVI, 1879, p. 206, t. 2, f. 3. Zentr.-Afrika,
Angola
- Lualabae* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 47. Congo
- Lucasi* Thoms. Archives Ent. II, 1858, p. 199, t. 5, f. 5. Gabun
- lutea* Jord. Novit. Zool. I, 1894, p. 265. Ogowe
- maculicollis* Péring. Trans. S. Afr. Philos. Soc. IV, 1888, p. 184. Kapstadt
- maculicornis* Chev. Revue Zool. (2) X, 1858, p. 352; Cent. Longic. 1858, nr. 99. Alt-Calabar

- melanocephala* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 44. Uganda
- modesta* F. Spec. Ins. I, 1781, p. 231; Mant. Ins. I, 1787, p. 147; Ent. Syst. 1, 2, 1792, p. 308; Syst. Eleuth. II, 1801, p. 319. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1838. — Ol. Ent. IV, nr. 68, 1795, p. 20, t. 3, f. 27. — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 76. Guinea
- Neavei* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 46. Brit.-Ostafrika
- nigriceps* Auriv. l. c. p. 44. Uganda
- nigricolllis* Auriv. l. c. p. 47. Brit.-Ostafrika
- nigricornis* Ol. Ent. IV, nr. 74, 1795, p. 10, t. 1, f. 8. — Marsh. Trans. Ent. Soc. Lond. 1902, t. 18, f. 29. — Dist. Ins. Transvaal. 1904, p. 158, fig. 18. Senegal, Südafrika, Ostafrika
- abdominalis* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 56.
- Alessandrini* Bertol. Mem. Acad. Sc. Bologna VI, 1855, p. 443, t. 22, f. 5 (sep. p. 27, t. 2, f. 5).
- var. *breviplagiata* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 36. Delagoa-Bay
- nigripes* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 76. Togo
- nigrocincta* Auriv. Arkiv f. Zool. III, 18, 1907, p. 37. Kigonsera
- nigrolineata* Auriv. l. c. X, 19, 1916, p. 24. Abessinien
- obsoleta* Chev. Archives Ent. II, 1858, p. 256, t. 14, f. 10. Loanda
- pagana* Har. Monatsber. Akad. Wiss. Berlin 1880, p. 267. Mombassa
- pallidula* Gerst. l. c. 1855, p. 267; Peters' Reise Mossamb. 1862, Ins. p. 331, t. 20, f. 5. Mossambik
- Pascoei* Thoms. l. c. p. 199, t. 5, f. 6. Gabun, Kuilu, Ashanti, Togo, Sierra Leone
- Pascoei* Jord. Novit. Zool. I, 1894, p. 264.
- patricia* Chev. Archives Ent. II, 1858, p. 253, t. 14, f. 11. — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 74. Gross-Bassam, Togo
- pectoralis* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 59. Kaffernland
- peplus* Jord. Novit. Zool. X, 1903, p. 191. Nyassaland
- plagiata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 44. Uganda
- punctata* Jord. Novit. Zool. I, 1894, p. 262. Kuilu, Alt-Calabar
- pusilla* Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 59. Kaffernland
- rubricollis* Péring, Trans. S. Afr. Philos. Soc. IV, 1888, p. 183. Kapland
- sanguinalis* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 77. Togo
- sansibarica* Har. Monatsber. Akad. Wiss. Berlin 1880, p. 267. Mombassa
- sentellaris* Gerst. Monatsber. Berl. Acad. 1855, p. 267; Peters' Reise Mossamb. Zool. V, 1862, p. 331, t. 20, f. 4. — Marsh. Trans. Ent. Soc. Lond. 1902, p. 533, t. 18, f. 57. — Dist. Ins. Transvaal. 1904, p. 157, t. 15, f. 21. Mossambik, Nyassaland, Delagoa-Bay, Transvaal, Natal

- melanocera* Har. Col. Hefte XVI, 1879, p. 207.
nigricornis Fähr. Ofvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 58.
semiorbifera Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 48. Matabeleland, Rhodesia
senegalensis Serv. Ann. Soc. Ent. France IV, 1835, p. 48. — Cast. Hist. Nat. Col. II, 1840, p. 497. — ? Bertoloni, Nov. Comm. Acad. Bonon. X, 1849, p. 432 (sep. p. 54). Senegal
Simpsoni Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 45. Sierra Leone
nturalis Jord. Novit. Zool. I, 1894, p. 263. Kuilu
tibialis Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 76. Togo
trigonifera Auriv. Arkiv f. Zool. III, 18, 1907, p. 37; in Sjöstedt, Kilimandjaro-Exped. VII, 1908, p. 151. Deutsch-Ostafrika, Brit.-Ostafrika
ventralis Gah. Bull. Mus. Paris XV, 1909, p. 75.
trilineata Chevr. Revue Zool. (2) X, 1858, p. 353; Cent. Longic. 1858, nr. 100. Alt-Calabar
usambica Kolbe, Deutsche Ent. Zeitschr. 1911, p. 504. Usambara
 — Aulmann, Fauna deutsch. Kolon. V, 2, 1911, p. 39, f. 22; Fauna Exot. II, 1912, p. 76, fig. 9. — Morstatt, Der Pflanzer VII, 1911, p. 271.
varicornis Fähr. Öfvers. Vet. Akad. Förhl. XXIX, 2, 1872, p. 59. Kaffernland
varilpes Chevr. Revue Zool. (2) X, 1858, p. 349; Cent. Longic. 1858, nr. 96. Alt-Calabar

* * *

- atra* Jord. Novit. Zool. I, 1894, p. 259. Kuilu
calva Thoms. Physis II, 1868, p. 186. Natal
coelebs Jord. Novit. Zool. I, 1894, p. 258. Goldküste
dux Jord. l. c. p. 257. Kuilu
emarginata Chevr. Archives Ent. II, 1858, p. 255, t. 14, f. 12. Gross-Bassam
frontalis Jord. Novit. Zool. I, 1894, p. 260. — Gah. Proc. South Lond. Ent. Soc. 1912-13, t. 8, f. 3, 2. Kuilu
leonis Jord. Novit. Zool. I, 1894, p. 261. Sierra Leone
luteiceps Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 333. Gabun
morio Jord. Novit. Zool. X, 1903, p. 191. Sierra Leone
princeps Jord. l. c. I, 1894, p. 257. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 36. — Gah. Proc. South Lond. Ent. Soc. 1912-13, t. 8, f. 3, 3. Kuilu,
 — Gowdey, Bull. Ent. Research IV, 1914, p. 279, figg. Kamerun,
 Uganda
 Biologie: Gowdey, l. c. p. 279.
regina Jord. Novit. Zool. I, 1894, p. 258. Kuilu
semicollaris Kolbe, Stett. Ent. Zeit. LV, 1894, p. 35. Goldküste
servilis Jord. Novit. Zool. I, 1894, p. 260. Kuilu
thoracica Jord. l. c. p. 261. Ogowe

Obereopsis Chev.

- Chev. Revue Zool. (2) VII, 1855, p. 289; Cent. Longic. 1858, nr. 28. — Auriv. Ent. Tidskr. XXIV, 1903, p. 282.
- Paroberea* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 79. — Jordan, Novit. Zool. I, 1894, p. 255.
- apicalis* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 289. Usambara
ab. *plagiata* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 49. Brit.-Ostafrika
Uganda
- aureosericea* Auriv. l. c. p. 48. Togo
- fuscipes* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 79. — Jord. Novit. Zool. I, 1894, p. 255. Sierra Leone
- iusignis* Auriv. Deutsche Ent. Zeitschr. 1907, p. 84. Togo
- lepta* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 79.
- linearis* Auriv. Ent. Tidskr. XXIV, 1903, p. 282. Kamerun
var. *femorialis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 49. Brit.-Ostafrika
- minima* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 289. Usambara
- nitricollis* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 49. Uganda
- obscuritarsis* Chev. Revue Zool. (2) VII, 1855, p. 289; Cent. Longic. 1858, nr. 28. Alt-Calabar
- similis* Jord. Novit. Zool. I, 1894, p. 255. Kuilu
- aylatica* Hintz, Ann. Hofmus. Wien XXX, 1916, p. 237. Zentr.-Afrika

11

Schoenionta Thoms.

- Thoms. Physis II, 1868, p. 185. — Lacord. Gen. Col. IX, 1872, 851, 868.
- Shelfordi* n. sp. Borneo
sp. Shelford, Proc. Zool. Soc. Lond. 1902, 2, p. 238, t. 19, f. 15.
- strigosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur,
p. 438. — Lacord. Gen. Col. IX, 1872, p. Sumatra,
868, nota 1. — Shelf. Proc. Zool. Soc. Lond. Borneo
1902, 2, p. 238, t. 19, f. 13.
- testaceorufa* Thoms. Physis II, 1868, p. 186. „Malasia“
- respirentis* Thoms. l. c. — Lacord. Gen. Col. IX, Malacca
1872, p. 868.

4

Oberea Muls.

- Muls. Col. France, Longic. 1839, p. 192, 194. — Steph. Man. Brit. Col. 1839, p. 273. — Redtenb. Gatt. deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 46, 499; ed. 2, 1858, p. CXXX, 866; ed. 3, 1874, II, p. 423. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 151. — Bach, Käferf. III, 1856, p. 6, 36. — Gutfl. Käfer Deutschl. 1859, p. 571, 586. — Thoms. Classif. Ceramb. 1860, p. 41; Syst. Ceramb. 1864, p. 400. — Muls. Col. France, Longic. ed. 2, 1863, p. 387, 389. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 172. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 513, 573. — C. G. Thoms. Skand. Col. VIII, 1866, p. 99. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363. 120. — Lacord. Gen. Col. IX, 1872, p. 851, 864. — J. Lec. Smiths. Misc. Coll. XI, 1873, nr. 265, p. 347. — Cox, Handb. Col. II, 1874, p. 305. — Seidl. Fauna Balt. 1875, Gatt. p. 140. — Cuni, Cat. Col. Cataluña 1876, p. 303. — Provancher, Faune Ent. Canada I, 1877, p. 581, 635. — Schoch, Käfer Deutschl. 1878, p. 131, 136. — Schlosser,

Fauna Kornjas. III, 1879, p. 809. — Ganglbauer, Best.-Tab. VII, 1882, p. 16 (694). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 332. — Bau, Handb. Käfer 1888, p. 416. — Bedel, Faune Col. Seine V, 1889, p. 36, 45. — Fowler, Col. Brit. Isl. IV, 1890, p. 244, 255. — Seidlitz, Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 151, 153. — Stierlin, Col. Helvet. II, 1898, p. 491. — Lameere, Faune Ent. Belg. II, 1900, p. 415. — Everts, Col. Neerl. II, 1, 1901, p. 345, 383. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 20; ed. 2, 1909, p. 18. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Kuhnt, Käfer Deutschl. 1912, p. 758, 799. — Reitter, Fauna Germ. IV, 1913, p. 67, 71. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 28. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865, 884. — Auriv. Svensk Insektf. IX, 1, 1917, p. 37, 45.

Isoceles Newm. Entomolog. I, 1842, p. 318. — Thoms. Syst. Ceramb. 1864, p. 400. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 420.

Subg. *Amaurostoma* Müller, Wien. Ent. Zeit. XXV, 1906, p. 223. — Reitter, Fauna Germ. III, 1914, p. 72. — Schaufuss in Calwer, Käferbuch ed. 6, 1916, p. 884.

Paläarktische Arten.

Subgen. *Oberea* s. str.

- coreana* Pic, Longic. VIII, 2, 1912, p. 21. Korea
- depressa* Gebl. in Hummel, Essais Ent. IV, 1825, Sibirien,
p. 51; Ledebours Reise II, 3, 1830, p. 187; Altai
Bull. Moscou XXI, 1, 1848, p. 406 (sep. p.
311). — Ganglb. Best.-Tab. VIII, 1884, p.
149 (583).
- altaica* Gebl. Ledebours Reise II, 3, 1830,
p. 187.
- pupillata* Gebl. Bull. Mosc. XXI, 1, 1848,
p. 408 (sep. p. 313).
- infantula* Ganglb. Horae Soc. Ent. Ross. XXIV, Ganssu
1889, p. 83.
- linearis* L. Fauna Suec. ed. 2, 1761, p. 191; Syst. Nat. Europa
ed. 12, 1767, p. 632. — Müller, Fauna Fridr. (fehlt in
1764, p. 13. — Müller, Naturs. V, 1, 1774, Britannien)
p. 274. — F. Syst. Ent. 1775, p. 185; Spec.
Ins. I, 1781, p. 232; Mant. Ins. I, 1787, p. 148;
Ent. Syst. I, 2, 1792, p. 309; Syst. Eleuth.
II, 1801, p. 320. — Müller, Zool. Dan. Prodr.
1776, p. 93. — Voet, Cat. Col. II, 1778, p. 20,
t. 18, f. 82; ed. Panzer III, 1794, p. 50, t. 18,
f. 82. — Gronov. Zoophyl. 1781, p. 163, nr.
545, index. — Herbst in Füssly, Archiv
Ins. V, 1784, p. 93, t. 26, f. 1. — Schneider
in Füssly, Neues Magaz. III, 1786, p. 123.
— Villers, Linn. Entomol. I, 1789, p. 242.
— Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790,
p. 1839. — Rossi, Mant. Ins. I, 1792, p. 51;
ed. Hellwig 1795, p. 391. — Petagna, Instit.
Ent. I, 1792, p. 236. — Sturm, Ins.-Cat. IV,
1792, t. 20. — Fröl. Naturf. XXVII, 1793,
p. 142. — Schwarz, Nomencl. I, 1793, p. 95.
Panz. Fauna Ins. Germ. VI, 1793, t. 14; Ent.

Germ. 1795, p. 257. — Ol. Ent. IV, nr. 68, 1795, p. 24, t. 2, f. 13. — Schrank, Fauna Boica I, 1798, p. 668. — Cuvier, Tabl. Elem. 1798, p. 555. — Zinke, Schäd. Nadelholz-Ins. 1798, p. 44. — Donnd. Europ. Fauna VIII, 1799, p. 565. — Payk. Fauna Suec. III, 1800, p. 72. — Walcken. Faune Paris. I, 1802, p. 210. — Bechstein & Scharfenb. Forstins. I, 1804, p. 201. — Latr. Hist. Nat. XI, 1804, p. 280. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 304; ed. 3, IV, 1828, p. 377. — Latr. Règne Anim. III, 1817, p. 341; ed. 2, V, 1829, p. 128. — Dumér. Dict. Sc. Nat. XLVII, 1827, p. 309; Entomol. anal. 1860, p. 607. — Gyllenh. Ins. Suec. I, 4, 1827, p. 109. — Boit. Man. d'Ent. II, 1828, p. 23. — Muls. Lettre à Julie II, 1830, p. 333. — Perleb. Lehrb. d. Zool. I, 1831, p. 339. — Oken, Allg. Naturg. V, 3, 1836, p. 1700, t. 41, 3, f. 6 d, e. — Ratzeb. Forstins. I, 1837, p. 226, t. 16, f. 6. — Steph. Man. Brit. Col. 1839, p. 273. — Muls. Col. France, Longic. 1839, p. 197. — Cast. Hist. Nat. Col. II, 1840, p. 497. — Dufour, Excurs. Ent. Vallée d'Ossau 1843, p. 100. — Berge, Käferb. 1844, p. 120, t. 10, f. 22. — Küster, Käfer Eur. VI, 1846, nr. 81. — Redtenb. Fauna Austr. 1849, p. 499; ed. 2, 1858, p. 866; ed. 3, II, 1872, p. 424. — Bach, Käferf. III, 1856, p. 37. — Gutfl. Käfer Deutschl. 1859, p. 586. — Leunis, Synops. ed. 2, 1860, p. 507; ed. 3, I, 2, 1886, p. 193. — Muls. Col. France, Longic. ed. 2, 1863, p. 395. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 573. — Disconzi, Ent. Vicent. 1865, p. 86, 89. — C. G. Thoms. Skand. Col. VIII, 1866, p. 95. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 226. — Seidl. Fauna Balt. 1875, p. 520. — Schlosser, Fauna Kornjas. III, 1879, p. 841. — Fairm. Hist. Nat. France, Col. 1882, p. 271. — Ganglb. Best.-Tab. VIII, 1884, p. 148 (582). — Bau, Handb. Käfer 1888, p. 426. — Bedel, Faune Col. Seine V, 1889, p. 46, 98. — Seidl. Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 852. — Griffini, Coleott. 1896, p. 199, t. 39, f. 16. — Stierl. Col. Helvet. II, 1898, p. 502. — Lameere, Faune Ent. Belg. II, 1900, p. 416. — Everts, Col. Neerl. II, 1, 1901, p. 383. — Houlb. Faune Armor. Ceramb. 1904, p. 74, 75, fig. 145; ed. 2, 1909, p. 76, 77, fig. 145. — Csiki, Rovart. Lapok XII, 1905, p. 164. — Jacobs. Käfer Russl. 1911, t. 72, f. 16. — Kuhnt, Käfer Deutschl. 1912, p. 799, fig. 227. — Reitter, Fauna Germ. 1913, p. 72, t. 140, f. 12. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 29, f. 19. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 884, t. 32, f. 16. — Auriv. Svensk Insektf. IX, 1, 1917, p. 45.

- cylindricollis* Griff. Anim. Kingd. Ins. II, 1832, p. 119.
- fulvipes* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 79.
- limbata* Muls. Col. France, Longic. 1839, p. 197.
- parallela* Scop. Ent. Carniol. 1763, p. 47, f. 153.
- regularis* Poda, Mus. Graec. 1761, p. 28. Biologie: Rösel, Ins.-Belust. II, 1749, Erdkäf. 2. Cl. p. 21, t. 3, f. 1-5. — Bouché, Naturg. Garten-Ins. 1833, p. 29. — Goureau, Ins. nuis. aux arbres fruit. 1862, p. 29. — Künstler, Kulturpfl. schäd. Ins. 1871, p. 65. — Perris, Larves Col. 1877, p. 508. — Xambou, Moeurs et Métam. VIII, 1902, p. 189. — Nielsen, Zool. Jahrb. Syst. XVIII, 1903, p. 659, t. 29. — Lunardoni, Insetti Nocivi I, 1889, p. 510. — Strohmeier, Nat. Zeitschr. f. Land- u. Forstwiss. IV, 1906, p. — Barbey, Entomol. Forest. 1913, p. 545. — Beffa, Rivista Col. Ital. XIII, 1915, Append. t. 1, f. 31.
- maculicollis** Lucas, Ann. Sc. Nat. (2) XVIII, 1842, p. 187; Explor. Algérie. Zool. II, 1849, p. 502, t. 42, f. 9. — Ganglb. Best.-Tab. VIII, 1884, p. 148 (582). Algier, Spanien
- Mairei** Chevr. Revue Zool. (2) VIII, 1856, p. 435. — Muls. Col. France, Longic. ed. 2, 1863, p. 397. — Ganglb. Best.-Tab. VIII, 1884, p. 147 (581). Frankreich (eingeschleppt ?)
- marginella** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 388. — Ganglb. Best.-Tab. VIII, 1884, p. 150 (584). Amur, Japan
- japonica* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 95, nota 2 (non Thunb.). — Jacobs. Käfer Russl. 1911, t. 71, f. 17.
- mauritanica** Lucas, Ann. Sc. Nat. (2) XVIII, 1842, p. 1888; Explor. Algérie, Zool. II, 1849, p. 503, t. 42, f. 10. — Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 63. — Ganglb. Best.-Tab. VIII, p. 150 (584). Algier
- oculata** L. Syst. Nat. ed. 10, 1758, p. 394; ed. 12, 1767, p. 633; Fauna Suec. ed. 2, 1761, p. 192. — Scop. Ent. Carniol. 1763, p. 47, fig. 152. — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 565. — Müller, Naturs. V, I, 1774, p. 274. — De Geer, Mém. Ins. V, 1775, p. 74, t. 3, f. 20. — F. Syst. Ent. 1775, p. 184; Spec. Ins. I, 1781, p. 231; Mant. Ins. I, 1787, p. 147; Ent. Syst. I, 2, 1792, p. 308; Syst. Eleuth. II, 1801, p. 319. — Goeze, Ent. Beytr. I, 1777, p. 449. — Schrank, Enum. Ins. 1781, p. 143. — Laich. Tyrol. Ins. II, 1784, p. 42. — Herbst in Borowsky, Naturg. VI, 1784, p. 128, t. 16 C, f. 2. — Villers, Linn. Ent. I, 1789, p. 242. — Brahm, Ins.-Kal. I, 1790, p. 185. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1841. — Panz. in Uddm. Novae Ins. Spec. ed. 2, 1790, p. 17, 53. — Petagna, Instit. Ent. I, 1792, p. 236. Europa, Sibirien

— Martyn, Engl. Entomol. 1792, t. 26, f. 26. — Panz. Faun. Ins. Germ. I, 1793, t. 18; Ent. Germ. 1795, p. 257. — Fröl. Naturf. XXVII, 1793, p. 154. — Ol. Ent. IV, nr. 68, 1795, p. 19, t. 1, f. 4. — Schrank, Fauna Boica I, 1798, p. 668. — Cederhj. Faun. Ingric. 1798, p. 91. — Zinke, Schäd. Nadelh.-Ins. 1798, p. 44. — Donnd. Eur. Fauna VIII, 1799, p. 567. — Payk. Fauna Suec. III, 1800, p. 72. — Donovan. Brit. Ins. IX, 1800, p. 37, t. 305. — Walcken. Faune Paris. I, 1802, p. 210. — Marsh. Ent. Brit. I, 1802, p. 332. — Latr. Hist. Nat. Ins. XI, 1804, p. 278. — Bechst. & Scharfenb. Forstins. I, 1804, p. 203. — Panz. in Schaeffer, Icon. Ins. ed. 2, 1804, p. 130, t. 128, f. 4. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 303; ed. 3, IV, 1828, p. 375. — Oken, Naturg. III, 2, 1816, p. 796. — Goldf. Handb. Zool. I, 1820, p. 365. — Gyllenh. Ins. Suec. I, 4, 1827, p. 108. — Boit. Man. d'Ent. II, 1828, p. 24. — Zett. Fauna Ins. Lapp. 1828, p. 366. — Steph. Brit. Ent. Mandib. IV, 1831, p. 241; Man. Brit. Col. 1839, p. 273. — Muls. Col. France, Longic. 1839, p. 194. — Westw. Introd. 1839, p. 368, fig. 43; 15, 16. — Cast. Hist. Nat. Col. II, 1840, p. 497. — Zett. Ins. Lapp. 1840, p. 203. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 100. — Küster, Käfer Eur. IV, 1846, p. 82; XIV, 1848, t. 2, f. 2. — Redtenb. Fauna Austr. 1849, p. 499; ed. 2, 1858, p. 866; ed. 3, II, 1874, p. 424. — Lenz, Preuss. Käfer 1853, p. 39. — Bach, Käferf. III, 1856, p. 36. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 390. — C. G. Thoms. Skand. Col. VIII, 1866, p. 100. — Cox, Handb. Col. II, 1874, p. 308. — Seidl. Fauna Balt. 1875, p. 520. — Schoch, Käfer Deutschl. 1878, p. 137. — Schlosser, Fauna Kornjas. III, 1879, p. 842. — Sériz. Hist. Col. France 1880, p. 314. — Fairm. Hist. Nat. France, Col. 1883, p. 271. — Ganglb. Best.-Tab. VIII, 1884, p. 148 (582). — Leunis, Synops. ed. 3, 1886, p. 193. — Bau, Handb. Käfer 1888, p. 425, fig. — Bedel, Faune Col. Seine V, 1889, p. 46, 97. — Fowler, Col. Brit. Isl. IV, 1890, p. 255, t. 125, f. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 852. — Griff. Coleopt. 1896, p. 199, t. 39, f. 17. — Stierl. Col. Helvet. II, 1898, p. 502. — Lameere, Faune Belg. II, 1900, p. 416. — Everts, Col. Neerl. II, 1901, p. 384. — Houlb. Faune Armor. Ceramb. 1904, p. 74, 75, fig. 144; ed. 2, 1909, p. 76, 77, fig. 144. — Bellevoye, Ins. des Saules 1905, p. 5, figg. — Csiki, Rovart. Lapok XII, 1905, p. 164. — Jacobs. Käfer Russl. 1911, t. 72, f. 17. — Kuhnt, Käfer Deutschl. 1912, p.

- 799, fig. 226. — Reitter, Fauna Germ. IV, 1913, p. 72, t. 140, f. 11. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 29. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 884, t. 32, f. 17. — Auriv. Svensk Insekf. IX, 1, 1917, p. 45, fig. 16 d. — Uhmman, Ent. Blätter XVII, 1921, p. 195.
- melanocephala* Voet, Cat. Col. II, 1778, p. 19, t. 18, f. 81; ed. Panzer III, 1794, p. 49, t. 18, f. 81. —
- ab. *inoculata* Heyd. Jahrb. Nass. Ver. Naturk. XLV, 1892, p. 81; Käfer Nassaus 1904, p. 285; Wien. Ent. Zeit. XXV, 1906, p. 146. — Pic, Longic. V, 2, 1905, p. 14. — Kuhnt, Käfer Deutschl. 1912, p. 799. — Reitter, Fauna Germ. IV, 1913, p. 72.
- ab. *borysthénica* Mokr. Horae Soc. Ent. Ross. XXXIV, 1900, p. 294, t. 1, f. 1.
- oculata* var. β Schönh. Synon. Ins. III, 1817, p. 425. — Muls. Col. France, Longic. 1839, p. 195.
- ab. *quadrimaculata* Donisth. Ent. Record X, 1898, p. 302. — Fowler, Col. Brit. Isl. VI, 1913, p. 158, t. 17, f. 1.
- Biologie: Ratzeb. in Pfeil, Krit. Blätter XXXIV, 1854, p. 93. — Perris, Ann. Soc. Linn. Lyon (2) XXII, 1877, p. 349 (sep. p. 509), fig. 523–526. — Nördl. Lebensw. Forstkerf. 1880, p. 42. — Judeich & Nitsche, Forstins. II, 1889, p. 576. — Lunardoni, Insett. Nociv. I, 1889, p. 509. — Xambeu, Moeurs et Métam. VIII, 1902, p. 188; Ann. Soc. Linn. Lyon (2) L, 1903, p. 182; Moeurs et Métam. XI, 5, 1904, p. 16. — Rudow, Int. Ent. Zeitschr. VI, 1912, p. 201. — Barbey, Entomol. Forest. 1913, p. 571, fig. 348. — Beffa, Rivista Col. Ital. XIII, 1915, Append. t. 1, f. 30.
- pedemontana* Chev. Revue Zool. (2) VIII, 1856, p. 436. — Muls. Col. France, Longic. ed. 2, 1863, p. 393. — Ganglb. Wien. Ent. Zeit. II, 1883, p. 216; Best.-Tab. VIII, 1884, p. 147 (581). — Csiki, Rovart. Lapok XII, 1905, p. 164. — Reitter, Fauna Germ. IV, 1913, p. 72.
- melanura* Gredl. Zeitschr. Ferdinand. (3) VI, 1857, p. 151 (sep. p. 67); Käfer Tyrol. 1866, p. 392. — Muls. Col. France, Longic. ed. 2, 1863, p. 391. — Schlosser, Fauna Kornjas. III, 1879, p. 842.
- pupillata* Gyllenh. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 185. — Hagenb. Symb. Faunae Ins. Helv. 1822, p. 9, t. 2, f. 3. — Muls. Col. France, Longic. 1839, p. 195. — Steph. Man. Brit. Col. 1839, p. 273. — Küst. Käfer Eur. IV, 1846, p. 83. — Redtenb. Fauna Austr. 1849, p. 499; ed. 2, 1858, p. 866; ed. 3, II, 1874, p. 424. — Bach, Käferf. III, 1856, p. 36. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p.

Finnland,
Deutschland,
Rußland

England

Piemont,
Tirol,
Dalmatien

Mittel- und
Süd-Europa

391. — Fairm. Gen. Col. d'Europe IV, 1864, t. 53, f. 247. — Seidl. Fauna Balt. 1875, p. 520. — Schoch, Käfer Deutschl. 1878, p. 137. — Schlosser, Fauna Kornjas. III, 1879, p. 842. — Sériz. Hist. Col. France 1880, p. 314. — Fairm. Hist. Nat. France, Col. 1882, p. 271, t. 23, f. 277. — Ganglb. Best.-Tab. VIII, 1884, p. 147 (581). — Bau, Handb. Käfer 1888, p. 425. — Bedel, Faune Col. Seine V, 1889, p. 46, 98. — Seidl. Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 852. — Stierl. Col. Helvet. II, 1898, p. 502. — Everts, Col. Neerl. II, 1902, p. 384. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 75, fig. 143; ed. 2, 1909, p. 77, fig. 143. — Csiki, Rovart. Lapok XII, 1905, p. 164. — Kuhnt, Käfer Deutschl. 1912, p. 800, fig. 228. — Reitter, Fauna Germ. IV, 1913, p. 72, t. 140, f. 10. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 29.
- oculata* var. Trost, Kl. Beytr. Ent. 1801, p. 33.
 ab. *alsatica* Pic, Longic. IX, 2, 1915, p. 10.
 ab. *cognata* Kugel. in Lentz, Neues Verz. Preuss. Käf. 1857, p. 145.
 ab. *luteonotata* Pic, Echange XXXIV, 1918, p. 5.
- Biologie: Serv. Ann. Soc. Ent. France (2) II, 1844, Bull. p. 50. — Goureau, l. c. (4) VI, 1866, p. 174; Ins. nuis. aux arbustes, 1869, p. 20. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 348 (508). — Nördl. Lebensw. Forstkerf. 1880, p. 42. — Xambeu, Ann. Soc. Linn. Lyon (2) XXIX, 1883, p. 133; Moeurs et Métam. VIII, 1902, p. 190.
- Rosinae** Pic, Echange XIX, 1904, p. 17; Longic. V, 1, 1904, p. 18. Amur
amurica Suvor. Revue Russe d'Ent. XIII, 1913, p. 78. — Pic, Longic. IX, 2, 1915, p. 9.
- sylvia** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 261. Nord-China
transbaicalica Suvor. Revue Russe d'Ent. XIII, 1913, Trans-
 p. 78. — Pic, Longic. IX, 2, 1915, p. 10. baikalien
- vittata** Blessig, Horae Soc. Ent. Ross. IX, 1873, p. Amur,
 223 (sep. p. 63). — Bates, Journ. Linn. Soc. Japan
 Lond. Zool. XVIII, 1884, p. 260. — Ganglb. Best.-Tab. VIII, 1884, p. 149 (583). — Suvor. Revue Russe d'Ent. XIII, 1913, p. 77.
 ab. *longissima* Pic, Longic. V, 2, 1905, p. 15. Amur

Subgen. Amaurostoma Müller.

- bipunctata** Creutz. in Panz. Faun. Ins. Germ. XXXV, Schweiz
 1796, t. 16. — Redtenb. Fauna Austr. 1849, p. 500, nota 1; ed. 2, 1858, p. 866, nota 1; ed. 3, II, 1874, p. 424, nota 1. — Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 301. — Ganglb. Best.-Tab. VIII, 1884, p. 149 (583). — Stierl. Col. Helvet. II, 1898, p. 503. — Kuhnt, Käfer Deutschl. 1912, p. 800. — Reitter, Fauna Germ. IV, 1913, p. 72.

- cincta* Gebl. Ledeb. Reise III, 1830, p. 186; Bull. Moscou XXI, 1, 1848, p. 406 (311). — Ganglb. Best.-Tab. VIII, 1884, p. 150 (584).
- ✓ *crythrocephala* Schrank, Beytr. Naturg. 1776, p. 67; Enum. Ins. Austr. 1781, p. 143. — Goeze, Ent. Beytr. I, 1777, p. 479. — Herbst in Füessly, Archiv Ins. V, 1784, p. 94, t. 26, f. 3. — F. Mant. Ins. I, 1787, p. 148; Ent. Syst. I, 2, 1792, p. 311; Syst. Eleuth. II, 1801, p. 322. — Zschach, Mus. Lesk. Pars Ent. 1788, p. 25. — Villers, Linn. Entomol. I, 1789, p. 243, t. 1, f. 28. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1840. — Rossi, Mant. Ins. I, 1792, p. 50; ed. Hellw. 1795, p. 391. — Fröl. Naturf. XXVII, 1793, p. 150. — Ol. Ent. IV, nr. 68, 1795, p. 22, t. 3, f. 29. — Panz. Ent. Germ. 1795, p. 257. — Latr. Hist. Nat. XI, 1804, p. 278. — Lam. Hist. Nat. IV, 1817, p. 316; ed. 2, IV, 1835, p. 541. — Boit. Man. d'Ent. II, 1828, p. 24. — Muls. Col. France, Longic. 1839, p. 198. — Küster, Käf. Eur. XIII, 1848, p. 86. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 866; ed. 3, II, 1874, p. 424. — Bach, Käferf. III, 1856, p. 36. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 393. — Seidl. Fauna Balt. 1875, p. 521. — Cuni, Catal. Col. Cataluña 1876, p. 303. — Schlosser, Fauna Kornjas. III, 1879, p. 842. — Sériz. Hist. Col. France 1880, p. 314. — Fairm. Hist. Nat. France 1882, p. 271. — Ganglb. Best.-Tab. VIII, 1884, p. 149 (583). — Bau, Handb. Käfer 1888, p. 425. — Bedel, Faune Col. Seine V, 1889, p. 46, 98. — Seidl. Fauna Balt. ed. 2, 1892, p. 754; Fauna Transsylv. 1892, p. 852. — Griffini, Coleott. 1896, p. 199, t. 39, f. 18. — Stierl. Col. Helvet. 1898, p. 503. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 76, fig. 146; ed. 2, 1908, p. 78, fig. 146. — Csiki, Rovart. Lapok XII, 1905, p. 165. — Jacobs. Käfer Russl. 1911, t. 72, f. 18. — Kuhnt, Käfer Deutschl. 1912, p. 800, fig. 229. — Reitter, Fauna Germ. IV, 1913, p. 72, t. 140, f. 13. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 884, t. 32, f. 18.
- ab. *bicolor* Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 149. — Ganglb. Best.-Tab. VIII, 1884, p. 149 (583). — Kuhnt, Käfer Deutschl. 1912, p. 800. — Reitter, Fauna Germ. IV, 1913, p. 72. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 885.
- ab. *erivanica* Pic, Echange XXXIII, 1917, p. 11.
- ab. *hungarica* Pic, Longic. IX, 1, 1914, p. 11.
- ab. *insidiosa* Muls. Col. France, Longic. ed. 2, 1863, p. 369. — Ganglb. Best.-Tab. VIII, 1884, p. 149 (583). — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 884.

Wolga,
SibirienMittel-
Europa

Portugal

Armenien

Ungarn
Dalmatien

- ab. luteicollis* Gebl. Bull. Moscou VI, 1833, p. 303; XXI, 1, 1848, p. 407 (312). — Ganglb. Best.-Tab. VIII, 1884, p. 150 (584). Südwest-Sibirien
- ab. maroccana* Pic, Longic. IX, 1, 1914, p. 11. Morocco
- ab. melitana* Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 149. — Ganglb. Best.-Tab. VIII, 1884, p. 149 (583). — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 885. Malta
- ab. Montandoni* Pic, Longic. IX, 1, 1914, p. 11. Rumänien
- ab. nigriceps* Muls. Col. France, Longic. ed. 2, 1863, p. 394. — Stierl. Col. Helvet. II, 1898, p. 503. — Csiki, Rovart. Lapok XII, 1905, p. 165. — Kuhnt, Käfer Deutschl. 1912, p. 800. — Reitter, Fauna Germ. IX, 1913, p. 72. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 885. Mittel-Europa
- ab. Richteri* Bau, Handb. Käfer 1888, p. 425. — Kuhnt, Käfer Deutschl. 1912, p. 800. — Reitter, Fauna Germ. IV, 1913, p. 72. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 885. Deutschland
- ab. ruficeps* Fisch. Cat. Col. Karel. 1842, p. 18. — Ganglb. Best.-Tab. VIII, 1884, p. 150 (584). Songarei
- ab. semirufa* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 115. — Ganglb. Best.-Tab. VIII, 1884, p. 150 (584). — Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 135. Turkestan
- ab. tagetana* Pic, Echange XVII, 1901, p. 27. Griechenland
- ab. Theophilei* Pic, Longic. IX, 1, 1914, p. 11. Armenien
- Biologie: Xambou, Revue d'Ent. I, 1882, p. 166; Ann. Soc. Linn. Lyon (2) XXIX, 1883, p. 133; XL, 1893, p. 125 (sep. p. 197); Moeurs et Métam. VIII, 1902, p. 186.
- euphorbiae* Germ. Mag. Ent. I, 1813, p. 131. — Redtenb. Fauna Austr. 1849, p. 499; ed. 2, 1858, p. 866; ed. 3, II, 1874, p. 424. — Bach, Käferf. III, 1856, p. 37. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 394. — ? Schoch, Käfer Deutschl. 1878, p. 137. — Ganglb. Best.-Tab. VIII, 1884, p. 148 (582). — Bau, Handb. Käfer 1888, p. 426. — Seidl. Fauna Transsylv. 1891, p. 852. — Csiki, Rovart. Lapok XII, 1905, p. 165. — Kuhnt, Käfer Deutschl. 1912, p. 800, f. 230. — Reitter, Fauna Germ. IV, 1913, p. 72. Ungarn
- erythrocephala* var. Ol. Ent. IV, nr. 68, 1795, p. 22. — ? Hoppe, Taschenb. 1796, p. 168. — ? Townson, Travels in Hongrie 1797, p. 468, nr. 273*. — ? Panz. Fauna Ins. Germ. LXIX, 1799, t. 5.
- ? *ragusana* Schlosser, Fauna Kornjas. III, 1879, p. 841.
- ab. histrionis* Pic, Echange XXXIII, 1917, p. 11. Ungarn

- morio** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur
p. 117. — Ganglb. Best.-Tab. VIII, 1884, p.
150 (584).
var. pictibasis Reitter, Deutsche Ent. Kuku-noor
Zeitschr. 1901 (1902), p. 186.

Indo-malayische und indo-papuanische Arten.

Philippinische Arten: Heller, Philipp. Journ. Sc. X, 1, 1915, p. 37
(Synopsis).

- abdominalis** Jordan, Novit. Zool. I, 1894, p. 121. Timor
acicularis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo
p. 435.
albocuspis Heller, Synops. p. 37, 42. Luzon
anguina Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo
p. 433.
angustatissima Pic, Longic. VII, 1, 1908, p. 17. Yunnan
annulicornis Pasc. Trans. Ent. Soc. Lond. (2) IV, Celebes
1858, p. 261; (3) III, 1867, p. 431.
atricornis F. Ent. Syst. I, 2, 1792, p. 308; Syst. Eleuth. China
II, 1801, p. 319.
elongata Ol. Ent. IV, nr. 68, 1795, p. 19, t.
3, f. 34.
atritarsis Pic, Echange XXXVI, 1920, p. 3. Thibet
atroanalis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
p. 189.
atropunctata Pic, Longic. X, 1, 1916, p. 17. Yunnan
ballineae Heller, Synops. p. 37, 43. Luzon
baramensis Heyd. Abh. Senckenb. Ges. XXIII, 1897, Borneo
p. 579.
bicoloricornis Pic, Mel. Exot.-Ent. XIII, 1915, p. 13. Thibet
bicoloripes Pic, Longic. X, 1, 1916, p. 16. Formosa
binotaticollis Pic, l. c. p. 13.
bipartita Jord. Novit. Zool. I, 1894, p. 120. Celebes
birmanica Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 96.
bisbinotaticollis Pic, Longic. X, 2, 1917, p. 13. Tonkin
bisbipunctata Pic, Longic. X, 1, 1916, p. 17. ”
bivittata Auriv. Arkiv f. Zool. VII, 19, 1911, p. 40; Borneo
Bull. Sarawak Mus. I, 3, 1913, p. 19.
brevicollis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, ”
p. 420. — Shelf. Proc. Zool. Soc. Lond.
1902, 2, p. 238, t. 19, f. 14.
brevior Pic, Longic. VII, 1, 1908, p. 18. Yunnan
brevis Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 98.
ceylonica Auriv. Tijdschr. v. Ent. LXIV, 1921, p. 53, Ceylon
t. 2, f. 12.
clara Pasc. Proc. Zool. Soc. Lond. 1866, p. 265; Trans. Penang,
Ent. Soc. Lond. (3) III, 1867, p. 426. Singapur,
♂ **armata** Gah. Ann. Mus. Civ. Genova Tenasserim,
XXXIV, 1895, p. 95; (3) III, 1907, p. 109. Birma
clypealis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin
p. 188.
commoda Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Batjan,
p. 437. Kaioa
compta Pasc. l. c. p. 429. Borneo
consentanea Pasc. l. c. p. 426. ”

- curialis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 264; Sumatra,
 Trans. Ent. Soc. Lond. (3) III, 1867, p. 421. Penang
curtilineata Pic, Bull. Soc. Ent. France 1915, p. 326. Yunnan
deflua Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. Aru
 430.
dehiscens Auriv. Arkiv f. Zool. VII, 19, 1911, p. 40; Borneo
 Bull. Sarawak Mus. I, 3, 1913, p. 18.
delicata Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes,
 p. 436. Tondano
demissa Newm. Entomolog. I, 1842, p. 319. — Heller, Philippinen
 Synops. p. 38.
difformis Jord. Novit. Zool. I, 1894, p. 119 Timor
discipennis Fairm. Ann. Soc. Ent. France (6) IX, China,
 1889, p. 68. Kiangsi
distinctipennis Pic, Echange XVIII, 1902, p. 2. China
diversipes Pic. Mélang. Exot.-Ent. XXXI, 1919, p. 11; Thibet
 Echange XXXVI, 1920, p. 3.
Doncell Pic. Longic. VI, 2, 1907, p. 23.
elongatula Boisd. Voy. Astrolabe, Ent. II, 1835, p. 518. Neuguinea
erythrostema Heller, Synops. p. 37, 38. Luzon
Fairmairei nov. nom. Tonkin
brevicollis Fairm. (nec Pasc.) Ann. Soc. Ent. Belg. XXXIX, 1895, p. 190.
famelica Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes;
 p. 429. Macassar
ferruginea Thunb. Mus. Nat. Upsal. IV, 1787, p. 57, Patria ?
 nota 11.
flavicornis Fairm. Ann. Soc. Ent. France (6) IX, China:
 1889, p. 69. Kiangsi
flavoterminata Heller, Synops. p. 37, 41, fig. 12. Luzon
fractiosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Ceram
 p. 437.
fulveola Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
 p. 390.
fumata Heyd. Abhandl. Senckenb. Ges. XXIII, 1897, Borneo
 p. 579.
fuscipennis Chevr. Revue Zool. (2) IV, 1852, p. 419. China:
 Shanghai
fusculventris Fairm. Ann. Soc. Ent. Belg. XXXIX, Tonkin
 1895, p. 189.
gracillima Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Sumatra
 p. 422, t. 16, f. 9.
hebescens Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
 p. 389; Journ. Linn. Soc. Lond. Zool. XVIII,
 1834, p. 260.
Herzi Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 23. Peking
holoxantha Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, China
 p. 35; XXXIX, 1895, p. 190.
 var. *formosana* Pic, Longic. VIII, 1, 1911, Formosa
 p. 20. — Plavil. Revue Russe d' Ent. XV,
 1916, p. 80.
inclusa Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Nordchina
 p. 261.
Incompleta Fairm. Notes Leyd. Mus. XIX, 1897, p. 255. China:
insensilis Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes:
 p. 436. Menado

- insoluta** Pasc. l. c. p. 424.
insperans Pasc. l. c. p. 431.
- institoria** Pasc. l. c. p. 428.
japonica Thunb. Mus. Nat. Acad. Upsal. IV, 1787, p. 57, nota 10 (non fig.). — Bates. Ann. Mag. Nat. Hist. (4) XII, 1873, p. 388. — Matsum. Thous. Ins. Japan III, 1908, nr. 737, t. 55, f. 11.
niponensis Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 260.
- klotensis** Pic, Longic. X, 1, 1916, p. 17.
laetifica Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 430.
- Lajoyel** Pic, Mélang. Exot.-Ent. XXXI, 1919, p. 12; Echange XXXVI, 1920, p. 3.
langana Pic, Longic. IV, 1, 1902, p. 35.
Le Mouti Pic, l. c. X, 1, 1916, p. 18.
libellula Jord. Novit. Zool. I, 1894, p. 121.
limbata Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 433.
lineaticeps Pic, Longic. VIII, 1, 1911, p. 21.
 ab. *fainanensis* Pic, l. c. VIII, 2, 1912, p. 21.
longulipennis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 190.
lusciosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 422.
lutea Thunb. Mus. Nat. Acad. Upsal. IV, 1787, p. 57, nota 12.
japonica Thunb. l. c. t. 1, f. 3.
lyncea Pasc. l. c. p. 423.
- macilentia** Newm. Entomolog. I, 1842, p. 318. — Heller, Synops. p. 37, 38 nota.
macrocera Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 429.
maculiventris Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 109.
Makilingi Heller, Synops. p. 37, 40.
melanastoma Heller, l. c. p. 37, 39.
Micholitz Heller, l. c. p. 38, 44.
mlmetica Heller, l. c. p. 38, 44.
mixta Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 389.
modica Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 97.
morosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 423.
mundula Pasc. l. c. p. 432.
- mutata** Pasc. l. c. p. 425.
necydaloides Pasc. l. c. p. 428.
nefasta Pasc. l. c. p. 427.
- neptis** Pasc. l. c. p. 425.
neutralis Pasc. l. c. p. 425.
- nigriceps** White, Ann. Mag. Nat. Hist. XIV, 1844, p. 425. — Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 189, 190.
- Borneo
 Celebes:
 Tondano
 Amboina
 Japan
- „
 Celebes:
 Menado
 Tonkin
- „
 Thibet
 Sumatra
 Singapur,
 Borneo
 Formosa
- „
 Tonkin
- Singapur
- Patria?
- Celebes:
 Tondano
 Philippinen
- Singapur,
 Sumatra
 Sumatra
- Luzon
- „
 Mindanao
 Luzon
- Japan
 Birma
- Celebes:
 Menado
 Waigiu,
 Salwatty
 Sumatra
 Singapur
 Mysol,
 Neuguinea
- Borneo
 Celebes:
 Menado
 Hongkong

- nigriventris** Bates, Ann. Mag. Nat. Hist. (4) XII, Japan
1873, p. 389.
- opaca** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 109.
- ophidiana** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo
p. 262; (3) III, 1867, p. 433.
- pallidicornis** Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1895, p. 98.
- Pascoei** nov. nom. Singapur
macilenta Pasc. (nec Newm.) Trans. Ent.
Soc. Lond. (3) III, 1867, p. 421.
- pictipes** Pasc. l. c. p. 434. Java
- posticata** Gah. Ann. Mus. Civ. Genova XXXIV, Birma
1895, p. 94.
- praedita** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Sumatra,
p. 434. Singapur,
Borneo
- prolixa** Pasc. l. c. p. 424. Borneo
- protensa** Pasc. l. c. p. 426. Sula
- punctiventris** Heller, Synops. p. 37, 43. Luzon
- pygidialis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, Sumatra
p. 109.
- quilanga** Heller, Synops. p. 37, 40. Mindanao
- reductesignata** Pic, Longic. X, 1, 1916, p. 17. Formosa
- rubetra** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. Sumatra,
(3) III, 1867, p. 422. Borneo
- rufiventris** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 49. Borneo
- scelerosa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Buru
p. 427.
- Schadenbergi** Heller, Synops. p. 37, 39. Luzon
- scutellaris** Fairm. Revue d'Ent. VII, 1888, p. 147. Pekin
- semimaura** Pasc. Trans. Ent. Soc. Lond. (3) III, Batjan
1867, p. 437.
- seminigra** Chevr. Revue Zool. IV, 1841, p. 228. — Luzon
Lacord. Gen. Col. IX, 1872, p. 866, nota 3.
— Heller, Synops. p. 37.
- semivittata** Fairm. Ann. Soc. Ent. Belg. XXXI, Yunnan
1887, p. 134.
ab. subtestaceicolor Pic, Longic. X, 1, "
1916, p. 17.
- sericans** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan
1884, p. 260.
- sericea** Gah. Ann. Mus. Civ. Genova XXXIV, 1895. Birma
p. 96.
- servula** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes:
p. 434. Macassar
- sinensis** Pic, Echange XVIII, 1902, p. 2. China
- sobrina** Boisd. Voy. Astrolabe, Ent. II, 1835, p. 518, Amboina
t. 9, f. 21.
- subabbreviata** Pic, Longic. X, 1, 1916, p. 16. Yunnan
- subannulicornis** Pic, Mém. Exot.-Ent. XVII, 1916, p. 7. Himalaya
- subannulipes** Pic, l. c. V, 1914, p. 19. Formosa
- taliana** Pic, Longic. X, 1, 1916, p. 16. Südchina
- tenera** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes:
p. 436. Macassar
- tenuata** Pasc. Proc. Zool. Soc. Lond. 1866, p. 265; Penang,
Trans. Ent. Soc. Lond. (3) III, 1867, p. 435. Borneo
- Theryi** Pic, Echange XVIII, 1902, p. 2. China
- thibetana** Pic, Longic. X, 1, 1916, p. 16. Thibet

- umbrosa** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 262; (3) III, 1867, p. 431. Celebes:
Macassar
- varicornis** Pasc. l. c. p. 432. Celebes:
Tondano
- viperina** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 262. Birma
- Walkeri** Gah. Trans. Ent. Soc. Lond. 1894, p. 487. Hongkong

Australische Art.

- pigra** Newm. Zoolog. IX, 1851, Append. p. 131. Süd-
australien

Äthiopische Art.

- longissima** Auriv. Deutsche Ent. Zeitschr. 1907, p. 84. Kamerun

Nearktische und mexikanische Arten.

- Revisio: Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 45—48. — Casey, Mem. Col. IV, 1913, p. 364—373 (Revisio).
- basalis** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 153. — Horn, Revis. p. 46. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 155. Georgia,
N. Carolina
— Casey, Revis. p. 370. Pennsylvania
var. *filum* Casey, l. c. p. 369. Iowa,
var. *iowensis* Casey, l. c. p. 370. Illinois
- bimaculata** Ol. Ent. IV, nr. 68, 1795, p. 21, t. 4, f. 43. Vereinigte
— Latr. Hist. Nat. XI, 1804, p. 278. — Boit. Staaten
Man. d'Ent. II, 1828, p. 23. — Horn, Revis. Nord-
p. 45, 46 (ex parte). — Leng & Hamilt. amerikas
Trans. Amer. Ent. Soc. XXIII, 1896, p. 155.
— S. Forbes, Bull. Ill. Laborat. VII, 1904, p. 3. — Blatchley, Col. Indiana 1910, p. 1091, 1092, fig. 475. — Casey, Revis. p. 370. — Comst. Ins. Life 1913, p. 215, t. 12, f. 2.
- tripunctata** F. Ent. Syst. I, 2, 1792, p. 310; Syst. Eleuth. II, 1801, p. 321. — Harris, Ins. Massach. 1841, p. 91; ed. 2, 1852, p. 100; ed. Flint, 1862, p. 114, f. 51. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 153. — Bethune, Canad. Ent. IX, 1877, p. 226, tab. f. 8. — Prov. Pet. Faune Ent. Canada I, 1877, p. 636. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 155 (ex parte).
- ab? *affinis* Leng & Hamilt. l. c. p. 155. Nord-
ab? *dolosa* Casey, Revis. p. 371. Carolina
- Biologie: Harris, Ins. Massach. (siehe oben). — Webster, Bull. Ohio Exper. Stat. XCVI, 1899; Ent. News XI, 1900, p. 437; Journ. Columbus Hort. Soc. XV, 1900, p. , t. 2, f. 6; Bull. Illin. State Labor. VII, 1904, p. 4.
- delicatula** Casey, l. c. p. 368. Columbia-
District
- exilis** Casey, Revis. p. 368. Pennsylvania

- ferruginea** Casey, Revis. p. 366.
- flavipes** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 153. — Horn, Revis. p. 45, 46. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 155. — Casey, Mem. Col. V, 1914, p. 369.
- gracilis** F. Syst. Eleuth. II, 1801, p. 324. — Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 152. — Horn, Revis. p. 45, 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 154, 156. — Blatchley, Col. Indiana 1910, p. 1091, 1093. — Casey, Revis. p. 372.
- insignis** Casey, Revis. p. 370.
- myops** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 152. — Horn, Revis. p. 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXII, 1896, p. 155. — Casey, Mem. Col. V, 1914, p. 369.
- ocellata** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 56. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 152. — Horn, Revis. p. 45, 46. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 154, 156. — Blatchley, Col. Indiana 1910, p. 1091, 1092. — Casey, Revis. p. 371.
- ab. *discoidea* Horn, Revis. p. 47.
- ab. *plagiata* Casey, Revis. p. 371.
- oculaticollis** Say, Journ. Acad. Philad. III, 1824, p. 406; Compl. Writings II, 1859, p. 189. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 164. — Horn, Revis. p. 45, 46. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 155.
- pallida** Casey, Revis. p. 366.
- perspicillata** Haldem. Trans. Amer. Philos. Soc. (2) X, 1844, p. 57. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 153. — Casey, Revis. p. 369.
- var. *montana* Casey, Revis. p. 369.
- praelonga** Casey, Revis. p. 368.
- pruinosa** Casey, l. c. p. 365.
- quadricollis** J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 68. — Horn, Revis. p. 46. — Casey, Revis. p. 365.
- quinquepunctata** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 202.
- raflicollis** F. Ent. Syst. I, 2, 1792, p. 311; Syst. Eleuth. II, 1801, p. 322. — Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 56. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 152. —
- Kansas
Illinois,
Pennsyl-
vania,
Maryland
- Carolina,
Georgia,
Florida,
New York,
New Jersey
- Nord-
Carolina
Georgia
- New York,
Massa-
chusetts,
New Jersey,
Michigan,
Kansas,
Louisiana,
Texas,
Georgien
Florida
Nord-
Carolina
Missouri,
Colorado,
Texas
- Maine,
Illinois
Missouri,
Nord-Caro-
lina,
Georgien
Utah, Idaho
New York
Missouri
Californien,
Nevada
- Mexico
- Vermont,
Massa-
chusetts,
New York,

- Horn, Revis. p. 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 154, 156. — Blatchley, Col. Indiana 1910, p. 1091, 1093. — Casey, Revis. p. 372.
- bicolor* Megerle, Cat. Ins. 1804, p. (11).
- plumbea* Ol. Ent. IV, nr. 68, 1795, p. 21, t. 4, f. 42.
- Schaumi** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 153. — Horn, Revis. p. 46. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 154. — Blatchley, Col. Indiana 1910, p. 1091. — Casey, Revis. p. 365.
- Wapleri* Chev. Revue Zool. (2) IV, 1852, p. 420.
- Biologie:** Riley, Proc. Ent. Soc. Washingt. II, 1892, p. 323, fig. 23.
- texana** Horn, Revis. p. 45, 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 156.
- tibialis** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57. — Horn, Revis. p. 45, 46. — Casey, Mem. Col. V, 1914, p. 369.
- memoralis* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 153.
- tripunctata** Swed. Vet. Acad. Nya Handl. VIII, 1787, p. 197. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1844. — Emmons, Nat. Hist. N. York Agric. V, 1854, p. 122, t. 16, f. 7. — Horn, Revis. p. 45, 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 154, 155 (ex parte). — Chittenden, Bull. Illin. State Laborat. VII, 1904, p. 4. — Blatchley, Col. Indiana 1910, p. 1091, 1092. — Casey, Revis. p. 367. — Ruggles, Journ. Econ. Ent. VIII, 1915, p. 84, fig. 5.
- ♀ *amabilis* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 152. — Prov. Pet. Faune Ent. Canada I, 1877, p. 636.
- ♂ *mandarina* F. Syst. Eleuth. II, 1801, p. 321. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 152. — Horn, Revis. p. 47. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 155.
- Biologie:** Ruggles, Journ. Econom. Ent. VII, 1915, p. 79, fig. 1—4, 6.
- var. appalachiana** Casey, Revis. p. 367.
- var. intermedia** Casey, l. c. p. 367.
- ulmicola** Chittenden, Bull. Illin. State Laborat. VII, 1904, p. 4, t. 1, f. a. — Forbes, Rep. Entomol. Illin. XXIV, 1908, p. 118, tab.
- Biologie:** Webster, Bull. Illin. State Laborat. VII, 1904, 1, p. 1. t. 1, f. b—e, t. 2.
- umbra** Casey, Mem. Col. V, 1914, p. 370.
- New Jersey,
Pennsylvania,
Virginia,
Ohio, Kansas,
North Carolina,
Georgia,
Alabama
Vereinigtes
Staaten
Nordamerikas
- Texas
- Pennsylvania
- Canada,
Vereinigtes
Staaten
Nordamerikas
- Nord-Carolina
Indiana,
Illinois,
Mississippi
Illinois
- Nord-Carolina

Mecas J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 155; Smiths. Misc. Coll. XI, 1873, nr. 265, p. 347. — Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 44 (Revision). — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 203. — J. Lec. & Horn, Col. N. Amer. 1883, p. 332. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 151, 152 (Synopsis). — Blatchley, Col. Indiana 1910, p. 1090. — Casey, Mem. Col. IV, 1913, p. 360 (Revisio).

Dylobolus Thoms. Physis II, 1868, p. 195. — Lacord. Gen. Col. IX, 1872, p. 897, 900.

- ambigena** Bates, Biol. Centr.-Amer. Col. V, 1881, Mexico p. 203.
- ✓ **brevicollis** Casey, Revis. p. 362. Kansas
- ✓ **cana** Newm. Entomolog. I, 1840, p. 12. — J. Lec. Florida Journ. Acad. Philad. (2) II, 1852, p. 164. — Casey, Revis. p. 360.
- **cinerea** Casey, Revis. p. 361. Texas
- cinerea** Newm. Entomolog. I, 1840, p. 13. Mexico
- ✓ **femoralls** Haldem. Trans. Amer. Philos. Soc. (2) X, Georgien, 1847, p. 57. — J. Lec. Journ. Acad. Philad. Florida, (2) II, 1852, p. 155. — Horn, Revis. p. 45. Distr. — Leng & Hamilt. Trans. Amer. Ent. Soc. Columbia, XXIII, 1896, p. 152. — Casey, Revis. p. 360 Nord-Carolina nota.
- ✓ **inornata** Say, Journ. Acad. Philad. III, 1824, p. 407; Missouri, Compl. Writ. II, 1859, p. 189. — Horn, Nevada, Revis. p. 44 (ex parte). — F. Blanch. Dakota, Entomol. Amer. III, 1887, p. 86. — Gah. Colorado, Trans. Amer. Ent. Soc. XV, 1888, p. 300. — Nebraska, Horn, l. c. p. 301. — Leng & Hamilt. l. c. Wisconsin, XXIII, 1896, p. 152. — Blatchley, Col. Indiana Iowa, 1910, p. 1090 (non fig.). — Casey, Revis. p. Kansas, 360. Texas, Louisiana
- laminata** Bates, Biol. Centr.-Amer. Col. V, 1881, p. Mexico 204.
- ✓ **laticeps** Bates, l. c. p. 204. Guatemala Mexico
- ✓ **marginella** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Texas, p. 239. — Horn, Revis. p. 44. — Leng & Kansas, Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, Illinois, p. 152. — Blatchley, Col. Indiana 1910, p. Neu Mexico 1090. — Casey, Revis. p. 361.
- marmorata** Gah. Trans. Ent. Soc. Lond. 1892, p. 268, Mexico t. 12, f. 7.
- ✓ **mexicana** Bates, Biol. Centr.-Amer. Col. V, 1881, " p. 204.
- ✓ **obereoides** Bates, l. c. p. 204, t. 15, f. 16. "
- ✓ **pergrata** Say, Journ. Acad. Philad. III, 1824, p. 407; Missouri, Compl. Writ. II, 1859, p. 190. — J. Lec. Neu Mexico, Journ. Acad. Philad. (2) II, 1852, p. 154. — Kansas, Horn, Revis. p. 44. — Leng & Hamilt. Colorado, Trans. Amer. Ent. Soc. XXIII, 1896, p. 152, Nebraska, 153. — Blatchley, Col. Indiana 1910, p. 1090, Dakota, 1091. — Casey, Revis. p. 361. Texas,
- gentilis* J. Lec. Journ. Acad. Philad. (2) Louisiana II, 1852, p. 154.
- rubripes** Bates, Biol. Centr.-Amer. Col. V, p. 203. Mexico

- ✓ *ruficollis* Horn, Revis. p. 44. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 205. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 152, 153. — Casey, Revis. p. 362. Mexico, Texas
- ✓ *rotundicollis* Thoms. Physis II, 1868, p. 196. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 205. Mexico
- ✓ *saturnina* J. Lec. Col. of Kansas 1859, p. 21. — F. Blanch. Entomol. Amer. III, 1887, p. 86. — Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Casey, Revis. p. 361. Kansas, Texas
- cana* Gah. Trans. Amer. Ent. Soc. XV, 1888, p. 300. — Leng & Hamilt. l. c. XXIII, 1896, p. 152.
- senescens* Bates, Biol. Centr.-Amer. Col. V, 1881, p. 203. Mexico
- ✓ *vitticollis* Casey, Revis. p. 363. "

20

Miocris Fairm.

Fairm. Bull. Soc. Ent. France 1902, p. 245.

- ✓ *nigroscutatus* Fairm. Bull. Soc. Ent. France 1902, p. 245. — Pic, Longic. VI, 2, 1907, p. 24. Yunnan

1

Linda Thoms.

Thoms. System. Ceramb. 1864, p. 122, 400. — Lacord. Gen. Col. IX, 1872, p. 851, 870.

- ✓ *apicalis* Pic, Longic. VI, 1, 1906, p. 17. China: Yunam, China
- fasciculata* Pic, l. c. IV, 1, 1902, p. 32. China
- femorata* Chevr. Revue Zool. (2) IV, 1852, p. 418. — Thoms. Syst. Ceramb. 1864, p. 122. — Lacord. Gen. Col. IX, 1872, p. 870. China: Shanghai
- ✓ *fraterna* Chevr. Revue Zool. (2), IV, 1852, p. 419. — Gah. Trans. Ent. Soc. Lond. 1894, p. 486. "
- seminigra* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 134; XXXIX, 1895, p. 188.
- ab. luteonotata* Pic, Longic. VI, 2, 1907, p. 24. Yunnan
- ab. subtestacea* Pic, l. c. VI, 1, 1906, p. 17. Yunam
- fulva* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 188. Ostindien
- ✓ *gibbosicollis* Pic, Mélanges Exot.-Ent. XIII, 1915, p. 12. Thibet
- gracilicornis* Pic, Longic. VI, 2, 1907, p. 24. China
- melanoptera* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 187. Tonkin
- Pratti* Pic. Echange XVIII („XVII“), 1902, p. 3. China: Kiukiang

9

Dasyllinda Thoms.

Thoms. Physis II, 1868, p. 184. — Lacord. Gen. Col. IX, 1872, p. 851, 870.

- javanica* Vuillet, Insecta II, 1912, p. 20, fig. 1. Java

- testacea** Saund. Trans. Ent. Soc. Lond. II, 1839, p. 179, t. 16, f. 5. — Lacord. Gen. Col. XI, 1872, p. 870. — Vuillet, Insecta II, 1912, p. 20, fig. 2. Sikkim, Khasia Hills
- scapigera** Thoms. Physis II, 1868, p. 185.
- Vitalisi** Vuillet, Insecta II, 1912, p. 300, fig. 1. Tonkin
- 3

Nedytisis Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 266.

- obrioides** Pasc. l. c. p. 267, t. 28, f. 1. Penang, Borneo
- 1

Epiglenea Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 259.

- comes** Bates, l. c. p. 259. Japan
- 1

Ossonis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 363, 417. — Lacord. Gen. Col. IX, 1872, p. 850, 857.

- ✓ **clytomima** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 418, t. 15, f. 10. Borneo
- ✓ **hirsutipes** Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 30, f. 92. „
- 2

Menesida Gah.

Gahan, Ann. Mus. Civ. Genova (3) III, 1907, p. 110.

- ✓ **carinifrons** Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 29, fig. 109, 110. Borneo
- ✓ **marginalis** Gah. l. c. p. 110. Sumatra
- nigrita** Gah. l. c. p. 110. Borneo, Sumatra
- 3

Eumecocera Solsky.

Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 391. — Ganglb. Best.-Tab. VIII, 1884, p. 151 (585).

- impustulata** Motsch. Schrenck's Reisen II, 1860, p. 151; Abeille XVI, 1878, p. 115. — Solsky, Horae Soc. Ent. Ross. VIII, 1871, p. 392. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 96. — Heyd. l. c. XXVIII, 1884, p. 292. — Ganglb. Best.-Tab. VIII, 1884, p. 151 (585). — Jacobs. Käfer Russl. 1911, t. 71, f. 13. Daurien, Amur
- ? **acuminata** Fisch. Cat. Col. Karelin 1842, p. 26.
- impunctata** Motsch. Bull. Moscou XLIX, 1, 2 (1875), p. 151.
- 1

Stenostola Muls.

Muls. Col. France, Longic. 1839, p. 192; ed. 2, 1863, p. 387. — Steph. Man. Brit. Col. 1839, p. 273. — Redtenb. Gatt. deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 498; ed. 2, 1858, p. 865; ed. 3, II, 1874, p. 423. — Bach, Käferf. III, 1856, p. 6, 35. — Gutfl. Käfer Deutschl. 1859, p. 571, 585. — Thoms. Classif. Ceramb. 1860, p. 41; Syst. Ceramb. 1864, p. 400. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 171. — Schiöde, Naturh. Tidskr. (2) III, 1864, p. 513, 572. — C. G. Thoms. Skand. Col. VIII, 1866, p. 99. — Lacord. Gen. Col. IX, 1872, p. 851, 863. — Cox, Handb. Col. II, 1874, p. 305. — Seidl. Fauna Balt. 1875, Gatt. p. 141. — Schlosser, Fauna Kornjas. III, 1879, p. 809. — Ganglb. Best.-Tab. VII, 1881, p. 14 (694). — Bau, Handb. Käfer 1888, p. 416. — Bedel, Faune Col. Seine V, 1889, p. 36. — Fowler, Col. Brit. Isl. IV, 1890, p. 254. — Seidlitz, Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Transylv. 1891, Gatt. p. 186. — Stierlin, Col. Helvet. II, 1898, p. 491. — Lameere, Faune Belg. II, 1900, p. 415. — Everts, Col. Neerl. II, 1901, p. 382. — Houlbert, Faune Ent. Armor. Ceramb. 1904, p. 20; ed. 2, 1909, p. 18. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Kuhnt, Käfer Deutschl. 1912, p. 758, 797. — Reitter, Fauna Germ. IV, 1913, p. 67, 68. — Jensen-Haarup, Danm. Fauna, Biller IV, 1914, p. 8, 27. — J. Müller, Wien. Ent. Zeit. XXXIV, 1915, p. 293 (Revisio). — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865, 880. — Auriv. Svensk Insektf. IX, 1, 1917, p. 37, 45. — Heikertinger, Koleopt. Rundschau VII, 1919, p. 130 (nomenklatorisch).

Paläarktische Arten.

- alboscutellata** Kraatz, Berl. Ent. Zeitschr. VI, 1862, Griechenland p. 124. — J. Müller, Revis. p. 294.
- dubla** Laich. Tyrol. Ins. II, 1784, p. 52. (Vergl. Nord- und Fröl. Naturf. XXVII, 1793, p. 153). — Mittel- ? Panz. Ent. Germ. 1795, p. 259. Europa
- ferrea** Panz. Fauna Ins. Germ. XCVII, 1806 ?, t. 15. — Howitt, Book of the Seasons p. 217. — Steph. Brit. Ent. Mand. IV, 1831, p. 240, t. 22, f. 1; Man. Brit. Col. 1839, p. 273. — Berge, Käferb. 1844, p. 120, t. 10, f. 24. — Cox, Handb. Col. II, 1874, p. 308. — Seidl. Fauna Balt. 1875, p. 521. — Ganglb. Best.-Tab. VIII, 1884, p. 151 (585). — Bau, Handb. Käfer 1888, p. 424. — Fowler, Col. Brit. Isl. IV, 1890, p. 254, t. 125, f. 1. — Seidl. Fauna Balt. ed. 2, 1891, p. 755; Fauna Transs. 1891, p. 852. — Griffini, Col. 1896, p. 199, t. 39, f. 15. — ? Stierl. Col. Helvet. II, 1898, p. 503. — Lameere, Faune Belg. II, 1900, p. 417. — Everts, Col. Neerl. II, 1901, p. 382. — Csiki, Rovart. Lapok XII, 1905, p. 148. — Jacobs, Käfer Russl. 1911, t. 72, f. 15. — Kuhnt, Käfer Deutschl. 1912, p. 797, fig. 220. — Reitter, Fauna Germ. IV, 1913, p. 68, t. 140, f. 7. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 881, t. 32, f. 15. — Auriv. Svensk Insektf. IX, 1, 1917, p. 45.
- nigripes** [? F. Ent. Syst. I, 2, 1792, p. 310; Syst. Eleuth. II, 1801, p. 320.] — ♂ Fröl. Naturf. XXVII, 1793, p. 151. — Sturm, Verz.

- Ins.-Samml. 1796, p. 50, t. 2, f. 8. — ? Payk. Fauna Suec. III, 1800, p. 73. — Gyllenh. Ins. Suec. I, 4, 1827, p. 110. — Zett. Fauna Lapp. 1828, p. 367; Ins. Lapp. 1840, p. 203. — Redtenb. Fauna Austr. 1849, p. 498; ed. 2, 1858, p. 865; ed. 3, II, 1874, p. 423. — Bach, Käferf. III, 1856, p. 35. — Gutfl. Käfer Deutschl. 1859, p. 586. — Kraatz, Berl. Ent. Zeitschr. VI, 1864, p. 124, nota 1. — Schiödte, Nat. Tidskr. (2) III, 1864, p. 572. — C. G. Thoms. Skand. Col. VIII, 1866, p. 99. — ? Schlosser, Fauna Kornjas. III, 1879, p. 841. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 28. — J. Müller, Revis. p. 293.
- tiliae* Küster, Käfer Eur. VII, 1846, p. 58. Biologie: Schiödte, Nat. Tidskr. (3) X, 1876, p. 439, t. 18, f. 17, 18.
- ferrea** Schrank, Beytr. Naturg. 1776, p. 66; Enum. Ins. 1781, p. 145. — Goeze, Ent. Beytr. I, 1777, p. 486. — Villers, Linn. Ent. I, 1789, p. 244. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843. — Schrank, Fauna Boica I, 1798, p. 669 (ex parte). — F. Syst. Eleuth. II, 1801, p. 326. — Panz. Schaeffer. Icon. Ins. ed. 2, 1804, p. 73, t. 55, f. 9. — Muls. Col. France, Longic. ed. 2, 1863, p. 387. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 52, f. 246. — Bedel, Faune Col. Seine V, 1889, p. 45, 97. — Houlb. Faune Armor. Ceramb. 1904, p. 72; ed. 2, 1909, p. 74. — J. Müller, Revis. p. 294.
- nigripes* Muls. Col. France, Longic. 1839, p. 193. — Cast. Hist. Nat. Col. II, 1840, p. 496. — Küster, Käfer Eur. VII, 1846, p. 58. — Ganglb. Best.-Tab. VIII, 1884, p. 151 (585). — Csiki, Rovart. Lapok XII, 1905, p. 148. — Kuhnt, Käfer Deutschl. 1912, p. 797. — Reitter, Fauna Germ. IV, 1913, p. 68. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 881.
- plumbea* Bon. Acta Soc. Agric. Taurin. IX, 1812, nr. 27. Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XLV, 1899, p. 190; Moeurs et Métam. VII, 1899, p. 140; VIII, 1902, p. 191.

Süd-
deutschland,
Frankreich,
Oesterreich,
Ungarn

Japanische Arten.

- anomala** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan 1884, p. 259.
- argyresticta** Bates, l. c. p. 258. ”
- niponensis** Pic, Echange XVII, 1901, p. 12. ”

6

Oxylia Muls.

- Muls. Col. France, Longic. ed. 2, 1863, p. 398. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 175, 201. — Lacord. Gen. Col. IX, 1872, p. 850, 857. — Ganglb. Best.-Tab. VIII, 1884, p. 118 (552). — Seidlitz, Fauna

Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891, p. 853. — Reitter, Fauna Germ. IV, 1913, p. 67. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865.

Dunpochelli Brullé, Expéd. Morée, Ins. 1832, p. 260, t. 43, f. 4. — Muls. Col. France, Longic. ed. 2, 1863, p. 401. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 54, f. 253. — Ganglb. Best.-Tab. VIII, 1884, p. 118 (552). — Jacobs. Käfer Russl. 1911, t. 71, f. 14. Griechenland,
Türkei,
Kaukasus,
Kleinasien

argentata Ménétr. Cat. Raison. 1832, p. 227.

Fald. Fauna Ent. Transcauc. II, 1837, p. 286.

argentea Fald. l. c. t. 9, f. 6.

? *atomaria* Friv. Ujabb Köslései Balkan. Termesz. Utatsasrol, 1838, p. 25, t. 7, f. 8.

languida Muls. Col. France, Longic. ed. 2, 1863, p. 398.

? *languida* Ménétr. Mém. Acad. Petersb. (6) V, 2, 1838, p. 42.

vestita Küst. Käfer. Eur. XV, 1848, p. 82.

1

Mallosiola Semen.

Semenow, Horae Soc. Ent. Ross. XXIX, 1895, p. 205, nota 24. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 302.

regina L. Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, Alai-Gebirge, p. 319. Margelan

1

Mallosia Muls.

Muls. Col. France, Longic. ed. 2, 1863, p. 399. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 177. — Lacord. Gen. Col. IX, 1872, p. 851, 863. — Ganglb. Best.-Tab. VIII, 1884, p. 118 (552). — Reitter, Wien. Ent. Zeit. IX, 1890, p. 241 (Synopsis). — Seidl. Fauna Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891, p. 853. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 302. — Pic, Longic. V, 2, 1905, p. 25—37 (Revisio). — Reitter, Fauna Germ. IV, 1913, p. 67. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865.

Subg. *Micromallosia* Pic, Longic. III, 1, 1900, p. 15; V, 2, 1905, p. 26. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 302.

Subg. *Semnosia* K. Daniel, l. c. p. 302, 304. — Pic, Longic. V, 2, 1905, p. 27.

Subg. Mallosia s. str.

K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 302.

graeca Sturm, Cat. Käfer-Samml. 1843, p. 356, t. 6, Griechenland
f. 6. — Küster, Käfer Eur. VI, 1846, p. 87.
— Muls. Col. France, Longic. ed. 2, 1863, p. 400. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 55, f. 258. — Lacord. Gen. Col. IX, 1872, p. 863. — Ganglb. Best.-Tab. VIII, 1884, p. 118 (552). — Reitter, Synops. p. 241. — K. Daniel, Münch. Ent. Zeitschr. II, 1904, p. 303.

- ♀ *tomentosa* Sturm, Cat. Käfer-Samml. 1843, p. 355, t. 6, f. 3. — Küster, Käfer Eur. X, 1847, p. 97.
cardoniensis Pic, Bull. Soc. Ent. France 1900, p. 109; Longic. V, 2, 1905, p. 27.

Subg. *Micromallosia* Pic.

- Heydeni** Ganglb. Deutsche Ent. Zeitschr. XXXII, 1888, p. 76. — Reitter, Synops. p. 241. — K. Daniel, Col. Stud. II, 1898, p. 80; Münch. Kol. Zeitschr. II, 1904, p. 311. — Pic, Revis. p. 27. Kurdistan
Theresae Pic, Longic. III, 1, 1900, p. 15; Revis. p. 28. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 311. ”

Subg. *Semnosia* K. Daniel.

- Angelicae** Reitter, Synops. p. 242. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 305. — Pic, Revis. p. 28, 32, 34; Longic. VII, 1, 1908, p. 14. — Transkaukasien
 ab. *Lederi* Pic, l. c. p. 14; Bull. Soc. Ent. France 1911, p. 108. Kaukasus
brevipes Pic, Bull. Soc. Zool. France XXII, 1897, p. 188; Revis. p. 29, 35; Longic. VII, 1, 1908, p. 13; Bull. Soc. Ent. France 1911, p. 107. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 312. Persien
caucasica Pic, Bull. Soc. Ent. France 1898, p. 168; Revis. p. 29, 35; Longic. VII, 1, 1908, p. 13; Bull. Soc. Ent. France 1911, p. 108. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 313. Kaukasus
costata Pic, Bull. Soc. Hist. Nat. Autun XI, 2, 1898, p. 124; Misc. Ent. VI, 1898, p. 74; Revis. p. 30, 32. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 313. Kurdistan
Delagrangel Pic, Echange XVIII, 1902, p. 42; Longic. IV, 1, 1902, p. 36; V, 2, 1905, p. 31, 35; Bull. Soc. Ent. France, 1911, p. 107. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 311. Syrien
Herminae Reitter, Wien. Ent. Zeit. IX, 1890, p. 241. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 305, 307. — Pic, Longic. V, 2, 1905, p. 29, 32, 35; VII, 1, 1908, p. 13. — Jacobs. Käfer Russl. 1911, t. 71, f. 3. Araxestal, Transkaukasus, Kurdistan
 var. *armeniaca* Pic, Bull. Soc. Zool. France XXII, 1897, p. 188; Longic. V, 2, 1905, p. 29, 34; VII, 1, 1908, p. 13; Bull. Soc. Ent. France 1911, p. 108. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 312. Armenien
imperatrix Abeille, Ann. Soc. Ent. France (6) V, 1885, Bull. p. 140. — Reitter, Wien. Ent. Zeit. IX, 1890, p. 242. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 305, 308. — Pic, Longic. V, 2, 1905, p. 30. Antilibanon, Syrien
 var. *eribratofasciata* K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 309. — Pic, Longic. V, 2, 1905, p. 16, 30; VII, 1, 1908, p. 14. Transkaukasien

- var. robusta* Pic, Longic. III, 3, 1901, p. 19; V, 2, 1905, p. 30, 32, 35; VII, 1, 1908, p. 13.
- tawricola* K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 308. — Pic, Longic. V, 2, 1905, p. 21, 30, nota 1.
- Jakowlew** Semen. Horae Soc. Ent. Ross. XXIX, 1894, p. 204; Revue Russ. d'Ent. III, 1903, p. 100. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 306, 310. — Pic, Longic. V, 2, 1905, p. 28; VII, 1, 1908, p. 12.
- iranica* K. Daniel, Col. Stud. II, 1898, p. 79. — Pic, Longic. III, 1, 1900, p. 7.
- mirabilis** Fald. Fauna Transcaucas. II, 1837, p. 283, t. 9, f. 4. — Ganglb. Best.-Tab. VIII, 1884, p. 119 (553). — Kraatz, Deutsche Ent. Zeitschr. 1888, p. 77. — Reitter, Wien. Ent. Zeit. IX, 1890, p. 243. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 304, 306. — Pic, Longic. V, 2, 1905, p. 31. — Jacobs. Käfer Russl. 1911, t. 71, f. 5.
- Kotschy* Hampe, Wagners Reise Pers. 1852, p. 314.
- var. bitlisiensis* Pic, Echange XVIII, 1902, p. 42; Longic. IV, 1, 1902, p. 36; V, 2, 1905, p. 31, 35. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 311.
- var. Ganglbaueri* Kraatz, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 233. — Pic, Longic. V, 2, 1905, p. 31, 32, 35.
- ab. multimaculata* Pic, Echange XVIII, 1902, p. 42; Longic. V, 2, 1905, p. 31, 35.
- ab. semirubra* Pic, l. c. p. 31; Bull. Soc. Ent. France 1905, p. 182; 1911, p. 107.
- Scovitzi** Fald. Fauna Transcaucas. II, 1837, p. 284, t. 9, f. 5. — Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 165. — Ganglb. Best.-Tab. VIII, 1884, p. 118 (552). — Reitter, Wien. Ent. Zeitschr. IX, 1890, p. 242. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 305, 306. — Pic, Longic. V, 2, 1905, p. 28; VII, 1, 1908, p. 14.
- ab. atricornis* Pic, Longic. IX, 2, 1915, p. 10.
- ab. interrupta* Pic, l. c. V, 2, 1905, p. 28; VII, 1, 1908, p. 14.
- ab. semilimbata* Pic, l. c. III, 1, 1900, p. 14; V, 2, 1905, p. 28, 35; VII, 1, 1908, p. 14. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 314.
- tristis** Reitter, Wien. Ent. Zeit. VII, 1888, p. 134; IX, 1890, p. 243. — K. Daniel, Münch. Kol. Zeitschr. II, 1904, p. 304, 306. — Pic, Longic. V, 2, 1905, p. 30, 32.
- villosa** Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1837.
— Lepochin, Tagebuch II, 1775, p. 199, t. 1 f. 18.
- Syrien
- Taurus
- Persien
- Transkaukasien
- Bitlis
- Kleinasien, Taurus
- Taurus
- Transkaukasien, Persien, Kurdistan
- Kleinasien: Trapezunt Kurdistan
- Armenien
- Transkaukasien, Kurdistan
- Ural

Pteromallosia Pic.

Pic, Bull. Soc. Zool. France XXV, 1900, p. 16.

- albolineata** Hampe, Wagners Reise Persien 1852, p. 314. — Ganglb. Best.-Tab. VIII, 1884, p. 135 (569). — Jacobs. Käfer Russl. 1911, t. 71, f. 16. Persien
 var. *fulvilineata* Reitter, Deutsche Ent. Zeitschr. 1891, p. 33. Araxestal

1

Conizonia Fairm.

Fairm. Gen. Col. d'Eur. IV, 1864, p. 176, 201. — Lacord. Gen. Col. IX, 1872, p. 851, 862. — Ganglb. Best.-Tab. VIII, 1884, p. 120 (554). — Seidlitz, Fauna Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891, p. 853.

Coniozonia Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865.
 Subg. *Pygoptosia* Reitter, Wien. Ent. Zeit. XIV, 1895, p. 86.
 Subg. *Semiangusta* Pic, Ann. Soc. Ent. France LXI, 1892, p. 421.

Subg. **Conizonia** s. str.

- Allardi** Fairm. Ann. Soc. Ent. France (4) VI, 1866, p. 68; Abeille XII, 1875, p. 413. — Ganglb. Best.-Tab. VIII, 1884, p. 144 (578). Algier
 ? ♂ *elegantula* Fairm. Ann. Soc. Ent. France (4) X, 1870, p. 402; Abeille XII, 1875, p. 413. — Ganglb. Best.-Tab. VIII, 1884, p. 144 (578).
aumontiana Lucas, Ann. Soc. Ent. France (2) IX, 1851, Bull. p. 41. — Ganglb. Best.-Tab. VIII, 1884, p. 143 (577). — Pic, Longic. I, 1891, p. 48. "
 ab. *pygidialis* Pic, Longic. VIII, 1, 1911, p. 9. "
cirteensis Lucas, Ann. Sc. Nat. (2) XVIII, 1842, p. 187. "
cirtana Lucas, Explor. d'Algérie, Col. 1849, t. 43, f. 2. — Bedel, Ann. Soc. Ent. France (6) I, 1881, Bull. p. 103.
cyrтана Lucas, Explor. d'Algérie, Col. 1849, p. 506. — Ganglb. Best.-Tab. VIII, 1884, p. 143 (577). — Pic, Longic. I, 1891, p. 48.
Cocquereii Fairm. Revue Zool. (3) I, 1873, p. 352. — Ganglb. Best.-Tab. VIII, 1884, p. 144 (578). "
detrita F. Ent. Syst. I, 2, 1792, p. 308; Syst. Eleuth. II, 1801, p. 319. — Ganglb. Best.-Tab. VIII, 1884, p. 120 (554). Nordafrika
vittigera F. Syst. Eleuth. II, 1801, p. 318. — Muls. Col. France, Longic. 1839, p. 200, ed. 2, 1863, p. 403. — Küster, Käfer Eur. VII, 1846, p. 62. — Lucas, Explor. d'Algérie, Col. 1849, p. 504, t. 43, f. 9. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 176, t. 54, f. 256.
 var. *maculosa* Muls. Col. France, Longic. 1839, p. 200. Provence
fuscicornis L. Heyd. Berl. Ent. Zeitschr. VII, 1863, p. 130. — Ganglb. Best.-Tab. VIII, 1884, p. 143 (577). — Pic, Longic. I, 1891, p. 49. ? Algier

- Guerinal** Brème, Revue Zool. III, 1840, p. 278. — Lucas, Explor. d'Algérie, Col. 1849, p. 503, t. 42, f. 11. — Ganglb. Best.-Tab. VIII, 1884, p. 120 (554).
cinerea Guér. Mag. Zool. (2) III, 1841, p. 9, t. 74.
 ♀ *glauca* Er. Wagners Reise III, 1841, p. 189, t. 8, fig.
 ab. *lineata* Pic, Echange XXXIV, 1918, p. 11.
 ab. *luteopubens* Pic, Echange XXXIV, 1918, p. 17.
- Henoui** Pic, Longic. I, 1881, p. 49.
- heterogyna** Fairm. Ann. Soc. Ent. France (4) X, 1870, p. 402; Abeille XII, 1875, p. 414. — Ganglb. Best.-Tab. VIII, 1884, p. 144 (578).
- Leprieuri** Pic, Ann. Soc. Ent. France LXI, 1892, Bull. p. 52.
- vittithorax** Pic, Longic. III, 1, 1900, p. 16.
- Warnieri** Lucas, Explor. d'Algérie, Col. 1849, p. 503, t. 43, f. 1. — Fairm. Ann. Soc. Ent. France (4) X, 1870, p. 403. — Ganglb. Best.-Tab. VIII, 1884, p. 143 (577).

Subg. *Pygoptosia* Reitter.

- Eugeniae** Ganglb. Best.-Tab. VIII, 1884, p. 134 (568). — Pic, Bull. Mus. Paris XI, 1905, p. 392; Delegation en Perse, Ann. Hist. Nat. II, 1912, p. 57. Persien
- speciosa** Friv. Term. Füzet. VIII, 1884, p. 5. — Pic, Ann. Soc. Ent. France LXI, 1892, p. 420. — Reitter, Wien. Ent. Zeit. XIV, 1895, p. 87. Armenien, Syrien
- ♂ *lineolata* Reitter, l. c. p. 86. — Pic, Bull. Soc. Ent. France 1895, p. 225.
- ab. *pictipennis* Pic, Echange XXV, 1909, p. 106; Longic. VII, 2, 1910, p. 6. Kleinasien

Subg. *Semiangusta* Pic.

- akbesiana** Pic, Echange XVI, 1900, p. 20. Akbès
- Delagrangei** Pic, Descript. Longic. Syrie 1891, p. 2; Ann. Soc. Ent. France LXI, 1892, p. 421. Syrien
- var. *brevior* Pic, Bull. Soc. Zool. France XXII, 1897, p. 188. "
- nigratarsis** Pic, Echange XI, 1895, p. 40. Armenien
- ab. *erivanica* Reitter, Wien. Ent. Zeit. XVIII, 1899, p. 161. "
- ab. *Rosinae* Pic, Longic. III, 1, 1900, p. 7. "
- Pici** Reitter, Wien. Ent. Zeit. XI, 1892, p. 64. Transkaukasien
- truncatipennis** Pic, Echange XXXV, 1919, p. 22. Persien

19

Coptosia Fairm.

- Fairm. Gen. Col. d'Eur. 1864, p. 177, 201. — Lacord. Gen. Col. IX, 1871, p. 851, 862. — Ganglb. Best.-Tab. VIII, 1884, p. 120 (554). — Seidlitz, Fauna Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891 p. 853.

- Subg. *Eurycoptosia* Reitter, Deutsche Ent. Zeitschr. 1913, p. 666. — Pic, Longic. IX, 1, 1914, p. 10.
 Subg. *Pseudocoptosia* Pic, Bull. Soc. Zool. France XXV, 1900, p. 16.; Longic. IV, 2, 1903, p. 12. — Semenow, Horae Soc. Ent. Ross. XXIX, 1895, p. 208-210 (Synopsis).

Subg. *Coptosia* s. str.

- albovittigera** L. Heyd. Berl. Ent. Zeitschr. VII, 1863, p. 130; Abeille VI, 1869, p. 410. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 286. — Ganglb. Best.-Tab. VIII, 1884, p. 121 (555).
languida Fairm. Gen. Col. d'Eur. 1864, p. 177, t. 55, f. 257.
 ab. *conjuncta* Pic, Longic. III, 3, 1901, p. 13.
Autonlae Reitter, Deutsche Ent. Zeitschr. XXXIII, 1889, p. 42. Türkei, Griechenland, Kleinasien
bithynensis Ganglb. Best.-Tab. VIII, 1884, p. 139 (573). Kleinasien: Brussa
compacta Ménétr. Cat. rais. 1832, p. 228. — Fald. Fauna Transcaucas. II, 1837, p. 293, t. 11, f. 1. — Ganglb. Best.-Tab. VIII, 1884, p. 135 (569). — Reitter, Wien. Ent. Zeit. XV, 1896, p. 17. Transkaukasien, Kleinasien
rufobrunnea L. Heyd. Deutsche Ent. Zeitschr. 1894, p. 88.
Fausti Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 521. Persien
maridnensis Pic, Longic. III, 3, 1901, p. 13. Kurdistan
miunta Pic, Descr. Longic. Syrie 1891, p. 2; Ann. Soc. Ent. France LXI, 1893, p. 419. Syrien
sacra Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 136. — Ganglb. Best.-Tab. VIII, 1884, p. 139 (573). Palästine, Cypern
trilinea Pic, Ann. Soc. Ent. France LXI, 1892, Bull. p. 112. Syrien
trilineata Pic, l. c. LXI, 1892 (1893), p. 419.

Subg. *Eurycoptosia* Reitter.

- Bodoani** Pic, Echange XXVIII, 1912, p. 10; Longic. VIII, 2, 1912, p. 6. — Reitter, Deutsche Ent. Zeitschr. 1913, p. 666. Persien

Subg. *Pseudocoptosia* Pic.

- einerascens** Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 337. — Ganglb. Best.-Tab. VIII, 1884, p. 133 (567). — Semen. Synops. p. 208. — Pic, Longic. IV, 2, 1903, p. 12. Samarkand, Taschkent
Eylanti Semen. Horae Soc. Ent. Ross. XXV, 1891, p. 330; Synops. p. 210. — Pic, Longic. IV, 2, 1903, p. 13. Transcaspien
Glasunowi Semen. Synops. p. 207, 210. — Pic, Longic. IV, 2, 1903, p. 13. Turkestan
Sokolowi Semen. l. c. p. 206, 209. — Pic, Longic. IV, 2, 1903, p. 13. „

Pilemia Fairm.

Fairm. Gen. Col. d'Eur. IV, 1864, p. 175, 201. — Lacord. Gen. Col. IX, 1872, p. 851, 861. — Ganglb. Best.-Tab. VIII, 1884, p. 119 (553). — Seidlitz, Fauna Balt. 1891, p. 755; Fauna Transsylv. 1891, p. 853. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 239 (Synopsis). — K. Daniel, Münch. Kol. Zeitschr. III, 1906, p. 55 (Synopsis). — Kuhnt, Käfer Deutschl. 1912, p. 758. — Reitter, Fauna Germ. IV, 1913, p. 68. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865.

- annulata** Hampe, Wagners Reise Persien II, 1852, p. 315. — Ganglb. Best.-Tab. VIII, 1884, p. 134 (568). — Reitter, Synops. p. 240. — K. Daniel, Synops. p. 57, 60. Transkaukasien, Kurdistan
 var. *Wawerkana* Reitter, Synops. p. 240. Akbes
 — K. Daniel, Synops. p. 61.
- griseomaculata** Pic, Echange VII, 1891, p. 102; Ann. Soc. Ent. France LXI, 1892, p. 418; Longic. VI, 1, 1906, p. 13. — Reitter, Synops. p. 240 nota. — K. Daniel, Synops. p. 58, 63. Syrien: Akbès
- hirsutula** Fröl. Naturf. XXVII, 1793, p. 141. — Meyer, Zool. Annalen I, 1794, p. 209. — F. Syst. Eleuth. II, 1801, p. 326. — Panz. Fauna Ins. Germ. XCVII, 1806, t. 13. — Berge, Käferb. 1844, p. 121, t. 10, f. 29. — Küster, Käfer Eur. VI, 1846, p. 86. — Bach, Käferf. III, 1856, p. 39. — Redtenb. Fauna Austr. ed. 2, 1858, p. 867; ed. 3, 1874, II, p. 425. — Gutfl. Käfer Deutschl. 1859, p. 587. — Muls. Col. France, Longic. ed. 2, 1863, p. 426. — Schlosser, Fauna Kornjas. III, 1879, p. 844. — Ganglb. Best.-Tab. VIII, 1884, p. 120 (554). — Bau, Handb. Käf. 1888, p. 427. — Seidl. Fauna Transsylv. 1891, p. 853. — Reitter, Synops. p. 239. — Csiki, Rovart. Lapok XII, 1905, p. 148. — K. Daniel, Synops. p. 56, 59. — Jacobs, Käfer Russl. 1911, t. 71, f. 20. — Kuhnt, Käfer Deutschl. 1912, p. 797. — Reitter, Fauna Germ. IV, 1913, p. 69. Süddeutschland Österreich, Ungarn, Siebenbürgen, Serbien, Türkei, Griechenland, Kleinasien, Südrussland, Kaukasus
- atomaria* Townson, Travels in Hungary 1797, p. 470, t. 12, f. 3.
- holosericea* Fald. Fauna Transcaucas. II, 1837, p. 287, t. 9, f. 7.
- var. *homoiesthes* Ganglb. Horae Soc. Ent. Ross. XXII, 1888, p. 197. — Reitter, Synops. p. 239. — K. Daniel, Synops. p. 59. Transkaspien
- ab. *obsoleta* Ganglb. in Mars. Cat. Col. 1888, p. 487. — Reitter, Synops. p. 239. — K. Daniel, Synops. p. 59. Transkaukasien
- holosericea* Ganglb. Best.-Tab. VIII, 1884, p. 134 (568).
- tigrina** Muls. Mém. Acad. Sc. Lyon I, 1851, p. 134; Opusc. Ent. II, 1853, p. 117; XI, 1860, p. 159; Col. France, Longic. ed. 2, 1863, p. 425. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 176, t. 54, f. 254. — Ganglb. Best.-Tab. VIII, 1884, Südfrankreich, Ungarn, Siebenbürgen,

- p. 119 (553). — Seidl. Fauna Transsylv. 1891, p. 853. — Reitter, Synops. p. 240. — Csiki, Rovart. Lapok XII, 1905, p. 149. — K. Daniel, Synops. p. 58, 62.
- anchusae* Fuss. Mitth. Siebenb. Ver. Hermannst. III, 1852, p. 138; IX, 1858, p. 174, 175. — Sartorius, Wien. Ent. Monatschr. II, 1858, p. 328.

4

Phytoecia Muls.

- Muls. Col. France, Longic. 1829, p. 199; ed. 2, 1863, p. 387, 401. — Redtenb. Gatt. deutsch. Käferf. 1845, p. 111; Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 866; ed. 3, II, 1874, p. 424. — Bach, Käferf. III, 1856, p. 6, 37. — Gutfl. Käfer Deutschl. 1859, p. 571, 586. — Thoms. Classif. Ceramb. 1860, p. 41; Syst. Ceramb. 1864, p. 400. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 173, 201. — Schiödte, Nat. Tidkr. (2) III, 1864, p. 514, 574. — C. G. Thoms. Skand. Col. VIII, 1866, p. 101. — Lacord. Gen. Col. IX, 1872, p. 851, 858. — Cox, Handb. Col. II, 1874, p. 304, 307. — Seidl. Fauna Balt. 1875, Gatt. p. 141. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 286. — Schoch, Käfer Deutschl. 1878, p. 130, 136. — Schlosser, Fauna Kornjas. III, 1879, p. 809. — Ganglb. Best.-Tab. VII, 1882, p. 16 (694). — Bau, Handb. Käfer 1888, p. 416. — Bedel, Faune Col. Seine V, 1889, p. 36, 46. — Fowler, Col. Brit. Isl. IV, 1890, p. 244, 254. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Stierlin, Col. Helvet. II, 1898, p. 491, 503. — Lameere, Faune Belg. II, 1900, p. 415. — Everts, Col. Neerl. II, 1901, p. 384. — Houlbert, Faune Armor. Ceramb. 1904, p. 20, 72; ed. 2, 1909, p. 18, 74. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Kuhnt, Käfer Deutschl. 1912, p. 758, 797. — Reitter, Fauna Germ. IV, 1913, p. 67, 68. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 9, 29. — Schaufuss in Calwer, Käferb. ed. 6, 1916, p. 865, 881. — Auriv. Sv. Insektf. IX, 1, 1917, p. 37, 45.
- Subg. *Cardoria* Muls. Col. France, Longic. ed. 2, 1863, p. 436. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 173, 201. — Lacord. Gen. Col. IX, 1872, p. 851, 860. — Ganglb. Best.-Tab. VIII, 1884, p. 122 (556). — Seidl. Fauna Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891, p. 853. — Csiki, Rovart. Lapok XII, 1905, p. 149. — Reitter, Fauna Germ. IV, 1913, p. 68. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 882.
- Subg. *Fulgophytoecia* Pic, Bull. Soc. Zool. France XXV, 1900, p. 16. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 881.
- Subg. *Helladia* Fairm. Gen. Col. d'Eur. IV, 1864, p. 176, 201. — Lacord. Gen. Col. IX, 1872, p. 851, 861. — Ganglb. Best.-Tab. VIII, 1884, p. 122 (556), nota 1. — Pic, Bull. Soc. Ent. France 1900, p. 139. — Pic, Longic. IV, 2, 1903, p. 11—17 (Synopsis). — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 882.
- Subg. *Musaria* Thoms. Syst. Ceramb. 1864, p. 120, 400. — Csiki, Rovart. Lapok XII, 1905, p. 149. — Reitter, Fauna Germ. IV, 1913, p. 69. — Schauf. in Calwer, Käferb. II, 1916, p. 882.
- Subg. *Obereina* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 524. — Reitter, Fauna Germ. IV, 1913, p. 69. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 881.

Subg. *Opsilia* Muls. Col. France, Longic. ed. 2, 1863, p. 387, 431. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 174, 201. — Lacord. Gen. Col. IX, 1872, p. 850, 858. — Seidl. Fauna Balt. 1875, Gatt. p. 141. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Bedel, Faune Col. Seine V, 1889, p. 48. — Seidl. Fauna Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891, p. 853. — Csiki, Rovart. Lapok XII, 1905, p. 149. — Reitter, Wien. Ent. Zeit. XXX, 1911, p. 269–271 (Synopsis); Fauna Germ. IV, 1913, p. 69. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 881.

Hoplotoma Arcas, An. Soc. Esp. Hist. Nat. III, 1874, p. 151 (sep. p. 91).

Subg. *Pseudomusaria* Pic, Bull. Soc. Zool. France XXV, 1900, p. 16.

Subgen. *Cardoria* Muls.

scutellata F. Ent. Syst. I, 2, 1792, p. 317; Syst. Eleuth. II, 1801, p. 332. — Fröhl. Naturf. XXVII, 1793, p. 157. — Panz. Ent. Germ. 1795, p. 260. — Küster, Käfer Eur. VII, 1846, p. 64. — Redtenb. Fauna Austr. 1849, p. 501; ed. 2, 1858, p. 867; ed. 3, II, 1874, p. 425. — Bach, Käferf. III, 1856, p. 39. — Fuss, Mitth. Ver. Sieb. Hermanst. IX, 1858, p. 174. — Gutfl. Käfer Deutschl. 1859, p. 587. — Muls. Col. France, Longic. ed. 2, 1863, p. 437. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 53, f. 251. — Schlosser, Fauna Kornjas. III, 1879, p. 844. — Ganglb. Best.-Tab. VIII, 1884, p. 122 (556). — Bau, Handb. Käf. 1888, p. 427. — Seidl. Fauna Transsylv. 1891, p. 853. — Csiki, Rovart. Lapok XII, 1905, p. 149. — Jacobs. Käfer Russl. 1911, t. 71, f. 2. — Kuhnt, Käfer Deutschl. 1912, p. 797. — Reitter, Fauna Germ. IV, 1913, p. 69, t. 140, f. 8.

Süd-
deutschland,
Österreich,
Ungarn,
Sieben-
bürgen,
Südrußland,
Kaukasus,
Armenien,
Kleinasien

Subgen. *Pseudomusaria* Pic.

farinosa Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 522. Kaukasus,
Persien

Subgen. *Helladia* Fairm.

adelpha Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 522. — Pic, Bull. Soc. Ent. France 1900, p. 139; Synops. p. 15. Syrien

ab. *scapipicta* Reitter, Deutsche Ent. Zeitschr. 1898, p. 358. — Pic, Bull. Soc. Ent. France 1900, p. 139; Synops. p. 15. „

armenlaca Friv. Term. Füz. II, 1878, p. 10. — Schneider & Leder, Kauk. Käferf. 1878, p. 318, t. 6, f. 53. — Ganglb. Best.-Tab. VIII, 1884, p. 136 (570). — Pic, Synops. p. 16. Kaukasus,
Armenien,
Kurdistan,
Syrien

diademata Fald. Fauna Transcaucas. II, 1837, p. 297, t. 10, f. 4. — Ganglb. Best.-Tab. VIII, 1884, p. 136 (570). — Pic, Synops. p. 16, nota 1. Kaukasus

- dilaticollis* Th. Pic, Ent. Nachr. XXVI, 1900, p. 67. Nordsyrien
— Pic, Synops. p. 15.
- edessensis* Reitter, Deutsche Ent. Zeitschr. 1898, p. 358. Akbès
— Pic, Bull. Soc. Ent. France 1900, p. 139; Synops. p. 14.
- var. *damascena* Pic, Bull. Soc. Ent. France 1899, p. 210; 1900, p. 139; Synops. p. 14. Damaskus
- var. *urfanensis* Reitter, Deutsche Ent. Zeitschr. 1898, p. 358. — Pic, Bull. Soc. Ent. France 1900, p. 139; Synops. p. 14. Nordsyrien
- fatima* Ganglb. Best.-Tab. VIII, 1884, p. 136 (570). Persien
— Pic, Synops. p. 15.
- ferrugata* Ganglb. Best.-Tab. VIII, 1884, p. 140 (574). Syrien,
— Pic, Synops. p. 15. Palästina
- flavescens* Brullé, Expéd. Morée, Ins. 1832, p. 262, t. 43, f. 5. — Muls. Col. France, Longic. Griechenland, Syrien
ed. 2, 1863, p. 400. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 176, t. 54, f. 255. — Ganglb. Best.-Tab. VIII, 1884, p. 122 (556).
— Pic, Synops. p. 13.
- fumigata* Küster, Käfer Eur. XV, 1848, p. 81. — ? Gistl, Naturg. 1848, p. 624; 820 Wirbell. Thiere 1857, p. 46. — Ganglb. Wien. Ent. Zeit II, 1883, p. 216.
- orbicollis* Reiche, Ann. Soc. Ent. France (3) VI, 1858, p. 15 (sep. p. 309).
- humeralis* Waltl, Isis XXXI, 1838, p. 471. — Redtenb. Russeggers Reise I, 2, 1843, p. 989; Türkei, Kleinasion, Syrien
Illustr. et descr. Col. nov. Syriae 1843, p. 19, t. B, f. 27. — Muls. Col. France, Longic. ed. 2, 1863, p. 414. — Ganglb. Best.-Tab. VIII, 1884, p. 122 (556). — Pic, Synops. p. 15.
- frontalis* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 63. — Ganglb. Best.-Tab. VIII, 1884, p. 142 (576).
- var. *bethaniensis* Th. Pic, Ent. Nachr. XXVI, 1900, p. 67. — Pic, Synops. p. 15. Jerusalem
- var. *insignata* Chevr. Revue Zool. (2) VI, 1854, p. 485, t. 7, f. 6. — Pic, Synops. p. 14. Syrien
- var. *pontica* Ganglb. Best.-Tab. VIII, 1884, p. 140 (574). — Pic, Synops. p. 15. Pontus, Kaukasus
- infernalis* Pic, Echange XIX, 1904, p. 17; Longic. V, 1, 1904, p. 18. Amur
- millefolii* Adams, Mém. Soc. Natural. Moscou V, 1817, p. 311. — Muls. Col. France, Longic. Südrussland, Kaukasus, Türkei, Kleinasion, Syrien
ed. 2, 1863, p. 418. — Ganglb. Best.-Tab. VIII, 1884, p. 121 (555). — Pic, Synops. p. 16.
- azurea* Stev. in Schönh. Synon. Ins. I, 3, Append. 1817, p. 190 (nom. vetustius?). — Fald. Fauna Transcaucas. II, 1837, p. 294, t. 10, f. 2. — Lucas, Explor. Algérie, Col. 1849, p. 506, t. 43, f. 5.
- ♀ *excelsa* Stierl. Mitth. Schweiz. Ent. Ges. IV, 1876, p. 479; Abeille XVI, 1878, Bibliogr. p. 21.
- Plasoni* Ganglb. Best.-Tab. VIII, 1884, p. 137 (571). Persien
— Pic, Synops. p. 16.

- praetextata* Stev. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 184. — Kryn. Bull. Moscou VII, 1834, p. 170. — Muls. Col. France, Longic. ed. 2, 1863, p. 417. — Ganglb. Best.-Tab. VIII, 1884, p. 121 (555). — Pic, Synops. p. 17. Krim, Armenien
- var. *implagiata* Reitter, Wien. Ent. Zeit. XVII, 1898, p. 126. — Pic, Synops. p. 17. Kaukasus
- var. *nigricollis* Pic, Echange VII, 1891, p. 102. — Pic, Synops. p. 17. Akbès
- pretiosa* Fald. Fauna Transcaucas. II, 1837, p. 298, t. 10, f. 5. — Ganglb. Best.-Tab. VIII, 1884, p. 136 (570). — Pic, Synops. p. 16. Kaukasus
- scapularis* Chev. Ann. Soc. Ent. France (6) II, 1882, p. 63. — Ganglb. Best.-Tab. VIII, 1884, p. 143 (577). Syrien
- scapulata* Muls. Mém. Acad. Sc. Lyon (2) I, 1851, p. 194; Opusc. Ent. I, 1852, p. 54. — Ganglb. Best.-Tab. VIII, 1884, p. 140 (574). — Pic, Synops. p. 15. Syrien, Palästina
- ab. *mersinensis* Pic, Bull. Soc. Ent. France 1900, p. 140; Synops. p. 15. Syrien
- Schmiedeknechtli* Pic, Bull. Soc. Ent. France 1899, p. 209; Synops. p. 13. Syrien: Libanon

Subgen. *Fulgophytoecia* Pic.

- circumdata* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 337. — Ganglb. Best.-Tab. VIII, 1884, p. 133 (567). — Pic, Longic. IV, 2, 1903, p. 17. Samarkand
- sellata* Ganglb. Deutsche Ent. Zeitschr. XXXI, 1887, p. 296. — Pic, Longic. IV, 2, 1903, p. 17. Turkestan

Subgen. *Musaria* Thoms.

- adusta* Reitter, Deutsche Ent. Zeitschr. XXXIII, 1889, p. 43. — Pic, Longic. IV, 2, 1903, p. 18; V, 2, 1905, p. 38. Armenien
- argus* Fröl. Naturf. XXVII, 1793, p. 155. — Meyer, Zool. Annalen I, 1794, p. 210. — ? Panz. Faun. Ins. Germ. LXIX, 1799, t. 2. — F. Syst. Eleuth. II, 1801, p. 329. — Küster, Käfer Eur. VII, 1846, p. 60. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 867; ed. 3, II, 1874, p. 425. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 174. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 405. — Schlosser, Fauna Kornjas. III, 1879, p. 843. — Ganglb. Best.-Tab. VIII, 1884, p. 123 (557). — Bau, Handb. Käfer 1888, p. 426. — Seidl. Fauna Transsylv. 1891, p. 853. — Griffini, Coleopt. 1906, p. 199, t. 39, f. 20. — Csiki, Rovart. Lapok XII, 1905, p. 149. — Jacobs, Käfer Russl. 1911, t. 72, f. 20. — Kuhnt, Käfer Deutschl. 1912, p. 798, fig. 223. — Reitter, Fauna Germ. IV, 1913, p. 69. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 883, t. 32, f. 20. Österreich, Ungarn, Siebenbürgen, Dalmatien

- astarte** Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 523. Kleinasien
 var. *Lederi* Pic, Bull. Soc. Ent. France 1899, p. 391. Kaukasus
- balcanica** Friv. A Magyar Tudos Tarsasag Evkön. II, 1835, p. 268, t. 6, f. 12; Faunus (2) I, 1837, p. 90. — Küster, Käfer Eur. XIII, 1848, p. 87. — Sacher, Wien. Ent. Monatschr. IV, 1860, p. 147. — Muls. Col. France, Longic. ed. 2, 1863, p. 417. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 53, f. 249. — Ganglb. Best.-Tab. VIII, 1884, p. 126 (560). — Pic, Longic. IV, 2, 1903, p. 18; V, 2, 1905, p. 38. Türkei
- Boeberi** Ganglb. Best.-Tab. VIII, 1884, p. 125 (559). Kaukasus,
flavipes Gyllenb. in Schönh. Synon. Ins. Süd-
 I, 3, 1817, p. 436, nota 1. — Küster, Käfer russland,
 Eur. VI, 1846, p. 83. Türkei
 var. *Melichari* Roubal, Col. Rundschau I, Kaukasus
 1912, p. 155. — Pic, Longic. IX, 1, 1914, p. 10.
- cephalotes** Küster, Käfer Eur. VII, 1846, p. 61. — Illyrien,
 Muls. Col. France, Longic. ed. 2, 1863, p. Griechenland
 419. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 287. — Ganglb. Best.-Tab. VIII, p. 123 (557).
- Faldermanni** Fald. Fauna Transcaucas. II, 1837, p. 296, t. 10, f. 3. — Ganglb. Best.-Tab. VIII, 1884, p. 124 (558). Russland,
 Kaukasus
 var. *Blessigi* Moraw. Horae Soc. Ent. Ross. Sarepta
 II, 1863, p. 172; Abeille IV, 1867, p. LXXII.
 — Ganglb. Best.-Tab. VIII, 1884, p. 124 (558).
 var. *pubicollis* Pic, Longic. X, 2, 1917, p. 10. „
 var. *Rosti* Pic, Bull. Soc. Zool. France XXV, 1900, p. 16. Kaukasus
- kurdistana** Ganglb. Best.-Tab. VIII, 1884, p. 138 (572). Persien
 — Pic, Longic. X, 2, 1917, p. 20.
 var. *caucasica* Pic, Le Natural. (2) XIX, 1897, p. 262. Kaukasus
 var. *Korbi* Pic, Bull. Soc. Ent. France 1898, Armenien
 p. 334.
 var. *luristanica* Pic, Longic. X, 2, 1917, Persien
 p. 9.
- Merkli** Ganglb. Best.-Tab. VIII, 1884, p. 126 (560). — Türkei,
 Pic, Longic. IV, 2, 1903, p. 18; V, 2, 1905, Taurus
 p. 38.
- modesta** Waltl, Isis XXXI, 1838, p. 471; Abeille VI, Türkei,
 1869, p. 64. — Ganglb. Best.-Tab. VIII, 1884, Kleinasien,
 p. 126 (560). — Pic, Longic. IV, 2, 1903, p. 18; V, 2, 1905, p. 38. Syrien
 var. *inapicalis* Pic, Echange XXI, 1905, p. Syrien
 107; Longic. V, 2, 1905, p. 38.
- mucida** Semen. Horae Soc. Ent. Ross. XXVII, 1893, Persien
 p. 506.
- nigripes** Voet, Cat. Col. II, 1778, p. 23, t. 21, f. 105; Deutschland
 ed. Panzer III, 1794, p. 60, t. 21, f. 105.
nigritarsis Schönh. Synon. Ins. I, 3, 1817, p. 435.

- ab. *bipunctata* Piller, Iter Posegan. 1783, p. 36; in Scriba, Journ. I, 1790, p. 89.
affinis Harrer. Beschreib. Ins. I, 1784, p. 209 (Schaeffer, Icon, Ins. II, 1, 1768, t. 101, f. 5). — Panz. Ent. Germ. 1795, p. 257. — Schreckenstein, Verz. Käfer 1801, p. 55. — Muls. Col. France, Longic. 1839, p. 201. — Küster, Käfer Eur. VI, 1846, p. 82; XIV, 1848, t. 2, f. 3. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 867; ed. 3, II, 1874, p. 425. — Bach, Käferf. III, 1856, p. 38. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 175. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 407. — Seidl. Fauna Balt. 1875, p. 521. — Schlosser, Fauna Kornjas. III, 1879, p. 843. — Fairm. Hist. Nat. France, Col. 1882, p. 272. — Ganglb. Best.-Tab. VIII, 1884, p. 124 (558). — Bedel, Faune Col. Seine V, 1889, p. 47. — Seidl. Fauna Balt. ed. 2, 1891, p. 755; Fauna Transsylv. 1891, p. 854. — Griffini, Col. 1896, p. 200, t. 39, f. 24. — Stierl. Col. Helvet. II, 1898, p. 504. — Csiki, Rovart. Lapok XII, 1905, p. 150. — Jacobs. Käfer Rußl. 1911, t. 72, f. 24. — Kuhnt, Käfer Deutschl. 1912, p. 797, fig. 222. — Reitter, Fauna Germ. IV, 1913, p. 70. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 882, t. 32, f. 24.
- janus* Fröhl. Naturf. XXVII, 1793, p. 154.
 Biologie: Xambeu, Revue d'Ent. VIII, 1889, p. 215; Ann. Soc. Linn. Lyon (2) XL, 1893, p. 128 (sep. p. 200).
- var. *altaica* Suvor. Revue Russe d'Ent. XIII, 1913, p. 79.
- ab. *circassica* Reitter, Wien. Ent. Zeit. VII, 1888, p. 282. Kaukasus
- ab. *compacta* Pic, Echange VI, 1890, p. 120. Ungarn
- mutata* Pic, l. c. VIII, 1892, p. 4.
- ab. *nigrina* Pic, Longic. I, 1891, p. 38. Alpen
- ab. *nigropubescentis* Reitter, Wien. Ent. Zeit. VII, 1888, p. 282. Kaukasus, Südfrankreich
- subaurata* Pic, Echange V, 1889, p. 68.
- ab. *Starcki* Reitter, Wien. Ent. Zeit. VII, 1888, p. 282. Kaukasus
- Perrini** Pic, Ann. Soc. Ent. France LX, 1891, Bull. p. 186. Libanon
- persathensis* Pic, Echange XI, 1895, p. 40. Kaukasus: Persath
- puncticollis* Fald. Fauna Transcaucas. II, 1837, p. 291, t. 10, f. 11. — Muls. Col. France, Longic. ed. 2, 1863, p. 404. — Ganglb. Best.-Tab. VIII, 1884, p. 137 (571). — Pic, Longic. X, 2, 1917, p. 20. Kaukasus
- var. *aladaghensis* Reitter, Wien. Ent. Zeit. XXV, 1906, p. 37. — Pic, Longic. VI, 1, 1906, p. 13. Persien

- ab. *diversicollis* Pic, Longic. X, 2, 1917, p. 9. Persien
 ab. *gamborensis* Pic, l. c. p. 9. Kaukasus
 var. *persica* Ganglb. Best.-Tab. VIII, 1884, p. 138 (572). Persien
 var. *stygia* Ganglb. l. c. p. 138 (572).
 var. *trimaculata* Pic, Longic. X, 2, 1917, p. 9. Taurus
rubropunctata Goeze, Ent. Beytr. I, 1777, p. 507. — Frankreich,
 Ganglb. Best.-Tab. VIII, 1884, p. 124 (558). Südwest-
 — Bedel, Faune Col. Seine V, 1889, p. 47, deutschland
 99. — Kuhn, Käfer Deutschl. 1912, p. 798.
 — Reitter, Fauna Germ. IV, 1913, p. 69.
argus Bach, Käferf. III, 1856, p. 37.
Jourdani Muls. Col. France, Longic. 1839, p. 202, t. 3, f. 7; ed. 2, 1863, p. 405. — Fairm.
 Gen. Col. d'Eur. IV, 1864, t. 53, f. 248.
punctata Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 80.
punctulata Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1877.
 ab. *nigrescens* Pic, Longic. I, 1891, p. 38. Frankreich
 ab. *obscurior* Pic, Miscell. Ent. IV, 1896, p. 142. ? Algier
Suvorowi Pic, Longic. V, 2, 1905, p. 38; VI, 1, 1906, p. 13. Kaukasus
Suvorowi König, Wien. Ent. Zeit. XXV, 1906, p. 26.
Türki Ganglb. Best.-Tab. VIII, 1884, p. 141 (575). — Kleinasien
 Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 70. Brussa
 var. *griseicornis* Pic, Ann. Soc. Ent. France LX, 1891, p. 187. Syrien
volgensis Kraatz, Wien. Ent. Zeit. II, 1883, p. 276. Süd-
 — Ganglb. Best.-Tab. VIII, 1884, p. 124 (558). russland
 ab. *m-notata* Pic, Echange XXVII, 1911, p. 185; Longic. VIII, 2, 1912, p. 6. Kaukasus
Wachanrui Muls. Mém. Acad. Sc. Lyon. I, 1851, p. 127; Opusc. Ent. II, 1853, p. 110; XI, 1860, p. 152; Col. France Longic. ed. 2, 1863, p. 407. — Kleinasien,
 — Ganglb. Best.-Tab. VIII, 1884, p. 125 (559). — Pic, Longic. X, 2, 1917, p. 20. Syrien
syriaca Chevr. Revue Zool. (2) VI, 1854, p. 484, t. 7, f. 4.
 var. *alboscuteolata* Chevr. l. c. p. 485, t. 7, f. 5. — Syrien
 Ganglb. Best.-Tab. VIII, 1884, p. 125 (559), 141 (575).
 ab. *binodosa* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 61. — Ganglb. Best.-Tab. VIII, 1884, p. 142 (576).
 ab. *bisulcata* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 61. — Ganglb. Best.-Tab. VIII, 1884, p. 142 (576).
 ab. *Jekeli* Pic, Longic. X, 2, 1917, p. 10.
 ab. *Jezabel* Reiche, Ann. Soc. Ent. France (3) VI, 1858, p. 13 (sep. p. 307), t. 1, f. 5. Palästina
 ab. *wardiniensis* L. Heyd. Deutsche Ent. Zeitschr. 1894, p. 87. Kleinasien

- ab. *obscuricornis* Pic, Bull. Soc. Zool. France XXII, 1897, p. 189; Longic. X, 2, 1917, p. 20. Kleinasien
 ab. *pallidithorax* Pic, Longic. II, 1898, " "
 ab. *rufomaculata* Pic, l. c. X, 2, 1917, p. 9. Syrien
 ab. *tripunctata* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 61. — Ganglb. Best.-Tab. VIII, 1884, p. 142 (576). "

Subgen. *Phytoecia* s. str.

Synopsis: Pic, Echange XI, 1895, p. 63—70.

- algerica** Desbr. Abeille VII, 1870, p. 126. — Ganglb. Algier: Best.-Tab. VIII, 1884, p. 145 (579). — Pic, Bône Synops. p. 65.
nigritarsis Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 62. — Ganglb. Best.-Tab. VIII, 1884, p. 145 (579).
analis Mannerh. Bull. Moscou XXII, 1, 1849, p. 244. Mongolei — Ganglb. Best.-Tab. VIII, 1884, p. 132 (566). — Pic, Synops. p. 68.
annulicornis Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 140. — Ganglb. Best.-Tab. VIII, 1884, p. 145 (579). — Pic, Ann. Soc. Ent. France LXI, 1892, Bull. p. 147; Synops. p. 67. Algier
annulipes Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 165; Opusc. Ent. XIII, 1863, p. 165; Abeille XII, 1875, p. 415. — Ganglb. Best.-Tab. VIII, 1884, p. 128 (562). — Pic, Synops. p. 67. Caramanien, Türkei
asiatica Pic, Echange VII, 1891, p. 102; Ann. Soc. Ent. France LXI, 1892, p. 420; Longic. VII, 1, 1908, p. 10. Syrien
Bangi Pic, Bull. Soc. Zool. France XXII, 1897, p. 189. Kleinasien
Bethseba Reiche & Saulcy, Ann. Soc. Ent. France (3) VI, 1858, p. 17 (sep. p. 311), t. 1, f. 6. — Ganglb. Best.-Tab. VIII, 1884, p. 141 (575). — Pic, Synops. p. 67. Palästina
caerulea Scop. Annus Hist. Nat. V, 1772, p. 102. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1876. — Costa, Fauna di Aspromonte 1839, p. 142, t. 1, f. 5 (non 6) [Atti Acad. Sc. Napoli IV, 1839, Cl. Fis. p. 142, t. 1 (3), f. 5 (non 6)]. — Reitter, Fauna Germ. IV, 1913, p. 70. Südost-deutschland, Österreich, Ungarn, Südrußland, Rumänien, Balkan, Griechenland, Schweiz, Italien, Spanien
coelestis Townson, Travels in Hungary 1797, p. 469, t. 12, f. 2.
cylindrica Laich. Tyrol. Ins II, 1784, p. 49.
flavimana Creutz. in Panz. Faun. Ins. Germ. XXXV, 1796, t. 15.
gilvimana Ménétr. Cat. rais. 1832, p. 227.
rufimana Schrank, Naturf. XXIV, 1789, p. 77; in Scriba, Journ. Ent. I, 1790, p. 31; Fauna Boica I, 2, 1798, p. 668. — Fröl. Naturf. XXVII, 1793, p. 147. — F. Syst. Eleuth. II, 1801, p. 332. — Bechst. & Scharfenb.

- Forstins. I, 1804, p. 204. — Küster, Käfer Eur. VI, 1846, p. 88. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 867; ed. 3, II, 1874, p. 425. — Bach, Käferf. III, 1856, p. 38. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 176. — Gutfl. Käfer Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 419. — Schlosser, Fauna Kornjas. III, 1879, p. 843. — Ganglb. Best.-Tab. VIII, 1884, p. 129 (563). — Bau, Handb. Käfer 1888, p. 426. — Seidl. Fauna Transsylv. 1891, p. 854. — Pic, Synops. p. 67. — Griffini, Coleott. 1896, p. 199, t. 39, f. 21. — Stierl. Col. Helvet. II, 1898, p. 505. — Csiki, Rovart. Lapok XII, 1905, p. 150. — Jacobs. Käfer Russl. 1911, t. 72, f. 21. — Kuhnt, Käfer Deutschl. 1912, p. 798. — Reitter, Fauna Germ. IV, 1913, p. 70. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 883, t. 32, f. 21.
- ? *rufipes* Megerle, Cat. Ins. 1805, Append. I, p. (6).
- viridis* Gronov. Zoophyl. II, p. 163, nr. 546, III, 1781, Index nr. 546.
- var. *Baccueti* Brullé, Exped. Morée, Ins. 1832, p. 262, t. 43, f. 6. — Muls. Col. France, Longic. ed. 2, 1863, p. 418. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 53, f. 250. — Ganglb. Best.-Tab. VIII, 1884, p. 127, 129 (561, 563). — Pic, Synops. p. 67.
- cinctipennis* Mannerh. Bull. Moscou XXII, 1, 1849, p. 242. — Muls. Col. France, Longic. ed. 2, 1863, p. 417. — Ganglb. Best.-Tab. VIII, 1884, p. 132 (566). — Pic, Synops. p. 67.
- croceipes* Reiche & Sauley, Ann. Soc. Ent. France (3) VI, 1858, p. 17 (sep. p. 311). — Ganglb. Best.-Tab. VIII, 1884, p. 128 (562). — Pic, Synops. p. 66; Longic. VI, 2, 1907, p. 19. — K. Daniel, Münch. Kol. Zeitschr. III, 1906, p. 178.
- macilenta* Muls. & Wachanru, Col. France, Longic. ed. 2, 1863, p. 421.
- puncticollis* Muls. & Wachanru, Mém. Acad. Sc. Lyon (2) II, 1852, p. 15; Opusc. Ent. I, 1852, p. 175.
- ab. *annulifer* Th. Pic, Ent. Nachr. XXVI, 1900, p. 67.
- cylindrica* L. Syst. Nat. ed. 10, 1758, p. 394; ed. 12, 1767, p. 633; Fauna Suec. ed. 2, 1761, p. 191. — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 564. — Müller, Naturs. V, 1, 1774, p. 274. — F. Syst. Ent. 1775, p. 185; Spec. Ins. I, 1781, p. 232; Mant. Ins. I, 1787, p. 148; Ent. Syst. I, 2, 1792, p. 310; Syst. Eleuth. II, 1801, p. 320. — ? Müller, Zool. Dan. Prodr. 1776, p. 93. — Fischer, Naturg. Livl. Zusätze 1784, p. 63. — Herbst in Borowsky, Naturg. VI, 1784, p. 128. — Villers, Linn. Ent. I, 1789, p. 242. — Gmel. in L. Syst. Nat. ed.
- Griechenland, Kleinasien
- Mongolei: Kiachta
- Syrien, Kleinasien, Türkei
- Palästina
- Europa, Kleinasien, Sibirien

13, I, 4, 1790, p. 1839. — Petagna, Inst. Ent. I, 1792, p. 237. — Fröl. Naturf. XXVII, 1793, p. 143. — Donndorff, Handb. Thierg. 1793, p. 608. — Panz. Fauna Germ. 1795, p. 257; Fauna Ins. Germ. LXIX, 1799, t. 4. — Ol. Ent. IV, 68, 1795, p. 23, t. 2, f. 18. — Cederhj. Faun. Ingr. Prodr. 1798, p. 92. — Payk. Fauna Suec. III, 1800, p. 74. — Walcken. Faune Paris. I, 1802, p. 211. — Marsh. Ent. Brit. I, 1802, p. 331. — Bechst. & Scharfenb. Forstins. I, 1804, p. 202. — Latr. Hist. Nat. XI, 1804, p. 279. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 303; ed. 3, IV, 1828, p. 376. — Oken, Naturg. III, 2, 1816, p. 796. — Dumér. Dict. Sc. Nat. XLVII, 1827, p. 309; Ent. anal. 1860, p. 607. — Gyllenh. Ins. Suec. I, 4, 1827, p. 111. — Boit. Man. d'Ent. II, 1828, p. 24. — Muls. Lettres à Julie II, 1830, p. 333. — Steph. Brit. Ent. Mand. IV, 1831, p. 240; Man. Brit. Col. 1839, p. 273. — Dahlb. Skand. Ins. 1837, p. 95. — Muls. Col. France, Longic. 1839, p. 207. — Küster, Käfer Eur. VI, 1846, p. 85. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 867; ed. 3, 1874, II, p. 425. — Bach, Käferf. III, 1856, p. 39. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 176. — Gutfl. Käf. Deutschl. 1859, p. 586. — Muls. Col. France, Longic. ed. 2, 1863, p. 423. — Schiödde, Naturh. Tidskr. (2) III, 1864, p. 574. — C. G. Thoms. Skand. Col. VII, 1866, p. 101. — Cox, Handb. Col. II, 1874, p. 307. — Seidl. Fauna Balt. 1875, p. 521. — Schoch, Käfer Deutschl. 1878, p. 136. — Schlosser, Fauna Kornjas. III, 1879, p. 843. — Ganglb. Best.-Tab. VIII, 1884, p. 129 (563). — Bau, Handb. Käfer 1888, p. 427. — Bedel, Faune Col. Seine V, 1889, p. 47, 100. — Fowler, Col. Brit. Isl. IV, 1890, p. 255, t. 125, f. 2. — Seidl. Fauna Balt. ed. 2, 1891, p. 756; Fauna Transsylv. 1891, p. 854. — Pic, Synops. p. 64; Long. VI, 2, 1907, p. 18. — Griffini, Coleott. 1896, p. 199, t. 39, f. 22. — Stierl. Col. Helvet. II, 1898, p. 505. — Lameere, Faune Belg. II, 1900, p. 417. — Everts, Col. Neerl. II, 1901, p. 385. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 73; ed. 2, 1909, p. 75. — Csiki, Rovart. Lapok XII, 1905, p. 151. — Jacobs, Käfer Russl. 1911, t. 72, f. 22. — Kuhnt, Käfer Deutschl. 1912, p. 799. — Reitter, Fauna Germ. IV, 1913, p. 70. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 30, fig. 20. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 883, t. 32, f. 22. — Auriv. Svensk Insektf. IX, 1, 1917, p. 46.

cinerea De Geer, Mém. Ins. V, 1775, p. 75.
fuliginosa Scop. Delic. Florae et Faunae Insubr. II, 1786, p. 49, t. 20, f. 7.

- silphoides* Schrank, Enum. Ins. 1781, p. 145. — Villers, Linn. Ent. I, 1789, p. 244. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843.
- simplonica* Stierl. Mitth. Schweiz. Ent. Ges. V, 1879, p. 438. — Ganglb. Wien. Ent. Zeit. II, 1883, p. 216.
- verna* Müller, Zool. Dan. Prodr. 1776, p. 94. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1874.
- var. *ferrea* Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 22. Nordchina, Peking
- Biologie: Scop. Deliciae Florae et Faunae Insubr. II, 1786, p. 49. — Kaltenb. Pflanzenf. 1874, p. 273, 286. — Bedel, Faune Ent. Seine V, 1889, p. 100. — Xambeu, Moeurs et Métam. VIII, 1902, p. 186.
- Drurei** Pic, Echange XXV, 1909, p. 153; Longic. VII, 2, 1910, p. 6. Meso-potamien
- erythrocnema** Lucas, Explor. Algérie, Col. 1849, p. 506, t. 43, f. 6. — Muls. Col. France, Longic. ed. 2, 1863, p. 420. — Ganglb. Best.-Tab. VIII, 1884, p. 128 (562). — Pic, Synops. p. 67. Süd-frankreich, Spanien, Portugal, Algier
- brevis* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 62. — Ganglb. Best.-Tab. VIII, 1884, p. 142 (576). — Bedel, Ann. Soc. Ent. France (6) VII, 1887, p. 202.
- Grenieri* Fairm. Ann. Soc. Ent. France (4) I, 1861, Bull. p. 11; (4) II, 1862, p. 557.
- flavipes** F. Syst. Eleuth. II, 1801, p. 329. Tanger
- Gaubili** Muls. Mém. Acad. Sc. Lyon (2) I, 1851, p. 129; Opusc. Ent. II, 1853, p. 112; XI, 1860, p. 154; Col. France, Longic. ed. 2, 1863, p. 420. — Ganglb. Best.-Tab. VIII, 1884, p. 144 (578). — Pic, Synops. p. 64. Algier
- ab. *Gabilloti* Pic, Longic. I, 1891, p. 39; Synops. p. 64. „
- ab. *innotata* Pic, l. c. II, 1898, p. 14. „
- var. *peregrina* Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 135. — Ganglb. Best.-Tab. VIII, 1884, p. 145 (579). — Pic, Synops. p. 64. „
- geniculata** Muls. Col. France, Longic. ed. 2, 1863, p. 420. — Ganglb. Best.-Tab. VIII, 1884, p. 128 (562). — Pic, Synops. p. 66. Türkei, Griechenland, Kleinasien
- fuscicornis* Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 168; Opusc. Ent. XIII, 1863, p. 168.
- orientalis* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 272; XX, 1876, p. 28; Abeille XII, 1875, p. 415.
- var. *nazarena* Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 136. — Ganglb. Best.-Tab. VIII, 1884, p. 141 (575). — Pic, Synops. p. 67. Palästina
- Gongeleti** Fairm. Ann. Soc. Ent. France (5) X, 1880, p. 251. — Ganglb. Best.-Tab. VIII, 1884, p. 145 (579). — Pic, Synops. p. 67. Marocco

- grandis** Pic, Descr. Longic. Syrie 1891, p. 2; Ann. Soc. Ent. France LXI, 1892, p. 422. — Reitter, Wien. Ent. Zeit. XIV, 1895, p. 87. — Pic, Synops. p. 64. Syrien:
Akbès
- griselpes** Pic, Ann. Soc. Ent. France (6) X, 1890, Bull. p. 91; Longic. I, 1891, p. 48; Synops. p. 64. Algier
- ab. *impunctata* Pic, Synops. p. 64; Longic. II, 1898, p. 14. „
- ab. *separata* Pic, Synops. p. 70. .
- icterica** Schaller, Abhandl. Naturf. Ges. Halle I, 1783, p. 292. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843. Mittel- und
Süd-Europa,
Kleinasien
- cylindrica* Scop. Ent. Carn. 1763, p. 48.
- ? *cylindrica* Rossi, Fauna Etrusca I, 1790, p. 150; ed. Hellwig 1795, p. 164.
- ephippium* F. Ent. Syst. I, 2, 1792, p. 317; Syst. Eleuth. II, 1801, p. 332. — Panz. Faun. Ins. Germ. XXIII, 1794, t. 17; Ent. Germ. 1795, p. 260. — Reichenb. Naturg. Ins. 1837, p. 412, t. 100, f. 655. — Muls. Col. France, Longic. 1839, p. 206. — Cast. Hist. Nat. Col. II, 1840, p. 497. — Küster, Käfer Eur. VI, 1846, p. 84. — Labr. & Imh. Ins. der Schweiz V, 184 ?, t. 76; Schweiz. Käferg. Heft 18, 1848, tab. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 867; ed. 3, II, 1874, p. 424. — Bach, Käferf. III, 1856, p. 38. — Fuss, Mith. Siebenb. Ver. Hermannst. IX, 1858, p. 176. — Gutfl. Käfer Deutschl. 1859, p. 586. — Brauns, Berl. Ent. Zeitschr. V, 1861, p. 402. — Muls. Col. France, Longic. ed. 2, 1863, p. 422. — Fairm. Hist. Nat. France, Col. 1882, p. 272. — Ganglb. Best.-Tab. VIII, 1884, p. 128 (562). — Bau, Handb. Käfer 1888, p. 426. — Bedel, Faune Col. Seine V, 1889, p. 47, 99. — Seidl. Fauna Transsylv. 1891, p. 854. — Pic, Synops. p. 66. — Griffini, Coleotteri 1896, p. 199, t. 39, f. 19. — Stierl. Col. Helvet. II, 1898, p. 504. — Everts, Col. Neerl. II, 1901, p. 385. — Csiki, Rovart. Lapok XII, 1905, p. 151. — Pic, Longic. VI, 2, 1907, p. 19. — Jacobs. Käfer Russl. 1911, t. 72, f. 19. — Kuhnt, Käfer Deutschl. 1912, p. 798. — Reitter, Fauna Germ. Käfer IV, 1913, p. 70. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 882.
- ragusana** Küster, Käfer Eur. I, 1844, p. 55. — Muls. Col. France, Longic. ed. 2, 1863, p. 425. — Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 272.
- Biologie:** Lareynie, Ann. Soc. Ent. France (2) IX, 1851, Bull. p. 54. — Heeger, Sitzb. Akad. Wiss. Wien VII, 1851, p. 346, t. 12 (sep. p. 22, t. 9). — Xamheu, Moeurs et Métam. VIII, 1902, p. 181.
- ingeniculata** Th. Pic, Ent. Nachr. XXVI, 1900, p. 67. Syrien

- longicollis* Costa, Atti Accad. Sc. Fis. Mat. VII, 1878, p. 27 nota. — Pic, Longic. IV, 2, 1903, p. 9. Palästina
- Ludovici* Pic, Ann. Soc. Ent. France LX, 1891, Bull. p. 135; Synops. p. 66. Südrussland:
Sarepta
- manicata* Reiche & Saulcy, Ann. Soc. Ent. France (3) VI, 1858, p. 17. — Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 167; Opusc. Ent. XIII, 1863, p. 167; Abeille XII, 1875, p. 416. — Ganglb. Best.-Tab. VIII, 1884, p. 129 (563). — Pic, Synops. p. 64; Longic. VI, 2, 1907, p. 19. Syrien
- var. *pubescens* Pic, Synops. p. 64; Longic. VI, 2, 1907, p. 18, 19; Echange XXIII, 1907, p. 112. Dalmatien,
Griechenland,
- glaphyra* K. Daniel, Münch. Kol. Zeitschr. III, 1906, p. 177. Kleinasien,
Kaukasus,
Syrien
- nigricornis* F. Spec. Ins. II, 1781, p. 499; Mant. Ins. I, 1787, p. 149; Syst. Eleuth. II, 1801, p. 326. — Panz. Ent. Germ. 1795, p. 258; Faun. Ins. Germ. XCVII, 1809, t. 14. — Muls. Col. France, Longic. 1839, p. 208. — Redtenb. Fauna Austr. 1849, p. 501; ed. 2, 1858, p. 868; ed. 3, II, 1874, p. 426. — Bach, Käferf. III, 1856, p. 39. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 177. — Gutfl. Käfer Deutschl. 1859, p. 587. — Muls. Col. France, Longic. ed. 2, 1863, p. 428. — C. G. Thoms. Skand. Col. VIII, 1866, p. 101. — Seidl. Fauna Balt. 1875, p. 521. — Schlosser, Fauna Kornjas. III, 1879, p. 844. — Fairm. Hist. Nat. France, Col. 1882, p. 272. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Bau, Handb. Käfer 1888, p. 427. — Bedel, Faune Col. Seine V, 1889, p. 48, 100. — Pic, Longic. I, 1891, p. 39. — Seidl. Fauna Balt. ed. 2, 1891, p. 756; Fauna Transsylv. 1891, p. 854. — Pic, Synops. p. 67. — Grifflini, Coleopt. 1896, p. 200, t. 39, f. 23. — Stierl. Col. Helvet. II, 1898, p. 505. — Everts, Col. Neerl. II, 1901, p. 385. — Houlb. Faune Armor. Ceramb. 1904, p. 73, 74, fig. 141; ed. 2, 1909, p. 75, 76, fig. 141. — Csiki. Rovart. Lapok XII, 1905, p. 151. — Jacobs. Käfer Russl. 1911, t. 72, f. 23. — Kuhnt, Käfer Deutschl. 1912, p. 799, f. 225a, f. — Reitter, Fauna Germ. IV, 1913, p. 70. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 30. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 883, t. 32, f. 23. — Auriv. Svensk Insektf. IX, 1, 1917, p. 46.
- canaliculata* Fröl. Naturf. XXVII, 1793, p. 144.
- Caroni* Muls. & God. Ann. Soc. Linn. Lyon (2) XXII, 1876, p. 419; Petites Nouv. Ent. II, 1876, p. 45. — Bedel, Ann. Soc. Ent. France (5) VI, 1876, Bull. p. 188.
- coerulescens* Brahm, Ins.-Kalend. I, 1790, p. 126. Mitteleuropa,
Sibirien

♀ *Julii* Muls. Col. France, Longic. ed. 2, 1863, p. 429, 584.

? *lineata* Müller, Zool. Dan. Prodr. 1776, p. 95.

melanoceras Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1838.

suturalis F. Ent. Syst. I, 2, 1792, p. 314.

ab. *solidaginis* Bach, Käferf. III, 1856, p. 39. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 177. — Redtenb. Fauna Austr. ed. 2, 1858, p. 868; ed. 3, II, 1874, p. 426. — Muls. Col. France, Longic. ed. 2, 1863, p. 427. — Schlosser, Fauna Kornjas. III, 1879, p. 844. — Ganglb. Best.-Tab. VIII, 1884, p. 129 (563). — Stierl. Col. Helvet. II, 1898, p. 505. — Everts, Col. Neerl. II, 1901, p. 385. — Csiki, Rovart. Lapok XII, 1905, p. 151. — Kuhnt, Käfer Deutschl. 1912, p. 799. — Reitter, Fauna Germ. IV, 1913, p. 70. — Auriv. Svensk Insektf. IX, 1, 1917, p. 46.

ab. *tristriga* Reitter, Fauna Germ. IV, 1913, p. 70 nota. — Pic, Longic. IX, 2, 1915, p. 22. Russland,
Ungarn

tristigma Pic, Longic. IX, 1, 1914, p. 10.

Biologie: Bedel, Ann. Soc. Ent. France

(5) XI, 1876, Bull. p. 189.

pustulata Schrank, Beytr. Naturg. 1776, p. 66; Enum.

Ins. 1781, p. 145; Fauna Boica I, 2, 1798, p. 670. — Goeze, Ent. Beytr. I, 1777, p. 479.

— Villers, Linn. Ent. I, 1789, p. 244. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1843. — Ganglb. Best.-Tab. VIII, 1884, p. 127 (561). — Bau, Handb. Käfer 1888, p. 426.

— Bedel, Faune Col. Seine V, 1889, p. 47. — Seidl, Fauna Balt. ed. 2, 1891, p. 756; Fauna Transsylv. 1891, p. 854; Pic, Synops. p. 65. — Stierl. Col. Helvet. II, 1898, p. 504.

— Everts, Col. Neerl. II, 1901, p. 384. — Houlb. Faune Armor. 1904, p. 72, 73, fig. 140; ed. 2, 1909, p. 74, 75, fig. 140. — Csiki, Rovart. Lapok XII, 1905, p. 150; XXIII, 1916, p. 14. — Kuhnt, Käfer Deutschl. 1912, p. 798, fig. 224. — Reitter, Fauna Germ. IV, 1913, p. 70. — Schauf. in Calwer, Käferb. II, 1916, p. 882. Mittel- und
Süd-Europa,
Kleinasien

lineola F. Spec. Ins. I, 1781, p. 235; Mant. Ins. I, 1787, p. 150; Ent. Syst. I, 2, 1792, p. 318; Syst. Eleuth. II, 1801, p. 333. — Laich. Tyrol. Ins. II, 1784, p. 47. — Herbst, Archiv Insectengesch. V, 1785, p. 94, t. 26, f. 4. — Villers, Linn. Ent. I, 1789, p. 244. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1842. — Rossi, Mant. Ins. I, 1792, p. 51; ed. Hellw. 1795, p. 392. — Petagna, Inst. Ent. I, 1792, p. 328. — Fröl. Naturf. XXVII, 1793, p. 149. — Panz. Faun. Ins. Germ. XXIII, 1794, t. 18; Ent. Germ. 1795, p. 260. — Ol. Ent. IV, nr. 68, 1795, p. 23, t. 2, f. 20.

- Latr. Hist. Nat. Ins. XI; 1804, p. 279. —
 Boit. Man. d'Ent. II, 1828, p. 24. — Reichenb.
 Naturg. Ins. 1837, p. 412, t. 100, f. 654. —
 Muls. Col. France, Longic. 1839, p. 205. —
 Cast. Hist. Nat. Col. II, 1840, p. 497. — Duf.
 Excurs. Ent. Vallée d'Ossau 1843, p. 100.
 — Küster, Käfer Eur. IV, 1846, p. 84. —
 Redtenb. Fauna Austr. 1849, p. 500; ed. 2,
 1858, p. 867; ed. 3, II, 1874, p. 425. — Bach,
 Käferf. III, 1856, p. 38. — Fuss, Mitth.
 Siebenb. Ver. Hermannst. IX, 1858, p. 176.
 — Gutfl. Käfer Deutschl. 1859, p. 586. —
 Muls. Col. France, Longic. ed. 2, 1863, p.
 412. — Seidl. Fauna Balt. 1875, p. 521. —
 Schlosser, Fauna Kornjas. III, 1879, p. 843.
 — Fairm. Hist. Nat. France, Col. 1882, p. 272.
- posegana* Piller & Mitterp. Iter per Poseg.
 1783, p. 67, t. 8, f. 6 (non 7).
- vulnerata* Schaller, Abhandl. Naturf. Ges.
 Halle I, 1783, p. 293. — Gmel. in L. Syst.
 Nat. ed. 13, I, 4, 1790, p. 1843.
- Biologie: Perris, Ann. Soc. Linn. Lyon
 (2) XXIII, 1876, p. 351, f. 527—530 (sep. p.
 511); Ann. Soc. Ent. France (5) VI, 1876,
 p. 185. — Xamheu, Moeurs et. Métam. VIII,
 1902, p. 182.
- ab. *intermedia* Pic, Synops. p. 65. Sarepta
 var. *murina* Mars. Abeille VI, 1869, p. 384. Sarepta,
 — Pic, Feuilles Jeun. Nat. XXI, 1891, p. Persien
 139; Ann. Soc. Ent. France LX, 1891, Bull.
 p. 134; Synops. p. 65.
- adulta* Ganglb. Best.-Tab. VIII, 1884, p.
 138 (572).
- ab. *parvimaacula* Roubal, Ent. Mitteil. V, Südrubland
 1916, p. 186.
- ab. *obscuripes* Pic, Synops. p. 65; Longic. Seealpen
 II, 1898, p. 14.
- var. *vulla* Ganglb. Horae Soc. Ent. Ross. Taschkent,
 XX, 1886, p. 130. — Pic, Ann. Soc. Ent. Südrubland
 France LX, 1891, Bull. p. 134; Synops. p. 63.
- gibbicollis* Reitter, Wien. Ent. Zeit. XII, 1893, p. 114; XIII, 1894, p. 15. — Pic, Ann.
 Soc. Ent. France LXII, 1893, Bull. p. 276.
- ab. *vexans* Reitter, Wien. Ent. Zeit. XIV, Araxestal
 1895, p. 162.
- rufipes** Ol. Ent. IV, nr. 68, 1795, p. 25, t. 2, f. 14. — Spanien,
 Latr. Hist. Nat. Ins. XI, 1804, p. 280. — Süd-
 Boit. Man. d'Ent. II, 1828, p. 25. — Muls. frankreich,
 Col. France, Longic. ed. 2, 1863, p. 414. — Italien,
 Ganglb. Best.-Tab. VIII, 1884, p. 127 Schweiz
 (561). — Pic, Synops. p. 66. — Stierl. Col. (Wallis).
 Helvet. II, 1898, p. 504. — Reitter, Fauna Illyrien
 Germ. Käfer IV, 1913, p. 70.
- coeca* Küster, Käfer Eur. XIII, 1848, p. 85.
- Ledereri* Muls. Mém. Acad. Sc. Lyon (2) I,
 1851, p. 132; Opusc. Ent. II, 1853, p. 115;
 XI, 1860, p. 157.
- umbellatarum* Gistl, Isis XXIV, 1831, p.
 303. — Walzl, Reise Span. II, 1835, p. 81;

- in Silberm. Revue IV, 1836, p. 157; Abeille VI, 1869, p. 29. — Muls. Col. France, Longic. ed. 2, 1863, p. 416.
- var. femoralis* Muls. l. c. p. 416. — Pic, Synops. p. 65. Algier, Marocco
- var. latior* Pic, Synops. p. 66, 69; Longic. IX, 2, 1915, p. 11. ? Syrien
- ab. Schreiberi* Ganglb. Best.-Tab. VIII, 1884, p. 127 (561). Istrien
- rufiventris** Gaut. Pet. Nouv. Ent. I, 1870, p. 104; Mitth. Schweiz. Ent. Ges. III, 1870, p. 524; Abeille XIV, 1876, Bibliogr. p. 19. — Ganglb. Best.-Tab. VIII, 1884, p. 131 (565). — Pic, Synops. p. 65. Kiachta, Ostsibirien, Amur
- ? *abdominalis* Chevr. Ann. Soc. Ent. France (6) II, 1882, p. 62. — Ganglb. Best.-Tab. VIII, 1884, p. 127 (561). ? Spanien
- punctigera* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 226 (66).
- ab. atrimembris* Pic, Longic. IX, 2, 1915, p. 14. Japan, Sibirien
- punctigera* var. Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 226 (66).
- var. ventralis* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 388. — Ganglb. Best.-Tab. VIII, 1884, p. 131 (565) nota. Japan, Formosa, China
- sareptana** Ganglb. Horae Soc. Ent. Ross. XXII, 1888, p. 376. — Pic, Synops. p. 66, nota 2. Südrussland
- sibirica** Gebl. Bull. Moscou VI, 1833, p. 504; XIV, 1841, p. 612; XXI, 1, 1848, p. 408 (313). — Ganglb. Best.-Tab. VIII, 1884, p. 132 (566). — Pic, Synops. p. 68. Sibirien, Turkestan
- subannularis** Pic, Longic. III, 3, 1901, p. 14. Syrien, Rumänien
- subannulipes* Pic, Echange XXVI, 1910, p. 51; Longic. VIII, 1, 1911, p. 9; IX, 2, 1915, p. 11.
- Tirelli** Luigioni, Bull. Soc. Ent. Ital. XLIV, 1913, p. 168; Rivista Coleott. XII, 1914, p. 104. — Pic, Longic. IX, 2, 1915, p. 10. Italien
- tristigma** Pic, Bull. Soc. Zool. France XXII, 1897, p. 190. Patria ?
- Vaulogerii** Pic, Revue d'Ent. XI, 1892, p. 314; Synops. p. 63. Algier
- virgula** Charp. Horae Ent. 1825, p. 225. — Küster, Käfer Eur. IV, 1846, p. 85. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 176. — Gutfl. Käfer Deutschl. 1859, p. 586. — Kiesenw. Berl. Ent. Zeitschr. V, 1861, p. 403. — Muls. Col. France, Longic. ed. 2, 1863, p. 410. — Seidl. Fauna Balt. 1875, p. 521. — Schlosser, Fauna Kornjas. III, 1879, p. 843. — Ganglb. Best.-Tab. VIII, 1884, p. 126 (560). — Bedel, Faune Col. Seine V, 1889, p. 47, 99. — Seidl. Fauna Balt. ed. 2, 1891, p. 756; Fauna Transsylv. 1891, p. 854. — Pic, Synops. p. 65. — Csiki, Rovart. Lapok XII, 1905, p. 150. — Müller, Wien. Ent. Zeit. XXV, 1906, p. 221. — Kuhnt, Käfer Deutschl. 1912, p. 798. Mittel- und Süd-Europa, Turkestan, Sibirien

- fig. 224a. — Reitter, Fauna Germ. IV, 1913, p. 70. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 882.
- punctum* Ménétr. Cat. rais. 1832, p. 227. — Muls. Col. France, Longic. 1839, p. 203, t. 2, f. 7. — Redtenb. Fauna Austr. 1849, p. 500; ed. 2, 1858, p. 867; ed. 3, II, 1874, p. 425. — Bach, Käferf. III, 1856, p. 38.
- ab. *cyclops* Küster, Käfer Eur. XIII, 1848, p. 88. — Muls. Col. France, Longic. ed. 2, 1863, p. 413. — Ganglb. Best.-Tab. VIII, 1884, p. 126 (560). — Pic, Synops. p. 65.
- var. *grisea* Pic, Feuille Jeun. Natural. XXI, 1891, p. 139; Synops. p. 65.
- var. *major* Pic, Longic. III, 3, 1901, p. 14.
- vulneris* nov. nom.
- vulnerata* Muls. (nec Schall. 1783) Mém. Acad. Sc. Lyon (2) I, 1851, p. 131; Opusc. Ent. II, 1853, p. 114; XI, 1860, p. 156; Col. France, Longic. ed. 2, 1863, p. 409. — Ganglb. Best.-Tab. VIII, 1884, p. 127 (561). — Pic, Synops. p. 65. — Stierl. Col. Helvet. II, 1898, p. 504. — J. Müller, Wien. Ent. Zeit. XXV, 1906, p. 221. — Hubenth. Ent. Blätter VII, 1911, p. 191.
- Spanien
- Sarepta
- Syrien
- Südfrankreich, Italien, Schweiz, Illyrien

Subg. *Opsilia* Muls.

- Reitter, Wien. Ent. Zeit. XXX, 1911, p. 269—271 (Synopsis).
- Bodemeyerl** Reitter, Deutsche Ent. Zeitschr. 1913, p. 665; 1914, p. 319. — Pic, Longic. IX, 1, 1914, p. 10.
- coerulescens* Scop. Ent. Carn. 1763, p. 49 (fig. 160). — Goeze, Ent. Beytr. I, 1777, p. 505. — Schrank, Enum. Ins. 1781, p. 144. — Laich. Tyrol. Ins. II, 1784, p. 45. — Herbst in Füessly, Archiv Ins.-Gesch. V, 1785, p. 94, t. 26, f. 5. — Gmel. in L. Syst. Nat. ed. 13, I, 2, 1790, p. 1842. — Fröl. Naturf. XXVII, 1793, p. 145. — Bechst. Naturg. In- und Auslandes I, 2, 1794, p. 859. — Donndorff, Eur. Fauna VIII, 1799, p. 570. — Bedel, Faune Col. Seine V, 1889, p. 48, 101. — Lameere, Faune Belg. II, 1900, p. 417. — Everts, Col. Neerl. II, 1901, p. 385. — Houlb. Faune Armor. Ceramb. 1904, p. 74, f. 142; ed. 2, 1909, p. 76, f. 142. — Csiki, Rovart. Lapok XII, 1905, p. 151. — Reitter, Synops. p. 269. — Kuhnt, Käfer Deutschl. 1912, p. 799, fig. 225c. — Reitter, Fauna Germ. IV, 1913, p. 71, t. 140, fig. 9. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 883, t. 32, f. 25.
- ? *aeruginosa* Müll. Zool. Dan. Prodr. 1776, p. 95.
- subcaerulea* Geoffr. in Fourcr. Entomol. Paris. I, 1785, p. 77.
- virescens* F. Spec. Ins. II, 1781, p. 499; Mant. Ins. I, 1787, p. 150; Ent. Syst. I, 2,
- Persien: Luristan
- Mittel- und Südeuropa, Kleinasien, Sibirien, Algerien

- 1792, p. 315; Syst. Eleuth. II, 1801, p. 328.
 — Panz. Naturf. XXIV, 1789, p. 28, t. 1, f. 37. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1839. — Brahm in Scriba, Journ. 1790, p. 18. — Ol. Ent. IV, nr. 68, 1795, p. 10, t. 2, f. 11 b. — Panz. Ent. Germ. 1795, p. 259. — Walcken. Faune Paris. I, 1802, p. 211. — Latr. Hist. Nat. Ins. XI, 1804, p. 276.
 — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 300; ed. 3, IV, 1828, p. 373. — Boit. Man. d'Ent. II, 1828, p. 24. — Muls. Col. France, Longic. 1839, p. 209. — Cast. Hist. Nat. Col. II, 1840, p. 497. — Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 100. — Küster, Käfer Eur. VII, 1846, p. 63. — Redtenb. Fauna Austr. 1849, p. 501; ed. 2, 1858, p. 868; ed. 3, II, 1874, p. 425. — Bach, Käferf. III, 1856, p. 39. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 177. — Gutfl. Käfer Deutschl. 1859, p. 587. — Muls. Col. France, Longic. ed. 2, 1863, p. 433. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 54, f. 252. — Seidl. Fauna Balt. 1875, p. 521; ed. 2, 1891, p. 756; Fauna Transsylv. 1891, p. 854. — Cuni y Mart. Cat. Col. Cataluña 1876, p. 303. — Sériz. Hist. Col. France 1880, p. 314. — Fairm. Hist. Nat. Fr. Col. 1882, p. 272, t. 24, f. 278. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Bau, Handb. Käfer 1888, p. 427. — Griffini, Coleott. 1896, p. 200, t. 39, f. 25. — Jacobs. Käfer Russl. 1911, t. 72, f. 25.
- viridiuscula* Goeze, Ent. Beytr. I, 1777, p. 506 (Lepechin Tageb. II, 1775, p. 197, nota r, t. 10, f. 11).
- Biologie: Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 587, t. 8, f. 2. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 348 (sep. p. 508). — Xambeu, l. c. (2) XLIV, 1897, p. 38; Moeurs et Métam. VII, 1899, p. 30; VIII, 1902, p. 185.
- ab. *Dufourei* nov. nom. Spanien
- aeruginosa* Muls. (nec Müll. 1776) Col. France, Longic. 1839, p. 210; ed. 2, 1863, p. 435. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Pic, Longic. I, 1891, p. 40. — Schauf. in Calwer. Käferb. ed. 6, 1916, p. 883.
- ab. *flavicans* Muls. Mém. Acad. Sc. Lyon (2) I, 1851, p. 137; Opusc. Ent. II, 1853, p. 120; XI, 1860, p. 162; Col. France, Longic. ed. 2, 1863, p. 431. — Bedel, Ann. Soc. Ent. France (5) VI, 1876, Bull. p. 225. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Pic, Longic. I, 1891, p. 40. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 1883. Süd-
frankreich
- flavescens* Muls. (nec Brullé 1832) Ann. Soc. Agric. Lyon VI, 1843, p. 284; Col. France (III) Palpic. 1844, Suppl. Longic. p. (13).

- ab. *griseescens* Chevr. Revue Zool. (2) XII, 1860, p. 269. — Ganglb. Best.-Tab. VIII, 1884, p. 146 (580). Algier
- ab. *incerta* Muls. Col. France, Longic. ed. 2, 1863, p. 433. Süd-frankreich
- ab. *obscura* Bris. Cat. Col. Grenier 1863, p. 116. — Muls. Col. France, Longic. ed. 2, 1863, p. 584. — Pic, Longic. I, 1891, p. 40. — Reitter, Synops, p. 269; Fauna Germ. IV, 1913, p. 71. — Kuhnt, Käfer Deutschl. 1912, p. 799. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 883.
- ? *cobaltina* Chevr. Revue Zool. (2) XII, 1860, p. 270. — Ganglb. Best.-Tab. VIII, 1884, p. 146 (580). Algier
- nigrita* Nedelk. Insektenbörse XXII, 1905, p. 204.
- longitarsis* Reitter, Wien. Ent. Zeit. XXX, 1911, p. 271. Spanien
- malachitica* Lucas, Explor. d'Algérie, Col. 1849, p. 507, t. 43, f. 7. — Muls. Col. France, Longic. ed. 2, 1863, p. 425. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Reitter, Synops. p. 270. Algier, Spanien, Sicilien
- ♂ *Bolivari* Perez Arcas, Ann. Soc. Esp. Hist. Nat. III, 1874, p. 149, t. 3, f. 5 (sep. p. 89, t. 6, f. 5). — Puton, Ann. Soc. Ent. France (5) IV, 1874, Bull. p. 249. — Perez, Abeille XVII, 1879, Ouvr. périod. p. 65.
- molybdaena* Dalm. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 186. — ? Muls. Col. France, Longic. 1839, p. 211. — Lucas, Explor. d'Algérie, Col. 1849, p. 505, t. 43, f. 8. — Muls. Col. France, Longic. ed. 2, 1863, p. 435. — ? Cuni, Cat. Col. Cataluña 1876, p. 303. — Ganglb. Best.-Tab. VIII, 1884, p. 131 (565). — Seidl. Fauna Transsylv. 1891, p. 854. — Pic, Longic. I, 1891, p. 40. — Csiki, Rovart. Lapok XII, 1905, p. 151. — Reitter, Synops. p. 271; Fauna Germ. IV, 1913, p. 71. — Kuhnt, Käfer Deutschl. 1912, p. 799. Mittel- und Süd-Europa, Algier
- molybdina* Bedel, Faune Col. Seine V, 1889, p. 48, 101.
- ab. *chlorizans* Chevr. Revue Zool. (2) XII, 1860, p. 303. — Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 301. — Ganglb. Best.-Tab. VIII, 1884, p. 146 (580). — Pic, Longic. I, 1891, p. 40. Algier
- ab. ? *echii* Chevr. Revue Zool. (2) XII, 1860, p. 302. — Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 301. — Ganglb. Best.-Tab. VIII, 1884, p. 146 (580). — Pic, Longic. I, 1891, p. 40. "
- pilipennis* Reitter, Wien. Ent. Zeit. XIV, 1895, p. 161. Kaukasus
- prasinata* Reitter, Synops. p. 270. Persien
- tenullinea* Fairm. Pet. Nouv. Ent. II, 1877, p. 98; Ann. Soc. Ent. France (5) X, 1880, p. 28. — Ganglb. Best.-Tab. VIII, 1884, p. 146 (580). Algier
- uncinata* W. Redtenb. Quaed. Genera Col. 1842, p. 25. Deutschland, Österreich
- Redtenb. Fauna Austr. 1849, p. 501; ed.

- 2, 1858, p. 868. — Bach, Käferf. III, 1856, p. 40. — Gutfl. Käfer Deutschl. 1859, p. 587. — Muls. Col. France, Longic. ed. 2, 1863, p. 585. — Ganglb. Best.-Tab. VIII, 1884, p. 130 (564). — Seidl. Fauna Transsylv. 1891, p. 854. — Csiki, Rovart. Lapok XII, 1905, p. 151. — Reitter, Synops. p. 271. — Kuhnt, Käfer Deutschl. 1912, p. 799. — Reitter, Fauna Germ. Käfer IV, 1913, p. 71.
- molybdaena* Türk, Wien. Ent. Monatschr. III, 1859, p. 256. — Redtenb. Fauna Austr. ed. 3, 1874, p. 425.
- ♀ *molybdaena* Redtenb. l. c. 1849, p. 501; ed. 2, 1858, p. 868. — Bach, Käferf. III, 1856, p. 40. — Fuss, Mitth. Siebenb. Ver. Hermannst. IX, 1858, p. 176. — Gutfl. Käfer Deutschl. 1859, p. 587. — ? Schlosser, Fauna Kornjas. III, 1879, p. 844.
- Biologie:** ? Frauent. Verh. zool.-bot. Ges. Wien XVIII, 1868, p. 161. — Weise, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 423. — Xambueu, Moeurs et Métam. VIII, 1902, p. 186.
- Varentzovi** Semen. Horae Soc. Ent. Ross. XXX, 1896, p. 257; Revue Russe d'Ent. XII, 1912, p. 499.
- immundula* Reitter, Synops. p. 270.

Trans-
kaukasien,
Trans-
kaspien

Subgen. *Obereina* Ganglb.

- luteovittigera* Pic, Echange XXII, 1906, p. 4. Persien
- melanocephala* F. Mant. Ins. I, 1787, p. 148; Ent. Syst. I, 2, 1792, p. 310; Syst. Eleuth. II, 1801, p. 321. — Gmel. in L. Syst. Nat. ed. 13, I, 2, 1790, p. 1840. Nordafrika,
Sicilien
- rubricollis* Lucas, Explor. d'Algérie, Col. 1849, p. 505, t. 43, f. 3. — Muls. Col. France, Longic. ed. 2, 1863, p. 409. — Ganglb. Best.-Tab. VIII, 1884, p. 131 (565).
- ab. ? *lineaticollis* Levrat, Etudes Ent. 1859, p. 35. — Pic, Longic. II, 1898, p. 14. Tunis
- nivea* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 116. — Ganglb. Best.-Tab. VIII, 1884, p. 134 (568). Turkestan
- ochraceipennis* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 337. — Ganglb. Best.-Tab. VIII, 1884, p. 133 (567). Samarkand
- tekensis* Semen. Horae Soc. Ent. Ross. XXX, 1896, p. 258. Transkaspien
- vittipennis* Reiche, Ann. Soc. Ent. France (5) VII, 1877, Bull. p. 141. — Ganglb. Best.-Tab. VIII, 1884, p. 131 (565); Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 524. Balkan,
Kleinasien
- ab. *inhumeralis* Pic, Longic. III, 1, 1900, p. 7. Syrien
- ab. *Leuthneri* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 523. — Pic, Longic. III, 1, 1900, p. 7. "
- ab. *pallidior* Pic, Echange XVII, 1901, p. 67. Kleinasien

Arten aus Asien.

- amoena* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma
p. 99, t. 1, f. 16.
Guilleti Pic, Echange XXII, 1906, p. 4. Yunnan
limbata Redtenb. in Hügel, Kaschmir IV, 2, 1848, Kaschmir
p. 553.
sikkimensis Pic, Echange XXIII, 1907, p. 152. Sikkim
simulans Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan
p. 388.
tonkinea Pic, Longic. IV, 1, 1902, p. 34. Tonkin
ventralis Bates = *rufiventris* var. (siehe p. 565). Japan

Äthiopische Arten.

- africana* Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 42. Brit.-
ab. *apicalis* Auriv. l. c. p. 42. Ostafrika
basalis Gah. Trans. Ent. Soc. Lond. 1890, p. 327. Natal
suturalis Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 41. Brit.-
Ostafrika
vaga Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 215. Ruwenzori
104

XC. Tetraopini.

Casey, Mem. Col. IV, 1913, p. 373.

- Asthatitae* (*Astatheinae*) Thomson, Syst. Ceramb. 1864,
p. 117, 399. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1867,
p. 347.
Tetraopesitae Thomson, Classif. Ceramb. 1860, p. 66.
Tetraophthalmitae Blanchard, Hist. Nat. Ins. II, 1845, p.
160. — Thomson, Archives Ent. I, 1857, p. 47 (ex parte).
Tetraopides Lacordaire, Gen. Col. IX, 1872, p. 849, 871. —
Bates, Biol. Centr.-Amer. Col. V, 1881, p. 195.

Tetrops Steph.

Steph. III. Brit. Ent. Mand. IV, 1831, p. 228, 241; Manual Brit. Col.
1839, p. 269. — Westw. Introd. Classif. Ins. II, 1841, Synops. p. 41,
— Redtenb. Gatt. deutsch. Käferf. 1845, p. 112; Fauna Austr. 1849,
p. 499; ed. 2, 1858, p. 865. — J. Lec. Journ. Acad. Philad. (2) II,
1852, p. 155. — Bach, Käferf. III, 1856, p. 36. — Thoms. Archives
Ent. I, 1857, p. 65; Classif. Ceramb. 1860, p. 42; Syst. Ceramb. 1864,
p. 398. — Gutfl. Käfer Deutschl. 1859, p. 585. — Fairm. Gen. Col.
d'Eur. IV, 1864, p. 171, 200. — Schiödte, Naturh. Tidskr. (2) III,
1864, p. 513, 572. — C. G. Thoms. Skand. Col. VIII, 1866, p. 98. —
Lacord. Gen. Col. IX, 1872, p. 872, 880. — J. Lec. Smiths. Misc. Coll.
XI, 1873, nr. 265, p. 347. — Seidl. Fauna Balt. 1875, Gatt. p. 141. —
Schoch, Käfer Deutschl. 1878, p. 130. — Schlosser, Fauna Kornjas.
III, 1879, p. 809. — Ganglb. Best.-Tab. VII, 1881, p. 16 (694). — J. Lec.
& Horn, Classif. Col. N. Amer. 1883, p. 332 (ex parte). — Bau, Käferb.
1888, p. 416. — Bedel, Faune Col. Seine V, 1889, p. 35. — Fowler, Col.
Brit. Isl. IV, 1890, p. 244, 253. — Seidl. Fauna Balt. ed. 2, 1891,
Gatt. p. 186; Fauna Transsylv. 1891, Gatt. p. 186. — Leng & Hamilt.
Trans. Amer. Ent. Soc. XXII, 1896, p. 151. — Stierl. Col. Helvet. II,
1898, p. 491. — Lameere, Faune Belg. II, 1900, p. 415, 416. — Everts,
Col. Neerl. II, 1901, p. 345, 382. — Houlbert, Faune Armor. Ceramb.

1904, p. 20, 72; ed. 2, 1909, p. 18, 73. — Csiki, Rovart. Lapok XI, 1904, p. 169. — Blatchley, Col. Indiana 1910, p. 1090. — Kuhnt, Käfer Deutschl. 1912, p. 758, 796. — Reitter, Fauna Germ. IV, 1913, p. 67. — Casey, Mém. Col. IV, 1913, p. 386. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 8, 26. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 865, 880. — Auriv. Svensk Insektf. IX, 1, 1917, p. 37, 46.

Oberopa Haldem. Proc. Amer. Philos. Soc. IV, 1873, p. 373.
Polyopsia Muls. Col. France, Longic. 1839, p. 182, 190, ed. 2, 1863, p. 340, 345. — Redtenb. Fauna Austr. ed. 3; 1874, II, p. 422. — Cox, Handb. Col. II, 1874, p. 305.

Paläarktische Arten.

formosa Baeckm. Revue Russe d'Ent. III, 1903, p. 311. Issyk-Kul
Hauseri Reitter, Deutsche Ent. Zeitschr. 1897, p. 225. Thian-Schan
praeusta L. Syst. Nat. ed. 10, 1758, p. 399; ed. 12, Europa
 — Houttuyn, Natuurl. Hist. I, 9, 1766, p. 591. — Scop. Annus Hist. Nat. V, 1772, p. 103. — Müller, Naturs. V, 1, 1774, p. 290. — F. Syst. Ent. 1775, p. 187; Spec. Ins. I, 1781, p. 235; Mant. Ins. I, 1787, p. 150; Ent. Syst. I, 2, 1792, p. 317; Syst. Eleuth. II, 1801, p. 331. — Gleditsch, Forstwiss. II, 1775, p. 981. — Müller, Zool. Dan. Prodr. 1776, p. 95. — Schrank, Enum. Ins. 1781, p. 146; Fauna Boica I, 1798, p. 670. — Laich. Tyrol. Ins. II, 1784, p. 54. — Villers, Linn. Ent. I, 1789, p. 271. — Berkenh. Synops. Nat. Hist. I, 1789, p. 102. — Gmel. in L. Syst. Nat. I, 4, 1790, p. 1842. — Martyn, Engl. Ent. 1792, t. 28, f. 12. — Petagna, Inst. Ent. I, 1792, p. 238. — Sturm, Ins.-Cab. II, 1792, t. 21. — Bechst. Naturg. In- u. Auslandes I, 2, 1793, p. 860. — Fröl. Naturf. XXVII, 1793, p. 149. — Panz. Ent. Germ. 1795, p. 259. — Ol. Ent. IV, 68, 1795, p. 33, t. 1, f. 6. — Donnd. Europ. Fauna VIII, 1799, p. 569. — Payk. Fauna Suec. III, 1800, p. 79. — Walcken. Faune Paris. I, 1802, p. 211. — Marsh. Ent. Brit. I, 1802, p. 333. — Stewart, Elem. Nat. Hist. II, 1802, p. 65. — Latr. Hist. Nat. Ins. XI, 1804, p. 280. — Panz. in Schaeffer, Icon. Ins. ed. 2, 1804, p. 70, t. 52, f. 8. — Bechst. & Scharfenb. Forstins. I, 1804, p. 219. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 307; ed. 3, IV, 1828, p. 379. — Gyllenh. Ins. Suec. I, 4, 1827, p. 112. — Muls. Lettr. à Julie II, 1830, p. 333. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 242; Man. Brit. Col. 1839, p. 273. — Oken, Allg. Naturg. V, 3, 1836, p. 1701. — Muls. Col. France, Longic. 1839, p. 190. — Spry & Shuck. Brit. Col. 1840, p. 66, t. 76, f. 1. — Cast. Hist. Nat. Col. II, 1840, p. 496. — Küster, Käfer Eur. VIII, 1847, p. 92. — Labr. & Imh. Ins. der Schweiz V, 1848?, t. 77; Schweiz. Käferg. 1848, Heft 7, tab. — Redtenb. Fauna Austr. 1849, p. 499; ed.

- 2, 1858, p. 865; ed. 3, II, 1874, p. 423. — Bach, Käferf. III, 1856, p. 36. — Thoms. Archives Ent. I, 1857, p. 66. — Gutfl. Käfer Deutschl. 1859, p. 585. — Muls. Col. France, Longic. ed. 2, 1863, p. 345. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 52, f. 245. — Schiödte, Naturh. Tidskr. (2) III, 1864, p. 572. — C. G. Thoms. Skand. Col. VIII, 1866, p. 98. — Cox, Handb. Col. II, 1874, p. 308. — Seidl. Fauna Balt. 1875, p. 521. — Schoch, Käfer Deutschl. 1878, p. 175. — Schlosser, Fauna Kornjas. III, 1879, p. 840. — Fairm. Hist. Nat. France, Col. 1882, p. 271. — Ganglb. Best.-Tab. VIII, 1884, p. 152 (586). — Bau, Handb. Käfer 1888, p. 424. — Bedel, Faune Col. Seine V, 1889, p. 44, 97. — Fowler, Col. Brit. Isl. IV, 1890, p. 253, t. 124, f. 8. — Seidl. Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 852. — Griffini, Coleott. 1896, p. 199, t. 39, f. 13. — Stierl. Col. Helvet. II, 1898, p. 501. — Lameere, Faune Belg. II, 1900, p. 416. — Everts, Col. Neerl. II, 1901, p. 382. — Houlb. Faune Armor. Ceramb. 1904, p. 72, fig. 139; ed. 2, 1909, p. 74, fig. 139. — Csiki, Rovart. Lap. XII, 1905, p. 148. — Jacobs. Käfer Russl. 1911, t. 72, f. 13. — Kuhnt, Käfer Deutschl. 1912, p. 797, fig. 219. — Reitter, Fauna Germ. IV, 1913, p. 68, t. 140, f. 6. — Jensen-Haarup, Danm. Fauna, Biller III, 1914, p. 27, f. 17. — Schauf, in Calwer, Käferb. ed. 6, 1916, p. 880, t. 32, f. 13. — Auriv. Svensk Insektf. IX, 1, 1917, p. 46.
- iocusthus* Voet, Cat. Col. II, 1778, p. 20, t. 18, f. 83; ed. Panz. III, 1794, p. 50, t. 18, f. 83.
- pilosa* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 78.
- praecesta* Duf. Excurs. Ent. Vallée d'Ossau 1843, p. 101.
- ustulata* Hagenb. Symb. Faun. Helvet. 1822, p. 11, t. (2), f. 4.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 337 (sep. p. 497), fig. 514-517. — Polak, Vesmir VII, 1878, p. 245. — Xambeu, Mœurs et Métan. VIII, 1902, p. 172. — Noel, Le Natural. XXXI, 1909, p. 49. — Rudow, Intern. Ent. Zeitschr. VI, 1912, p. 201. — Beffa, Riv. Ent. Ital. XIII, 1915, Append. t. 1, f. 32.
- var. *algerica* Chobaut, Ann. Soc. Ent. France LXII, 1893, Bull. p. 276. Algier
- var. *angorensis* Pic, Echange XXXIV, 1918, p. 11. Angora
- var. *gilvipes* Fald. Fauna Transcauc. II, 1837, p. 290. — Muls. Col. France, Longic. ed. 2, 1863, p. 347. — Ganglb. Best.-Tab. Kaukasus

- VIII, 1884, p. 152 (586). — Chobaut, Ann. Soc. Ent. France LXII, 1893, Bull. p. 276 nota. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 880.
- ab. *inapicalis* Pic, Longic. I, 1891, p. 37. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 880. Frankreich
- var. *nigra* Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 57. — Ganglb. Best.-Tab. VIII, 1884, p. 152 (586). — Bau, Handb. Käfer 1888, p. 424. — Seidl. Fauna Balt. ed. 2, 1891, p. 754; Fauna Transsylv. 1891, p. 852, — Stierl. Col. Helvet. II, 1898, p. 502. — Everts, Col. Neerl. II, 1901, p. 382, nota 1. — Kuhnt, Käfer Deutschl. 1912, p. 797. — Reitter, Fauna Germ. IV, 1913, p. 68. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 880. Gebirgs-
gegenden
Süddeutsch-
lands, Alpen
- gilvipes* Bedel, Faune Col. Seine V, 1898, p. 45 nota.
- Mühlfeldi* Muls. Col. France, Longic. ed. 2, 1863, p. 348.
- var. *Starki* Chevr. Revue Zool. (2) XI, 1859, p. 541. — Muls. Col. France, Longic. ed. 2, 1863, p. 347. — Ganglb. Best.-Tab. VIII, 1884, p. 152 (586). — Bau, Handb. Käfer 1888, p. 424. — Bedel, Fauna Col. Seine V, 1889, p. 97, nota 1. — Csiki, Kovart. Lapok XII, 1905, p. 148. — Kuhnt, Käfer Deutschl. 1912, p. 797. — Reitter, Fauna Germ. IV, 1913, p. 68. — Schauf. in Calwer, Käferb. ed. 6, 1916, p. 880. Alpen,
Ungarn

Nearktische Arten.

Revisio: Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 50.

- canescens* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 156. — Thoms. Archives Ent. I, 1857, p. 66. — Horn, Revis. p. 50. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 157. Missouri,
New Jersey,
Kansas,
Neumexico
- expurgata* Casey, Mem. Col. IV, 1913, p. 386. Indiana
- jucunda* J. Lec. Proc. Acad. Philad. 1862, p. 40. — Horn, Revis. p. 50. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 157. Mittel-
Staaten,
Nebraska
- monostigma* Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 156. — Thoms. Archives Ent. I, 1857, p. 66. — Horn, Revis. p. 50. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 157, 158. — Blatchley, Col. Indiana 1910, p. 1093. Pennsyl-
vanien,
Indiana
- validicornis* Bates, Biol. Centr.-Amer. Col. V, 1885, p. 426. Mexico

Phaea Newm.

- Newm. Entomolog. I, 1840, p. 13. — Thoms. Classif. Ceramb. 1860, p. 42; Syst. Ceramb. 1864, p. 400. — Bates, Ann. Mag. Nat. Hist. (3) III, 1866, p. 366 (238). — Lacord. Gen. Col. IX, 1872, p. 872, 878. — Casey, Mem. Col. IV, 1913, p. 386.
- Lamprocleptes* Thoms. Archives Ent. I, 1857, p. 64.
- ✓ **acromela** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Mexico,
p. 256. — Bates, Biol. Centr.-Amer. Col. V, Guatemala
1881, p. 196.
- ✓ **auricapilla** Bates, l. c. 1885, p. 425. Panama
- ✓ **astatheoides** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Neugranada
p. 289.
- coccinea** Bates, Ann. Mag. Nat. Hist. (3) III, 1866, Santarem
p. 367 (239).
- ✓ **crocata** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Neugranada,
p. 288, t. 20, f. 3. — Bates, Biol. Centr.-Panama
Amer. Col. V, 1881, p. 200.
- ✓ **flavovittata** Bates, l. c. p. 197. Mexico,
Guatemala,
Brit.
Honduras
- ✓ **Högei** Bates, l. c. p. 198. Mexico
- ✓ **lateralis** Bates, l. c. p. 196. Mexico,
Guatemala
- ✓ **lineola** Bates, Trans. Ent. Soc. Lond. 1872, p. 228;
Biol. Centr.-Amer. Col. V, 1881, p. 198. Nicaragua
- ✓ **macilenta** Bates, l. c. p. 197. Mexico
- maxima** Bates, l. c. p. 199. "
- minlata** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Venezuela
p. 256.
- mirabilis** Bates, l. c. 1874, p. 232; Biol. Centr.-Amer. Chontales
Col. V, 1881, p. 199, t. 15, f. 6.
- ✓ **nigrlpennis** Bates, l. c. p. 196. Guatemala
- nigromaculata** Bates, l. c. p. 199. Mexico
- phthisica** Bates, l. c. p. 197, 425. — Gah. Trans. Ent. Guatemala,
Soc. Lond. 1892, p. 267. Mexico
- rosea** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 425. Panama
- rubella** Bates, l. c. 1881, p. 198. Guatemala
- ✓ **rufiventris** Bates, Trans. Ent. Soc. Lond. 1872, p. Mexico
228 nota.
- saperda** Newm. Entomolog. I, 1840, p. 14. — Bates, Mexico,
Biol. Centr.-Amer. Col. V, 1881, p. 195. Guatemala
- entomologorum* Thoms. Archives Ent. I,
1857, p. 65, t. 8, f. 5a.
- scapularis** Bates, Biol. Centr.-Amer. Col. V, 1881, . .
- ✓ **scuticollis** Bates, Trans. Ent. Soc. Lond. 1872, p. 227. Nicaragua
- semirufa** Bates, l. c. p. 228 nota; Biol. Centr.-Amer. Mexico
Col. V, 1881, p. 198.
- tenuata** Bates, Trans. Ent. Soc. Lond. 1872, p. 228
nota; Biol. Centr.-Amer. Col. V, 1881, p. 197. "
- tricolor** Bates, l. c. p. 199. Mexico,
Guatemala
- umbonata** J. Lec. Journ. Acad. Philad. (2) II, 1852,
p. 156 nota. — Lacord. Gen. Col. IX, 1872,
p. 878, nota 1. Mexico
- unicolor** Gah. Trans. Ent. Soc. Lond. 1892, p. 267. "

- ✓ *vitticolis* Bates, Trans. Ent. Soc. Lond. 1872, p. 228 Mexico
nota; Biol. Centr.-Amer. Col. V, p. 196,
t. 15, f. 7.

28

Tetraopes Latr.

[Dalman in Schönh. Syn. Ins. I, 3, 1817, p. 401, nota 1. — Germar, Ins. Spec. Novae 1824, p. 487.] — Latr. in Cuv. Règne Anim. ed. 2, V, 1829, p. 124; ed. Maeson 1849, Ins. I, p. 488; Dict. Class. Hist. Nat. XVI, 1830, p. 190. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 237; Man. Brit. Col. 1839, p. 269. — Serv. Ann. Soc. Ent. France IV, 1835, p. 68. — Lucas, Dict. Pitt. Hist. Nat. IX, 1839, p. 382. — Cast. Hist. Nat. Col. II, 1840, p. 486. — Guér. Icon. Règne Anim. Ins. 1844, p. 244. — Blanch. Hist. Nat. Ins. II, 1845, p. 161. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 156. — Thoms. Archives Ent. I, 1857, p. 60 (Monographie); Classif. Ceramb. 1860, p. 42; Syst. Ceramb. 1864, p. 402. — Lacord. Gen. Col. IX, 1872, p. 872, 879. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 347. — Prov. Pet. Faune Ent. Canada I, 1877, p. 581, 637. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 332. — Blatchley, Col. Ind. 1910, p. 1090, 1093.

Synopsis: Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 48—50.
Revisio: Casey, Mem. Col. IV, 1913, p. 373—386.

- annulatus* J. Lec. Journ. Acad. Philad. (2) I, 1847, Rocky
p. 93; (2) II, 1852, p. 157. — Thoms. Archives Mountains
Ent. I, 1857, p. 64. — Casey, Revis. p. 378.
- ab. *canescens* J. Lec. Journ. Acad. Philad. Texas,
(2) II, 1852, p. 157. — Thoms. Archives Neu-Mexico
Ent. I, 1857, p. 64. — Horn, Synops. p. 49,
50. — Leng & Hamilt. Trans. Amer. Ent.
Soc. XXIII, 1896, p. 161. — Casey, Revis.
p. 378.
- ab. *fontinalis* Casey, Revis. p. 378. Neu-Mexico
- ✓ *atrissetosus* Casey, Revis. p. 383.
- basalis* J. Lec. Journ. Acad. Philad. (2) II, 1852, p.
157. — Thoms. Archives Ent. I, 1857, p. 63.
— Horn, Synops. p. 49. — Leng & Hamilt.
Trans. Amer. Ent. Soc. XXIII, 1896, p. 160.
— Casey, Revis. p. 374.
- brevissetosus* Casey, Revis. p. 381. Kansas
- ✓ *Caseyi* nov. nom. Mexico
- ab. *nigripes* Casey (nec Bates 1881), Revis.
p. 377.
- ✓ *cleroides* Thoms. Classif. Ceramb. 1860, p. 66. —
Bates, Biol. Centr.-Amer. Col. V, 1881, p. 200.
- ✓ *coccineus* Casey, Revis. p. 382. Californien
- collaris* Horn, Synops. p. 49. — Leng & Hamilt.
Trans. Amer. Ent. Soc. XXIII, 1896, p. 158,
160. — Casey, Revis. p. 385. Neu-Mexico,
Colorado
- ✓ *vegasensis* Casey, Revis. p. 380; Mem. Col.
VIII, 1918, p. 416. *
- ✓ *comes* Bates, Biol. Centr.-Amer. Col. V, 1881, p. 200. Guatemala
- ✓ *discoldeus* J. Lec. Journ. Acad. Philad. (2) IV, 1858,
p. 26. — Horn, Synops. p. 48. — Leng
& Hamilt. Trans. Amer. Ent. Soc. XXIII,
1896, p. 158. — Casey, Revis. p. 375. Texas,
Neu-Mexico,
Arizona,
Idaho
- ✓ var. *rubrocineus* Thoms. Classif. Ceramb.
1860, p. 66. — Lacord. Gen. Col. IX, 1872,
t. 110, f. 2. — Horn, Trans. Amer. Ent. Soc.
XIII, 1886, Proc. p. 13. Mexico

- elegans** Horn, Bull. Calif. Acad. (2) IV, 1894, p. 404. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 158, 159. — Casey, Revis. p. 376, 384. Unterer Californien
- femoratus** J. Lec. Journ. Acad. Philad. (2) I, 1847, p. 93; (2) II, 1852, p. 157. — Horn, Synops. p. 49. — Gah. Trans. Ent. Soc. Lond. 1892, p. 267. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 158, 160. — Blatchley, Col. Indiana 1910, p. 1094. — Casey, Revis. p. 383. Rocky Mountains, Colorado
- var. *amnicola* Casey, l. c. p. 383. Iowa
- var. *monticola* Casey, l. c. p. 384. Utah
- fortis** Casey, l. c. p. 384. Mexico
- humeralis** Casey, l. c. p. 379, 385. Dakota
- junctus** Casey, l. c. p. 380. Colorado?
- maneus** J. Lec. Proc. Acad. Philad. XI, 1859, p. 81. — Casey, Revis. p. 374, 385. Südcalifornien
- melanurus** Schönh. Synon. Ins. I, 3, 1817, p. 401, nota m. Nordamerika
- ab. *canteriator* Drapiez, Ann. Gen. Sc. Phys. II, 1819, p. 47, t. 16, f. 6. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 156. — Thoms. Archives Ent. I, 1857, p. 62. — Horn, Synops. p. 48. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 158, 159. — Blatchley, Col. Indiana 1910, p. 1093, 1094. — Casey, Revis. p. 376. Canada,
- arator* Germ. Ins. Spec. Novae 1824, p. 426. Massachusetts,
- tornator* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 237; Man. Brit. Col. 1839, p. 272. — Spry & Shuck. Brit. Col. 1840, p. 76, Suppl. t. 8, f. 1. New York, Pennsylvania, New Jersey, Ohio, Florida, Alabama, Iowa, Indiana
- nanulus** Casey, Revis. p. 376. Arizona
- nigricollis** Casey, l. c. p. 376. Neu-Mexico
- obsoletus** Casey, l. c. p. 382. Californien
- omissus** Casey, l. c. p. 377. "
- oregonensis** J. Lec. Proc. Acad. Philad. VI, 1854, p. 19; Reports Railroad Route IV, 1, 1857, p. 65. — Horn, Synops. p. 49. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 160. — Casey, Revis. p. 374, 385. Oregon
- punctipennis** Casey, Revis. p. 383. Texas
- quinquemaculatus** Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 53. — J. Lec. in Agass. Lake Sup. 1850, p. 234; Journ. Acad. Philad. (2) II, 1852, p. 157. — Horn, Synops. p. 49. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 158. — Blatchley, Col. Indiana 1910, p. 1094. — ? Casey, Revis. p. 377, 385. Michigan, Lake Superior, Kansas, Indiana, Oregon, ? Neu-Mexico
- quadrinaculatus* Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 160.
- robustus** Casey, Revis. p. 381. Colorado?
- ruber** Casey, l. c. p. 384. Arizona
- sandix** Casey, Mem. Col. V, 1914, p. 370. Californien
- spissicornis** Casey, Revis. p. 384. Arizona
- subfasciatus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 201. Mexico
- ab. *nigripes* Bates, l. c. p. 201.

- ✓ **sublaevis** Casey, Revis. p. 382.
- tetraphthalmus** Forster, Novae Spec. Ins. 1771, p. 41.
— Füessly, Archiv Insecteng. VI, 1785, p. 14, t. 32, f. 4. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 156. — Emmons, Nat. Hist. N. York V, 1854, p. 124, t. 5, f. 11. — Thoms. Archives Ent. I, 1857, p. 62. — Heyne-Taschenb. Exot. Käfer 1906, t. 37, f. 24. — Casey, Revis. p. 379.
- formator* F. Mant. Ins. I, 1787, p. 141.
- tetraophthalmus* Prov. Pet. Faune Ent. Canada I, 1877, p. 637. — Horn, Synops. p. 48, 49. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 158, 159. — Blatchley, Col. Indiana 1910, p. 1093, 1094.
- torator* F. Syst. Ent. 1775, p. 176; Spec. Ins. 1781, p. 223; Ent. Syst. I, 2, 1792, p. 287; Syst. Eleuth. II, 1801, p. 301. — Scop. Delic. Florae et Faunae Insubr. II, 1786, p. 38, t. 20, f. 1. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1834. — Ol. Ent. IV, nr. 67, 1795, p. 103, t. 8, f. 52. — Tigny, Hist. Nat. Ins. ed. 2, VII, 1813, p. 282, tab. f. 1; ed. 3, IV, 1828, p. 357, t. 87, f. 1. — Say, Boston Journ. Nat. Hist. I, 1835, p. 196; Compl. Writ. II, 1859, p. 665. — Reichenb. Naturg. Ins. 1837, p. 411, t. 99, f. 648. — Lucas, Dict. Pitt. Hist. Nat. IX, 1839, p. 383, t. 684, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 487, t. 34 (53), f. 3. — Berge, Käferb. 1844, p. 123, t. 11, f. 9.
- tredecimpunctatus* Drapiez, Ann. Gen. Sc. Phys. V, 1820, p. 121, t. 74, f. 6.
—, Pallas, Icones Ins. II, 1782, t. F, f. 18. — Wilson, Amer. Ornithol. II, 1810, t. 11.
- Biologie: Devereaux, Canad. Ent. X, 1878, p. 143.
- texanus** Horn, Synops. p. 49, 50. — Leng & Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 158, 160. — Casey, Revis. p. 385.
- ✓ **thermophilus** Chevr. Journ. of Ent. I, 1861, p. 190.
- ✓ **Thoreyi** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 201.
- ✓ **umbonatus** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 156 nota. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 201, t. 15, f. 15.
- ✓ **uteanus** Casey, Revis. p. 379.
- ✓ **varicornis** Blanch. in Cuvier, Règne Anim. ed. Masson 1849, Ins. t. 67, f. 4. — Cast. Hist. Nat. Col. II, 1840, p. 487. — Thoms. Archives Ent. I, 1857, p. 61. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 200.
- cordifer* Imh. Einf. Kol. 1856, t. 17, f. 8.
- ✓ **ab. undecimpunctatus** Thoms. Archives Ent. I, 1857, p. 61, t. 8, f. 4.
- ✓ **velutinus** Casey, Revis. p. 380.
- ✓ **vestitus** Casey, l. c. p. 378.

Californien

Canada,
Vereinigte
Staaten
Nord-
amerikas bis
Mexico

Texas

Mexico:
Vera CruzMexico,
Nicaragua

Utah

Mexico

"

Kansas

Colorado

Mystacophorus Duviv.

Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 421; XXXVI, 1892, p. 368.

mystax Duviv. l. c. p. 421; l. c. p. 368. Congo
1

Momisis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) 1867, p. 348, 361. — Lacord. Gen. Col. IX, 1872, p. 872, 877. — Gah. Trans. Ent. Soc. Lond. 1901, p. 72, 73.

aegrota Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Flores
p. 362, t. 16, f. 4.

melanura Gah. l. c. 1901, p. 73, t. 4, f. 11. Queensland

nigriventris Ritsema, Notes Leyd. Mus. III, 1881, Sumbawa
p. 7, 83.

ab. *apicalis* Rits. l. c. p. 7, 83.

singularis Rits. l. c. X, 1888, p. 253. Sumatra
4

Cyanastus Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 355. — Lacord. Gen. Col. IX, 1872, p. 872, 877.

aulleus Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Macassar
p. 356, t. 16, f. 2.

simus Pasc. l. c. p. 356. Menado
2

Lasiophrys Gah.

Gahan, Trans. Ent. Soc. Lond. 1901, p. 71.

latifrons Gah. l. c. p. 72, t. 4, f. 10. Bhutan

longicornis Pic, Mélanges Exot.-Ent. II, 1912, p. 10. Cochinchina
2

Plaxomicrus Thoms.

Thoms. Archives Ent. I, 1857, p. 57. — Lacord. Gen. Col. IX, 1872, p. 872, 876. — Gahan, Trans. Ent. Soc. Lond. 1901, p. 69.

Placomierus Gemm. & Harold, Cat. Col. X, 1873, p. 3204.

ellipticus Thoms. Archives Ent. I, 1857, p. 58. — Shanghai
Lacord. Gen. Col. IX, 1872, p. 877. — Gah.

Trans. Ent. Soc. Lond. 1901, p. 69, t. 4, f. 7.

Guerryi Pic, Longic. VIII, 1, 1911, p. 20; VIII, 2, 1912, Yunnan
p. 22.

ab. *apicalis* Pic, l. c. p. 20; l. c. p. 22. —
Plavil. Revue Russe d'Ent. XV, 1916, p. 80. "

hispoides Auriv. Arkiv f. Zool. VII, 19, 1911, p. 41; Borneo
Journ. Sarawak Mus. I, 3, 1913, p. 19. —

Gah. Trans. Ent. Soc. Lond. 1911, Proc.
p. 77.

latus Gah. Trans. Ent. Soc. Lond. 1901, p. 70. Bhutan

Oberthuri Gah. l. c. p. 71. Assam

pallidicolor Pic, Echange XXVIII, 1912, p. 15; Longic. Tonkin
VIII, 2, 1912, p. 22.

ventralis Gah. Trans. Ent. Soc. Lond. 1901, p. 70. "

violaceomaculatus Pic, Mélanges Exot.-Ent. II, 1912, Assam?
p. 11; Longic. VIII, 2, 1912, p. 22.

Ochrocesis Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 348, 357. — Lacord.
Gen. Col. IX, 1872, p. 872, 876.

evanida Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo
p. 357, t. 16, f. 3. — Lacord. Gen. Col. IX,
1872, p. 876.

1

Chreonoma Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 348, 358. — Lacord.
Gen. Col. IX, 1872, p. 872, 876. — Gahan, Trans. Ent. Soc. Lond.
1901, p. 63—68 (Revisio).

- albicornis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur
p. 361. — Gah. Revis. p. 65.
- annulicornis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Celebes:
p. 361. Tondano
- argenteifrons* Gah. Ann. Mus. Civ. Genova (3) III, Engano
1907, p. 112.
- atritarsis* Pic, Longic. VIII, 2, 1912, p. 21. China ?
- basalis* Gah. Trans. Ent. Soc. Lond. 1894, p. 487. Hongkong
- bimaculata* Pasc. l. c. (3) III, 1867, p. 359. Waigiu
- comata* Gah. Revis. p. 67, t. 4, f. 8. Hongkong
- dapsilis* Newm. Entomolog. I, 1842, p. 300. — Lacord. Philippinen
Gen. Col. IX, 1872, p. 878, nota 2. — Gah.
Revis. p. 64.
- dillecta* Newm. Entomolog. I, 1842, p. 300. — Lacord. "
Gen. Col. IX, 1872, p. 878, nota 2. — Gah.
Revis. p. 65.
- discoidalis* Thoms. Syst. Ceramb. 1865, p. 559. — Malacca
Gah. Revis. p. 65.
- flavicincta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Saylee
p. 359. — Gah. Revis. p. 64.
- Fortunei* Thoms. Archives Ent. I, 1857, p. 58, t. 8, Shanghai,
f. 2. — Gah. Revis. p. 68. Japan
var. *japonica* Gah. l. c. p. 68.
- Fortunei* Kuwana, Insect World X, 1906,
p. 12, fig.
- frontalis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, Birma,
p. 100; Revis. p. 67. Nordindien
- melanura* Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Singapur
p. 360. — Gah. Revis. p. 65.
- nigriventris* Thoms. Syst. Ceramb. 1865, p. 559. — Singapur,
Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Malacca
p. 360. — Gah. Revis. p. 66.
- nigronotata* Pic, Longic. VIII, 2, 1912, p. 21. „Tsonglov“
- pallida* Thoms. Syst. Ceramb. 1865, p. 559. — Gah. Java,
Revis. p. 64. Philippinen
Kraatzi Thoms. Syst. Ceramb. 1865, p. 559.
- pallidicolor* Pic, Mélanges Exot.-Ent. XVII, 1916, p. 6. Saigun
- pallidiventris* Thoms. Syst. Ceramb. 1865, p. 559. — Cochinchina
Gah. Revis. p. 66.
- aegrota* Thoms. Syst. Ceramb. 1865, p. 560.
- punctata* Thoms. Syst. Ceramb. 1865, p. 559. — Gah. Malacca
Revis. p. 67.
- puncticollis* Thoms. Syst. Ceramb. 1865, p. 559. — Philippinen
Gah. Revis. p. 64.

- seclusa** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 359. — Gah. Revis. p. 64. Batjan
- tabida** Pasc. Trans. Ent. Soc. Lond. (3) III, 1865, p. 361. — Gah. Revis. p. 65. Borneo:
Sarawak
- testacea** Thoms. Archives Ent. I, 1857, p. 55. — Gah. Revis. p. 67. Java
- tonkinea** Pic, Longic. X, 1, 1916, p. 15. Tonkin
- venusta** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 358, t. 16, f. 1. — Gah. Revis. p. 64. Batjan
- vernula** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 360. — Gah. Revis. p. 64. Morotai
- violacea** n. sp. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 243, t. 20, f. 28. Borneo:
Penrissen
- Weisel Heyd. Abh. Senckenb. Naturf. Ges. XXIII, 1897, p. 577. — Gah. Revis. p. 68. Celebes

29

Cleonaria Thoms.

- Thoms. Syst. Ceramb. 1864, p. 119. — Lacord. Gen. Col. IX, 1872, p. 872, 875. — Gah. Trans. Ent. Soc. Lond. 1901, p. 62.
- bicolor** Thoms. Syst. Ceramb. 1864, p. 119. — Gah. Trans. Ent. Soc. Lond. 1901, p. 62. Siam,
S. India
- clugalensis** Gah. l. c. p. 63. Ceylon

2

Eustathes Newm.

- Newm. Entomolog. I, 1842, p. 300. — Blanch. Hist. Nat. Ins. II, 1845, p. 161. — Thoms. Syst. Ceramb. 1864, p. 399. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 348, 354. — Lacord. Gen. Col. IX, 1872, p. 872, 875.
- basalis** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 111. Sumatra
- flava** Newm. Entomolog. I, 1842, p. 300. Philippinen,
var. *femorialis* Heller, Abh. Mus. Dresden Celebes
IX, 5, 1900, p. 46.
- flavicans** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 111. Sumatra
- Moultoni** Auriv. Arkiv f. Zool. VIII, 29, 1914, p. 53. Borneo
- semiusta** Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 355. Amboina

5

Tropimetopa Thoms.

- Thoms. Syst. Ceramb. 1864, p. 118, 399. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 348, 356. — Lacord. Gen. Col. IX, 1872, p. 872, 874.
- simulator** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 108; (3) III, 1867, p. 357. — Thoms. Syst. Ceramb. 1864, p. 118. — Lacord. Gen. Col. IX, 1872, p. 874. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 16. Borneo

1

Anastathes Gah.

Gahan, Trans. Ent. Soc. Lond. 1901, p. 60.

- biplagiata** Gah. l. c. p. 61, t. 4, f. 9. Siam
nigricornis Thoms. Syst. Geramb. 1865, p. 560. — Malacca,
 Gah. Trans. Ent. Soc. Lond. 1901, p. 61. Penang,
 Java

2

Astathes Newm.

Newm. Entomolog. I, 1842, p. 299. — Thoms. Classif. Ceramb. 1860,
 p. 42; Syst. Geramb. 1864, p. 399. — Pasc. Trans. Ent. Soc. Lond.
 (3) III, 1867, p. 348. — Lacord. Gen. Col. IX, 1872, p. 872, 873. —
 Gahan. Trans. Ent. Soc. Lond. 1901, p. 38-60 (Revisio).

Tétraophthalmé Blanch. Hist. Nat. Ins. II, 1845, p. 161.
Tetraophthalmus Guér. Icon. Règne. Anim. Ins. 1844,
 p. 244. — Thoms. Archives Ent. I, 1857, p. 48-56 (Mono-
 graphie).

- bella** Gah. Revis. p. 40, t. 4, f. 2. Celebes
bigemata Thoms. Syst. Geramb. 1865, p. 558. — Mindanao
 Gah. Revis. p. 40.
bimaculata F. Ent. Syst. I, 2, 1792, p. 263; Syst. Süd-Ost-
 Eleuth. II, 1801, p. 279. — Gah. Revis. p. 42. indien
externa Pasc. Trans. Ent. Soc. Lond. (2)
 V, 1859, p. 46.
bipartita Thoms. Syst. Geramb. 1865, p. 558. — Gah. Malacca,
 Revis. p. 57. Sumatra
pulchella Pasc. Trans. Ent. Soc. Lond. (3)
 III, 1867, p. 354.
caloptera Pasc. Journ. of Ent. I, 1860, p. 63. — Gah. Borneo
 Revis. p. 54. — Shelf. Proc. Zool. Soc. Lond.
 1902, 2, t. 20, f. 24.
cyanipennis Thoms. Syst. Ceramb. 1865,
 p. 557.
cineta Gah. Revis. p. 58, t. 4, f. 6. Java
contentiosa Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Malacca
 p. 352. — Gah. Revis. p. 59.
cyanoptera Gah. Ann. Mag. Nat. Hist. (8) V, 1900, Hainan
 p. 353; Revis. p. 44.
dimidata Gory in Guér. Icon. Règne Anim. Ins. Java,
 1832, t. 45, f. 3, 1844, p. 244. — Thoms. Borneo,
 Monogr. p. 54. — Gah. Revis. p. 41. — R. Malacca,
 Oberth. Bull. Mus. Paris VIII, 1902, p. 424. Birma,
pulchella Lacord. Gen. Col. IX, 1872, t. Siam
 110, f. 1.
dolcea Fairm. Ann. Soc. Ent. France (5) VIII, 1878, China
 p. 133.
episcopalis Chevr. Revue Zool. (2) IV, 1852, p. 418. China:
 — Thoms. Monogr. p. 53. — Gah. Revis. Hongkong,
 p. 44. Formosa
fasciata Gah. Revis. p. 58. Philippinen
levis var. β Newm. Entomolog. I, 1842,
 p. 299.
flaviventris Pasc. Trans. Ent. Soc. Lond. (3) III, Borneo
 1867, p. 352. — Gah. Revis. p. 60.
fulgida F. Syst. Eleuth. II, 1801, p. 280. — Pasc. Sumatra
 Trans. Ent. Soc. Lond. (3) III, 1867, p. 353.
 — Gah. Revis. p. 47.

- Daldorfi* var. 2 Ill. in Wiedem. Archiv. Zool. I, 2, 1800, p. 136.
- gemmula** Thoms. Syst. Ceramb. 1865, p. 557. — Gah. Revis. p. 50. Celebes
- gibbicollis** Thoms. Syst. Ceramb. 1865, p. 559. — Gah. Revis. p. 41. Malacca, Birma, N. Indien
- ignorantina** Thoms. Monogr. p. 51, t. 8, f. 1. — Gah. Revis. p. 55. Java
- var. *Kükenthali* Heyd. Abh. Senckenb. Naturf. Ges. XXIII, 1897, p. 578. — Gah. Revis. p. 56. Borneo
- instabilis** Gah. Revis. p. 51.
- janthinipennis** Fairm Ann. Soc. Ent. Belg. XXXIX, 1895, p. 187. — Gah. Revis. p. 43. „Tonkin“
- japonica** Thoms. Monogr. p. 51. — Gah. Revis. p. 51. „Japan“? Borneo
- var. *Dohertyi* n. nom.
- japonica* var. Gah. Revis. p. 51.
- lemoides** Thoms. Syst. Ceramb. 1865, p. 558. — Gah. Revis. p. 46. Java, Sumatra
- levis** Newm. Entomolog. I, 1842, p. 299. — Gah. Revis. p. 49. Philippinen
- divisa* Trans. Ent. Soc. Lond. (2) V, 1859, p. 47.
- var. *basalis* Thoms. Syst. Ceramb. 1865, p. 557. — Gah. Revis. p. 49. „
- var. *gallerucooides* Thoms. l. c. p. 557. — Gah. Revis. p. 49. „
- Mniszechi** Thoms. Monogr. p. 50. — Gah. Revis. p. 39. „
- perplexa* var. γ Newm. Entomolog. I, 1842, p. 299.
- montana** Gah. Revis. p. 52. Himalaya
- nitens** F. Syst. Eleuth. II, 1801, p. 279. — Thoms. Monogr. p. 55. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 350. — Gah. Revis. p. 53. Sumatra, Nias, Borneo, Malacca, Siam
- Daldorfi* var. 3 Ill. in Wiedem. Archiv. Zool. I, 2, 1800, p. 136.
- Fabricii* Thoms. Syst. Ceramb. 1865, p. 558.
- ignita** Ill. Magaz. Insectenk. IV, 1805, p. 109.
- ab. *apicalis* Thoms. Syst. Ceramb. 1865, p. 558. — Gah. Revis. p. 54. „Malasia“
- ab. *humeralis* Heyd. Abh. Senckenb. Naturf. Ges. XXIII, 1897, p. 578. — Gah. Revis. p. 54. Borneo
- partita** Gah. Revis. p. 59. Malacca, Sumatra
- Daldorfi* F. Syst. Eleuth. II, 1801, p. 279. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, p. 350.
- var. *borneensis* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 41; Journ. Sarawak Mus. I, 3, 1913, p. 19. Borneo
- perplexa** Newm. Entomolog. I, 1842, p. 299. — Gah. Revis. p. 39. Philippinen
- Illigeri* Thoms. Syst. Ceramb. 1865, p. 558.
- perversa** Gah. Revis. p. 45, t. 4, f. 3. „
- plagiata** Gah. Revis. p. 50. Borneo Philippinen

levis var. γ Newm. Entomolog. I, 1842,
p. 299.

posticalls Thoms. Syst. Ceramb. 1865, p. 558. — Borneo
Pasc. Trans. Ent. Soc. Lond. (3) III, 1867,
p. 351. — Gah. Revis. p. 55. — Shelf. Proc.
Zool. Soc. Lond. 1902, 2, t. 20, f. 22.

posticata Gah. Revis. p. 40, t. 4, f. 1. Philippinen
perplexa var. β Newm. Entomolog. I, 1842,
p. 299.

purpurea Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Singapore
p. 108; (3) III, 1867, p. 354. — Gah. Revis.
p. 56.

rufescens Thoms. Syst. Ceramb. 1865, p. 559. — Gah. Java,
Revis. p. 53. Sumatra

splendida F. Ent. Syst. I, 2, 1792, p. 263; Syst. Eleuth. Sumatra,
II, 1801, p. 279. — Weber, Observ. Ent. Java
1801, p. 86. — Ill. Magaz. Insectenk. I, 1802,
p. 249; IV, 1805, p. 108. — Lacord. Gen.
Col. IX, 1872, t. 109, f. 5. — Gah. Revis.
p. 45. — ? Heyne-Taschenb. Exot. Käfer 1906,
p. 244, t. 37, f. 26.

Daldorfi var. 1 Ill. in Wiedem. Archiv.
f. Zool. I, 2, 1800, p. 136, t. 1, f. 5; II, 2,
1802, p. 230.

decipiens Pasc. Trans. Ent. Soc. Lond. (2)
V, 1859, p. 46.

var. *splendidula* n. nom.

splendida Pasc. (nec F. 1792) Trans. Ent. Borneo
Soc. Lond. (3) III, 1867, p. 353. — Shelf.
Proc. Zool. Soc. Lond. 1902, 2, p. 243, 245,
t. 20, f. 20.

splendida var. Gah. Revis. p. 46.

straminea Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Birma
p. 108. — Gah. Revis. p. 57.

terminata Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Malacca
p. 109; (3) III, 1867, p. 351. — Gah. Revis.
p. 48.

var. *javanica* n. nom.

terminata var. 2 Gah. Revis. p. 48. Java

var. *sumptuosa* Gah. l. c. p. 48.

Daldorfi Thoms. Monogr. p. 52. — Gerst. Java,
Archiv Naturgesch. XXIV, 2, 1858, p. 329. Malacca

var. *Westermanni* Gah. Revis. p. 48. Malacca,
Borneo

unicolor Pasc. Trans. Ent. Soc. Lond. (3) III, 1867, Borneo
p. 349. — Gah. Revis. p. 47. — Shelf. Proc.
Zool. Soc. Lond. 1902, 2, p. 243, 245, t. 20,
f. 18.

ab. *coccinea* Pasc. Trans. Ent. Soc. Lond. Labuan
(3) III, 1867, p. 350 nota.

velata Thoms. Syst. Ceramb. 1865, p. 557. — Pasc. Java,
Trans. Ent. Soc. Lond. (3) III, 1867, p. 353. Sumatra
— Gah. Revis. p. 52.

ab. *intermedia* Gah. Revis. p. 53. Java

violaceipennis Thoms. Monogr. p. 53. — Gah. Revis. Sikkim,
p. 43. Nepal,

fulgida Thoms. Monogr. p. 54.

ignita Thoms. Syst. Ceramb. 1865, p. 557. Birma

Hecphora Thoms.

Thoms. Archives Ent. 1, 1857, p. 59; Classif. Ceramb. 1860, p. 42; Syst. Ceramb. 1865, p. 399. — Lacord. Gen. Col. IX, 1872, p. 872, 874.

Ecpchora Gem. & Har. Cat. Col. X, 1873, p. 3203.

analis Jord. Novit. Zool. 1, 1894, p. 266.

Sierra Leone

atefasciata Jord. 1. c. p. 266.

Ogowe

nitida Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 39.

Kamerun

simpleicollis Auriv. 1. c. p. 39.

testator F. Spec. Ins. 1781, p. 223; Mant. Ins. I, 1787,

Westafrika

p. 141; Ent. Syst. 1, 2, 1792, p. 288; Syst.

Eleuth. II, 1801, p. 302. — Gmel. in L. Syst.

Nat. ed. 13, 1, 4, 1790, p. 1835. — Ol. Ent.

IV, nr. 67, 1795, p. 131, t. 16, f. 122. —

Klug in Ermans Reise, Atlas 1835, p. 45,

t. 16, f. 6. — Thoms. Archives Ent. 1, 1857,

p. 60, t. 8, f. 3.

5

XCI. Hemilophini.

Thomson, Physis II, 1868, p. 189—200 (Synopsis).

Amphionychini Thomson, Classif. Ceramb. 1860, p. 63;

Syst. Ceramb. 1864, p. 124, 401. — Bates, Ann. Mag. Nat.

Hist. (3) XVII, 1866, p. 368 (239). — Lacordaire, Gen. Col.

IX, 1872, p. 849, 881. — Bates, Ann. Mag. Nat. Hist. (5)

VIII, 1881, p. 149—152, 196—204, 290—306 (Revisio).

Clythraschema Thoms.

Thoms. Archives Ent. 1, 1857, p. 127; Classif. Ceramb. 1860, p. 42, 65; Syst. Ceramb. 1864, p. 402. — Lacord. Gen. Col. IX, 1872, p. 882, 883.

Chabrillacl Thoms. Archives Ent. 1, 1857, p. 128, Rio Janeiro t. 9, f. 11.

1

ites Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 298.

plagiatus Waterh. 1. c. p. 298.

Ecuador

1

Lycidola Thoms.

Thoms. Syst. Ceramb. 1864, p. 125, 402; Synops. p. 189. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 368 (239). — Lacord. Gen. Col. IX, 1872, p. 882, 884. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 224.

Spathoptera Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 369 (240).

Belli Bates, Trans. Ent. Soc. Lond. 1872, p. 228; Biol. Nicaragua Centr. Amer. Col. V, 1881, p. 224, t. 15, f. 1.

capillacea Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 369 (240). Ega

eximia Bates, Biol. Centr.-Amer. Col. V, 1885, p. 435.

Panama

expansa Bates, Revis. p. 298.

Neu-Granada

- felix** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 298. Ecuador
flavofasciata Waterh. l. c. p. 298. ”
isabellina Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
 p. 434, t. 25, f. 24.
laevipennis Gah. Trans. Ent. Soc. Lond. 1892, p. 272, ”
 t. 12, f. 1.
mimica Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Ega
 p. 369 (241).
pallata Klug, Nova Acta Acad. Leop. Nat. Cur. XII, Bahia
 2, 1825, p. 465 (47), t. 42, f. 11. — Thoms.
 Syst. Ceramb. 1864, p. 125.
retifera Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Ecuador
 p. 299. — Gah. Proc. South Lond. Ent.
 Soc. 1912—13, t. 9, f. 6, 2.
simulatrix Bates, Ann. Mag. Nat. Hist. (3) XVII, Ega
 1866, p. 368 (239). — Gah. Proc. South
 Lond. Ent. Soc. 1912—13, t. 9, f. 2, 3.
 ab. *Batesi* n. nom. Tapajos
simulatrix var. Bates, Ann. Mag. Nat.
 Hist. (3) XVII, 1866, p. 368 (240).
togata Klug, Nova Acta Acad. Nat. Cur. XII, 2, Rio Janeiro
 1825, p. 464 (46), t. 42, f. 10. — Haase,
 Biblioth. Zoolog. VIII, 1892, t. 13, f. 102.
 — Heyne-Taschenb. Exot. Käfer 1906, t.
 37, f. 13.
unicolor Bates, Biol. Centr.-Amer. Col. V, 1885, p. 434. Panama
 14

Lycaneptia Thoms.

- Thoms. Physis II, 1869, p. 189, 191. — Lacord. Gen. Col. IX, 1872,
 p. 882, 884.
amicta Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, Bahia,
 p. 464 (46), t. 42, f. 9. — Imh. Einf. Kol. Rio Janeiro
 1856, t. 17, f. 7. — Thoms. Physis II, 1869,
 p. 191. — Lacord. Gen. Col. IX, 1872, t. 110,
 f. 4. — Gah. Proc. South Lond. Ent. Soc.
 1912—1913, t. 9, f. 1, 5.
 ♀ *ampliata* Klug, Nova Acta Acad. Nat.
 Cur. XII, 2, 1825, p. 466 (48), t. 42, f. 12. —
 Lacord. Gen. Col. IX, 2, 1872, p. 885, nota 1.
antiqua Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Brasilien
 p. 300.
 2

Themistonoe Thoms.

- Thoms. Syst. Ceramb. 1864, p. 126, 402; Physis II, 1869, p. 190. —
 Lacord. Gen. Col. IX, 1872, p. 882, 885.
caecia Thoms. Syst. Ceramb. 1864, p. 126. Brasilien
delectabilis Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Bogota
 p. 302.
exilis Bates, l. c. (5) VIII, 1881, p. 298. Bolivia
humeralis Waterh. l. c. (5) V, 1880, p. 301. Ecuador
reticulata Waterh. l. c. p. 300. — Gah. Proc. South
 Lond. Ent. Soc. 1912—1913, t. 9, f. 6, 3. ”
 5

Malacoseylus Thoms.

- Thoms. Physis II, 1869, p. 190, 192. — Lacord. Gen. Col. IX, 1872, p. 882, 886. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 223.
- albans** Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, Südbrasilien p. 296.
- auricomus** Bates, l. c. p. 296. — Auriv. Arkiv f. Zool. Peru, Bolivia V, 1, 1908, p. 12.
- bivittatus** Gah. Trans. Ent. Soc. Lond. 1892, p. 272, Mexico t. 12, f. 15.
- cinctulus** Bates, Revis. p. 297. Bolivia
- cirratul** Germ. Ins. Spec. Novae 1824, p. 491. Brasilien
- dasycerus* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 466, t. 42, f. 8.
- fulveolus** Bates (non. descr.?).
- gonostigma** Bates, Revis. p. 297. Rio Janeiro
- gratiosus** Bates, l. c. p. 297. Ecuador
- humilis** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 223. — Gah. Trans. Ent. Soc. Lond. 1892, Mexico p. 270.
- var. *fulvescens* Gah. l. c. p. 271, t. 12, f. 16. "
- var. *griseescens* Gah. l. c. p. 271. "
- iodinus** Bates, Revis. p. 296. Ecuador
- Klugi** Thoms. Physis II, 1869, p. 192. Columbien
- niger** Auriv. Arkiv f. Zool. V, 1, 1909, p. 12. Peru
- thoracicus** Ol. Ent. IV, nr. 68, 1795, p. 18, t. 2, f. 19. Patria?

13

Tyrinthia Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 371 (242). — Lacord. Gen. Col. IX, 1872, p. 882, 887. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 222.
- Cyphometopus* Thoms. Physis II, 1869, p. 190, 192.
- argentina** Bruch, Rev. Mus. La Plata XVIII, 1911, Tucuman p. 176, fig.
- biliformis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama 433, t. 25, f. 22.
- capillata** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas: p. 371 (242). S. Paulo
- frontalis** Guér. Verh. zool.-bot. Ges. Wien V, 1855, Ecuador p. 601 (29).
- infacetus** Thoms. Physis II, 1869, p. 193. Brasilien
- Lacordairei** Thoms. l. c. p. 193. Columbien
- longiscapus** Bates, Revis. p. 294. Rio Janeiro
- lycinella** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 223. Costarica
- macilentata** Bates, Revis. p. 294. Neu-Freiburg
- murina** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Neu-Granada p. 288.
- obtusa** Bates, Revis. p. 295. "
- photurina** Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama 434, t. 25, f. 23.
- reversa** Bates, Revis. p. 295. Rio Janeiro
- scissifrons** Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas: 1866, p. 372 (243). Tapajos, Ega

- xanthe** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 223, 433. Nicaragua,
Panama
xanthotaenia Bates, Revis. p. 295. Rio Janeiro
16

Hemilophus Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 49. — Cast. Hist. Nat. Col. II, 1840, p. 488 (ex parte). — Thoms. Classif. Ceramb. 1860, p. 42, 63; Syst. Ceramb. 1864, p. 402; Physis II, 1869, p. 190. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 370 (241). — Lacord. Gen. Col. IX, 1872, p. 882, 885. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 221.
- ? *Pyrobolus* Chevr. Revue Zool. I, 1838, p. 284.¹⁾
- anceps** Auriv. Arkiv f. Zool. XII, 11, 1919, p. 7. Amazonas:
Rio Autaz
Cayenne
cayennensis Bates, Revis. p. 294. Brasilien
ciliaris Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 467, t. 42, f. 7. " "
dimidiaticornis Serv. Ann. Soc. Ent. France IV, 1835, p. 50. — Cast. Hist. Nat. Col. II, 1840, p. 488. " "
duplicatus Bates, Revis. p. 294. Neu-Granada
fasciatus Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 370 (242). Ega
infuscatus Bates, Revis. p. 292. Rio Janeiro
leucogramma Bates, Revis. p. 293. Parana
longulus Bates, Biol. Centr.-Amer. Col. V, 1881, p. 222. Mexico
prolixus Bates, Trans. Ent. Soc. Lond. 1872, p. 229; Biol. Centr.-Amer. Col. V, 1881, p. 221, 433, t. 15, f. 20. Nicaragua
Smithi Bates, Revis. p. 293. Amazonas
spectabilis Blanch. Voy. d'Orbigny, Ins. p. 210, t. 22, f. 10. Bolivia
spissicornis F. Syst. Eleuth. II, 1801, p. 330. Südamerika
unicolor Bates, Revis. p. 293. Brasilien
varians Bates, Biol. Centr.-Amer. Col. V, 1881, p. 222. Mexico,
Guatemala

15

Spathoptera Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 50. — Lacord. Gen. Col. IX, 1872, p. 882, 888. — Bates, Revis. p. 291.
- Photuronta* Thoms. Physis II, 1869, p. 190, 194.
- albilatera** Serv. Ann. Soc. Ent. France IV, 1835, p. 51. — Lacord. Gen. Col. IX, 1872, p. 888. Brasilien
gutticollis Thoms. Physis II, 1869, p. 195. — Lacord. Gen. Col. IX, 1872, p. 889.

1

Isomerida Bates.

- Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 373 (244). — Lacord. Gen. Col. IX, 1872, p. 882, 887. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 221.

¹⁾ Chevrolat gibt *fumigata* Germ. als Typus an, es ist aber offenbar, daß er nicht die echte *fumigata* vor sich hatte.

- Spathoptera* Thoms. Physis II, 1869, p. 190.
- albicollis** Cast. Hist. Nat. Col. II, 1840, p. 488. — Cayenne,
Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas
p. 373 (244).
- amicta** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. Neu-Granada
287, t. 20, f. 2.
- cinctiventris** Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
p. 432, t. 25, f. 20.
- crinicornis** Germ. Ins. Spec. Novae 1824, p. 490. — Brasilien
Bates, Revis. p. 291.
- explanata** Bates, Biol. Centr.-Amer. Col. V, 1885, p. Panama
433, t. 25, f. 21.
- imbriata** Bates, Revis. p. 290. — Lameere, Ann. Soc. Rio Janeiro,
Ent. Belg. XXVIII, 1884, p. 99. Minas Geraes
- humeralis** F. Syst. Eleuth. II, 1801, p. 321. Südamerika
- lanifica** Germ. Ins. Spec. Novae 1824, p. 489. Brasilien
- lineata** Bates, Trans. Ent. Soc. Lond. 1874, p. 232. Columbien,
albicollis var. Bates, l. c. 1872, p. 229. Nicaragua
- longicornis** Bates, Revis. p. 292. Bahia
- pcticollis** Bates, l. c. p. 291. Parana
- pcticornis** Bates, Trans. Ent. Soc. Lond. 1872, p. Nicaragua
229; Biol. Centr.-Amer. Col. V, 1881, p. 221,
t. 15, f. 10.
- plumosa** Bates, Revis. p. 291. Rio Janeiro,
Tucuman
- ruficornis** Bates, Ann. Mag. Nat. Hist. (3) XVII, Fonteboa
1866, p. 373.
- subdilatata** Bates, Trans. Ent. Soc. Lond. 1872, p. Nicaragua,
229; Biol. Centr.-Amer. Col. V, 1881, p. 221, Costarica,
432, t. 15, f. 9. Panama
- vittipennis** Bates, Revis. p. 292. Rio Janeiro

16

Tetralicia nov. nom.

- Alicia* Thoms. (nec Johns. 1861) Syst. Ceramb. 1864, p. 125, 402.
— Lacord. Gen. Col. IX, 1872, p. 882, 883.
- flavescens** Thoms. Syst. Ceramb. 1864, p. 125. — Brasilien
Lacord. Gen. Col. IX, 1872, p. 884.
- testacea** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
p. 430 (249). Ega

2

Adesmus Latr.

- Latr. in Cuvier, Règne Anim. ed. 2, V, 1829, p. 126; ed. Masson
Ins. I, 1849, p. 490, t. 68, f. 6.
- Amphionycha* Leseleuc in Guér. Mag. Zool. (2) VI,
1844, Ins. t. 138 (non descr.?) — Thoms. Archives Ent. I,
1857, p. 311; Classif. Ceramb. 1860, p. 42, 64; Syst. Ceramb.
1864, p. 402. — Bates, Ann. Mag. Nat. Hist. (3) XVII,
1866, p. 426 (245). — Lacord. Gen. Col. IX, 1872, p. 882,
890. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 216;
Revis. p. 196.
- Eudesmus* Voigt in Cuvier, Thierreich V, 1839, p. 311.
- Oedudes* Thoms. Physis II, 1869, p. 199.
- Zeale* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 287.
- albiventris** Bates, Revis. p. 197. Venezuela

- albomaculatus** Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 396. Brasilien
- annullifer** Kirsch, Abhandl. Mus. Dresden II, 4, 1889, p. 44. Ecuador
- antiquus** Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 399. Brasilien
- bicarinatus** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 430, t. 25, f. 18. Panama
- bicolor** Gah. Ann. Mag. Nat. Hist. (6) III, 889, p. 397. Ecuador
- bifasciatus** Bates, Trans. Ent. Soc. Lond. 1869, p. 386; 1872, p. 230; Biol. Centr.-Amer. Col. V, 1881, p. 217, t. 15, f. 4. Nicaragua
- bisellatus** Bates, Revis. p. 200. Ecuador
- brachialis** Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 600 (28). Amazonas
- brunneiceps** Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 39. Brasilien
- callizona** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 217. Brit.
Honduras,
Guatemala
- cephalotes** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 257. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 428 (248). Para,
Tapajos,
Ega
- charis** Bates Revis. p. 197. Ecuador,
Bolivia
- chlonidis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 430, t. 25, f. 17. Panama
- clathratus** Gistel, Naturg. 1848, p. 624; 820 wirbellose Thiere 1857, p. 38. Brasilien
- flavipes* Lucas, Cast. Expéd. Amér. Sud, Entomol. 1859, p. 192, t. 13, f. 7.
- colligatus** Redtenb. Reise Novara, Col. 1867, p. 187, t. 5, f. 7. Rio Janeiro
- Diana** Thoms. Classif. Ceramb. 1860, p. 65. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 426 (245). Guyana,
Amazonas:
Tapajos
- dilaticeps** Bates, Revis. p. 200. Neu-Granada
- dimidatus** Bates, l. c. p. 200. "Ecuador"
- discicollis** Bates, l. c. p. 203. Brasilien
- divus** Chabrill. Archives Ent. I, 1857, p. 200. "Mexico"?
- Druryi** Thoms. Physis II, 1869, p. 200. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 429. Costarica,
Panama
- knownothing* (!) Thoms. Revue, Zool. (2) VIII, 1856, p. 478, t. 24, f. 2.
- fenestratus** Bates, Revis. p. 202. Rio Janeiro
- fraudatrix** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 218. Nicaragua
- lineatus* ♂ ? Bates, Trans. Ent. Soc. Lond. 1872, p. 233.
- fulvicornis** Bates, Revis. p. 203. Rio Janeiro
- fumigatus** Germ. Ins. Spec. Novae 1824, p. 491. Brasilien
- fuscipennis** Bates, Revis. p. 203. — Auriv. Arkiv f. Zool. V, 1, 1908, p. 11. Bolivia, Peru
- globicollis** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 218. Mexico
- griseus** Auriv. Öfvers. Vet. Akad. Förhandl. LVII, 1900, p. 419. Venezuela
- hemispilus** Germ. Mag. Ent. IV, 1821, p. 169. — Heyne-Taschenb. Exot. Käfer 1906, p. 244, t. 37, f. 15. Brasilien

- luctuosus* Serv. Ann. Soc. Ent. France IV, 1835, p. 46. — Cast. Hist. Nat. Col. II, 1840, p. 488.
- Holmgreni** Auriv. Arkiv. f. Zool. V, 1, 1909, p. 11, f. 4 Bolivia
- Kirschl** nom. nov. Peru
- spec. Kirsch, Berl. Ent. Zeitschr. XIX, 1875, p. 290.
- laetus** Bates, Revis. p. 198. Neu-Granada, Venezuela, Peru Brasilien
- Leseleuei** nom. nov.
- luctuosus* Leseleuc. (nec Serv. 1835), Mag. Zool. (2) VI, 1844, Ins. t. 138.
- leucodryas** Bates, Revis. p. 198. Neu-Granada
- longipennis** Bates, l. c. p. 202. Ecuador
- marginicollis** Gahan, Ann. Mag. Nat. Hist. (6) III, 1889, p. 398. Cayenne
- Melnerti** Auriv. Öfvers. Vet. Akad. Förhl. LVII, 1900, p. 419. Venezuela
- Mniszechl** Chabrill. Archives Ent. I, 1857, p. 200. Brasilien
- Nevisi** Goun. Bull. Soc. Ent. France 1909, p. 83, fig. Minas Geraes
- nigriventris** Fleut. & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 472, t. 8, f. 21. Guadeloupe
- nigrocinctus** Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 397. Brasilien
- nigromaculatus** Klug, Preisverz. 1829, p. 7. Südbrasilien,
- leucomelaenus* Gistl, 820 wirbellose Thiere 1857, p. 68. Tucuman, Mendoza, Cordoba, Buenos Aires
- Petronae* Burm. Reise La Plata II, 1861, p. 166; Stett. Ent. Zeit. XXVI, 1865, p. 180. — Berg, An. Soc. Sc. Argent. XXI, 1886, p. 240.
- spilotus* Bates, Revis. p. 199.
- niveliceps** Auriv. Öfvers. Vet. Akad. Förhl. LVII, 1900, p. 419. Venezuela
- obesus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 217. Mexico,
- var. *nigerrimus* nov. nom. Guatemala
- obesus* var. Bates, l. c. p. 217.
- ocreatus** Bates, l. c. 1885, p. 431. Panama
- ocularis** Hope, Trans. Ent. Soc. Lond. IV, 1846, p. 181, t. 13, f. 2. Südamerika
- pallipes** Ol. Ent. IV, nr. 68, 1795, p. 31, t. 4, f. 49 b. Surinam
- phoebinus** Auriv. Öfvers. Vet. Akad. Förhl. LVII, 1900, p. 418. Venezuela
- pluricostatus** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 217. Guatemala
- postillenatus** Bates, Revis. p. 201. Rio Janeiro
- princeps** Bates, Trans. Ent. Soc. Lond. 1872, p. 230; Biol. Centr.-Amer. Col. V, 1881, p. 218, t. 15, f. 2. Nicaragua
- procerus** Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 399. Brasilien
- pubicornis** Bates, Revis. p. 201. Amazonas
- pulchricollis** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 431, t. 25, f. 19. Guatemala
- rectilinea** Bates, Revis. 202. Brasilien, Minas Geraes
- ruber** Bates, Revis. p. 204. Rio Janeiro
- scalaris** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 287, t. 20, f. 1. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 218. Neu Granada, Panama

- sericipennis** Bates, l. c. 1885, p. 430, t. 25, f. 16. Panama
sexguttatus Lucas, Cast. Expéd. Amér. Sud, Entomol. Brasilien
 1859, p. 192, t. 13, f. 8.
sexlineatus Bates, Revis. p. 199. Rio Janeiro
spectabilis Drury, Ill. Exot. Ent. III, 1782, p. 73, t. Honduras,
 48, f. 8; ed. Westw. Ill, 1837, p. 74, t. 48, f. 8. Mexico,
 Guatemala,
 Panama,
 Columbien
 Venezuela
stephanus Auriv. Öfvers. Vet. Akad. Förhl. LVII, 1900, p. 420.
strigatus Redtenb. Reise Novara, Col. 1867, p. 186. Rio Janeiro
suturatus Bates, Revis. p. 201. Brasilien
temporalis Auriv. Arkiv f. Zool. V, 1, 1909, p. 11. Bolivia
theaphia Bates, Revis. p. 199. Ecuador
tribalteatus Bates, l. c. p. 198. Peru
urocosmia Bates, l. c. p. 204. Neu-Granada
ventralis Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, Costarica
 p. 119.
verticalls Germ. Ins. Spec. Novae 1824, p. 492. Brasilien
nigriceps Cast. Hist. Nat. Col. II, 1840, p. 489.
virgineus F. Syst. Eleuth. II, 1801, p. 324. Südamerika
vittatus Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Brasilien:
 p. 256. Espiritu
 Santo

73

Cathetopteron Hamilt.

Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 162.

amoena Hamilt. l. c. p. 161.

Texas

1

Phoebe Serv.

Serv. Ann. Soc. Ent. France IV, 1835, p. 37. — Cast. Hist. Nat. Col. II, 1840, p. 495. — Thoms. Syst. Ceramb. 1864, p. 402. — Lacord. Gen. Ins. IX, 1872, p. 882, 892. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 215.

albaria Bates, Trans. Ent. Soc. Lond. 1872, p. 230; Nicaragua,
 Biol. Centr.-Amer. Col. V, 1881, p. 215, t. Costarica
 15, f. 3.

bicornis Ol. Ent. IV, nr. 68, 1795, p. 27, t. 4, f. 46. — Cayenne,
 Cast. Hist. Nat. Col. II, 1840, p. 495. — Amazonas,
 Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Tapajos
 p. 429 (249).

cava Germ. Ins. Spec. Novae 1824, p. 493. Brasilien
concinna White, Proc. Zool. Soc. Lond. XXIV, 1856, Amazonas:
 p. 408, t. 40, f. 12. — Bates, Ann. Mag. Nat. Ega
 Hist. (3) XVII, 1866, p. 429 (249).

cornuta Ol. Ent. IV, nr. 68, 1795, p. 26, t. 4, f. 45. Surinam
luteola Bates, Biol. Centr.-Amer. Col. V, 1881, p. 215. Guatemala

mexicana Bates, l. c. p. 215. Mexico

nivea Lacord. Gen. Ins. IX, 1872, p. 893 nota (vix Brasilien
 descr.).

phoebe Serv. Encycl. méthod. Ins. X, 1825, p. 335. „

- cretifera* Pasc. Trans. Ent. Soc. Lond. (2)
IV, 1858, p. 260.
octomaculata Serv. Ann. Soc. Ent. France
IV, 1835, p. 37.
✓ *Spegazzinii* Bruch, Rev. Mus. La Plata XV, 1908, Argentina
p. 219, fig.
subalbaria Belon, Ann. Soc. Linn. Lyon XLIII, 1896, Bolivia
p. 254.
11

Cirrhicera Thoms.

- Thoms. Archives Ent. I, 1857, p. 309; Classif. Ceramb. 1860, p. 63;
Syst. Ceramb. 1864, p. 402. — Lacord. Cen. Col. IX, 1872, p. 882,
892. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 213.
✓ *basalis* Gahan, Trans. Ent. Soc. Lond. 1892, p. 269, Mexico
t. 12, f. 5.
✓ *Championi* Bates, Biol. Centr.-Amer. Col. V, 1881, p. Guatemala
214, 429, t. 15, f. 12.
✓ *cinereola* Bates, l. c. p. 215. "
eonspicua Gahan, Trans. Ent. Soc. Lond. 1892, p. Mexico
269, t. 12, f. 13.
crispipennis Bates, Biol. Centr.-Amer. Col. V, 1881, "
p. 214.
leuconota Cast. Hist. Nat. II, 1840, p. 489. — Thoms. "
Archives Ent. I, 1857, p. 309.
Biologie: Sallé in Silberm. Revue Ent. I,
1833, p. 242.
longifrons Bates, Biol. Centr.-Amer. Col. V, 1881, Guatemala
p. 214.
nigrina Thoms. Archives Ent. I, 1857, p. 310. — Mexico
Bates, Biol. Centr.-Amer. Col. V, 1881,
p. 214.
niveosignata Thoms. Classif. Ceramb. 1860, p. 64. — "
Bates, Biol. Centr.-Amer. Col. V, 1881,
p. 214.
✓ *Salléi* Thoms. Archives Ent. I, 1857, p. 310. — Mexico,
Biol. Centr.-Amer. Col. V, 1885, p. 429. Guatemala,
Nicaragua
Panama
var. *panamensis* Bates, l. c. p. 429.
10

Ochromima Bates.

- Bates, Revis. p. 151.
megalopoides Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas:
1866, p. 427 (247). Santarem
1

Chrysaperda Bates.

- Bates, Revis. p. 152.
circumcincta Pasc. Trans. Ent. Soc. Lond. (2) V, Amazonas
1859, p. 54.
collaris Pasc. Trans. Ent. Soc. Lond. 1888, p. 509. — Ecuador
Waterh. Aid Identif. Ins. II, 1890, t. 188, f. 8.
metallica Bates, Revis. p. 152. Ecuador,

apicalis Kirsch, Abhandl. Mus. Dresden Peru
II, 4, 1889, p. 43.

3

Hilarolea Thoms.

- Thoms. Physis II, 1869, p. 200. — Lacord. Gen. Col. IX, 1872,
p. 882, 890.
- affinis* Auriv. Arkiv f. Zool. V, 1, 1909, p. 12. Peru
- crocelcollis* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, Bolivia
p. 393.
- incensa* Perty, Delect. Anim. 1830, p. 97, t. 19, f. 11. Südbrasilien
— Thoms. Physis II, 1869, p. 200. — Lacord.
Gen. Col. IX, 1872, p. 890.
- humeralis* Auriv. Arkiv f. Zool. X, 19, 1916, p. 25. Brasilien
- var. *subapicalis* Auriv. l. c. p. 25. "
- Lacordairei* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, "
p. 394.
- minlacea* Bates, l. c. (3) XVII, 1866, p. 427 (246). Amazonas:
Obydos
- nigripennis* Bates, l. c. p. 426 (246). Ega
- seminigra* Bates, l. c. p. 426 (245). Sao Paulo
- tubercollis* Guér. Verh. zool.-bot. Ges. Wien V, Amazonas
1855, p. 601 (29).

9

Cephalodina Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1881, p. 212.
- capito* Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Panama
p. 429 (249) nota.
- crassiceps* Bates, Biol. Centr.-Amer. Col. V, 1881, p. Panama,
213, t. 15, f. 5. Nicaragua
- capito* Bates, Trans. Ent. Soc. Lond. 1872,
p. 231.
- megacephala* Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas:
1866, p. 428 (248). Ega

3

Butocrysa Thoms.

- Thoms. Physis II, 1869, p. 893. — Lacord. Gen. Col. IX, 1872,
p. 882, 893.
- insignis* Lucas, Cast. Expéd. Amér. Sud, Entomol. Südamerika
1859, p. 191, t. 13, f. 6. — Thoms. Physis
II, 1869, p. 198. — Lacord. Gen. Col. IX,
1872, p. 893.

1

Calocosmus Chevr.

- Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 250. — Lacord. Gen.
Col. IX, 1872, p. 882, 894.
- dimidiatus* Chevr. Revue Zool. I, 1838, p. 284; Ann. Cuba
Soc. Ent. France (4) II, 1862, p. 252. — Jacq.
du Val in Sagra, Hist. Cuba, Ins. 1857,
p. 275.
- holosericeus* Gah. Ann. Mag. Nat. Hist. (6) III, 1889, Haiti
p. 395.

janus Bates, Revis. p. 151.	Cuba
marginipennis Gah. Ann. Mag. Nat. Hist. (6) III, 1889, p. 396.	Jamaica
melanurus Gah. l. c. p. 395.	Haiti
nigripennis Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 252.	Cuba
nuptus Chevr. l. c. p. 251.	"
semimarginatus Bates, Revis. p. 151.	"
speciosus Chevr. Ann. Soc. Ent. France (4) II, 1862, p. 252.	"
<i>venustus</i> Jacq. du Val in Sagra, Hist. Cuba, Ins. 1857, p. 275, t. 10, f. 12. — Lacord. Gen. Col. IX, 1872, t. 110, f. 5.	
venustus Chevr. Revue Zool. I, 1838, p. 283; Ann. Soc. Ent. France (4) II, 1862, p. 251.	"

10

Erana Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 431 (250); Biol. Centr.-Amer. Col. V, 1881, p. 208. — Lacord. Gen. Col. IX, 1872, p. 897, 901.	
cincticornis Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 431 (251).	Amazonas: Ega: S. Paulo
dispar Bates, Biol. Centr.-Amer. Col. V, 1881, p. 209.	Mexico, Guatemala, Panama Guatemala
florula Bates, l. c. p. 209.	
fuliginella Bates, l. c. 1885, p. 428.	"
fulveola Bates, l. c. 1881, p. 210.	Guatemala, Panama
leuconoë Bates, l. c. p. 209.	Nicaragua, Panama
pectoralis Bates, l. c. p. 208.	Mexico, Guatemala
pusilla Bates, Trans. Ent. Soc. Lond. 1874, p. 233; Biol. Centr.-Amer. Col. V, 1881, p. 208.	Guatemala, Nicaragua
suavissima Bates, l. c. p. 209.	Guatemala
univittata Bates, l. c. p. 209.	Mexico

10

Hemierana nov. nom.

<i>Amphionycha</i> J. Lec. (nec Leselœuc 1844) Journ. Acad. Philad. (2) II, 1852, p. 154; Smiths. Misc. Coll. XI, 265, 1873, p. 347. — Horn, Trans. Amer. Ent. Soc. V, 1875, p. 150. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 332. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 151. — Blatchley, Col. Indiana 1910, p. 1090, 1095.	
marginata F. Suppl. Ent. Syst. 1798, p. 148; Syst. Eleuth. II, 1801, p. 331. — Haldem. Trans. Amer. Philos. Soc. (2) X, 1847, p. 57.	New York, New Jersey, Pennsylvania,
<i>flammata</i> Newm. Entomolog. I, 1840, p. 13. — Haldem. Proc. Amer. Philos. Soc. IV, 1847, p. 374. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 154. — Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 50. — Leng & Hamilt. l. c. XXIII, 1896, p. 161. — Blatchley, Col. Indiana 1910, p. 1095.	N. Carolina, Florida, Texas, Kansas, Indiana, Nebraska

ab. *ardens* J. Lec. Col. Kansas 1859, p. 22. Kansas
— Leng & Hamilt. Trans. Amer. Ent. Soc.
XXIII, 1896, p. 161.

suturalis Linell, Proc. U. S. Nat. Mus. XIX, 1896, Texas
p. 398.

2

Essostrutha Thoms.

Thoms. Physis II, 1869, p. 198. — Lacord. Gen. Col. IX, 1872, p.
882, 895.

albina Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 256. Guatemala

binotata Bates, Biol. Centr.-Amer. Col. V, 1881, p. Mexico
212, t. 15, f. 18.

cinnabarina Bates, l. c. p. 211, 428.

laeta Lacord. Gen. Col. IX, 1872, t. 110, f. 3. Guatemala

fimbriolata Bates, l. c. p. 210. — Casey, Mem. Col. Mexico
IV, 1913, p. 364.

laeta Newm. Entomolog. I, 1840, p. 13. — Thoms. "
Physis II, 1869, p. 199. — Bates, Biol. Centr.-
Amer. Col. V, 1881, p. 210.

miniata Lacord. Gen. Col. IX, 1872, p. 895, nota 3. — "
Bates, Biol. Centr.-Amer. Col. V, 1881, p. 211.

6

Tetanolia Bates.

Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 151.

polita Bates, l. c. p. 151. Ecuador

1

Alampyris Bates.

Bates, Biol. Centr.-Amer. Col. V, 1881, p. 218; Ann. Mag. Nat. Hist.
(5) VIII, 1881, p. 150.

cretaria Bates, Biol. Centr.-Amer. Col. V, 1885, Mexico
p. 431.

curta Bates, l. c. 1881, p. 219. "

fuliginea Bates, l. c. p. 219. "

marginella Bates, l. c. p. 220. "

melanophiloides Thoms. Physis II, 1869, p. 197. — "

Lacord. Gen. Col. IX, 1872, p. 890, nota 1.

— Bates, Biol. Centr.-Amer. Col. V, 1881,
p. 220.

mimetica Bates, l. c. p. 220. "

nigra Bates, l. c. p. 219. "

photinoides Bates, l. c. p. 220. Guatemala

planipennis Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, Südbrasilien
p. 150.

quadricollis Bates, Biol. Centr.-Amer. Col. V, 1881, Mexico
p. 220.

subcarinata Bates, l. c. 1885, p. 432. Panama

11

Sphallonycha Bates.

Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 149.

roselcollis Bates, l. c. (3) XVII, 1866, p. 430 (250). Amazonas:
Ega

1

Thyrsia Dalm.

Dalm. Vet. Akad. Handl. XL, 1819, p. 118 (sep. p. 3); Analecta Ent. 1823, p. 17. — Serv. Encycl. méth. Ins. X, 1825, p. 647; Ann. Soc. Ent. France I, 1832, p. 179. — Lucas, Dict. Pitt. d' Hist. Nat. VIII, 1839, p. 360. — Cast. Hist. Nat. Col. II, 1840, p. 411. — Thoms. Physis II, 1869, p. 190. — Lacord. Gen. Col. IX, 1872, p. 896.

lateralis Dalm. Vet. Akad. Handl. XL, 1819, p. 118; Brasilien
Analecta Ent. 1823, p. 17, t. 3, f. a—c. —
Cast. Hist. Nat. Col. II, 1840, p. 411. —
Lacord. Gen. Col. IX, 1872, p. 897.

1

XCII. Aerenicini.

Lacordaire, Gen. Col. IX, 1872, p. 849, 897. — Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 143, 299—301 (Revisio).

Pretilla Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 302 (237). — Lacord. Gen. Col. IX, 1872, p. 905, 909.

telephoroides Bates, l. c. p. 302 (238).

Amazonas:
Para

1

Amillarus Thoms.

Thoms. Archives Ent. I, 1857, p. 312; Classif. Ceramb. 1860, p. 41, 44; Syst. Ceramb. 1864, p. 397. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 432 (251). — Lacord. Gen. Col. IX, 1872, p. 713. — Bates, Revis. p. 144.

apicalis Thoms. Classif. Ceramb. 1860, p. 44. — Amazonas,
Lacord. Gen. Col. IX, 1872, p. 714. — Bates, Venezuela,
Biol. Centr.-Amer. Col. V, 1881, p. 207, t. Columbien,
15, f. 14 ♀. Panama,
♀ *erythroderus* Chevr. Journ. of Ent. I, Nicaragua
1861, p. 189.

mutabilis Bates, Ann. Mag. Nat. Hist. (3)
VII, 1866, p. 432 (251).

tenuicornis Casey, Mem. Col. IV, 1913, p. 363.

Panama

2

Dadoychus Chevr.

Chevr. in Silberm. Revue Ent. I, 1833, Descr. Esp. Nouv. nr. 14.
— Thoms. Physis II, 1869, p. 190. — Lacord. Gen. Col. IX, 1872,
p. 895.

flavocinctus Chevr. in Silberm. Revue Ent. I, 1833, Brasilien
Descr. Esp. Nouv. nr. 14, t. 15.

1

Eulachnesia Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 231; Revis. p. 147.

aequatoria Bates, Revis. p. 149.

Ecuador

calliste Bates, Revis. p. 148.

Peru

- cobaltina* Bates, l. c. p. 148. Neu-Granada
sapphira Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, Amazonas:
 p. 428 (247). Ega
smaragdina Bates, Trans. Ent. Soc. Lond. 1872, p. Nicaragua
 231; Biol. Centr.-Amer. Col. V, 1881, p. 212,
 t. 15, f. 11.
viridipennis Bates, Revis. p. 149. Ecuador
 6

Hydraschema Thoms.

- Thoms. Syst. Ceramb. 1864, p. 128, 403. — Lacord. Gen. Col. IX,
 1872, p. 897, 899.
fabulosum Thoms. Syst. Ceramb. 1864, p. 128. — Brasilien
 Lacord. Gen. Col. IX, 1872, p. 900.
virgatum Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, „
 p. 377.
 2

Apagomera Bates.

Bates, Revis. p. 146.

- azurescens* Bates, Revis. p. 147. Brasilien
suturella Bates, l. c. p. 147. Brasilien:
 Parana
triangularis Germ. Ins. Spec. Novae 1824, p. 493. — Südbrasilien
 Perty, Delectus Anim. Artic. 1830, p. 97,
 t. 19, f. 12. — Cast. Hist. Nat. Col. II, 1840,
 p. 489.
 3

Ischnophygas Thoms.

- Thoms. Physis II, 1869, p. 190, 196. — Lacord. Gen. Col. IX, 1872,
 p. 897, 902. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 212.
telephoroides Thoms. Physis II, 1869, p. 196. — Lacord. Mexico
 Gen. Col. IX, 1872, p. 902.
 1

Phaula Thoms.

- Thoms. Archives Ent. I, 1857, p. 303; Classif. Ceramb. 1860, p. 43,
 72; Syst. Ceramb. 1864, p. 394. — Lacord. Gen. Col. IX, 1872, p. 897.
Cymbalia Thoms. Syst. Ceramb. 1864, p. 119, 400.
antiqua Thoms. Archives Ent. I, 1857, p. 303. — Brasilien
 Lacord. Gen. Col. IX, 1872, p. 898.
lichenigera Perty, Delect. Anim. Artic. 1830, p. 97, „
 t. 19, f. 14.
Thomsoni Lacord. Gen. Col. IX, 1872, p. 898, nota 1. Brasilien:
lichenigera Thoms. Syst. Ceramb. 1864, Minas Geraes
 p. 120.
 3

Aerenica Thoms.

- Thoms. Archives Ent. I, 1857, p. 311; Classif. Ceramb. 1860, p. 42,
 65; Syst. Ceramb. 1864, p. 403. — Lacord. Gen. Col. IX, 1872, p.
 897, 898.
acutipeennis Gah. Ann. Mag. Nat. Hist. (6) III, 1889, Brasilien
 p. 400.

- albicans** Guér. Icones Règne Anim. Ins. 1844, p. 245, t. 45, f. 4. Brasilien
- canescens** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 468, t. 43, f. 2. „
- hirsuta** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 206. Guatemala
- hirticornis** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 468, t. 43, f. 3. — Lacord. Gen. Col. IX, 1872, p. 899. Brasilien
- leucippe** Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 146. Parana
- multipunctata** Serv. Encycl. méth. Ins. X, 1825, p. 325. Brasilien
- porosa** Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 146. Venezuela
- spissicornis** Bates, l. c. p. 145. Parana

9

Aerenicopsis Bates.

Bates, Biol. Centr.-Amer. Col V, 1885, p. 427.

- Champloni** Bates, l. c. p. 428, t. 25, f. 15. Panama

Antodice Thoms.

Thoms. Syst. Ceramb. 1864, p. 128, 403. — Lacord. Gen. Col. IX, 1872, p. 897, 900. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 207.

Spathoptera Cast. (nec Serv. 1835) Hist. Nat. Col. II, 1840, p. 494.

- ✓ **cretata** Bates, Trans. Ent. Soc. Lond. 1872, p. 232; Biol. Centr.-Amer. Col. V, 1881, p. 207, t. 15, f. 8. Mexico, Guatemala, Nicaragua
- juncea** Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 145. Brasilien
- ✓ **nympha** Bates, Biol. Centr.-Amer. Col. V, 1881, p. 207. Mexico, Guatemala, Costarica
- picta** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 467, t. 43, f. 1. — Cast. Hist. Nat. Col. II, 1840, p. 494. — Lacord. Gen. Col. IX, 1872, p. 901. Brasilien

4

Pseudomecas Auriv.

Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 40.

- femorialis** Auriv. l. c. p. 41. Argentinien: Chaco de Santiago

1

Ochraesius Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 510.

- sticticus** Pasc. l. c. p. 511, t. 14, f. 8. Südbrasilien: S. Catharina

1

Aphilestes Bates.

Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 145.

- rustica** Bates, l. c. p. 145. Venezuela; Merida

1

Pannychis Thoms.

Thoms. Syst. Ceramb. 1864, p. 127, 402; Physis II, 1869, p. 190. —
Lacord. Gen. Col. IX, 1872, p. 882, 889. — Bates, Biol. Centr.-Amer.
Col. V, 1881, p. 205.

atripennis Bates, l. c. 1885, p. 427. Mexico
callicerus Bates, l. c. 1881, p. 206. ”
ducalis Bates, l. c. p. 205. ”
sericeus Thoms. Syst. Ceramb. 1864, p. 127. ”

4

XCIII. Callini.

Thomson, Syst. Ceramb. 1864, p. 123, 401. — Lacordaire, Gen. Col.
IX, 1872, p. 849, 905. — Bates, Biol. Centr.-Amer. Col. V, 1881,
p. 193.

Hemicladus Buq.

Buq. Archives Ent. I, 1857, p. 328. — Thoms. Classif. Ceramb. 1860,
p. 43; Syst. Ceramb. 1864, p. 401. — Lacord. Gen. Col. IX, 1872,
p. 905, 906.

callipus Buq. Archives Ent. I, 1857, p. 331, t. 14, f. 5. Brasilien
Dejeani Buq. l. c. p. 329. Cayenne
Thomsoni Buq. l. c. p. 330, t. 14, f. 4. — Lacord. Brasilien
Gen. Col. IX, 1872, p. 906.

3

Chereas Thoms.

Thoms. Syst. Ceramb. 1864, p. 124, 401. — Lacord. Gen. Col. IX,
1872, p. 905, 906.

Atclodesmis Thoms. Classif. Ceramb. 1860, p. 41, 62.
octomaculata Buq. Archives Ent. I, 1857, p. 337. — Brasilien
Thoms. Syst. Ceramb. 1864, p. 124. — La-
cord. Gen. Col. IX, 1872, p. 907.

1

Zenicomus Thoms.

Thoms. Physis II, 1869, p. 190, 194. — Lacord. Gen. Col. IX, 1872,
p. 882, 889. — Bates, Ann. Mag. Nat. Hist. (5) VIII, 1881, p. 144.

lamproides Bates, l. c. (3) XVII, 1866, p. 302 (237) Rio Janeiro
nota; Biol. Centr.-Amer. Col. V, 1885, p. 424.
photuroides Thoms. Physis II, 1869, p. 194. — La- Brasilien
cord. Gen. Col. IX, 1872, p. 889.

2

Hastatis Buq.

Buq. Archives Ent. I, 1857, p. 338. — Thoms. Classif. Ceramb.
1860, p. 41; Syst. Ceramb. 1864, p. 401. — Bates, Ann. Mag. Nat.
Hist. (3) XVII, 1866, p. 299 (234). — Lacord. Gen. Col. IX, 1872,
p. 905, 907.

auricollis Buq. Archives Ent. I, 1857, p. 339. — Brasilien
Redtenb. Reise Novara, Col. 1868, p. 186,
t. 5, f. 6. — Bates, Biol. Centr.-Amer. Col.
V, 1885, p. 424.

- denticollis** Buq. Archives Ent. I, 1857, p. 338. Brasilien
femoralls Burm. Stett. Ent. Zeit. XXVI, 1865, p. 181. Mendoza
galerucoides Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 299 (235). Amazonas:
 Santarem
signaticornis Buq. Archives Ent. I, 1857, p. 339. Cayenne
viridescens Buq. l. c. p. 337. — Thoms. Physis II, 1869, p. 108. — Lacord. Gen. Col. IX, 1872, p. 625, nota 1. Brasilien

6

Callia Serv.

- Serv. Ann. Soc. Ent. France IV, 1835, p. 60. — Cast. Hist. Nat. Col. II, 1840, p. 486. — Thoms. Classif. Ceramb. 1860, p. 43; Syst. Ceramb. 1864, p. 401. — Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 300 (235). — Lacord. Gen. Col. IX, 1872, p. 905, 908. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 423.
 subg. *Mimolaia* Bates, l. c. p. 424.

Subg. Callia s. str.

Bates, l. c. p. 423.

- ✓ **albicornis** Bates, l. c. p. 424, t. 25, f. 14. Panama
ambigua Bates, l. c. p. 424. Mexico
Argodi Belon, Revue d'Ent. XXII, 1903, p. 74. Bolivia
axillaris Dalm. Analecta Ent. 1823, p. 69. — Germ. Brasilien
 Ins. Spec. Novae 1824, p. 485. — Newm. Entomol. I, 1840, p. 14.
azurea Serv. Ann. Soc. Ent. France IV, 1835, p. 60. "
 — Cast. Hist. Nat. Col. II, 1840, p. 486.
boliviana Belon, Revue d'Ent. XXII, 1903, p. 72. Bolivia
cana Germ. Ins. Spec. Novae 1824, p. 483. Brasilien
chrysomelina Pasc. Trans. Ent. Soc. Lond (2) V, 1859, p. 45. — Bates, Ann. Mag. Nat. Hist. Amazonas:
 (3) XVII, 1866, p. 300 (235). Ega
cleroides Bates, l. c. p. 301 (237).
criocerina Bates, l. c. p. 300 (236). S. Paulo
flavofemorata Cast. Hist. Nat. Col. II, 1840, p. 486. Brasilien
 ✓ **fulvoelucta** Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 300 (235); Biol. Centr.-Amer. Col. V, 1881, p. 195, t. 15, f. 19. Amazonas:
 Santarem;
 Nicaragua,
 Guatemala
 Mexico
lycoides Bates, l. c. p. 301 (236). S. Paulo
purpureipennis Gistel, Naturg. 1848, p. 431. Brasilien
xanthomera Redtenb. Reise Novara, Col. 1868, p. 185. Rio Janeiro

Subg. Mimolaia Bates.

- Buckleyi** Bates, Biol. Centr.-Amer. Col. V, 1885, p. 424 Bolivia
 nota. — Belon, Revue d'Ent. XXII, 1903, p. 75, 76.
 var. *varicornis* Belon, l. c. p. 76. "
 ✓ **calopteron**a Bates, Biol. Centr.-Amer. Col. V, 1885, Panama
 p. 424.
halticoides Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 301 (236). Amazonas:
 Ega

- Fauveli** Thoms. Bull. Soc. Linn. Normand. II, 1867, p. 203, nota 1, t. 1, f. 16. — Fauvel, Revue d'Ent. XXV, 1906, p. 94. Insel Lifu?
19

Asemolea Bates.

- Bates, Biol. Centr.-Amer. Col. V, 1881, p. 194.
crassicornis Bates, Biol. Centr.-Amer. Col. V, 1881, p. 194. Mexico, Brit. Honduras
minuta Bates, Trans. Ent. Soc. Lond. 1872, p. 238; Nicaragua
 Biol. Centr.-Amer. Col. V, 1885, p. 423.
purpuricollis Bates, l. c. p. 423, t. 25, f. 13. Panama
setosa Bates, l. c. 1881, p. 194. Guatemala
 4

Drycothaea Thoms.

- Thoms. Physis II, 1868, p. 145. — Lacord. Gen. Col. IX, 1872, p. 905, 908.
Drycothaea Bates, Biol. Centr.-Amer. Col. V, 1881, p. 193.
cribrata Bates, Biol. Centr.-Amer. Col. V, 1881, p. 194. Mexico, Guatemala
curtula Bates, l. c. 1885, p. 423. Panama
guadeloupensis Fleutiaux & Sallé, Ann. Soc. Ent. France (6) IX, 1889, p. 473. Guadeloupe
parva Bates, Biol. Centr.-Amer. Col. V, 1885, p. 423. Panama
Salléi Thoms. Physis II, 1868, p. 145. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 422. Mexico, Guatemala, Brit. Honduras
spretta Bates l. c. p. 422. Mexico
stictica Bates, l. c. 1881, p. 193. Mexico, Guatemala, Brit. Honduras, Panama
 var. *lepidiota* Bates, l. c. 1885, p. 422. Mexico
testaceipes Bates, l. c. 1881, p. 193. Guatemala
 8

Graminea Thoms.

- Thoms. Syst. Ceramb. 1864, p. 329, 394. — Lacord. Gen. Col. IX, 1872, p. 905, 909.
tomentosa Thoms. Syst. Ceramb. 1864, p. 330. Brasilien
 1

XCIV. Hebestolini.

- Lacordaire, Gen. Col. IX, 1872, p. 849, 910. — Bates, Biol. Centr.-Amer. Col. V, 1881, p. 192.

Helmina Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 516.
pilipennis Blanch. l. c. p. 517, t. 30, f. 9. — Fairm. Chile & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 527.
 1

Cymatonycha Bates.

Bates, Trans. Ent. Soc. Lond. 1874, p. 234; Biol. Centr.-Amer. Col. V, 1881, p. 192.

castanea Bates, Trans. Ent. Soc. Lond. 1874, p. 234; Nicaragua, Biol. Centr.-Amer. Col. V, 1881, p. 193, t. Guatemala 15, f. 13.

1

Hebestola Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 513. — Thoms. Classif. Ceramb. 1860, p. 43, 73; Syst. Ceramb. 1864, p. 394. — Lacord. Gen. Col. IX, 1872, p. 911.

annulipes Belon, Bull. Soc. Ent. France 1897, p. 187. Bolivia

apicalis Fairm. & Germain, Ann. Soc. Ent. France Chile (3) VII, 1859, p. 529.

bonariensis Thoms. Physis II, 1868, p. 127.

Buenos Aires

candicans Goun. Bull. Mus. Paris XVI, 1910, p. 19.

Ecuador

carcharias Lameere, Ann. Soc. Ent. France LXII, Venezuela 1893, p. 277.

concolor F. Suppl. Ent. Syst. 1798, p. 149; Syst. Patria? Eleuth. II, 1801, p. 337.

costipennis Lameere, Ann. Soc. Ent. France LXII, Venezuela 1893, p. 277.

gracilis Lameere, l. c. p. 277.

humeralis Blanch. in Gay, Hist. Chile V, 1851, p. Chile²

514, t. 30, f. 6. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 528.

Jörgenseni Bruch, Rev. Mus. La Plata XVIII, 1911, p. 177. Misiones

macilenta Goun. Bull. Mus. Paris XVI, 1910, p. 18. Ecuador

parvula Blanch. in Gay, Hist. Chile V, 1851, p. 514. Chile

— Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 528.

petrosa Blanch. in Gay, Hist. Chile V, 1851, p. 515, t. 30, f. 7. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 528.

taeniata Belon, Revue d'Ent. XXII, 1903, p. 71.

Bolivia

vitticollis Blanch. in Gay, Hist. Chile V, 1851, p. Chile

515. — Fairm. & Germain, Ann. Soc. Ent. France (3) VII, 1859, p. 528.

15

Nyctonympha Thoms.

Thoms. Physis II, 1868, p. 127. — Lacord. Gen. Col. IX, 1872, p. 911, 912. — Auriv. Arkiv f. Zool. XIII, 9, 1920, p. 41—43 (Revisio).

annulata Auriv. Öfvers. Vet. Akad. Förh. LVII, Venezuela 1900, p. 420; Revis. p. 42.

cribrata Thoms. Physis II, 1868, p. 128. — Lacord. Gen. Columbien Col. IX, 1872, p. 912. — Auriv. Revis. p. 42.

flavipes Auriv. Revis. p. 41.

Bolivia

glauca Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, Venezuela p. 420.

rufipes Auriv. Revis. p. 41.

Rio Janeiro

setulosa Auriv. Revis. p. 42.

6

Bactriola Bates.

Bates, Biol. Centr.-Amer. Col. V, 1885, p. 421.

paupercula Bates, l. c. p. 422.

Panama

vittulata Bates, l. c. p. 421, t. 25, f. 12.Panama,
Venezuela,
Brasilien

2

Saepiseuthes Thoms.Thoms. Physis II, 1868, p. 140. — Lacord. Gen. Col. IX, 1872,
p. 911, 912.**chilensis** Thoms. Physis II, 1868, p. 141. — Lacord. Chile
Gen. Col. IX, 1872, p. 913.

1

Gisostola Thoms.Thoms. Physis II, 1868, p. 125. — Lacord. Gen. Col. IX, 1872,
p. 911, 913.**melancholica** Thoms. Archives Ent. I, 1857, p. 304. Brasilien
— Lacord. Gen. Col. IX, 1872, p. 913.**tessellata** Thoms. Physis II, 1868, p. 126.

2

Udamina Thoms.Thoms. Physis II, 1868, p. 124. — Lacord. Gen. Col. IX, 1872,
p. 911, 913.**Leprieuri** Thoms. Physis II, 1868, p. 125. — Lacord. Cayenne
Gen. Col. IX, 1872, p. 914.

1

Igualda Thoms.Thoms. Physis II, 1868, p. 144. — Lacord. Gen. Col. IX, 1872,
p. 911, 914.**posticalis** Thoms. Physis II, 1868, p. 144. — Lacord. Cayenne
Gen. Col. IX, 1872, p. 914.

1

Eumathes Pasc.Pasc. Journ. of Ent. I, 1862, p. 354. — Bates, Ann. Mag. Nat. Hist.
(3) XVII, 1866, p. 296. — Lacord. Gen. Col. IX, 1872, p. 911, 914.*Sinamora* Thoms. Physis II, 1868, p. 113.**amazonicus** Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas:
1866, p. 297 (232). Ega**colombicus** Thoms. Physis II, 1868, p. 114. Columbien**cuprascens** Bates, Trans. Ent. Soc. Lond. 1874, p. Nicaragua
233; Biol. Centr.-Amer. Col. V, 1881, p.
192, t. 15, f. 17.**ostola** Lameere, Ann. Soc. Ent. France LXII, 1893, Venezuela
p. 278.**subcostatus** Thoms. Physis II, 1868, p. 114. Brasilien**undatus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, "
p. 251. — Lacord. Gen. Col. IX, 1872, p. 915.

6

XCV. Gryllicini.

Lacordaire, Gen. Col. IX, 1872, p. 849, 902.

Gryllica Thoms.

Thoms. Classif. Ceramb. 1860, p. 120. — Lacord. Gen. Col. IX, 1872, p. 903.

flavopustulata Thoms. Classif. Ceramb. 1860, p. 121. Brasilien
plecta Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 263. Espiritu Santo

2

Chalcolyne Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 297 (232). — Lacord. Gen. Col. IX, 1872, p. 904.

metallica Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Amazonas:
p. 263. — Bates, Ann. Mag. Nat. Hist. (3) Ega
XVII, 1866, p. 298 (233). — Lacord. Gen. Col. IX, 1872, p. 904.

1

Eumimesis Bates.

Bates, Ann. Mag. Nat. Hist. (3) XVII, 1866, p. 298 (233). — Lacord. Gen. Col. IX, 1872, p. 904.

heilipoides Bates, Ann. Mag. Nat. Hist. (3) XVII, Amazonas:
1866, p. 298 (234). — Lacord. Gen. Col. IX, S. Paulo
1872, p. 905.

1

XCVI. Didymonychini.

Aurivillius, Arkiv f. Zool. XIV, 18, 1922, p. 31.

Didymonycha Auriv.

Auriv. Arkiv f. Zool. XIV, 18, 1922, p. 31.

singularis Auriv. l. c. p. 32, fig. 111, 112. Peru: Puna

1

Nicht gedeutete Arten.

(Vergl. auch Seite 488.)

- ambulator** F. Syst. Ent. 1775, p. 171; Spec. Ins. I, Luzon
1781, p. 217; Mant. Ins. I, 1787, p. 136; Ent.
Syst. I, 2, 1792, p. 268; Syst. Eleuth. II,
189, p. 282. — Goeze, Ent. Beytr. I, 1777,
p. 469. — Gmel. in L. Syst. Nat. ed. 13, I,
4, 1790, p. 1828. — *Lamia*.
— Petiver, Gazophyl. t. 37, f. 6.
- annulata** F. Syst. Eleuth. II, 1801, p. 300. — Ill. Südamerika
Mag. Insektenk. V, 1806, p. 238. — *Lamia*.
- annulicornis** Kirby, Trans. Linn. Soc. Lond. XII, Brasilien
1818, p. 439; Isis XIV, 1824, p. 125; Cent.
d'Ins. 1834, p. 64. — *Lamia*.
- atomarla** Ol. Ent. IV, nr. 67, 1795, t. 11, f. 74 (nicht Patria?
die Beschreib.) — *Lamia*.
- aureolus** Voet, Cat. Col. II, 1778, p. 20, t. 18, f. 84. „Europa“
— *Cerambyx*.
- bidens** F. Syst. Ent. 1775, p. 177; Spec. Ins. I, 1781, Neuholland
p. 225; Mant. Ins. I, 1787, p. 142; Ent. Syst.

- I, 2, 1792, p. 292; Syst. Eleuth. II, 1801, p. 304. — Goeze, Ent. Beytr. I, 1777, p. 472. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1829. — *Lamia*.
- billineata** Scop. Annus Hist. Nat. V, 1772, p. 102. — Krain
Goeze, Ent. Beytr. I, 1777, p. 505. — Gmel.
in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1878.
— *Leptura*. — *Phytoecia?* *Agapanthia?*
- bituberculata** Gistel & Bromme, Naturg. 1848, p. Brasilien
429. — *Dryana* Gistel & Bromme, l. c.
- calcarata** Megerle, Cat. Ins. Append. 1802, p. (8) Georgien
nr. 344. — *Lamia*.
- carbonarius** Scop. Ent. Carn. 1763, p. 56, nr. 178. — Krain,
Cerambyx. — Schrank, Fauna Boica I, 1798, p. Bayern
670 (*Saperda*).
- cincta** Fischer, Museum Demidoff III, 1806, p. 44; Ostindien
Ferrusac, Bull. XIX, 1829, p. 326. — *Lamia*.
- clavatus** Poda, Mus. Graec. 1761, p. 35. — *Cerambyx*. Steiermark
coerulescens Voet, Cat. Col. II, 1778, p. 14, t. 13, „In Indiis“
f. 52; ed. Panzer III, 1794, p. 36, t. 13, f. 52.
— *Cerambyx*.
- corruscus** Gistel & Bromme, Naturg. 1848, p. 430. Senegal
— *Terambus* Gistel & Bromme, l. c.
- cretifera** Hope in Gray, Zool. Misc. 1831, p. 27. — Nepal
Lamia.
- cylindricollis** F. Syst. Eleuth. II, 1801, p. 316. — *Gnoma*. Sumatra
dentipes Newm. Entomol. I, 1842, p. 383. Philippinen
- depressus** Poda, Mus. Graec. 1761, p. 35. — *Cerambyx*. Steiermark
- fasciatus** Voet, Cat. Col. II, 1778, p. 18, t. 17, f. 76; Amerika
ed. Panzer III, 1794, p. 46, t. 17, f. 76. —
Cerambyx.
- formosus** Gronov. Zoophyl. p. 163, nr. 543, index, Patria?
1781. — *Cerambyx*.
- globosus** Voet, Cat. Col. II, 1778, p. 17, t. 16, f. 70; „Indien“
ed. Panzer III, 1794, p. 44, t. 16, f. 70. —
Cerambyx.
- granulatus** Blumenb. Handb. Naturg. ed. 2, 1782, p. Deutschland
333. — *Cerambyx*.
- haemorrhoidalis** F. Ent. Syst. IV, 1794, p. 453; Syst. Italien
Eleuth. II, 1801, p. 330. — *Saperda*. —
Phytoecia?
- ignava** Newm. Entomol. I, 1842, p. 383. — *Micro-* Philippinen
lophia n. nud.
- juvencus** L. Syst. Nat. ed. 12, 1767, p. 631. — Müller, Amerika
Natur. V, 1, 1774, p. 446. — F. Syst. Ent.
1775, p. 169; Spec. Ins. I. 1781, p. 216;
Mant. Ins. I, 1787, p. 135; Ent. Syst. I, 2,
1792, p. 264; Syst. Eleuth. II, 1801, p. 280.
— Goeze, Ent. Beytr. I, 1777, p. 446. —
Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p.
1826. — *Cerambyx*.
- lateritia** Hope in Gray, Zool. Misc. 1831, p. 27. — Nepal
Lamia.
- lugubris** Voet, Cat. Col. II, 1778, p. 10, t. 8, f. 23; Patria?
ed. Panzer III, 1794, p. 22, t. 8, f. 23. —
Cerambyx.
- m o e s t a* Schönh. Synon. Ins. I, 3, 1817, p. 396.
- lunaris** Ol. Ent. IV, nr. 68, 1795, p. 7, t. 2, f. 21. — Ostindien
Saperda.

- Inteus** Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1836. — *Cerambyx*. — Zschach, Mus. Lesk. 1788, p. 535. — *Lamia*. Patria?
- myllanus** Florencourt in Meyer, Zool. Archiv I, 1796, p. 227. — *Cerambyx*. Deutschland
- myriada** Gistel & Bromme, Naturg. 1848, p. 430. — *Rangifer* Gistel & Bromme, l. c. Afrika
- nebulosus** Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 77; Hist. Ins. ed. 2, I, 1799, p. 526. — *Cerambyx fusco-nebulosa* Schönh. Synon. Ins. I, 3, 1817, p. 379. — *Lamia*. Paris
- nlgricornis** Tigny, Hist. Nat. Ins. 2, VII, 1813, p. 306; ed. 3, IV, 1828, p. 378. — *Saperda*. Patria?
- notata** F. Mant. Ins. I, 1787, p. 139; Ent. Syst. I, 2, 1792, p. 283; Syst. Eleuth. II, 1801, p. 298. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1836. — *Lamia*. Cayenne
- obscura** F. Ent. Syst. Suppl. 1798, p. 144; Syst. Eleuth. II, 1801, p. 290. — *Lamia*. Nordamerika
- pellucida** Newm. Entomol. I, 1842, p. 383. Philippinen
- petechizaus** Voet, Cat. Col. II, 1778, p. 17, t. 17, f. 72; ed. Panzer III, 1794, p. 45, t. 17, f. 72. — *Cerambyx*. — *Tybalmia?* Amerika
- punctatissima** Boisd. Voy. Astrolabe, Ent. II, 1835, p. 504, t. 9, f. 15. — *Lamia*. Neuguinea
- punctulatus** Donovan. Ins. New Holl. 1805, t. 5, f. 6. — *Clytus*. Sydney
- pyriticosus** Poda, Mus. Graec. 1761, p. 35. — *Cerambyx*. Steiermark
- quadripunctata** F. Syst. Eleuth. II, 1801, p. 278. — *Cerambyx*. Südamerika
- saltator** Petagna, Instit. Ent. I, 1792, p. 232. — *Lamia*; wohl nicht *saltator* F. Italien
- serraticornis** Voet, Cat. Col. II, 1778, p. 23, t. 21, f. 106; ed. Panzer III, 1794, p. 61, t. 21, f. 106. — *Cerambyx*. Europa
- sexmaculata** Thoms. Syst. Ceramb. 1864, p. 325. — *Camira*. — Genus et species fictitia sec. Rits. Notes Leyd. Mus. XIV, 1902, p. 54.
- spinifera** F. Ent. Syst. I, 2, 1792, p. 275; Syst. Eleuth. II, 1801, p. 292. — *Lamia*. Südamerika
- stigma** F. Syst. Eleuth. II, 1801, p. 301. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 524. — *Lamia*. Inseln des Stillen Meeres
- tau** Fröl. Naturf. XXVI, 1792, p. 140. — Schreb. l. c. XXIX, 1802, p. 124, t. 3, f. 14. — *Cerambyx*. Virginien
- undata** F. Ent. Syst. I, 2, 1792, p. 270; Syst. Eleuth. II, 1801, p. 286. — Ol. Ent. IV, nr. 67, 1795, p. 80, t. 4, f. 26. — *Lamia*. Patria?
- vaginator** F. Mant. Ins. I, 1787, p. 136; Ent. Syst. I, 2, 1792, p. 268; Syst. Eleuth. II, 1801, p. 285. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1832. — *Lamia*. Ostindien
- varia** F. Syst. Eleuth. II, 1801, p. 301. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 524. — *Lamia*. Inseln des Stillen Meeres
- verrucosus** Voet, Cat. Col. II, 1778, p. 24, t. 21, f. 107; ed. Panzer III, 1794, p. 61, t. 21, f. 107. — *Cerambyx*. Europa
- granatus** Schönh. Syn. Ins. I, 3, 1817, p. 396.

- villosa** F. Syst. Eleuth. II, 1801, p. 302. — Boisd. Inseln
 Voy. Astrolabe, Ent. II, 1835, p. 525. — Australiens
Lamia.
- volvulus** F. Mant. Ins. I, 1781, p. 150; Ent. Syst. I,
 2, 1792, p. 316; Syst. Eleuth. II, 1801, p.
 330. — Gmel. in L. Syst. Nat. ed. 13, I, 4,
 1790, p. 1839. — *Saperda.* Cayenne

52

7654

Nachträge und Verbesserungen.

- p. 9. **Styehus** Lacord. = **Microtragus** Thoms.
 nach Lea, Trans. R. Soc. S. Austral. XLI,
 1917, p. 619.
- " **Microtragus** Thoms. — Lea, l. c. p. 619—
 625 (Revisio).
- " **Styehus amycteroides** = **Microtragus luc-**
tuosus Lea, Revis. p. 619.
- " **M. albidus, junctus und maculatus** gehören
 zu **senex**, Lea, l. c. p. 621.
- " **M. sticticus** = **arachne** var. Lea, l. c. p. 622.
- " **M. assimilis** = **mormon** Lea, l. c. p. 622.
- p. 54. **Dorcadion atlantis** Bedel, Bull. Soc. Ent.
 France 1921, p. 60. Marokko:
 Atlas
- p. 66. **Dorcatypus tristis** L.
 ab. *divisa* Pic, Echange XXXVII, 1921, p. 5. Südeuropa
 ab. *interrupta* Pic, l. c. p. 5. "
 ab. *obliterata* Pic, l. c. p. 5. "
 ab. *posticalis* Pic, l. c. p. 5. "
- p. 70. **Lamia** F. — Westw. Introd. Classif. Ins.
 II, 1840, Synops. Gen. p. 41.
- p. 77. **Nemophas Rosenbergi** Rits.
 var. *Ramosi* W. Schultze, Philipp. Mindanao
 Journ. Sc. XVI, 1920, p. 193, t. 2, f. 2.
- p. 79. **Meges marmoratus** Westw. — Stebbing,
 Ind. Forest Ins. 1914, p. 371, fig. 248.
- " **Psacothoa hilaris** Matsum. streichen.
- p. 85. **Dihammus** streichen. Vergl. p. 97.
- p. 95. **beryllinus** Hope streichen. Vergl. p. 107.
- " **griseonotatus** Pic, Echange XXXVII, 1921, p. 6. Japan
 p. 96. **kinganus** Pic, l. c. p. 6. China
- " **nivosus** White. — Stebbing, Ind. Forest
 Ins. 1914, p. 357, fig. 243 (mit Biologie).
- p. 103. **praeclarus** Bates. — Belt, Natural. Nicarag.
 1874, p. 380, tab. f. 5.
- p. 104. **nivea** Bates. — Belt, Natural. Nicarag. 1874,
 p. 380, tab. f. 4.
- p. 110. **Ceolosterna** Gemm. & Har. Cat. Col. X, 1873,
 p. 3024.
- p. 111. **scabrator** F.
scabrata Stebbing, Ind. Forest Ins. 1914,
 p. 358, t. 25 (mit Biologie).
- p. 120. **Pharsalia mindanaoensis** W. Schultze, Mindanao
 Philipp. Journ. Sc. XVI, 1920, p. 197,
 t. 1, f. 7.
- p. 125. **Batocera numitor** var. *ferruginea* Thoms.
titana Stebbing, Ind. Forest Ins. 1914,
 p. 367, fig. 245—247 (mit Biologie).

- p. 126. **Batocera rubus** L.
albofasciata Stebbing, Ind. Forest Ins. 1914, p. 366, fig. 244.
- p. 127. **Batocera rufomaculata** De Geer.
rubra Stebbing, Ind. Forest Ins. 1914, p. 362, t. 26, 27 (mit Biologie).
- p. 131. **Apriona cinerea** Chev. — Stebbing, Ind. Forest Ins. 1914, p. 374.
" **Apriona Germari** Hope. — Stebbing, l. c. p. 371, fig. 249 (mit Biologie).
- p. 135. **Anacyclus vicarius** Heller, Philipp. Journ. Mindanao
Sc. XIX, 1921, p. 538, t. 1, f. 8.
- p. 136. **Planodes simplicicornis** Heller, Philipp. Mindanao
Journ. Sc. XIX, 1921, p. 537, t. 1, f. 13.
" **Mesosa Latr.** — Westw. Introd. Classif. Ins. II, 1840, Synops. Gen. p. 41.
- p. 144. **Choeromorpha violaceicornis** Heller, Philipp. Luzon
Journ. Sc. XIX, 1921, p. 540.
- p. 156. **Bothynoscelis tridentata** Auriv. — Sjöstedt,
I Västafrikas Urskogar 1904, p. 440, fig.
- p. 159. **Prosopocera virescens** Ol. gehört nach Lesne,
Nouv. Archiv. Mus. Paris (5) VI (1914),
1919, p. 1, 17, 18 zur Gattung *Phosphorus*.
- p. 162. **Bangalala callosa** Auriv. — Sjöstedt, J.
Västafrikas Urskogar 1904, 173, fig.
- p. 172. **Phosphorus** Thoms. — Lesne, Nouv. Archiv.
Mus. Paris (5) VI (1914), 1919, p. 1–24, t.
1 (Synopsis.)
" **Phosphorus angolator** Ol. — Lesne, l. c. p.
18, 23, t. 1, f. 29, 30.
" **Phosphorus congolauus** Lesne, l. c. p. 18, 23, Congo
t. 1, f. 27, 28.
" **Phosphorus gabonator** Thoms. — Lesne, l.
c. p. 17, 21, t. 1, f. 14–26.
" **Phosphorus Jansoui** Chev. — Lesne, l. c.
p. 17, 21, t. 1, f. 11–13.
" **Phosphorus unicolor** Auriv. — Lesne, l. c.
p. 17, 18, t. 1, f. 1.
" **Phosphorus virescens** Ol. — Lesne, l. c.
p. 17, 18, t. 1, f. 4, 5.
var. *lambda* Lesne, l. c. p. 17, 20, fig. 18, Dahomey
t. 1, f. 6–10.
" var. *nimbatus* Lesne, l. c. p. 17, 19, fig. Ashanti bis
17, t. 1, f. 2, 3. Niger
- p. 181. **Charlesthes tripunctata**. — Sjöstedt, J. Väst-
afrikas Urskogar, 1904, p. 486, fig.
- p. 183. **Diastocera Wallichi** Hope. — Stebbing, Ind.
Forest Ins. 1914, p. 376 (mit Biologie).
- p. 186. **Ceroplesis elgonensis** Auriv. in Lovén,
Kring Mount Elgon 1921, p. 93, fig. 3.
- p. 210. **Xylorhiza adusta** Wiedem. — Stebbing,
Ind. Forest Ins. 1914, p. 376, fig. 251 (mit
Biologie).
- p. 214. **Olenecamptus blobus** F. — Stebbing, l. c.
p. 375, fig. 250 (mit Biologie).
- " **Olenecamptus** sp. — Stebbing, l. c. p. 375.
- p. 218. **Nyctimene** Thoms. — Auriv. Arkiv f. Zool.
XIV, 18, 1922, p. 20–21 (Synopsis).

- p. 218. *Nyctimene ochraceovittata* Auriv. l. c. p. 19. Philippinen,
Borneo
" " *palavanica* Auriv. l. c. p. 21. Palawan
" " *subsericea* Pasc. — Auriv. l. c.
p. 21.
" *Nyctimene varicornis* F. — Auriv. l. c. p. 20.
" *vittata* Pasc. — Auriv. l. c. p. 20.
p. 219. *Micromulciber ochrosignatus* Heller, Philippinen
Philipp. Journ. Sc. XIX, 1921, p. 539, t. 2, f. 1.
p. 221. *Heteroclytomorpha davaona* Heller, l. c. p. Mindanao
538, t. 2, f. 5 ♀.
p. 247. Als Synonym von *Abryna* einzuführen;
Habryna Gemm. & Har. Cat. Col. X, 1873,
p. 3076.
p. 248. *Niphonoclea panayana* W. Schultz, Philipp. Philippinen:
Journ. Sc. XVI, 1920, p. 198, t. 1, f. 3. Panay
" *Niphonoclea siargaona* W. Schultz, l. c. XV, Philippinen
1919, p. 547, fig. 1 a.
" *Niphonoclea tagala* Heller.
var. *rufofasciata* W. Schultz, l. c. p. "
547, fig. 1 b.
" var. *tricolor* Heller, l. c. XIX, 1921, p. 540. Mindanao
" *Niphonoclea variolosa* W. Schultz, l. c. Philippinen:
XVI, 1920, p. 198, t. 1, f. 9. Panay
" *Acronia? decimaculata* W. Schultz, l. c. Mindanao
XV, 1919, p. 548, t. 1, f. 17.
p. 261. *Doliops humerosus* Heller, l. c. XIX, 1921, "
p. 536, t. 2, f. 2.
" var. *subfasciatus* Heller, l. c. p. 536. "
" *Doliops siargaonensis* W. Schultz, l. c. XV, Philippinen
1919, p. 548, t. 1, f. 2.
p. 270. *Pentheapardalis* Newm. — Lea, Trans. R. Soc. S. Austral. XLI, 1917, p. 619, t. 36, f. 84 (var.).
p. 271. *Sthenias grisator* F. — Stebbing, Ind. Forest Ins, 1914, p. 377, fig. 252 (mit Biologie).
p. 279. *Apomecyna binubila* Pasc. Biologie: Fuller, Union of S. Africa, Dep. of Agric. Divis. of Ent. Pretoria, nr. 68, 1914, p. 3, figg.
p. 282. *Hyagnis fistularius* Pasc. — ?Stebbing, Ind. Forest Ins. 1914, p. 355, fig. 242. Bombay
p. 284. *Eunidia philippinarum* Auriv. Arkiv f. Zool. Mindanao
XIV, 18, 1922, p. 21.
p. 285. *Enaretta conifera* Auriv. l. c. p. 21. Deutsch-Ostafrika
p. 287. *Asaperda rufipes* Bates. Japan
var. *reniformis* Pic, Longic. VI, 1907, p. 22.
p. 289. Statt *concors* lies *consors*.
p. 295. *Bisaltes Batesi* nom. n. Panama:
sp. Bates, Biol. Centr.-Amer. Col. V, 1885, Chiriqui
p. 346.
p. 302. Als Synonym von *Bityle* einzutragen:
Bitylissa Thoms. Physis II, 1868, p. 201.
p. 310. Zwischen *Cylindilla* und *Esmia* einzutragen:
Argodia Belon.
Belon, Ann. Soc. Ent. France 1891, Bull. p. 54.
Grouvellei Belon, l. c. p. 54. Mexico
p. 326. *Pogonocheerus* Zett. — Westw. Introd. Classif. Ins. II, 1840, Synops. Gen. p. 41.

- p. 331. *hispidus* L. — J. Müller, Kol. Rundschau IX, 1921, p. 65.
- p. 353. *Aulaconotus pachypezoides* Thoms.
hilaris Matsum. Thous. Ins. Japan III, 1908, nr. 688, t. 52, f. 3.
- p. 357. *Hippopsis prona* Bates, Ann. Mag. Nat. Hist. S. Paulo (3) XVII, 1866, p. 41.
- p. 368. *Chalastinus rubrocinctus* Bates. — Belt, Natural. Nicarag. 1874, p. 380, tab. f. 6.
„ *Gymnocerus Belti* Bates. — Belt, l. c. p. 380, tab. f. 2.
- p. 372. *Polyraphis Fabricii* Bates. — Belt, l. c. p. 380, tab. f. 3.
- p. 378. *Aegoschema* n. nom.
Aegomorphus Thoms. (nec Hald. 1847).
- p. 391. *Tenthras* Thoms. streichen. Vergl. p. 420.
- p. 404. *Lciopus* Serv. — Westw. Introd. Classif. Ins. II, 1840, Synops. Gen. p. 41.
- p. 422. Als Synonym von *Graphisurus* einzuführen:
Graphidurus Gemm. & Har. Cat. Col. X, 1873, p. 3160.
- p. 434. *Acanthocinus nodosus* F. — Aldrich, Ann. Report Smiths. Instit. 1919 (1921?) p. 377, t. 8, f. 5.
- p. 443. *Exocentrus Stierlini* Ganglb. Auch in Sibirien.
- p. 448. Statt *Mesomomus lies* *Nesomomus*.
- p. 456. *Carneades superba* Bates. — Belt, Natural. Nicarag. 1874, p. 380, tab. f. 8.
- p. 459. *Agapauthia Angelicae* Reitter (non angelica). — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 22 (als „Phytoecia“!!)
- p. 483. *Saperda candida* F. — Biologie: Kellogg, Amer. Ins. 1905, p. 285, fig. 396. — Brooks, U. S. Departm. Agriculture, Farmers Bull. nr. 675, 1919, 20 pg. — Becher, Ent. News XXX, 1919, p. 24.
- p. 492. *Zosne cachila* Heller, Philipp. Journ. Sc. Mindanao XIX, 1921, p. 535, t. 1, f. 12.
- p. 499. *Glenea multiguttata* Guér. — Stebbing, Ind. Forest Ins. 1914, p. 378, fig. 253 (mit Biologie).
- p. 509. *Glenea spilota* Thoms. — Stebbing, l. c. p. 379 (mit Biologie).
- p. 541. *Chlorisanis benguetanus* W. Schultze, Philipp. Journ. Sc. XVI, 1920, p. 199, t. 1, f. 2. Luzon
- p. 514. *Nupserha apicalls* Fahr. — Biologie: Fuller, Union S. Afr. Dep. Agric. Divis. Ent. nr. 68, 1914, p. 5.
- p. 557. *Phytoecia caerulea* Scop. (*rufimana*). — Biologie: Heikertinger, Kol. Rundschau IX, 1921, p. 88.
- p. 577. *Tetraopes tetrophthalmus* Forster (*tetrophthalmus*). — Kellogg, Amer. Ins. 1905, p. 284, t. 2, f. 10.

Index.

Tribus, Genera, Subgenera.

- | | | |
|------------------------------|-----------------------------|-----------------------------|
| Abaraeus 208 | <i>Aemylus</i> 427 | <i>Amblesthidopsis</i> 303 |
| Abatocera 130 | <i>Aerenea</i> 338 | <i>Amblesthidus</i> 308 |
| Abryna 247 | Aereneini 338 | <i>Amblesthis</i> 308 |
| Acalolepta 440 | <i>Aerenica</i> 597 | <i>Amblymora</i> 280 |
| Acanista 390 | Aereneclini 596 | <i>Amblysaphes</i> 389 |
| Acanthestes 17 | <i>Aerenicopsis</i> 598 | <i>Amechana</i> 113 |
| Acanthocacia 142 | <i>Aeschopalaea</i> 216 | <i>Ameipsis</i> 449 |
| Acanthociuini 390 | <i>Aesopida</i> 148 | <i>Amesisa</i> 113 |
| <i>Acanthocinus</i> 428, 610 | <i>Aesylacris</i> 297 | <i>Amilia</i> 468 |
| Acanthoderes 384 | <i>Aethalodes</i> 65 | <i>Amillarus</i> 596 |
| Acanthoderini 376 | <i>Aethiopia</i> 298 | Amniscus 391 |
| <i>Acanthoderus</i> 384 | <i>Aethiopctines</i> 378 | <i>Amphicnaeia</i> 293 |
| <i>Acanthotritus</i> 367 | <i>Aetholopus</i> 210 | <i>Amphicnaeia</i> 297 |
| <i>Acartus</i> 440 | <i>Aethomerus</i> 379 | <i>Amphion</i> 356 |
| <i>Accola</i> 494 | <i>Agapanthia</i> 458, 610 | <i>Amphionycha</i> 588, 594 |
| <i>Acestrilla</i> 294 | Agapanthiini 458 | <i>Amphionychini</i> 584 |
| <i>Achriotypa</i> 264 | <i>Agapanthiola</i> 458 | <i>Amphistylus</i> 360 |
| <i>Achthophora</i> 122 | <i>Agaphantia</i> 458, 467 | <i>Amphoecus</i> 134 |
| <i>Acmocera</i> 211 | <i>Agelasta</i> 143 | <i>Anymoma</i> 218 |
| <i>Acmocerini</i> 211 | <i>Agelasta</i> 144 | Anymomilui 218 |
| <i>Aconodes</i> 10 | <i>Agennopsides</i> 288 | <i>Anacasta</i> 240 |
| <i>Aconopterus</i> 334 | <i>Agennopsis</i> 288 | <i>Anaches</i> 272 |
| <i>Acridocephala</i> 123 | <i>Agnia</i> 121 | <i>Anaerea</i> 468 |
| <i>Acridocera</i> 212 | Agniini 118 | <i>Anaesthetis</i> 315 |
| <i>Acridoschema</i> 212 | <i>Agnitogaster</i> 162 | <i>Anaesthetus</i> 315 |
| <i>Acroama</i> 359 | <i>Agnoderus</i> 113 | <i>Analeptes</i> 183 |
| Acrociniini 373 | <i>Alampyrus</i> 595 | <i>Anamera</i> 112 |
| <i>Acrocinus</i> 373 | <i>Albana</i> 273 | <i>Anammophas</i> 76 |
| <i>Acronia</i> 248, 609 | <i>Alcathous</i> 391 | <i>Anammus</i> 76 |
| <i>Acroptycha</i> 252 | <i>Alcidion</i> 393 | <i>Anancylus</i> 135, 608 |
| <i>Acrydocephala</i> 123 | <i>Ale</i> 259 | <i>Anandra</i> 359 |
| <i>Aderpas</i> 150 | <i>Aletretia</i> 294 | <i>Anapausa</i> 220 |
| <i>Adesmus</i> 588 | <i>Aliboron</i> 354 | <i>Anasthates</i> 581 |
| Adetini 288 | <i>Alicia</i> 588 | <i>Anatragus</i> 171 |
| <i>Adetus</i> 288 | <i>Alidus</i> 247 | <i>Anauxesida</i> 355 |
| <i>Aedilis</i> 428 | <i>Alloeooscelis</i> 325 | Anauxesini 217 |
| <i>Aegilopsis</i> 362 | <i>Allomicrus</i> 445 | <i>Anauxesis</i> 217 |
| <i>Aegocidnus</i> 447 | <i>Allostichus</i> 439 | <i>Ancita</i> 151 |
| <i>Aegomomus</i> 262 | <i>Alluaudia</i> 310 | Ancitini 151 |
| <i>Aegomorphus</i> 378 | <i>Alophia</i> 286 | <i>Ancylistes</i> 451 |
| <i>Aegomorphus</i> 384, 610 | <i>Alphinellus</i> 404 | Ancylostini 152 |
| <i>Aegoprepes</i> 363 | <i>Alphitopola</i> 160 | <i>Ancyλονotus</i> 153 |
| Aegoprepini 363 | <i>Alphus</i> 378 | <i>Anepius</i> 366 |
| <i>Aegoschema</i> 610 | <i>Alsiosus</i> 308 | <i>Aneptius</i> 366 |
| <i>Aelara</i> 249 | <i>Alyattes</i> 274 | <i>Anerpa</i> 11 |
| <i>Aemocia</i> 135 | <i>Amaurostoma</i> 523, 528 | <i>Anexodus</i> 10 |

- Anhammus 76
Anhomelix 201
 Anisocerini 366
 Anisocerus 369
 Anisopodus 396
Anisopus 396
Anomamomus 271
Anomoesia 282
 Anomonotes 235
 Anoplophora 78
Anoplostetha 157
Anoreina 376, 378
 Anthores83
 Anthriboscyla 145
 Antodice 598
 Anybostetha 161
 Apagomera 597
 Apalimna 152
Apamanta 343
 Apamauta 343
 Aparescus 176
 Apatelarthron 241
 Apechthes 457
 Aphalanthus 207
Aphelocnemis 137
Apheniastus 180
 Aphilesthes 598
Aphitopola 160
 Aphronastes 243
Aplocnemis 137
 Apocoptoma 351
Apodasia 309
 Apodasya 309
 Apodasynini 305
Apolia 224
 Apomecyna 278, 609
 Apomecynini 278
Apomecynini 288
 Apomempsis 18
Apophrena 359
 Aporataxia 291
 Apriona 131, 608
 Aprophata 261
Aprosopitae 360
 Aprosupus 362
 Archidice 74
 Arctolamia 73
 Argalia 468
 Argodia 610
 Arianida 239
 Aristobia 110
 Arrhenotus 223
Arrhostus 150
Arrostus 150
 Armatoosterna 177
Arsysia 229
 Asaperda 287
 Asemolea 601
 Assinia 18
- Aspurgus 365
 Astathes 581
Asthatitae 570
Astheneis 285
 Astylidius 398
 Astylopsis 398
Astynomus 427, 428, 434
 Astynoscelis 305
 Astyochochus 427
 Asyngenes 294
 Ataxia 291
 Ataxiini 291
 Atelais 299
 Atelodesmis 305
Atelodesmis 599
 Athemistus 11
Athenes 285
 Athylia 276
 Athyllus 356
 Atimiola 320
 Atimura 298
 Atimuropsis 294
Atmodes 248
 Atossa 149
 Atrichocera 363
 Atrypanius 411
 Atybe 273
Atyporis 262
 Aulaconotus 353, 610
Authades 213
 Auxa 10
 Axinyllium 277
 Axiothea 246
 Azygocera 383
- Bacchisa 494
 Bactriola 603
 Bacuris 349
 Baliesthes 179
 Bangalaia 162, 608
 Baraeini 206
 Baraeus 207
 Baryssinus 419
 Batocera 124, 125, 608
 Batocerini 123
 Batomena 85
Batrachorhina 147
Bebelis 362
Belotera 306
 Beloesthes 390
Beltista 419
 Biasmia 310
 Biobessa 244
 Bisaltes 295, 609
 Bityle 302
Bitylissa 610
 Bixadus 82
 Blabia 318
 Blabicentrus 449
- Blabinotus* 306
 Blapsilon 228
 Blax 2
 Blepephaeus 114
 Blepisanis 517
 Bothynoscelsis 156, 630
 Bourbonia 243
 Brachychilus 340
 Brachyhammus 83
 Brachyolene 215
 Brachyrhabdus 450
 Brachytatus 242
 Brachytritus 203
 Brimus 66
 Brullea 12
Bubalotragus 248
 Bucynthia 151
 Bumetopia 231
 Bumetopini 231
 Buprestomorpha 221
 Butocerysa 593
 Bybe 16
- Cacia 142
Caciomorpha 367
 Cacoplia 107
Cacoscapus 73
 Cacostola 351
 Cagosima 491
 Cairnsia 258
Calamobiomorphus 453
 Calamobius 357
 Callapoecus 390
 Callia 600
 Calliini 599
 Callimation 177
 Callimetopus 143
 Callipero 436
 Calliphenges 458
 Callipyrga 123
 Callophophora 78
 Callundine 495
 Calocosmus 593
 Calothyrza 203
 Calymnophis 136
 Camira 606
 Camptocnema 250
 Camptompyne 448
Canidia 410, 411
Canonura 428, 434
Cardoria 550, 551
 Carneades 456, 610
 Carpheolus 421
 Carphina 435
 Carphontes 413
 Carterica 457
 Catafimbria 260
 Catapausa 220
 Catataxia 291

Catharistes 395
 Cathopteron 591
 Cathexis 457
 Catognatha 318
 Cedeion 182
 Celosterna 110
 Cenodocus 251
 Centrua 10
 Cephalodina 593
 Ceraegidion 10
Ceratites 189
 Ceratographis 423
 Cereopsius 114
 Ceroplesini 183
 Ceroplesis 184, 608
 Chaetanes 421
 Chaetissus 422
 Chaetostigma 262
Chalarus 271
 Chalastinus 368, 610
 Chalcolyne 604
 Chariesthes 180, 608
 Chereas 599
 Cherentes 349
 Chlorisanis 511, 610
 Choeromorpha 143,
 144, 608
 Chreonoma 579
 Chreostes 201
 Chrysaperda 592
 Chydaeopsis 437
 Cincinnata 197
 Cirrhicera 592
 Cleodoxus 393
 Cleonaria 580
 Cleptomtopus 359
Clinia 182
Clinides 182
 Clodia 447
 Clontocerini 287
 Cloniocerus 287
 Clytemnestra 341
Clytemnestra 340
 Clythraschema 584
 Clytosemia 437
 Clyzomedus 148
 Cnemolia 155
 Cobelura 435
 Cobria 260
 Cochliopalpus 189
Cochliopselaphus 189
 Coedumea 335
 Coelosterna 607
 Coenopeus 391
 Collapteryx 19
 Colobothea 452
 Colobotheini 451
 Colobura 335
 Combe 119

Compsidia 468
 Compsodorcadion 22
 Compsosoma 337
 Comp-osomatini 336
Coniesthes 205
Coniozonia 546
 Conizonia 546
 Contoderus 445
 Coptops 145
 Coptosia 547
 Corestheta 16
Corethrophora 142
Cormia 274
 Cornallis 296
 Cornuscoparia 77
 Corrhenes 275
 Corus 313
 Corynofrea 278
Corynofreini 278
 Coscinesthes 116
 Cosmotoma 419
 Craspedocerus 295
 Craspedoderus 296
 Cratotragus 114
 Cremnosterna 111
 Cribragapanthia 467
 Cribridorcadion 22, 26
Crinotarsini 229
 Crinotarsus 229
 Criodule 439
 Criopsis 390
Crossotiades 365
 Crossotides 194, 195
Crossotini 191
 Crossotofrea 194
 Crossotus 194
 Cryllis 511
 Cryptocranium 251
 Cubilia 278
 Cuphisia 277
 Cyanastus 578
 Cyardium 251
Cyclocerus 156
 Cyclopeplus 370
 Cyclotaenia 205
 Cycos 119
 Cydros 350
Cylanca 152
 Cylicasta 350
 Cylindella 310
 Cyliindrepomus 213
Cyliindropomus 213
 Cyliindrostyrax 272
 Cyliindrothorax 164
 Cymatonycha 602
 Cymatura 208
Cymbalia 597
 Cyocyphax 10
Cyphometopus 586

Cyphoscyla 252
 Cypriola 99
 Cyriocrates 109
 Cyrtillus 449
Cyrtiniini 449
 Cyrtinus 449
 Cyrtocris 238
 Cyrtofrea 194
 Dadoychus 596
 Dalterus 217
 Daphisia 511
 Dasyerrus 13
 Dasyllinda 539
Dasyo 313
 Dasystola 440
 Daxata 271
 Decarthria 449
 Dectes 410
 Deliathis 104
 Demagogus 165
 Demodes 149
 Demonassa 239
Demophoo 370
 Depsages 269
 Deremius 355
Deroplia 306
 Desisa 272
 Desmiphora 304
Desmiphorini 304
Desmiphoropsis 337
Desmophora 304
 Deucalion 6
 Diadelia 309
 Diallus 122
 Diastamerus 152
 Diastocera 183, 608
Diastocera 183
 Diastophya 450
 Diatylus 272
 Diaxenes 281
 Diboma 322
 Dichostates 196
 Dicra 234
 Didymocentrus 447
 Didymodonta 156
 Didymonycha 604
Didymonychini 604
 Diexia 259
 Dihammus 97, 607
Dihammus 85
 Diliolophus 312
 Dinocephalus 179
 Diochares 81
 Dioristus 250
Dioxippe 10
Dirphya 518
 Discoceps 212
 Discolops 297

- Discopus* 383
Dissommatus 122
Dissosira 144, 145
Disterna 240
Disternides 239
Dityloderus 17
Docohammus 116
Docus 238
Dolichoprosopus 77
Dolichostyrax 21
Doliops 261, 609
Dolophrades 65
Domitia 112
Doreadida 8
Dorcadion 21, 26, 607
Dorcadionini 2
Dorcadium 22
Dorcascema 215
Dorcascematini 213
Dorcasta 362
Dorcatypus 66, 607
Drioepa 438
Dryana 605
Drycothaea 601
Drycothea 601
Dryoctenes 380
Dryusa 275
Dulichium 150
Dyemus 276
Dyenmonus 517
Dylobalus 538
Dymascus 281
Dyrphia 519
Dystasia 273
Dysthaeta 237
Dystus 516
- Ebaeides* 277
Echinoschema 100
Echthistatus 8
Echphora 584
Ectatina 364
Ectatosia 363
Ectatosiini 363
Ecteneolus 335
Ecthoea 351
Ectinogramma 359
Ecyroschema 241
Ecyroschemiini 241
Ecyrus 325
Ezemotes 246
Egesina 276
Elais 222
Elasmostoma 12
Eleala 141
Elelea 141
Eleothinus 404
Elithiotes 275
Emepedus 448
- Empheurus* 207
Emphytoecia 365
Empytoeciini 365
Enaretta 285, 609
Enes 446
Enicodes 232
Enicodini 232
Enispia 276
Enotes 235
Enolides 232
Enotogenes 235
Entebbia 178
Entelopes 492
Eoporis 437
Epaphra 364
Epectasis 366
Epepeotes 79
Epicasta 237
Epicastini 237
Epicedia 73
Epiglenea 540
Epilysta 299
Epirochroa 198
Epopaea 282
Epopetes 458
Erana 594
Ereis 136
Eremon 282
Eremophanes 281
Eriopsilus 311
Eris 136
Erphaea 435
Ertlia 278
Eryalus 116
Eryssamena 437
Escharodes 246
Esmia 310
Essisini 364
Essisus 364
Essostrutha 595
Esthlogena 293
Estigmenida 364
Estola 319
Estolini 317
Etaxalus 251
Etymestia 115
Eucharitolus 418
Euclea 247
Eucomatocera 360
Eudesmus 349
Eudesmus 588
Eudryoctenes 373
Euglenea 510
Eugrapheus 277
Eulachnesia 596
Eumathes 603
Eumecocera 540
Eumimesis 604
Eumimetes 191
- Eunidta* 282, 609
Eunithera 110
Euoplia 78
Eupogonius 311
Eupromera 321
Eupromus 109
Eurycallinus 339
Eurycephalus 236
Eurychaena 232
Eurycoptosia 548
Eurycotyle 334
Eurysoys 198
Euseboides 218
Eusphaerium 338
Eustathes 580
Eusthenomus 371
Eusyntheta 121
Eutaenia 116
Eutaeniopsis 116
Eutessus 412
Euteleuta 298
Eutetrappa 488
Euthelia 361
Euthuorus 361
Euthyastus 121
Eutrichillus 397
Eutrypanus 436
Exarrhenus 246
Exocentrini 390
Exocentrus 440, 610
- Fairmaireiella* 335
Fimbria 260
Frea 191
Freadelpha 170
Freopsis 193
Fricus 282
Fulgophytoecia 550, 553
- Galactesthes* 157
Gasponia 191
Geloharpya 165
Gemylus 303
Gerania 99
Geteuma 198
Gisostola 603
Glaca 495
Glaucoetes 398
Glenea 495, 610
Glenelini 494
Glenida 493
Glyphthaga 342
Gnathoenia 190
Gnoma 133
Gnoma 16
Gnomini 132
Goephanes 438
Goes 106

- Golsinda 135
 Goniages 153
 Graciella 181
 Graminea 601
 Grammoechus 149
 Grammopsis 356
 Grammoxyla 210
 Graphidessa 321
Graphidurus 610
 Graphisurus 422
Graphisurus 423, 428
Griphammus 83
 Gryllica 604
 Grynex 219
Guariteres 337
 Guaritus 277
 Gymnocerus 368, 610
 Gymnostylus 208
- Habryna* 609
 Hagesata 162
 Hallothamus 321
Hammatoderus 104
 Hammoderus 104
 Hapheniastus 180
Haploenemia 137
Haplohammus 97
 Haploeax 156
 Haploparmena 16
 Haplorhabdus 450
 Haplothrix 116
 Hastatis 599
 Hathliodes 258
Hebecerus 151
Hebecesides 241
Hebecicis 151
 Hebestola 602
Hebestola 293
Hebestolini 601
 Hechinoschema 100
 Hecphora 584
 Hecyra 244
Hecyrida 244
Hecyrini 243
 Hedypathes 382
 Heliolus 233
Helius 233
 Helixoea 145
 Helladia 550, 551
 Helminda 601
 Helvina 352
 Hemicladius 599
 Hemicryllis 511
 Hemierana 594
Hemilophini 584
Hemilophus 587
Henicodes 232
 Hepomidion 66
Herophila 66
- Herpetophygas* 83
 Hestima 231
 Hesycha 343
 Hesychothypa 342
Heteroclitomorpha 221
 Heteroclytomorpha 221, 609
 Heteroglenea 510
 Hetoemis 215
 Hexacona 395
 Hexatricha 5
 Hierogyna 160
 Hilarolea 593
Himantocera 132
 Hippaphesis 285
 Hippocephala 360
 Hippopsicon 353
Hippopsini 353
 Hippopsis 356
 Hispomorpha 123
Hodoeporus 160
 Homelix 202
 Homoeophloeus 371
 Homonocea 219
Homonoceini 219
 Homonoemomorpha 221
 Hoplatthemistus 11, 12
 Hoplistocerus 370
 Hoplocris 238
 Hoplomelas 438
 Hoplonannus 11
 Hoplonotus 11
 Hoplophora 78
 Hoplorana 335
Hoplosia 314
Hoploma 551
 Hotarionomus 118
 Hyagnis 282, 609
 Hybolasius 323
Hyborhabdini 216
 Hyborhabdus 216
 Hydraschema 597
 Hylettus 426
 Hyllisia 354
 Hylobrotus 252
 Hyperplatys 417
 Hypomia 342
 Hypselomus 340
Hypselomus 343
Hypselominae 118
 Hypsideres 205
 Hypsioma 343
Hysterotarsus 398
- Ibidimorphum* 213
Ibidimorphum 213
 Ichthyodes 236
Ichthyosoma 222, 224
Ichthyosomus 224
- Idactus 154
 Idephrynus 395
 Igualda 603
 Illaena 448
 Imalmus 163
 Imantocera 132
 Inesida 199
 Ioesse 206
 Iothocera 77
 Iphiastus 268
 Iphiothe 211
 Ipochira 445
 Ipoehus 15
 Ipocregyes 141
 Ischiocentra 342
 Ichioloncha 365
Ichilolonchini 364
 Ischioplites 264
 Ischnia 208
Ischnoberea 217
 Ischnolea 305
 Ischnophygas 597
Ischyocentra 342
 Isomerida 587
 Isosceles 523
 Ispaterus 440
 Isse 444
 Ites 584
 Itheum 366
 Ithocritus 206
 Ixais 252
- Jamesia 340
 Jole 492
 Jolea 493
Jonthophana 77
- Lachaerus 350
 Lachnia 341
 Laelida 123
Lagocheirus 391
 Lagochirus 391
 Lagrida 243
 Lamia 70, 607
Lamia 205
 Lamiessa 336
Lamiini 65
 Lamiomimus 73
Lamprocteples 574
 Laraesima 339
 Larvica 349
 Lasiapheles 310
 Lasiocercis 243
Lasiodactylus 153
 Lasiopezus 153
 Lasiophrus 578
 Lathroeus 393
 Latisternum 156
 Leiopus 404, 610

- Lentalius* 243
Lepargus 314
Leprodiera 74
Lepromoris 12
Leptosoma 12
Leptocometes 396
Leptodocus 239
Leptonota 233
Leptonotides 232
Leptoscelis 396
Leptostylus 399
Leptura 468
Lepturges 413
Lepturgoides 413
Lepturoschea 234
Leucographus 197
Leuronotus 112
Linda 539
Liodasys 314
Liopus 404
Lochmaeodes 345
Lophopoeum 395
Lophoptera 84
Lubentia 121
Ludwigia 458, 467
Lux 179
Lycanoptia 585
Lychrosis 257
Lycidola 584
Lydipta 342
Lypsimena 325
- Macrochenus** 100
Macrochia 204
Macroglenca 495
Macrohammus 85
Macropophora 375
Macropus 373, 375
Madecops 147
Malacoseylus 586
Malloderma 494
Mallonia 203
Mallosia 543
Mallosiola 543
Malthonea 318
Marmaroglypha 121
Marmylaris 257
Mecas 538
Mecotagus 100
Mecotetartus 412
Mecynapus 278
Mecynippus 107
Mecynome 17
Megabasin 336
Megabasis 336
Megacera 356
Megacriodes 124
Megalobrimus 66
Megalofrea 193
- Meges** 79, 607
Melanauster 107
Melanopolia 83
Menesia 490
Menesida 540
Menillus 264
Menyllodes 260
Menyllus 264
Merges 79
Mesolamia 321
Mesolita 17
Mesolophus 148
Mesomomus 448 (610)
Mesosa 136, 608
Mesosa 148
Mesostal 135
Mesosella 172 z
Meton 150
Metonini 150
Metopides 118
Metretes 212
Meximia 303
Miaenia 447
Miccolamia 447
Micrarantha 262
Microcleptes 12
Microgoes 107
Microlamia 4
Microlera 287
Microlophia 605
Micromallosia 543, 544
Micromulciber 219, 609
Micronotes 235
Microplia 419
Microtragus 9, 607
Micurus 308
Milothris 248
Mimiculus 197
Mimocoptops 148
Mimofrea 191
Mimohammus 114
Mimolaia 600
Mimolochus 105
Mimomorpha 322
Mimorpha 322
Miocris 539
Mispila 275
Mistocles 444
Mnemea 145
Mneside 223
Moecha 188
Moechopsis 189
Moechotypa 245
Molyetypus 285
Momisis 578
Monachammus 85
Monachamus 85
Moneilema 19
Monilema 19
- Monochamini** 73
Monochamus 85
Monochammus 85
Monoplesia 21
Monotylus 202
Monoxenus 13
Moraegamus 512
Morimidus 70
Morimopsini 64
Morimopsis 64
Morimospasma 70
Morimus 67
Moron 269
Mulciber 220
Murosternum 179
Musaria 550, 553.
Musonius 438
Mygrus 82
Mycerinus 243
Mycerinodes 16
Mycerinopsis 281
Mycerinus 258
Mynonebra 322
Mynonoma 302
Myonoma 439
Myoxinus 379
Myoxomorpha 380
Myrmolamia 449
Myromeus 445
Mysopsis 379
Mystacophorus 578
Mystrocnemis 517
Mythergates 296
- Nanilla* 8
Nanohammus 216
Neanthes 96
Nedine 317
Nesicini 317
Nedytisis 540
Neissa 445
Nemaschema 234
Nematoschema 234
Nemophas 76, 607
Nemotragini 217
Nemotragus 217
Neodorcadion 59
Neodorcadium 59
Neopharsalia 120
Neoxantha 494
Nepheleotus Pasc. 75
Nesomomus 610
Nicarete 365
Nicippe 240
Nicomia 252
Nicotela 512, 513
Niphecyra 244

- Niphona** 249
Niphonini 245
Niphonoclea 247, 609
Niphoparmena 16
Niphotragulus 259
Nitocris 518
Nonyma 439
Noserocera 83
Notumleiber 220
Nupserha 513, 610
Nyctimene 218, 608, 609
Nyctimenini 218
Nyctonympa 602
Nyctopais 177
Nyoma 446
Nyssodryas 424
Nyssodryasina 424
- Obages** 9
Oberea 522
Obereina 550, 569
Obereopsis 522
Oberope 571
Ocheutes 249
Ochraesius 598
Ochrocasis 579
Ochromima 592
Ochropyga 157
Ocularia 168
Odontorhabdus 450
Oeas 155
Oebaceres 311
Oectropsis 446
Oedopeza 420
Oedudes 588
Ogmodera 297
Olenecamptus 213, 609
Olenosus 427
Oligopsis 440
Olmotega 439
Oloessa 449
Omacantha 206
Omacanthidae 205
Ombrosaga 446
Omocyrius 118
Omoderisus 439
Omopsides 244
Omosarotes 450
Omoscydon 19
Onalcidion 396
Oncideres 345
Onciderini 340
Oncoderes 345
Onocephala 352
Oxocephalini 352
Onychocerus 371
Onychoglenea 513
Onychogleneini 513
Oopsis 302
- Opepharus** 84
Oplophora 78
Oplosia 314
Opsies 9
Opsilia 551, 566
Opsioleus 439
Orcesis 297
Oreodera 376
Oriaethus 65
Orica 204
Oricopsis 237
Orinoeme 231
Orsidis Pasc. 99
Ossonis 540
Ostedes 436
Otarionomus 118
Otenis 235
Othelais 230
Otroea 231
Ouphalacra 365
Oxathres 421
Oxyhammus 82
Oxyilia 542
Ozineus 397
Ozotroctes 380
- Pachyosa** 141
Pachypeza 353
Pachystola 204
Pachystolini 204
Padia 100
Palame 418
Palimna 152
Panegyrtes 317
Pannychis 599
Pantilema 21
Pap. raecia 308
Paracorus 314
Paracomeron 260
Paradera 308
Paradystus 516
Paraglenea 510
Paragnia 121
Paragnoma 80
Paramecyna 280
Paramoron 260
Paraphosphorus 171
Parathyastus 122
Paratrypanius 412
Pardalisia 384
Paressisus 364
Parestola 319
Paridactus 155
Parischnia 208
Parmena 13
Parmena 12
Parmenomorpha 16
Parmenonta 288
Parmenopsis 334
- Parmenosoma** 17
Paroberea 522
Paroeax 155
Paroecus 398
Paromelix 202
Parysatis 292
Pascoa 222
Pattalinus 397
Pelargoderus 80
Peleconus 207
Pemptolasius 364
Penessada 339
Penhammus 83
Pentacommia 445
Penthea 270, 609
Periaptodes 118
Peribasis 119
Periergates 348
Peritapnia 236
Peritragus 178
Peritrox 350
Perma 352
Pertyia 436
Petrognatha 205
Petrognathini 205
Phacellini 339
Phacellocera 367
Phacloecera 367
Phacellus 339
Phaea 574
Phaeapate 318
Phanis 198
Phantasis 63
Pharsalia 120, 608
Phaula 597
Phelipara 359
Phemone 149
Phesates 274
Phidola 310
Philicus 231
Philomecyna 281
Phloeopsis 420
Phloeus 156
Phlyarus 447
Phlyctidola 6
Phoebe 591
Phoryctus 285
Phosphorus 171, 608
Photuronta 587
Phrissolaus 419
Phrissoma 64
Phrissomini 64
Phrynesthis 206
Phryneta 199
Phrynetini 198
Phrynetoides 198
Phrynetopsis 201
Phrynidius 8
Phrystola 200

- Phygas* 83
Phymasterna 176
Phymatogyrus 13
Phymatosterna 176
Phytoecia 550, 610
Phytoeciini 513
Phyxium 241
Pilemia 549
Pinacosterna 170
Pinacosternodes 166
Pithodia 302
Pithomictus 438
Pityophilus 326
Pityphilus 326
Placomierus 578
Plagiomus 178
Plagiosarus 383
Planodema 238
Planodes 135, 608
Platycranium 268
Platymopsis 264
Platymopsis 264
Platysternini 371
Platysternus 372
Plaxomicrus 578
Plectodera 117
Plectrodera 117
Plectropygus 244
Plectroscapus 207
Plectrura 6
Plerodia 342
Plistonax 380
Plocia 297
Poecilippe 324
Poecilobactris 516
Poeciloglenea 495, 509
Poecilostolus 516
Poemenesperus 176
Poemenorthrus 170
Pogonillus 306
Pogonochaerus 326
Pogonocheilini 326
Pogonocheerus 326, 609
Poimenesperus 176
Poliaenus 326
Polimeta 437
Polyacanthia 242
Polyopsia 571
Polyraphidini 372
Polyraphis 372, 610
Polyrraphis 372
Polytretus 116
Polyxo 223
Poromecyna 285
Potemnemini 117
Potemnemus 117
Pothyne 353
Praolia 492
Praomaera 201
Praonetha 253
Praonethida 18
Pretilia 596
Prioneta 253
Prionethopsis 274
Prionetopsis 274
Priscilla 452
Probatius 420
Probatodes 241
Proctocera 182
Proctocerini 182
Prodomitia 113
Proocha 291
Prosacantha 242
Prosacanthus 262
Prosoplus 262
Prosopocera 157, 608
Prosopocerini 157
Protelnemus 117
Proteulea 247
Protilema 21
Protomocerus 162
Protonarthron 211
Protonarthriini 211
Protorhopala 218
Protorhopallini 218
Prymnopteryx 318
Prymnosis 319
Psacothoa 79, 607
Psapharochrus 384, 385
Psaromaia 112
Psaumis 237
Psectrocera 133
Psenocerus 316
Pseudabryna 247
Pseudaelara 281
Pseudagnia 116
Pseudanhammus 75
Pseudhammus 74
Pseudoalbana 274, 334
Pseudocalamobius 358
Pseudocentrus 444
Pseudocoptosia 548
Pseudoechthistatus 8
Pseudohippopsis 355
Pseudomecas 598
Pseudomiccolamia 312
Pseudomusaria 551
Pseudonupserha 517
Pseudosaperda 493
Psilocnaeia 5
Psilodasys 314
Psycholupis 202
Psyllotoxus 349
Pterichthya 290
Ptericoptini 294
Ptericoptus 295
Pteridotelus 383
Pterochaos 164
Pterocoptus 295
Pterolophia 253
Pteromallosia 546
Pteropliini 290
Pteroplius 290
Pterotragus 191
Ptilotoceraeus 363
Ptychodes Serv. 101
Pycnomorphus 378
Pycnopsis 190
Pygmaeopsis 320
Pygoptosia 546, 547
Pgyrobolus 587
Pyrracita 305
Pyrrhacita 305
Pythais 336
Quimalanca 170
Ramularius 297
Rangifer 606
Ranova 242
Retilia 241
Retilla 241
Rhadia 302
Rhamses 80
Rhaphidopsis 178
Raphiptera 291
Rhodopis 210
Rhopaloscelis 306
Rhytidophora 268
Rhytiphora 268
Rondibilis 437
Ropica 286
Rosacantha 242
Rosalba 293
Rosalba 294
Rosenbergia 131
Rusculus 272
Saepiseuthes 603
Saimia 147
Samia 147
Sangaris 451
Saperda 468, 610
Saperda 458
Saperdini 468
Saperdopsis 265
Sarathropezus 156
Sarillus 303
Sarothrocera 78
Schoeniouta 522
Sciadella 448
Sciades 448
Scleronotus 389
Scopadus 450
Scorpionus 371
Scotinagues 245
Scramatus 148

- Seytasis* 516
Scythropopsis 384, 385
Semianagusta 546, 547
Semiclinia 182
Semibatocera 124
Semnosia 543, 544
Seriphus 422
Serixia 492
Sesiosa 251
Sicyobius 290
Sinamora 603
Smermus 354
Sodus 276
Soluta 335
Solymus 176
Somatidia 6
Somatolita 16
Sophronica 313
Sophronisca 313
Sorbia 145
Soridus 298
Sormea 219
Sormida 229
Sormidomorpha 229
Sotades 245
Spacalopsis 361
Spalacopsini 360
Spalacopsis 361
Sparna 457
Spathoptera 587
Spathoptera 584, 598
Sphallonycha 595
Sphenopsilus 422
Sphenura 495
Sphingnothus 222
Sphingnotus 222
Spilotragus 178
Spilotrogia 5
Spodotaenia 209
Sporetus 422
Stathmodera 296
Stegenus 122
Steirastoma 380
Stellognatha 164
Steneida 306
Steneidea 306
Stenellipsis 5
Stenias 271
Stenidea 306
Stenidia 292
Stenobia 207
Stenocoptus 296
Stenolis 418
Stenoparmena 13
Stenophryneta 203
Stenosoma 292, 306
Stenostola 541
Sternidius 404
Sternodonta 166
Sternoharpys 169
Sternotomiella 166
Sternotomini 163
Sternotomis 166
Stesilea 259
Stethoperma 352
Sthenias 271, 609
Stibara 512
Stibara 495
Stirastoma 380
Stiroglenia 495, 509
Stixis 65
Stratioceros 73
Stychus 9, 607
Stygnesis 290
Styne 322
Sulenus 317
Sumelis 446
Sybra 299
Sybrinura 301
Sybrinus 299
Sybropis 301
Sychnomerus 383
Sydonia 318
Syessita 282
Sympagus 418
Symperasmus 384, 385
Symperga 365
Symphyletes 264
Symphyletes 264
Symphyletes 265
Sympiodes 285
Sympleurotis 451
Synaphaeta 148
Synaphe 148
Synchyrops 451
Synelasma 259
Synhomelix 204
Synixais 251
Synnupserba 515
Syrrhopeus 145
Syssipilotus 264
Systeme 361
Taelosilla 320
Taeniates 102
Talaepora 288
Talasius 351
Tambusa 156
Tanylamia 364
Tanylecta 491
Tapeina 236
Tapeinini 236
Tapina 236
Taricanus 349
Taurolema 370
Taurorcus 390
Taurorgus 390
Tautoclinae 288
Tecton 157
Temnoscelis 207
Temnosternus 228
Tenthras 391, 420, 610
Tephrocoma 512
Tephrolamia 438
Terambus 605
Terinaea 310
Tessarecphora 338
Tetanola 595
Tethystola 296
Tetradia 243
Tetraglenes 360
Tetraopes 575, 610
Tetraopini 570
Tetraophthalme 581
Tetraophthalmitae 570
Tetraophthalmus 581
Tetraopesitae 570
Tetrarpages 295
Tetrasarus 382
Tetraulax 206
Tetrisse 445
Tetrops 570
Tetrorea 321
Thaumasesthes 208
Themistonoe 585
Theocridini 238
Theocris 238
Theophilea 358
Therchaetes 305
Thercladodes 287
Therippia 143
Thermistis 492
Thermonotus 115
Thestus 112
Theticus 252
Thita 366
Threnetica 204
Thryallis 367
Thyada 240
Thygestes 491
Thyestilla 491
Thylactus 209
Thyrsia 596
Thysanodes 271
Thysia 183
Thysiotus 183
Tibetobia 82
Tigrana 335
Tigranesthes 335
Timoreticus 157, 159
Tithonus 391
Titoceres 189
Tlepolemus 309
Tmesisternini 221
Tmesisternus 224
Togonius 154
Tomolamia 82

- Toronaeus* 427
Tozosterna 110
Toxotomimus 235
Trachelophora 220
Trachyliopus 438
Trachysomus 344
Trachystola 64
Trachytoxus 350
Trachytus 155
Tragiscoschema 175
Tragiscus 175
Tragocephala 171
Tragon 205
Tragostoma 169
Trestonia 351
Triammatus 119
Trichalphus 403
Tricholamia 82
Trichonius 421
Tricondyloides 18
Trigonoepplus 366
Trigonoptera 229
Trigonopterini 229
Trihaminatus 119
Tritomirus 282
Tropidema 237
Tropidodema 237
Tropinetopa 580
Trypanidius 412
Trysimia Pasc. 100
Tucates 337, 338
Tybalmia 341
Tylocerina 428, 434
Tylophorus 245
Tympanopalpus 113
Typocæta 238
Typophaula 294
Tyrannolamia 124, 128
Tyrinthia 586

Udamina 603
Ultiolemur 166, 169
Unelcus 309
Uraecha 113
Urocalymma 219
Urographis 422

Valenus 413
Velleda 65
Velora 242
Velorini 241
Vocula 285
Volumnia 512

Xaenapta 446
Xenapta 446
Xenicotela 216
Xenofrea 375
Xenofreini 375
Xenolea 216
Xenoleini 216
Xenostylus 395
Xiphotheata 248
Xoës 122
Xyaste 494
Xylariopsis 298

Xylergates 435
Xylomimus 350
Xylorrhiza 209, 608
Xylorhizini 208
Xyloteles 2
Xylotribus 369
Xynenon 273

Yamamadis 337
Yochostyla 231

Zacera 260
Zalates 162
Zalatica 160
Zaplous 334
Zeale 588
Zeargyra 277
Zelota 141
Zenicomus 599
Zipoetes 356
Zographus 163
Zorilispe 297
Zorolispe 297
Zosmotes 260
Zosne 492, 610
Zotale 322
Zygocera 239
Zygocera 123
Zygocerides 239
Zygocerini 239
Zygrita 272

Species, Subspecies, Varietates.

- Abakumovi* Thoms. 22
Abakumovi Pic 22
abbreviata Fitch 486
abbreviatus Cas. (Ptych.) 101
abbreviatus Thoms. (Mel.) 107
abdominalis Chev. (Phyt.) 565
abdominalis Fähr. (Nit.) 520
abdominalis Heyne-Tasch. (Pol.) 373
abdominalis Jord. (Ob.) 531
abdominalis White (Pros.) 262
abdominalis White (Trig.) 367
Abeillei 59
aberrans Duviv. (Vell.) 65
aberrans Gah. (Rhod.) 210
aberrans Jord. (Acr.) 212
aberrans Rits. (Anh.) 76
aberrantipes Lauff. 51
abnormalis Sharp 2
abortivus Suv. 26
abruptum Germ. 40
abruptus Belon 288

abstersus Bates 413
abstrusus Bates 407
abtersa Bates 385
abulense Lauff. 50
abundans Suv. 26
abyssinica Auriv. 515
acanthias Pasc. 97
acanthocinoides Thoms. (Cont.) 445
acanthocinoides Thoms. (Cyp.) 505
acanthocinoides Thoms. (Un.) 309
acarnanicum Pic 60
acasta Pasc. 505
accentifer Fairm. (Pog.) 326
accentifer Ol. (Macr.) 375
accentifera Fairm. 274
accolla Heyd. 31
acernus Voet 431
achatina Er. 376
acicularis Pasc. 531

- acmoceroides* Thoms. 132
acomanus Cas. 434
acricula Bates 319
acromela Pasc. 574
acromii Dalm. 343
aculeata Fairm. 286
aculeicornis Kirby 371
aculifer Say 403
acuminata Fisch. 540
acuminatus F. (Pter.) 295
acuminatus Jord. (Dich.) 196
acuminatus Serv. (Pter.) 290
acuminipennis Blanch. 80
acuta Bates (Er.) 437
acuta F. (Glen.) 500
acuta Pasc. (Dorc.) 362
acuta Pasc. (Syb.) 299
acuta Thoms. (Ep.) 282
acutecostata Fairm. 198
acutipenne Sallé 381
acutipennis Gah. (Aer.) 597
acutipennis Hintz (Cer.) 188
acutipennis Kolbe (Ap.) 279
acutipennis Kolbe (Myon.) 439
acutipennis Muls. (Ag.) 466
acutipennis Pasc. (Or.) 231
acutipennis Pasc. (Zor.) 297
acutipennis Thoms. (Bis.) 295
acutispina Bates (Loph.) 395
acutispina Fairm. (Exor.) 443
acutispinum Motch. 22
acutula Broun 232
acutus Lacord. 91
adamitus Thoms. 95
adampolum Pic 32
adanense Pic 32
adelia Pasc. 500
adelia Waterh. 502
adelpha Ganglb. (Phyt.) 551
adelpha Ganglb. (Lam.) 73
adelpha Thoms. (Bat.) 125
adelpha Thoms. (Glen.) 496
adjuncta Thoms. 419
adjunctum Thoms. 393
admixtus Gah. 97
adorata Thoms. (Nit.) 518
adorata Thoms. (Theocr.) 238
adsequa Kolbe 63
adspersa Cast. (Clyt.) 341
adspersa J. Lec. (Sap.) 481
adspersa Thoms. (Apom.) 279
adspersus Blanch. (Arch.) 223
adspersus Gmel (Dorc.) 67
adspersus Muls. (Exor.) 441
adspersus Thoms. (Aeg.) 378
adulta Ganglb. 564
adusta Har. (Moecha) 189
adusta Pasc. (Moech.) 245
adusta Reitt. (Phyt.) 553
adusta Wiedem. (Xyl.) 210, 609
adustus Burm. (Pter.) 295
adustus Pasc. (Cen.) 251
adversus Pasc. 439
aedificator F. 146
aedificatoria Hintz 194
aedilis L. 428
aedilis Ol. 432
aegrota Bates (Desm.) 304
aegrota Pasc. (Mom.) 578
aegrota Thoms. (Chreon.) 579
aegrota Thoms. (Onc.) 346
aegrotus Bates 2
Aemilii Auriv. 157
aemula Broun 4
aenea Montrz. (Lept) 233
aenea Parry (Dom.) 112
aeneonigra Thoms. 123
aenescens Bates (Mec.) 17
aenescens Fairm. (Cer.) 184
aequatoria Bates 596
aerata Auriv. (Glen.) 501
aerata Broun (Mes.) 321
aeruginosa Müll. 566
aeruginosa Muls. 567
aerumosa Er. 376
aestheticus Oll. 97
aestivum Schramm 50
aestuans Ol. 184
aethiops Bates (Steir.) 381
aethiops Dist. (Cross.) 195
aethiops Ol. (Cer.) 184
aethiops Pasc. (Ath.) 11
aethiops Scop. (Dorc.) 39
aethiops Kuhnt 39
affectus Pasc. 262
affinis Auriv. (Hil.) 593
affinis Fairm. (Sten.) 307
affinis Gah. (Dyst.) 273
affinis Gah. (Or.) 376
affinis Guér. (Gnoma) 133
affinis Harrer (Phyt.) 555
affinis Jord. (Char.) 180
affinis Leng (Ob.) 535
affinis Rits. (Glen.) 495
affinis Thoms. (Acanth.) 385
affinis Thoms. (Hyps.) 343
affinis Thoms. (Rhaph.) 291
afflictus Thoms. 107
africana Auriv. (Phyt.) 570
africana Gmel. (Glen.) 497
africana Wulf. (Cer.) 184
africanus Jord. (Eudr.) 373
africanus Jord. (Leiop.) 407
agapanthina Bates 287
agelastoides Pasc. 145
Agenor Newm. 120
agglomeratus Bates 422
agilis Serv. 419

- aglaura* Kolbe 167
agnatus Pasc. (Isch.) 264
agnatus Pasc. (Tmes.) 224
agraria Pasc. (Al.) 259
agraria Pasc. (Xen.) 216
agrarius Pasc. 224
agrestis Pasc. 246
agriloides Pasc. (Tmes.) 224
agriloides Thoms. (Nyct.) 218
agroides Thoms. 133
ahenea Newm. 186
 Ajax Thoms. 125
akbesiana Pic 547
akmolense Suv. 22
akmolicum Suv. 22
aladaghensis Reitt. 555
alaskanus Schaeff. 333
alba Thoms. 178
albaria Bates 591
albarium Escal. 58
albata Lacord. (Niph.) 247
albata Newm. (Niph.) 247
albata Thoms. (Hier.) 160
albatu Bates 104
albella Reitt. (Sap.) 474
albella Schönh. (Onc.) 347
albena Bates 586
Alberti Plav. 471
albertiana Thoms. 128
Albertisi Gestro (Glen.) 509
Albertisi Gestro (Sphing.) 222
albescens Bates (Lept.) 400
albescens Bates (Tetr.) 382
albescens Hald. (Lept.) 399
albescens Pic (Mon.) 95
albicans Chev. (Dorc.) 50
albicans Guér. (Aer.) 598
albiceps Bates 381
albicinctus Bates 399
albicollis Bates (Is.) 588
albicollis Cast. (Is.) 588
albicollis Fairm. (Las.) 243
albicollis Gah. (Sthen.) 271
albicollis Guér. (Cross.) 195
albicoma Bates 6
albicornis Bates (Call.) 600
albicornis Nonfr. (Cyl.) 213
albicornis Pasc. (Chreon.) 579
albida Brullé 306
albidipenne Pic 54
albidolimbatus Pic 27
albidorsalis Pasc. 147
albidulum Suv. 24
albidus Auriv. (Pros.) 262
albidus Blackb. (Micr.) 9, 607
albidus Hintz (Dich.) 196
albidus Jord. (Ol.) 214
albidus J. Lec. (Lept.) 399
albifrons Heyd. 490
albigena Burm. 339
albihirtus Burm. 323
albilirvata Bates 338
albilatera Pasc. (Isch.) 342
albilatera Serv. (Spath.) 587
albina Pasc. 595
albipictus Pasc. 303
albisetosa Bates (Esth.) 293
albisetosa Bates (Parm.) 288
albisparsa Gah. (Mag.) 193
albisparsa Germ. (Clyt.) 341
albisparsa Pasc. (Cobr.) 260
albisparsa Riits. (Per.) 119
albisparsus Gah. 95
albitarsis Cast. (Acanth.) 385
albitarsis Pasc. (Onych.) 371
albivenosa Pasc. 253
albiventris Bates 588
albvittis Kraatz (Leiop.) 404
alboinecta Gah. (Pter.) 256
alboinecta Guér. (Plat.) 265
alboconspersus Auriv. 122
alboconspis Hell. 531
albofasciata Auriv. (Sciad.) 448
albofasciata-gigas Damm. (Bat.) 127
albofasciata De Geer (Bat.) 126
albofasciata F. (Apom.) 279
albofasciata Gah. (Dec.) 449
albofasciata Gah. (Glen.) 501
albofasciata Heyne (Bat.) 124
albofasciata Hintz (Acm.) 211
albofasciata Kriesche (Bat.) 126
albofasciata Pic (Cac.) 142
albofasciata Stebb. (Batt.) 608
albofasciatus Auriv. (Athem.) 12
albofasciatus Auriv. (Cyst.) 449
albofasciatus Thoms. (Hom.) 202
alboflavescens Thoms. (Trag.) 171
alboguttata Auriv. (Alph.) 160
alboguttata Auriv. (Eur.) 282
alboguttata Auriv. (Hen.) 511
alboguttata Fairm. (Bal.) 179
alboguttata Mag. (Apom.) 278
alboguttata Thoms. (Anam.) 112
alboguttata Waterh. (Et.) 115
alboguttatus Bates 101
albolateralis Waterh. 250
albolineata Auriv. (Cyrt.) 194
albolineata Fairm. (Nic.) 365
albolineata Hampe (Pter.) 546
albolineata Thoms. (Glen.) 507
albolineatus Küst. 31
albolineatus Pic 214
albolineellus Fairm. 438
albolinitus Bates 380
alboliturata Blanch. 365
albomaculata Auriv. (Choer.) 144
albomaculata Auriv. (Nyss.) 424
albomaculata Gah. (Glen.) 495

- albomaculata* Gah. (Hom.) 222
albomaculata Gah. (Rhod.) 210
albomaculata Hintz (Freops) 193
albomaculata Perr. (Apom.) 279
albomaculata v. d. Poll (Phars.) 120
albomaculata Qued. (Gnath.) 190
albomaculata Retz. (Bat.) 126
albomaculatus Blanch. (Micr.) 12
albomaculatus Gah. (Ad.) 589
albomaculatus Gah. (Epip.) 79
albomaculatus Hintz (Ad.) 150
albomarginata Thoms. 346
albonigra Bates 385
albonotata Gah. (Trig.) 229
albonotata Pic (Pach.) 41
albonotata Westw. (Glen.) 506
albonotatum Pic 31
albopicta Pasc. 279
albopictum White 19
albopilosa Auriv. 16
alboplagiata Blanch (Colob.) 335
alboplagiata Gah. (Pter.) 253
alboplagiata Gah. (Rop.) 286
alboplagiata Gah. (Phars.) 120
alboplagiata Gah. (Xyl.) 260
alboplagiata Jord. (Gnath.) 190
alboplagiata Jord. (Pros.) 157
alboplagiata Kolbe (Gnath.) 192
alboplagiata White (Nyss.) 424
alboplagiatus White 105
albopunctata Goun. (Taur.) 370
albopunctata Hintz (Glen.) 496
alboscuteolata Chevr. (Phyt.) 556
alboscuteolata Kraatz (Sten.) 541
alboscriptus Bates 413
alboseriatus Gah. 443
albosignata Bates (Pen.) 339
albosignata Blanch. (Pter.) 255
albosignata Chevr. (Mall.) 203
albosignata Gah. 224
albosparsa Thoms. 319
albospilota Auriv. 268
albostrigosus Fairm. 147
albotessellata Blanch. 133
albotessellatum Thoms. 19
albovariegatus Waterh. 154
albovarius Waterh. 289
albovestita Hintz 190
albovirgulata Fairm. 204
albovittata Fauv. (Lept.) 234
albovittata Thoms. (Gnoma) 133
albovittigera L. 548
albula Pasc. 318
album Nicol. 56
albus Thoms. 382
Alcanor Newm. 80
Alcanor Thoms. 80
alcidionoides Thoms. 293
alcyone Thoms. 504
aleata Bates 452
aleppense Pic 35
Alessandrini Bertol. 520
Alexandrae Thoms. 76
Alexandris Pic 24
Alexii Suv. 22
algebraica Thoms. 501
algerica Desbr. (Phyt.) 557
algerica Pic (Mes.) 140
algerica Pic (Sap.) 474
algorica Cast. (Parm.) 14
algorica Chob. (Tetr.) 572
aliena Har. (Pros.) 157
aliena Newm. (Hom.) 221
allapsa Pasc. 140
Allardi Fairm. 546
Alluaudi Fairm. (Auxa) 10
Alluaudi Fairm. (Leuc.) 197
Alluaudi Lam. (Ass.) 18
Alluaudi Lam. (Trag.) 171
alma Newm. 122
almarzense Escal. 56
alpha Say 407
alphoides Pasc. 390
alpinum Chevr. 45
alpinus Redtb. 431
alsatica Pic 528
altaica Gebl. (Ob.) 523
altaica Suv. (Phyt.) 555
altaicum Suv. (Neod.) 60
altaiense Pic 20
alternans Auriv. (Isch.) 342
alternans Fisch. (Ag.) 458
alternans Wiedem. (Pter.) 253
alternata Auriv. (Eun.) 282
alternata Fairm. (Zot.) 322
alternatum Chevr. (Dorcad.) 50
alternatum Say (Dorcasch.) 215
alternatus Hope 95
alticola Cas. 411
aluensis Gah. 507
alutacea Thoms. 308
amabile Perr. 175
amabilis Auriv. (Cer.) 114
amabilis Bates (Lept.) 413
amabilis Hald. (Ob.) 537
amabilis Hope (Stern.) 166
Amaliae Gestro 222
amasinum Pic 31
amazonica Auriv. (Col.) 453
amazonica Thoms. (Hyps.) 343
amazonicus Bates 603
amazonum Thoms. 102
ambigena Bates 518
ambigua Bates (Call.) 600
ambigua Lam. (Nups.) 515
ambiguus Chevr. (Dioch.) 81
ambiguus Kolbe (Las.) 153
amboynica Thoms. 507

- ambulator F. 604
 amelia Gah. 511
 americana Cast. 236
 amica White 144
 amicator Gah. 95
 amicta Klug (Lyc.) 585
 amicta Pasc. (Is.) 588
 amicta Pasc. (Neox.) 494
 amictum Dist. 175
 amicula White 269
 Ammon Pasc. 129
 amnicola Cas. (Hyp.) 417
 amnicola Cas. (Tetr.) 576
 amoena Dalrn. (Char.) 180
 amoena Fairm. (Sten.) 307
 amoena Gah. (Col.) 452
 amoena Hamilt. (Cath.) 591
 amoena Pasc. (Ent.) 492
 amoena Thoms. (Glen.) 501
 amoena Westw. (Gel.) 165
 amoenus Bates (Lept.) 413
 amoenus Jord. (Mel.) 107
 amoenus Pasc. (Times.) 224
 Amori Mars. 51
 ampliata Klug 585
 ampliatus Bates (Orych.) 371
 ampliatus Gah. (Ors.) 99
 amplicollis Bates (Lept.) 413
 amplicollis Pasc. (Auxa) 11
 amplipennis Cas. (Hamm.) 105
 amplipennis Pasc. (Sophr.) 313
 amputator F. 346
 amurensis Kraatz 459
 amurica Suv. 528
 amycteroides Pasc. (Stych.) 9,
 607
 amycteroides White (Ac.) 17
 amymon Jak. 26
 anaglypta Pasc. 204
 analis F. (Nups.) 513
 analis Fähr. (Dyen.) 517
 analis Hald. (Adet.) 288
 analis Jord. (Haph.) 180
 analis Jord. (Hecph.) 584
 analis Mannerh. (Phys.) 557
 analis Pasc. (Aeth.) 379
 analis Pasc. (Times.) 225
 analytica Pasc. 501
 anaticum Pic 31
 anaticus Dan. 329
 anceps Auriv. (Hem.) 587
 anceps Bates (Nyss.) 424
 Anceyi Pic 60
 anchusae FpB 550
 andamana Thoms. 127
 andamanicus Gah. 79
 andianum Pic 51
 andicola Blanch. (Tryp.) 412
 andicola Kirsch (Anis.) 396
 Andrewesi Gah. 509
 Androsovi Suv. 22
 Angasi Pasc. 265
 ana Thoms. 500
 angelica Reitt. 459, 610
 Angelicae Reitt. (Ag.) 610
 Angelicae Reitt. (Mall.) 544
 angelicae Reitt. (Pil.) 549
 angerona Thoms. 509
 anglicus Voet 90
 angolona Auriv. 16
 angolator Ol. 171
 angolator Thoms. 171, 608
 angolensis Auriv. (Trag.) 171
 angolensis Qued. (Pros.) 157
 angorensis Ganglb. 31
 angorensis Pic 572
 anguina Pasc. 531
 angularis Pasc. 209
 angulata Auriv. (Nups.) 514
 angulata Pasc. (Myn.) 322
 angulatus Auriv. (Scier.) 389
 angulatus F. (Lept.) 399
 angulatus Kolbe (Thet.) 252
 angulatus J. Lec. (Lept.) 414
 angulicollis Bates 399
 angulistigma Bates 397
 angulosus Cas. 434
 angusta Auriv. (Blep.) 517
 angusta Bates (Pter.) 253
 angusta Broun (Som.) 6
 angusta Pasc. (Ur.) 113
 angustata Buq 372
 angustatissima Pic 531
 angustatus Bates (Blab.) 449
 angustatus Bates (Lept.) 413
 angusticollis Cas. (Mon.) 91
 angusticollis Gyll. (Ag.) 464
 angusticollis Pasc. (Rop.) 286
 angustifrons Gah. (Arist.) 110
 angustifrons Har. (Nit.) 519
 angustior Jord. 519
 angustum Broun 3
 angustum Auriv. 21
 anisocera Pasc. 151
 anna Thoms. 501
 Annobonae Auriv. (Copt.) 146
 Annobonae Auriv. (Pter.) 256
 annularis Ol. (Col.) 459
 annularis Pasc. (Clyz.) 148
 annulata Auriv. (Nyct.) 602
 annulata Cas. (Syn.) 149
 annulata Chevr. (Pter.) 253
 annulata F. (Ag.) 459
 annulata F. (At.) 292
 annulata F. (Col.) 454
 annulata F. (Lam.) 604
 annulata Fairm. (Phym.) 176
 annulata Hampe (Pil.) 549

annulata Ol. (Col.) 454
annulata Ol. (Pal.) 152
annulata Thoms. (Nups.) 515
annulatum Say 19
annulatus Chevr. (Dich.) 196
annulatus Chevr. (Zapl.) 334
annulatus J. Lec. (Tetr.) 575
annulicorne Chevr. 32
annulicorne Chevr. 55
annulicornis Brullé (Sten.) 306
annulicornis Chevr. (Synh.) 204
annulicornis Fairm. (Trach.) 438
annulicornis Goun. (Rhaph.) 291
annulicornis Hell. (Corn.) 77
annulicornis Kirby (Lam.) 604
amulicornis Kolbe (Er.) 281
annulicornis Pasc. (Chreon.) 579
annulicornis Pasc. (Corus) 313
annulicornis Pasc. (Er.) 136
annulicornis Pasc. (Ob.) 531
annulicornis Reiche (Phyt.) 557
annulicornis White (Leiop.) 410
annulifer Fauv. (Enic.) 232
annulifer Kirsch (Ad.) 589
annulifer Th. Pic (Phyt.) 558
annuliger Auriv. 202
annulipes Belon (Heb.) 602
annulipes Gah. (Copt.) 146
annulipes Hell. (Micr.) 235
annulipes Muls. & Rey (Phyt.) 557
annulitarsis Pasc. 253
anolius Pasc. 259
anomala Bates (Sten.) 542
anomala Bates (Xen.) 375
anomala Pasc. (Dysth.) 237
anomalum Bates 381
anona Pasc. 501
anoplagiata Auriv. 253
Ansellii Bates 173
antarctica White 6
antennalis Gah. (Alph.) 160
antennalis Jord. (Exor.) 443
antennalis Jord. (Nups.) 514
antennata F. (Hyll.) 354
antennata Gah. (Nups.) 515
antennata Gah. (Pros.) 157
antennata Gah. (Phars.) 120
antennata Jord. (Char.) 180
antennata Pasc. (Anc.) 151
antennata Pasc. (Lael.) 123
antennata White (Cac.) 142
antennator F. (Aeth.) 379
antennator Pasc. (Aeg.) 363
antennatum Thoms. 354
antennatus Bates (Mer.) 412
antennatus Gah. (Pel.) 80
antennatus Guér. (Disc.) 383
antennatus Thoms. (Ad.) 288
antennatus Thoms. (Cen.) 251

Antenor Newm. 97
anthracinum Chevr. 56
anthribiformis Auriv. 389
anthriboides Chevr. (Acm.) 211
anthriboides Pasc. (Cac.) 143
anthriboides Pasc. (Er.) 136
anthyllis Pasc. 509
antica Thoms. 508
antecipunctata Thoms. 501
anticijunctum Pic 59
antilope Boisd. 133
antiqua Thoms. (Phaula) 597
antiqua Waterh. (Lyc.) 585
antiquus Gah. 589
Antoniae Reitt. 548
anxius Pasc. 97
aparus Jord. 82
aper Perch. 167
aphetor Newm. 131
aphrodite Thoms. 506
apicale Auriv. (Call.) 177
apicale Chevr. (Dorc.) 36
apicale Jord. (Acr.) 212
apicale Kraatz (Dorc.) 36
apicale Thoms. (Dorc.) 38
apicalis Auriv. (Blep.) 518
apicalis Auriv. (Eur.) 282
apicalis Auriv. (Glen.) 496
apicalis Auriv. (Mystr.) 517
apicalis Auriv. (Phyt.) 570
apicalis Auriv. (Pseud.) 517
apicalis Auriv. (Tryp.) 412
apicalis Auriv. (Zygr.) 273
apicalis Bates (Meg.) 356
apicalis Bates (Oed.) 421
apicalis Bates (Prob.) 420
apicalis Broun (Hyb.) 323
apicalis Chevr. (Vol.) 512
apicalis Fähr. (Nups.) 514, 610
apicalis Fairm. (Haph.) 180
apicalis Fairm. (Sten.) 307
apicalis Fairm. & Germ. (Heb.) 602
apicalis Gah. (At.) 298
apicalis Gah. (Pel.) 80
apicalis Gah. (Sten.) 307
apicalis Gah. (Tetr.) 360
apicalis Jord. (Haph.) 180
apicalis Jord. (Oc.) 163
apicalis Kirsch (Chrys.) 593
apicalis Kolbe (Ob.) 522
apicalis Pasc. (Ser.) 493
apicalis Pasc. (Ser.) 493
apicalis Pasc. (Temn.) 228
apicalis Péring (Per.) 178
apicalis Pic (Clyt.) 437
apicalis Pic (Linda) 539
apicalis Pic (Plax.) 578
apicalis Rits. (Therm.) 115

- apicalis* Thoms. (Am.) 596
apicalis Thoms. (Chreon.) 582
apicata Fairm. (Pten.) 256
apicata Fairm. (Syn.) 515
apicata Thoms. (Pyrr.) 305
apicepicta Fairm. 335
apicicornis Bates (Eup.) 311
apicicornis Fauv. (Micr.) 13
apicipenne Jakowl. 26
apiculata Auriv. 265
apomecynoides Auriv. (Cyl.) 272
apomecynoides Thoms. (Syd.) 318
appalachiana Cas. 537
appendiculata Gerst. 249
appressum J. Lec. 19
approximator Thoms. 110
aquilus Pasc. 10
arabicus Gah. 195
arachne Fauv. (Ac.) 320
arachne Fauv. (Tric.) 18
arachne Pasc. (Micr.) 9
arachnoides Serv. (Anis.) 396
arachnoides Thoms. (Fess.) 338
Arandæ Schramm 51
aranea Olliff 7
araneiformis L. 392
araneus Newm. 12
arator Germ. (Tetr.) 576
arator Pasc. (Syb.) 299
arbiter Pasc. 114
arcifera Pasc. (Syb.) 299
arcifera Bates (Carph.) 435
arciferens Fairm. 335
arciferus Gah. 399
arcivagum Thoms. 31
arctos Pasc. (Plat.) 265
arcuata Chevr. (Glen.) 497
arcuata Har. (Cer.) 185
arcuatus Chevr. (Hom.) 202
arcuatus Gah. (Ec.) 325
arcuatus J. Lec. (Lept.) 400
ardebiense Pic 30
ardens J. Lec. 595
Ardoisi Schramm 51
areca Pasc. 504
arenarium Scop 31, 39, 48.
arenosa Pasc. 132
areolata Auriv. (Ambl.) 303
areolata Bates (Xen.) 375
arfakianus Gestro 225
argali Jakowl. 60
argentata Ménétr. 543
argentatus Auriv. 97
argentatus Jacq. du Val 400
argentea Fald. (Ox.) 543
argentea Hintz (Char.) 180
argenteifrons Gah. 579
argentellus Fauv.
argenteomaculata Auriv. 111
argenteovittata Auriv. 519
argenteovittatum Lauff. 55
argenteus Hintz 195
argentifer Pic 107
argentina Bruch 586
argentinus Berg 413
Argodi Belon 600
argonauta Suv. (Dorc.) 27
argus Bach (Phyt.) 556
argus Bates (Hyp.) 417
argus Fröl. (Phyt.) 553
argus Pasc. (Deps.) 269
argus Thoms. (Glen.) 500
argus Thoms. (Hier.) 160
argus Thoms. (Onc.) 347
argus Voet (Mes.) 138
argutus Pasc. 97
argyrostetha Auriv. 501
argyrosticta Bates 542
argyrostigma Auriv. 519
arida Pasc. (Myc.) 281
arida Thoms. (Glen.) 497
arida Thoms. (Moech.) 285
aridus Cas. 410
arietinum Jakowl. 22
arietinus Bates 397
ariolator F. 74
arista Thoms. 75
aristocratica Thoms. 160
arithmetica Thoms. 499
arizonica Fisher 292
arizonicus Schöff. 333
armata Coq. 10
armata Jord. (Acr.) 338
armata Gah. (Ob.) 531
armata Gah. (Pter.) 253
armata Nonfr. (Trach.) 64
armata Ol. (Bat.) 130
armata Thoms. (An.) 220
armata Voet (Pol.) 372
armaticeps Péring. 159
armatula White 265
armatum J. Lec. (Mon.) 20
armatum White Hech.) 100
armatus Gah. (Sympl.) 451
armatus Gah. (Thest.) 112
armatus Montrz. (Tmes.) 225
armatus Montrz. (Tric.) 18
armeniaca Friv. (Phyt.) 551
armeniaca Pic (Mall.) 544
armenum Suv. 27
armicollis Fairm. 198
armiger Schönh. 372
armigera Motsch. 21
armillata Thoms. 343
Armitagei Pasc. 11
arouensis Thoms (Glen.) 507
arouensis Thoms. (Pel.) 80
arrogans Pasc. 249

- artensis* Montrz. 97
artius Olliff 97
aruensis Gah. 227
aruwimia Bates 181
ascoldensis Heyd. 298
ashantica Hintz 497
asellus Pasc. 378
asiatica Pic (Hec.) 244
asiatica Pic (Phyt.) 557
asidiformis Pic 64
aspasia Pasc. 501
asper Bates (Phryn.) 8
asper Bates (Xyl.) 435
asper J. Lec. (Mec.) 412
asper Sulz. 68
asperata Bates (Pen.) 339
asperata White (Hec.) 244
asperatum Thoms. 12
asperatus Hald. 339
asperipennis Fairm. (Leiop.) 410
asperipennis Fairm. (Mic.) 308
aspersa Gah. 282
aspersa Gah. (Pros.) 159
aspersa Newm. (Cac.) 142
aspersa Pasc. (Per.) 119
aspersus Say (Hyp.) 417
asperula White 84
asperulus White 379
asphersus Montrz. (Pros.) 262
asphodeli Latr. 459
aspiciens Bates 400
assimilata Broun 7
assimilis Auriv. (Ochr.) 157
assimilis Auriv. (Pel.) 80
assimilis Blackb. (Micr.) 9, 607
assimilis Gah. (Alph.) 160
assimilis Gah. (Glen.) 498
assimilis Gah. (Lept.) 400
assimilis Hintz (Phryn.) 199
assimilis Hintz (Pros.) 159
assimilis Jord. (Glen.) 498
assimilis Kolbe (Phryst.) 200
assimilis Montrz. (Pros.) 262
assula Bates 435
assulina Bates 351
astarte Ganglb. (Phyt.) 554
astarte Thoms. (Glen.) 506
astatheoides Pasc. 574
ataense Pic 22
atienzanum Pic 51
Atkinsoni Curtis (Sap.) 487
Atkinsoni Gah. (Maer.) 100
atlantis Bed. 607
atomaria Friv. (Ox.) 543
atomaria Guér. (Gnoma) 134
atomaria Ol. (Lamia) 604
atomaria Pasc. (Ap.) 279
atomaria Pasc. (At.) 149
atomaria Pasc. (Ecz.) 246
atomaria Towns. (Pil.) 549
atomarius De Geer (Mon.) 190
atomarius F. (Ac.) 433
atomosparsa Fairm. 309
atra Jord. (Glen.) 498
atra Jord. (Nit.) 521
atrata Chevr. 217
atriceps Auriv. 501
atricolle Jord. 212
atricornis F. (Ob.) 531
atricornis Fairm. (Phryn.) 199
atricornis Pic (Mall.) 545
atrimembris Pic 565
atripennis Bates 599
atripes Reitt. 41
atrisetosus Cas. 575
atritarsis Pic (Chreon.) 579
atritarsis Pic (Ob.) 531
atroanalis Fairm. 531
atrocyaneus Hell. 76
atrofasciculata Auriv. 240
atrofemoratum Pic 36
atrofusca Bates 310
atropa Pasc. 507
atropos Fairm. 185
atropunctata Pic 531
atrum Bach 44
attalea Pasc. 508
attenuata Bates (Ep.) 366
attenuata Fairm. (Hop.) 335
attenuata Fairm. (Meg.) 193
attenuata Jord. (Frea) 191
attenuata Thoms. (Onc.) 345
attenuatus Fairm. 11
atticum Kraatz 31
Auberti Fairm. 217
auctus Thoms. 396
auguralis Pasc. (Copt.) 146
auguralis Pasc. (Misp.) 275
auguria Kolbe 63
aulica Luc. (Perma) 352
aulica Pasc. (Cer.) 185
aulicus Bertol. (Zogr.) 163
aulicus Pasc. (Cyan.) 578
auliense Pic 24
auliensis Pic 459
aumontiana Luc. 546
aurantia Voet 184
auratum Tourn. 27
auratus Gah. 95
aureicornis Gah. 296
aureocincta Auriv. 191
aureofuscus Auriv. 97
aureolus Voet 604
aureomaculatus Auriv. 443
aureosericea Auriv. 522
aureotomentosum Lauff. 58
aureovittata Auriv. 313
auricapilla Bates 574

- auricollis Buq. 599
 auricomus Bates 586
auriga Schönh. 320
 aurigutta Jord. 93
 auripenne Escal. 51
 aurisecator Thoms. 207
 Aurivillii Hintz (Cer.) 185
 Aurivillii Hintz (Phryn.) 199
 Aurivillii Rits. (Neph.) 75
 Aurivilliusi Hell. 260
aurocincta Guér. 199
 aurovittatum Kraatz 21
 aurulenta Belon (Dorc.) 362
 aurulenta Pasc. (Ser.) 493
 australica Thoms. 284
 australis Boisd. (Anc.) 151
 australis Boisd. (Dil.) 97
 australis Montrz. (Pros.) 262
 australis Péring. (Mall.) 203
australis Thoms. (Vel.) 242
austriacum Ganglb. 49
 austrocaledonicum Montrz. 228
 avarus Pasc. 225
 avera Pasc. 276
 avernica Thoms. 63
 avida Thoms. 281
 axillare Küst. 40
 axillaris Dalm. (Call.) 600
 axillaris Thoms. (Hyps.) 343
 Ayresi Dist. 196
azoricus Kolbe 103
 azurea Serv. (Call.) 600
 azurea Stev. (Phyt.) 552
 azurescens Bates 597
- Baccueti Brullé 558
 bacillarius Bates (Ad.) 289
bacillarius Lam. (Sor.) 298
 bacillarius Lam. (Tetr.) 360
 bacillina Pasc. 298
 baculina Bates 299
 baculus Bates 350
 Badeni Bates (Gymn.) 368
 Badeni Bates (Per.) 348
 baia Jord. 497
Bakewelli Pasc. 264
 baladica Montrz. 239
 baladicum Montrz. 234
 balcanica Friv. 554
 balcanicum Tourn. 59
 balchashense Suv. 22
 balineae Hell. 531
 balsamifera Motsch. 469
 balteata Auriv. (Alph.) 160
 balteata Auriv. (An.) 359
balteata F. (Parm.) 14
 balteata Kl. (Glen.) 497
 balteata Pasc. (Aem.) 135
 balteata Pasc. (Choer.) 144
- balteata* Thoms. (Prion.) 274
 balteatus Auriv. (Dit.) 17
 balteatus Auriv. (Mon.) 93
balteatus Gyll. (Ex.) 441
 balteatus Heath (Cyl.) 164
 balteatus Lacord. (Dect.) 411
 balteus L. (Parm.) 14
 balteus Schiödte (Ex.) 442
 baltica Jord. 238
 Balyi Thoms. 365
Bancki F. 262
 Bangi Heyd. (Dorc.) 31
 Bangi Pic (Phyt.) 557
 bangueyensis Auriv. 501
 Banki F. 262
Banksi Gmel. 262
 baramensis Heyd. (Ob.) 53
 baramensis Heyd. (Syn.) 259
 barbatus Gerst. 194
 Barbertoni Dist. 191
 barbicornis F. (Mall.) 203
 barbicornis Pasc. (Thyada) 240
 barbiger Bates 383
 barbiscapum Bates 395
 Bari Bates (Lept.) 413
 Bari Jekel (Hyps.) 343
barsukorum Suv. 22
basale Kraatz 30
 basalis Cas. (Tetr.) 575
 basalis Auriv. (Abr.) 247
 basalis Auriv. (Plat.) 265
 basalis Auriv. (Pter.) 255
 basalis Chevr. (Mon.) 94
 basalis Chevr. (Nit.) 519
 basalis Er. (Nups.) 514
 basalis Gah. (An.) 135
 basalis Gah. (Chreon.) 579
 basalis Gah. (Cirrh.) 592
 basalis Gah. (Cross.) 194
 basalis Gah. (Ep.) 79
 basalis Gah. (Eusc.) 580
 basalis Gah. (Ol.) 214
 basalis Gah. (Phyt.) 575
 basalis Jord. (Frea) 191
 basalis Jord. (Nit.) 519
 basalis Jord. (Trag.) 171
 basalis Kolbe (Disc.) 297
 basalis Lea (Micr.) 9
 basalis J. Lec. (Ob.) 535
 basalis Pasc. (Achr.) 264
 sasalis Pasc. (Anc.) 151
 basalis Pasc. (Choer.) 145
 basalis. Pasc. (Phl.) 447
 basalis Pasc. (Ser.) 493
basalis Thoms. (Ast.) 582
 basalis Thoms. (Cart.) 457
 basalis Thoms. (Hyps.) 343
basicornis Fairm. (Apr.) 132
 basicornis Fairm. (Spod.) 209

basicornis Gah. (Dih.) 97
basicornis Gah. (Gols.) 135
basigranatus Fairm. 81
basinotata Bates 319
basipennis Fairm. 514
bassamensis Chevr. (Char.) 181
bassamensis Thoms. (Trag.) 171
Batesi Auriv. (Alph.) 379
Batesi Auriv. (Bis.) 609
Batesi Auriv. (Lyc.) 585
Batesi Auriv. (Onc.) 345
Batesi Cas. (Lept.) 400
Batesi Gah. (Del.) 104
Batesi Gah. (Leiop.) 408
Batesi Gah. (Niph.) 249
Batesi Kirsch (Alc.) 393
Batesi Kolbe (Niph.) 259
Batesi Lam. (Steth.) 352
Batesi Olliff (Eun.) 282
Batesi Pasc. (Phac.) 367
Batesi Thoms. (Cycl.) 370
Batesi Thoms. (Par.) 398
Batesi Thoms. (Hamm.) 105
Bathursti Pasc. 265
batoceroides Thoms. 176
Battangi Vill. 214
Baudueri Pic 52
beatrice Gah. (Biob.) 244
beatrice Thoms. (Glen.) 495
Beccarii Gah. (Cac.) 142
Beccarii Gah. (Glen.) 501
Beccarii Gah. (Pter.) 253
Becerrae Lauff. 51
Beckeri Kraatz 41
Bedeli Pic 404
Belbezei Escal. 51
bella Bates (Call.) 436
bella Dalm. (Char.) 180
bella Gah. (Ast.) 581
bella Gah. (En.) 276
bellatrix Thoms. 370
Belli Gah. (Glen.) 499
Belli J. Lec. (Plectr.) 117
bellicosus Broun 323
bellona Thoms. 501
bellus Gah. 451
Beloni Pic (Dorc.) 26
Beloni Pic (Mon.) 86
Beloni Pic (Stib.) 512
Belti Bates (Gymn.) 368, 610
Belti Bates (Lyc.) 584
belzebuth Thoms. 157
benguetanus Schultze (Chlor.) 610
Bennigseni Auriv. (Dih.) 97
Bennigseni Auriv. (Dorc.) 116
Bennigseni Auriv. (Nem.) 76
Bennigseni Auriv. (Ros.) 131
Berchmansii Hintz 172
berladense Pic 49

Bertolonii Thoms. 175
beryllinus Hope (Mel.) 107
beryllinus Hope (Mon.) 95, 607
bethaniensis Th. Pic (Phyt.) 552
Bethseba Reiche & Saulcy 557
Bettoni Gah. (Alph.) 160
Bettoni Gah. (Jd.) 154
Bettoni Gah. (Sophr.) 313
betulina Geoff. 476
betulinus Klug 382
bialbata Fairm. 190
bialbatus Gah. 223
biangulata Fairm. 256
biannulata Bates 378
biannulatus Auriv. 379
Bianor Newm. 97
biapicalis Thoms. 502
biapicata Gah. 301
biapicatus Chevr. 298
biarcifer Blanch. 223
biarcuatus Thoms. 252
bicarinatus Bates 581
bicaudata Fairm. 309
bicineta Auriv. (Alph.) 160
bicineta F. (Cer.) 185
bicineta Gah. (Carn.) 456
bicineta Küst. (Parm.) 14
bicineta Orm. (Cer.) 187
bicinctus Boisd. (Tmes.) 227
bicinctus Lansb. (Nem.) 76
bicirriifer Bates 419
Bieckhardti Sattl. 477
bicolor Auriv. (Myst.) 517
bicolor Gah. (Ad.) 589
bicolor Lauff. (Dorc.) 52
bicolor Meg. (Ob.) 537
bicolor Pasc. (Bit.) 302
bicolor Pasc. (Campt.) 448
bicolor Péring. (Blep.) 517
bicolor Reiche (Ob.) 529
bicolor Serv. (Tap.) 236
bicolor Thoms. (Cleon.) 580
bicolor Thoms (Nups.) 515
bicolor Westw. (Pros.) 157
bicoloricornis Pic 531
bicoloripes Pic 531
bicornis Ol. 591
bicristatum Bates 393
bicristatus Kraatz 329
bicuspis Bates (Prymn.) 319
bicuspis Belon (Cart.) 457
bicuspis Chevr. (Anc.) 451
bicuspis Germ. (Ac.) 385
bicuspidata Latr. 452
bidens F. (Lamia) 604
bidens Woll. (Copt.) 146
bidentata F. 514
bidentatus F. (Lept.) 400
bidentatus Thoms. (Pog.) 330

- bidentula* Dalm. 514
biemarginatus Chevr. 208
bifasciana White 144
bifasciata Auriv. (Eun.) 282
bifasciata Auriv. (Ser.) 493
bifasciata F. (Stern.) 168
bifasciata Gerst. (Cym.) 208
bifasciata Hintz (Cer.) 185
bifasciata Jord. (Bourb.) 243
bifasciata Ol. (Glen.) 497
bifasciata Pasc. (Dist.) 240
bifasciatus Auriv. (Brach.) 450
bifasciatus Auriv. (Plan.) 135
bifasciatus Bates (Ad.) 589
bifasciatus Goeze (Leiop.) 406
bifasciatus Kolbe (Cross.) 194
bifasciatus Kraatz (Rhop.) 306
bifasciatus Lea (Micr.) 9
bifasciatus Westw. (Mon.) 95
bifidator F. 435
bifidum Chevr. 32
biforme Kraatz 27
biformis Bates 586
bifoveata Auriv. 313
bigemmata Thoms. (Ast.) 581
bigemmata Thoms. (Ep.) 73
bigibbera Newm. 253
bigibbosum Thoms. 150
bigibbus Fairm. 242
biguttata Bates (Col.) 452
biguttata J. Lec. (Graph.) 423
biguttata Redt. (Men.) 490
biguttatus Pasc. 219
biguttula Newm. 236
biinterruptum Pic 32
bilabilis Newm. 488
bilaterale Chevr. 34
bilbilitanum Escal. 51
bilinea Newm. 221
bilineata Bates (Col.) 452
bilineata Scop. (Lept.) 605
bilineatum Germ. 59
bilineatus Auriv. (Pycn.) 378
bilineatus Bates (Bar.) 419
bilobus F. 214, 609
bilocularis White 8
biloculata Nicol. 138
bimaculata Auriv. (Glen.) 506
bimaculata Bates (Nyss.) 424
bimaculata Blackb. (Pter.) 255
bimaculata Brongn. (Campt.) 250
bimaculata Chevr. (Ischn.) 305
bimaculata F. (Ast.) 581
bimaculata Gah. (Pter.) 253
bimaculata Gestro (Pasc.) 222
bimaculata Har. (Pros.) 157
bimaculata Müll. (Mes.) 139
bimaculata Ol. (Ob.) 535
bimaculata Pasc. (Chroeon.) 579
bimaculata Schwarz (Bat.) 124
bimaculata Thoms. (Cer.) 188
bimaculata Thoms. (Trig.) 229
bimaculata Thoms. (Ur.) 113
bimaculata White (Sten.) 5
bimaculatum Pic (Dorc.) 37
bimaculatum Thoms. (Acr.) 212
bimaculatus Auriv. (Bis.) 295
bimaculatus Auriv. (Cross.) 195
bimaculatus Auriv. (Lept.) 239
bimaculatus Auriv. (Pros.) 262
bimaculatus Bates (Dich.) 196
bimaculatus Bates (Smerm.) 354
bimaculatus Fauv. (En.) 232
bimaculatus Gah. (Mon.) 95
bimaculatus Gah. (Plectr.) 207
bimaculiceps Gah. 499
bimaculicollis Thoms. 507
binocularis Cas. 417
binoculus Bates 383
binodosa Bates (Pter.) 253
binodosa Chevr. (Phyt.) 556
binodosus Waterh. 8
binominis Chevr. 367
binotata Bates (Ess.) 595
binotata Gah. (Sybra) 299
binotaticollis Pic 531
binotatus Pasc. (Euth.) 121
binotatus Thoms. (Ad.) 289
binubila Pasc. 279, 609
binumeratus Bates 393
binumeratus Thoms. 393
bioculata Fairm. (Lepr.) 75
bioculata Fairm. (Meg.) 193
bioculata Hintz (Pros.) 159
bioculata Pic (Mes.) 138
bipartita Jord. (Ob.) 531
bipartita Reits. (Att.) 149
bipartita Thoms. (Ast.) 581
bipartitus Fairm. (Brach.) 242
bipartitus Fairm. (Goeph.) 438
biplagiata Fairm. (Trag.) 172
biplagiata Gah. (An.) 581
biplagiata Heath (Pros.) 157
biplagiata Waterh. (Diad.) 309
biplagiatus Gah. 247
bipenicillatus Fairm. 148
bipunctata Auriv. (Syn.) 515
bipunctata Creutz. (Ob.) 528
bipunctata Drury (Pros.) 158
bipunctata Gah. (Ent.) 178
bipunctata Jek. (Tyb.) 341
bipunctata Kriesche (Bat.) 126
bipunctata Pill. (Phyt.) 555
bipunctata Thoms. (Alph.) 160
bipunctata Zoubk. (Men.) 490
bipunctatus Dalm. 80
bipustulatus Montrz. 3
birmanica Gah. (Ar.) 110

- birmanica Gah. (Ob.) 531
 birmanus Thoms. 100
 bisbicostatum Pic 26
 bisbiguttata Rits. 495
bisbilineatum Pic 53
bisbinodulus Qued. 252
 bisbinotata Pic 510
 bisbinotaticollis Pic 531
bisbioculata Qued. 514
 bisbipunctata Pic 531
 bisbivittata Auriv. 501
 bisignata Bates (Col.) 452
 bisignata Gah. (Lepr.) 75
 bisignatum Jakowl. 27
 bisignifera Pasc. 231
bisellatus Bates 589
bispecularis White (Mes.) 140
bispecularis White (Nyss.) 424
bispecularis White (Trig.) 367
bispina Fairm. 256
bispinator F. 351
bispinosa Auriv. (Ac.) 142
bispinosa Auriv. (Cat.) 220
bispinosa Auriv. (Niph.) 16
bispinosa Auriv. (Stix.) 65
bispinosa Jord. (Apom.) 18
bispinosa Thoms. (Rond.) 437
bispinum Bates 394
bistriata Chevr. 123
bistriatum Pic 27
bisulcata Chevr. 556
bithynense Kraatz 31
bithynensis Ganglb. 548
bithyniense Chevr. 31
bilibiensis Pic 545
bitincta Bates 452
bituberculata Bates (Or.) 376
bituberculata Gistel (Dr.) 605
bituberculatum White 395
bituberculatus Pasc. 11
bituberosa Pasc. 147
biustus J. Lec. 400
bivitta White 385
bivittata Auriv. (Alph.) 160
bivittata Auriv. (Glen.) 506
bivittata Auriv. (Nups.) 514
bivittata Auriv. (Ob.) 531
bivittata Say (Sap.) 482
bivittatus Gah. 586
bizonata M'Leay (Pter.) 255
bizonata Qued. (Cym.) 209
bizonata Thoms. (Niph.) 247
bizonatus Blanch. 225
bizonulatus Guér. 228
Blackburni Auriv. 255
Blanchardi Chevr. (Hex.) 244
Blanchardi Muls. & Rey (Dorc.) 27
Blanchardi Thoms. (Micr.) 12
blanda Schönh. 168
blandina Pasc. 501
blandina Pasc. 501
blandinella Auriv. 501
blapsides Newm. 20
blattoides Pasc. 118
Blessigi Ganglb. (Neodorc.) 61
Blessigi Moraw. (Phyt.) 554
Bleusei Pic 33
Blucheaui Fairm. 335
Bluteli Buq. 172
Boabdil Flach 51
Bodemeyeri Dan. (Dorc.) 31
Bodemeyeri Reitt. (Phyt.) 566
Bodoani Pic 548
Boeberi Fisch. (Sap.) 488
Boeberi Ganglb. (Phyt.) 554
boerensis Thoms. 172
Bohemani Chevr. (Stern.) 116
Bohemani Pasc. (Blep.) 517
Bohemani White (Clon.) 287
Bohndorffi Waterh. 167
Boisduvali Hope (Bat.) 128
Boisduvali Thoms. (Glen.) 508
Bolivari Lauff. (Dorc.) 51
Bolivari Perez Arc. (Phyt.) 568
boliviana Belon (Call.) 600
boliviana Belon (Cat.) 260
bonariensis Burm. 341
bonariensis Thoms. (Clyt.) 341
bonariensis Thoms. (Heb.) 602
Bondi Pasc. 273
Bonvouloiri Thoms. 172
borbonica Fairm. 438
borealis Auriv. 9
borneensis Auriv. (Apr.) 131
borneensis Auriv. (Ast.) 582
borneensis Auriv. (Eut.) 116
borneensis Pic (Ol.) 214
Borodini Suv. 27
Borrei Dugès 385
borussus Jord. 93
Boryi Gory 339
borysthenica Mokrz. 527
Bosci F. 100
boszdaghense Fairm. 33
Bottegi Gestro 203
Bouchardi Bates 346
Bougieri Fauv. 232
Bouvieri Escal. 51
Bowringi Gah. (Glen.) 501
Bowringi Pasc. (Pter.) 253
Bowringi Thoms. (Trag.) 172
Bowringi White (Mel.) 108
brachiale Bates 394
brachialis Guér. (Ad.) 589
brachialis Thoms. (Eupr.) 321
brachyceroides Kolbe 63
brachyderoides Thoms. 18

- brachyptera* Thoms. 190
brachypteroïdes Hintz 190
brachytrita Auriv. 514
Bradshawi Péring. 172
Bramsoni Pic 61
Brandti Gebl. 60
Brannani Schauf. 51
brasiliensis Thoms. 351
brattiense J. Müll. 40
Bravardi Pic 31
Brenskei Ganglb. 36
breve Sulz. 381
brevicauda Kolbe 296
breviceps Kolbe (Tetr.) 360
breviceps White (Lept.) 410
brevicollis Broun (Hyb.) 323
brevicollis Cas. (Mec.) 538
brevicollis Cas. (Syn.) 149
brevicollis Fairm. (Ob.) 532
brevicollis Fairm. (Paphr.) 308
brevicollis Pasc. (Ob.) 531
brevicornis Bates (Eus.) 121
brevicornis Fauv. (Hell.) 233
brevicornis Gah. (Frea) 191
brevicornis Lacord. (En.) 285
brevior Jord. (Nit.) 519
brevior Pic (Con.) 547
brevior Pic (Ob.) 531
brevipenne Pic (Dorc.) 31
brevipenne Pic (Dorc.) 58
brevipes Pic 544
breviplagiata Kolbe 520
brevis Auriv. (Myc.) 243
brevis Cas. (Dect.) 411
brevis Chevr. (Phyt.) 560
brevis Fauv. (Ac.) 435
brevis Gah. (An.) 396
brevis Gah. (Ob.) 531
brevis Jord. (Exor.) 443
brevis Jord. (Phloeus) 156
brevis Koch (Pycn.) 190
brevis Pic (Ag.) 460
brevis Quedf. (Ap.) 280
brevis Vill. (Mes.) 139
brevisetosus Cas. (Dectes) 411
brevisetosus Cas. (Tetr.) 575
brevivittis Bates 293
Brianus White 119
Brisouti Kraatz 48
Brouni Auriv. 6
Brouni Bates 5
Brousi Horn 290
Brouni Bates (Bat.) 130
Bruchi Goun. 368
Bruijni Gestro (Tmes.) 225
Bruijni Kriesche (Bat.) 128
Brullei Gah. 452
Bruyni Lansb. 128
brunnea Auriv. (Brach.) 215
brunnea Auriv. (On.) 513
brunnea Jord. (Ac.) 163
brunnea Thoms. (Aer.) 338
brunnea Thoms. (Est.) 319
brunnea Thoms. (Glen.) 502
brunneiceps Auriv. 589
brunneicolle Kraatz 27
brunneicornis Kolbe 200
brunneipes Auriv. 355
brunneocaudata Fairm. 302
brunneofasciatum Lauff. 54
brunneomaculata Hintz 181
brunneopictus Fairm. 196
brunneopunctata Auriv. 283
brunneus Thoms. 150
brunnicornis Guér. 199
brunnipennis Thoms. 365
brunnipes Gah. (Sap.) 469
brunnipes Thoms. (Esth.) 293
buccinator Pasc. 247
bucculenta Gah. 360
bucharica Pic 459
Buckleyi Bates (Call.) 600
Buckleyi Bates (Disc.) 383
Buckleyi Bates (Nyss.) 424
Buckleyi Bates (Taen.) 102
Buckleyi Pasc. (Marm.) 257
bufo Chevr. (Ap.) 18
bufo Pasc. (Syn.) 259
bufo Thoms. (Phac.) 367
bufoides Jord. (Ap.) 18
bufonium Pasc. (Phyx.) 241
bulbifera Kolbe 200
bulbosa Hintz 200
bulgaricum Pic 60
bullatus Bates 3
bupthalmus White 198
Buqueti Guér. (Apr.) 362
Buqueti Guér. (Trig.) 367
Buqueti Taslé (Taen.) 104
Buqueti Thoms. (Bis.) 295
Buqueti Thoms. (Cast.) 457
Buqueti Thoms. (Glen.) 497
Buqueti Thoms. (Hom.) 202
Buqueti Thoms. (Taen.) 102
Buqueti Thoms. (Trach.) 344
Buqueti Thoms. (Trag.) 172
Buquetiana Jord. 177
burgense Lauff. 55
buruensis Jord. (Per.) 118
buruensis Rits. (Apr.) 131
Büttneri Kolbe (Moecha) 189
Büttneri Kolbe (Nit.) 519
byzantinum Thoms. 31

cabrasense Nicol. 54
cachila Hell. 610
cachino Ganglb. 35
cachino Thoms. 35

- caclea* Thoms. 585
caerulea Scop. 557, 610
caesaraugustae Lauff. 56
caffer Fahr. 195
caffra Fahr. (Eur.) 283
caffra Thunb. (Cer.) 188
Cailliaudi Chevr. 167
calabarica Chevr. (An.) 217
calabarica Chevr. (Cer.) 185
calabarica Duviv. (Cer.) 186
calabarica Thoms. (Glen.) 497
calabarium Reitt. 59
calanus Parry 124
C-album Bates 376
calcarata Meg. (Lam.) 605
calcarata Say (Sap.) 481
calcaratus Meg. 33
calcarius Chevr. 400
calceata Chevr. 313
calceatus Thoms. 135
caledonicus Fauv. 410
californica Horn 325
californicus Cas. (Hyp.) 417
californicus Schaeff. (Pog.) 333
caliginosus Serv. 380
callais Fairm. 167
callios Hagen 167
callicerus Bates 599
callidryas Bates 345
callidryas Bates 345, 346
calligramma Bates 424
calligramma Bates 424
callimus Jord. 176
callinus Bates 413
callioides Goun. (Hopl.) 370
callioides Pasc. (Campt.) 448
Calliope Thoms. 501
callopus Buq. 599
callipyga Thoms. 162
callipygum Thoms. 177
callista Bates 596
callistus Bates (Anis.) 396
callistus Bates (Tetr.) 382
callizona Bates (Ad.) 589
callizona Chevr. (Vell.) 65
callizona White (Chevr.) 144
callizonus Bates 413
callosa Auriv. (Bang.) 162, 608
callosa Pasc. (Cuph.) 277
caloptera Pasc. 581
caloptera Bates 600
calva Thoms. 521
Calypso Pasc. 501
camelina Pasc. 501
camelus Buq. (Trach.) 344
eamelus Pasc. (Dax.) 271
camerunensis Auriv. 93
camerunica Auriv. (Par.) 208
camerunica Auriv. (Syn.) 516
camilla Pasc. 501
Camposi Lauff. 57
camura Newm. 253
camuripes Newm. 359
cana Gah. (Mec.) 539
cana Germ. (Call.) 600
cana Jord. (Glen.) 497
cana Newm. (Mec.) 538
canaliculata Fröl. 562
canaliculatum Fisch. 47
cancellata Bates (Sang.) 451
cancellata Thoms. (Glen.) 509
canceriforme F. 382
Candezei Lam. 352
candicans Bates (Lept.) 413
candicans Goun. (Heb.) 602
candicans Goun. (Rhaph.) 291
candida F. (Sap.) 482, 610
candida Nicol. (Dorc.) 51
candidipennis Heyne 131
candidus Bates 101
canescens Bates (Alph.) 379
canescens Bates (Desm.) 304
canescens Bates (Par.) 292
canescens Klug (Aer.) 598
canescens J. Lec. (Tetr.) 573
canescens J. Lec (Tetr.) 575
canescens v. d. Poll (Dol.) 77
canidia Thoms. 499
canosa Er. 239
canotogata Bates 376
cantator F. 509
canteriator Drap. 476
cantor F. 509
canus Bates (An.) 396
canus Cas. (Lept.) 413
capensis De Geer (Cer.) 184
capensis Dist. (Cer.) 185
capensis L. (Cer.) 185
capensis Péring. (Blep.) 517
capillacea Bates 584
capillata Bates 586
capillosa Olliff 7
capitalis Blackb. 239
capitata Jord. 514
capito Bates (Ceph.) 593
capito Bates (Ceph.) 593
capito Pasc. (Cac.) 142
capito Pasc. (Im.) 163
capito Pasc. (Niph.) 247
capito Pasc. (Poth.) 353
capra Pasc. 9
capreola Germ. (Trest.) 351
capreola Pasc. (Pter.) 253
capreolus Heyd. (Dorc.) 24
capreolus Pasc. (Plat.) 265
capriciosa Thoms. (An.) 359
capriciosa Thoms. (Glen.) 499
capricorne Thoms. 212

- caprina* Newm. 268
caprinus Pasc. 245
captiosus Pasc. 97
capucinus Gerst. (Dich.) 196
capucinus White (Gymn.) 368
caraga Hell. 506
caramanicum Dan. 37
carbonaria Auriv. (Stern.) 167
carbonaria Lam. (Trag.) 117
carbonaria Pasc. (Sophr.) 313
carbonarium Nicol. 55
carbonarius Scop. 605
carcearias Pet. 471
Carceli Guér. 73
carcharias L. (Sap.) 469
carcharias Lam. (Heb.) 602
carcharias Sulz. (Sap.) 474
cardinalis Thoms. (Glen.) 499
cardoniensis Pic 544
cardui Gyll. 461
cardui L. 459
cardui Scop. 465
carinata Bless. (Eut.) 489
carinata Fähr. (Phant.) 63
carinata Gah. (Pter.) 253
carinata Thoms. (Nups.) 515
carinatum Bates 395
carinatum F. (Neod.) 61
carinatum Pall. (Dorc.) 41
carinatum Thoms. (Mon.) 19
carinatum Voet (Steir.) 381
carinatum White (Alc.) 394
carinatus Cas. 333
carinicollis Bates (Ac.) 385
carinicollis Pasc. (Esch.) 246
carinifrons Auriv. 540
carinipenne Pic 32
carinipennis Bates 404
carinulata Gah. 11
carinulatus Gebl. 431
cariosus Pasc. 99
carissima Pasc. (Cremn.) 111
carissima Westw. (Char.) 181
carneipes Chevr. 497
carneola Bates 452
Caroli Muls. 329
carolina Fairm. 73
carolinensis Ol. 91
Caroni Muls. 562
Carpentariae Blackb. 220
carriculatus Ganglb. 431
Caseyi Auriv. 575
casnonioides Thoms. 133
caspius Ganglb. 405
cassandra Dalm. 452
Cassandra Gah. 501
casta Newm. (Ag.) 121
casta Pasc. (Chaet.) 262
casta Thoms. (Ast.) 582
casta Thoms. (Niph.) 247
castanea Bates 602
castaneomaculata Auriv. 191
castaneus Auriv. (Sod.) 276
castaneus Broun (Hyb.) 323
castaneus Goun. (Cycl.) 370
castanoptera Auriv. 283
Castelnaudi Thoms. (Arch.) 74
Castelnaudi Thoms. (Arm.) 177
Castelnaudi Thoms. (En.) 285
Castelnaudi Thoms. (Ix.) 252
Castelnaudi Thoms. (Trag.) 172
castilianum Chevr. 51
castuta Thoms. (Trag.) 172
casvinense Pic 28
catalinae Cas. 15
catenata Pasc. 145
catenatum Waltl 33
Catherina White 190
catops Jord. 407
Catori Jord. 83
caucasica Led. (Parm.) 334
caucasica Pic (Mall.) 544
caucasica Pic (Phyt.) 554
causicum Küst. 28, 32, 41
causicus Ganglb. (Leiop.) 405
causicus Ganglb. (Pog.) 329
caudalis Bates (Eud.) 349
caudalis Bates (Pter.) 295
caudata Bates (Nyss.) 424
caudata Bates (Pter.) 253
caudata Fähr. (En.) 285
caudatus Auriv. 252
caunense Lauff. 58
cava Germ. 591
cavifrons Bates (Alph.) 379
cavifrons Bates (Alph.) 379
cavifrons Thoms. (Apom.) 280
cayennensis Bates (Hem.) 587
cayennensis Gmel. (Col.) 456
cayennensis Thoms. (Taen.) 102
Cazurrai Lauff. 53
cebollerense Lauff. 54
cedri Peyr. 329
celebensis Auriv. (Ep.) 80
celebensis Rits. (Glen.) 496
celebensis Thoms. (Par.) 398
celebensis Voll. (Bat.) 128
celebiana Thoms. 128
celestis Thoms. 510
celia Pasc. 510
celtis Schaeff. 413
centenea Pasc. 443
centralis Duviv. (Mon.) 93
centralis Hintz (Cer.) 185
centralis Hintz (Stern.) 167
centralis J. Lec. (Leiop.) 408
centrifera Brancs. 204
centrolineatus Bates 378

- centroguttata* Fairm. 499
centurio Pasc. (Copt.) 146
centurio Pasc. (Sybra) 299
cephaloses Voet 72
cephalotes Bates (Onc.) 346
cephalotes Jakowl. (Dorc.) 22
cephalotes Küst. (Phyt.) 554
cephalotes Pasc. (Ad.) 589
cephalotes Pasc. (Ser.) 493
cephalotes Pic (Mes.) 140
ceramensis Thoms. (Pelarg.) 81
cercedillanum Pic 52
Cervae J. Friv. (Dorc.) 42
cervina Hintz (Dom.) 112
cervina Thoms. (Onc.) 346
cerviniapex Hell. 246
cervinocincta Fairm. 198
cervinopicta Fairm. 141
cervinus Hintz (Mim.) 197
cervinus Hope (Dih.) 97
ceylanica Thoms. 284
Chabrillaci Thoms. (Ap.) 351
Chabrillaci Thoms. (Clythr.) 584
Chabrillaci Thoms. (Comps.) 337
Chabrillaci Thoms. (Taur.) 390
chaerila Jord. 162
chaka Dist. 280
chalceolus Bates 294
chalcogramma Bates 352
chalybaea Fald. (Call.) 460
chalybaea Ill. (Glen.) 495
chalybaia Hell. 235
chalybeata Pasc. (Or.) 231
chalybeata Thoms. (Glen.) 499
Championi Bates (Aer.) 598
Championi Bates (Ap.) 457
Championi Bates (Carn.) 456
Championi Bates (Chal.) 368
Championi Bates (Cirrh.) 592
Championi White (Eupr.) 109
Chanieri Lin. 160
charicles Bates 413
charillus Bates 413
charis Bates (Ad.) 589
charis Bates (Patt.) 397
chebana Gah. (Pter.) 253
chebana Gah. (Ur.) 113
chehirense Pic 31
Chevrolati Buq. (Trest.) 351
Chevrolati Fauv. (Pros.) 262
Chevrolati Ganglb. (Dorc.) 32
Chevrolati Pasc. (Tr.) 119
Chevrolati Thoms. (Bat.) 129
Chevrolati Thoms. (Brach.) 340
Chevrolati Thoms. (Onc.) 396
Chevrolati White (Trag.) 172
Chihuahuae Cas. (Ac.) 434
chilensis Thoms. (Sap.) 603
chinensis Matsum. (Mel.) 108
chinganicum Suv. 61
chionidis Bates 275
chiriquensis Bates (Per.) 348
chiriquinus Bates (Lept.) 401
Chloe Thoms. (Trag.) 172
chlorinda Thoms. (Bat.) 128
chloris Chevr. (Trag.) 172
chlorizans Chevr. (Phyt.) 568
chlorizans Fauv. (Nem.) 234
chloroleuca Har. 170
chloromelas Thoms. 510
chloropoda Pasc. 299
chlorospila Gah. 499
chlorotica Fairm. 146
chontalensis Bates 452
chrysargyrea Bates 488
chryseis Bates (Prob.) 420
chrysocephala Coq. 237
chrysocephala Coq. 497
chrysochloris Bates 510
chrysomelina Pasc. 600
chrysopras Voet 167
chrysopus Bates 385
chrysostigma Har. 519
ciliaris Klug 587
ciliatus Broun (Hyb.) 323
ciliatus Gah. (Mon.) 95
ciliatus Pasc. (Scop.) 450
cilicum Pic 31
cilindrica Scop. 561
cillipes White 321
cincta Fisch. (Lam.) 605
cincta Gah. (Ast.) 581
cincta Gebl. (Ob.) 529
cincta Jord. ((Frea) 191
cincta Jord. (Mel.) 83
cincta Jord. (Tom.) 82
cinctellum Fairm. 32
cincticornis Bates (Cart.) 457
cincticornis Bates (Er.) 594
cincticornis Pasc. (An.) 217
cincticornis Pasc. (Phars.) 120
cincticornis Pasc. (Zosn.) 492
cincticornis Rits. (Pel.) 81
cincticornis Schall. (Col.) 453
cincticornis Thoms. (Dect.) 411
cinctiformis Thoms. (Dect.) 411
cinctipennis Mannerh. (Phyt.) 558
cinctipennis Pasc. (Cart.) 457
cinctiventris Bates 588
cinctulus Bates 586
cinctus Gah. 226
cineracea Cas. (Mec.) 538
cineracea Jord. (Oc.) 163
cineraceus Bates (Lept.) 400
cineraceus Jord. (Mon.) 93
cinerarium F. 42
cinerarium Küst. 40, 42
cinerarius Fairm. 365

- cinerascens* Auriv. (Plat.) 265
cinerascens Bates (Nyss.) 424
cinerascens Fairm. (Diad.) 309
cinerascens Fairm. (Meg.) 193
cinerascens Kraatz (Copt.) 548
cinerascens Motsch. (Mon.) 86
cinerascens Pasc. (Olm.) 439
cinerascens Pasc. (Otr.) 231
cinerascens Péring. (Chreost.) 201
cinerea Auriv. (Hapl.) 156
cinerea Auriv. (Sten.) 203
cinerea Chevr. (Apr.) 131, 608
cinerea De Geer. (Phyt.) 559
cinerea Guér. (Con.) 547
cinerea Horn (Dorc.) 362
cinerea Muls. (Opl.) 315
cinerea Newm. (Mec.) 538
cinerea Ol. (Het.) 216
cinerea Serv. (Eudr.) 376
cinerea Taschenb. (Mil.) 248
cinerea Thoms. (Fread.) 170
cinerea Thoms. (Glen.) 506
cinereola Bates (Cirr.) 592
cinereola White (Chreost.) 201
cinereum Lauff. 53
cinereus J. Lec. (Leiop.) 408
cineriferum Suv. 28
cingalensis Gah. 580
cingulata Auriv. (Nit.) 519
cingulata Say (Onc.) 346
cingulatum Ganglb. 28
cingulatus Auriv. (Zogr.) 163
cinna Pasc. 506
cinnabarina Bates 595
cinnabarrinus Lacord. 114
cinnamomea Pasc. (Bat.) 129
cinnamomea Pasc. (Plat.) 265
cinnamomeus Pasc. 277
circassica Reitt. 555
circulata Pasc. 273
circumcincta Pasc. 592
circumcinctum Chevr. 52
circumdata Kraatz 553
circumflexa Jacq. du Val 385
circumflexum Bates 395
circumscripta Bates (Nyss.) 424
circumscripta Hintz (Frea) 191
cirratus Germ. 586
cirrosa Er. 304
cirtana Luc. 546
cirtaensis Luc. 546
ciscaucasicum Jakowl. 42
citrina Jord. (Acc.) 494
citrina Thoms. (Glen.) 509
citrinella Fairm. 172
citrinipes Bates 492
clamator J. Lec. 91
clara Jord. (Alph.) 160
clara Newm. (Agn.) 121
clara Pasc. (Ob.) 531
Clarae Muls. 441
clarus Pasc. 214
clathrator Thoms. 110
clathratus Gistel 589
Claudia Pasc. 130
clavata Thoms. 343
clavator F. 386
clavatus Hintz (Mon.) 93
clavatus Poda (Cer.) 605
clavicornis F. 295
clavifer Hintz 93
claviger Bates 422
clavigera Bates 356
clavipes Blanch. (Micr.) 12
clavipes Kolbe (Psil.) 314
clavipes Schrank (Ac.) 388
clavus Fauv. 232
cleanthe Thoms. 501
elementinum Pic 37
cleome Pasc. 501
clericus Bates 386
cleroides Bates (Call.) 600
cleroides Gah. (En.) 276
cleroides Pasc. (Micc.) 447
cleroides Thoms. (Apod.) 310
cleroides Thoms. (Tetr.) 575
clerulus Bates 413
clymene Gah. 502
clypealis Fairm. 531
clytia Thoms. 495
clytiformis Newm. 322
clytina Pasc. 438
clytoides Auriv. (Hopl.) 238
clytoides Gah. (Daph.) 511
clytoides Pasc. (Cryll.) 511
clytomima Pasc. 540
coarctata Bates 350
cobaltina Bates (Eul.) 597
cobaltina Chevr. (Phyt.) 568
coccinea Bates (Phaea) 574
coccinea Pasc. (Ast.) 583
coccineus Cas. 575
Cocquereli Fairm. 546
coeca Bates (Tyb.) 341
coeca Chevr. (Phryst.) 201
coeca Küst. (Phyt.) 564
coelebs Jord. 521
coelestina Gah. 502
coelestis Towns. 557
coenobita Er. 426
coenosa Bates (Dorc.) 362
coenosa Newm. (Abr.) 247
coenosum Bates 381
coerulea Auriv. (Blep.) 517
coerulea Schönh. (Call.) 466
coeruleata Pasc. 507
coeruleipennis Auriv. (Therm.)

- coeruleipennis* Friv. (Call.) 460
coeruleonigra Reitt. 460
coerulescens Brahm (Phyt.) 562
coerulescens Jord. (Trag.) 172
coerulescens Petagna (Ag.) 459
coerulescens Scop. (Phyt.) 566
coerulescens Voet (Cer.) 605
cognata Kugel. (Ob.) 528
cognata Pasc. 338
cognatus Bates (An.) 396
cognatus Broun (Hyb.) 323
colenda Thoms. 506
collare Pasc. 359
collaris Auriv. (Blep.) 518
collaris Chevr. (Cross.) 195
collaris Donovan. (Plat.) 265
collaris Hald. (Lept.) 400
collaris Hintz (Cer.) 185
collaris Horn (Tetr.) 575
collaris Pasc. (Blep.) 527
collaris Pasc. (Chrys.) 592
collaris Pasc. (Glen.) 502
collaris Pasc. (Sybra) 299
collaris Thoms. (Par.) 292
collaris Thoms. (Xen.) 216
colligatus Redt. 589
colobotheides White 422
colobotheoides Gemm. & Har. (Spor.) 422
colobotheoides Thoms. (Blab.) 318
colobotheoides Thoms. (Cart.) 457
colobotheoides Thoms. (Glen.) 506
colombicus Thoms. 603
columba Pasc. 140
comata Gah. (Chreon.) 579
comata Thoms. (Esth.) 293
combusta Thoms. 110
comes Bates (Disc.) 383
comes Bates (Ep.) 540
comes Bates (Tetr.) 575
comes Jord. (Nit.) 519
comes Westw. (Dem.) 165
comis Pasc. 213
comis Shelf. 213
comitessa White (Lept.) 233
comitessa White (Trag.) 172
commissa Pasc. 499
commixta Hald. (Ast.) 399
commixta Newm. (Pter.) 253
commixtus Gah. (Sybr.) 299
commixtus Pasc. (Mon.) 95
commoda Pasc. 531
comosa Newm. 247
compacta Jord. (Grac.) 181
compacta Ménér. (Copt.) 548
compacta Pic (Phyt.) 555
compactus Fairm. 196
complanatum Ganglb. 28
complanatus Bates 413
complexa Pasc. 240
compos Blackb. 265
compressa F. 211
compressipes Fairm. 214
compta Jord. (Bang.) 162
compta Pasc. (Cac.) 142
compta Pasc. (Ob.) 531
comtessa Kolbe 519
comus Bates (Eup.) 311
comus Bates (Eutr.) 397
concentricus Bates 371
concinna Bates (Nyss.) 424
concinna Blackb. (Dist.) 240
concinna Chevr. (Grac.) 182
concinna Dalm. (Sang.) 451
concinna Newm. (Glen.) 506
concinna Pasc. (El.) 141
concinna White (Phoebe) 591
concininata Pasc. 502
concininata Pasc. 506
concininata Pasc. 509
concolor Broun (Hyb.) 323
concolor F. (Heb.) 602
concolor Lacord. (Anam.) 112
concolor J. Lec. (Sap.) 483
concolor Schaeff. (Pog.) 333
concreta Bates (Col.) 453
concreta Blanch. (Pyth.) 336
concreta Pasc. (Pter.) 253
concretus Pasc. 196
condensatum Küst. 32
conferta Auriv. (Onc.) 346
conferta Pasc. (Anc.) 151
conferta Pasc. (Esch.) 246
confirmatus Chevr. 67
confluens Fairm. (Dorc.) 33
confluens Hald. (Lept.) 414
confluens Har. (Gel.) 165
confluens Jord. (Trag.) 172
confluens Schramm (Dorc.) 58
conformis Pasc. 255
confossicollis Beckm. 315
confusa Pasc. (Cac.) 142
confusa Pasc. (Dax.) 271
confusa Thoms. (Glen.) 509
confusa Thoms. (Gnoma) 33
confusor Kirby 92
confusus Auriv. 517
congener Burm. 386
congener Thoms. 345
congestus Bates 383
congoana Belon (Gnath.) 190
congoana Duviv. (Pseudh.) 74
congolensis Hintz (Ad.) 150
congolensis Hintz (Cer.) 186
congolensis Hintz (Glen.) 497
congolensis Hintz (Pseudh.) 74
congolensis Hintz (Vell.) 65
congolensis Lesne (Phosph.) 608

- conicollis* Thoms. 225
conicipennis Kolbe 156
conifer Auriv. 12
conifera Auriv. 609
conjuncta Pasc. 253
conjuncta Hintz (Cer.) 186
conjuncta Pic (Copt.) 548
conjunctum Pic 25
conjux Thoms. 211
connecta Felt (Sap.) 486
connecta Hintz (Cer.) 186
connexa Pasc. 299
Conradti Auriv. (Leiop.) 401
Conradti Auriv. (Sophr.) 313
Conradti Kolbe (Aph.) 207
Conradti Kolbe (Cer.) 186
Conradti Kolbe (Phryn.) 199
Conradti Kolbe (Sym.) 515
consanguineum Lauff. 52
consanguis Auriv. 158
consentanea Pasc. (Ob.) 531
consentanea Thoms. (Ac.) 386
consentaneum Jak. 61
consimilis Gah. (Hyll.) 355
consimilis Thoms. (Hes.) 343
consobrina Chevr. (Ag.) 460
consobrina Luc. (Pter.) 253
consors Bates 289, 610
conspersa Auriv. (An.) 240
conspersa Auriv. (Hyll.) 354
conspersa Auriv. (Phem.) 149
conspersus Germ. (Atr.) 411
conspersus Thoms. (Neph.) 75
conspicillaris Er. 424
conspicua Gah. 592
consputa Pasc. (Myn.) 322
consputa Pasc. (Sybra) 299
constellata Thoms. 343
constellatus Muls. 405
constrictus Cas. 20
constrictus Fähr. 287
constrictus Lac 433
consularis Har. (Stern.) 169
consularis Pasc. (Am.) 113
consularis Pasc. (Pter.) 253
contaminata Serv. (Col.) 454
contaminata Thoms. (Ac.) 386
contaminatus Thoms. 383
contempta Bates 425
contemptus Gah. 98
contentiosa Pasc. 581
contigua Pasc. 299
continentalis Semen. 153
continua Ol. 185
contraversus Pasc. 225
convergens Auriv. 515
convexa Broun 7
convexicolle Küst. 50
convexicollis Fairm. 147
convexum Jord. (Acrid.) 212
convexus Bates (Mon.) 93
convexus Pasc. (Dih.) 98
Coquereli Fairm. (Cross.) 195
Coquereli Fairm. (Nit.) 365
corallicornis Pic 41
corallina Thoms. 135
corallipes Ganglb. 25
corallipes Lauff. 57
Corbetti Gah. 116
corcyricum Ganglb. 31
cordifer Chevr. 93
cordifera Auriv. (Eun.) 283
cordifera Thoms. (Lepr.) 75
cordigera Auriv. (Amph.) 293
cordigera Rits. (Phem.) 149
coreana Kolbe (Bat.) 126
coreana Pic (Ob.) 523
coris Pasc. 502
coris Waterh. 501
corniculata Bates 344
cornifrons Gah. 159
cornuta Bates (Ac.) 386
cornuta Ol. (Phoebe) 591
cornuticeps Schaeff. 345
cornutor F. (Dem.) 165
cornutor Kl. (Stell.) 164
cornutus Gmel. (Dem.) 166
corona Thoms. 495
coronata Jord. (Trag.) 169
coronata Pasc. (Bacch.) 494
coronata Serv. (Tap.) 236
coronata Thoms. (Tap.) 236
corpulentum Ménétr. 30
corpulentus Bates 400
corralimembris Pic 57
corrugans Cas. 19
corruscus Gistel 605
corticalis Bates 424
corticaria Hintz 194
corticarius Hintz 373
corticina Thoms. 376
corypha Pasc. 508
coryphaea Thoms. 506
cosmopolita Thoms. 515
costalis Pasc. 255
costaricensis Thoms. 376
costata Auriv. (Hec.) 244
costata Guér. (Centr.) 10
costata Hintz (Sym.) 515
costata Pasc. (Penth.) 270
costata Pic (Mall.) 544
costata Wiedem. (Nups.) 515
costatum Escal. 56
costatus F. (Ac.) 433
costatus Motsch. (Pog.) 327
costatus Pasc. (Xyl.) 3
Costeri v. d. Poll 120
costicolle Chevr. 51

- costicollis* Bates 289
costifer Broun 7
costiferum Pic 32
costiger Quedf. 195
costipennis Fairm. (Diad.) 309
costipennis Lam. (Heb.) 602
costulata Belon (Eupr.) 321
costulata Cas. (Spal.) 361
costulatum Hell. 235
costulata Quedf. (El.) 275
costulatus Fairm. (Rusc.) 272
costulatus Kolbe (All.) 439
costulatus Pasc. (Aeg.) 447
costulatus Pasc. (Hathl.) 258
Cowleyi Blackb. 258
coxale Kirsch 394
crassa Bates (Sang.) 453
crassa Jord. (Phryn.) 191
crassa Voet (Ac.) 384
crassiceps Bates 593
crassicollis Pasc. 270
crassicornis Bates (As.) 601
crassicornis Bates (Onc.) 347
crassicornis F. (Pter.) 295
crassicornis Jord. (Trag.) 172
crassicornis Pasc. (Dorc.) 362
crassimanus Bates 418
crassipes Ball. (Dorc.) 22
crassipes Bates (Hyps.) 344
crassipes Jak. (Dorc.) 26
crassipes Broun (Som.) 7
crassipes Wied. 253
crassiuscula Fairm. 256
crassulus J. Lec. 408
crassum J. Lec. 20
crassus Bates (Gymn.) 368
crassus Voet (Onych.) 371
cratosomoides Bates 368
credulum Pic 60
crebescens Cas. 400
cretacea Bates (Isch.) 343
cretacea Coq. (Prot.) 219
cretacea Hope (Apom.) 278
cretacea Jord. (Pros.) 158
cretaceus Bates (Ol.) 214
cretaceus Chevr. (Cross.) 195
cretaria Bates 595
cretata Bates (Ant.) 598
cretata Bates (Or.) 376
cretata Newm. (Sap.) 484
cretata Pasc. (Rhyt.) 268
cretata Pasc. (Zaeara) 260
cretatellus Bates 400
cretatus Bates (Ptych.) 101
cretatus Pasc. (Aeth.) 379
cretifera Hope (Cac.) 142
cretifera Hope (Lam.) 605
cretifera Pasc. (Or.) 376
cretifera Pasc. (Phoebe) 592
cretifera Pasc. (Sybra) 300
cretiger White 410
cretosum Ferr. 29
cribellum Jord. 93
cribrata Bates (Dryc.) 601
cribrata Bates (Mes.) 140
cribrata Thoms. (Apr.) 131
cribrata Thoms. (Nyct.) 602
cribratipennis Thoms. 202
cribratofasciata Dan. 544
cribrella Bates 300
cribricolle Kraatz 24
cribricolle Quedf. 353
cribricolle Suv. 24
cribripennis Bates (Ozin.) 397
cribripennis Fairm. (Hes.) 343
cribripennis Gah. (Pol.) 116
cribrosum Pasc. 251
cribrosus Lam. 93
criminosus Pasc. 246
crinicornis Germ. 588
crinita Thoms. (Ischn.) 305
crinita Thoms. (Sten.) 13
crinitus J. Lec. (Pog.) 333
crinitus Panz. (Ex.) 442
criocerina Bates 600
criopsioides Pasc. 211
crispa Ol. 18
crispata Pasc. 255
crispum F. 64
crista F. 323
cristata Jord. (Cross.) 194
cristata Pasc. (Anc.) 151
cristatellus Bates 323
cristatipennis Blanch. 334
cristatus Blackb. (Ath.) 11
cristatus Gah. (Phlyar.) 447
cristatus Perty (Hyps.) 340
cristatus Thoms. (Cleod.) 393
cristipennis Bates 592
cristulata Fairm. 256
cristulatus Auriv. (Micr.) 9
cristulatus Bates (Lag.) 392
cristulatus Bates (Lept.) 401
cristulatus Fairm. (Pog.) 334
criticus Schönh. 433
crocata Pasc. 574
crocatus Ol. 272
croceicollis Gah. 593
croceipes Reiche & Sauley 558
croceocincta Saund. 492
crocogaster Boisd. 151
crocostigma Bates 386
crossotoides Thoms. 151
cruciata Auriv. (Sym.) 515
cruciata Kirsch (Gnoma) 134
cruciata Pasc. (Corrh.) 275
cruciata Pic (Parm.) 14
cruciator Gistel 32

- cruciatum* F. 42
crucifer Auriv. (Spil.) 178
crucifer Fauv. (Leiop.) 410
crucifera F. (Lepr.) 75
crucifera Gah. (Glen.) 499
cruciferrum Kraatz 42
cruciferum Lepech. 42
crucigera Auriv. 453
cruda Er. 344
cruentata Gmel. 127
cruentatus Thoms. 295
crustulata Bates 293
crux Billb. 32
crux nigra Hope 165
cryllis Thoms. 504
crypta Say 292
crypticus Cas. 417
ctenostomoides Thoms. 133
cucullata Thoms. 304
culminicola Thoms. 32
cultriferum White 395
cultus Bates 397
cuneata Jord. (An.) 355
cuneata Pasc. (Dist.) 240
cuneata Sharp (Sten.) 5
cuneatus Jord. 208
cuneifera Auriv. 172
cunicularis Pasc. 286
unila Pasc. 504
cupido Pasc. 494
cuprascens Bates (Eum.) 603
cuprascens Waterh. (Call.) 458
cuprea Westw. 261
cupreosignatus Auriv. 225
cuprina Belon 362
curculioides Scop. 138
curculionides Laich. 138
curculionoides L. 137
curculionoides Panz. (Mes.) 138
curculionoides Westw. (Dol.) 261
curialis Pasc. (Neanth.) 96
curialis Pasc. (Ob.) 532
curta Bates (Al.) 595
curta Chevr. (Frea) 191
curta Thoms. (Criops.) 390
curtilineata Pic 532
curtipennis Pic 443
curtula Bates 601
curtulum Pic 28
curtulus Bates 289
curvatus Bates 396
curvicollis Perroud 220
curvicornis Karsch 303
curvidens Auriv. 208
curvilinea Pasc. 275
curvilineatum Schramm 58
curvilineatus White 396
curvinucha Jord. 205
Cuvieri Buq. 339
cyanea Hbst. 465
cyarella Dalm. 467
cyanipennis Gah. 493
cyaneoguttata Fairm. 176
cyanesces Jord. 76
cyaneus Fauv. (Amph.) 134
cyaneus Thoms. (Cycl.) 370
cyanipennis Thoms. (Ast.) 581
cyanipennis Thoms. (Glen.) 507
cyanipes Fauv. 228
cyanoptera Auriv. (Eun.) 283
cyanoptera Gah. (Ast.) 581
cyanura Gah. 502
cybele Thoms. 505
cyclops Küst. 566
cylindracea White 249
cylindraceum Reitt. 42
cylindrator F. 271
cylindrepomoides Thoms. 506
cylindrica Auriv. (Pros. 158)
cylindrica Bates (Ac.) 386
cylindrica Jord. (Syn.) 515
cylindrica L. (Phyt.) 558
cylindrica Laich. (Phyt.) 557
cylindrica Thoms. (Ap.) 131
cylindrica Pasc. (Sybra) 301
cylindrica Rossi (Phyt.) 561
cylindricolle Cas. (Mon.) 19
cylindricollis F. (Germa) 605
cylindricollis Griff. (Ob.) 525
cylindricollis Kolbe (Blep.) 517
cylindricollis Pic (Theoph.) 358
cylindricus Auriv. (Therm.) 115
cylindricus Bates (Ad.) 289
cylindricus Fauv. (Enic.) 232
cynarae Germ. 460
cynthia Thoms. 247
cyrilla Pasc. 508
cyrtana Luc. 546
cyrtomera Auriv. 438
dactylon Pasc. 122
Dahli Muls. (Parm.) 14
Dahli Richter (Ag.) 461
Daldorfi F. 582
Daldorfi Ill. 582, 583
Daldorfi Thoms. 583
Daleni Guér. 76
Dallasi Pasc. 268
Dalmani Thoms. 347
Dalmanni Chevr. 180
dalmatinum J. Müll. 40
damalis Gah. 502
damarensis Hintz 194
damascena Pic 552
Danaë Gestro 508
Dannfelti Auriv. 205
Daphnis Thoms. 172
dapsilis Newm. 579

Daratshishagi Suv. 28
dasycera Er. 362
dasycerus Kl. (Mal.) 586
discolor Cas. 411
dasycerus Say (Ecyr.) 325
daurica Ganglb. 462
davaona Hell. 609
Davidis Deyr. (Bat.) 125
Davidis Fairm. (Mel.) 108
Davidis Fairm. (Moech.) 245
Daviesi Cast. 385
Daviesi Ol. 385
Davisi Swed. 384
dealbatus Jacq. du Val 401
debile Fähr. 354
debilis J. Lec. 106
decemguttata Auriv. (Glen.) 506
decemguttata Bates (Nyss.) 424
decemmaculata Bates 453
decemmaculatus Pic 214
decempunctata De Geer 476
decempunctata Gebl. 471
decempunctata Goetze 474
decempunctata Vill. 478
decemvittatum Lauff. 55
decemvittatum Lauff. 55
decimaculata Schultze 609
decepiens Bates (Lept.) 401
decepiens Bates (Spor.) 422
decepiens Germ. (Dorc.) 42
decepiens Haldem. (Ac.) 387
decepiens Pasc. (Ast.) 583
decepiens Pasc. (Plat.) 265
declivis Auriv. (Col.) 453
declivis Hintz (Dit.) 17
decolorata Pasc. 303
decora Kryn. 461
decorata Nonfr. (Clod.) 447
decorata Pasc. (Ther.) 143
decorator F. 369
decoratus Cast. (Taen.) 102
decoratus Fairm. (Pog.) 327
decoratus Pasc. (Pith.) 438
decorticans Bates 426
decorus Bates (Ast.) 427
decorus Fall (Leiop.) 408
decorus Thoms. (Hall.) 321
Decorsi Fairm. 193
decussatus Chevr. 202
deducta Pasc. 253
defector Pasc. 98
deficiens Reineck 474
deflorata Pasc. 265
deflua Pasc. 532
Degeeri Fähr. 159
degener Bates (Anis.) 396
degener Bates (Dih.) 98
degener Pasc. (Em.) 448
degenera Bates 342

degeneratus Hell. 223
dehiscens Auriv. 532
Dejeani Buq. (Hem.) 599
Dejeani Buq. (Phac.) 339
Dejeani Chevr. (Dorc.) 52
Dejeani Gah. (Glen.) 502
Dejeani Gah. (Pros.) 159
Dejeani Montrz. (Tmes.) 225
Dejeani Thoms. (Anh.) 76
Dejeani Thoms. (Hyps.) 344
Dejeani Thoms. (Onc.) 347
Dejeani Thoms. (Ptych.) 101
Dejeani Thoms. (Tmes.) 227
Dejeani Thoms. (Typ.) 294
Delagrangei Pic (Ag.) 461
Delagrangei Pic (Con.) 547
Delagrangei Pic (Dorc.) 32
Delagrangei Pic (Mall.) 544
Delauneyi Fleut. & Sallé 8
delecta Bates (Nyss.) 424
delecta Gah. (Nit.) 519
delectabilis Waterh. 585
deletum Bates 394
delia Pasc. (Glen.) 495
delia Thoms. (Glen.) 495
delia Thoms. (Trag.) 172
deliciata Pasc. 532
delicatula Cas. (Ob.) 535
delicatula White (Moech.) 245
delicatus Bates (Lept.) 414
delicatus Cas. (Hyp.) 417
delica Bates 456
deliciolus Bates 414
delta Auriv. 438
demandense Escal. 52
demissa Newm. 532
demissum Cas. 19
Demokidovi Suv. 28
dendrobii Gah. 281
dendrodromis Gistel. 176
denseguttata Fairm. 182
densevestita Fairm. 307
dentator F. (Mon.) 91
dentator Haw. 93
dentator Westw. 92
dentatum Hintz 66
dentatus Cas. (Leiop.) 408
dentatus Geoffr. (Pog.) 331
dentatus Ol. (Pros.) 262
dentatus Sériz. (Pog.) 330
denticauda Bates 289
denticollis Bates (Per.) 350
denticollis Buq. (Hast.) 600
denticollis Fairm. (Mad.) 147
denticollis Jord. (Thet.) 252
denticollis Pasc. (Phaeop.) 318
denticornis Chevr. (Plan.) 135
denticornis Fauv. (Micr.) 13
denticulata Thoms. 18

- denticulatus* Kolbe (Oeax) 155
dentifer Ol. 252
dentipennis Latr. 295
dentipes Blackb. (Plat.) 265
dentipes Gyll. (Mon.) 93
dentipes Newm. (Sap.) 605
denudatum Escal. 54
deplanatus Sharp 323
depressa, De Geer (Macr.) 375
depressa Gebl. (Ob.) 523
depressum F. 381
depressum Heyne-Taschbg. 381
depressus Houtt. (Taen.) 102
depressus Poda (Cer.) 605
derasa Pasc. 265
derolius Jord. 82
deserti Blackb. 265
dersertorum Woll. 6
desertus L. 81
Desjardinsi Fairm. 262
despecta Pasc. 502
despectus J. Lec. 423
desperatus Thoms. 113
despoliata Pasc. 299
Destinoi Fairm. 32
destituta Bates (Col.) 453
destituta Pasc. (Sybra) 300
desueta Pasc. 300
detersa Bates (Del.) 104
detersa Pasc. (Pter.) 254
detrita F. (Con.) 546
detrita Hope (Rhyt.) 269
detrita Kraatz (Ag.) 462
detrita Pasc. (Glen.) 506
deusta Dalm. 514
devota Pasc. (Plat.) 265
devota Pasc. (Sybra) 300
Deyrollei Ganglb. (Dorc.) 28
Deyrollei Kaup (Agr.) 131
Deyrollei Lacord. (Om.) 439
Deyrollei Thoms. (Macr.) 85
diabolicum Thoms. 211
diadema Gemm. 236
diademata Fald. 551
diadematum Hell. 260
dialloides Pasc. 231
Diana Nonfr. (Bat.) 127
Diana Ol. (Onc.) 347
Diana Thoms. (Ad.) 589
Diana Thoms. (Glen.) 499
dichotoma Newm. 239
dichroma Thoms. 512
dichrous Goun. 370
didyma Auriv. (Glen.) 502
didyma Blackb. (Anc.) 151
didyma Pasc. (Rop.) 286
difficilis Lam. 344
difformis Jord. 532
diffusus Bates 401
digesta Newm. 254
Digglesi Pasc. 150
digna Bates 347
dilatata Auriv. 173
dilaticeps Bates 589
dilaticollis Th. Pic (Phyt.) 552
dilaticollis Thoms. (Crasp.) 296
dilecta Newm. 579
dilectus Bates 414
diluta Gah. (Del.) 104
diluta Pasc. (Misp.) 276
dimidiata Auriv. (Blep.) 518
dimidiata Bates (Hyps.) 344
dimidiata Blanch. (Emph.) 366
dimidiata F. (Glen.) 502
dimidiata Gory (Ast.) 581
dimidiaticornis Chevr. (Nit.) 519
dimidiaticornis Serv. (Hem.) 587
dimidiatum Motsch. 28
dimidiatus Bates (Ad.) 589
dimidiatus Blessig (Pog.) 329
dimidiatus Chevr. (Cal.) 593
dimidiatus Thoms. (Tryp.) 412
dioica Fairm. 581
diopetes Hell. 235
diophthalma Perty 352
diophthalmus Pasc. 68
dioptica Bates (Nyss.) 424
dioptrica Bates (Prisc.) 452
diphysis Pasc. 245
disa Auriv. 502
discedens Fairm. (Oopsis) 302
discedens Sharp (Tetr.) 321
discicollis Bates (Ad.) 589
discicollis Gah. (Col.) 453
discipennis Fairm. 532
discodes Jord. 180
discoidalis Jord. (Nit.) 519
discoidalis Pasc. (Glen.) 502
discoidalis Thoms. (Chreon.) 579
discoidea F. (Sap.) 484
discoidea Har. (Pseudh.) 74
discoidea Horn (Ob.) 536
discoideus J. Lec. (Tetr.) 575
discomaculatum Pic 27
disconotata Pic 486
discreta Pasc. 300
discus Jord. 205
disjuncta Hell. (Cac.) 143
disjuncta Pasc. (Pter.) 255
disjunctum Pic 60
disjunctus Pic 433
dispar Bates (Anis.) 396
dispar Bates (Er.) 594
dispar Blackb. (Anc.) 151
dispar Blackb. (Iph.) 268
dispar Lam. (Teth.) 296
dispar Pasc. (Ess.) 364
dispar Pasc. (Ors.) 99

dispar Pic (Neod.) 59
dispar Serv. (Tap.) 236
dispersa Bates (Col.) 453
dispersa Pasc. (Gnoma) 134
dispersa Pasc. (Pter.) 255
dissimilis Belon (Al.) 294
dissimilis Ganglb. (Dorc.) 33
dissimilis Pasc. (Temn.) 229
dissimilis Pasc. (Tmes.) 225
dissimilis Pic (Leiop.) 407
dissonans Gah. 286
Dislanti Auriv. 185
distigma Fairm. (Ap.) 280
distigma Jord. (Mon.) 93
distigma Pasc. (Mor.) 260
distincta Pasc. (Ax.) 246
distincta Pasc. (Col.) 453
distinctipennis Pic 532
distinctus Boisd. (Tmes.) 225
distinctum Lauff. 57
distinctus Fairm. (Anc.) 451
distinctus Fairm. (Meg.) 193
distinctus Gah. (Mon.) 95
distinguenda Gah. 502
diuroides Rits. 360
diva Thoms. 272
divaricata Bates (Syd.) 318
divaricata Lacord. (Styn.) 322
divaricatus Coq. 296
divergens Haldem. 408
diversa Broun (Som.) 7
diversa Pasc. (Myn.) 322
diversa Pasc. (Salm.) 147
diversa Thoms. (Glen) 507
diversejunctum Pic 33
diversepubens Pic 52, 54
diversesparsum Pic 60
diversicollis Pic 556
diversipes Pic 532
diversiventris Fairm. 158
diversus Pasc. 79
dives Bates 370
divisa Pasc. (Eun.) 283
divisa Pasc. (Ast.) 582
divisa Pic (Dorc.) 607
divisum Germ. 32
divisus Cas. 401
divus Chabril. 589
Dobraei Waterh. 167
Dobrovijanskii Suv. 28
doctus Bates 386
doctus Bates (Ozin) 396
Dohertyi Auriv. (Ast.) 582
Dohertyi Gah. (Glen.) 502
Dohertyi Jord. (Tmes.) 225
Dohrni Fairm. (Sphingn.) 222
Dohrni Lansb. (Xyl.) 210
Dohrni Pasc. (Pter.) 254
Dokhtouroffi Ganglb. 26

Doleschali Redt. 76
dolosa Cas. (Ob.) 535
dolosa Kolbe (Phant.) 63
dolosa Pasc. (Eun.) 283
dominus Thoms. 214
Donaldsoni Jord. 166
Donceeli Pic 532
Donzeli Muls. 48
Donovani Jord. (Haph.) 180
Donovani Newm. (Plat.) 265
Donovanni Thoms. 502
D'Orbigny Bates 103
dorcadioides Serv. (Mycerinus)
 244
dorcadioides Thoms. (Mycerinus)
 258
dorcadioides White (Lept.) 414
doreas Jakowl. 61
Doris Thoms. 344
dorsale Pic 33
dorsalis Chevr. (Pros.) 158
dorsalis Gah. (Thyl.) 209
dorsalis Germ. (Ast.) 427
dorsalis Haldem. (Sap.) 485
dorsalis Kolbe (Pter.) 257
dorsalis Pasc. (An.) 272
dorsalis Redt. (Tymp.) 113
dorsalis Serv. (Pter.) 295
dorsalis White (Lept.) 414
dorsalis White (Phac.) 367
dorsata Fairm. (Hopl.) 335
dorsata Fairm. (Oops.) 302
dorsata Fairm. (Pter.) 256
dorsata Péring. (Blep.) 517
dorsigerum Lauff. 55
dorsivaria Fairm. 302
dorsopicta Fairm. (Eun.) 283
dorsopicta Fairm. (Or.) 204
Dostojewski Sem. 23
dotata Pasc. 276
Downesi Hopa 126
Drapiezi Auriv. 130
dromedarius Boq. 345
dromedarius Voet 345
Drurei Pic 560
Druryi Thoms. 589
drusum Chevr. 33
dsungaricum Pic 26
dubia Gah. (Nups.) 515
dubia Laich. (Sten.) 541
Dubianskii Jakowl. 23
dubiosa Haldem. 490
dubitans Bates 401
dubium Hintz 211
dubius Broun (Hyb.) 323
dubius Gah. (Mon.) 95
dubius Montrz. (Tmes.) 225
Dubocagei Coq. 169
Duboisii Fairm. 302

- Duboulayi Pasc. 265
 Dubouzeti Montrz. 221
 ducalis Bates (Apal.) 152
 ducalis Bates (Pann.) 599
 ducalis Kl. (Stern.) 167
 ducalis Hintz (Glen.) 497
 ducalis White (Trag.) 172
 Duchesnei Lesne 166
Dufourei Auriv. 567
 dulcissima Bates 424
 dulcissimus White 368
 Dunningi Pasc. 222
duodecimpunctata Brahm 474
duodecimpunctata Motsch. 471
 duplex Bates 451
 duplicata Pasc. (Eun.) 283
 duplicata Pasc. (Phars.) 120
 duplicata Pasc. (Pter.) 255
 duplicatus Bates 587
 Duponcheli Brullé 543
Duponti Auriv. 158
 dux Jakowl. (Dorc.) 61
 dux Jord. (Blep.) 521

ebenina Voll. 159
 ebeninum Bates (Mon.) 20
ebeninum Lauff. (Dorc.) 53
 ecaudatus Kolbe 252
echii Chevr. 568
 echimys Pasc. 443
 echinulus Gah. 443
 echinus Bates 8
 eclecticica Pasc. 511
 edessensis Reitt. 552
Edmondi Fairm. 433
Eduardi Pic 59
 efficta Bates 424
egaensis Bates (Chal.) 368
egaensis Bates (Scler.) 389
egaensis Lacord. (Chal.) 368
 egena Pasc. 265
 egens Er. (Hyps) 344
 egens Pasc. (Ex.) 246
 egensis White (Chal.) 368
 egensis White (Scler.) 389
egria Pasc. (Glen.) 502
Egeria Pasc. (Xoes) 122
 egregia Pasc. (Non.) 439
 egregia Pasc. (Sybra) 300
 egregium Ganglb. (Dorc.) 33
 egregium Reitt. (Neod.) 61
 Eichelbaumi Auriv. 278
 elata Pasc. 502
 elateroides Gestro 225
 elatus Bates 105
 electus Hell. 225
 elegans Auriv. (Ol.) 215
 elegans Bates (Cath.) 395
 elegans Fairm. (Pseud.) 444
 elegans Gah. (Cyr.) 109
 elegans Ganglb. (Acanth.) 431
 elegans Gestro (Cer.) 187
 elegans Hell. (Diat.) 272
 elegans Hell. (Tmes.) 225
 elegans Horn (Petr.) 576
elegans Jord. (Char.) 181
 elegans Kraatz (Dorc.) 42
 elegans Pasc. (Eop.) 437
 elegans Pasc. (Prot.) 218
 elegans Nonfr. (Pith.) 459
 elegans Ol. (Glen.) 495
elegans Thoms. (Glen.) 496
 elegans Waterh. (Cremn.) 111
elegantula Chevr. (Grac.) 182
elegantula Fairm. (Con.) 546
elegantula Kolbe (Nit.) 519
elegantula White (Desin.) 304
elegantulus Bates (Lept.) 414
elegantulus Fairm. (Mist.) 444
elephas Buq. 345
 elgonensis Auriv. (Cer.) 607
 elgonensis Auriv. (Syn.) 518
 elisebethpolicum Suv. (Jorc.) 29
 Elliotti Gah. (Id.) 154
 Elliotti Gah. (Phryn.) 201
ellipticus Bates (Pan.) 398
 ellipticus Germ. (Eutr.) 436
 ellipticus Thoms. (Plan.) 578
 elongata Auriv. (Aeth.) 298
 elongata Auriv. (Nups.) 515
elongata Bates (Pol.) 372
 elongata Brancs. (An.) 217
 elongata Broun. (Som.) 7
 elongata Gah. (Col.) 453
 elongata Jord. (Trag.) 172
 elongata Kolbe (Syn.) 516
elongata Ol. (Ob.) 531
 elongata Thoms. (Lepr.) 75
 elongatula Hoisd. 532
 elongatum Fauv. (Blaps.) 228
elongatum Pic (Dorc.) 37
 elongatus Bates (Anis.) 396
 elongatus Bates (Ozin.) 398
 elongatus Lam. (Ad.) 289
 elusus Pasc. 263
 Elvirae Pic 52
 emarginata Chevr. (Nit.) 521
 emarginata Ol. (Col.) 453
 emarginatus Cas. 333
 Empei Ganglb. 33
 emeritum Er. 394
 emeritus Er. 410
encaustum Chevr. 54
 encaustus Pasc. (Plan.) 136
 encaustus Pasc. (Pros.) 263
 enganensis Gah. (Bat.) 129
 enganensis Gah. (Clepl.) 359
enganensis Gah. (Epep.) 79

enganensis Gah. (Pter.) 254
entomologorum Thoms. 574
epaphra Hell. 235
ephippiata Fairm. (Pter.) 256
ephippiata Fairm. (Sybra) 300
ephippiata Lea (Mes.) 17
ephippiata Pasc. (Pter.) 254
ephippiatus Pasc. 201
ephippium F. 561
epicedioides Pasc. 75
episcopalis Chevr. 581
episomoides Pasc. 252
epitanium Suv. 26
eques Bates 383
equestris Pasc. (Lepr.) 75
equestris Pasc. (Tmes.) 227
erectifrons Thoms. 236
erector Schönh. 606
eremita Er. (Leiop.) 410
eremita Pasc. (Micr.) 9
eremita Westw. (Fread.) 170
Erichsoni Thoms. (Ac.) 386
Erichsoni Thoms. (Eur.) 283
erinacea Jord. 204
erineus Pasc. 443
erivanica Pic (Ag.) 461
erivanica Pic (Ob.) 529
erivanica Reitt. (Con.) 547
erivanicum Pic 28
Erlangeri Hintz 195
erotyloides Bates 421
erratica Pasc. 300
Ertli Auriv. (Cub.) 278
Ertli Auriv. (Per.) 178
Ertli Auriv. (Pros.) 158
erythaca Pasc. 518
erythrocephala Ol. 530
erythrocephala Schrank 529
erythrocnema Luc. 560
erythrodera Gah. 502
erythroderus Chevr. 596
erythrophthalma Voet 453
erythropteron Fisch. 47
erythropteron Fisch. 47
erythropus Lauff. 54
erythrospila Hell. 230
erythrostoma Hell. 532
Esau Chevr. 198
Escherichi Ganglb. 34
Escalerae Lauff. 58
Escalerae Pic 52
escorialense Pic 52
Estellae Muls. 480
estola Lam. 603
estriatum Suv. 47
etruscum Rossi 34, 43
eucharis Bates 427
euchroma Fairm. 169
Eugeniae Ganglb. (Con.) 547

Eugeniae Ganglb. (Dorc.) 34
Eugeniae Ganglb. (Pog.) 329
eugenius Hell. 80
eugonata Gah. 283
eulophum Bates 394
eumolpoides Bates 336
euridioides Pasc. 302
eupholoides Nonfr. 76
euphorbiae Germ. 530
euprepes Bates 414
Eurydice Thoms. 125
eurypyna Suv. 23
euterpe Ganglb. 467
euxinum Suv. 28
evanida Pasc. 579
evicta Pasc. 299
evitata Pasc. 286
exarata Pasc. 222
exarata Pasc. 222
exaratum Ménétr. 62
excavatriceps Pic 278
excellens Auriv. 225
excelsa Bates 425
excelsa Stierl. 552
excisa Pasc. 249
exclamationis Thoms. 33
excubitans Hell. 507
exculta Newm. 506
exculta Pasc. 509
excultus Bates 289
exigua Auriv. (Eun.) 283
exigua Auriv. (Sophr.) 313
exigua Gah. (En.) 285
exigua Gah. (Ros.) 131
exigua Kolbe (Fread.) 170
exigua Pasc. (Eb.) 277
exigua Pasc. (Sybra) 300
exiguus Gah. (Aeg.) 447
exiguus Gah. (All.) 445
exiguus Gah. (Exor.) 443
exiguus Hell. (Enot.) 235
exiguus J. Lec. (Ecyr) 325
exiguus Quedf. (Id.) 154
exiguus Thoms. (Eup.) 311
exilis Bates (Nyss.) 425
exilis Bates (Them.) 585
exilis Cas. (Ob.) 535
exilis Er. (Ill.) 448
exilis Pasc. (Blep.) 518
eximia Auriv. (Cot.) 453
eximia Bates (Lyc.) 584
eximia Bates (Par.) 510
eximia Jord. (Ac.) 388
eximia Pasc. (Agn.) 192
eximius Pasc. 370
exocentroides Pasc. (Rop.) 286
exocentroides Thoms. (Exor.) 443
exoletus Pasc. 114
exornatum Friv. 59

- expansa* Bates 584
explanata Bates 588
expurgata Cas. 573
extensa Pasc. 502
externa Pasc 581
extrema Sharp 507
exutus Pasc. 210
Eylandti Sem. 548

fabra Horn 236
Fabricii Thoms. (Ast.) 582
Fabricii Thoms (Bat.) 124
Fabricii Thoms. (Col.) 110
Fabricii Thoms. (Onc.) 347
Fabricii Thoms. (Pol.) 372, 610
fabulosum Thoms. 597
facetus Say 414
Fähræi Pasc. 202
fainanensis Pic (Glen.) 499
fainanensis Pic (Ob) 533
Fairmairei Argod (Stern.) 167
Fairmairei Auriv. (Haph.) 180
Fairmairei Auriv. (Ob) 532
Fairmairei Auriv. (Sten.) 307
Fairmairei Thoms. (Dorc.) 66
Fairmairei Thoms. (Ptych.) 101
falcata Dist. 158
Faldermanni Fald. (Phyt) 554
Faldermanni Ganglb. (Dorc.) 28
fallax Kraatz (Neodorc.) 59
fallax Lam. (Spal.) 361
fallax Lam. (Trag.) 205
fallax Péring. (Cer.) 186
famelica Pasc. 532
familiaris Pasc. 446
farinosa Bates (Desm.) 304
farinosa Pasc. Aem.) 135
farinosa Pasc. (Plat.) 265
farinosus Bates Mon) 93
farinosus Cast. (Taen.) 103
farinosus De Geer (Taen.) 103
farinosus Houtt (Mel.) 108
farinosus L. (Taen.) 102
farinosus Ol Taen.) 102
fascialis White 386
fasciata Auriv. (Marm) 121
fasciata Auriv. (Moeha) 189
fasciata Auriv. (Nups) 514
fasciata Auriv. (Oc.) 163
fasciata Bates (Col.) 453
fasciata Blackb. (Plat) 266
fasciata Brancs. (Frea) 193
fasciata F. (Glen.) 497
fasciata Gah. (Ast.) 581
fasciata Gah. (Eun.) 283
fasciata Gestro (Arct.) 73
fasciata Guér. (Cym.) 209
fasciata Hintz (Fren) 192
fasciata Jord. (Bang.) 162

fasciata Jord. (Cinc.) 197
fasciata Kolbe (Trag.) 172
fasciata Lucas (Onc.) 345
fasciata Pasc. (Achth.) 122
fasciata Pasc. (Agn.) 121
fasciata Pic (Par.) 510
fasciata Rits. (Apr) 131
fasciata Thoms. (Hyps.) 344
fasciata Vill. (Parm.) 14
fasciata Waterh. (Las.) 243
fasciatocollis Thoms. 243
fasciatum Geoffr. 44
fasciatus Bates (Hem.) 587
fasciatus Bates (Lept.) 414
fasciatus Bates (Trich.) 421
fasciatus Broun (Hyb.) 323
fasciatus De Geer (Graph.) 423
fasciatus Fähr. (Anth.) 84
fasciatus Hamilt. (Ecyr.) 325
fasciatus Jord. (Disc) 212
fasciatus Jord. (Nict.) 178
fasciatus J. Lec. (Ip) 15
fasciatus Montrz. (Dih) 98
fasciatus Pasc. (Met.) 150
fasciatus Sharp (Nyl.) 3
fasciatus Vill. (Leiop.) 406
fasciatus Veet (Cer.) 605
fascicularis Fairm. (Cross.) 195
fascicularis Harris (Leiop.) 408
fascicularis Panz. (Pog.) 328
fasciculata Auriv. (Aes.) 148
fasciculata Blackb. (Anc.) 151
fasciculata Ol. (Desm.) 304
fasciculata Pic (Linda) 539
fasciculata Pic (Niph.) 249
fasciculata Redt. (Arist.) 110
fasciculatus De Geer (Pog.) 327
fasciculatus White (Lag.) 392
fasciculosa Auriv. (Frea) 191
fasciculosa Auriv. (Id.) 154
fasciculosa Auriv. (Pter.) 254
fasciculosa Motsch. (Ag) 464
fasciculosa Thoms. (Or.) 376
fascinus Serv. 349
fasciolata Auriv. (Daph.) 511
fasciolata Boisd. (Cac.) 142
fasciolata Fairm. (Alb.) 273
fasciolata Fairm. (Ep.) 198
fasciolata Fauv. (Zyg.) 239
fasciolata Hintz (Frea) 193
fasciolatus Bates (Exor.) 443
fastidiosus Boisd. 148
fastigiatus Cas. 333
fatalis Pasc. 502
fatidicus Pasc. (Im.) 163
fatidicus Pasc. (Sot.) 246
fatima Ganglb. 552
faunus Er. 351
fausta Newm. 261

Fausti Ganglb. 548
fautor J. Lec. 91
Fauveli Cam. (Cyst.) 450
Fauveli Théry (Sybra) 300
Fauveli Thoms. (Call.) 601
Favareli Achard 199
favosum Thoms. 241
Fayi Bland 485
Feae Auriv. (Glen.) 497
Feae Auriv. (Pseudh.) 74
Felderi Vollenh. 75
felix Waterh. 585
femorale Cas. 20
femoralis Auriv. (Eun.) 283
femoralis Auriv. (Ob.) 522
femoralis Auriv. (Pseud.) 598
femoralis Broun (Hyb.) 323
femoralis Broun (Som.) 7
femoralis Burm. (Hast.) 600
femoralis Chevr. (Haph.) 180
femoralis Fauv. (Agn.) 121
femoralis Haldem. (Hyp.) 417
femoralis Haldem. (Mec.) 538
femoralis Hell. (Eust.) 580
femoralis J. Lec. (Ob.) 537
femoralis Muls. (Phyt.) 565
femoralis Sharp (Poec.) 324
femorata Chevr. 539
femoratum Brullé 34
femoratum Ganglb. 43
femoratus Fairm. (Leiop.) 405
femoratus Gah. (Doc.) 238
femoratus J. Lec. (Tetr.) 576
femorosa Er. 453
fenestratum Pic 34
fenestratus Bates 589
fenestrella Jord. 407
fennica Payk. 314
feralis Pasc. 98.
Ferdinandi Escal. 52
Feredayi Bates 232
feriata Pasc. 259
ferox Har. 163
Ferranti Hintz 156
ferrea Ganglb. (Phyt.) 560
ferrea Panz. (Sten.) 541
ferrea Schrank (Sten.) 542
Ferreti Westw. 167
ferrugata Ganglb. (Phyt.) 552
ferrugata Pasc. (Pter.) 254
ferrigator F. 186
ferrugatus Pasc. 274
ferruginea Auriv. (Plat.) 266
ferruginea Auriv. (Sten.) 13
ferruginea Cas. (Ob.) 536
ferruginea Gah. (Phars.) 120
ferruginea Kolbe (Phil.) 281
ferruginea Kriesche (Bat.) 126
ferruginea Thoms. (Bat.) 125

ferruginea Thoms. (Pyrr.) 305
ferruginea Thunb. (Ob.) 532
ferrugineus Thoms. 349
ferruginipes Lauff. 55
ferruginipes Ménétr. 34
ferruginosus White 207
fervida Pasc. (Blep.) 518
fervida Pasc. (Sybra) 300
festiva Boisd. 508
festivus Bates 414
fibrosa Er. 453
Fichteli Lacord. 233
Fichteli Schreib. 232
ficivora Pasc. 160
figuratus Bates (Lept.) 414
figuratus Bates (Tor.) 427
filarium Fauv. 234
filicornis Gestro (Pseud.) 355
filicornis Thoms. (Aeth.) 379
filifer Pasc. 359
fliformis Fairm. (Pseud.) 358
fliformis Ol. (An.) 217
flum Cas. (Ob.) 535
filum Kl. (Spal.) 361
flum Rossi (Cal) 357
fimbriata Bates (Eut.) 298
fimbriata Bates (Js) 588
fimbriata Belon (Al.) 294
fimbriata Chevr. (Arch.) 74
fimbriatum Gmel. 25
fimbriatus Ol. 81
fimbriolata Bates 595
 finita Pasc. 494
finitimus Broun 323
Finschi Kuntzen 496
Fischeri Kolbe 84
fissa Har. 185
fissilis Auriv. 517
fistularius Pasc. 282, 609
fistulator Aulm. 99
fistulator Germ. 99
Flachi Schwarz 125
Flachneri Pic 59
flammata Newm. 594
Flaschneri Pic 59
flava Jord. (Alph.) 160
flava Jord. (Glen.) 499
flava Newm. (Eust.) 580
flavescens Auriv. (Mim.) 114
flavescens Auriv. (Mon.) 202
flavescens Bates (Par.) 292
flavescens Brullé (Phyt.) 552
flavescens Kaup (Apr.) 131
flavescens Muls. (Phyt.) 567
flavescens Thoms. (Tetr.) 588
flavicans Gah. (Eust.) 580
flavicans Muls. (Phyt.) 567
flavicapillus Chevr. 512
flaviceps Bates 414

- flavicincta* Pasc. 579
flavicollis Auriv. 191
flavicornis Fairm. (Ob.) 532
flavicornis Gah. (Pel.) 81
flavidorsis Broun 7
flavifrons Auriv. 65
flavimacula Voet (Col.) 453
flavimacula Voet (Macr.) 375
flavimana Creutz. 557
flavipes Auriv. (Nyet.) 602
flavipes F. (Phyt.) 560
flavipes Gyll. (Phyt.) 554
flavipes Haldem. (Ob.) 536
flavipes Lucas (Ad.) 589
flavipes White (Poec.) 321
flavipicta Pasc. 230
flavipilis Beckm. 315
flaviventris Pasc. 581
flavocincta Gah. (Glen.) 499
flavocincta Goun. (Taur.) 370
flavocinctus Bates (Eup.) 311
flavocinctus Chevr. (Dad.) 596
flavofasciata Waterh. 585
flavofemorata Cast. 600
flavoguttata Auriv. (Alph.) 160
flavoguttata Auriv. (Col.) 453
flavoguttata Auriv. (Char.) 181
flavoguttata Fairm. (Pasc.) 79
flavoguttata Hintz (Dich.) 196
flavoguttulata Auriv. 280
flavolineatus Auriv. 392
flavomaculata Auriv. (Hyll.) 354
flavomaculata Bates (Col.) 453
flavomaculatus Hintz 196
flavonotum Auriv. 516
flavopictus Quedf. 196
flavopustulata Thoms. 604
flavoscapulata Fairm. 192
flavosignata Chevr. 160
flavosparsa Auriv. 191
flavosparsus Auriv. 238
flavotecta Heyd. 491
flavoterminata Hell. 532
flavovariiegata Auriv. (Hom.) 221
flavovariiegata Thoms. (Cal.) 136
flavovortex Hell. 507
flavovittata Auriv. (Glen.) 503
flavovittata Bates (Phaea) 574
flavovittata Quedf. (Mystr.) 517
flavovitatus Auriv. 412
Fleutiauxi Lam. 111
flexicornis Bates 351
flexistigma Bates 386
flexuosa Pasc. 276
flexuosus Pasc. 223
floccidus Er. 410
floccifer Quedf. 191
floccifera Kolbe 307
floccosa Pasc.
- Flohri Bates 335
florensis Rits. 495
floridanus Cas. (Ac.) 434
floridanus Leng (Leiop.) 408
florula Bates 594
fluctuosa Bates 376
 Foncki Hintz 186
Fonscolombi Montrz. 242
fonteboernsis Bates 369
fontinalis Cas. 575
Forbesi Waterh. (Meg.) 124
Forbesi Waterh. (Nem.) 76
foreipata Bates 453
forcipiferum Kraatz 34
formosa Beckm. (Tetr.) 571
formosa Jord. (Char.) 181
formosa Lacord. (Trag.) 172
formosa Ol. (Trag.) 172
formosa Thoms. (Trag.) 172
formosana Bates (Rop.) 286
formosana Kriesche (Bat.) 124
formosana Pic (Hec.) 244
formosana Pic (Ob.) 532
formosanus Pic 214
formosum Kraatz 28
formosum Suv. 23
formosus Bates (Tetr.) 382
formosus Gronov. (Cer.) 605
fornator F. 577
fornicata Newm. 221
forte J. Lec. 23
forticornis Buq. (Trest.) 351
forticornis Fairm. (Ran.) 212
fortificata White 202
fortis Cas. 576
Fortunei Kuwana (Chreon.) 579
Fortunei Saund. (Par.) 510
Fortunei Thoms. (Chreon.) 579
Foudrasi Montrz. (Oops.) 302
Foudrasi Muls. (Sten.) 307
foveatocollis Leng 408
foveatus Auriv. 447
foveolata Auriv. (Esth.) 293
foveolata Auriv. (Por.) 285
foveolatus Hintz 94
Foxcrofti Pasc. 162
fractilinea Bates (Hipp.) 356
fractilinea Pasc. (Pter.) 254
fractimacula Fauv. 233
fractiosa Pasc. 532
fragifer Kirby 345
fragilis Bates (Eur.) 232
fragilis Pasc. (Chyd.) 437
fragillimus Bates 414
franciscanus Thoms. 271
franciscum Thoms. 338
fraserensis Blackb. 266
frater Lam. (Frea) 192
frater v. d. Poll (Per.) 118

- fraterna* Chevr. 539
fraudator Bates 97
fraudatrix Bates 589
fraxini Knoll 311
Fredericus White 113
frenata Bates (Mel.) 83
frenata Gerst. (Trag.) 172
frenata Pasc. (Phem.) 149
Frenchi Blackb. (Dih.) 98
Frenchi Blackb. (Plat.) 266
Frenchi Blackb. (Rhyt.) 268
Frenchi v. d. Poll (Bat.) 128
freya Jord. (Char.) 181
fricator Dalm. (Nups.) 515
frigidus Cas. 417
Frivaldszkyi Ganglb. 462
Froggatti M'Leay 225
frontale Muls. & Rey 34
frontalis Chevr. (Phyt.) 552
frontalis Er. (Onc.) 347
frontalis Gah. (Chreon.) 579
frontalis Guér. (Tyr.) 586
frontalis Jord. (Nit.) 521
frontalis Jord. (Syn.) 516
frontalis Pasc. (Sybr.) 301
frontalis Pasc. (Tetr.) 243
fronticornis F. 158
Fruhstorferi Auriv. (Arct.) 73
Fruhstorferi Auriv. (Call.) 78
frustrata Pasc. 255
Fryi Brancs. (Trag.) 173
Fryi Murr. (Col.) 158
Fryi Pasc. (Col.) 454
Fuentei Pic 52
fulgida F. 581
fulgida Thoms. 583
fulgurata Auriv. (Eun.) 283
fulgurata Buq. (Trest.) 351
fulgurata Thoms. (Combe) 119
fuliginator L. 43, 52
fuliginator Reichenb. 44
fuliginator Roem. 46
fuliginea Bates (Al.) 595
fuliginea Bates (Pen.) 339
fuligineus Bates 401
fuliginosa Chevr. (Pach.) 204
fuliginosa Kolbe (Moech.) 246
fuliginosa Scop. (Phyt.) 559
fuliginosa Thoms. (Ac.) 386
fuliginosum Bates (Loph.) 395
fuliginosum Schrank (Dorc.) 44, 49
fuliginosus Gah. 17
fulminans Bates 425
fulva Bates (Onc.) 347
fulva Fairm. (Linda) 539
fulva Jord. (Cub.) 278
fulva Jord. (Pros.) 158
fulva Pasc. (Corrh.) 275
fulva Pasc. (Eun.) 283
fulva Thunb. (Sap.) 448
fulvaster Jord. 82
fulveola Bates (Ad.) 594
fulveola Bates (Ob.) 532
fulveolus Bates 586
fulvescens Gah. (An.) 112
fulvescens Gah. (Mal.) 586
fulvescens Pasc. (Plat.) 266
fulvicollis Gah. 313
fulvicornis Auriv. (Cyrt.) 238
fulvicornis Bates (Ad.) 589
fulvicornis Pasc. (Dih.) 97
fulvida Pasc. (Eun.) 283
fulvida Pasc. (Ser.) 433
fulvifrons Bates 292
fulvipes Geoffr. (Ob.) 525
fulvipes Lauff. (Dorc.) 52
fulvisparsa Gah. (Pter.) 254
fulvisparsa Pasc. (Zor.) 297
fulvisparsus Gah. (Mon.) 94
fulvisparsus Pasc. (Om.) 118
fulvitaris Bates 319
fulvocincta Bates 600
fulvoirrorata Thoms. 343
fulvoirroratus Blanch. 81
fulvilineata Reitt 546
fulvomaculata Gah. (Par.) 121
fulvomaculata Thoms. (Glen.) 507
fulvomaculatus Hintz 196
fulvomarmoratus Jord. 176
fulvopictus Pasc. 277
fulvosignata Quedf. 166
fulvosparsus Fairm. 148
fulvosticta Bates 288
fulvostillata Bates 347
fulvotarsata Auriv. 519
fulvotomentosa Auriv. 278
fulvovestita Kolbe 186
fulvovestitum Pic
fulvovestitus Fairm. (Frea) 192
fulvovestitus Schaeff. (Eup.) 311
fulvum Scop. 46
fumata Heyd. (Ob.) 532
fumata Pasc. (Plat.) 266
fumigata Küst. 552
fumigatus Bates 589
fumosa Pasc. (Ambl.) 230
fumosa Pasc. Xvast. 494
fumosus Pasc. 79
funeraria Cas. (Psen.) 317
funeraria Gah. (Thyest.) 491
funeraria Bates (Ac.) 386
funeraria Bates (Tyb.) 341
funeraria Thoms. (Dem.) 239
funerarium Lauff. 52
funereus Fairm. (Brach.) 242
funereus Muls. (Mor.) 68
funereus Pasc. (Ath.) 11
funereus Schoch (Dorc.) 67

tunerula Thoms. 499, 503
funesta Fr. (Myox.) 380
funesta Fähr. (Blep.) 518
funesta Pasc. (Corrh.) 275
funestum Ganglb. 34
junestus F. (Dorc.) 67
funestus Thoms. (Lag.) 392
furcata Bates 249
furciferum Bates 394
furciferus Bates 8
furcula Bates 362
furculicauda Bates 290
furtiva Pasc. 300
fusca Gah. (Spal.) 361
fusca Geoff. (An.) 316
fusca Kolbe (Soph.) 313
fusca Ol. (Copt.) 146
fusca Thoms. (Cac.) 351
fuscata Broun (Som.) 7
fuscata J. Lec. (Lyps.) 525
fuscator F. 250
fuscicollis Auriv. (Diast.) 450
fuscicollis Bates (Ac.) 386
fuscicollis Pasc. (Rop.) 286
fuscicornis Chevr. (Phryn.) 201
fuscicornis Germ. (Anc.) 151
fuscicornis L. (Con.) 546
fuscicornis Muls. (Phyt.) 560
fuscifrons Chevr. 34
fuscipennis Bates (Ad.) 589
fuscipennis Chevr. (Ob.) 532
fuscipes Kolbe (Ob.) 522
fuscipes Say (Sap.) 485
fusciventris Fairm. 532
fuscoapicata Fairm. 302
fuscobasalis Auriv. 254
fuscobrunnea Auriv. 151
fuscolinctum Schramm 51
fusco maculata Auriv. (Syn.) 251
fusco maculata Quœdf. (Frea.) 192
fusco maculatus Petri 90
fusconebulosa Schönh. 606
fusco marginatus Auriv. 219
fusco pubescens Pic 32
fusco punctata Fairm. 253
fusco punctatus Auriv. 239
fusco signata Fairm. 242
fusco variegatus Auriv. 201
fusco velutina Fairm. 173
fusco vestitum Pic 40
fusco virgata Fairm. 510
fuscula Bates 216
fuscus Bates (Pter.) 295
fuscus Har. (Hom.) 202
fusiformis Pasc. 390

Gabilloti Pic 560
gabonator Thoms. 171, 608
gabonica Thoms. 497

gabonicus Thoms. 34
gabunica Thoms. 194
gagatum Lauff. 55, 57
Gahani Auriv. (Sybr.) 299
Gahani Gestro (Nups.) 514
Gahani Goun. (Rhaph.) 291
Gahani Jord. (Glen.) 497
Gahani Pic (An.) 272
Gahani Waterh. (Chreost.) 201 *gabonica*
Galathea Chevr. (Trag.) 173
galathea Thoms. (Glen.) 503
galeruroides Bates 600
galleruroides Thoms. 582
gallica Pic 478
gallipolanum Thoms. 34
galloprovincialis Ob. 86
gallus Pasc. 266
Gama Coq. 169
gamborensis Pic 556
Gandoiphei Tourn. 34
Ganglbaueri Csiki (Leiop.) 405
Ganglbaueri Jakowl. (Dorc.) 23
Ganglbaueri Kraatz (Mall.) 545
Ganglbaueri Reitt. (Moc.) 69
Ganglbaueri Semen. (Ag.) 462
Gassneri Breit 61
Gaubili Muls. 560
gaudens Broun 3
Gaurani Fairm. 191
Geayi Goun. 337
Gebleri Fald. (Thyest.) 488 491
Gebleri Kraatz (Dorc.) 23
gedeensis Auriv. 503
geelvinkianus Gestro 225
gemina Dist. (Trag.) 173
gemina Pasc. (Ambl.) 308
geminata Bates (Col.) 453
geminata Kl. (Sybra) 300
geminata Pasc. (Sybra) 299
geminata Pasc. (Trys.) 100
geminus Pasc. 412
gemmaria White 166
gemmata Blanch. 340
gemmatus Bates 370
gemmula Thoms. 582
genalis Auriv. (Cross.) 195
genalis Auriv. (Phuc.) 367
genalis Broun (Hyb.) 323
Genei Aragona 307
geniculata Kolbe (Blep.) 518
geniculata Muls. (Phyt.) 560
Gennadii Ganglb. 67
gentilis J. Lec. 538
geometrica Bates (Dorc.) 362
geometrica Bates (Sang.) 451
geometrica Waterh. (Dol.) 261
geophilus Montrz. 3
georgiana Thoms. 503
georginus White 119

- Germaini Goun. 370
germanica Kriesche (Bat.) 129
germanica Kuntzen (Glen.) 496
germanicum Gmel. 49
 germanus Sharp. 3
 Germari Hope (Apr.) 131, 608
 Germari Pasc. (Anc.) 151
 Germari Thoms. (Onc.) 347
 Gerstaeckeri Thoms. 129
 Gestroi Gah. 499
 Ghilianii Chevr. 53
 gibba Brullé 12
 gibber Bates 8
 gibbera Serv. 344
 gibbicollis Bates (Alph.) 404
 gibbicollis Fairm. (Anc.) 451
 gibbicollis Fairm. (Auxa) 11
 gibbicollis Reitt. (Phyt.) 564
 gibbicollis Thoms. (Ast.) 582
 gibbifera Guér. 120
 gibbosa Thoms. 347
 gibboscollis Pic 539
 gibbosus Buq. 345
 gibbulosus Bates 401
 gibbus De Geer 401
 gigantea Guer. (Phant.) 63
 gigantea Nonfr. (Nit.) 519
 gigantea Thoms. (Desm.) 304
 gigantella Auriv. 125
 giganteum Escal. 54
 gigas Auriv. (Ep.) 79
 gigas Auriv. (Prot.) 21
 gigas Drap. (Bat.) 130
 gigas F. (Petr.) 206
 gigas J. Lec. (Mon.) 20
 gigas Thoms. (Bat.) 125
 gigas \times *albofasciata* Damm. 125
 gilvicornis Thoms. 344
 gilymana Ménétr. 557
 gilvipes Bed. 573
 gilvipes Fald. 572
 giraffa Dalm. (Glen.) 497
 giraffa Schreib. (Gnoma) 134
 glabra Auriv. 518
 glabricula Bates (Eupr.) 321
 glabricula Bates (Micc.) 447
 glabrifrons Kolbe 439
 glabripenne Pic 58
 glabripennis Motsch. 108
 glabrocostatum Nicol. 55
 glabrofasciata Pic 140
 glabrofasciatum Dan. 34
 gladiator F. 111
 giaphyra Dan. 562
 Glasunowi Semen. 548
 glauca Auriv. (Nyct.) 602
 glauca Auriv. (Thita) 366
 glauca Er. (Con.) 547
 glauca Guér. (Ent.) 492
 glauca L. (Or.) 376
 glauca Newm. (Glen.) 506
 glaucescens Auriv. 506
 glaucina Thoms. (Prymn.) 318
 glaucina Westw. (Ochr.) 157
 glaucipennis Thoms. 293
 glaucopterum Ganglb. 61
 glaucothea Bates 456
 glaucum Fald. 28
 glaucus Pasc. 225
 Glazunovi Suv. 23
 glechoma Pasc. 510
 glycyrrhizae Pall. 23
 globiceps Har. 514
 globicollis Bates (Ad.) 589
 globicollis Cas. (Ip.) 15
 globifera F. 340
 globithorax Jakowl. 23
 globosus Voet 605
 globulosus Thoms. 12
 gloriosa Hell. 503
 gloriosus Bates 370
 glycyrrhizae F. 23
 glycyrrhizae Fisch. 23
 glycyrrhizae Ol. 25, 39
 Gmelini Gemm. 18
 gnarus Broun 323
 gnomoides Thoms. 113
 gogium Thoms. 49
 goktshanum Suv. 28
 goliath Pic 493
 gonostigma Bates 586
 gorgo Kolbe 63
 gorilla Thoms. (Ac.) 388
 gorilla Thoms. (Trag.) 173
 Gottschei Kolbe 73
 Goudoti White 427
 Gougeleti Fairm. 560
 Graafi Rits. 78
 gracile Jord. 177
 gracilentia Kolbe 519
 gracilicornis Buq. (Apr.) 132
 gracilicornis Chevr. (Trag.) 175
 gracilicornis Pic (Linda) 539
 gracilipes Broun (Hyb.) 323
 gracilipes Thoms. (Corn.) 296
 gracillima Pasc. 532
 gracillimus Bates 396
 gracilior Bates 140
 gracilis Auriv. (Syn.) 516
 gracilis Auriv. (Trag.) 230
 gracilis Bates (Pol.) 372
 gracilis Blanch. (Cat.) 318
 gracilis Blanch. (Hathl.) 258
 gracilis Creutz (Cal.) 357
 gracilis F. (Ob.) 536
 gracilis Fähr. (Hyll.) 354
 gracilis Fauv. (Enic.) 233
 gracilis Hintz (Nups.) 514

- gracilis* Lam. (Heb.) 602
gracilis White (Sten.) 5
græca Strm. 543
græcum Kraatz 36
græcum Walil 32
græcus Pic 442
Graëllsi Chevr. 53
Graëllsi Graëlls 53
grallatrix Bates 457
gramineoides Lacord. 335
grammica Pasc. 300
grammicus Pasc. (Aeg.) 447
grammicus Pasc. (Cyl.) 213
grammicus Pasc. (Hathl.) 258
grammophilum Thoms. 33
granatus Schönh. 606
grande Jakowl. 24
grandevittatum Pic 34
Grandini Buq. 372
grandis Broun (Som.) 7
grandis Chevr. (Spal.) 361
grandis Jord. (Clepl.) 359
grandis Jord. (Gel.) 165
grandis Jord. (Trag.) 173
grandis Pic (Phyt.) 561
grandis Thoms. (Carn.) 456
grandis Waterh. (Mon.) 87
grandis Waterh. (Stathm.) 296
granicornis Fairm. 302
granigerum Ganglb. 33
granulata Dist. (Mall.) 203
granulata Pasc. (Trach.) 64
granulatum Auriv. 65
granulatum Blumenb. (Cec.) 605
granulatus Auriv. (Per.) 118
granulatus Gah. (Mon.) 95
granulatus Kolbe (Brach.) 83
granulatus Motsch. (Pog.) 328
granulicollis Pasc. 150
granulifera Bates (Or.) 377
granulifera Kolbe (Trich.) 82
granulipenne Escal. 53
granulosa Chevr. (Ag.) 462
granulosa Guér. (Deps.) 269
granulosa Pasc. (Trach.) 64
granulosum Pic 53
granulosus Bates (Hamm.) 104
granulosus Bates (Thryall.) 367
granulosus Pasc. (Cen.) 251
Granti Gah. 154
granulum Fauv. 233
graphiptera Bates 377
gratiana Kolbe 181
gratiosa Gah. 499
gratiosus Bates (Lept.) 414
gratiosus Bates (Mal.) 586
gratus Broun 3
Graueri Hintz (Hec.) 244
Graueri Hintz (Mel.) 83
gravidus Pasc. 79
Grayi Pasc. 76
gredosunum Lauff. 57
Gregorii Gah. 162
Grenieri Fairm. 560
griphus Jord. 94
grisator F. 271, 609
grisator Pasc. 271
grisea Auriv. (Desm.) 304
grisea Auriv. (Sophronica) 313
grisea Auriv. (Sophronisca) 313
grisea Auriv. (Syn.) 516
grisea Fleut. (Hyps.) 344
grisea Griff. (Alb.) 274
grisea Hintz (Frea.) 192
grisea Hintz (Phant.) 63
grisea Hintz (Pros.) 158
grisea Jord. (Frea.) 192
grisea Jord. (Pros.) 153
grisea Jord. (Trag.) 173
grisea Pic (Phyt.) 566
grisea Thoms. (Glen.) 507
griseata Bates 113
griseator Auriv 111
griseatus Gah. (Mon.) 95
griseatus Pasc. (An.) 135
griseicauda Bates 289
griseicolle Lauff. 55
griseicornis Pic 556
griseipennis Thoms. 98
griseipes Pic 561
grisella Bates (Nyss.) 425
grisella Pasc. (Corrh.) 275
grisella Pasc. (Xen.) 216
grisella White (Cac.) 142
griseoalbidus Voet 328
griseocaudata Fairm. 302
griseocinctus Thoms. 349
griseofasciatus Serv. (Atr.) 411
griseofasciatus Serv. (Hyl.) 496
griseoguttata Gah. 506
griseola Bates 357
griseolineatum Pic 53
griseolus Bates 295
griseomaculata Pic 549
griseomaculatus Pic 82
griseonotatus Pic 607
griseoplagiatus Thoms. 94
griseopubescens Lauff. 54
griseostriatus Bates 414
griseotincta Fairm. (Cer.) 187
griseotincta Fairm. (Coed.) 335
griseotincta Hintz (Cer.) 186
griseotincta Kolbe (Pach.) 204
griseotomentosa Auriv. 278
griseovariva Fairm. 198
griseozonata Bates 377
griscens Auriv. (Frea.) 192
griscens Auriv. (Glen.) 497

griseus Bates (Cyl.) 310
griseus Chev. (Phyl.) 568
griseus Escal. (Dorc.) 52
griseus Fairm. (Zip.) 356
griseus Gah. (Mal.) 586
griseus Jord. (Exor.) 443
griseus Muls. (Sap.) 471
griseus Pasc. (Pter.) 255
griseus Pic (Acanth.) 389
griseus Pic (Dorc.) 51
griseus Serv. (Eud.) 349
griseum Auriv. (Alc.) 394
griseum Escal. (Dorc.) 58
griseum Fauv. (Nem.) 234
griseum Schaeff. (Parm.) 17
griseum Walll. (Dorc.) 35
griseus Auriv. (Ad.) 589
griseus Dist. (Sor.) 298
griseus F. (Acanth.) 432
griseus F. (Xyl.) 3
griseus Jord. (Disc.) 212
griseus Pic (Pog.) 329
griseus Thoms. (Ad.) 150
griseus Thoms. (Tmes.) 225
grossa Pic 460
grossus Bates 8
Grouvellei Belon 609
Grumi Suv. 61
gryliceps Cas. 20
gryphogramma Hell. 261
guadalajarae Pic 57
guadeloupenis Fleut. (Dryc.) 401
guadeloupenis Fleut. (Lept.) 414
guatemalena Bates (Col.) 453
guatemalena Bates (Esth.) 293
guatemalensis Cas. 386
Guerini Brème (Con.) 547
Guerini White (Trag.) 173
Guerini White (Macc.) 100
Guerryi Pic (Dorc.) 44
Guerryi Pic (Mon.) 96
Guerryi Pic (Plax.) 578
Guexi J. Lec. 149
guiennensis Thoms. 274
Guilleti Pic 570
guineensis Chev. (Vol.) 512
guineensis Hintz (Cer.) 184
guineensis Kolbe (Blep.) 518
guineensis Quedf. (Myon.) 430
guttata Auriv. (Daph.) 511
guttata Jord. (Crem.) 155
guttata J. Lec. (Ast.) 399
guttata Pasc. (Biasm.) 310
guttata Vollenh. (Bat.) 124
guttatus Bates (Call.) 390
guttatus Bates (Leiop.) 405
guttatus Blackb. (Or.) 237
guttatus Blessig (Mon.) 87
guttatus Guér. (Ep.) 79

guttatus Hell. (Cyc.) 119
guttatus Jord. (Spil.) 178
guttatus Kirsch (Pter.) 295
guttatus Pasc. (Diall.) 120
guttatus Quedf. (Chrcost.) 201
gutticollis Thoms. 587
guttifera Bates (Oed.) 421
guttifera Lacord. (Voc.) 285
guttigera Bates (Oed.) 421
guttigera Thoms. (Glen.) 502
guttula Bates (Spor.) 422
guttula Coq. (Glen.) 497
guttulata Auriv. (Eun.) 283
guttulata Auriv. (Col.) 453
guttulata Bates (At.) 320
guttulata Bates (Ecz.) 246
guttulata Coq. (Glen.) 497
guttulata Fairm. (Ap.) 280
guttulata Gestro (Trig.) 230
guttulata Pasc. (Corrh.) 275
guttulata Thoms. (Onc.) 347
guttulatus Bates (Exor.) 442 447
guttulatus Belon (Ad.) 289
gutturator F. 347
Gyllenhalii Ganglb. 461

haematopus Lam. 383
haemorrhoidale Hampe 28
haemorrhoidalis Auriv. (Alph.)
 161
haemorrhoidalis F. (Sap.) 605
Haldemani J. Lec. 425
halepense Kraatz 34
haleppense Ganglb. 35
Halli Broun 7
halticoides Bates 600
hamata Auriv. 160
hamaticollis Bates (An.) 396
hamaticollis Pasc. (Cont.) 445
hamatus Chabr. (Hopl.) 370
hamatus Pasc. (Gyar.) 277
hamifer Auriv. 208
Hamiltoni Fähr. 186
Hampei Muls. & Rey 28, 35
Handschuchi Küst. 53
haplotrita Auriv. 293
Harmandi Pic 140
Haroldi Fähr. (Blep.) 518
Haroldi Quedf. (Frea) 192
harpax Kolbe 74
Harrisoni Jord. 186
Hasselti Rits. 495
Hauseri Auriv. (Pasc.) 222
Hauseri Hintz (Cer.) 186
Hauseri Hintz (Dich.) 198
Hauseri Reitt. (Ag.) 462
Hauseri Reitt. (Dorc.) 27
Hauseri Reitt. (Tetr.) 571
Hauseri Schwarz (Bat.) 125

- Heathi* Jord. 278
hebe Thoms. 505
hebes Bates (Ac.) 336
hebes Cas. (Graph.) 423
hebes Thoms. (Ap.) 343
hebescens Bates 532
hebraeus F. 372
hebraica Bates 453
hecate Chevr. 189
hephora Thoms. 201
Hector Gistel (Bat.) 125
Hector Pasc. (Pel.) 81
Hector Thoms. (Bat.) 125
Heeringi Hintz 154
Heinrothi Cederhj. (Mon.) 90
Heinrothi Kuntz. (Glen.) 496
Heinrothi Solsky (Mon.) 86
heilipoides Bates 604
Heldreichi Kraatz 35
Helena Thoms. (Bat.) 125
Helena White (Et.) 115
Helenor Newm. 96
Helleri Auriv. (Glen.) 506
Helleri Haus. (Nem.) 76
Hellmanni Ganglb. 28
Helmsi Sharp 7
helvolus Guér. 217
hemileuca Bates 456
hemisphaericus Blanch. 12
hemispilus Germ. 539
Henoni Pic 547
Henrici Pic 35
Henrietta Kriesche 125
Henschi Reitt. 432
hepaticus Pasc. 99
heptagona Thoms. 508
heraldica Bates 341
herbacea Pasc. (Cac.) 142
herbacea Pasc. (Sybra) 300
herbaceus Pasc. 225
Herbsti Gmel. 188
Hercules Boisd. 125
Hercules Thoms. 125
Herminea Reitt. 544
heroica Har. 186
heros Auriv. (Cyl.) 164
heros Jakowl. (Neod.) 61
heros Pasc. (Ac.) 18
heros Pasc. (Iph.) 268
Herzi Ganglb. 532
hesperus Woll. 307
heterarthra Broun 7
heterocera Thoms. 348
heterocerus Buq. (Eud.) 349
heterocerus Serv. (Xyl.) 369
heterogyna Fairm. 547
heteromorphus Boisd. 3
heteroclita Thoms. 173
heteroclitum Thoms. 241
Heydeni Ganglb. (Mall.) 544
Hoydeni Kraatz (Dorc.) 53
Heyrovskiyi Roub. 464
hieroglyphica Pall. (Sap.) 480
hieroglyphica Redt. (Gramm.) 210
hieroglyphica Schönh. (Col.) 453
hieroglyphicus Blanch. (Tmes.) 225
hieroglyphicus Fairm. (Anc.) 153
hieroglyphicus Gerst. (Zogr.) 163
hieroglyphicus Quedf. (Brach.) 208
hieroglyphicus Taschenb. (Jd.) 154
hilaris Bates (Lept.) 401
hilaris Jord. (Gel.) 165
hilaris Matsum. (Aul.) 610
hilaris Pasc. (Psac.) 79, 607
hilarula Broun 5
Hintzi Auriv. (Nit.) 519
Hintzi Auriv. (Nups.) 514
Hintzi Auriv. (Pros.) 158
hipporhina White 18
hircinus Bates 326
hircus Jakowl. 61
hirsuta Bates (Acr.) 598
hirsuta Bates (Mes.) 138, 140
hirsuta De Geer (Est.) 319
hirsuta Fairm. & Germ. (Est.) 319
hirsuta Küst. (Parm.) 14
hirsuta Pasc. (El.) 275
hirsutella Auriv. 319
hirsuticornis Chevr. 371
hirsutipes Auriv. 540
hirsutula Fröl. 549
hirsutulus Bates (Blab.) 449
hirsutulus Fald. (Ac.) 432
hirsutulus Fald. (Exor.) 441
hirsutus Bates 316
hirta Kolbe 440
hirticollis Ol. 304
hirticornis Bates (Sychn.) 383
hirticornis F. (Tetr.) 360
hirticornis Hell. (Corn.) 77
hirticornis Klug (Acr.) 598
hirtimana Schönh. 454
hirtipes De Geer (Col.) 454
hirtipes Gah. (Ecyr.) 325
hirtipes Jakowl. (Neod.) 61
hirtus F. (Cal.) 358
hirtus Fähr. (Ac.) 440
hispanicus Muls. 53
hispanoloide Escal. 58
hispida Bates (Or.) 376
hispida Lam. (Est.) 319
hispida Saund. (Ar.) 110
hispida Thoms. (Pen.) 339
hispidulus Bates (Lept.) 401
hispidulus Pasc. (Exor.) 443
hispidulus Pill. (Pog.) 329
hispidus Bates (Lept.) 396
hispidus Cas. (Ip.) 15

- hispidus* F. (Pog.) 330
hispidus L. (Pog.) 328
hispidus L. (Pog.) 330, 610
hispidus Auriv. 578
histrio Cas. (Ac.) 386
histrio F. (Ap.) 279
histrio Goun. (Gymn.) 369
histrio Pasc. (Apom.) 278
histrio Pasc. (Oth.) 230
histrio Pasc. (Ser.) 493
histrio Perty (Sang.) 451
histrio Voet (Leiop.) 407
histrionellus Bates 414
histrionica Har. (Trag.) 174
histrionica Pasc. (Cac.) 143
histrionicum White 381
histrionicus Gisl 410
histrionis Pic 530
histrinx Hintz 199
Hoefneri Thoms. 105
Hoehneli Lin. 160
Hoepfneri Lacord. 106
Hoffmeisteri Schultze 247
Hofmanni Quedf. 215
Högei Bates 574
Holdhausi Braucs. 179
hollandicus Boisd. 262
Hollisi Waterh. 94
Holmgreni Auriv. 590
hololeucus Lin. 171
holosericea Fald. 549
holosericea Ganglb. 549
holosericeum Kryn. 47
holosericeus Gah. 593
holotephrus Blanch. 97
holotephrus Boisd. 93
holoxantha Auriv. (Syn.) 516
holoxantha Fairm. (Ob.) 532
Holtzi Pic 32
homaeus Jord. 94
Homeyeri Har. 516
homonospila Thoms. 509
homoisthes Ganglb. 549
Hondurae White 101
honesta Pasc. (Rop.) 286
honesta Pasc. (Stes.) 259
honora Pasc. 503
Hookeri Gah. 250
Horni Joutel 485
horrens Boisd. 10
horrida Newm. (Hisp.) 123
horrida Voet (Pol.) 373
horridula Hope 110
horridus Hintz 17
Horsfieldi Hope (Bat.) 125
Horsfieldi Hope (Cyr.) 109
Hortiguelae Lauff. 51
hottentotta Bedd. 184
hottentotta F. 186
Houstoni Cas. 408
hovanus Fairm. 195
Howitti Pasc. 11
Huamboya Kirsch 345
Hubbardi J. Lec. 334
humerales Gebl. (Dorc.) 61
humerales Hell. (Lept.) 235
humerales Lauff. (Dorc.) 54
humeralis Auriv. (Hil.) 593
humeralis Bates (Anis.) 396
humeralis Blanch. (Heb.) 602
humeralis Cas. (Syn.) 149
humeralis Cas. (Tetr.) 576
humeralis F. (Is.) 588
humeralis F. (Stern.) 168
humeralis Gah. (Clepl.) 359
humeralis Gah. (Mes.) 148
humeralis Gah. (Pempt.) 364
humeralis Hell. (Achth.) 122
humeralis Heyd. (Ast.) 582
humeralis Kaup (Joth.) 77
humeralis Kolbo (Frea) 192
humeralis Lacord. (Sul.) 317
humeralis Perty (Prob.) 420
humeralis Thoms. (Fread.) 170
humeralis Thoms. (Onc.) 347
humeralis Thoms. (Stib.) 513
humeralis Vollenh. (Meg.) 193
humeralis Waltl (Phyt.) 552
humeralis Waterh. (Them.) 585
humeralis White (Plat.) 266
humeratus Bates 3
humeridens Thoms. 129
humerosa Bates 454
humerosum Bates 394
humerosus Fairm. (Copt.) 146
humerosus Hell. (Dol.) 609
humilis Bates (Mal.) 586
humilis Fairm. (Nit.) 519
humilis Gestro (Arch.) 223
humilis Klug (Apom.) 280
humilis Thoms. (Isch.) 343
hungarica Pic 529
Huttoni Sharp 3
hybrida Newm. 254
hybridum Ganglb. 35
hybridus Petri 90
hygia Thoms. 496
Hynesi Pasc. 82
hypertaenium Suv. 26
hyphaena Pasc. 508
hypocrita Lam. (Copt.) 146
hypocrita Muls. (Dorc.) 46
hypsiomoides Thoms. (Aer.) 338
hypsiomoides Thoms. (Priac.) 452
hypsophilum J. Müll. 40
hyrcanum Jakowl. 28
hystricina Bates 372
hystrix F. 288

- ianthe Pasc. 501
 ichthyosomoides Thoms. 135
 iconica Pasc. 300
 iconiense Dan. 35
icosiensis Poyerimh. 329
 icterica Schall. 561
 Idae White 222
 ignara Pasc. 255
 ignarum Pasc. 241
 ignarus Pasc. 447
 ignava Newm. 605
ignita Ill. 582
ignita Thoms. 583
 ignobilis Bates (Est.) 319
 ignobilis Bates (Ozin.) 398
 ignobilis Newm. (Pter.) 254
 ignorantina Thoms. 582
 ignotum Escal. 54
 Iheringi Goun. 370
 iliacea Pasc. (Plat.) 266
 iliacea Pasc. (Pter.) 254
 iliaceus Pasc. 251
 illaesa Pasc. 299
 illecebrosa Pasc. 247
 illepidia Pasc. 236
Illigeri Thoms. 582
 illicita Pasc. (Copt.) 146
 illicita Pasc. (Pter.) 254, 255
 illita Bates 292
 illiterata Pasc. 286
 illuminata Thoms. 503
 ilocanus Hell. 118
 imbellis Gah. 160
 imbuta Newm. 254
 imitans Auriv. (Stern.) 166
 imitans Duviv. (Hyll.) 354
 imitans Felt (Sap.) 485
 imitator Schultze (Dol.) 261
 imitator White (Cyr.) 109
immaculata Hintz (Cer.) 186
 immaculata Hintz (Phryn.) 199
 immaculata Pic (Neox.) 494
immaculata Schwarz. (Bat.) 125
immaculatum Kraatz 33
immersum Tourn. 35
 immista Newm. 254
 immittis Pasc. 225
 immunda Newm. 150
immundula Reitt. 569
immutatum Pic 35
 imparilis Jord. 497
 imperator Auriv. (Trag.) 169
 imperator Thoms. (Hamm.) 105
 imperatrix Ab. 544
imperialis F. 168
 impetiginosa Thoms. 338
implagiata Reitt. 553
 implexus Fr. 410
 impluviata Germ. 347
 impluviatum Fald. 61
 impluviatus Lacord. (Hamm.) 105
 impluviatus Motsch. (Mon.) 87
 impluviatus Pasc. (Diach.) 82
 impressicolle Kraatz 35
 impressipenne Pic 28
 impressipennis Fairm. 365
 improba Pasc. (Sophr.) 313
improba Thoms. (Hec.) 245
impuncta Chevr. 514
impunctata Chevr. (Nups.) 514
impunctata Motsch. (Eum.) 540
impunctata Pic (Phyt.) 561
 impunctatus Fairm. 451
 impustulata Motsch. 540
 inaequalis Auriv. (Het.) 221
 inaequalis F. (Prion.) 274
 inaequalis Say (Phryn.) 8
 inaequalis Thoms. (At.) 294
 inaequalis Thoms. (Metr.) 212
 inaequalis Waterh. (Mor.) 69
inalbatum Suv. 62
inalbicans Nicol. 50
 inanis Pasc. 300
inapicalis Pic (Phyt.) 554
inapicalis Pic (Tetr.) 573
incallosum Escal. 55
 incana Forst. (Del.) 104
 incana Pasc. (Sybra) 300
incanum Lauff. 52
 incensa Pasc. (Blep.) 518
 incensa Pasc. (Cac.) 142
 incensa Perty (Hil.) 593
 incensus Pasc. 76
incerta Muls. 568
 incertus Bates (Eutr.) 436
 incertus Bates (Lept.) 401
 incisa Bates 425
 incisus Auriv. 116
 incivilis Pasc. 300
 inclusa Bates (Nyss.) 425
inclusa Muls. (Parm.) 15
 inclusa Pasc. (Ob.) 532
 inclusus Pasc. 444
 incompleta Fairm. 532
 incomptus Belon (Ad.) 289
 incomptus Pasc. (Ors.) 99
 incongrua Pasc. 140
 inconspicua Pasc. (Neissa) 445
 inconspicua v. d. Poll (Bat.) 129
 inconspicuum Montrz. 234
 incrassatus Klug 401
 incubus Thoms. 176
 inculta Pasc. 142
 indiana Thoms. 499
 indianus Thoms. 214
 indiator White 110
 inderiense Suv. 24
 indigenus Lacord. 241

indigna Pasc. 286
indivisum Pic 33
induta Fairm. 335
indutum Fald. 23
inermis Auriv. 175
inermicollis Reitt. 323
inermis Auriv. (Cat.) 220
inermis Auriv. (Del.) 104
inermis Auriv. (Phym.) 13
inermis Auriv. (Pros.) 160
inermis Bates (Pog.) 306
inermis F. (Lept.) 401
inermis Gah. (Ex.) 444
inermis Pasc. (Driop.) 438
inermis v. d. Poll (Mes.) 17
inermis Thoms. (Acm.) 211
inermis Thoms. (Hamm.) 105
inertis Fairm. 309
infacetus Thoms. 586
infamiae Thoms. 20
infantula Ganglb. 523
infausta Pasc. 153
infelix Pasc. (Mon.) 87
infelix Pasc. (Pros.) 263
infernale Muls. & Rey 35
infernalis Pic 552
infima Bates (Nyss.) 425
infima Pasc. (Pter.) 255
infima Thoms. (Pyrr.) 305
infirmus Fairm. 146
inflatus Bates 414
infraciatum Pic 53
infuscata Thoms. 240
infuscatus Bates 587
ingeniculata Th. Pic 501
ingesta Pasc. 266
ingrata Pasc. 274
inhirsutus Pic 443
inhumeralis Pic 58
inhumeralis Pic 569
ininterruptum Pic 25, 31
inilineatum Pic 32
innotata Pic 566
innotatipennis Pic 472
inoculata Heyd. 527
inops Bates (Lept.) 415
inops Bates (Tetr.) 382
inornata Pasc. (Stes.) 259
inornata Say (Mec.) 538
inornata Thoms. (Hyps.) 344
inornata Walsh (Sap.) 484
inornatus Broun (Xyl.) 3
inornatus Cas. (Val.) 413
inornatus Fairm. (Mad.) 147
inquinata Bates 386
inquinatus Thoms. 102
inscripta Bates (Al.) 294
inscripta Bates (Or.) 377
inscriptipennis Bates 377

inscriptus Bates 415
insensilis Pasc. 532
insidiosa Gah. (Lepr.) 75
insidiosa Muls. (Ob.) 529
insidiosum Escal. 57
insidiosus Pasc. 448
insignata Chevr. 552
insignatus Hell. 445
insignicornis Fauv. 234
insignis Auriv. (Blep.) 518
insignis Auriv. (Eur.) 198
insignis Auriv. (Gel.) 165
insignis Auriv. (Glen.) 497
inlignis Auriv. (Nit.) 519
insignis Auriv. (Nups.) 514
insignis Auriv. (Ob.) 522
insignis Cas. (Ob.) 536
insignis Dist. (Ambl.) 308
insignis Gah. (Thyl.) 209
insignis Jord. (Pros.) 158
insignis Lam. (All.) 319
insignis Luc. (But.) 593
insignis Newm. (Tetr.) 360
insignis Perr. (Sphingn.) 223
insignis Shelf. (Aeg.) 363
insoluta Pasc. 533
insparsum Pic 60
insperans Pasc. 533
inspersus Bates 415
instabilis Gah. (Ast.) 582
instabilis Pasc. (Ambl.) 230
instabilis Pasc. (Cac.) 143
institoria Pasc. 533
insulanum Olliff 12
insulare Kraatz 33
insularis Auriv. (Phil.) 281
insularis Fairm. (Jd.) 154
insularis Fairm. (Ptych.) 702
insularis Pasc. (Cor.) 16
insularis Pasc. (Pros.) 262
insularis Thoms. (Taen.) 102
integer Bates 392
integra Chevr. 462
integripennis Bates 210
integrofasciatum Dan. 32
intercalaris Pasc. 263
intercisum Kraatz 33
intercoxalis Lea 237
intermedia Auriv. (Trag.) 173
intermedia Cas. (Ob.) 537
intermedia Fitch (Eut.) 490
intermedia Gah. (Ast.) 533
intermedia Ganglb. (Ag.) 467
intermedia Pic (Phyt.) 564
intermedium Escal. (Dorc.) 57
intermedium Jakowl. (Neod.) 62
intermissus Pasc. 233
internata Pasc. 300
internelineatum Pic 53

- internesignatum* Pic 35
interpres Kolbe 244
interrogationis Bates 394
interrupta Fairm. (Sten.) 307
interrupta Gebl. (Sap.) 472
interrupta Lea (Mes.) 17
interrupta Pasc. (Glen.) 507
interrupta Pic (Dorc.) 607
interrupta Pic (Mall.) 545
interrupta Pic (Parm.) 14
interrupta Thoms. 503 508
interruptum Jakowl. 30
interruptum Muls. 60
interruptus Hald. (Lept.) 400
interruptus Fairm. (Brach.) 242
interruptus Pasc. (Esch.) 246
intertincta Pasc. 269
intinctus Pasc. 446
intonsa Germ. 305
intricata Cas. (Desm.) 304
intricata Pasc. (Alph.) 161
intricata Pasc. (Cac.) 142
intricata Pasc. (Penth.) 270
intricatus Pasc. 225
intuberculatum Lauff. 55
invia Pasc. 300
invicinum Pic 35
invida Pasc. (Ax.) 246
invida Pasc. (Xyasta) 494
involvens Fisch. 61
Jo Thoms. 173
iocustus Voet 572
iodinus Bates 586
ionicum Pic 60
ionoptera Pasc. 492
ioptera Pasc. 492
ionensis Cas. 535
iphia Pasc. 506
iranica Dan. 545
iratus Pasc. 263
irene Pasc. 503
iresine Pasc. 503
iridescens Pasc. 503
irregularis Auriv. (Trag.) 173
irregularis Blackb. (Parm.) 16
irregularis Gestro (Tmes.) 226
irregularis Hell. (Cer.) 114
irregularis Voll. (Ab.) 130
irritans Pasc. 446
irritata Pasc. 286
irrorata F. (Ag.) 462
irrorata F. (Mil.) 248
irrorata Gah. (Ect.) 364
irrorata Jord. (Cross.) 194
irrorata Jord. (Frea) 192
irrorata Lacord. (Voc.) 285
irrorata Lam. (Tom.) 82
irrorata Newm. (Niph.) 247
irrorata Pasc. (Choer.) 144
irrorata Pasc. (Miaen.) 447
irrorata Pasc. (Sybra) 300
irrorator Chev. (Mon.) 94
irrorator Thoms. (Pter.) 164
irroratum Kraatz (Dorc.) 36
irroratum Pasc. (Blaps.) 227
irroratum Reitt. (Neod.) 62
irroratus F. (Pter.) 164
irroratus M'Leay (Pith.) 439
irroratus Thoms. (Brach.) 340
irrorallus Bates 411
Isabellae Vollenh. 226
isabellina Bates 584
isabellinus Auriv. 100
Iserni Perez 54
Isidori Chev. 212
isochrus Jord. 94
isolatus Waterh. 412
isosceloides Thoms. 359
issykulense Pic 27
istrianum Dep. 40
italicum Küst. 43
jacintha Thoms. 499
Jacobsoni Jakowl. (Dorc.) 27
Jacobsoni Flav. (Ag.) 462
Jacobyi Nonfr. 105
Jacqueti Pic 42
jacta Newm. 254
jaculus Gyll. 396
jaguarita Chev. 192
Jakovlevi Suv. (Neod.) 62
Jakovlevianum Suv. 24
Jakovlevi Sem. (Dorc.) 28
Jakowlewi Sem. (Mall.) 545
jamaicensis Gah. (Lept.) 401
jamaicensis Gmel. (Stern.) 163
Jänneri Hubenth. 45
Jansoni Chev. (Phosph.) 171, 608
Jansoni Heyne-Tasch. (Trag.) 172
Jansoni Pasc. (Pol.) 372
Jansoni Rits. (Om.) 118
Jansseni Hintz 158
janthina Gmel. 467
janthinipennis Fairm. 582
Janus Bates (Alph.) 161
janus Bates (Cal.) 594
janus Bates (Lept.) 415
janus Fröl. (Phyt.) 555
japonica Bates (At.) 298
japonica Bates (Mes.) 140
japonica Gah. (Chreon.) 579
japonica Gah. (Ast.) 582
japonica Kraatz (Ob.) 525
japonica Thoms. (Apr.) 132
japonica Thoms. (Ast.) 582
japonica Thoms. (Bum.) 231
japonica Thunb. (Ob.) 533
japonica Thunb. (Ob.) 533

- japonicus Bates (Pseud.) 358
 japonicus Pic (Leiop.) 405
 Jaquieri Thoms. 377
 Jardinei White 203
 jaspidea Bates (Tyb.) 341
 jaspidea Germ. (Ac.) 386
 jaspidea Boisd. (Arch.) 223
 jaspideus Serv. (Tit.) 189
 javana Auriv. (Rhod.) 210
 javana White (Cel.) 110
 javanica Auriv. (Ast.) 583
 javanica Thoms. (Bat.) 125
 javanica Vuillet (Das.) 539
 javanicus Auriv. 263
Javeti Kraatz (Dorc.) 37
Javeti Thoms. (Eut.) 116
 jejuna Pasc. 300
 jejunus Kolbe 298
Jekeli Pic 556
Jezabel Reiche 556
 jobiensis Gestro 226
 Johannaeh Gah. 192
 Johnstoni Gah. 497
Jordani Auriv. (Nit.) 519
Jordani Auriv. (Nyct.) 178
Jordani Nonfr. (Mon.) 96
 Jørgenseni Bruch 602
 Josephi Duviv. 244
 Josephus Duviv. 153
 Jourdani Muls. 556
jubaea Pasc. 502
 jubatus Pasc. (Aeg.) 447
 jubatus Pasc. (Pros.) 263
jucunda J. Lec. (Tetr.) 573
jucunda Thoms. (Trag.) 173
jucundus Newm. 272
 jugalis Newm. 134
 juglandis Hald. 216
 jugosa Bates 254
julduasianum Pic 27
Julii Muls. 563
 juncea Bates (Ant.) 598
 juncea Bates (Col.) 454
 juncea Newm. (Ag.) 488
 junctus Blackb. (Micr.) 9, 607
junctus Cas. (Tetr.) 576
 juno Thoms. 496
 Junodi Jord. (Fread.) 170
 Junodi Jord. (Hyps.) 205
 Junodi Jord. (Pel.) 207
 juvenca Brancs. 519
 juvencus L. (Cer.) 605
 juvencus Pasc. (En.) 446

kadiense Pic 59
Kaessneri Dist. 518
 kagyzmanicum Suv. 28
 kaleca Bates 254
Kalinowskyi Koenig 29

 kareuse Suv. 28
 kasikoporanum 28
kaslica Thoms. 173
kasuiense Pic 28
 Katharinae Reitt. 62
 Kaznakovi Suv. 62
 Keili Rits. (Glen.) 503
 Keili Rits. (Pseud.) 75
 Kindermanni Pic (Ag.) 462
 Kindermanni Waltl (Dorc.) 35
 kinganus Pic 607
 kiotensis Pic 533
 Kirbyi Gyll. 462
Kirki Gah. 516
 Kirschi Auriv. 590
 Klingi Kolbe (Jd.) 154
 Klingi Kolbe (Mon.) 202
 Klugi Dist. (Cross.) 195
 Klugi Thoms. (Ap.) 280
 Klugi Thoms. (Mal.) 586
 Klugi Thoms. (Trag.) 173
knownothing Thoms. 589
Koechlini Pic 33
 Koehleri Rits. 254
 Koenigi Jakowl. 47
 Kolbei Auriv. (Glen.) 497
 Kolbei Gah. (Pryn.) 202
 Kolbei Hintz (Stern.) 166
 Kolbei Kriesche (Bat.) 129
 Kollari Kraatz 35
 Komarowi Jakowl. 29
 konduensis Hintz 82
 Korbi Ganglb. (Dorc.) 54
Korbi Pic (Phyt.) 554
Kotschyi Hampe 545
 Kozlovi Suv. 62
Kraatzi Thoms. (Glen.) 507
Kraatzi Thoms. (Choeon.) 579
Kraatzi Tourn. (Dorc.) 40
 Kraussi White 287
 Kricheldorffi Pic 57
 Kristenseni Auriv. (Alph.) 161
 Kristenseni Auriv. (Eun.) 283
 Krüperi Ganglb. (Dorc.) 35
 Krüperi Kraatz (Ac.) 389
Kükenthalii Heyd. 582
 kuldschanum Pic 27
Künckeli Auriv. 73
 Kuntzeni Hintz (Dich.) 196
Kuntzeni Kriesche (Bat.) 125
 kurda Suv. 29
 kurdistana Ganglb. 554
 Kusnezovi Jakowl. 22

 labyrinthicum Thoms. 59
 laceratus Bates 105
lacertosa Pasc. 147
lacerta Cast. 381
lachrymosa Bates (Ac.) 386

- lachrymosa Pasc. (Glen.) 506
 lachrymosa Pasc. (Rop.) 286
 lachrymosus Pasc. (Diall.) 122
 lachrymosus Pasc. (Ex.) 443
 Lacordairei Bates (Aeth.) 379
 Lacordairei Gah. (Hil.) 593
Lacordairei Thoms. (Bat.) 130
 Lacordairei Thoms. (Cycl.) 370
 Lacordairei Thoms. (Cyph.) 252
Lacordairei Thoms. (En.) 235
 Lacordairei Thoms. (Hamm.) 105
 Lacordairei Thoms. (Macr.) 100
 Lacordairei Thoms. (Tyr.) 586
 lacrymans Thoms. (Bat.) 386
 lacrymans Thoms. (Mor.) 64
 lacrymans Thoms. (Thren.) 204
 lactaria Fairm. 335
 lactator F. 158
lactator Lacord. 158
 lactea Thoms. 161
 lacteoguttata Cast. 176
 lacteoguttatus Fairm. 214
 lacteola Hope 281
 lacteolum Thoms. 354
 lacteolus Dist. 444
 lacteopictus Fairm. 451
 lacteostriata Bates 377
 lactescens Thoms. 317
 lacteus Bates 435
 lactifica Bates 386
 lactiflua Fairm. (Ros.) 131
 lactiflua Lam. (Ap.) 280
 lactulus Péring. 178
 lacunosa Gerst. 187
lacunosum Escal. 55
 lacunosus Fairm. 195
laena Thoms. 128
 laeta Bates (Sang.) 451
 laeta F. (Trag.) 173
laeta Lacord. (Ess.) 595
 laeta Newm. (Ess.) 595
 lactabilis Bates (Symp.) 418
 laetabilis Belon (Dorc.) 362
 laeteguttatus Bates 415
 laetifica Bates (Nyss.) 425
 laetifica Pasc. (Ob.) 533
 laetissima Bates 181
 laetulum Bates 394
 laetus Bates (Ad.) 599
 laetus Bates (Eup.) 311
laetus Gah. (Cyl.) 213
 laetus Pasc. (Cyl.) 213
 laetus Thoms. (Phym.) 176
 laetus White (Xyl.) 3
 laeve Fald. 29
 laevipunctata Thoms. 192
 laevicollis Auriv. 65
 laevicauda Bates 401
 laevicollis Pasc. 276
laevidorsale White 20
 laevidorsis Kolbe 195
laevigator Thoms. 103
 laevigatum Bland 20
 laevinota Broun 7
 laevior Broun 7
 laevipennis Blanch. (Ac.) 335
 laevipennis Gah. (Lyc.) 585
 laevis Jord. 94
 Lais Reiche 463
 Lajoyei Pic 533
Lamani Auriv. 203
lambda Lesne 608
Lamberti Montrz. 234
 Lambi Pasc. (Choer.) 144
 Lambi Pasc. (Tan.) 491
 Lameeri Duviv. (Pros.) 159
 Lameeri Pic (Eur.) 334
 Lameeri Pic (Pseud.) 274
 Lameeri Théry (Dorc.) 35
 laminata Bates 538
 lampyroides Bates 599
lanata Chevr. 304
 Lanei Heath 166
 langana Pic (Glen.) 499
 langana Pic (Mes.) 140
 langana Pic (Ob.) 533
 languida Fairm. (Copt.) 548
languida Muls. (Ox.) 543
 lanifica Germ. 588
 lanipes Auriv. (Nyct.) 602
 lanipes Sharp (Hyb.) 323
lanius Voet 187
 lanosa Pasc. 266
 Lansbergei Thoms. 295
 lanuginosa Bates (Pach.) 353
 lanuginosa Beckm. (An.) 315
 lanuginosa Chevr. (Phid.) 310
 Laodice Thoms. 499
lapidaria Dist. 161
lapidosa Thoms. 204
 Laportei Auriv. 385
 laqueatum Walzl 59
 lar Pasc. 144
 larifuga Chevr. 516
larva Thoms. 381
 larvata Pasc. (Blep.) 518
 larvata White (Per.) 119
 larvatus Pasc. (Xyn.) 273
 larvatus Thoms. (Dem.) 166
lasciva Thoms. 175
lasitanus Stierl. 442
 latania Pasc. 506
latealbidum Pic 53
 latecincta Hintz 187
 latefasciata Hintz (Frea) 192
 latefasciata Jord. (Hecph.) 584
 latefasciata Quedf. (Ap.) 280
 laterale Jakowl. (Dorc.) 24

- laterale* Serv. (Crypt.) 251
lateralis Auriv. (Ambl.) 308
lateralis Auriv. (Blep.) 518
lateralis Auriv. (Cnem.) 155
lateralis Bates (Ac.) 386
lateralis Bates (Col.) 454
lateralis Bates (Phaea) 574
lateralis Dalm. (Thyrs.) 596
lateralis F. (Sap.) 485
lateralis Felt (Sap.) 486
lateralis Gah. (Eun.) 284
lateralis Gah. (Ex.) 444
lateralis Gah. (Jd.) 154
lateralis Gah. (Pter.) 254
lateralis Ganglb. (Ag.) 463
lateralis Guér. (Ep.) 79
lateralis Haldem. (Leiop.) 408
lateralis Hintz (Cross.) 195
lateralis Jord. (Oeax.) 155
lateralis Jord. (Tetr.) 206
lateralis Jord. (Thyl.) 209
lateralis Kolbe (Synh.) 205
lateralis Lacord. (Macr.) 375
lateralis M'Leay (Tmes.) 225
lateralis Ol. (Ol.) 377
lateralis Pasc. (Plat.) 266
lateralis Thoms. (Desm.) 304
lateralis Thoms. (Est.) 320
lateralis Thoms. (Hes.) 343
lateralis Thoms. (Stib.) 513
lateralis White (Campt.) 250
latericius Belon 289
laterifusca Fairm. 256
laterimaculata Motsch. 472
lateripicta Fairm. 302
lateritia Fairm. (Coed.) 335
lateritia Fairm. (Diad.) 309
lateritia Hope (Lam.) 605
laterivitta Hell. 247
latevittata Auriv. (Ac.) 386
latevittata Auriv. (Glen.) 503
latevittata Bates (Col.) 454
latevittata Fairm. (Cer.) 187
latevittata Hintz (Grac.) 181
laticauda Bates 298
laticeps Bates 538
laticollis Bates (Lept.) 415
laticollis Broun (Hyb.) 324
laticollis Cas. (Ac.) 434
laticollis Fauv. (Xyl.) 3
laticollis Gah. (Arrh.) 224
laticollis Pasc. (Xen.) 216
laticornis White 383
latifascia Hell. 226
latifasciatum Pasc. 268
latifasciata White 142
latifrons Blanch. (Oeetr.) 446
latifrons Gah. (Las.) 578
latifrons Thoms. (Apr.) 132
latimana Pasc. (Xaen.) 446
laticior Pic (Ag.) 463
laticior Pic (Phyt.) 565
latipenne Bates 394
latipennis Bates (Sten.) 5
latipennis Muls. (Ag.) 463
latitarsis Cas. 411
lativittis Kraatz 24
Latreillei Buq. (Phac.) 339
Latreillei Fauv. (Ex.) 233
Latreillei Fisch. (Sap.) 488
latula Broun 7
latum Thoms. 394
latus Gah. (Plan.) 578
latus Pasc. (An.) 135
laudata Pasc. 503
Laufferi Escal. 52
Laufferi Pic 51
laufferianum Pravil. 58
Laufferoide Escal. 58
laurenticus Cas. 106
lazulinus Bates 401
lecidiosa Pasc. 145
Lecontei Cas. (Lept.) 401
Lecontei Thoms. (Mon.) 20
Lecontei Thoms. (Ptych.) 101
lecta Gah. (Glen.) 499
lecta Gah. (Lepr.) 75
Lederi Ganglb. (Ag.) 466
Lederi Pic (Mall.) 544
Lederi Pic (Phyt.) 554
Lederi Kraatz (Dorc.) 29
Ledereri Muls. (Phyt.) 564
Ledereri Thoms. (Dorc.) 37
Leechi Gah. 108
Lefeburei Guér. 508
leguminicola Lin. 419
leiopinus Cas. 398
leiopodina Bates 254
Lemarineli Duviv. 165
lemniscata F. (Hipp.) 357
lemniscata Licht. (Cer.) 188
lemniscatum Küst. 40
lemoides Thoms. 582
Lemoulti Pic (Neodorc.) 60
Le Moulti Pic (Ob.) 533
lenita Pasc. 499
lenta Blackb. 266
lentiginosa Bates (Nyss.) 425
lentiginosa Pasc. (Phars.) 120
lentiginosus Cas. 417
lentus Newm. 3
leonensis Hintz (Cer.) 187
leonensis Thoms. (Trag.) 173
leonina Thoms. 130
leonis Jord. 521
lepida Germ. (An.) 316
lepida Newm. (Glen.) 506
lepidiota Bates 601

- lepidus Pasc. 226
 leporinus Pasc. 136
 Leprieuri Pic (Con.) 547
 Leprieuri Thoms. (Ud.) 603
 leprosa Boisd. (Rhyt.) 269
 leprosa F. (Ines.) 199
 lepta Kolbe 522
 leptis Bates (Lyps.) 325
 leptis Jord. (Glen.) 497
 leptis Jord. (Plag.) 178
 leptura Gestro 230
lepturoides Schreb. 375
 leptus Kolbe 355
 Leseleuci Auriv. (Ad.) 590
 Leseleuci Fauv. (Lept.) 234
leskeana Ol. 184
 Lesnei Escal. 54
 Lessoni Montrz. 98
 lethalis Pasc. (Nem.) 76
 lethalis Thoms. (Mor.) 69
 leucanthes Bates 401
leucaspis Fähr. (Sthen.) 271
 leucaspis Stev. (Ag.) 467
 leucippe Bates 598
 leuciscus Pasc. 77
 leucocincta Guér. 258
 leucodryas Bates (Ac.) 386
 leucodryas Bates (Ad.) 590
 leucogaea Er. 386
leucogenus Thoms. 378
 leucogrammmum Suv. 62
 leucogrammus Bates (Hem.) 587
 leucogrammus Thoms. (Taen.) 103
 leucoloma Cast. 244
 leucoma Lacord. 252
 leucomelaena Pasc. 512
leucomelaenus Gistl 590
 leucomerus Hell. 235
 leuconoë Bates 594
 leuconota Cast. 592
 leuconotus Pasc. (Anth.) 84
 leuconotus Thoms. (Alph.) 379
 leucophaea Bates 454
 leucophaeus White 368
 leucopsila Jord. 498
 leucopterus Heyne-Tasch. 84
 leucopyga Bates 425
 leucopygus Bates 401
leucospila Gah. (Rhyt.) 288
leucospila Germ. (Col.) 452
 leucospila Jord. (Gel.) 165
 leucospilota Westw. 506
 leucosticta Bates (Est.) 319
 leucosticta Hope (Ap.) 279
 leucostictica White (Copt.) 146
 leucostictica White (Frea.) 192
 leucostigma Bates (Ad.) 289
 leucostigma Bates (Oed.) 421
 leucostigma Har. (Nit.) 519
leucotacnium Suv. 61
 leucurus Pasc. 350
Leuthneri Ganglb. 569
 Levassori Fairm. 169
 levis Newm. 582
levis Newm. 581, 583
 Lewisi Bates 210
 Lherminieri Fleut. & Sallé 289
 libanoticum Kraatz 36
 libellula Jord. 533
liburnicum Depoli 41
 lichenea Duviv. (Oeax.) 155
 lichenea Duviv. (Pter.) 256
 lichenea Fairm. (Coed.) 335
 lichenea Pasc. (Copt.) 146
 licheneus Gah. (Hom.) 371
licheneus Pasc. (Neph.) 75
 lichenifera Fairm. 209
 lichenigera Perty 597
lichenigera Thoms. 597
 lictor Pasc. 118
 lictorius Pasc. 223
 lifuana Montrz. 233
 lifuanus Montrz. 235
ligata Jord. (Mel.) 83
ligata Murr. (Synh.) 205
 ligata Pasc. (At.) 149
 ligata Pasc. (Pter.) 254
 ligatum Qued. 212
 ligatus Jord. 176
 lignaria Bates 425
 lignarius Guér. 195
lignator Kryn. 86
 lignea Bates 362
 ligneola Bates 435
 ligneus Bates 396
 lignicola Bates 397
 lignicolor Bates (Carp.) 435
 lignicolor Bates (Hyps.) 344
 lignosa Thoms. (Dorc.) 362
 lignosa Thoms. (Glyph.) 342
 lilipitanus Thoms. 401
 lima Pasc. 117
limbata Muls. (Ob.) 525
 limbata Pasc. (Ob.) 533
 limbata Redt. (Phyt.) 570
 limbatus Kolbe 244
 limbolarius Fairm. 242
 limosa Bates 367
 limpida Bates 347
 limpidus Bates 415
 Linderi Tourn. 54
 lineare Pasc. 366
 linearis Auriv. (Amph.) 360
 linearis Auriv. (Ob.) 522
 linearis Bates (Lept.) 415
 linearis Bates (Par.) 292
 linearis L. (Ob.) 523
 linearis Skinn. (Ac.) 434

- lineata* Auriv. (Blep.) 518
lineata Auriv. (Eun.) 283
lineata Auriv. (Frea.) 192
lineata Bates (Amph.) 293
lineata Bates (Isch.) 365
lineata Bates (Is.) 588
lineata F. (At.) 292
lineata F. (Glen.) 499
lineata Gah. (Glen.) 499
lineata Gah. (Hyll.) 355
lineata Gah. (Myc.) 282
lineata Gah. (Stathm.) 296
lineata Guér. (Hipp.) 357
lineata Hamilt. (Ap.) 291
lineata Hintz (Cross.) 194
lineata Jord. (An.) 355
lineata Müll. (Ag.) 465
lineata Müll. (Phyt.) 563
lineata Pasc. (Sophr.) 313
lineata Pasc. (Sybra) 300
lineata Pic (Con.) 547
lineata Qued. (Quim.) 170
lineaticeps Pic (Ob.) 533
lineaticeps Pic (Ol.) 214
lineaticollis Goun. (Cleod.) 393
lineaticollis Levr. (Phyt.) 569
lineatocolle Kraatz 36
lineatocollis Bates (Col.) 454
lineatocollis Bates (Nyss.) 425
lineatocollis Donovan. (Ag.) 465
lineatocollis Muls. (Ag.) 461
lineatocollis Thoms. (Glen.) 503
lineatopunctata Baudi 140
lineator F. 81
lineatum Bates (Alc.) 394
lineatum F. (Dorc.) 49
lineatum Fauv. (Nem.) 234
lineatus Auriv. (Cyl.) 213
lineatus Auriv. (Muls.) 220
lineatus Bates (Ad.) 589
lineatus Bates (Ex.) 443
lineatus Bates (Un.) 309
lineatus Dist. (Ath.) 356
lineatus Gestro (Ol.) 214
lineatus M'Leay (Tmes.) 226
lineatus Newm. (Ptych.) 101
lineatus Pasc. (Gryn.) 219
linedris Bates 5
lineella Kolbe 497
lineella Thoms. 506
lineellus Fairm. (Eugr.) 277
lineellus Fairm. (Pseud.) 444
lineellus Hope (Hathl.) 258
lineiceps Broun 324
lineifera Broun 7
lineigera Chevr. (Nups.) 514
lineigera Fairm. (Pter.) 256
lineigera Fairm. (Ran.) 242
lineigera Pasc. (Or.) 231
lineola Bates (Col.) 454
lineola Bates (Phaea) 574
lineola F. (Phyt.) 563
lineola Ill. (Dorc.) 48
lineola Newm. (Anc.) 151
lineolata Bates (Est.) 319
lineolata Bates (Nyss.) 425
lineolata Blanch. (Emph.) 366
lineolata Chevr. (Bat.) 125
lineolata Fairm. (Auxa) 11
lineolata Pasc. (Mes.) 17
lineolata Reitt. (Con.) 547
lineolata Serv. (Hipp.) 357
lineolata Thoms. (Ap.) 343
lineolata Chevr. 150
lineosa Auriv. 499
lineosa Guér. 500
Linnei Thoms. 220
linum Leng 361
literata Donovan. (Ol.) 377
literata Pasc. (Ser.) 493
ligeratus Bates (Lept.) 415
ligeratus Bates (Plag.) 383
litigiosa Bates 421
litigiosum Ganglb. 47
litigiosus Pasc. (Dih.) 98
litigiosus Pasc. (Pros.) 263
litteratus Fauv. 3
litorata Bates (Ap.) 152
litorata Bates (Isch.) 343
litorata F. (Cyl.) 350
litorata Jacobs. (Ap.) 153
litorata Kl. (Copt.) 146
litoratum Bates 381
litoratus Blanch. (Brach.) 340
litoratus Qued. (Hom.) 202
livida Hbst. 316
livia Pasc. 512
lixoides Luc. 467
ljubetense Apfelb. 47
lobatus Jord. 197
logronense Pic 56
Loki Kriesche 126
lolola Jord. 354
longehamatus Fairm. 277
longevittata Auriv. 498
longicauda Bates 290
longicollis Costa (Phyt.) 562
longicollis F. (Gnoma) 134
longicollis Ol. (Gnoma) 133
longicornis Bates (Is.) 588
longicornis F. (An.) 355
longicornis Pasc. (Or.) 65
longicornis Pasc. (Ser.) 493
longicornis Pic (Ast.) 305
longicornis Pic (Las.) 578
longicornis Thoms. (Dih.) 97
longifrons Bates 592
longimana Pasc. (Cath.) 457

- longimana Westw. (Ur.) 219
 longimanus L. (Acr.) 374
 longimanus Thoms. (Las.) 153
 longipenne Chevr. 54
 longipennis Bates (Ad.) 590
 longipennis Bates (Dorc.) 362
longipennis Bates (Lag.) 392
 longipennis Bates (Mes.) 140
 longipennis Gah. (Dih.) 98
 longipennis Pasc. (Thyl.) 209
 longipennis Sharp (Tetr.) 321
longipennis Thoms. (Ap.) 280
 longipes Auriv. (Dol.) 21
 longipes Sharp (Som.) 7
 longipes Thoms. (Ned.) 317
 longipes White (Mon.) 21
 longipilis Bates (Eup.) 311
 longipilis Fairm. (Isp.) 440
 longiscapus Bates (Tyr.) 586
 longiscapus Gah. (Dih.) 98
 longispinis Bates 386
 longissima Auriv. (Ob.) 535
longissima Pic (Ob.) 523
 longitarsis Bates (Ac.) 386
longitarsis Pasc. (Gnoma) 133
 longitarsis Reitt. (Phyt.) 568
longuida Ménétr. 543
 longula Bates (Nyss.) 425
 longula Fairm. 335
 longulipennis Pic 533
 longulus Bates (Hem.) 587
 longulus Bates (Leiop.) 408
longulus Pic (Mon.) 91
 lophoptera Guér. 243
loratum Thoms. 33
 lorigera Er. 435
 Lorquini Fairm. 54
 lotor Pasq. (Tmes.) 226
 lotor White (Ac.) 386
 Lowi White 78
 loyaltinus Hell. 98
 Lualabae Auriv. 519
 Lucae Pic 24
 lucaria Bates 454
 Lucia Newm. 157
 Luciani Thoms. 156
 lucida Stark 389
 Lucipor Newm. 78
luctator Pasc. 118
 luctifera Fairm. (Trag.) 173
 luctifera Fairm. (Xiph.) 248
 luctor Newm. 114
 luctuosa Bates (Ac.) 386
 luctuosa Murr. (Phryn.) 199
 luctuosa Pasc. (Col.) 454
 luctuosa Pasc. (Dist.) 240
 luctuosa Pasc. (Glen.) 508
 luctuosum Serv. 29
 luctuosus Fairm. (Mus.) 438
 luctuosus Lesel. (Ad.) 590
 luctuosus Pasc. (Car.) 114
 luctuosus Pasc. (Goeph.) 438
 luctuosus Pasc. (Plan.) 136
luctuosus Serv. (Ad.) 590
 luctuosus Shuck. (Micr.) 9
 luctuosus Thoms. (Mcl.) 108
 ludicrus Germ. 420
 ludificator Hell. 223
 Ludovici Pic 562
 lugens Chevr. (Pter.) 191
lugens Fähr. (Blep.) 518
 lugens Pasc. (Diall.) 122
 lugens Thoms. (Ac.) 386
 lugens White (Phryn.) 199
 lugubre Kraatz 36
 lugubris F. (Mor.) 68
lugubris Fairm. (Lamia) 72
 lugubris Pasc. (Dioch.) 81
 lugubris Pasc. (Dist.) 240
lugubris Sériz. (Mor.) 69
 lugubris Thoms. (Glen.) 503
 lugubris Thoms. (Proct.) 182
 lugubris Voet (Ger.) 605
 luhuanus Hell. 114
 Lujae Hintz 17
 lukuledensis Hintz 63
 lunaris Bates (Hamm.) 105
 lunaris Ol. (Sap.) 605
 lunatum Fauv. 241
 lunifer Auriv. 94
 luniger Fauv. 3
 lunigera Auriv. 254
 lunulata Jord. (Glen.) 498
 lunulata Luc. (Col.) 454
 lunulatum Pic 32
 lunulatus Pasc. 271
 lupanaria Thoms. 112
 lurida Fähr. 283
 luridus Pasc. 108
luristanica Pic 554
 lusciosa Pasc. 533
 luscus F. 79
 lusitanicum Chevr. 54
lusitanicus Ol. 442
 lusitanus L. 441
 lusoria Pasc. 506
 lutea Jord. (Alph.) 161
 lutea Jord. (Nit.) 519
 lutea Thunb. (Ob.) 533
lutea obscura Panz. 168
 luteiceps Fairm. 521
luteicollis Gebl. 530
 luteicornis Pasc. 300
 luteofasciata Pic 140
 luteola Bates 591
 luteolum Quedf. (Hipp.) 354
 luteolum Suv. (Dorc.) 24
 luteonotata Pic (Linda) 539

luteonotata Pic (Ob.) 528
luteonotatus Pic 358
luteopubens Pic (Mes.) 141
luteopubens Pic (Con.) 547
luteostriatus Hell. 226
luteovittigera Pic 569
lutescens Kraatz 30
luteus Gmel. 606
lutosa Jord. (Acm.) 211
lutosa Jord. (Synh.) 205
lutulenta Gah. (Pros.) 160
lutulenta Gestro (Hec.) 244
Lutshniki Plavil 48
luzonica Schulze 247
luzonicum Er. 134
luxuriosus Bates 98
lycaon Pasc. 381
lychnura Pasc. 493
lycinella Bates 586
lycoides Bates (Cellia) 600
lycoides Thoms. (Sperna) 457
lycoris Thoms. 506
lyncea Pasc. 533
lynceus F. 3
lynx Dalm. 248

 Maacki Blessig 334
 Macari Lam. 215
macedonicum Pic 59
macilenta Bates (Phaea) 574
macilenta Bates (Tyr.) 586
macilenta Goun. (Heb.) 602
macilenta Lacord. (Spal.) 361
macilenta Muls. (Phyt.) 558
macilenta Newm. (Ob.) 533
macilenta Pasc. (Ob.) 534
macilenta Pasc. (Spars.) 457
macilentum Fauv. 234
macilentus Bates 415
Macleayi Lea (Rhyt.) 268
Macleayi Pasc. (Dem.) 239
Macleayi Pasc. (Men.) 264
macra Thoms. 347
macrocera Pasc. 533
macroceras Gmel. 355
macropus Bates (An.) 397
macropus Jord. (Lat.) 156
macropus Kraatz (Dorc.) 36
macrospilus Gah. 109
macrostigma Bates 401
mactata Fairm. 239
macula Say 398
macularia Har. (Ap.) 280
macularia Ol. (Col.) 454
macularia Pasc. (Penth.) 270
macularis Auriv. (Nyct.) 178
macularis Har. (Phryn.) 199
macularius Thoms. 108
maculata Auriv. (Nups.) 514

maculata Bates (Spil.) 5
maculata Hintz (Frea) 192
maculata Hintz (Stern.) 166
maculata Ol. (Stell.) 164
maculata Perr. (Trig.) 230
maculata Schönh. (Bat.) 130
maculaticollis Pic 279
maculatissima Bates 386
maculator Schönh. 164
maculatrix Perty 73
maculatum Auriv. (Mur.) 179
macnatus Bates (Rhop.) 306
maculatus Blackb. (Micr.) 9, 607
maculatus Broun (Xyl.) 4
maculatus Hald. (Hyp.) 417
maculatus Jord. (Mim.) 197
maculatus Kolbe (Liod.) 314
maculatus Montrz. (Xyl.) 4
maculatus Poll (Dol.) 77
maculatus Rits. (Dol.) 77
maculatus Voet (Zogr.) 164
maculiceps Gah. 271
maculicollis Auriv. (Or.) 232
maculicollis Bates (Acanth.) 387
maculicollis Bates (Col.) 454
maculicollis Lucas (Ob.) 525
maculicollis Péring. (Nic.) 519
maculicollis Thoms. (Sorm.) 229
maculicornis Aulm. (Frea) 191
maculicornis Chevr. (Nit.) 519
maculicornis Chevr. (Phid.) 311
maculicornis Gah. (Id.) 154
maculicornis Gyll. (Ag.) 463
maculicornis Pasc. (Men.) 264
maculicornis Pasc. (Plat.) 266
maculicornis Thoms. (Cel.) 111
maculicornis Thoms. (Frea) 192
maculicornis Thoms. (Hes.) 343
maculifera Thoms. 499
maculifrons Chevr. (Blep.) 518
maculifrons Gah. (Phym.) 176
maculifrons Thoms. (Esth.) 293
maculipennis Fairm. (Trach.) 64
maculipennis Thoms. (Glen.) 506
maculithorax Pic 472
maculiventris Gah. (Ob.) 533
maculiventris Lea (Or.) 237
maculiventris Thoms. (Eun.) 283
maculosa Bates (Tyb.) 341
maculosa Bates (Tyb.) 341
maculosa Ménétr. (Sap.) 472
maculosa Muls. (Con.) 546
maculosa Pasc. (Alph.) 161
maculose Pasc. (Ombr.) 446
maculosa Redt. (Onc.) 347
maculosa Thoms. (Cretn.) 111
maculosella Blackb. 268
maculosus Auriv. (An.) 135
maculosus Bates (Hamm.) 105

- maculosus* Haldem. (Mon.) 91
maculosus Pasc. (Pros.) 263
maculosus Thoms. (Tryall.) 368
maculosus Voet (Mon.) 90
madagascariensis Künck. (Trag.) 173
madagascariensis Thoms. (Coed.) 336
madecassus Fairm. (Ol.) 215
madecassus Fairm. (Pseud.) 444
madecassus Künck. (Pros.) 263
Madurae Boppe 271
magica Thoms. (Bat.) 126
magica Thoms. (Glen.) 506
magneticus Pasc. 98
magnifica Voet 104
maia Thoms. 506
Mairei Chevr. 525
major Bates (Eup.) 311
major Pic (Leiop. 405
major Pic (Phyt.) 566
Makilingi Hell. (Ob.) 533
malaccana Thoms. 132
malachitica Jord. (Frea) 192
malachitica Luc. (Phyt.) 568
malachiticus Nonfr. 77
malasiaca Thoms. (Aes.) 148
malasiaca Thoms. (Glen.) 503
malasiaca Thoms. (Phars.) 120
malasiacus Thoms. 109
malepicta Fairm. 187
malignus Pasc. 263
Maljushenkoi Pic 28
mamillata Dalm. 204
manecum Gistl 36
mancus J. Lec. 576
mandarina F. 537
mandibularis Rits. (Ros.) 131
mandschurica Jac. 6
manicana Péring. 187
manicata Reiche & Saucy 562
Mannerheimi Thoms. 337
manowensis Hintz 63
mansueta Pasc. 508
manto Pasc. 503
manuelatum Germ. 381
marcida Pasc. 300
marcipor Newm. 76
ardinense Pic 31
ardinensis Heyd. 556
ardinensis Pic 548
margaritifera Westw. 203
marginalis Fähr. (Grac.) 186
marginalis Gah. (Men.) 540
marginalis Muls. (Ag.) 460
marginata F. (Hem.) 594
marginata Hintz (Cer.) 187
marginata Pasc. (Pach.) 353
marginata Pasc. (Ser.) 493
marginella Bates (Al.) 595
marginella Bates (Ob.) 525
marginella J. Lec. (Mec.) 538
marginellus F. (Cal.) 358
marginellus Hald. (Lept.) 403
marginicollis Boisd. (Anc.) 152
marginicollis Gah. (Ad.) 590
marginicollis Pasc. (Am.) 449
marginipennis Gah. (Cal.) 594
marginipennis Rits. (Pel.) 81
Marianarum Auriv. (Dih.) 98
Marianarum Auriv. (Pros.) 263
maricovensis Dist. 190
Marleyi Dist. 156
marmorata Auriv. (Trig.) 230
marmorata Cas. (Onc.) 345
marmorata Fairm. (Grac.) 182
marmorata Gah. (Mec.) 538
marmorata Gah. (Pros.) 160
marmorata Gerst. (Frea) 192
marmorata Gestro (Eun.) 283
marmorata Hintz (Stern.) 169
marmorata Pasc. (An.) 389
marmorata Reiche (Cer.) 187
marmorata Sharp (Mes.) 321
marmorata Voet (Stern.) 169
marmoratum Thunb. 381
marmoratus Aulm. (Las.) 154
marmoratus Auriv. (Hom.) 202
marmoratus Blanch. (Arch.) 223
marmoratus Cas. (Goes) 107
marmoratus Dist. (Las.) 153
marmoratus F. (Id.) 154
marmoratus Guér. (Tmes.) 225
marmoratus Heync - Taschenb. (Las.) 153
marmoratus Jord. (Poim.) 176
marmoratus J. Lec. (Mon.) 91
marmoratus Ol. (Las.) 154
marmoratus Rand. (Mon.) 91
marmoratus Thoms. (Taen.) 103
marmoratus Vill. (Ac.) 431
marmoratus Westw. (Meg.) 79, 607
marmorea Fairm. (Eun.) 283
marmorea Ol. (Phryn.) 199
marmorea Pasc. (Ambl.) 230
marmorea Pasc. (Miaen.) 447
marmorea Pasc. (Moech.) 245
marmorea Schönh. (Mil.) 248
marmoreus Pasc. 114
Marmottani Escal. 54
maroccana Pic 530
marsicanum Frac. 41
Martinezi Perez 55
Martini All. 229
mashenga Dist. 173
mashuna Péring. (Cym.) 209
mashuna Péring. (Pros.) 153

- massaica* Auriv. 188
 Mastersi Blackb. (Penth.) 270
 Mastersi Blackb. (Sybra) 300
 Mastersi Pasc. (Dist.) 240
matabelicus Auriv. 154
matangensis Auriv. 503
mathematica Thoms. 503
matritense Schramm 53
 Matthieseni Suv. 24
 Matzdorffi Kriesche 129
maura Pasc. 507
mauritanica Lucas 525
maurum Jakowl. 62
maxima Bates (Phaea) 574
maxima Hell. (Or.) 232
 Maynei Gah. 173
mecasoides Cas. 486
 Meehowi Quedf. (Cer.) 187
 Meehowi Quedf. (Cym.) 209
 Meehowi Quedf. (Pin.) 170
medea Pasc. 503
 Medenbachi Rits. 109
medialis Sharp 324
medifusca Pasc. 255
mediifusca Pasc. 144
mediocreimpressum Pic 26
mediofasciata Hell. 144
medioimpressum Pic 26
mediointerruptum Pic 38
 Meinerti Auriv. (Ad.) 590
 Meinerti Auriv. (Hipp.) 357
 Meinerti Auriv. (Prymn.) 318
megabasoides Thoms. 390
megacephala Bates 593
megalcephala v. d. Poll 131
megalopoides Bates 592
megalops Leng 415
megaspilus Bates 416
melaleuca Dist. 179
melaleuca Gerst. 179
melaleucus Jord. 94
melampus 383
melancholica Montrz. (Sap.) 488
melancholica Suv. (Ag.) 463
melancholica Thoms. (Gis.) 603
melancholica Thoms. (Typ.) 294
melancholicum Pic 26
melancholicus Serv. 412
melanocephala Auriv. (Nit.) 520
melanocephala F. (Phyt.) 569
melanocephala Voet (Ob.) 527
melanocephalus Hope 258
melanocera Har. 521
melanoceras Gmel. 563
melanogenys White 381
melanoleucum Voet 44
melanolopha Fairm. 463
melanophiloides Thoms. 595
melanopsis Pasc. 142
melanoptera Fairm. (Linda) 539
melanoptera Thoms. (Phryn.) 200
melanoscelis Auriv. 515
melanospilus Gah. 100
melanosticta Pasc. 270
melanosticta White 387
melanosticlicus White 95
melanostictus White 108
melanostoma Hell. 533
melanotis Pasc. 448
melanura Gah. (Mom.) 577
melanura Gredl. (Ob.) 527
melanura Pasc. (Chreon.) 579
melanura Pasc. (Pter.) 254, 257
melanura Pasc. (Tan.) 364
melanurus Gah. (Cal.) 594
melanurus Schönh. (Tetr.) 576
meleager Pasc. 128
meleagrina Er. 454
meleagris Bates (Ac.) 387
meleagris Pasc. (Pel.) 81
melia Pasc. 503
Melichari Roub. 554
melissa Pasc. 508
melitana Reiche 530
mendax Muls. 45
Merceti Schramm 52
meridianus Pasc. 79
meridionale Auriv. (Steir.) 381
meridionale Muls. (Dorc.) 45
meridionalis Hintz (Cross.) 195
meridionalis Hintz (Phant.) 63
meridionalis Jord. (Pros.) 158
 Merkli Ganglb. (Dorc.) 36
 Merkli Ganglb. (Phyt.) 554
Merkli Pic (Neod.) 59
mersinensis Pic 553
meruana Auriv. (Niph.) 16
meruana Auriv. (Syn.) 516
Mesmini Pic (Dorc.) 30
Mesmini Pic (Sap.) 474
mesoleuca Pasc. (Glen.) 503
mesoleuca Pasc. (Niph.) 248
metallescens Auriv. (Blep.) 518
metallescens Motsch. (Eut.) 488
metallescens Pasc. (Bat.) 128
metallica Auriv. (Cub.) 278
metallica Bates (Chrys.) 592
metallica Bates (Plectr.) 6
metallica Pasc. (Chalc.) 604
metallica Westw. (Zyg.) 239
metallicum Montrz. 228
metallicus Bates (Lept.) 401
metallicus Montrz. (Gnoma) 134
metallicus Thoms. (Eud.) 349
meteorica Gistl 385
metutus Pasc. 264
mexicana Bates (Dorc.) 362
mexicana Bates (Mecas) 538

- mexicana Bates (Phoebe) 591
 mexicana Thoms. (Ap.) 457
mexicana Thoms. (Desm.) 304
 mexicana Thoms. (Hyp.) 342
 mexicanus Bates (An.) 397
 mexicanus Thoms. (Ad.) 289
 mexicanus Thoms. (Dect.) 411
 mexicanus Thoms. (Prob.) 420
 mexicanus Thoms. (Tryp.) 412
 Meyricki Blackb. 448
 micans Füssly (Ag.) 467
micans Thoms. (Dorc.) 41
 Micholitzii Hell. 533
 microps Jord. 211
 microstictum Cas. 19
miles Newm. 500
 miliaris Pasc. (Penth.) 270
 miliaris Pasc. (Pycn.) 190
 militaris Fairm. (Poec.) 516
 militaris Gerst. (Cer.) 187
 militaris Voet (Onc.) 347
 millefolii Ad. 552
 millegranus Bates 96
 mima Belon (Cast.) 457
 mima Jord. (Cnem.) 155
 mima Thoms. (Anthr.) 145
 mima Thoms. (Trag.) 173
 mimetica Auriv. (Col.) 454
 mimetica Auriv. (Theocr.) 238
 mimetica Bates (Al.) 595
 mimetica Hell. (Ob.) 533
 mimeticus Cas. 409
 mimica Bates (Lyc.) 585
 mimica Bates (Xyl.) 298
 mimica Fairm. (Pal.) 152
 mimica Jord. (Eun.) 283
 mimica Jord. (Pin.) 170
 mimicus Bates 205
mimosae Thunb. 187
 mindanaoensis Schultze 607
 mindanaonis Hell. 82
 miniacea Bates (Hil.) 593
 miniacea Pasc. (Glen.) 508
 miniata Lacord. (Ess.) 595
 miniata Pasc. (Phaea) 574
 miniata Thoms. (Hes.) 342
 miniata Thoms. (Onc.) 347
 minima Auriv. (Gramm.) 356
 minima Bates (Acanth.) 387
 minima Bates (Aestr.) 294
 minima Kolbe (Ob.) 522
 minimum Bates 394
 minimus Bates 404
 ministrata Pasc. 256
 minor Bates (Parm.) 288
 minor Bates (Tar.) 349
 minor Fairm. (Mim.) 148
 minor Hintz (Pros.) 160
 minor Kolbe (Opeph.) 84
 minuens Leng & Hamilt. 401
 minuta Kolbe (Sophr.) 313
 minuta Pasc. (Ol.) 449
 minuta Pic (Copt.) 548
 minuta Pic (Parm.) 15
 minuta Thoms. (Onc.) 347
 minutissimus Bates 415
 minutum Kraatz 36
Mioni Guér. 271
mipubens Nicol. 52
 mira Jord. 498
 mirabilis Auriv. (Cor.) 278
 mirabilis Bates (Eur.) 339
 mirabilis Bates (Phaea) 574
 mirabilis Boisd. (Sphingn.) 223
 minor Lam. (Niph.) 250
 minor J. Lec. (Mon.) 91
 mirabilis Drury (Stern.) 167
 mirabilis Fald. (Mall.) 545
mirabilis Montrz. (Sphingn.) 223
 miraculum Reitt. 62
 mirandilla Bates 293
 miscellus Pasc. 263
 misella Bates 319
 misellus Lam. (Ex.) 443
 misellus J. Lec. (Leiop.) 409
 miser Bates 415
 mista Newm. 269
mitulus Thoms. 264
 mixta Auriv. (Arist.) 110
 mixta Auriv. (Glen.) 496
 mixta Bates (Ob.) 533
 mixta Gah. (Ag.) 143
 mixta Gah. (Eun.) 283
 mixta Newm. (Plocia) 297
 mixtum Suv. 26
 mixtus Bates (Lept.) 415
 mixtus Bates (Ptych.) 101
mixtus F. (Graph.) 423
 mixtus Haldem. (Pog.) 333
 mixtus Hope (Dih.) 98
 Mjöbergi Auriv. 266
 m-nigrum Muls. 274
 Mniszechi Buq. (Trest.) 351
 Mniszechi Chabr. (Ad.) 590
 Mniszechi Kraatz (Dorc.) 26
 Mniszechi Lacord. (Smerm.) 354
 Mniszechi Perroud (Sphingn.) 223
 Mniszechi Thoms. (Ast.) 582
Mniszechi Thoms. (Bat.) 126
 Mniszechi Thoms. (Comps.) 337
 Mniszechi Thoms. (Frea) 192
 Mniszechi Thoms. (Trag.) 173
m-notata Pic 556
 Mocquerysi Jord. (Mur.) 179
 Mocquerysi Jord. (Leiop.) 407
 Mocquerysi Jord. (Trag.) 174
 moderator Cas. 409
 modesta Belon (Dorc.) 362

- modesta* Blackb. (Plat.) 266
modesta F. (Nit.) 520
modesta Fairm. (Trag.) 174
modesta Gah. (Pter.) 254
modesta Gyll. (Ac.) 387
modesta Montrz. (Het.) 216
modesta Pasc. (Ser.) 493
modesta Pasc. (Sybra) 300
modesta Péring. (Quim.) 170
modesta Walzl (Phyt.) 554
modestum Montrz. (Nem.) 234
modestum Tourn. (Dorc.) 30
modestus Broun (Hyb.) 323
modestus Broun (Xyl.) 4
modestus Gah. (Tmes.) 226
modestus Phil (Brach.) 340
modica Gah. (Glen.) 499
modicus Gah. 96
Modiglianii Gah. 503
moea Jord. 181
Moensi Rits. 254
moerens Pasc. 443
moesta J. Lec. (Sap.) 486
mocsta Schönh. (Cer.) 606
moestus Bates 398
mogissemium Suv. 61
Mokrzeckii Jakowl. 47
molator F. 189
molestus Pasc. 263
molitor Aulm. (Moecha) 189
molitor F. (Dorc.) 47, 55
molitor Jord. (Bang.) 162
molitor Jord. (Mur.) 179
molitor Kriesche (Bat.) 129
molitor Redt. (Dorc.) 49
molitorius Auriv. 258
Möllendorfi Flach 248
molossus Duviv. 194
molybdaena Dalm. 568
molybdaena Redt. 569
molybdaena Türk 569
molybdina Bed. 568
mona Auriv. 508
monachica Berg 357
monachus White 369
monachus Er. 382
moncayoensis Nicol. 57
mongolicum Jakowl. 62
monilifer White 378
monilifer Geoffr. 406
monostigma Haldem. 573
monoxenus Kolbe 417
monstrabilis Hell. 142
monstrosa Pasc. 277
montana Cas. (Ob.) 536
montana Gah. (Ast.) 582
montana Hintz (Cer.) 187
montana Jord. (Glen.) 500
montana Pasc. (Centr.) 10
montana Pasc. (Pter.) 254
Montandoni Pic (Dorc.) 48
Montandoni Pic (Ob.) 530
montanum Lauff. 52
montanus Auriv. (Dih.) 98
montanus Cas. (Hyp.) 418
montanus Pasc. (Cleph.) 359
montanus Serv. (Ac.) 431
montevicensis Thoms. 335
monticola Auriv. (Par.) 520¹⁰
monticola Blackb. (Ath.) 11
monticola Cas. (Mon.) 92
monticola Cas. (Tetr.) 576
monticola Gestro (Tmes.) 226
monticola Muls. (Dorc.) 45
montivaga Gah. 498
Montrouzieri Fairm. (Glen.) 496
Montrouzieri Montrz. (En.) 233
Montrouzieri Thoms. (Blaps.) 228
Montrouzieri Thoms. (Bupr.) 221
Montrouzieri Thoms. (En.) 238
Montrouzieri Thoms. (Glen.) 508
Moorei Gah. (Oops.) 303
Moorei Pasc. (Ect.) 363
morata Pasc. 266
moratus Pasc. 258
morbillosa F. 513
moreanum Pic 36
Morgani Pic 30
morimoides White 69
morio F. (Dorc.) 39
morio Fisch. (Dorc.) 41
morio Jord. (Nit.) 521
morio Jord. (Trag.) 174
morio Kraatz (Ob.) 531
morio Ol. (Dorc.) 47
mormon Pasc. 9
morosa Pasc. (Ob.) 533
morosa Pasc. (Vol.) 512
morosum Jakowl. 62
Morrisi Uhler 378
mortalis Thoms. 120
mortuale Thoms. 20
mortyanus Thoms. 226
mosaica Bates 454
mosambica Hintz 187
Moseri Hintz 182
mosqueruelense Escal. 55
Motschulskyi Plav. 469
Mouhoti Pasc. (Choer.) 144
Mouhoti Pasc. (Pal.) 152
Mouhoti Thoms. (Glen.) 499
Mouhoti Thoms. (Glen.) 499
Mouhoti Thoms. (Strat.) 73
Moultoni Auriv. (Atr.) 363
Moultoni Auriv. (Dol.) 21
Moultoni Auriv. (Eust.) 580
Moultoni Auriv. (Glen.) 503

- mozambica Péring. 169
 mucida Pasc. (Ep.) 299
 mucida Semen. (Phyt.) 554
 mucidum Dalm. 55
 mucorea Fairm. (Cym.) 209
 mucorea Gah. (Eun.) 283
 mucorea Kolbe (Moecha) 189
 mucoreus Bates (Ad.) 289
 mucoreus Bates (Ast.) 427
 mucoreus Gah. (Plectr.) 244
 mucoreus Gerst. (En.) 285
 mucronata Bates (Par.) 292
 mucronata Ol. (Cart.) 457
 mucronata Pasc. (Sybra) 300
 mucronatus Gah. 224
 Muelleri Quedf. 197
Mühlfeldi Muls. 573
Mülleri Depoli 41
 Müllneri Reitt. 463
multialternatum Pic 50
 multieristata Bates 304
multilineatum Pic 54
 multigranula Thoms. 132
 multiguttata Guér. 499, 610
multimaculata Pic 545
 multinotata Chevr. (Char.) 181
 multinotata Pic (Ap.) 279
 multinotatus Bates (Lept.) 415
 multinotatus Pic (Ol.) 214
 multinotatus Quedf. (Plag.) 178
 multiperforatus Pic 96
multiplicatum Pic 58
 multiplicatus Gah. 226
Mulsanti Bris. (Dorc.) 58
Mulsanti Perr. (Nem.) 234
Mulsanti Seidl. (Mon.) 88
 multipunctata Serv. 598
multipunctatus Georg (Pog.) 329
multipunctatus Thoms. (Plist.) 380
 multispinis Bates 85
 multivittata Bates 340
 multivittis Bates 352
 mundula Pasc. 533
 mundulus Bates 415
 munita Pasc. 266
murina Mars. (Phyt.) 564
 murina Nonfr. (Ar.) 110
 murina Pasc. (Tyr.) 586
murina Schönh. (Col.) 454
murina Thoms. (Vell.) 65
 murinus Alluand (Leuc.) 197
 murinus Fauv. (Xyl.) 4
 murinus Gah. (Mon.) 94
 murinus Pasc. (Hathl.) 258
 Murrayi Chevr. (Gel.) 165
 Murrayi Küst. (Dorc.) 48
 murrea Dist. 161
 mus Rosenh. 55
 Musarti Pic 24
 muscaria Hell. 144
 muscosus Bates 422
 musculus Bates 415
 musiva Germ. 454
 musivus Pasc. (Dih.) 98
 musivus Pasc. (Pros.) 263
mutabilis Bates 596
 mutata Gah. (Glen.) 499
 mutata Pasc. (Ob.) 533
mutata Pic (Phyt.) 555
mutator J. Lec. (Mon.) 92
 mutatus Pasc. 448
 mutica Gah. (Teth.) 296
 mutica Say (Sap.) 486
 muticus Thoms. 289
 mutilatus Germ. 436
 mutilus Cas. 401
 mutillarium Kl. 337
mutillarium Thoms. 337
 mycerinoides Thoms. 282
 mydas Lucas 341
 mylianus Flor. 606
 myops Chevr. (Pros.) 159
 myops Dalm. (Mes.) 138
 myops Haldem. (Ob.) 536
 myriada Gistel 606
 myrmecophila Lea 17
 myrmidonum Kolbe 74
 myrrhatus Pasc. 122
 myrrhis Pasc. 503
 myrsia Pasc. 508
 myrsine Pasc. 504
 mystacinum Ball. 24
mystacinum Heyd. 27
 mystax Duviv. 578
 mysteriosus Thoms. 178
 mystica Dist. (Phant.) 63
mystica Kolbe (Phryn.) 202
 mystica Pasc. (Corrh.) 270
 mystica Pasc. (Choer.) 144
 mysticus Bates (Ozin.) 398
 mysticus Jord. (Nyct.) 178
 mysticus Thoms. (Cer.) 114
mytilinense Kraatz 33
 Nachtigali Har. 170
 naevia Bates (Ap.) 279
 naevia Bates (Col.) 454
 naevia Olliff (Dysth.) 237
 naevigera Bates 454
 naevicornis Bates 409
 naevius Bates 103
 namaqua Péring. 309
 nana Bates 378
 nanulus Cas. 576
 nanus Bates (Xyl.) 4
 nanus Fairm. & Germ. (Ad.) 289
 nanus Ganglb. (Dih.) 98
 nanus Pasc. (Clyz.) 148

- nasicornis* Pasc. 155
natalensis Dist. (Arm.) 177
natalensis Thoms. (Dich.) 196
natalensis White (Cross.) 194
nativitatis Gah. 98
navutensis Bates 369
navaricum Muls. 45
Navasi Escal. 55
navicula Bates 422
navicularis Bates 415
nazarena Reiche 560
neanthes Pasc. 496
neapolitanum Kraatz 41
Neavei Auriv. (Blep.) 518
Neavei Auriv. (Nit.) 520
Neavei Auriv. (Pseud.) 517
Neavei Auriv. (Som.) 16
Neavei Auriv. (Trag.) 174
nebulator Tort. 139
nebulosa Bates (Bat.) 129
nebulosa Er. (Eun.) 283
nebulosa F. (Mes.) 139
nebulosa Fairm. (Coed.) 336
nebulosa Fairm. (Diad.) 309
nebulosa Geor. (Ac.) 388
nebulosa Haldem. (Cac.) 107
nebulosa Quedf. (Bang.) 162
nebulosa Quedf. (Pros.) 159
nebulosum Bates 394
nebulosus Fairm. (Cross.) 195
nebulosus Geoffr. (Cer.) 606
nebulosus Geoffr. (Ex.) 441
nebulosus Horn (Lept.) 401
nebulosus L. (Leiop.) 405
nebulosus Schrank (Ac.) 433
nebulosus Sülz. (Ac.) 432
nebulosus Voet (Pter.) 164
necydaloides Fähr. (Blep.) 518
necydaloides Pasc. (Ob.) 533
nefasta Pasc. 533
neglecta Pasc. (Ap.) 279
neglecta Pasc. (Plat.) 266
neglecta Rits. (Apr.) 132
negundo Schaeff. 333
neilense Escal. 56
nematocera Guér. 357
nemoralis Flor. 47
nemorensis Fähr. 308
neptis Pasc. 533
nervosa Fairm. (Pter.) 257
nervosa Pasc. (Trig.) 230
nervulata Fairm. (Coed.) 336
nervulata Fairm. (Diad.) 309
Neuhausi J. Müll. 332
neutralis Pasc. 533
Nevisi Goun. 590
Newmani Westw. (Apr.) 261
Newmani White (Choer.) 144
Newmanni Pasc. (Ip.) 141
Newmanni Thoms. (Glen.) 508
niasica Auriv. (An.) 359
niasica Auriv. (Phars.) 120
niassensis Lansb. 114
nicaeensis Chevr. 466
nicanor Pasc. 506, 508
nicobarica Redt. 121
Nicolasianum Plavil. 56
Nicoleti Thoms. (Acr.) 123
Nicoleti Thoms. (Mon.) 96
niger Auriv. (Mal.) 586
niger Horn (Coen.) 391
niger Thoms. (Pel.) 81
Nigeriae Auriv. 498
nigerrimus Auriv. 590
nigra Auriv. (Daph.) 511
nigra Auriv. (Pin.) 170
nigra Bates (Al.) 595
nigra Gray (Tap.) 236
nigra Houtt. (Gnoma) 134
nigra Kraatz (Tetr.) 573
nigrellus Haldem. 418
nigricans Lam. 387
nigriceps Auriv. (Daph.) 511
nigriceps Auriv. (Nit.) 520
nigriceps Cast. (Ad.) 591
nigriceps Gah. (Nups.) 515
nigriceps Hintz (Nit.) 519
nigriceps Muls. (Ob.) 530
nigriceps White (Ob.) 533
nigricollis Auriv. (Nit.) 520
nigricollis Auriv. (Ob.) 522
nigricollis Bates (Cosm.) 419
nigricollis Cas. (Tetr.) 576
nigricornis Auriv. (Ad.) 289
nigricornis Auriv. (Daph.) 511
nigricornis F. (Ag.) 460
nigricornis F. (Con.) 562
nigricornis F. (Stib.) 513
nigricornis Fähr. (Nit.) 521
nigricornis Fröl. (Ag.) 465
nigricornis Ol. (Nit.) 520
nigricornis Thoms. (An.) 581
nigricornis Tigny (Sap.) 606
nigridorsis Bates 415
nigrifrons Auriv. (Dyen.) 517
nigrifrons Auriv. (Glen.) 504
nigrina Pasc. (Neissa) 445
nigrina Pic (Phyt.) 555
nigrina Thoms. (Cirrh.) 592
nigrinum Escal. 58
nigrinus Bates 311
nigripenne Escal. 58
nigripenne Fleisch. 47
nigripennis Bates (Hil.) 593
nigripennis Bates (Phaea) 574
nigripennis Chevr. (Cal.) 594
nigripennis Gah. (Cym.) 209
nigripennis Rits. (Therm.) 115

- nigripes* Bates (An.) 397
nigripes Bates (Tetr.) 576
nigripes Cas. (Tetr.) 575
nigripes F. (Sten.) 541
nigripes Gah. (Therm.) 115
nigripes Kolbe (Nit.) 520
nigripes Muls. (Sten.) 542
nigripes Pasc. (Xyast.) 494
nigripes Voet (Phyt.) 554
nigriscapus Auriv. 161
nigrita Gah. (Men.) 540
nigrita Nedek. (Phyt.) 568
nigrita Pasc. (Ap.) 279
nigritarse Kraatz 50
nigritarsis Chevr. (Phyt.) 557
nigritarsis Gah. (Ap.) 279
nigritarsis Pasc. (At.) 273
nigritarsis Pasc. (Niph.) 248
nigritarsis Pic (Con.) 547
nigritarsis Schönh. (Phyt.) 547
nigritarsis Thoms. (Par.) 292
nigritarsis White (Ac.) 387
nigriventris Bates (Ob.) 534
nigriventris Fairm. (Nups.) 514
nigriventris Fleut. & Sallé (Ad.) 590
nigriventris Kolbe (Blep.) 518
nigriventris Rits. (Mom.) 578
nigriventris Thoms. (Chreon.) 579
nigriventris Waterh. (Ag.) 463
nigroaenea Muls. 460
nigroapicalis Auriv. (Ap.) 280
nigroapicalis Auriv. (Per.) 178
nigroapicalis Auriv. (Scler.) 389
nigrocincta Auriv. (Nit.) 520
nigrocincta Gah. (Pter.) 254
nigrocincta Pic (Men.) 491
nigrocinctus Gah. 590
nigrofasciata Auriv. 120
nigrofasciatus Auriv. (Cer.) 114
nigrofasciatus Auriv. (Leiop.) 407
nigrofasciatus Auriv. (Mon.) 94
nigrofasciatus Auriv. (Tmes.) 226
nigrofasciatus Blanch. (Cyl.) 213
nigrofasciatus Kolbe (Trag.) 205
nigroguttata Auriv. 181
nigroguttata Jord. 197
nigrolineata Auriv. (Nit.) 520
nigrolineata Gah. (Glen.) 500
nigrolineatum Chevr. (Dorc.) 54
nigrolineatum Reitt. (Neod.) 60
nigromaculata Auriv. (Eun.) 283
nigromaculata Bates (Phaea) 574
nigromaculata Gah. (Ag.) 143
nigromaculata Thoms. (Het.) 511
nigromaculatus Auriv. (Per.) 350
nigromaculatus Kl. (Ad.) 590
nigromaculatus Pic (Ol.) 214
nigromaculatus Quedf. (Las.) 153
nigromarginata Hintz 182
nigronotata Pic (Chreon.) 579
nigronotata Pic (Mes.) 138
nigroperlata Fairm. 199
nigropicta Fairm. 174
nigropictus Fairm. 197
nigropilosa Auriv. 199
nigroplagiatus Rits. 81
nigropubescens Reitt. 555
nigropunctata Fairm. (Copt.) 146
nigropunctata Har. (Trag.) 175
nigropunctatus Bates 427
nigrorugosus Geer 72
nigroscriptum Fairm. 175
nigroscutata Fairm. 335
nigroscutatus Fairm. 539
nigrosignata Quedf. 199
nigrosignatus Lam. 436
nigrosparsa Kolbe 257
nigrosparsus Auriv. (Doc.) 238
nigrosparsus Bates (Hyp.) 418
nigrosuturale Lauff. 57
nigrosuturatum Reitt. 29
nigrotriangularis Hell. 226
nigrovirens Donov. 266
nigrovittata Auriv. (Pin.) 173
nigrovittata Auriv. (Trag.) 174
nigrozonata Thoms. 273
nigrozonatus Fairm. 451
nigrum Say 215
nimbalus Lesne 608
Niobe Thoms. 504
niphonoides Pasc. (Anc.) 152
niphonoides Pasc. (Tyb.) 341
niponensis Bates (Ob.) 533
niponensis Pic (Sten.) 542
nitens Bates (Ad.) 289
nitens Bates (Mon.) 87
nitens F. (Ast.) 582
nitens Jord. (Ex.) 444
nitida Auriv. (Hecph.) 584
nitida Auriv. (Quim.) 170
nitida Auriv. (Sophr.) 313
nitida Broun (Xyl.) 7
nitida Pasc. (Scyt.) 516
nitidicollis Auriv. 504
nitidior Perrin 86
nitidissima Auriv. 112
nitidulum Fauv. 234
nitidulus Bates (Ex.) 444
nitidulus Kolbe (Par.) 314
nitidum Auriv. (Hep.) 66
nitidum Motsch. (Dorc.) 29
nitidus Bates (Hamm.) 105
nitidus White (Eutr.) 436
nivea Bates (Del.) 104, 608
nivea Bates (Del.) 104
nivea Kraatz (Phyt.) 569
nivea Lacord. (Phoebe) 591

- nivea* Rits. (Glen.) 496
niveiceps Auriv. 590
niveicollis Auriv. (Poim.) 177
niveicollis Hintz (Cross.) 195
niveilateralis Thoms. 349
niveisparsa Fairm. 146
niveisparsum Thoms. 29
niveisparsus Bates (Ptych.) 101
niveisparsus Westw. (Zogr.) 163
niveoconjunctum Th. Pic 34
niveopicta Fairm. 366
niveopictum Dan. 32
niveoplagiata Auriv. 359
niveosignata Jord. (Cyoc.) 10
niveosignata Thoms. (Cirrh.) 592
niveosignatum Serv. 337
niveosparsa Auriv. (Col.) 454
niveosparsa Fairm. (Ap.) 279
niveosparsa Pic (Poth.) 353
niveovittata Auriv. 354
niveovittatus Auriv. 112
nivipicta Fairm. 257
niviplagiatus Fairm. 242
niviscutata Fairm. 336
nivisparsa Bates 292
nivisparsus Chevr. 163
nivosa Fairm. 159
nivosum Suv. 24
nivosus White 96, 607
nobile Hampe 29
nobilis Bates (Eutr.) 436
nobilis F. (Trag.) 174
nobilis Ganglb. (Mel.) 109
nobilis Jord. (Char.) 181
nobilis Künck. (Pin.) 173
nobilis Thoms. (Am.) 113
nobilitata Thoms. 343
noctis Gronov. 72
nodicollis Fairm. 64
nodicorne Tourn. 36
nodicornis Bates (Carn.) 456
nodicornis Fauv. (Dicra) 234
nodicornis Rits. (Niph.) 248
nodifera Serv. 291
nodipennis Burm. 352
nodosa Hintz 18
nodosipennis Pic 141
nodosus F. (Ac.) 434, 610
nodosus Newm. (Symph.) 264
nodulosa Schönh. 152
Nogeli Thoms. 34
Nogelli Fairm. 34
nonymoides Jord. 444
Norrisi Westw. 165
notabilis Fairm. 242
notata F. (Lam.) 606
notata Newm. (Ploc.) 297
notata Voet (Pros.) 158
notaticollis Bates 402
notatipennis Pasc. (Sybra) 300
notatipennis Pic (Par.) 510
notator Pasc. 516
notatus Drury 92
notha Newm. 261
novemguttata Guér. 504
novemlineatum Kraatz 38
Novitzkyi Suv. 62
nubecula Cas. 19
nubeculosa Fairm. 174
nubifer Gyll. 94
nubila Gmel. (Mas.) 139
nubila J. Lec. (Opl.) 315
nubila Pasc. (Dyst.) 273
nubila Pasc. (Sybra) 300
nubilosus Hintz 94
nubilum Goun. 337
nubilus Jord. (Ol.) 215
nubilus Kolbe (Thyl.) 269
nudicornis Bates 237
nudipenne Escal. 56
nudum Küst. 48
nudus Bates 4
numcensis Fauv. 316
numerifera Thoms. 504
numida Auriv. 454
numitor Newm. 125
nupera Péring. 201
nuptus Chevr. (Cal.) 594
nuptus Thoms. (Dyen.) 517
nutans Sharp. 262
nutator F. 303
nyassensis Auriv. (Nups.) 514
nyassensis Gah. (Mon.) 94
nyassica Hintz 174
Nymani Auriv. 450
nympha Bates (Ant.) 598
nympha Kuntzen (Glen.) 503

obducta Pasc. 256
obereoides Bates 538
Oberthuri Gah. (Eut.) 116
Oberthuri Gah. (Plax.) 578
Oberthuri Rits. (Therm.) 115
Oberthüri Ganglb. (Dorc.) 53
Oberthüri Goun. (Taur.) 371
Oberthüri Pasc. (Chrcost.) 201
Oberthüri Rits. (Glen.) 501
obesa Thoms. (Glen.) 509
obesa Voet (An.) 183
obesula Auriv. (Col.) 454
obesula Broun (Som.) 7
obesum Gaut. 45
obesum Tourn. 30
obesus Bates (Ad.) 590
obesus Bates (Ad.) 590
obesus Bates (Aeg.) 378
obesus Westw. (Chrcost.) 201
obfuscalus White 114

- obliqua* Bates (Pter.) 290
obliqua Donovan. (Plat.) 266
obliqua Jord. (Theocr.) 238
obliqua Say (Sap.) 486
obliqua Thoms. (Teth.) 296
obliqua Voll. (Bat.) 129
obliquata Kl. (Ap.) 280
obliquata Lacord. (On.) 352
obliquator F. 342
obliquatus Bates (Lept.) 402
obliquatus Fairm. (Art.) 427
obliquatus Fairm. (Mic.) 308
obliquatus Fairm. (Pros.) 263
obliquatus Har. (Chreost.) 201
obliquefasciatus Pic 8
obliquepicta Fairm. (Paphr.) 308
obliquepicta Fairm. (Pter.) 257
obliquepictus Fairm. (Brach.) 242
obliquepictus Fairm. (Lent.) 243
obliquesignatum Pic 34
obliquetruncata Rosenh. 307
obliquus Auriv. (Poim.) 177
obliquus J. Lec. (Ac.) 434
obliquus Thoms. (Un.) 309
obliterata Pic 607
obliteraticostum Suv. 27
obliteratus Pic (Ac.) 431
obliteratus Thoms. (Tenth.) 391, 420
oblitus Pasc. 263
oblonga Pasc. 313
oblongipennis Fairm. 303
oblongus Boisd. 226
obrioides Bates (Las.) 310
obrioides Pasc. (Nod.) 540
obscura Auriv. (Glen.) 498
obscura Bris. (Phyt.) 568
obscura F. (Est.) 320
obscura F. (Lam.) 606
obscura F. (Par.) 292
obscura Gah. (Mes.) 141
obscura Gah. (Misp.) 275
obscura Gah. (Phym.) 176
obscura M'Leay (Choer.) 144
obscura Ol. (Phryn.) 200
obscura Thoms. (Est.) 320
obscura Voet (Stern.) 168
obscurans Pic 36
obscurator F. 244
obscuratus Fairm. 84
obscuraella Bates 344
obscuraellus Bates (Leptosc.) 402
obscuraellus Bates (Lepturg.) 415
obscuraellus Cas. (Leiop.) 409
obscuriceps Auriv. 313
obscuricollis Fairm. 242
obscuricornis Pic (Mes.) 140
obscuricornis Pic (Phyt.) 557
obscuripes Pic 564
obscuritarsis Chevr. 522
obscurior Ab. (Mon.) 90
obscurior Pic (Ac.) 389
obscurus Fall (Pog.) 333
obscurus Haldem. (Ec.) 325
obscurus Haldem. (Leiop.) 409
obscurus Pic (Ac.) 432
obsessa Pasc. 142
obsoleta Auriv. (Glen.) 497
obsoleta Bates (Or.) 377
obsoleta Chevr. (Nit.) 520
obsoleta Fähr. (Pycn.) 190
obsoleta Fairm. (Pter.) 257
obsoleta Ganglb. (Pil.) 549
obsoleta Thoms. (Stih.) 513
obsolelepunctata Thoms. 501
obsoletum Kraatz 36
obsoletus Blanch. (Tmes.) 226
obsoletus Cas. (Tetr.) 574
obsoletus Fairm. (Dorc.) 67
obsoletus Fairm. (Ol.) 214
obsoletus Ol. (Ac.) 434
obsoletus Thoms. (Lag.) 392
obtusa Bates (Col.) 455
obtusa Bates (Dorc.) 362
obtusa Bates (Par.) 292
obtusa Bates (Tyr.) 586
obtusipenne Motsch. 24
obtusipennis Bates 324
obtusum J. Lec. 20
obtusus Cas. (Mon.) 92
obtusus Hintz (Cross.) 195
obydensis Bates 454
occidentalis Auriv. (Penth.) 270
occidentalis Chevr. (Sum.) 446
occidentalis Jord. (Trag.) 174
occidentalis Kriesche (Bat.) 128
occidentalis Lansb. (Phant.) 83
occipitalis Chevr. (Nups.) 514
occipitalis Lam. (Pseudh.) 74
occipitalis Pasc. (Met.) 118
occulta Bates 362
oceanica Schwarz. 129
oceanicus Woll. 6
ocellaris Bates 347
ocellata Bates (Nyss.) 424
ocellata Chevr. (Pros.) 155
ocellata Haldem. (Ob.) 536
ocellata Lam. (An.) 161
ocellata Nonfr. (Cremn.) 111
ocellata Perrin (Sap.) 472
ocellata Thoms. (Ep.) 237
ocellator F. 398
ocellatus Auriv. (Din.) 179
ocellatus F. (Taen.) 103
ocellatus Gah. (Mon.) 96
ocellatus Geer (Zogr.) 163
ocellifera Westw. 261
ocelota Bates 488

ochracea Guér. (Glen.) 500
ochracea Jord. (Corn.) 77
ochracea Jord. (Trag.) 174
ochracea Thoms. (Choer.) 144
ochraceipennis Kraatz 569
ochraceosignatus Auriv. 202
ochraceotinctus Fauv. 4
ochraceovittata Auriv. (Nyct.) 609
ochraceovittata Thoms. (Glen.) 504
ochraceum Lauff. 55
ochreatea Fairm. 174
ochropyga Belon 321
ochropygus Bates 402
ochrosignatus Hell. 609
ocreatus Bates 590
ocloculatus Geer 164
octolineata Bates 452
octolineatum Kraatz 38
octomaculata Auriv. (Sang.) 451
octomaculata Blessig (Sap.) 472
octomaculata Boisd. (Bat.) 128
octomaculata Bug. (Cher.) 599
octomaculata F. (Bat.) 126
octomaculata Gah. (Alph.) 161
octomaculata Redt. (Bat.) 126
octomaculata Serv. (Phoebe) 592
octomaculata Thoms. (Bat.) 124
octopunctata Jens. 473
octopunctata Scop. 472
octopustulatus Motsch. 214
octovittatum Lauff. 57
ocularis Hintz (Id.) 154
ocularis Hope (Ad.) 590
ocularis Hope (Sap.) 488
ocularis Thoms. (Onc.) 347
oculata Geoff. (Mes.) 138
oculata Goun. (Rhaph.) 291
oculata L. (Ob.) 525
oculata Schönh. (Ob.) 527
oculata Trost (Ob.) 528
oculaticollis Say 536
oculator F. (Zogr.) 163
oculatum Bates 394
oculatus Hintz (Cross.) 196
oculatus J. Lec. (Hamm.) 105
oculicollis Fairm. 174
oculifrons Chevr. 74
Odewahni Pasc. 269
odiosa Pasc. 300
oene Pasc. 504
Oertzeni Ganglb. 36
oetalicum Pic 35
officinator Lacord. (Lepr.) 75
officinator White (Ep.) 74
Okenianus Gistel 88
olenus Gah. 215
olivacea Auriv. (Trig.) 230
olivacea Goun. (Taur.) 371
olivaceum Bates 394

olivascens Auriv. 156
olivencia Bates 455
olivencius Bates 369
Olivieri Thoms. (Dorc.) 25
Olivieri Thoms. (Im.) 132
Olivieri Thoms. (Per.) 118
Olivieri Thoms. (Pol.) 372
olympiana Thoms. 212
olympianum Auriv. 211
olympicum Ganglb. 36
omias Jord. 94
ominosa Kolbe 63
ominosus Pasc. 263
omissus Cas. 576
omoplata Lacord. 343
onca Quedf. (Lat.) 156
onca White (An.) 369
oncideroides Pasc. 112
oopsida Gah. 254
opaca Gah. 534
opacicollis Bates 450
opacum Cas. 20
opacus Fauv. 233
opalescens Pasc. 226
operaria Er. 293
ophidiana Pasc. 534
ophthalmica Lam. 425
oppositus Pasc. 99
optabilis Pasc. 453
optata Pasc. 457
optatum Jakowl. 24
optatus Broun (Hyb.) 324
optatus Pasc. (Ol.) 214
opulenta Har. 165
opulentum Suv. 23
ora Gah. 504
orbicollis Reiche 552
orbiculus Bates 402
orbifera Auriv. 387
Orbignyi Guér. (Sorm.) 219
Orbignyi Guér. (Taen.) 103
orcus Pasc. 130
ordinata Bates (Col.) 455
ordinata Bates (Sybra) 300
oreadus Reitt. 62
oregonensis J. Lec. (Mon.) 92
oregonensis J. Lec. (Tetr.) 576
oregonus J. Lec. 333
oreoderoides Thoms. 393
orcophilum Ganglb. 36
orichalcea Auriv. 508
orientale Ganglb. 59
orientalis Auriv. (Bar.) 208
orientalis Auriv. (Glen.) 498
orientalis Auriv. (Nos.) 83
orientalis Kraatz (Phyt.) 560
orientalis Kriesche (Bat.) 129
orientalis Pic (Ag.) 463
orientalis Reitt. (Mor.) 69

- orientis* Auriv. 518
ornata Bates (Desm.) 304
ornata Fleut. (Cacost.) 352
ornata Gah. (Cacia) 142
ornata Gah. (Glen.) 499
ornata Gah. (Niph.) 250
ornata Hintz (Cer.) 184
ornata Hintz (Stern.) 169
ornata Latr. (Stern.) 167
ornata Ol. (Stern.) 168, 169
ornata Palis. (Stern.) 169
ornata Pasc. (Ser.) 493
ornata Quedf. (Phryn.) 200
ornatissimus Bates 415
ornator Bates (Hamm.) 105
ornator Gistel (Phym.) 176
ornatum Fald. 62
ornatus Gah. (Spil.) 178
ornatus Kolbe (An.) 171
ornatus M'Leay (Pros.) 263
ornatus Péring. (Din.) 179
Orpheus Pasc. 128
Ortmansi Gah. 444
oryx Jakowl. (Neodorc.) 62
oryx Pasc. (Dorc.) 363
oscillans Broun 7
oscitans Pasc. 231
Osculatii Guér. 455
oshimanus Fairm. 109
osmanlis Reiche 463
ossifera Jord. 498
Osthakovi Suv. 47
ottomanum Kraatz 40
oudatera Thoms. 502
ovale Chevr. 53
ovalis Bates (Leptosc.) 402
ovalis Bates (Lepturg.) 415
ovalis Gmel. (Pog.) 329
ovalis Gyll. (Pog.) 327
ovatula Bates 288
ovatum Sulz. 45
ovatus Goeze 328
ovatus Jens.-Haar. 327
ovinus Pasc. 98
ovipennis Cas. 19
oxypterus Fairm. 213

pachymerus Ganglb. 407
pachypezoides Thoms. 353
pachyrhynchoides Hell. 261
pachystoloides Lacord. 206
pacificus Cas. (Ac.) 434
pacificus Fairm. (Anc.) 451
pagana Har. (Nit.) 520
pagana Pasc. (Hyps.) 343
Paganetlii Pic 58
paganus Pasc. 246
palaeographa Thoms. 508
palavanica Auriv. 609

palavensis Auriv. 507
Palini Hope 165
palentinum Escal. 56
Pallasi Fisch. 42
Pallasi Gebl. 23
pallens Cas. (Mon.) 20
pallens Goun. (Rhaph.) 291
pallens Meg. (Sap.) 488
pallescens Suv. 27
palliata Kl. (Lyc.) 585
palliata Pasc. (Daph.) 511
palliata Pasc. (Eb.) 277
palliata Pasc. (Pter.) 256
palliata Pasc. (Sybra) 301
palliata Pasc. (Xyaste) 494
palliatus Bates (Lept.) 402
palliatus White (An.) 369
pallida Auriv. (Plat.) 267
pallida Bates (Desm.) 304
pallida Cas. (Ob.) 536
pallida M'Leay (Pter.) 256
pallida Thoms. (Alph.) 161
pallida Thoms. (Chreon.) 579
pallida Thoms. (Nups.) 514
pallidicolor Pic (Chreon.) 579
pallidicolor Pic (Plax.) 578
pallidicornis Gah. (Ob.) 534
pallidicornis Thoms. (Call.) 123
pallidior Pic 569
pallidipennis Chevr. (Ischn.) 305
pallidipennis Redt. (Nups.) 515
pallidipes Pic 474
pallidithorax Pic 557
pallidiventris Thoms. 579
pallidula Fairm. (Nic.) 365
pallidula Gerst. (Nit.) 520
pallidulus Bates 415
pallidus Thoms. (Chreost.) 201
pallipes Bates (Oz.) 397
pallipes Ol. (Ad.) 590
Palmeri J. Lec. 391
palparis Pasc. 9
panamensis Bates (Cirrh.) 592
panamensis Bates (Pter.) 295
panayana Schultze 609
pannosa Newm. (Hom.) 219
pannosa Pasc. (Niph.) 250
pannulus Quedf. 94
Panteli Théry 56
pantherinum Jakowl. 24
pantherinus Blanch. (Call.) 143
pantherinus Hell. (Sybra) 301
pantherinus Lacord. (Chal.) 368
papuana Gestro 230
papuensis Gah. 508
papulenta Thoms. 340
papulosa Ol. 372
papulosus Pasc. 136
paradoxa Pasc. 494

- paradoxum* Escal. (Dorc.) 56
paradoxum Ganglb. (Mor.) 70
paraense Bates 394
paraensis Bates 373
parallela Duviv. (Ny.) 446
parallela Lam. (Parm.) 288
parallela Scop. (Ob.) 523
parallela Serv. (Copt.) 146
parallela White (Niph.) 250
parallelis Hintz 188
parallelum Küst. 36
paramaribous maculosus Voct 102
paraphelis Jord. 407
parcens Bates 455
pardalinus Bates 87
pardalis Bates (Hyp.) 418
pardalis Jord. (Acr.) 123
pardalis Newm. (Penth.) 270, 609
pardalis Pasc. (Copt.) 147
pardalis Thoms. (Cel.) 111
Parendeli Théry 86
parmeniforme Escal. 56
parmenoides Pasc. 16
Parnassi Kraatz 36
Parryi Hope 124
parthenope Thoms. 496
partita Gah. 582
partilus White 420
parumpunctata Chevr. 280
parva Auriv. (Both.) 156
parva Bates (Dryc.) 601
parvicollis Gah. 114
parvidens Fairm. 11
parvigranula Thoms. 132
parvimacula Roub. 564
parvula Blanch. (Heb.) 602
parvula Broun (Som.) 7
parvula Newm. (Mag.) 356
parvulus Cas. (Ip.) 15
parvulus Cas. (Lag.) 392
parvulus Gah. (Lept.) 402
parvulus J. Lec. (Pog.) 333
parvulus White (Xyl.) 4
parvus Broun (Hyb.) 324
parvus J. Lec. (Ast.) 398
Pascoei Auriv. (Arch.) 223
Pascoei Auriv. (Glen.) 504
Pascoei Auriv. (Ob.) 534
Pascoei Gah. (Alph.) 161
Pascoei Gah. (Copt.) 147
Pascoei Jord. 520
Pascoei Lacord. (Mall.) 494
Pascoei Lam. (Sybra) 301
Pascoei Péring. (Hep.) 66
Pascoei v. d. Poll (Mes.) 17
Pascoei Rits. (Sthen.) 271
Pascoei Thoms. (Arch.) 74
Pascoei Thoms. (Nit.) 520
Pascoei Thoms. (Ost.) 436
Pascoei Thoms. (Stych.) 9
passerina Er. 455
Pasteuri Rits. 115
paterculus Lacord. 367
patricia Chevr. 520
patricius Bates (Disc.) 383
patricius Thoms. (Arch.) 224
patrona Newm. 219
patronus Pasc. 114
patrua Pasc. 301
patruelis Pasc. 299
Pattersoni Auriv. (Par.) 202
Pattersoni Olliff (Xyl.) 4
paucigranula Thoms. 132
Pauli Fairm. (Amph.) 360
Pauli Fairm. (Cal.) 203
Pauli Fairm. (Cer.) 188
Pauli Hell. (Arrh.) 224
Pauli Pic (Dorc.) 27
paulina Bates (Col.) 455
paulina Gah. (Glen.) 504
Paulinoi Quedf. 285
paulla Germ. 275
pauper Fähr. (Ad.) 150
pauper Jord. (Mall.) 203
pauper Kolbe (Penh.) 83
pauper J. Lec. (Eup.) 312
paupera Bates 342
pauperata Pasc. 436
paupercula Bates (Bactr.) 603
paupercula Thoms. (Hes.) 343
pauperum Suv. 23
pauxilla Blackb. 275
Paykulli Fähr. 161
Pazi Rojas 104
pectoralis Bates (Er.) 594
pectoralis Eschschtz. (Ag.) 467
pectoralis Fähr. (Nit.) 520
pectoralis Ol. (Cer.) 185
pectoralis Thoms. (Onc.) 347
pedator Bates 324
pedemontana Chevr. 517
pedestre L. 39
pedestre Poda 37, 48
pedestre Rossi 43
pedicornis F. 267
Peeli Gah. 161
pelidnum Jakowl. 25
Pelleti Muls. & Rey 60
pellio Germ. 91
pellucida Newm. 606
peloponesium Pic 37
pelops Jakowl. 37
Penardi Montrz. 235
penascosum Lauff. 51
penicellatus J. Lec. 333
penichrus Suv. 24
penicillata Auriv. (Anc.) 152
penicillata Auriv. (Tetr.) 445

- penicillata* Bates (Cyst.) 450
penicillata Gah. (Gasp.) 191
penicillata Hope (Im.) 133
penicillata Pasc. (Pter.) 254
penicillatum Bates 394
penicillatus Bates (Bar.) 419
penicillatus Bates (Ecyr.) 325
penicillatus J. Lec. (Pog.) 333
penicillus Fairm. 208
peninsularis Horn 387
pennicornis Germ. 353
pennsylvanicus Gmel. 423
pentagonale Jord. 179
pentheoides Pasc. 239
peplus Jord. 520
Peragalloi Muls. 460
peregrina Hintz (Pros.) 159
peregrina Reiche (Phyt.) 560
peregrinus Gradl (Mon.) 87
peregrinus Pasc. (Cyl.) 213
peregrinus Thoms. (Trach.) 345
perelegans Bates (Lept.) 415
perelegans Westw. (Acr.) 248
Perezi Graells 56
Percezoide Escal. 58
perforata Bates (Est.) 320
perforata Pall. (Sap.) 473
perforata Schönh. (Stib.) 513
perforator Bates 427
perforatum Thoms. 20
perfusa Pasc. 303
pergrata Say 538
perinterruptus Suv. 26
periscelifera Thoms. 338
perla Thoms. 499
perlata Pasc. 445
permutans Pasc. 96
perplexa Gah. (Par.) 292
perplexa Gah. (Pter.) 254
perplexa Newm. (Ast.) 582
perplexa Newm. (Ast.) 582, 583
perplexa Newm. (Mas.) 140, 141
perplexus Gah. (Mon.) 96
perplexus Hald. (Lept.) 402
perpulchrum Vigors 337
Perrieri Fairm. (An.) 217
Perrieri Fairm. (Coed.) 336
Perrieri Fairm. (Hopl.) 335
Perrieri Fairm. (Mag.) 193
Perrieri Fairm. (Mim.) 148
Perrieri Fairm. (Nic.) 365
Perrieri Fairm. (Trag.) 174
Perrini Fairm. (Dorc.) 36
Perrini Pic (Phyt.) 555
Perrisi Muls. 490
Perrisi Reitt. 491
Perroteli Thoms. 279
Perroudi Montrz. (En.) 233
Perroudi Muls. (Pog.) 332
persathensis Pic 555
persica Ganglb. (Phyt.) 556
persica Semen. (Ag.) 463
persicola Reitt. 463
persicum Fald. 29
persimilis Gah. (Dih.) 98
persimilis Gah. (Pter.) 254
personata Bates 456
personatus Bates 369
perspicillata Hald. 536
pertenuis Cas. 361
pertigera Thoms. 279
peruviana Auriv. 455
peruvianus Auriv. 422
perversa Gah. (Ast.) 582
perversa Pasc. (Mic.) 447
perversus Pasc. 263
petechialis Pasc. (Copt.) 147
petechialis Pasc. (Pros.) 263
petechialis Pasc. (Tmes.) 226
petechizans Voet 606
petrificata Kolbe 63
Petronae Burm. 590
petrorhiza Boisd. 269
petrosa Blanch. 602
petulans Bates (Lept.) 402
petulans Kirsch (Eut.) 436
petulans Pasc. (Sybra) 301
phalangodes Er. 397
phalerata Pasc. 145
phaleratum Thoms. 337
phaleratus Thoms. 226
phantoma Bates (Spal.) 361
phantoma Gerst. (Tetr.) 360
phantoma Kolbe (Phant.) 63
phasianus Bates 387
phauloides Pasc. 297
phenax Jakowl. 24
Phidias Jord. 174
philippinarum Auriv. 609
Philippi Gah. 196
philosophica Thoms. 167
phoca Fröl. 480
phoebe Serv. 591
phoebinus Auriv. 590
phormiobius Broun 4
photinoides Bates 595
photurina Bates 586
photuroides Thoms. 599
phrissominus Bates 402
phrynetoides Jord. 177
phthisica Bates 574
physoderus Bates 415
picea Serv. 236
piceus Broun 323
Pici Reitt. 547
pictarsis Pic 324
picta Blanch. (Glen.) 496
picta Fähr. (Raph.) 179

- picta* Jord. (Isch.) 208
picta Kl. (Ant.) 598
picta Montrz. (Glen.) 496
picta Montrz. (Lept.) 233
picta Pasc. (Corrh.) 275
picta Pasc. (Dorc.) 363
picta Pasc. (Gryll.) 604
picta Schaeff. (Est.) 320
picta Waterh. (Gel.) 165
picta Web. (Glen.) 495
pictibasis Reitt. 531
picticauda Bates 427
picticollis Bates (Is.) 588
picticollis Bates (Trich.) 421
picticornis Bates (Hyps.) 344
picticornis Bates (Is.) 588
picticornis Broun (Som.) 7
picticornis Fairm. (Anc.) 451
picticornis Muls. (Niph.) 249
picticornis Pasc. (Cac.) 142
pictidorsis Fairm. 451
pictilis Bates 455
pictipennis Pic 547
pictipes Bates (Amn.) 391
pictipes Broun (Som.) 7
pictipes Pasc. (Ob.) 534
pictipes Thoms. (Ran.) 242
pictiventris Chevr. 206
pictor Bates (Mon.) 94
pictor Kl. (Sol.) 176
pictula Bates 425
pictulum White 396
pictulus Bates (Xyl.) 4
pictulus Bates (Tetr.) 382
picturata Fairm. 383
pictus Bates (Ad.) 289
pictus Er. (Myox.) 379
pictus Fairm. (Goeph.) 438
pictus Fairm. (Scram.) 148
pictus Fall (Pog.) 133
pictus Leach (Acr.) 375
pictus Leach (Pter.) 164
pictus J. Lec. (Lept.) 416
pictus Thoms. (Un.) 309
 Pienaari Dist. 363
pigmentata Bates 387
pigra Auriv 144
pigra New. (Dorc.) 535
pigrum Fisch. 47
pigrum Schönh. 41
pilicornis F. 463
piliger Kolbe (Par.) 314
piliger M'Leay (Prob.) 241
pilipennis Blanch. (Helm.) 601
pilipennis Reitt. (Phyt.) 568
pilosa Brullé (Parm.) 15
pilosa Geoffr. (Tetr.) 572
pilosa Jord. (Sophr.) 313
pilosa Pasc. (Ap.) 310
pilosa Sol. (Parm.) 15
pilosa Woll. (Sten.) 307
pilosella Kolbe (Phil.) 281
pilosella Pasc. (Pter.) 254
pilosellum Kraatz 37
pilosicollis Hope 112
pilosipes Pic 332
pilosulus Chevr. 311
pilosus Bates (Trich.) 403
pilosus F. (Pog.) 331
pilosus Pasc. (Das.) 13
pilosus Shuck. (Pog.) 330
pilosus Thunb. (Tlep.) 309
pilula Bates 402
pimale Cas. 20
pimplaea Bates 455
pini J. Lec. (Psen.) 317
pini Schaeff. (Lept.) 413
pinicola Cas. 15
pinivorus Fitch 312
Piochari Kraatz 37
piperata Gah. (Ac.) 387
piperata Gah. (Rhod.) 210
piperata Pasc. (Rop.) 286
piperita Bates (At.) 305
piperita Gah. (Eun.) 283
piperita White (Pycn.) 190
piperitia Hope 269
Pirouleti Fairm. 109
pisciformis Thoms. 290
piscoides Thoms. 318
pistor Germ. (Mon.) 86
pistor Pasc. (Car.) 142
Pitleri Gah. 347
pituitosa Pasc. 256
plagiata Auriv. (Col.) 455
plagiata Auriv. (Nit.) 520
platiata Bates (Plac.) 367
plaoiata Bates (Trich.) 82
plagiata Cas. (Ob.) 536
plagiata Gah. (Ast.) 582
plagiata Gah. (Eun.) 284
plagiata Gah. (Eun.) 284
plagiata Gah. (Rond.) 437
plagiata Pasc. (Cac.) 142
plagiata Thoms. (Ep.) 74
plagiata White (Cremn.) 111
plagiata White (Niph.) 250
plagiatrix Kolbe 158
plagiatus Auriv. (Mulc.) 220
plagiatus Auriv. (Ors.) 99
plagiatus Blanch. (Crin.) 229
plagiatus Fähr. (Ambl.) 308
plagiatus Gah. (Eus.) 218
plagiatus Waterh. (It.) 584
plagiatus Waterh. (Mor.) 69
plagicollis Gah. 244
plagifera Auriv. (Pros.) 159
plagifera Auriv. (Eun.) 284

- plagifera* Auriv. (Glen.) 504
plagiventris Auriv. (Glen.) 504
plana Jord. 182
planidorsus J. Lec. 402
planipennis Bates 595
planiusculus White 229
plantaris Er. 392
Planti Pasc. 273
Plasoni Ganglb. (Dorc.) 29
Plasoni Ganglb. (Phyt.) 552
Plasoni Ganglb. (Pog.) 332
plato Bates 382
platyptera Bates 457
platypus Pasc. 246
plebeja Auriv. 455
pleonastus Suv. 26
pleurale Cas. 20
pleuralis Cas. (Col.) 455
pleuralis Cas. (Leiop.) 409
pleuricausta Pasc. 256
pleuricosta Thoms. 73
pleuricum Jord. 354
pleuristicus Pasc. 226
pleuriticus White 410
pleurostictus Bates 402
plicata Kolbe 257
plicaticollis Thoms. 164
plicatipennis Pic 464
plicicollis Motsch. 132
Ploemi Lacord. 252
plorator Newm. 79
plorator Pasc. 80
plumbea Bon. (Sten.) 542
plumbea Ol. (Ob.) 537
plumbeus Gah. (Mon.) 94
plumbeus Pasc. (Tmes.) 227
plumicornis Kl. 367
plumicornis Serv. (Cross.) 194
plumifera Pasc. 240
plumigera Westw. 133
plumosa Bates (Is.) 588
plumosa Ol. (Im.) 133
plumosa Pasc. (Psectr.) 133
plumosa Thoms. (Im.) 133
plumula Newm. (Prob.) 241
plumula Pasc. (Zosm.) 260
pluricostatus Bates 590
plurilineatum Escal. 58
pluristrigosus Bates 415
plurivittis Belon 293
Pluto Thoms. 37
plutonica Thoms. 128
pluviata Pasc. 286
pocila Bates (Mes.) 141
pocila Bates (Onc.) 347
pocila Germ. (Col.) 455
pocilodryas Bates 104
pociloptera Auriv. 301
pocilus Auriv. (Crasp.) 295
pocilus Pasc. (Macr.) 100
Poeyi Chevr. 382
Poggei Har. (Cer.) 188
Poggei Har. (Pros.) 158
pogonocheroides Serv. 421
polita Bates 595
politipenne Pic 25
politum Dalm. 25
politum Fisch. 25
politus Blanch. (Tmes.) 227
politus Serv. (Ptych.) 101
politus Thoms. (Tmes.) 227
Polli Gah. 127
pollinosa Buq. 111
pollinosus Bates 105
polygramma Bates 425
polygrammus Bates 149
polymita Pasc. 268
polymitus Dist. (Er.) 444
polymitus Er. (Leiop.) 410
polynesus White 144
polyraphoides White 391
polyspila Har. (Gel.) 165
polyspila Hope (Euopl.) 78
polyspila Pasc. (Copt.) 147
polyspila Pasc. (Choer.) 144
polyspila White (Nyss.) 425
polyspilus Pasc. 116
polysticta Bates 387
polystigma Bates 451
polytaenia Bates 425
pontica Ganglb. 552
pontificum Thoms. 177
populi Dumér. 476
populnea Houtt. 471
populnea L. 474, 486
porcellus Pasc. (Em.) 446
porcellus Pasc. (Sybra.) 301
porcina Pasc. 299
porcinus Bates 422
porcula Bates 320
porifera Bates 425
porosa Bates (Aer.) 598
porosa Bates (Cosc.) 116
porosa Bates (Esth.) 293
porosa Pasc. (Blep.) 518
porosus Pasc. 231
porphyrea Boisd. (Rhyt.) 268
porphyrea Montrz. (Ap.) 279
porphyrio Pasc. 496
posegana Pill. 564
porus Parry 129
posticalis Bates (Carph.) 413
posticalis Gah. (Lept.) 402
posticalis Pasc. (Pter.) 253
posticalis Pasc. (Sybra.) 301
posticalis Pic (Dorcat.) 607
posticalis Thoms. (Ast.) 583
posticalis Thoms. (Bis.) 295

- posticalis* Thoms. (Aer.) 338
posticata Gah. (Glen.) 499
posticata Gah. (Ast.) 583
posticata Gah. (Ob.) 534
posticata Gah. (Sybra) 301
posticedisjunctum Pic 34
posticeinerruptum Pic 30
posticejunctum Pic 27
posticus Taschenb. 412
postilenatus Bates (Ades.) 289
postilenatus Bates (Adet.) 590
postilenatus Bates (Chal.) 368
 Potanini Jakowl. 62
 Pradieri Guér. (Hipp.) 357
 Pradieri Lacord. (Sten.) 207
praecellens Bates 392
praecesta Duf. 572
praecidens Cas. 347
praecisa Newm. 219
praeclarus Bates 103, 608
praecox Kolbe (Ap.) 176
praecox Kolbe (Par.) 314
praedita Pasc. 534
praelata Bates 356
praelonga Cas. 536
praemorsus F. 402
praetexta Stev. 553
praetoria Chevr. 172
praetorius Er. 115
praeusta L. (Phyt.) 570
praeusta Pasc. (Rop.) 286
praeusta Pasc. (Ser.) 493
praeustus Thoms. 289
praonethoides Thoms. 10
prasina Reitt. 568
prasinata Pasc. 493
prasinatus Hell. 227
 Pratti Pic 539
 Preissi Heyd. 37
presuturale Pic 35
pretiosa Chevr. (Taur.) 371
pretiosa Hintz (Trag.) 174
pretiosa Fald. (Phyt.) 553
pretiosa Schultze (Acr.) 248
primaria Pasc. 301
princeps Bates (Ad.) 590
princeps Bates (Carn.) 456
princeps Bates (Disc.) 383
princeps Gah. (Niph.) 250
princeps Hope (Pros.) 159
princeps Jakowl. (Dorc.) 62
princeps Jord. (Nit.) 521
princeps Lacord. (Strat.) 73
princeps Pasc. (Per.) 119
princeps Redt. (Bat.) 129
princeps Walk. (At.) 434
principalis Dalm. 165
principis Auriv. (Cat.) 291
principis Auriv. (Pter.) 257
pristis Pasc. 117
privata Pasc. 256
privatum Pasc. 394
privatus Pasc. 115
proba Newm. 279
probatioides Bates 422
 Probi Hintz 174
procera Pasc. 301
procerus Cas. (Lag.) 393
procerus Gah. (Ad.) 590
prodigiosa Pasc. 344
producta J. Lec. 6
productus Pasc. 98
prolata Pasc. (Ser.) 493
prolata Pasc. (Stes.) 293
proletaria Thoms. 293
proletarius Pasc. 99
prolixa Bates (Cob.) 435
prolixa Bates (Esth.) 623
prolixa Pasc. (Ob.) 534
prolixus Bates (Hem.) 587
prolixus Er. (An.) 397
prolongata Bates 320
prolongatum Pic 55
prolongatus Broun 4
promeces Bates 425
promissus Broun 324
prona Bates 610
propinqua Bates (Col.) 455
propinqua Bates (Nyss.) 425
propinqua Gah. (Glen.) 505
propinqua Pasc. (Gnoma) 134
propinqua Pasc. (Pter.) 254
propinquus Fall 333
prosdototaenium Jakowl. 25
Proserpina Thoms. (Bat.) 130
proserpina Thoms. (Glen.) 505
proserpina Thoms. (Phant.) 63
protensa Pasc. (Ob.) 534
protensa Pasc. (Spal.) 361
proteus Hell. 143
proxima Broun (Som.) 7
proxima Gah. (Phars.) 120
proxima Gah. (Pter.) 254
proxima Lam. (Glen.) 498
proxima Pasc. (Ser.) 493
pruinosa Boisd. (Zyg.) 239
pruinosa Cas. (Ob.) 536
pruinosa J. Lec. (Cac.) 107
pruinosum Escal. 57
pruinosum Jakowl. 61
pruinosus Fairm. 147
 Przewalskyi Jakowl. 62
pseudomolitor Escal. 55
pseudoscalaris Fairm. 477
psylla Thoms. 507
ptericopta Bates 426
ptinoides Bates (Micr.) 287
ptinoides Bates (Som.) 7

- ptinoides Fauv. (Microcl.) 13
 ptyalopleurum Suv. 62
 pubera Thoms. 210
 puberulum Montrz. 234
 pubescens Auriv. (Arn.) 121
 pubescens Auriv. (Or.) 232
 pubescens Blanch. (Phloeops.) 420
 pubescens Cas. (Ip.) 15
 pubescens Dalm. (Parm.) 14
 pubescens J. Lec. (Eup.) 311
 pubescens Pasc. (Ath.) 11
pubescens Pic (Par.) 510
 pubescens Pic (Phyt.) 562
 pubescens Thoms. (Ap.) 343
pubescens Thoms. (Thyest.) 491
 pubicollis Pasc. (Per.) 119
pubicollis Pic (Phyt.) 554
 pubicornis Bates (Ad.) 590
 pubicornis Bates (Mec.) 107
pubicornis Schrank (Ex.) 442
 pubicornis Serv. (Pycn.) 378
pubiventris Muls. (Ag.) 462
 pubiventris Pasc. (Plat.) 267
 puella Chevr. 498
 puerilis Kolbe 16
 puerulus Thoms. 309
 pulchella Bates (Col.) 455
 pulchella Belon (Al.) 294
 pulchella Bates (Onc.) 348
 pulchella Kl. (Grax.) 182
pulchella Lacord. (Ast.) 581
 pulchella Olliff (Som.) 7
 pulchella Pasc. (Am.) 218
pulchella Pasc. (Ast.) 581
 pulchella Pasc. (Daph.) 511
 pulchella Pasc. (Glen.) 504
pulchella Thoms. (Aer.) 339
 pulchella Thoms. (Glen.) 499
 pulchella Thoms. (Glen.) 505
 pulchellator Westw. 111
 pulchellum Dalm. (Mur.) 180
 pulchellus Bates (Lept.) 415
 pulchellus Bates (Xyl.) 4
 pulchellus Thoms. (Ad.) 289
 pulchellus White (An.) 171
 pulcher Bates (Euch.) 418
 pulcher Hald. (Goes) 106
 pulcher Péring. (Prot.) 162
 pulcherrima Nonfr. (Ar.) 110
 pulcherrima Nonfr. (Zaera) 260
 pulcherrimus Bates 402
 pulchra Auriv. (Agn.) 121
 pulchra Auriv. (Ax.) 246
 pulchra Auriv. (Pter.) 256
 pulchra Bates (Al.) 294
 pulchra Bates (Clyt.) 437
 pulchra Drury (Stern.) 168
pulchra F. (Stern.) 168
 pulchra Gah. (Phars.) 120
 pulchra Jord. (Lux.) 179
 pulchra Jord. (Trag.) 174
 pulchra Pic (Pseud.) 312
 pulchra Thoms. (Del.) 104
 pulchra Waterh. (Raph.) 179
 pulchricollis Bates 590
pulchricornis Voet 108
 pulchrum Bates (Ale.) 394
 pulchrum Jord. (Lat.) 156
pulchrum Pic (Dorc.) 28
 pulicaris Pasc. 446
pulla Ganglb. 564
 pullator Hald. 107
 pullatus Pasc. (Muc.) 220
 pullatus Pasc. (Pros.) 263
 pullina Pasc. 270
 pulverea Bates (Esth.) 293
 pulverea Bates (Nyss.) 426
 pulverea Pasc. (Gnoma) 134
 pulverea Pasc. (Sybra) 301
 pulvereus Pasc. 227
 pulverulenta Westw. 5
pulverulentus Cast. (Taen.) 102
 pulverulentus Hald. (Goes) 106
 pulverulentus Nonfr. (Zogr.) 163
 pulverulentus Ol. (Taen.) 103
pulverulentus Scop. (Dorc.) 67
 pulveruleus Boisd. 267
pulvipenne Escal. 55
 pumila Pasc. (Dist.) 240
 pumila Pasc. (Sten.) 5
 pumilio Er. (Erph.) 435 */cosa*
 pumilio Kolbe (Phym.) 13
 pumilio Thoms. (Lyd.) 342
 punctata Auriv. (Col.) 455
 punctata F. (Ac.) 385
 punctata Gah. (Glen.) 500
 punctata Gah. (Het.) 221
 punctata Gah. (Stix.) 65
 punctata Gah. (Ur.) 113
punctata Geer (Sap.) 471
punctata Geoff. (Phyt.) 556
 punctata Jord. (Nit.) 520
 punctata Jord. (Nups.) 514
 punctata Jord. (Sophr.) 313
 punctata L. (Sap.) 477
punctata Laich. (Sap.) 472
 punctata Montrz. (Sap.) 488
 punctata Pasc. (Ex.) 444
punctata Payk. (Sap.) 474
 punctata Thoms. (Chreon.) 579
 punctata Thoms. (Hipp.) 285
punctata Voet (Or.) 377
punctatella Kriesche 126
 punctatellus Bates 411
 punctatissima Boisd. (Lam.) 606
 punctatissima Kaup (Apr.) 133
punctatissimum Ganglb. 32
 punctatissimus Bates 380

punctator F. 108
punctatostriata Bates 301
punctatus Hald. (Leiop.) 409
punctatus Oken (Mel.) 108
punctatus Thoms. (Ad.) 289
puncticollis Auriv. (Hipp.) 354
puncticollis Fähr. (Eun.) 284
puncticollis Fald. (Phyt.) 555
puncticollis Jord. (Frea) 192
puncticollis Muls. (Phyt.) 558
puncticollis Pasc. (Ath.) 11
puncticollis Pasc. (En.) 276
puncticollis Pasc. (Or.) 232
puncticollis Pasc. (Rop.) 286
puncticollis Say (Sap.) 487
puncticollis Thoms. (Chreon.) 579
puncticornis Fairm. 271
punctifrons Gah. 99
punctiger Germ. (Ad.) 259
punctiger Pasc. (Stygn.) 290
punctigera Blessig (Phyt.) 565
punctigera Germ. (Sap.) 488
punctigera Pasc. (Diex.) 259
punctigera Pasc. (Pter.) 254
punctigera Pasc. (Scyt.) 516
punctipenne Cas. (Tetr.) 576
punctipenne Küst. (Dorc.) 32
punctissima Pasc. 298
punctiventris Hell. (Ob.) 534
punctiventris Kolbe (Myc.) 244
punctulata Gmel. (Phyt.) 556
punctulata Jord. (Pros.) 159
punctulata Muls. (Opl.) 315
punctulata Thoms. (Rhaph.) 291
punctulatus Donovan. (Clyt.) 606
punctulatus Jord. (Ad.) 150
punctulatus Payk. (Leiop.) 407
punctulatus Westw. (Ep.) 79
punctum Ménétr. 566
Pupieri Fleut. 169
pupillata Bates (Ac.) 387
pupillata Gebl. (Ob.) 523
pupillata Gyll. (Ob.) 527
pupillata Pasc. (Tyb.) 341
pupillatus Lacord. 383
pura Bates 455
purpurascens Bates (Or.) 377
purpurascens Pasc. (Sybra) 301
purpurea Pasc. 583
purpureicollis Bates 601
purpureipennis Gistl 600
purpureonigricans Westw. 261
purpureum Fauv. (Blaps.) 228
purpureum Newm. (Eusph.) 339
purpureus Lacord. 339
purulensis Bates 387
pusilla Auriv. (Stathm.) 296
pusilla Bates (Amph.) 294
pusilla Bates (Er.) 594

pusilla Fähr. (Nit.) 520
pusilla Horn (Cer.) 423
pusillum Küst. 49
pusillus Bates (Hyp.) 418
pusillus Blanch. (Ex.) 444
pusillus Emmons (Graph.) 423
pusillus Broun (Hyb.) 324
pusillus Fairm. et Germ. (Ad.) 289
pusillus Kirby (Ac.) 434
pusio Pasc. (Ac.) 440
pusio Pasc. (Rhad.) 302
pustulata J. Lec. (Onc.) 346
pustulata Schrank (Phyt.) 563
pustulata Thoms. (Glen.) 504
pustulatum Drury 382
pustulifera Pic 464
pustulosum Pasc. 268
putator Thoms. 348
putida Pasc. 301
pygæus Bates 289
pygialis Bates 402
pygidialis Gah. (Ob.) 534
pygidialis Pic (Con.) 546
pygmaea Bates (Cart.) 457
pygmaea Bates (Micr.) 5
pygmaea Fähr. (Eun.) 284
pygmaea Thoms. (Pler.) 342
pygmaeus Auriv. (Ram.) 297
pygmaeus Bates (Leiop.) 409
pygmaeus Bates (Sar.) 303
pygmaeus Hald. (Cyst.) 450
pygmaeus Kolbe (Oeax) 155
pylodes Jord. 161
pylus Jord. 161
pyramidalis Fairm. 197
pyrena Bris. 466
pyrenæum Germ. 46
pyrgopoliticum Thoms. 177
pyriticosa Poda 606
pyrrha Gah. 504

quadraticollis Pasc. 254
quadricalloso J. Lec. 536
quadricincta Auriv. 284
quadricollis Bates (Al.) 595
quadricollis Fairm. (Hyll.) 354
quadricornis Ol. 351
quadricostata Hintz 516
quadricostatus Hintz 150
quadricristata Fairm. 335
quadridentata Coq. 198
quadrifasciata Auriv. (Ar.) 110
quadrifasciata Auriv. (Stern.) 169
quadrifasciata Fauv. (Agn.) 121
quadrifasciata Gah. (Pter.) 254
quadrifasciata Thoms. (Ap.) 279
quadrifasciatus Thoms. 227
quadrigibba Say 387

quadriguttata Auriv. 182
 quadriguttatus Auriv. 420
 quadrilineatum Breit (Neodorc.)
 62
quadrilineatum Muls. (Dorc.) 46
 quadrilineatus Hope 258
 quadrimaculata Auriv. (Glen.) 499
 quadrimaculata Auriv. (Syn.) 516
quadrimaculata Donisth. (Ob.) 527
 quadrimaculata Gah. (Copt.) 147
 quadrimaculata Nonfr. (Trig.) 290
quadrimaculata Voet (Ger.) 184
 quadrimaculatum Küst. 37
 quadrimaculatus Auriv. (Tmes.)
 227
 quadrimaculatus Blackb. (Micr.) 9
quadrimaculatus Duviv (Phryn.)
 198
quadrimaculatus J. Lec. (Tetr.) 576
 quadrimaculatus Motsch. (Mon.)
 87
 quadrina Pasc. 493
 quadrinodosa Auriv. (Carn.) 456
 quadrinodosa Burm. (Ac.) 387
 quadrinotata Blanch. (Het.) 221
 quadrinotata Guér. (Glen.) 500
quadrinotata Thoms. (Ep.) 74
 quadrioculata Thunb. 515
 quadriplagiata Auriv. 159
 quadripunctata Auriv. (Pros.) 159
 quadripunctata F. (Cer.) 606
 quadripunctatus Chev. 197
 quadripustulata Muls. 491
quadriscopulatus Bates 382
 quadriscopulatus Thoms. 382
 quadrisignata Quedf. (Ap.) 280
 quadrisignata Thoms. (Isch.) 343
 quadrisignatus Chev. 157
 quadristica Kolbe 280
quadristigma Fähr. 146
quadristrigatum Kraatz 42
quadrिताeniator White 104
 quadrituberculata Auriv. 210
 quadrivittata Jord. 181
 quadrivittatus Bates 421
 quaestor Newm. 115
 quaternarius Newm. 136
 quatuordecimguttata Schönh. 384
 quatuordecimmaculata Hope 500
 Quedenfeldti Duviv. 162
 quercus Sharp (Sap.) 478
 quercus Fitch (Lept.) 415
quercus Rossi (Ex.) 442
 quercus Skinner (Onc.) 348
 quianga Hell. 534
 quietus Pasc. 214
 quiequefasciata F. 188
 quinquelineata Auriv. (Hipp.) 357
 quinquelineata Chev. (Glen.) 498

quinquemaculatus J. Lec. 576
quinquenotatum Thoms. 337
 quinquepunctata Bates 536
 quinquetuberculata Drap. 377
 quinquevittata Bates 294
 quinquevittatum Hammarstr. 62

radiata Dup. 158
radiata Gory 158
Radkevitchi Suv. 23
 Rafaelae Lansb. 227
 Raffrayi Thoms. (Gnoma) 134
 Raffrayi Thoms. (Phryn.) 200
 Raffrayi Thoms. (Zal.) 162
ragusana Küst. (Copt.) 561
ragusana Schloss. (Ob.) 530
 ramea Bates 426
 ramosa Bates 455
Ramosi Schultze 607
 ramulosum Bates 420
 ramulus Bates 351
 rarus Thoms. 80
Razumoffskyi Fisch. 43
 Rechingeri Auriv. 450
reclinatum Kraatz 33
 recticornis Bates 368
 rectilinea Bates 590
 rector Cas. 20
 rectus Thoms. 309
reducta Gas. (Graph.) 423
 reducta Pasc. (Pter.) 254
 reducta Pasc. (Sophr.) 313
 reductesignata Pic 534
 relecta Pasc. 301
 refulgens Blanch. 370
 regina Jord. (Nit.) 521
 regina L. (Mall.) 543
 regina Thoms. (Glen.) 406
 regis Fernandi Pasc. 250
 regis Petri Pasc. 247
 regius Auriv. 198
 regularis Bates (Col.) 455
 regularis Gah. (Plat.) 267
 regularis J. Lec. (Lept.) 416
 regularis Newm. (Glen.) 507
regularis Poda (Ob.) 525
Reichei Chev. (Dorc.) 53
 Reichei Thoms. (Phriss.) 64
 Reitteri Ganglb. 29
 relecta Pasc. 500
 remissus Er. 410
 remota Pasc. 377
 Renei Pasc. 112
reniformis Pic 607
 repandator F. 348
 repudiosa Pasc. 301
 Restitutae Auriv. 188
 restricta Pasc. 256
 restrictus Pasc. 227

- resutor* Kirby 92
reticulata Auriv. (Car.) 185
reticulata Bates (Carn.) 456
reticulata Dist. (Alph.) 161
reticulata Gah. (Cer.) 188
reticulata Pasc. (Pal.) 152
reticulata Thoms. (An.) 183
reticulata Waterh. (Them.) 585
reticulator F. 110
reticulator Heyne-Taschbg. 110
reticulatus Dist. (Cross.) 195
reticulatus Fairm. (Pseud.) 444
reticulatus Razoum. (Ac.) 432
retifera Waterh. 585
retrosus Bates 402
retrospinosa Har. 63
Revelieri Muls. 441
reversa Bates 586
revestitum Dan. 35
Revoili Fairm. 188
revoluta Pasc. 147
rex Jord. 169
Reyi Muls. 464
Reynosae Bris. 50
Rheinwardti Thoms. 132
rhetenor Newm. 109
Rhobetor Newm. 81
Rhodei Auriv. 176
rhodosticta Bates 348
rhombifera Hell. 248
riazanum Pic 56
Ribbei Kraatz 25
Richteri Bau (Ob.) 530
Richteri Quedf. (Haph.) 180
Ridleyi Waterh. 387
rigida Bates (Pter.) 255
rigida Pasc. (Eg.) 276
rigidula Bates 356
rigidus Bates 398
Rikatlae Péring. 174
Ritsemal Hell. 111
rivulosa Pasc. 286
rivulosus Gah. 96
rixator Newm. (Apr.) 132
rixator Thoms. (Rhaph.) 291
Robecchii Gestro 161
Roberti Pic 37
Robinsoni Cas. (Goes) 106
Robinsoni Gah. (Choer.) 144
Robinsoni Gah. (Glen.) 504
Robinsoni Gah. (Pter.) 255
robusta Auriv. (Ect.) 364
robusta Pic (Mall.) 545
robustissimum Pic 27
robustus Cas. 418
robustum Ganglb. 37
robustus Auriv. (Phosph.) 171
robustus Cas. (Tetr.) 576
robustus Jord. (Cross.) 196
rodens Bates (Nyss.) 426
rodens Bates (Hyps.) 344
Rodriguezi Lacord. (Per.) 348
Rodriguezi Pic (Dorc.) 51
Rogersi Bates 393
Rohdei Auriv. 174
romaniense Th. Pic 43
romanorum Pic 43
Rondae Flach 55
rorida Gmel. 462
rosa Karsch 141
rosaceus Bates 393
rosea Bates 574
Rosei Olliff 268
roseicollis Bates (Nyss.) 426
roseicollis Bates (Sphall.) 595
Rosenbergi Kaup (Bat.) 129
Rosenbergi Rits. (Nem.) 77
Rosenbergi Voll. (Pet.) 117
Rosenmülleri Cederhj. 89
Rosenmülleri Jacobs. 87
Rosinae Pic (Con.) 547
Rosinae Pic (Eut.) 489
Rosinae Pic (Ob.) 528
Rosti Pic (Dorc.) 29
Rosti Pic (Phyt.) 554
rotator F. 106
Rothschildi Gah. (Pseuth.) 74
Rothschildi Heath (Pros.) 158
rotundicollis Bates (Ozin.) 398
rotundicollis Thoms. (Mec.) 539
Rouyeri Pic 214
Royeri Rits. 111
Roylei Hope 129
rubefactus Bates (Eud.) 349
rubefactus Bates (Hamm.) 105
rubella Bates (Cosm.) 419
rubella Bates (Phaea) 574
rubella Broun (Som.) 7
ruber Bates (Ad.) 590
ruber Cas. (Tetr.) 576
ruber Dalm. (Eupr.) 109
ruber Hintz (Haph.) 180
ruber Hope (Ith.) 206
rubescens Hope 488
rubeta Pasc. (Ab.) 247
rubeta Pasc. (Rhyt.) 268
rubetra Pasc. 534
rubidus Chevr. 180
rubidus Thoms. 180
rubiginus Bates 92
rubiginosa Voet 127
rubiginosus Chevr. (Eup.) 311
rubiginosus Drap. (Bat.) 130
rubra Jord. (Cor.) 278
rubra Maxm.-Lefr. (Bat.) 127
rubra Stebb. (Bat.) 608
rubricata Pasc. 190
rubriceps Auriv. 214

- rubricollis* Hope (Glen.) 496
rubricollis Luc. (Phyt.) 569
rubricollis M'Leay (Tmes.) 232
rubricollis Péring. (Nit.) 520
rubrimembris Pic 41
rubripes Bates (Ac.) 385
rubripes Bates (Mecas) 538
rubripes Bates (Tryp.) 412
rubripes J. Müll. (Dorc.) 41
rubripes Pic (Dorc.) 48
rubrocarinatum Pic 54
rubrocincta Hintz 189
rubrocinctus Bates 368, 610
rubrocinereus Thoms. 575
rubro-cingula Voet 185
rubrofemoratum Pic 25
rubromaculata Hintz 188
rubronotata Fitch 490
rubropunctata Goeze 556
rubropunctatus Guér. 81
rubrosignatus Auriv. 177
rubus L. 126
rubus Schröt. 127
rudis Bates (Symp.) 451
rudis Ol. (Or.) 377
Rudolphi Cederhj. 474
rufa Auriv. (Eun.) 284
rufa Jord. (Lagr.) 243
rufa Thoms. (Copt.) 147
rufescens Bates (Aeth.) 379
rufescens Bates (Nan.) 216
rufescens Beckm. (An.) 316
rufescens Broun (Hyb.) 324
rufescens Pic (Pog.) 332
rufescens Thoms. (Ast.) 583
ruficauda Auriv. 504
ruficeps Fisch. 530
ruficollis Auriv. (Blep.) 518
ruficollis Auriv. (Chyd.) 437
ruficollis Bates (Lopt.) 416
ruficollis F. (Ob.) 536
ruficollis Fauv. (Lept.) 234
ruficollis Gah. (Glen.) 504
ruficollis Hell. (Abr.) 248
ruficollis Hell. (Apr.) 261
ruficollis Horn (Mecas) 539
ruficollis Lam. (Ex.) 444
ruficornis Bates (Is.) 588
ruficornis Belon (Malth.) 318
ruficornis Broun (Som.) 7
ruficornis Hintz (Moech.) 189
ruficornis Fairm. (Hopl.) 438
ruficornis Hintz (Mon.) 94
ruficornis Pic (Ag.) 460
ruficornis Thoms. (Tmes.) 227
rufidens Jakowl. 25
rufifrons Auriv. (Glen.) 504
rufifrons Motsch. (Dorc.) 27
rufimana Schrank 557
rufina Fairm. (Coed.) 336
rufina Pasc. 513
rufipectus Quedf. 70
rufipes Auriv. (Nyct.) 602
rufipes Bates (As.) 287
rufipes Blanch. (Arrh.) 224
rufipes Escal. (Dorc.) 51
rufipes F. (Dorc.) 49
rufipes Meg. (Phyt.) 558
rufipes Ménétr. (Dorc.) 32
rufipes Ol. (Phyt.) 564
rufipes Rits. (Glen.) 505
rufiscapus Suv. 22
rufitarsis Bates (Par.) 292
rufitarsis Kirsch (Ac.) 388
rufitarsis Pasc. (Tmes.) 232
rufiventris Auriv. (Ob.) 534
rufiventris Bates (Phaea) 574
rufiventris Gaut. (Phyt.) 565
rufobrunnea Heyd. 548
rufodorsatus Fairm. 154
rufofasciata Bates (Or.) 377
rufofasciata Schultze (Niph.) 609
rufogenum Reitt. 27
rufolabrum Pic 54
rufolineata Quedf. 244
rufomaculata Geer (Bat.) 127
rufomaculata Pic (Phyt.) 557
rufonubila Fairm. 193
rufoplagiata Auriv. 181
rufopunctata Gah. 504
rufoscapa Auriv. 313
rufostrigata Fairm. 309
rufozonata Fairm. 167
rufula Pasc. (Eb.) 277
rufula Pasc. (Misp.) 276
rufula Pasc. (Sybra) 301
rufulosparsus Fairm. 100
rufulus Bates (Lept.) 416
rufulus Fairm. (Haph.) 180
rugatum Pasc. 241
rugiceps Fauv. 233
rugicollis Bates (Cac.) 352
rugicollis Bates (Xyl.) 4
rugicollis Chevr. (Apr.) 132
rugicollis Dalm. (Rhyt.) 268
rugicollis Fauv. (Micr.) 13
rugicollis Matsum. (Apr.) 132
rugicollis Pasc. (Trys.) 100
rugicollis Thoms. (On.) 352
rugiscapus Fairm. 65
rugosicollis Blanch. 227
rugosipennis Fähr. 161
rugosulus Guér. 11
rugosum Thoms. 35
rugosus Waterh. 80
rupta Pasc. 145
Ruschi Nonfr. 164
ruspator F. 94

- Rustenburgi* Dist. 274
rustica Bates (Aph.) 598
rustica Fähr. (Alph.) 161
rustica Fähr. (Eun.) 284
rustica Kl. (Ac.) 386
rusticator F. 99
rusticum Gerst. 354
rusticus Auriv. (Id.) 154
rusticus J. Lec. (Leiop.) 408
rutilans Goun. 371
rutilipes Nicol. 57
rutilus Jord. 180
- Sabina* Thoms. 126
sachalinica Jacobs. 6
saga Dalm. (Onc.) 348
saga Pasc. (Rhyt.) 269
saga Thoms. (Theocr.) 238
sagittatus Jacq. 402
Sahlbergi Auriv. 455
sajanicum Hammarstr. 62
salicis Zett. 477
salicola Cas. 333
Sällaci Bates (Hamm.) 105
Sollaei Bates (Try.) 368
Sallei Cand. (Ast.) 427
Sallei Thoms. (Ac.) 388
Sallei Thoms. (Cirrh.) 592
Sallei Thoms. (Dryc.) 601
Sallei Thoms. (Hamm.) 105
Salomononum Auriv. 224
salonicum Pic 37
saltator F. (Ap.) 279
saltator Petagna (Lam.) 606
saltuarius Gebl. 87
samanganus Hell. 115
samoanus Auriv. (Dih.) 98
samoanus Auriv. (Pros.) 263
sancta Reiche 548
Sanctae Mariae Thoms. 500
Sandageri Broun 4
sandix Cas. 576
sangirica Auriv. 510
sanguinalis Kolbe 520
sanguinaria Thoms. 500
sanguinicolle Chevr. 234
sanguinolenta Bates (Cag.) 491
sanguinolenta Thoms. (Joc.) 206
sanguinolentum Scop. 47
sanguinolentum Thoms. 28
sannio Germ. (Prob.) 420
sannio Newm. (Rhyt.) 268
sansibarica Har. (Nit.) 520
sansibarica Har. (Phant.) 63
santarensis Bates (Trach.) 345
Sanzi Lauff. 58
saperda Newm. 574
saperdina Bates 437
saperdoides Pasc. (Phars.) 120
saperdoides Quedf. (An.) 161
saperdoides Thoms. (Glen.) 504
Sapho Thoms. 128
sapphira Bates 597
Sarasini Hell. 233
Sarasinorum Hell. (Ap.) 279
Sarasinorum Hell. (Eugl.) 510
sarawakensis Thoms. 126
sareptana Ganglb. 565
sareptanum Kraatz 49
Sargi Bates 105
saronotum Bates 395
sartor F. 88
sartor Solsky 87
satanas Bates 385
satanica Thoms. 63
satelles Pasc. (Cer.) 115
satelles Pasc. (Plac.) 136
satelles Pasc. (Plat.) 267
satellina Er. 388
satrapa Pasc. 256
saturnina J. Lec. 539
satyrus Bates 348
Sauleyi Thoms 37
Saundersi Chevr. (Tr.) 119
Saundersi Pasc. (Meg.) 124
Saundersi Pasc. (Rhyt.) 269
Saundersi Pasc. (Xiph.) 248
saxosicollis Fairm. 196
scaber Bates 395
scabiosus Quedf. 94
scabra F. (Or.) 377
scabra Motsch. (Mon.) 21
scabrata Stebb. 607
scabrator F. 111
scabricolle Dalm. 29, 37
scabricollis Fauv. 233
scabripennis Pasc. (Trach.) 65
scabripennis Serv. (Gymn.) 369
scabrosus Ol. (Pot.) 117
scabrosus Thoms. (Cyd.) 350
scabrosus Thoms. (Scler.) 390
scalaris Chevr. (Proct.) 182
scalaris Drouet (Taen.) 103
scalaris F. (Taen.) 103
scalaris Hell. (Glen.) 506
scalaris Heyne - Tschb. (Taen.) 102
scalaris L. (Sap.) 478
scalaris Pasc. (Ad.) 590
scalaris Pasc. (Aeth.) 210
scalaris Serv. (Ap.) 280
scalaris Thoms. (Glen.) 504
scalator F. 117
scalatus Gmel. 103
scapalis Cas. (Leiop.) 409
scapalis Cas. (Spal.) 361
scapifera Pasc. 500
scapigera Thoms. 540

- scapipicta* Reitt. 351
scapularis Bates (Desm.) 304
scapularis Bates (Phaea) 574
scapularis Chev. (Phyt.) 553
scapulata Muls. 553
scelerosa Pasc. 534
scenica Pasc. (Cac.) 143
scenica Pasc. (Penth.) 270
Schadenbergi Hell. 534
Schauinslandi Sharp 4
Schaumi J. Lec. (Ob.) 537
Schaumi Montrz. (Pog.) 334
Schaumi Pasc. (Tmes.) 227
schistacea Jord. 161
Schlaginhaufeni Hell. 77
Schlegelii Lansb. 80
Schlumbergeri Duf. 329
Schmidti Bates 455
Schmiedeknechti Pic 553
Schönherri Thoms. 248
Schrammi Nicol. 56
Schrammi Pic 52
Schreiberi Ganglb. 565
Schreibersi Thoms. 233
Schultzei Hell. (Plan.) 136
Schultzei Heyd. (Dorc.) 37
Schwarzi Leng 409
scincus Pasc. 259
scissicauda Bates (Ad.) 290
scissicauda Bates (Xyl.) 4
scitula Bates 348
scitulus Germ. 410
scolopacea Er. 455
scoparia Gerst. (Cym.) 209
scoparia Newm. (Pent.) 445
scopifer Germ. 369
scopiferum Bates 395
Scopolii Gmel. (Dorc.) 39
Scopolii Hbst. (Dorc.) 49
Scopolii Panz. (Dorc.) 47
scopulicornis Cast. 367
scopulifera Pasc. (Pter.) 255
scopulifera Thoms. (Niph.) 250
scoriacea Pasc. 256
scorpio F. 371
scorpioides Pasc. 241
scorta Thoms. 238
Scovitzii Fald. 545
scripta Gah. (Glen.) 504
scripta Gerst. (Pter.) 257
scripticollis Fauv. 233
scriptidorsis Fairm. 11
scriptipennis Bates 397
scriptus Lacord. 422
scrupulosus Germ. 380
scrutator Thoms. 291
sculptithorax Kolbe 202
sculpturatus Broun 324
scurra Chev. 402
scurrus Gah. 402
scutellaro Fauv. 228
scutellaris Bates (Alph.) 379
scutellaris Bates (Eup.) 311
scutellaris Blanch. (Brach.) 340
scutellaris Fairm. (Neanth.) 196
scutellaris Fairm. (Ob.) 534
scutellaris Gerst. (Nit.) 520
scutellaris Kolbe (Tom.) 82
scutellaris Pasc. (Stes.) 89
scutellaris Muls. (Pog.) 329
scutellaris Thoms. (Lar.) 339
scutellata Bates (Nyss.) 426
scutellata F. (Phyt.) 551
scutellata Lea (Mes.) 17
scutellata Pic (Cribr.) 467
scutellatum Bates (Alc.) 394
scutellatum Montrz. (Blaps.) 228
scutellatus Auriv. (Meg.) 66
scutellatus Say (Mon.) 92
scuticollis Bates 574
scutigera Vigors 336
Sebastiani Pic 52
seclusa Pasc. 580
sectator Pasc. 275
securifera Bates 455
secuta Pasc. 255
sedata Pasc. 493
sedatus Bates 412
sedecimpunctata Motsch. 488
seductor Kraatz (Dorc.) 41
sedulus Cas. 434
Seeboldi Escal. 52
segne Muls. & Rey 60
segovianum Chev. 57
segrex Olliff 4
segunense Escal. 57
seguntianum Dan. 57
seguranum Lauff. 51
Sehstedii F. 203
Seidli F. 474
sejuncta Bates (Col.) 455
sejuncta Pasc. (Glen.) 504
sejunctimacula Bates 416
sejunctus Bates 97
Sellaemontis Hell. 281
sellata Ganglb. (Phyt.) 553
sellata Sharp (Tetr.) 321
sellatus Har. 95
Selwyni Olliff 4
Semenovi Ganglb. 27
semialba Bates 377
semiargentatum Pic 30
semicana Pasc. 273
semicollaris Kolbe 521
semicribrosa Fairm. 200
semicyanea Pic 464
semiflava Pasc. 231
semiglabratum Pic 53

- semigranosa* Fairm. 303
semigrisea Auriv. (Glen.) 504
semigrisea Bates (Ac.) 388
semilimbata Pic 545
semilineatum Fairm. 37
semilucens Kraatz 30
semiluctuosa Blanch. (Cac.) 143
semiluctuosa Fairm. (Coed.) 336
semiluctuosa Fairm. (Glen.) 500
semimarginatus Bates 594
semimaura Pasc. 534
seminalis Bates (Col.) 455
seminalis Bates (Spor.) 422
seminigra Bates (Hil.) 593
seminigra Fairm. (Linda) 539
seminigra Chevr. (Ob.) 534
seminivcus Bates 332
seminivorus Buq. 350
seminivorus Thoms. 350
seminudum Kraatz 30
semiorbifera Auriv. 521
semipunctatum J. Lec. 20
semirasa Dohrn 201
semirubra Pic 545
semirufa Auriv. (Eun.) 284
semirufa Bates (Phaea) 574
semirufa Kraatz (Ob.) 530
semisetosum Jakowl. 38
semitigrinus Rits. 81
semitrabeata Fairm. 188
semiusta Pasc. (Eust.) 580
semiusta Pasc. (Xyast.) 494
semivelutinum Kraatz 38
semivestita Pasc. 269
semivittata Fairm. (Ob.) 534
semivittata Pic (Eut.) 491
Semperi Westw. 261
senatoria Chevr. 174
senegalense Thoms. 48
senegalensis Chevr. (Grac.) 182
senegalensis Serv. (Nit.) 521
senegalensis Thoms. (Grac.) 183
senegambiae Thoms. 200
senescens Bates 539
senex White (Micr.) 9
senex White (Steir.) 382
senicula Bates (Desm.) 305
senicula Bates (Hyps.) 344
seniculus Germ. 397
senilis Bates (Alph.) 379
senilis Bates (Mes.) 141
senilis Bates (Onc.) 348
senilis Thoms. (Eun.) 284
senilis White (Frea) 192
sennaarensis Hintz 196
sentis L. 130
Seoanei Graells 57
separata Pic 561
separatum Pic 25
sepium Montrz. 234
septemlineatum Waltl 38
septemmaculata Buq. 385
septempunctatus Boisd. 224
septemvittatum Lauff. 57
sepulchralis Thoms. 109
seriata Auriv. (Rhod.) 210
seriata Jord. (Acr.) 123
seriata Kirsch (Est.) 320
seriata Pasc. (At.) 299
seriatus Jord. 444
sericans Bates 534
sericata Bates 377
sericatum Kraatz 42
sericatum Kryn. 41
sericatum Sahlb. 41
sericea Auriv. (Blep.) 518
sericea Gah. (Ob.) 534
sericea Perty (Pert.) 436
sericeus Gah. (Smerm.) 354
sericeus Thoms. (Pann.) 599
sericipennis Bates 591
sericomicans Fairm. 96
sericophora Broun 7
serieguttata Fairm. 280
seriemaculatus Hintz 195
seriepilosa Kirsch 308
serotinum Thoms. 31
serpentinus Er. 410
serraticornis Voet 606
serratus Auriv. (Id.) 154
serratus Chevr. (Ol.) 214
serratus Gah. (Mon.) 96
serrimanus Bates 427
serrula Pasc. 534
sertifer Serv. 419
servilis Jord. (Nit.) 521
servilis Pasc. (Rop.) 286
Servillei White 305
servilorum Pic 60
servus Pasc. (Mes.) 448
sesensis Hintz 180
setifer Müll. 328
setifer Serv. 334
setifera Thoms. 339
setiger Bates (Aet.) 427
setiger Bates (Chaet.) 421
setiger Fauv. (Clepl.) 359
setipennis Lea 237
setipes Cas. 409
setosa Auriv. (Driop.) 438
setosa Bates (As.) 601
setosus Serv. 444
setulosa Auriv. (Nyct.) 602
setulosa Auriv. (Phars.) 120
setulosa Fall (At.) 292
setulosa Pasc. (Cac.) 143
sevangense Reitt. 30
severa Duviv. (Niph.) 249

- severa Thoms. (Glen.) 507
 Severini Nonfr. 96
 sexguttata Say 399
 sexguttatus Luc. 591
 sexlineatus Bates 591
 sexmaculata Bates (Col.) 455
 sexmaculata Thoms. (Cam.) 606
 sexmaculatus Auriv. 115
 sexnotata Gah. (Glen.) 500
 sexnotata Kl. (Prot.) 218
 sexnotatum Waterh. 394
 sexnotatus Thoms. 115
 sexplagiata Auriv. 505
 sexpunctata Chevr. (Nups.) 514
 sexpunctata Fairm. (Meg.) 193
 sexpunctata Fleisch. (Sap.) 473
 sexseriatus Auriv. 444
 sexualis Cas. 455
 sexvittata Hintz 498
 sexvittatus Bates (Bac.) 349
 sexvittatus Bates (Lept.) 416
Seydli Fröl. 474
 Shelfordi Auriv. (Al.) 354
 Shelfordi Auriv. (Cyl.) 213
 Shelfordi Auriv. (Daph.) 512
 Shelfordi Auriv. (Ent.) 492
 Shelfordi Auriv. (Schoen.) 522
 siamensis Gah. 500
 siargaona Schultze 609
 siargaonensis Schultze 609
 sibirica Gebl. 565
sibiricus Motsch. (Ac.) 431
sibiricus Pic (Mon.) 87
 sicula Ganglb. 464
Sieboldi Guér. 109
 sierricola White 82
Sieversi Ganglb. 331
 sifanicum Sum. 62
 signata Broun (Som.) 7
 signata Gah. (Ac.) 388
 signata Gah. (Cac.) 143
 signata Cast. (Ect.) 364
 signata Perroud (Pter.) 256
 signata Waterh. (Cer.) 188
 signaticauda Bates 402
 signaticollis Gah. 500
 signaticornis Buq. (Hast.) 600
 signaticornis Cast. (Eutr.) 436
signaticornis Chevr. (Trag.) 205
signaticornis Thoms. (Hyps.) 344
 signatifrons Duviv. (Pros.) 159
 signatifrons Gah. (Glen.) 505
 signatipennis Lam. (Col.) 455
 signatipennis Thoms. (Trig.) 367
 signativentris Gah. 455
signator Pasc. 84
 signatus Auriv. (Cyl.) 213
 signatus Auriv. (Par.) 208
 signatus Fauv. (Pros.) 263
 signatus J. Lec. (Lept.) 416
 signatus Muls. (Ex.) 442
signatus Serv. (Ast.) 427
 signifera Bates (Nyss.) 426
 signifera Buq. (Isch.) 343
 signifera Thoms. (Glen.) 505
 signifera Thoms. (Micr.) 419
 Sijthoffi Rits. 81
 sikkimensis Pic 570
 silacea Auriv. (Phryn.) 200
 silacea Pasc. (Poth.) 353
silphoides Schrank 560
 similata Pasc. 255
simile Kraatz 37
 similis Gah. (Chlor.) 511
 similis Gah. (Dyst.) 273
 similis Gah. (Lept.) 403
 similis Gah. (Mel.) 108
 similis Gah. (Ep.) 366
 similis Gah. (Rond.) 437
 similis Gah. (Smerm.) 354
 similis Gah. (Spal.) 361
 similis Hintz (Trag.) 174
 similis Jord. (Ob.) 522
 similis Jord. (Thet.) 252
 similis Laich. (Sap.) 480
 similis Pasc. (Xyast.) 494
 simillima Auriv. 455
 simiola Bates 272
 simius Pasc. (Cyan.) 578
 simius Pasc. (Plat.) 267
 Simoni Lam. 361
 Simonyi Gah. 299
 simplex Auriv. (Tom.) 82
 simplex Bates (Hyb.) 324
 simplex Bates (Hyps.) 344
 simplex Bates (Or.) 377
 simplex Broun (Som.) 7
 simplex Fähr. (Ambl.) 308
 simplex Gah. (Eun.) 284
 simplex Gah. (Hop.) 116
 simplex Gah. (Taen.) 103
 simplex Goun. (Comps.) 337
 simplex Jord. (An.) 217
 simplex Kolbe (Sten.) 307
 simplex Lacord. (Sorin.) 229
 simplex J. Lec. (Pog.) 334
 simplex Pasc. (Car.) 352
 simplex Pasc. (Rond.) 437
simplex Thoms. (Glen.) 502
 simplicia Auriv. 498
 simplicicollis Auriv. (Hecph.) 584
 simplicicollis Auriv. (Mes.) 17
 simplicicollis Fairm. (Synh.) 205
 simplicicorne Cas. (Mon.) 20
 simplicicornis Bates (Lag.) 393
 simplicicornis Hell. (Plan.) 608
 simplicicornis Reitt. 464
simplonica Stierl. 560

- Simpsoni Auriv. 521
 Simsoni Blackb. 269
 simulans Bates (Phyt.) 570
 simulans Bates (Xyl.) 369
 simulans Gah. (Sap.) 481
 simulans Gah. (Thyl.) 209
 simulans Pasc. (An.) 135
 simulata Bates (Nyss.) 426
 simulata Gah. (Pter.) 255
 simulator Pasc. 580
 simulatrix Bates 585
simulatrix Bates 585
 sinensis Fairm. (Pter.) 255
siuensis Gmel. (Mel.) 108
 sinensis Pic (Ac.) 433
 sinensis Pic (Ob.) 534
 singulare Auriv. 260
 singularis Auriv. (Au.) 217
 singularis Auriv. (Did.) 604
 singularis Auriv. (Hyb.) 216
 singularis Bates (Phryn.) 8
 singularis Gah. (Taen.) 103
 singularis Pasc. (Om.) 450
 singularis Rits. (Mom.) 578
 singularis Thoms. (Pler.) 342
 singularis Thoms. (Sum.) 446
 sinistrum Thoms. 20
 sinuatifasciatus Blanch. 263
 Sjöstedti Auriv. 498
 Sladeni Gah. 346
 smaragdina Bates (Eul.) 597
smaragdina Kryn. (Ag.) 467
 Smithi Bates (Hem.) 587
 Smithi Gah. (Lept.) 403
 Smithi Jord. (Cub.) 278
 Smithi Jord. (Pin.) 170
smyrnense L. 39
smyrnense L. 38
smyrnense Pic 33
 sobrina Boisd. (Ob.) 534
 sobrina Gah. (Glen.) 505
 sobrina Pasc. (Choer.) 144
 sobrina Pasc. (Pter.) 255
sobrinum Pic 29
 sobrius Pasc. 99
 socia Gah. (Col.) 455
 socia Gah. (Eun.) 284
 socia Gah. (Glen.) 500
 socia Gah. (Pter.) 255
 socium Gah. 394
 socius Gah. (Dih.) 99
 socius Gah. (Prot.) 162
 socius Gah. (Tmes.) 227
 socius Pasc. (An.) 135
 sodale Hampe 30
 sodalis Pasc. 267
 sofala Dist. 161
 Sokolowi Jakowl. (Dorc.) 25
 Sokolowi Semen. (Copt.) 543
 solandri F. 269
 solatus Pasc. 99
 solida Gah. (Sybra) 301
 solida Pasc. (Penth.) 270
solidaginis Bach 563
 solidum Cas. 20
 Solieri Muls. 15
 Sollii Hope 78
soluta Ganglb. (Pac.) 510
 soluta Pasc. (Plat.) 267
 solutus Pasc. 448
 songaricum Ganglb. 25
 sophia Thoms. 505
 sophonria Pasc. 508
 sordida Auriv. (Col.) 456
 sordida J. Lec. (Est.) 320
 sordida Pasc. (Trig.) 230
sordida Fähr. (Niph.) 249
 sordida Pasc. (Vel.) 242
 sordida Thoms. (Hyps.) 344
 sordidata Pasc. 256
sordidus Aulm. (Las.) 153
 sordidus Bates (Ad.) 290
 sordidus Bates (Lept.) 416
 sordidus Ol. (Las.) 153
 soricinum Chevr. 57
 soricinus Fairm. 410
 sormeoides Auriv. 221
 soror Belon (Cart.) 457
 soror Jord. (Bang.) 162
 soror Kraatz (Ag.) 464
 sospita Pasc. 512
 sospitalis Pasc. 269
 sparsa Bates (Onc.) 346
 sparsa Kl. (Frea) 192
sparsa Künck. (Frea) 193
 sparsa Thoms. (Glen.) 509
sparsedivisum Pic 33
sparsenotatum Pic 60
sparsenotatus Pic 96
 sparsilis Jord. 192
 sparsum Muls. 60
 sparsus Bates (Anis.) 397
 sparsus Pasc. (Anc.) 152
 sparsuta Pasc. 322
 sparsuticollis Fairm. 193
 sparsutor Chevr. 95
 sparsutus Fairm. (Mon.) 96
 sparsutus Pasc. (Pros.) 263
 spathomelina Gah. 141
 spatulatus Gah. 112
 speciosa Friv. (Con.) 547
 speciosa Gah. (Glen.) 505
 speciosus Chevr. (Cal.) 594
 speciosus Gah. (Dih.) 99
 speciosus Pasc. (Tmes.) 227
 spectabile Kraatz 30
 spectabilis Bates (Disc.) 383
 spectabilis Blanch. (Lyc.) 587

- spectabilis Broun (Som.) 7
 spectabilis Drury (Ad.) 591
 spectabilis J. Lec. (Ac.) 434
 spectabilis Pasc. (Op.) 84
 spectrum Thoms. 63
 speculifera Kirby 336
 Spegazzinii Bruch (Bis.) 295
 Spegazzinii Bruch (Phoebe) 592
 Spencei Gyll. 459
 Spenceri Blackb. 269
 Spengleri F. 377
 spermophagus Fisher 416
 sphaeroides Thoms. 13
 spiculata Bates 403
 spilonota Gestro 230
 spilopecta Pasc. 151
 pilosus Jord. 178
 pilota Gah. (At.) 149
 pilota Gah. (Cac.) 143
 pilota Gah. (Eun.) 284
 pilota Thoms. (Glen.) 509, 610
 pilotus Bates (Ad.) 590
 pilotus Jord. (Disc.) 212
 pilotus Pasc. (Cer.) 115
 spinator F. (Ccl.) 111
 spinator F. (Phryn.) 200
 spinator Kolbe (Mon.) 13
 spinicauda Mannerh. (Plectr.) 6
 spinicauda Schaeff. (At.) 292
 spinicollis Cas. 20
 spinicollis Bates (Niph.) 250
 spinicollis Boisd. (Tmes.) 227
 spinicollis Broun (Som.) 7
 spinicornis Bates (Dectes) 411
 spinicornis Péring. (Eun.) 284
 spinidorsis Bates 437
 spinifer Bates 416
 spinifera F. (Lam.) 606
 spinifera Jord. (Arm.) 177
 spinifera Quedf. (Acr.) 252
 spinifera Voet (Glen.) 496
 spiniferus Blanch. 11
 spinipenne Bates 395
 spinipennis Cast. (Pol.) 373
 spinipennis Chev. (Proccha) 291
 spinipennis Gah. (Dih.) 97
 spinipennis Gah. (Id.) 154
 spinipennis Pasc. (Brim.) 66
 spinipennis Thoms. (Hamm.) 105
 spinigera Newm. 143
 Spinolae Dalm. 57
 spinipes Ol. 262
 spinosa Auriv. (Par.) 208
 spinosa Drury (Pol.) 373
 spinosa Hintz (Nups.) 514
 spinosa Hintz (Phant.) 63
 spinosa Kolbe (Petr.) 206
 spinosa Thoms. (Plat.) 266
 spinosissima Garcia 206
 spinosula Pasc. 437
 spinosum Thoms. 100
 spinosus Pasc. (Echth.) 8
 spinosus Say (Dectes) 411
 spinosus Thoms. (Ep.) 79
 spissicornis Bates (Aer.) 598
 spissicornis F. (Hem.) 587
 spissiformis Cas. 576
 splendida F. 583
 splendida Gah. 583
 splendida Pasc. 583
 splendidula Auriv. 583
 spoliatum Horn 20
 spreta Bates (Nyss.) 426
 spreta Bates (Dryc.) 601
 Spryana Westw. 321
 spumans Gerst. 209
 spuria Thoms. 342
 squamata Goeze 200
 squamigera Jord. 113
 squamosa Gah. (Rop.) 286
 squamosa Pasc. (Plat.) 267
 Stableaui Chev. 53
 Stanleyana Hope 78
 Stanleyi Lacord. 78
 Starki Chev. 573
 Starcki Reitt. 555
 Staudingeri Chev. 51
 Staudingeri Pic 23
 stella Pasc. 508
 stellata Pasc. (Hest.) 231
 stellata Thoms. (Glen.) 507
 stellatus Guér. 369
 stellio Newm. (Spal.) 361
 stellio Pasc. (Steir.) 382
 stellio Pasc. (Syn.) 259
 stenideoides Pasc. 355
 stenostola Kraatz 287
 steptarium Escal. 51
 stephanus Auriv. 591
 Stephanus White 75
 Stephensi Hope 449
 sterilis Schönh. 200
 sternutator F. 200
 stictica Auriv. (Mystr.) 517
 stictica Auriv. (Par.) 510
 stictica Auriv. (Stern.) 169
 stictica Bates (Dryc.) 601
 stictica Bates (Hyb.) 324
 stictica Blanch. (Mes.) 141
 sticticollis Thoms. 134
 sticticus Bates (Hamm.) 105
 sticticus Bates (Ochr.) 598
 sticticus Hald. (Ast.) 399
 sticticus Pasc. (Mier.) 10, 607
 Stierlini Ganglb. (Ex.) 600
 stigma F. (Lam.) 606
 stigma Voet (Bat.) 126
 stigmatica Pasc. (Corrh.) 275

- stigmatica* Pasc. (Sybra) 301
stigmaticus Bates 416
stigmaticus Fähr. (Cross.) 196
stigmatifer Thoms. 309
stigosus Gah. 114
stillata Auriv. (Onc.) 348
stillata Bates (Nyss.) 426
stillatus Bates 432
stiriaca Duviv. 162
stolata Newm. (Spal.) 361
stolata Pasc. (Rop.) 286
Stolzi Rits. 111
straminea Pasc. 583
stratus Hell. 136
Straussi Gestro 131
strenua Pasc. (Ax.) 246
strenua Thoms. (At.) 149
strenuus Cas. 92
striata Auriv. 232
striatella Fairm. 303
striatiforme Suv. 50
striatum Dalm. 47
striatum Goetze 25
striatus Bates (Ambl.) 389
striatus Bates (Ex.) 444
strigata Fähr. (Eun.) 284
strigata Gah. (Poth.) 353
strigata Pasc. (Criod.) 439
strigata Thoms. (Glen.) 505
strigatus Redt. 590
strigicollis Fairm. (Disc.) 297
strigicollis Fairm. (Syn.) 516
strigifrons Fairm. 196
strigilis Er. 410
strigina Pasc. 301
strigosa Bates (Col.) 456
strigosa Pasc. (Schoen.) 522
strigosus Bates (Oz.) 398
strigosus Er. (An.) 397
strigosus Jord. (Ex.) 444
strigosus Pasc. (Ol.) 214
strigosus Pasc. (Tmes.) 227
striola Muls. 46
striolata Auriv. (Hest.) 231
striolata Fairm. (Auxa) 11
striolatum Kraatz 30
strix Hell. 135
strumosa Pasc. 256
Stuhlmanni Kolbe 95
stupida Kolbe 63
stupidus Lacord. 390
Sturmi Friv. 38
sturninus Pasc. 263
stygia Ganglb. 556
stygium Thoms. 66
stylicera Bates 456
stypticus Pasc. 197
suada Gah. 505
suavis Bates (Tor.) 427
suavis Newm. (Glen.) 507
suavissima Bates 594
subabbreviata Pic 534
subacuta Pic 466
subacutalis Chevr. 460
subaeneus Bates 311
subalbaria Belon 592
subalpinum Kraatz 36
subannularis Pic 565
subannulicornis Pic 534
subannulipes Pic (Ob.) 534
subannulipes Pic (Phyt.) 565
subarmatus Fairm. (Hop.) 11
subarmatus J. Lec. (Eup.) 311
subaurata Pic 555
subbinotatum Pic 60
subbrevipenne Pic 58
subcaerulea Geoffr. 566
subcarinata Bates 595
subcarinatum J. Müll. 41
subchalybaea Reitt. 466
subchlorus Hell. 224
subcincta Cast. (Col.) 456
subcincta Serv. (Lach.) 341
subcinctus Gestro 227
subcornutus Bates 404
subcostata Kolbe 194
subcostatum Heyd. 27
subcostatus Auriv. (Ad.) 290
subcostatus Kolbe (Myc.) 244
subcostatus Thoms. (Eum.) 603
*subcruciatu*s White 114
subdilatata Bates 588
subdiversum Pic 59
subelipticus Bates 290
subfasciata Bates (Sybra) 301
subfasciata Gah. (Eun.) 284
subfasciata Gah. (Mes.) 141
subfasciata Gah. (Pter.) 255
subfasciata Jord. (Sten.) 307
subfasciata Pasc. (Des.) 272
subfasciata Pasc. (Ses.) 251
subfasciata Thoms. (Glen.) 507
subfasciata Thoms. (Gnoma) 134
subfasciata Thoms. (Hyps.) 344
subfasciata Thoms. (Typ.) 238
subfasciatum Jord. 211
subfasciatus Bates (Mon.) 89
subfasciatus Bates (Pog.) 306
subfasciatus Bates (Tetr.) 576
subfasciatus Fairm. (Aphr.) 243
subfasciatus Hell. (Dol.) 609
subfasciatus Jord. (Ad.) 151
subfasciatus Jord. (Ex.) 444
subfasciatus White (Leiop.) 410
subflavida Pic 464
subfulvovestitum Pic 28
subfurecatum Pic 32
subfurecatus Bates 403

- subfuscopubescens* Pic 34
 subgemmatus Thoms. 119
 subglaber Cas. 416
subiacum Pic 43
subinterruptum Pic 33, 60
subirreductum Pic 58
 subjunctum Pic 38
 sublaevis Cas. (Tetr.) 577
 sublaevis Thoms. (Apr.) 132
 sublineata Pasc. 447
sublineatum Pic 34
 sublineatus Bates (Carph.) 421
 sublineatus Bates (Xen.) 395
 sublineatus Gestro (Cross.) 196
sublineatus White (Blep.) 114
 subluscus Thoms. 96
submaculata Kolbe 166
 submaculosa Fairm. (Nic.) 365
 submaculosa Pic (Apr.) 132
submedia Thoms. 508
 subminiacea Pasc. 494
 subminiata Pasc. 267
submontanum Lauff. 52
 subnigra Pic 464
subnitidipenne Pic 46
 subnitidus Cas. 15
 subnuda Reitt. 464
 subnudus Bates 312
subobliterata Pic (Mes.) 140
subobliterata Pic (Sap.) 472
subobliteratum Th. Pic 33
 subobscuripes Pic 38
 subocellatus Fairm. (Cross.) 196
 subocellatus Ol. (Taen.) 103
subovatus Muls. 329
 subpictus Pasc. 445
subpilosus Mill. 442
 subpinguis White 4
subpolitum Escal. 52
 subreticulata Auriv. 284
 subreticulatus Auriv. 295
subrufopubens Pic 87
 subrugosum Bland 20
 subsellata Pasc. 256
 subsellatus White 379
 subsericatum Pic 38
 subsericea Pasc. 218, 609
 subsimilis Gah. 500
 substrigosus Pasc. 145
 subtergrisea Thoms. 284
 subtessellata Bates (Col.) 456
 subtessellata Bates (Ac.) 385
 subtessellata Gah. (Eun.) 284
subtessiaca Pic 539
subtstaccicolor Pic 534
 subtuberculata White 267
 subtincta Pasc. 255
 subtinctus Pasc. 122
 subtropica Cas. 348

subundata Chevr. 211
subuniforme Pic 31
 subvestitum Dan. 38
subvirgata Dist. 355
 subvirgata Fairm. 355
subvirgatum Pic 62
 subvittata Gah. 286
succincta Houtt. 104
 succinator Chevr. 114
 succisus Kolbe 154
 sudanica Auriv. 161
 suffusa Broun (Som.) 7
 suffusa Gah. (Glen.) 493
 suffusa Newm. (Spal.) 361
 suffusa Pasc. (Moccha) 245
 suffusus Pasc. 448
 sulcata Auriv. (Ogm.) 297
 sulcata Bates (Par.) 293
 sulcata Fall (At.) 292
sulcatipennis Blanch. 223
sulcatipennis Pasc. 223
sulcatithorax Pic 57
 sulcatus Auriv. 227
 sulciceps Gestro 232
 sulcicollis Kolbe 161
 sulcipenne Küst. 30
 sulphurata Dist. (Trag.) 175
 sulphurata Gehl. (Eut.) 491
sulphurata Matsum. (Ent.) 490
sulphurea Auriv. (Pros.) 160
 sulphurea Hell. (Cel.) 111
 sulphurea Pasc. (Choer.) 144
 sulphurea Thoms. (Glen.) 500, 505
 sulphureomaculata Schultze 247
 sulphurescens Bates 426
 sulphurifer Hope (Mon.) 96
 sulphurifer White (Cosm.) 420
sultuarius Pic 88
 sumatrana Rits. 121
sumatrensis Auriv. (Bat.) 126
 sumatrensis Gah. (Ect.) 364
 sumatrensis Gah. (Er.) 136
sumptuosa Gah. (Ast.) 583
 sumptuosa Pasc. (Cer.) 188
 Sundewalli Fähr. (Emphr.) 207
 superans Pasc. 224
 superba Bates 456, 610
superbum Lauff. 55
 superbus Pic 214
superlineatum Lauff. 57
 supernotatus Say 316
 superstes Er. 410
 supposita Pasc. 120
surinamensis maculosus Voet 103
 sutor L. 89
 sutor Sulzer 89
suturaalba Desbr. 34
 suturaalba Fairm. et Germ.
 (Emph.) 366

- suturale* Chevr. 58
suturale Voet 49
suturalis Auriv. (Phars.) 120
suturalis Auriv. (Eun.) 284
suturalis Auriv. (Grac.) 182
suturalis Auriv. (Hipp.) 360
suturalis Auriv. (Hyll.) 355
suturalis Auriv. (Phyt.) 570
suturalis Bates (Perma) 352
suturalis Broun (Som.) 7
suturalis F. (Ag.) 460
suturalis F. (Phyt.) 563
suturalis Fitch (Sap.) 486
suturalis Gah. (Glen.) 501
suturalis Gah. (Stib.) 513
suturalis Hamilt. (Spal.) 361
suturalis Har. (Cochl.) 190
suturalis Jord. (Glen.) 505
suturalis Jord. (Nit.) 521
suturalis Jord. (Trag.) 174
suturalis Linell (Hem.) 595
suturalis Pasc. (Blep.) 518
suturalis Pasc. (Phryn.) 200
suturalis Thoms. (Taen.) 103
suturalis Westw. (Gnoma) 134
suturatium Ferr. 29
suturatus Bates 590
suturella Bates (Ap.) 597
suturella Blanch. (Emph.) 366
Suvorovi Jakowl. (Dorc.) 25
Suvorovi Pic (Opl.) 315
Suvorovianum Plavil. 23
Suvorovi König 556
Suvorovi Pic 556
Swainsoni Hope 132
Svederi White 384
Swinhoi Bates 510
sybroides Pasc. 231
sylvanus Bates 387
sylvatica Hintz 522
sylvia Hintz (Stern.) 166
sylvia Pasc. (Ob.) 528
sylvia Thoms. (Glen.) 498
syriacus Ganglb. 407
syrinx Bates 342
Szschenyana Friv. 82

tabida Pasc. (Chreon.) 580
tabida Pasc. (Copt.) 147
tabularis Kolbe 197
taeniata Belon (Heb.) 602
taeniata Perr. (Cer.) 188
taeniata Thoms. (Glen.) 505
taeniatus Cas. (Lept.) 403
taeniatus Gah. (Tmes.) 225
taeniatus Gmel. (Leiop.) 406
taeniatus Jord. (Poim.) 177
taeniolatus Chevr. 208
taeniotoides Thoms. 101

tagala Hell. 248
taliana Pic (Mes.) 141
taliana Pic (Ob.) 534
talianus Pic (Mon.) 96
talianus Pic (Pseud.) 358
talschense Ganglb. 30
tapeinoides Thoms. 233
tarabuliense Ganglb. 36
Targavei Westw. 168
tarsalis Auriv. (Cym.) 209
tarsalis Gah. (Par.) 155
tarsalis Pasc. (Mon.) 96
tarsalis Pasc. (Sorb.) 145
tau Fröl. 606
tauricola Dan. (Mall.) 545
tauricola Pic (Mon.) 87
tauricum Waltl 38, 50
tuygetana Pic 530
taygetanum Pic 38
taygetanus Pic 332
Taylori Waterh. 281
tekensis Semen. 569
telephoroides Bates (Pret.) 596
telephoroides Thoms. (Ischn.) 597
temporalis Auriv. 591
tenebrica Broun 7
tenebrioides Fähr. 245
tenebrosa Thoms. 377
tenebrosus Bates (Ast.) 428
tenebrosus Cas. (Lept.) 416
tenellus Pasc. 359
tenera Pasc. 534
tentata Pasc. 287
tenuata Bates (Phaea) 574
tenuata Pasc. (Ob.) 534
tenucinctum Pic 52
tenuepunctata Fairm. 193
tenuevittata Fairm. 355
tenuicorne Thoms. 175
tenuicornis Bates (Eup.) 312
tenuicornis Cas. (Am.) 596
tenuicornis Cas. (Micr.) 107
tenuicornis F. (Cast.) 457
tenuilinea Fairm. 568
tenuilineata Thoms. 505
tenuis Blanco-Fern. (Cal.) 358
tenuis Fairm. (Auxa) 11
tenuissima Bates 361
Theophilei Pic 530
terebrans Bates 427
teres Pasc. 353
terminata Buq. (Cyl.) 350
terminata Gah. (Ast.) 583
terminata Pasc. (Ast.) 583
terminata Pasc. (At.) 298
terraecolor Horn 403
terrea Bertol. (Hec.) 245
terrea Pasc. (Pter.) 256
terrenum Pasc. (Comps.) 338

- terrenum White (Phriss.) 64
 terrenus Bates 65
 terrestris Broun (Som.) 7
 terrestris Thoms. (Clep.) 359
 terribilis Thoms. 64
 terriculum Thoms. 64
 terolense Escal. 58
 tersus Pasc. 227
 tessellata Pasc. (Otr.) 231
 tessellata Pasc. (Pal.) 152
 tessellata Pasc. (Tith.) 302
 tessellata Pasc. (Trig.) 230
 tessellata Thoms. (Onc.) 346
 tessellata White (Cremn.) 111
 tessellatus Boisd. (Tmes.) 277
 tessellatus Dist. (Ol.) 215
 tessellatus Guér. (Macr.) 101
 tessellatus Hald. (Hamm.) 105
 tessellatus Hell. (Anh.) 76
 tessellatus Perr. (Ex.) 443
 tessellatus White (Eutr.) 436
 tesserula White 96
 Tessmanni Hintz (Ad.) 151
 Tessmanni Hintz (Glen.) 498
 testacea Auriv. (Nups.) 515
 testacea Bates (Is.) 588
 testacea Broun (Som.) 7
 testacea F. (An.) 315
 testacea Gah. (Soph.) 313
 testacea Saund. (Das.) 540
 testacea Thoms. (Chreon.) 580
 testaceipes Bates 601
 testaceorufa Thoms. 522
 testaceus Cas. (Leiop.) 409
 testaceus Fröl. (Lept.) 403
 testator F. (Hecph.) 584
 testator Pasc. (Per.) 118
 testudo Broun (Som.) 7
 testudo Voet (Ar.) 110
 tetramaston White 394
 tetraophthalmus Prov. 577
 tetraspilota Hope 513
 tetrastigma Bates (Sap.) 481
 tetrastigma Matsum. (Cag.) 491
 tetrica Newm. 147
 tetrophthalmus Forst. 577, 610
 tetrops Bates 341
 teutonica Gmel. 316
 texana Cas. (Spal.) 361
 texana Horn (Ob.) 537
 texana Horn (Onc.) 348
 texanus Cas. (Leiop.) 409
 texanus Horn (Tetr.) 577
 texanus J. Lec. (Dect.) 411
 texanus Schaeff. (Ec.) 325
 texata Chevr. 205
 textor L. (Lem.) 70
 textor Ol. (Mor.) 68
 textor Scop. (Mor.) 68, 69
 Thamni Bates 385
 theaphia Bates (Ad.) 591
 theaphia Bates (Par.) 510
 theodosia Thoms. 505
 Theophilei Pic 37, 38
 Thesae Pic 544
 thermophilus Chevr. 577
 Theryi Pic 524
 thessalicum Pic 38
 thetis Thoms. 505
 thibetana Pic (Mes.) 141
 thibetana Pic (Ob.) 534
 thiodes Bates 105
 Thomae Voet 129
 thomense Jord. 212
 thomensis Jord. (Mon.) 95
 thomensis Jord. (Phryn.) 202
 Thomsoni Auriv. (Pel.) 80
 Thomsoni Auriv. (Stern.) 172
 Thomsoni Auriv. (Trach.) 345
 Thomsoni Buq. (Hem.) 599
 Thomsoni Buq. (Stern.) 169
 Thomsoni Chevr. (Mon.) 95
 Thomsoni Dist. (Eun.) 284
 Thomsoni Fauv. (En.) 232
 Thomsoni Fauv. (Nem.) 234
 Thomsoni Javet (Bat.) 126
 Thomsoni Lacord. (Phaula) 597
 Thomsoni Lansb. (Pot.) 117
 Thomsoni Pasc. (Glen.) 508
 Thomsoni Pasc. (Poim.) 177
 Thomsoni Pasc. (Tmes.) 227
 thoracalis Jord. 18
 thoracica Gah. (Ur.) 113
 thoracica Hintz (Frea) 193
 thoracica Jord. (Blep.) 521
 thoracica Thoms. (Pasc.) 222
 thoracica White (Ac.) 388
 thoracica White (Moech.) 245
 thoracicum Küst. 34
 thoracicus Broun (Hyb.) 324
 thoracicus Cas. (Dect.) 411
 thoracicus White (Hamm.) 105
 Thoreyi Bates 577
 Thunbergi Fähr. (Ger.) 188
 Thunbergi Thoms. (Steir.) 382
 Thysbe Thoms. 127
 Tianschanski Suv. 26
 tibiale Jakowl. 26
 tibialis Auriv. (Eun.) 284
 tibialis Auriv. (Pros.) 159
 tibialis Gah. (Glen.) 505
 tibialis Gah. (Niph.) 250
 tibialis Hald. (Ob.) 537
 tibialis Jord. (Trag.) 205
 tibialis Kolbe (Blep.) 521
 tibialis Schaeff. (At.) 292
 tigrellus Bates 416
 tigriformis Voet 406

- tigrina* Blackb. (Penth.) 270
tigrina Fauv. (Pol.) 242
tigrina Muls. (Pil.) 549
tigrina Pasc. (Psar.) 112
tigrina Skinn. (Est.) 320
tigrina Thoms. (Ap.) 279
tigrinata Thoms. (Hyps.) 344
tigrinata Thoms. (Malth.) 318
tigrinus Auriv. (Er.) 116
tigrinus Geer (Goes) 106
tigrinus Ol. (Macr.) 100
tigrinus Pasc. (Macr.) 100
tigrinus Thoms. (Cer.) 115
tigris Schönh. (Goes) 107
tigris Thoms. (Apr.) 132
tigris Voet (Bat.) 130
tiliae Küst. (Sten.) 542
tiliae Schrank (Sap.) 472
Timbouvae Lam. 395
timida Duviv. 174
timidus Cas. 409
timoriensis Jord. 505
timorlautensis Hell. 127
tincturatus Pasc. 99
Tirellii Luig. 565
titana Stebb. 607
titana Thoms. 125
titillator F. 92
T-notata Gah. 500
togata Kl. 585
togatus Pasc. 99
togonica Kolbe 185
tokatense Pic 35
tokatensis Pic 138
tomentosa Bug. (Joth.) 77
tomentosa Pasc. (Xen.) 216
tomentosa Strm. (Mall.) 544
tomentosa Thoms. (Gram.) 601
tomentosus Hald. (Eup.) 312
tomentosus Redt. (Diast.) 152
tomentosus Ziegl. (Goes) 107
tonkinea Fairm. (Hyll.) 355
tonkinea Pic (Ap.) 279
tonkinea Pic (Call.) 78
tonkinea Pic (Chreon.) 580
tonkinea Pic (Dorc.) 363
tonkinea Pic (Phyt.) 570
tonkinensis Auriv. 101
tonsus Bates 443
torator F. 577
torator Steph. 576
toracacense Lauff. 57
torosus Pasc. 263
torpida Pasc. 256
torquata Auriv. (Glen.) 505
torquata Gah. (Glen.) 505
torquata Pasc. (Plat.) 267
torquatella Auriv. 505
torquatus Bates 398
torrida Pasc. 494
torridus Blackb. (Ath.) 12
torridus Pasc. (Tmes.) 227
Tournieri Pic 52
Touzalini Pic 96
trabeatum Jakowl. 61
tranquilla Thoms. 322
transbaicalica Suv. (Ag.) 464
transbaicalica Suv. (Ob.) 528
transcaspica Pic 464
transcaspicum Jakowl. 31
transitorium Lauff. 56
transsilvanicum Ganglb. 43
transversa Newm. (Ag.) 143
transversa Pasc. (Mes.) 17
transversalis Lam. 512
transversatus Jacq. du Val 401
transversenotata Jord. 165
transversifrons Thoms. 236
transversus Auriv. (Id.) 155
transversus Bates (Lept.) 401
transversus Fairm. (Anc.) 451
transversus Gyll. (Lept.) 403
transversus Pasc. (Tmes.) 227
trapezicollis Hell. 224
Traversi Pasc. 4
tredecimpunctatus Drap. 577
tremula F. 472
tremulae Gyll. 473
triangulare Bates 394
triangularis Germ. (Ap.) 597
triangularis Pasc. (Sybra) 301
triangularis Thoms. (Ep.) 74
triangularis White (Oeas) 155
triangulifer Bates (Lept.) 403
triangulifer Er. (Eutr.) 436
triangulifer Hald. (Graph.) 423
triangulifera Auriv. (Hipp.) 357
triangulifera Hell. (Cac.) 143
triangulifera Rits. (Phem.) 149
tribalteatus Bates 591
tribulus F. 153
tricarinata Cornel. 73
tricincta Dunc. 183
tricinctus Pasc. 115
tricolor Auriv. (Nups.) 514
tricolor Bates (Phaea) 574
tricolor F. (Stib.) 513
tricolor Fisch. (Dorc.) 49
tricolor Hell. (Nem.) 77
tricolor Hell. (Niph.) 609
tricolor Schramm (Dorc.) 58
tridens Pasc. 155
tridens Vogt (Op.) 84
tridenta Emmons (Eut.) 489
tridentata Auriv. (Both.) 156, 603
tridentata Ol. (Eut.) 489
tridentatus Chevr. 84
trifasciata Cas. (Eut.) 490

- trifasciata F. (An.) 183
trifasciata Gmel. (Cer.) 184
trifasciata Newm. (Choer.) 144
trifasciata Quedf. (Ap.) 280
trifasciata Quedf. (Trag.) 174
trifasciatus Hald. (Leop.) 409
trifasciatus Hell. (Nem.) 77
trifasciella White 116
trifolium Fauv. 242
trigeminata Pasc. (Hest.) 231
trigeminata Rand. (Sap.) 487
trigona Pasc. 339
trigonalis Bates (Xen.) 375
trigonalis Heyd. (Pel.) 81
trigonalis Pasc. (Xyast.) 494
trigonocephala Hell. 494
trigonus Bates 403
triguttata Auriv. 355
trilinea Pic 548
trilineata Chevr. (Apr.) 132
trilineata Chevr. (Blep.) 521
trilineata Hintz (Cross.) 194
trilineata Hope (Stib.) 513
trilineata Pic (Copt.) 548
trilineata Say (Het.) 216
trilineatus Hintz (Dich.) 197
trilineatus L. (Ptych.) 101
triloba Pasc. 143
trinaculata Auriv. (Eun.) 283
trinaculata Chevr. (Ep.) 74
trinaculata Kugcl. (Men.) 490
trinaculata Pic (Phyt.) 556
trinaculatus Lea 117
trincomatica Thoms. 500
trinodata Cas. 348
trinodosa Germ. 377
triplagiatus Jord. 215
tripuncta Jord. 178
tripunctata Auriv. (Blep.) 518
tripunctata Auriv. (Char.) 181, 608
tripunctata Auriv. (Eun.) 284
tripunctata Auriv. (Nups.) 515
tripunctata Chevr. (Phyt.) 557
tripunctata F. (Ob.) 535
tripunctata Swed. (Ob.) 527
triseriata Auriv. 280
trispinosa Jord. 18
triste Friv. 38
triste Petri 48
tristiculum Lauff. 52
tristiculus Kraatz 332
tristigma Pic 563, 565
tristis Cas. (Lept.) 416
tristis Cas. (Psen.) 317
tristis F. (Glen.) 499
tristis Gah. (Ced.) 182
tristis L. (Dorc.) 66
tristis Montrz. (Lept.) 234
tristis Newm. (Achth.) 122
tristis Pasc. (Campt.) 448
tristis Pasc. (Triamm.) 120
tristis Reitt. (Mall.) 545
tristis Scop. (Mor.) 69
tristis Thoms. (Phryn.) 200
tristis Voet. (Col.) 456
tristiatum Suv. 50
tristriga Reitt. 563
trituberculata Kolbe 202
trivittata Auriv. (Glen.) 505
trivittata Gistel (Dias.) 183
trivittata Jord. (Grac.) 181
trivittata Newm. (Poth.) 353
trivittatum Bates 394
trivittatus Auriv. (Dyen.) 517
trivittatus Auriv. (Pel.) 81
trivittatus Bates (Lept.) 416
trivittatus Blanch. (Tmes.) 225
trivittatus Guér. (Tmes.) 227
Troberti Muls. 307
trochilus Fauv. 232
trochlearis L. 375
trogodyta Gyll. 286
tropica Duviv. 193
tropicus Pasc. 150
truncata Auriv. (Or.) 232
truncata Auriv. (Par.) 308
truncata Fairm. (Pter.) 257
truncatella Bates (Est.) 320
truncatella Bates (Hipp.) 257
truncatipennis Hell. (Phars.) 120
truncatipennis Pic (Con.) 547
truncatus Pasc. 263
Truquii Thoms. 349
tryphthis Suv. 24
Tschitscherini Jakowl. 26
tuberculata Auriv. (Frea.) 193
tuberculata Geer. (Or.) 377
tuberculata Nonfr. (Stes.) 259
tuberculata Thoms. (Onc.) 348
tuberculata Thoms. (Or.) 377
tuberculator F. 280
tuberculatus F. (Eup.) 312
tuberculatus F. (Lag.) 393
tuberculatus Fröl. (Lept.) 403
tuberculatus Pic (Pog.) 332
tuberculatus Quedf. (Id.) 155
tubercuicollis Guér. (Hil.) 893
tuberculifer Pic 120
tuberculifera Thoms. 18
tuberculosa Auriv. 207
tubericollis Fairm. 196
tuberosa Bates (Nos.) 63
tuberosa Belon (Eupr.) 321
tuberosus Germ. (Alph.) 379
tumidicollis Bates 416
tumulosus Thoms. 340
turbata Pasc. 310
turbatus Masc. 136

- turbida* Baty (Tyb.) 341
turbida Pasc. (Ep.) 237
turchois Fairm. (Frea) 188
turdetanum Lauff. 158
turgaicum Suv. 26
turkestanicum Kraatz 27
Türki Ganglb. (Dorc.) 30
Türki Ganglb. (Phyt.) 556
turrifer Auriv. 17
turrita Newm. 123
Tutori Lauff. 56
- udetera* Pasc. 502
Ugandae Auriv. (Nups.) 514
Ugandae Auriv. (Phryn.) 200
Uhagoni Perez 58
ulcerosa Germ. 348
Ulkei Horn 20
ulmicola Chitt. 537
ulula Hell. 143
umbellatarum Gisl. 564
umbonata J. Lec. 574
umbonatus J. Lec. 577
umbra Cas. 537
umbrata Bates 388
umbratica Kolbe (Phant.) 64
umbratica Pasc. (Sybra) 301
umbraticus Jacq. du Val 420
umbrinus White 64
unbripenne Escal. 58
umbrosa Lacord. (Moech.) 245
umbrosa Pasc. (Ob.) 535
umbrosum Escal. 58
umbrosus Germ. (Tryp.) 412
umbrosus Pasc. (Or.) 237
umbrosus Thoms. (Tith.) 391
una White 130
uncinata Redt. (Phyt.) 568
uncinata Thoms. (Helv.) 352
uncinatus Gah. 80
undata F. (Copt.) 147
undata F. (Lam.) 606
undata Montrz. (Penth.) 270
undatus Chevr. (Try.) 368
undatus Pasc. (Eum.) 603
undatus Voet (Lag.) 393
undulata Bates (Or.) 378
undulata Bates (Sten.) 418
undulata Pasc. (Copt.) 147
undulata Pasc. (Pter.) 256
undulata Quedf. (Acm.) 212
ungaricum Gmel. 50
unguiculatus Nonfr. 213
uniannulatus Fairm. 308
unicolor Auriv. (Phosph.) 71. 608
unicolor Auriv. (Sorm.) 229
unicolor Bates (Hem.) 587
unicolor Bates (Lyc.) 585
unicolor Brown (Lam.) 72
unicolor Buq. (At.) 305
unicolor Csiki (Neod.) 59
unicolor Fairm. (Est.) 320
unicolor Felt (Sap.) 484
unicolor Gah. (Alph.) 161
unicolor Jord. (Plan.) 238
unicolor Gah. (Phaea) 574
unicolor Pasc. (Ast.) 583
unicolor Pasc. (Zot.) 322
unicolor Quedf. (Par.) 203
unifasciata Kolbe (Pter.) 257
unifasciata Rossi (Parm.) 14
unifasciatum Thoms. 212
unifasciatus Blessig (Rhop.) 306
unifasciatus Pic (Leiop.) 407
unifasciatus Pic (Mon.) 87
unifasciatus Thoms. (Cross.) 196
uniformis Blackb. (Rhyt.) 269
uniformis Hell. (Xyast.) 494
uniformis Hintz (Ad.) 151
uniformis Hintz (Frea) 193
uniformis Hintz (Stern.) 166
uniformis Jord. (Ambl.) 230
uniformis Jord. (Hom.) 219
uniformis Pasc. (Myc.) 282
uniformis Pasc. (Pros.) 263
uniformis Pasc. (Pter.) 255
uniformis Waterh. (Pros.) 159
unilineata Bates 456
unilineatus Bates 417
unilineatus Bates 416
uninterruptum Th. Pic 33
unipunctatus Guér. 228
univestitum Pic 32
univittata Bates 594
univittatus Favv. (En.) 233
univittatus Taschenb. (Taen.) 103
univittis Bates 426
uraeus Pasc. 99
urbionense Escal. 56
urfanensis Reitt. 552
urocosmia Bates 591
ursulus Bates (Eup.) 312
ursulus Pasc. (Sod.) 276
Urussovi Fisch. 89
usambaricus Hintz 155
usambica Kolbe 521
ustulata Er. (Nups.) 515
ustulata Hagenb. (Tetr.) 572
ustulata Pasc. (Dan.) 271
ustulata Pasc. (Sybra) 301
uteanum Cas. 20
uteanus Cas. 577
Uvarovi Suv. 26
vaga Gah. (Phyt.) 570
vaga Thoms. (Glen.) 505
vagans Gah. (Pter.) 255
gagans Kanneg. (Neoph.) 120

- vagefasciata Fairm. 257
 vageineata Fairm. 352
 vagepicta Fairm. 336
 vagepictus Fairm. 196
 vaginator F. 606
 vagus Gah. (Mon.) 95
 vagus Thoms. (Tmes.) 228
 V-album Bates 393
 valdepunctata Thoms. 193
valencianum Pic 55
 valga Newm. 364
 vulgus Pasc. 263
 valida Thoms. 288
 validicornis Bates 573
 validipes Jakowl. 26
 validus Gah. 196
vallisoletanum Lauff. 56
valonense Pic 34
 vanessa Pasc. 508
 vanikorensis Boisd. 143
 Van Rooi Auriv. 516
 Varentzovi Semen. 569
 varia Blanch. (Ap.) 280
 varia F. (Ac.) 388
 varia F. (Col.) 456
 varia F. (Lam.) 606
varia Gmel. (Sap.) 480
 variabilis Auriv. (Scl.) 448
 variabilis Gah. (Est.) 364
 variabilis Gah. (Nups.) 515
variabilis Hintz (Glen.) 498
 variabilis Hintz (Syn.) 516
 variabilis Pasc. (Pter.) 256
 variabilis Quedf. (Stern.) 169
 varians Bates (Hem.) 587
 varians Jord. (Acr.) 212
 varians Pasc. (Ser.) 493
 varica Bates 456
 varicornis Bates (Est.) 320
 varicornis F. (Nyct.) 218, 609
 varicornis Fähr. (Nit.) 521
 varicornis Germ. (Anc.) 152
 variegata Auriv. (Acr.) 123
 variegata Auriv. (Col.) 111
 variegata Auriv. (Hyll.) 355
 variegata Auriv. (Nyss.) 426
 variegata Auriv. (Ost.) 437
 variegata Auriv. (Phars.) 120
 variegata Auriv. (Pler.) 342
 variegata Auriv. (Sten.) 203
 variegata Bates (Est.) 320
 variegata Bates (Spal.) 361
 variegata Bertol. (Trag.) 174
 variegata Broun (Som.) 8
variegata Goetze (Sap.) 480
 variegata Jord. (Bang.) 162
 variegata Montrz. (Genus?) 16
 variegata Reiche (Phryn.) 202
 variegata Thoms. (Fun.) 284
 variegata Thoms. (Poth.) 353
 variegator Auriv. (Mon.) 95
 variegator F. (Las.) 153
 variegatum Auriv. (Cyrd.) 251
 variegatum Ganglb. (Dorc.) 38
 variegatum Serv. (Comps.) 337
 variegatus Auriv. (Micr.) 219
 variegatus Auriv. (Plan.) 136
 variegatus Broun (Hyb.) 324
 variegatus Burn. (An.) 397
 variegatus Duviv. (Ex.) 444
 variegatus Gestro (Id.) 155
 variegatus Hald. (Leiop.) 409
 variegatus Jord. (Hom.) 202
 variegatus Thoms. (Lychr.) 257
 variegatus Waterh. (Leuc.) 197
 varifascia Thoms. 507
 variicornis Bates (Eut.) 490
 variicornis Hintz (Syn.) 516
 variicornis Pasc. (Ob.) 535
 variipennis Pasc. 287
 variipes Chevrv. 521
 variivestis Fairm. 303
 variolare Thoms. 21
variolator F. 75
 variolatus Cas. 418
 variolosa Kolbe (Pter.) 257
 variolosa Pasc. (Jam.) 340
 variolosa Pasc. (Niph.) 250
 variolosa Pasc. (Plat.) 267
variolosa Pasc. (Pycn.) 190
 variolosa Schultze (Niph.) 609
 variolosus Fairm. 13
 varioscapus Hell. 494
varipennis Serv. (Atr.) 411
varipennis Thoms. (Marm.) 257
 varipes Broun (Hyb.) 324
varipes Lauff. (Dorc.) 55
 varium Pasc. 277
varius Fröl. (Mon.) 92
 varius Hell. (Cer.) 115
 varius Hell. (Cer.) 115
 varius Ol. (Sthen.) 292
 varius Pasc. (Symp.) 285
 Vasco Coq. 169
 vastator Newm. 99
 vaticina Pasc. 75
 Vaulgeri Pic 565
 vegasensis Cas. 575
 vegatus Broun 324
 velata Thoms. 583
velebiticum J. Müll. 41
Velleda Kriesche 128
 velox Gistel 464
veluchense Pic 38
 velutina Bates (Col.) 456
 velutina Thoms. (Trag.) 175
velutinum Kraatz 41
 velutinus Cas. (Tetr.) 577

- velutinus* White (Poim.) 177
venata Bates 321
venatus Thoms. 224
venditaria Schönh. 169
venenata Pasc. 509
venerea Thoms. 190
venosa Cast. (Xyl.) 210
venosa Pasc. (En.) 276
venosa Pasc. (Misp.) 275
venosa Pasc. (Sybra) 301
venosum Bates 394
venosus Pasc. 276
ventralis Bates (Phyt.) 570
ventralis Bates (Phyt.) 565
ventralis Gah. (Ad.) 591
ventralis Gah. (Alph.) 161
ventralis Gah. (Nit.) 521
ventralis Gah. (Nups.) 515
ventralis Gah. (Plax.) 578
ventralis Pasc. (Er.) 136
Venus Jord. (Trag.) 175
venus Thoms. (Glen.) 496
venusta Bates (Nyss.) 426
venusta Guér. (Glen.) 509
venusta Pasc. (Chreon.) 580
venusta Thoms. (Trag.) 174
venustulum Fairm. 177
venustum Guér. 177
venustus Chevr. 594
venustus Jacq. du Val 594
verecunda Chevr. 461
verecundus Fald. 70
vermicularia Donov. 270
vermicularis Dalm. (Penth.) 270
vermicularis Kirsch (Cob.) 435
vermiculata Kolbe (Frea) 193
vermiculata Thoms. (Onc.) 346
verna Müll. 560
vernula Pasc. 580
verrucata Schönh. 200
verrucicollis Gah. 245
verrucosa Bates (Micc.) 447
verrucosa Bates (Or.) 378
verrucosa Drury (Phryn.) 200
verrucosa Pasc. (Lepr.) 75
verrucosus Gah. (Aeth.) 65
verrucosus Ol. (Trach.) 345
verrucosus Pasc. (Aeth.) 379
verrucosus Voet (Cer.) 606
Versteegi Rits. 96
versuta Newin. 507
verticalis Chevr. (Sthen.) 271
verticalis Fairm. (Op.) 84
verticalis Germ. (Ad.) 591
verticalis Pasc. (Sod.) 276
verticalis Thoms. (Sten.) 307
vespiventris Thoms. 522
vesta Pasc. 505. 509
vestigialis Pasc. (Ep.) 80
vestigialis Pasc. (Eun.) 284
vestigialis Pasc. (Plat.) 267
vestita Bates (Onc.) 346
vestita Bug. (At.) 305
vestita Küst. (Ox.) 543
vestita Say (Sap.) 487
vestilicornis Fairm. 195
vestitus Cas. (Tetr.) 577
vestitus Fauv. (Tmes.) 223
vestitus Say (Eup.) 312
vetusta Bates (Ac.) 388
vetusta Pasc. (Rop.) 287
vetusta Rits. (Ros.) 131
vexans Reitt. 564
vexator Bates (Dil.) 312
vexator Pasc. (Glen.) 500
vexatus Pasc. 263
vexillaris Bates 428
viator Pasc. 99
vicaria Pasc. 267
vicarius Hell. (An.) 608
vicarius Pasc. (Plan.) 136
Vicentei Nicol. 56
vicina Broun (Som.) 8
vicina Gah. (Im.) 133
vicina Gah. (Niph.) 250
vicina Koch (Pycn.) 190
vicina Thoms. (Onc.) 348
vicinalis Pasc. 256
vicinum Pic 27
vicinus Hald. (Leiop.) 409
vicinus Pasc. (Mon.) 91
victoriana Thoms. 127
victoriana Voll. 125
vidua Bates (Col.) 456
vidua Lacord. (Myox.) 380
vidua Pasc. (Zear.) 277
viduata Pasc. (Ar.) 110
viduata Pasc. (Eb.) 277
viduata Pasc. (Rop.) 287
viduatus Pasc. 263
viduus Vigors 382
vigilans Cas. 418
vigintiduomaculata Thoms. 493
vigintiguttata Bates 426
vigintiquatuormaculata Hintz 493
villaris Pasc. (Pros.) 264
villaris Pasc. (Pter.) 256
villaris Pasc. (Tmes.) 228
villica Ol. (Copt.) 146
villica Pasc. (Myn.) 322
villosa Bates (Parm.) 15
villosa F. (Lam.) 607
villosa Gestro (Arct.) 73
villosa Gmel. (Mall.) 545
villosa Pasc. (Pter.) 255
villosicornis Fairm. 308

- villosiviridescens Geer 464
 villosula Thoms. 297
 violadense Escal. 56
 vinacea Pasc. 287
 vinctus Cas. 434
 vinculatus Hell. 228
 vindex Lacord. 426
 vinosa Pasc. 120
 violacea Auriv. (Chreon.) 580
 violacea F. (Ag.) 466
 violaceicornis Hell. 608
 violaceipennis Pic (Ag.) 463
 violaceipennis Thoms. (Ast.) 583
 violaceomaculatus Pic 578
 violata Pasc. 301
 viperina Pasc. 535
 virens Bates (Tox.) 427
 virens Jord. (An.) 171
 virens Schönh. (Col.) 453
 virescens Voet (Ag.) 465
 virescens Auriv. (Cyl.) 350
 virescens F. (Phyt.) 566
 virescens Ol. (Pros.) 159, 608
 virescens Pasc. (Oth.) 230
 virescens Westw. (Stern.) 169
 virgata Gah. (Glen.) 505
 virgata Gah. (Poth.) 353
 virgata Gerst. (Hyll.) 355
 virgata Quedf. (Cross.) 194
 virgatum Motsch. (Neod.) 62
 virgatum Pasc. (Hydr.) 597
 virgatus Gah. 213
 virgineus F. 591
 virgula Champ. 565
 virgulifer Fairm. 438
 viridana Lacord. 419
 viridegrisea Hintz 159
 viridescens Bates (Hyb.) 324
 viridescens Bates (Lept.) 403
 viridescens Buq. (Hast.) 600
 viridescens Gmel. (Ag.) 465
 viridescens Thoms. (Arch.) 224
 viridicincta Boisd. 509
 viridicolle Chevr. 228
 viridinolata Blanch. 509
 viridinolata Thoms. 503
 viridipennis Auriv. (Par.) 364
 viridipennis Bates (Eul.) 597
 viridipennis Chevr. (Dom.) 112
 viridipes Fauv. (En.) 233
 viridipes Thoms. (Tmes.) 228
 viridipustulata Thoms. 509
 viridis Auriv. (Theocr.) 238
 viridis Bates (Ser.) 422
 viridis Gestro (Tmes.) 228
 viridis Gronov. (Phyt.) 558
 viridis Hintz (Pros.) 160
 viridis Hintz (Stern.) 166
 viridis Pasc. (Chlor.) 511
 viridis Westw. (Apr.) 261
 viriditinctus Bates 403
 viridiuscula Goeze 567
 Virleti Brullé 60
 Vitalisi Vuillet 540
 viticola Schaeff. 320
 visendus Fairm. 363
 vitta Newm. 488
 vittata Auriv. (An.) 217
 vittata Auriv. (Anand.) 359
 vittata Auriv. (Daph.) 512
 vittata Auriv. (Mon.) 202
 vittata Auriv. (Oc.) 163
 vittata Auriv. (Proct.) 183
 vittata Auriv. (Pros.) 159
 vittata Bless. (Ob.) 528
 vittata Fähr. (Hyll.) 355
 vittata Fähr. (Trag.) 175
 vittata Gah. (Dem.) 150
 vittata Gah. (Carn.) 456
 vittata Gah. (Rond.) 437
 vittata Gestro (Trig.) 230
 vittata Jord. (Bang.) 162
 vittata Pasc. (Nyct.) 218, 609
 vittata Péring. (Blep.) 518
 vittata Serv. (Meg.) 356
 vittata White (Euc.) 360
 vittator F. 104
 vittatus Auriv. (Bar.) 208
 vittatus F. (Ptych.) 102
 vittatus Hintz (Id.) 155
 vittatus Pasc. (Ad.) 591
 vittatus Reiche (Amph.) 356
 vittatus Serv. (Pel.) 81
 vitticollis Bates (Phaea) 575
 vitticollis Bates (Spor.) 422
 vitticollis Blanch. (Heb.) 602
 vitticollis Cas. (Mec.) 539
 vitticollis Fairm. (Nic.) 365
 vitticollis Gah. (Alph.) 161
 vitticollis Gestro (Nups.) 515
 vitticollis Kolbe (Syn.) 516
 vitticollis Thoms. (Ep.) 80
 vittifera Boisd. 509
 vittigerum Auriv. 46
 vittiger Broun 324
 vittigera F. 546
 vittigerum F. (Dorc.) 46
 vittigerum Panz. (Dorc.) 40
 vittigerum Pasc. (Ith.) 366
 vittipennis Bates (Eup.) 312
 vittipennis Bates (Is.) 588
 vittipennis Reiche (Phyt.) 539
 vittithorax Pic 547
 vittulata Auriv. (Glen.) 505
 vittulata Bates (Bacr.) 603
 vittulata Bates (Est.) 320

vitatus Pasc. 229
Viturati Pic 38
V-notatum Vigors 337
Voeti Thoms. (Ar.) 110
Voeti Thoms. (Onc.) 348
volgensis Kraatz 556
volitans J. Lec. 334
voluptuosa Thoms. (Agn.) 121
voluptuosa Thoms. (Glen.) 505
voluptuosus Thoms. (Cyn.) 109
voluptuosus Thoms. (Poin.) 177
volvulum Auriv. 40
volvulus F. 607
Volvemi Lam. 395
vomicosa Germ. (Onc.) 348
vomicosa Pasc. (Copt.) 147
vulnerata Muls. 566
vulnerata Schall. 564
vulneris Auriv. 566
vulpina Kl. 147

Wachanrui Muls. 556
Waddehi Chevr. 207
Wagneri Küst. 31
Wahlbergi Auriv. (An.) 162
Wahlbergi Fähr. (Trag.) 175
Waitei Broun 8
Wakefieldi Bates 324
Walkeri Gah. (Dorc.) 8
Walkeri Gah. (Ob.) 534
Wallacei Gah. (Glen.) 505
Wallacei Pasc. (Arch.) 224
Wallacei Pasc. (Ent.) 492
Wallacei Pasc. (Plat.) 267
Wallacei Thoms. (Bat.) 130
Wallacei White (Choer.) 144
Wallichi Hoveen 183
Wallichi Hope 183, 609
Wallisi Bates 371
Waltoni Reitt. 467
Wapleri Chevr. 537
Warnieri Luc. 547
Waterhousei Gah. (Cyr.) 109
Waterhousei Pasc. (Micr.) 10
Waterhousei Pasc. (Rhyt.) 269
Websteri Jord. (Ep.) 80
Websteri Jord. (Nem.) 77
Websteriana Broun 8
Weisei Heyd. 580
Weiskei Hell. 131
Welwitschi Paiva 175
Westermanni Gah. (Ast.) 583
Westermanni Thoms. (Vol.) 512
Westwoodi Coq. (Stern.) 167
Westwoodi Guér. (Xyl.) 3
Westwoodi Westw. (Mon.) 96
Weyersi Auriv. (Glen.) 505
Weyersi Fairm. (Dorc.) 38

Weymanni Quedf. 170
W-flavum Bates 395
Whitei Kaup (Bat.) 130
Whitei Lacord. (Mor.) 69
Whitei Pasc. (Les.) 153
Whitei Thoms. (Cer.) 115
Wickhami Leng (Per.) 236
Wickhami Schaeff. (Parm.) 288
Wiedenfeldi Auriv. (Glen.) 509
Wiedenfeldi Auriv. (Tmes.) 228
Wildi Uhler 215
Willeyi Sharp 224
Wilti Horn 409
Wissmanni Quedf. 166
Wollastoni Gah. (Corn.) 77
Wollastoni Thoms. (Isch.) 365
Wollastoni White (Blax.) 2
Woodfordi Gah. 230
woodlarkiana Montrz. 128
woodlarkianus Montrz. 264
Wrayi Waterh. 74
Wulfiusi Blessig 245
Wyliei Chevr. 128

xanthe Bates 587
xantho Bates 417
xanthomera Redt. 600
xanthoneurus Muls. 433
xanthopygus Bates 403
xanthosticta Gestro 232
xanthrotaenia Bates (Tyr.) 587
xanthrotaenia Gestro (Glen.) 509
xanthoxyli Skinn. 408
xanthus Jord. 178
xenoceroides Hell. 143
x-fasciata Gah. 309
x-fulvum Bates 95
x-griseus Bates 403
x-nigrum Auriv. 505
x-signata Auriv. 280
xyalopus Karsch 263
xylina Bates 343
xylinus Bates 397

yapensis Auriv. 264
yorkensis Fairm. 228
ypsilon Kirsch (Eutr.) 436
ypsilon Voet (Lag.) 392
yucca Schaeff. 417
yuceivornus Fall 398

zaisanense Suv. 24
zalinensis Gah. 520
zambesiana Hintz 193
zanzibarica Jord. (Graec.) 182
zanzibarica Thoms. (Trag.) 175
zanzibarica Thoms. (Trag.) 173

- | | |
|---|--|
| <p> <i>zapotensis</i> Bates 319
 <i>Zarcoi</i> Schramm 58
 <i>Zawadskyi</i> Fairm. 463
 <i>zebrinus</i> Fairm. (Anc.) 451
 <i>zebrinus</i> Pasc. (Pter.) 257
 <i>Zichyi</i> Csiki 62
 <i>ziczac</i> Jord. 212
 <i>Ziutgraffi</i> Kolbe 167
 <i>zonaria</i> L. (Gnoma) 134
 <i>zonaria</i> Thoms. (Raph.) 179 </p> | <p> <i>zonarius</i> Lacord. 272
 <i>zonata</i> Bates (Ac.) 385
 <i>zonata</i> Bates (Pter.) 255
 <i>zonata</i> Bates (Xen.) 375
 <i>zonator</i> Thoms. 109
 <i>zonatus</i> Bates (Lept.) 403
 <i>zonatus</i> Lansb. (Nem.) 77
 <i>zonifera</i> Har. 190
 <i>Zuberhoferi</i> Thoms. 209
 <i>zunilensis</i> Bates 103 </p> |
|---|--|
-

- Pars 24: H. Bickhardt, Histeridae. 1910. 137 p.
25: K. W. von Dalla Torre, Cebriionidae. 1911. 18 p.
26: M. Pic, Scraphiidae, Pedilidae. 1911. 27 p.
27: A. Raffray, Pselaphidae. 1911. 222 p.
30: K. W. von Dalla Torre, Cioidae. 1911. 32 p.
31: K. W. von Dalla Torre, Aglycyderidae, Proterrhinidae.
1911. 8 p.
32: E. Csiki, Hydroscaphidae, Ptiliidae. 1911. 61 p.
33: K. W. von Dalla Torre, Nosodendridae, Byrrhidae,
Dermestidae. 1911. 96 p.
34: P. Kulmt, Erotylidae. — C. Ritsema, Helotidae. 1911.
106 p.
35: J. Weise, Chrysomelidae: 15. Hispinae. 1911. 94 p.
36: M. Pic, Anthicidae. 1911. 102 p.
38: J. J. E. Gillet, Scarabaeidae: Coprinae I. 1911. 100 p.
39: Chr. Aurivillius, Cerambycidae: Cerambycinae. 1912.
574 p.
41: M. Pic, Pfinidae. 1912. 46 p.
42: A. Schmidt, Scarabaeidae: Aegialiinae, Chironinae.
1912. 11 p.
43: G. J. Arrow, Scarabaeidae: Pachypodinae, Pleoco-
minae, Aclopiniae, Glaphyrinae, Ochodaeinae, Orph-
ninae, Idiostominae, Hybosorinae, Dynamopinae,
Acanthocerinae, Troginae. 1912. 66 p.
44: H. Strohmeier, Platypodidae. 1912. 26 p.
45, 47, 49, 50: K. W. von Dalla Torre, Scarabaeidae:
Melolonthinae. 1912—13. 451 p.
46: A. Boucomont, Scarabaeidae: Taurocerastinae, Geo-
trupinae. 1912. 47 p.
48: M. Pic, Anobiidae. 1912. 92 p.
51: H. Clavareau, Chrysomelidae: 1. Sagrinae, 2. Dona-
ciinae, 3. Orsodacninae, 4. Criocerinae. 1913. 103 p.

- Pars 52: A. Lameere, Cerambycidae: Prioninae. 1913. 108 p.
53: H. Clavareau, Chrysomelidae: 5. Megascelinae, 6. Megalopodinae, 7. Clytrinae, 8. Cryptocephalinae, 9. Chlamydinae, 10. Lamprosominae. 1913. 278 p.
54: E. Csiki, Rhipiphoridae. 1913. 29 p.
55: M. Pic, Bruchidae. 1913. 74 p.
56: A. Grouvelle, Byturidae, Nitidulidae: 1. Cateretinae, 2. Meligethinae, 3. Carpophilinae, 4. Nitidulinae, 5. Cryptarchinae, 6. Cybocephalinae. 1913. 223 p.
58: M. Pic, Dascillidae, Helodidae, Eucinetidae. 1914. 65 p.
59: H. Clavareau, Chrysomelidae: 11. Eumolpinae. 1914. 214 p.
60: R. Jeannel, Silphidae: Subfam. Bathysciinae. 1914. 62 p.
61: A. Méquignon, Rhizophagidae. 1914. 16 p.
62: F. Spaeth, Chrysomelidae: 16. Cassidinae. 1914. 182 p.
63: E. Csiki, Mordellidae. 1915. 84 p.
64: S. Schenkling, Derodontidae, Lymexylonidae, Micro-malthidae. 1915. 14 p.
65: S. Schenkling, Oedemeridae. 1915. 82 p.
66: F. Ohaus, Scarabaeidae: Euchirinae, Phaenomerinae, Rutelinae. 1918. 241 p.
68: J. Weise, Chrysomelidae: 12. Chrysomelinae. 1916. 255 p.
69: F. Borchmann, Meloidae, Cephaloidae. 1917. 208 p.
70: E. Csiki, Scydmaenidae. 1919. 106 p.
71: A. Zimmermann, Dytiscidae, Halipidae, Hygrobiidae, Amphizoidae. 1920. 326 p.
72: S. Schenkling, Scarabaeidae: Cetoniinae. 1921. 431 p.
73, 74: Chr. Aurivillius, Cerambycidae: Lamiinae. 1922—23. 704 p.
75: S. Schenkling, Scarabaeidae: Trichiinae, Valginae. 1922. 58 p.
76: S. Schenkling, Cryptophagidae. 1923. 92 p.

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01273 1782